





0037860

ROYAL BOTANIC GARDENS  
KEW



M

02











Digitized by the Internet Archive  
in 2013

<http://archive.org/details/indexkewensispla03prai>



c.  
22.V.08

# INDEX KEWENSIS

## PLANTARUM PHANEROGAMARUM

SUPPLEMENTUM TERTIUM

NOMINA ET SYNONYMA OMNIUM GENERUM ET SPECIERUM

AB INITIO ANNI MDCCCCI USQUE AD FINEM

ANNI MDCCCXCV COMPLECTENS

DUCTU ET CONSILIO D. PRAIN

CONFECERUNT

HERBARIi HORTI REGII BOTANICI KEWENSIS CURATORES

OXONII

E PRELO CLARENDONIANO

M DCCCXCVIII



LONDINI ET NOVI EBORACI



APUD HENRICUM FROWDE, A.M.

OXONII: EXCUDERAT HORATIUS HART, A.M., TYPOGRAPHUS ACADEMICUS



## MONITUM

**I**NDICIS Kewensis Plantarum Phanerogamarum supplementum 2<sup>um</sup> usque ad annum 1900 prolatum, ductu et consilio v. cl. W. T. THISELTON-DYER a curatoribus Herbarii Kewensis confectum, eodem modo atque Index ipse impressum anno 1904 e Prelo Clarendoniano in usum publicum editum est.

Supplementum nostrum 3<sup>um</sup> usque ad anni 1905 finem prolatum priori conforme lectoribus nunc commendamus.

D. PRAIN

*Dabamus in Horto Regio Kewensi mense Martio a. 1908.*





# INDICIS KEWENSIS

## SUPPLEMENTUM TERTIUM

### NOMINA PLANTARUM PHANEROGAMARUM OMNIA

### ANNIS M.DCCCCI—M.DCCCCV EDITA

### COMPLECTENS

#### ABAMA—ACACIA.

**ABAMA**, Adans. = **Nartheceum**, Moehr. (Liliac.).  
*occidentalis*, A. A. Heller, *Muhlenbergia*, i. 47 = *N. californicum*.

**ABBEVILLEA**, Berg = **Campomanesia**, Ruiz & Pav. (Myrtac.).  
*bullata*, Barb. Rodr. Myrt. Parag. 17.—Parag.

**ABELICEA**, Reichb. = **Zelkova**, Spach (Urtic.).  
*hirta*, Schneider, Ill. Handb. Laubholz. i. (1904) 226 = *Z. Keaki*.

**ABELMOSCHUS**, Medic. (Malvac.).  
 [HIBISCUS, Linn. I. K.]  
*mindanaensis*, Warb. ex Perkins, *Frag. Fl. Philipp.* i. 111.—Ins. Philipp.  
*Sharpei*, Copeland, ex Merrill, in *Philipp. Gov. Lab. Bur. Bull.* xvii. 29.—Ins. Philipp.

**ABEREMOA**, Aubl. = **Duguetia**, St. Hil. (Anonac.).  
*asterotricha*, Diels, ex Pilg. in Verh. Bot. Ver. Brand. xlvii. (1905) 128.—Reg. Amaz.  
*brevipedunculata*, R. E. Fries, in Arkiv Bot. Stockh. iv. no. 19, 8.—Bras.  
*hadrantha*, Diels, ex Pilg. in Verh. Bot. Ver. Brand. xlvii. (1905) 128.—Reg. Amaz.  
*fonasiana*, R. E. Fries, in Arkiv Bot. Stockh. iv. no. 19, 10.—Bras.  
*laevis*, R. E. Fries, in Bull. Herb. Boiss. Sér. II. iv. 1170.—Parag.  
*steelecantha*, Diels, ex Pilg. in Verh. Bot. Ver. Brand. xlvii. (1905) 129.—Reg. Amaz.  
*Ulei*, Diels, ex Pilg. l. c. 130.—Reg. Amaz.

**ABIES**, Tourn. (Conif.).  
*cephalonica*, London, in *Gard. Mag.* xiv. (1838) 81; *Arb. Brit.* iv. (1833) 2325.—Graecia.  
*gracilis*, Kom. in *Act. Hort. Petrop.* xx. 203.—As. bor.  
*Lowii*, Annesley, Beaut. Trees & Shrubs, 21 sub tab. = *Lowiana*.

**ABOLBODA**, Humb. & Bonpl. (Xyrid.).  
*macrostachya*, Spruce, ex Malme, in *Bih. Svensk. Vet. Akad. Handl.* xxvi. no. 19, 15.—Venez.

**ABRONIA**, Juss. (Nyctag.).  
*aurita*, Abrams, in *Bull. Torr. Bot. Club*, 1905, 537.—Calif.  
*Bakeri*, Greene, Pl. Baker. iii. 32.—Am. bor.  
*cheradophila*, A. Nelson, in *Coult. Bot. Gaz.* xxxiv. 364.—Am. bor.  
*fallax*, Heimerl, ex Rydb. in *Bull. Torr. Bot. Club*, 1902, 684.—Am. bor.  
*glabra*, Rydb. l. c. 685.—Am. bor.  
*lanceolata*, Rydb. l. c.—Am. bor.  
*Nelsoni*, Heimerl, in *Ann. Conserv. & Jard. Bot. Genève*, v. 191.—Am. bor.  
*nudata*, Rydb. in *Bull. Torr. Bot. Club*, 1902, 683.—Am. bor.  
*pedunculata*, Rydb. l. c. 686.—Am. bor.  
*pinetorum*, Abrams, in *Bull. Torr. Bot. Club*, 1905, 537.—Calif.  
*pumila*, Rydb. in *Bull. Torr. Bot. Club*, 1902, 683.—Am. bor.  
*salsa*, Rydb. l. c. 684.—Am. bor.

**ABRUS**, Linn. (Legum.).  
*Abrus*, W. F. Wright, in U. S. Dept. Agric. Contrib. Nat. Herb. ix. 171 = *A. precatorius*.

**ABUTILON**, Tonn. (Malvac.).  
*Abutilon*, Shafer, in Ann. Carneg. Mus. i. 32 = *A. Avicennae*.  
*austroafricanum*, Hochr. in *Ann. Conserv. & Jard. Bot. Genève*, 1902, 25.—Afr. austr.  
*cornutum*, Dals. ex T. Cooke, *Fl. Bombay*, 98.—Ind. or.  
*cyclonervosum*, Hochr. in *Ann. Conserv. & Jard. Bot. Genève*, 1902, 27.—Boliv.  
*dentatum*, Rose, in U. S. Dept. Agric. Contrib. Nat. Herb. viii. 318.—Mexic.  
*fragile*, T. S. Brandegee, in *Zoe*, v. (1903), 156.—Calif.  
*Hassleranum*, Hochr. in *Bull. Herb. Boiss. Sér. II. v. 90*.—Parag.  
*Holwayi*, Rose, in U. S. Dept. Agric. Contrib. Nat. Herb. viii. 318.—Mexic.  
*Lauraster*, Hochr. in *Ann. Conserv. & Jard. Bot. Genève*, 1902, 24.—Madag.  
*leucophaeum*, Hochr. l. c. 15.—Ind. occ.  
*Lugardii*, Hochr. & Schinz, in *Bull. Herb. Boiss. Sér. II. iii. 825*.—Afr. trop.  
*parvifolium*, Hochr. in *Ann. Conserv. & Jard. Bot. Genève*, 1902, 26.—Bras.  
*Pringlei*, Hochr. l. c. 14.—Am. bor.  
*pseudangulatum*, Hochr. l. c. 13.—Madag.  
*pseudostriatum*, Hochr. Pl. Bogor. Exsicc. 24.—Hab. ?  
*pycnodon*, Hochr. in *Bull. Herb. Boiss. Sér. II. ii. 1001*.—Afr. trop.  
*rufivelum*, K. Schum. ex Glaz. in *Bull. Soc. Bot. Fr. lii. Mém. III. 47*, nomen.—Bras.  
*rugosulum*, Hochr. in *Bull. Herb. Boiss. Sér. II. v. 288*.—Parag.  
*simulans*, Rose, in U. S. Dept. Agric. Contrib. Nat. Herb. viii. 318.—Mexic.  
*subpapyraceum*, Hochr. in *Ann. Conserv. & Jard. Bot. Genève*, 1902, 23.—Ind. occ.

**ACACIA**, Tourn. (Legum.).  
*acuaria*, Fitzg. in *Journ. W. Austral. Nat. Hist. Soc. i. 7*.—Austral.  
*acutata*, Fitzg. l. c. 6.—Austral.  
*aestivalis*, Pritz. in *Engl. Jahrb.* xxxv. 300.—Austral.  
*ambigua*, Rose, in U. S. Dept. Agric. Contrib. Nat. Herb. viii. 31 = *sericocarpa*.  
*ancistrophylla*, C. R. P. Andrews, in *Journ. W. Austral. Nat. Hist. Soc. i. 40*.—Austral.  
*Andrewsii*, Fitzg. in *Journ. W. Austral. Nat. Hist. Soc. i. 6*.—Austral.  
*Antunesii*, Harms, in *Engl. Jahrb.* xxx. 76.—Afr. trop.  
*Benthami*, Rochbr. *Toxic. Afric.* ii. 192.—Afr. austr.  
*Buchananii*, Harms, in *Engl. Jahrb.* xxx. 76.—Afr. trop.  
*Cambagei*, R. T. Baker, in *Proc. Linn. Soc. N. S. Wales*, xxv. 661.—Austral.  
*camptoclada*, Pritz. in *Engl. Jahrb.* xxxv. 309.—Austral.  
*camptoclada*, C. R. P. Andrews, in *Journ. W. Austral. Nat. Hist. Soc. i. 39*.—Austral.  
*Cliftoniana*, Fitzg. in *Journ. W. Austral. Nat. Hist. Soc. i. 10*.—Austral.

**ACACIA** :—  
*collina*, Pritz. in *Engl. Jahrb.* xxxv. 291.—Austral.  
*comans*, Fitzg. in *Journ. W. Austral. Nat. Hist. Soc. i. 5*.—Austral.  
*Cometes*, C. R. P. Andrews, in *Journ. W. Austral. Nat. Hist. Soc. i. 39*.—Austral.  
*compacta*, Rose, in U. S. Dept. Agric. Contrib. Nat. Herb. viii. 31.—Am. cent.  
*crinita*, T. S. Brandegee, in *Zoe*, v. (1905) 198.—Mexic.  
*Dewevrei*, Wildem. & Th. Dur. in *Ann. Mus. Congo*, Sér. III. 80.—Afr. trop.  
*dictyoneura*, Pritz. in *Engl. Jahrb.* xxxv. 303.—Austral.  
*Dielsii*, Pritz. l. c. 294.—Austral.  
*Dorothea*, Maiden, in *Proc. Linn. Soc. N. S. Wales*, xxvi. 12.—Austral.  
*dubia*, Fitzg. in *Journ. W. Austral. Nat. Hist. Soc. i. 9*.—Austral.  
*duriuscula*, Fitzg. l. c. 15.—Austral.  
*eremaea*, C. R. P. Andrews, in *Journ. W. Austral. Nat. Hist. Soc. i. 40*.—Austral.  
*euphleba*, Fitzg. in *Journ. W. Austral. Nat. Hist. Soc. i. 16*.—Austral.  
*exocarpoides*, Fitzg. l. c. 7.—Austral.  
*Fitzgeraldii*, Pritz. in *Engl. Jahrb.* xxxv. 291.—Austral.  
*flabellifolia*, Fitzg. in *Journ. W. Austral. Nat. Hist. Soc. i. 11*.—Austral.  
*Forrestiana*, Pritz. in *Engl. Jahrb.* xxxv. 298.—Austral.  
*Hassleri*, Chod. in *Bull. Herb. Boiss. Sér. II. iv. 486*.—Parag.  
*hebecladoides*, Harms, in *Notizbl. Bot. Gart. Berlin*, iii. 195, nomen; in *Engl. Jahrb.* xxxvi. 208.—Afr. trop.  
*Hova*, Drake, *Hist. Pl. Madag.* i. 66 (= *Pithecolobium Pervilleanum*).—Madag.  
*Iguana*, Micheli, in *Mém. Soc. Phys. Hist. Nat. Genève*, xxxiv. 281.—Mexic.  
*inamabilis*, Pritz. in *Engl. Jahrb.* xxxv. 289.—Austral.  
*insolita*, Pritz. l. c. 310.—Austral.  
*Kirkii*, Harms (an Oliv. ?), in *Warb. Kunene-Sambesi Exped.* 243.—Afr. trop.  
*lasiocalyx*, C. R. P. Andrews, in *Journ. W. Austral. Nat. Hist. Soc. i. 41*.—Austral.  
*leptacantha*, Pritz. in *Engl. Jahrb.* xxxv. 296.—Austral.  
*leucosperma*, F. Muell. & Pritz. ex Pritz. l. c. 302.—Austral.  
*linophylla*, Fitzg. in *Journ. W. Austral. Nat. Hist. Soc. i. 16*.—Austral.  
*Lujaei*, Wildem. & Th. Dur. in *Compt. Rend. Soc. Bot. Belg.* xxxix. 99.—Afr. trop.  
*macilenta*, Rose, in U. S. Dept. Agric. Contrib. Nat. Herb. viii. 31.—Mexic.  
*merinthophora*, Pritz. in *Engl. Jahrb.* xxxv. 307.—Austral.  
*Merkeri*, Harms, in *Notizbl. Bot. Gart. Berlin*, iii. 195, nomen; in *Engl. Jahrb.* xxxvi. 208.—Afr. trop.  
*Moirii*, Pritz. in *Engl. Jahrb.* xxxv. 312.—Austral.  
*Mooreana*, Fitzg. in *Journ. W. Austral. Nat. Hist. Soc. i. 10*.—Austral.

**ACACIA:**—

- morondavensis, *Drake, Hist. Pl. Madag.* i. 62.—Madag.  
 multilineata, *Fitzg. in Journ. W. Austral. Nat. Hist. Soc.* i. 13.—Austral.  
 neurophylla, *Fitzg. l. c.*—Austral.  
 occidentalis, *Rose, in U. S. Dept. Agric. Contrib. Nat. Herb.* viii. 32.—Mexic.  
 poliochroa, *Pritz. in Engl. Jahrb.* xxxv. 293.—Austral.  
 porphyrochila, *Pritz. l. c.* 299.—Austral.  
 prismifolia, *Pritz. l. c.* 293.—Austral.  
 psammophila, *Pritz. l. c.* 294.—Austral.  
 purpureapetala, *F. M. Bailey, in Queensl. Agric. Journ.* xv. 780.—Austral.  
 ramulosa, *Fitzg. in Journ. W. Austral. Nat. Hist. Soc.* i. 15.—Austral.  
 Randelliana, *Fitzg. l. c.* 14.—Austral.  
 resinomarginea, *Fitzg. l. c.* 15.—Austral.  
 resinostipulea, *Fitzg. l. c.* 12.—Austral.  
 Ridleyana, *Fitzg. l. c.*—Austral.  
 Sakalava, *Drake, Hist. Pl. Madag.* i. 65.—Madag.  
 sambesiaca, *Schinz, in Denkschr. Akad. Wien, Math.-Nat.* lxxviii. 416.—Afr. trop.  
 Sassa, *Baill. ex Drake, Hist. Pl. Madag.* i. 71 (= *Mimosa Sassa*).—Madag.  
 sericocarpa, *Fitzg. in Journ. W. Austral. Nat. Hist. Soc.* i. (1904) 9.—Austral.  
 sericocarpa, *Rose, in U. S. Dept. Agric. Contrib. Nat. Herb.* viii. 300 (1905).—Mexic.  
 songwensis, *Harms, in Engl. Jahrb.* xxx. 317.—Afr. trop.  
 sonorensis, *Rose, in U. S. Dept. Agric. Contrib. Nat. Herb.* viii. 31.—Mexic.  
 sorophylla, *Pritz. in Engl. Jahrb.* xxxv. 296.—Austral.  
 sphaerostachya, *Pritz. l. c.* 305.—Austral.  
 tamminensis, *Pritz. l. c.* 290.—Austral.  
 trachycarpa, *Pritz. l. c.* 308.—Austral.  
 Tratmaniana, *Fitzg. in Journ. W. Austral. Nat. Hist. Soc.* i. 8.—Austral.  
 Trentiniani, *A. Cheval. in Act. Congr. Intern. Bot.* 1900 (1901), 272.—Afr. trop.  
 trichopetala, *Drake, Hist. Pl. Madag.* i. 70 (= *Albizzia trichopetala*).—Madag.  
 unijuga, *Rose, in U. S. Dept. Agric. Contrib. Nat. Herb.* viii. 32.—Mexic.  
 vernicosa, *Fitzg. in Journ. W. Austral. Nat. Hist. Soc.* i. 11.—Austral.  
 verrucifera, *Harms, in Warb. Kunene-Sambesi Exped.* 17 = Kirkii.  
 xerophila, *Fitzg. in Journ. W. Austral. Nat. Hist. Soc.* i. 8.—Austral.  
 xiphophylla, *Pritz. in Engl. Jahrb.* xxxv. 305.—Austral.  
 Zygia, *Baill. ex Drake, Hist. Pl. Madag.* i. 71 (= *Inga Zygia*).—Madag.

**ACAENA**, Linn. (Rosac.).

- Alboffii, *MacL. in Rep. Princeton Univ. Exped. Patag.* viii. 477.—Fuegia.  
 Hystrix, *Chod. & Wilcz. in Bull. Herb. Boiss. Sér. II.* ii. 295.—Reg. Argent.  
 tehuelcha, *Speg. Nov. Add. Fl. Patag.* i. (1901), repr. 49.—Patag.

**ACALYPHA**, Linn. (Euphorb.).

- Adamsii, *Robinson, in Proc. Amer. Acad.* xxxviii. 161.—Ins. Galap.  
 albemarlensis, *Robinson, l. c.* 163.—Ins. Galap.  
 benensis, *Rusby, in Bull. Torr. Bot. Club*, 1901, 304.—Bolivia.  
 Brittoni, *Rusby, l. c.* 303.—Bolivia.  
 caturoides, *K. Schum. in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 298.—N. Guin.  
 chathamensis, *Robinson, in Proc. Amer. Acad.* xxxviii. 163.—Ins. Galap.  
 Engleri, *Pax, in Engl. Jahrb.* xxxiv. 372.—Afr. trop.  
 erosa, *Rusby, in Bull. Torr. Bot. Club*, 1901, 305.—Bolivia.  
 glandulosa, *Chod. & Hassl. in Bull. Herb. Boiss. Sér. II.* v. 605.—Parag.  
 grandispicata, *Rusby, in Bull. Torr. Bot. Club*, 1901, 304.—Bolivia.  
 Hassleriana, *Chod. in Bull. Herb. Boiss. Sér. II.* v. 606.—Parag.  
 inaequalis, *Rusby, in Bull. Torr. Bot. Club*, 1901, 303.—Bolivia.  
 Lechleri, *Rusby, l. c.* 304.—Bolivia.

**ACALYPHA:**—

- oreopola, *Greenm. in Proc. Amer. Acad.* xxxix. 82.—Mexic.  
 paraguayensis, *Chod. & Hassl. in Bull. Herb. Boiss. Sér. II.* v. 606.—Parag.

**ACAMPTOCLADOS**, Nash, in Small, Fl. S. E. U. S. 139 (1903). GRAMINEAE.

- sessilispicus, *Nash, l. c.* 140 (= *Eragrostis sessilispica*).—Am. bor.

**ACANTHOCLADUS**, Klotzsch = *Polygala*, Linn. (Polygal.).

- carazaensis, *Glaz. in Bull. Soc. Bot. Fr. lii. Mém.* III. 28, nomen.—Bras.

**ACANTHOCOCOS**, Barb. Rodr. Palm. Hassl. Nov. 1 (1900). PALMAE.

- Hassleri, *Barb. Rodr. l. c.* 2.—Parag.

**ACANTHOPANAX**, Miq. (Aral.).

- brachypus, *Harms, in Engl. Jahrb.* xxxvi. Beibl. lxxxii. 80.—China.  
 Giralddii, *Harms, l. c.*—China.

**ACANTHOPHIPPIUM**, Blume (Orchid.).

- splendidum, *J. J. Sm. in Natuurk. Tijdschr. Ned. Ind.* lviii. (1898) 360 descr.—Celebes.

**ACANTHOPHYLLUM**, C. A. Mey. (Caryophyll.).

- adenophorum, *Freyn, in Bull. Herb. Boiss. Sér. II.* iii. 867.—As. cent.  
 spinidens, *Freyn, l. c.* 870.—As. cent.  
 stenostegium, *Freyn, l. c.* 866.—As. cent.  
 viscidum, *Freyn, l. c.* 869.—As. cent.

**ACANTHOPSIS**, Harv. (Acanth.).

- Hoffmannseggiana, *C. B. Clarke, in Dyer, Fl. Cap.* v. 35 (= *Acanthodium Hoffmannseggianum*).—Afr. austr.  
 trispina, *C. B. Clarke, l. c.*—Afr. austr.

**ACANTHOSPERMUM**, Schrank (Compos.).

- microcarpum, *Robinson, in Proc. Amer. Acad.* xxxviii. (1902) 208.—Ins. Galap.

**ACANTHOSYRIS**, Griseb. (Santal.).

- platensis, *Speg. in Com. Mus. Buenos Aires*, i. 314.—Reg. Argent.

**ACANTHURA**, Lindau, in Engl. Jahrb. xxx. (1901) 196. ACANTHACEAE.

- mattogrossensis, *Lindau, l. c.* 197.—Bras.

**ACANTHUS**, Tourn. (Acanth.).

- Perringi, *Siehe, in Gard. Chron.* 1905, i. 2.—As. Min.  
 Villaeana, *Wildem. in Ann. Mus. Congo, Sér. IV.* (1903) 148.—Afr. trop.

**ACER**, Tourn. (Sapind.).

- diffusum, *Greene, Pittonia*, v. 2.—Am. bor.  
 erianthum, *Schwerin, in Engl. Pflanzenreich, Acer.* 22.—China.  
 Fargesii, *Franch. in Sarg. Trees & Shrubs*, 180.—China.  
 flabellatum, *Rehd. in Sarg. Trees & Shrubs*, 161, t. 81.—China.  
 Giralddii, *Pax, in Engl. Pflanzenreich, Acer.* 79.—China.  
 Grosseri, *Pax, l. c.* 80.—China.  
 Heyhachii, *Matsum. ex Makino, in Bot. Mag. Tokyo*, xviii. 115 = japonicum.  
 lanceolatum, *Mollard, in Bull. Soc. Bot. Fr.* i. 134.—China.  
 laxiflorum, *Pax, in Engl. Pflanzenreich, Acer.* 36.—China.  
 longipes, *Franch. in Sarg. Trees & Shrubs*, 178.—China.  
 Macounii, *Greene, Pittonia*, v. 3.—Am. bor.  
 modocense, *Greene, l. c.* 4.—Am. bor.  
 neo-mexicanum, *Greene, l. c.* 3.—Am. bor.  
 philippinum, *Merrill, in Philipp. Gov. Lab. Bur. Bull.* xxxv. 36.—Ins. Philipp.  
 pseudo-sieboldianum, *Kom. in Act. Hort. Petrop.* xxii. 725.—China.  
 Regelii, *Pax, in Engl. Pflanzenreich, Acer.* 60.—Turkest.  
 robustum, *Pax, l. c.* 79.—China.  
 Schoenermarkiae, *Pax, l. c.* 71.—China.  
 subserratum, *Greene, Pittonia*, v. 1.—Am. bor.

**ACER:**—

- Torreyi, *Greene, Pittonia*, v. 2.—Am. bor.  
 triflorum, *Kom. in Act. Hort. Petrop.* xviii. 430.—As. or.  
 turkestanicum, *Pax, in Engl. Pflanzenreich, Acer.* 49.—Turkest.  
 Wilsoni, *Rehd. in Sarg. Trees & Shrubs*, 157, t. 79.—China.

**ACERIPHYLLUM**, Engl. (Saxifr.).

- Bossii, *Ind. Kew. Suppl.* i. 4 sphalm. = Rossii.  
 Rossii, *Engl. in Engl. & Prantl, Pflanzenf.* iii. 11A. 52.—China.

**ACHAETOGERON**, A. Gray (Compos.).

- ascendens, *Greenm. in Proc. Amer. Acad.* xli. 254.—Mexic.  
 griseus, *Greenm. l. c.*—Mexic.  
 purpurascens, *Greenm. l. c.* xxxix. 94.—Mexic.  
 versicolor, *Greenm. l. c.* xli. 255.—Mexic.

**ACHASMA**, Griff. = *Amomum*, Linn. (Scitamin.).

- coccineum, *Valet. in Bull. Inst. Buitenz.* xx. 93 = Am. coccineum.  
 foetens, *Valet. l. c.* = Am. foetens.  
 Walang, *Valet. l. c.* = Am. Walang.

**ACHILLEA**, Linn. (Compos.).

- arenicola, *A. A. Heller, Muhlenbergia*, i. 61.—Calif.  
 Briquetiana, *Chenev. in Bull. Trav. Soc. Bot. Genève*, ix. 125.—Hybr.  
 laxiflora, *A. Nelson, in Proc. Biol. Soc. Washington*, xv. 179.—Am. bor.  
 subalpina, *Greene, Leaflets Bot. Obs.* i. 145.—Am. bor.  
 veronensis, *Rouy, Illustr. Pl. Eur.* t. 434.—Ital.

**ACHYRANTHES**, Linn. (Amarant.).

- angustifolia, *Lopr. in Malpighia*, xiv. 434; in *Engl. Jahrb.* xxx. 107 (= *Gomphrena angustifolia*).—Ind. or.; Afr. trop.  
 Fauriei, *Léveillé & Vaniot, in Bull. Soc. Bot. Fr.* li. 422.—Japon.  
 pedicellata, *Lopr. in Malpighia*, xiv. 433.—Afr. trop.  
 rubrolutea, *Lopr. l. c.* 432.—Afr. trop.  
 viridis, *Lopr. l. c.*—Afr. trop.

**ACHYROCLINE**, Less. (Compos.).

- Hallii, *Hieron. in Engl. Jahrb.* xxviii. 594.—Ecuad.  
 Lehmannii, *Hieron. l. c.* 595.—N. Granat.

**ACHYROSPERMUM**, Blume (Labiata.).

- ciliatum, *Guerke, in Engl. Jahrb.* xxxvi. 128.—Afr. trop.  
 Schlechteri, *Guerke, l. c.* 127.—Afr. trop.

**ACIANTHUS**, R. Br. (Orchid.).

- amplexicaulis, *Rolfe, Orchid Rev.* xi. 344 (= *Microstylis amplexicaulis*).—Austral.  
 Brunonis, *F. Muell. Fragm.* v. 96 = exsertus, fornicatus.

**ACIDANTHERA**, Hochst. (Irid.).

- Goetzei, *Harms, in Engl. Jahrb.* xxx. 278.—Afr. trop.

**ACIDOTON**, Sw. (Euphorb.).

- microphyllus, *Urb. Symb. Antill.* iii. 302.—Ind. occ.

**ACINETA**, Lindl. (Orchid.).

- Colmani, *Hort. in Gard. Chron.* 1904, i. 173 = Humboldtii.

**ACIOA**, Aubl. (Rosac.).

- Gilletii, *Wildem. in Ann. Mus. Congo, Sér. V.* 47.—Afr. trop.  
 Goetzeana, *Engl. Jahrb.* xxx. 315.—Afr. trop.  
 Whytei, *Staph, in Journ. Linn. Soc.* xxxvii. 97.—Afr. trop.

**ACKAMA**, A. Cunn. (Saxifr.).

- Nymanii, *K. Schum. in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 272.—N. Guin.

**ACMOPYLE**, Pilg. in Engl. Pflanzenreich, Taxac. 117 (1903). TAXACEAE.

- Pancheri, *Pilg. l. c.* (= *Dacrydium Pancheri*).—N. Caled.

**ACNISTUS**, Schott (Solan.).

- geminifolius, *Damm. in Engl. Jahrb.* xxxvi. 384.—Ecuador.  
 insularis, *Robinson, in Proc. Amer. Acad.* xxxviii. 198.—Ins. Galap.  
 Pringlei, *Fernald, in Proc. Amer. Acad.* xl. 56.—Mexic.

**ACOMIS**, F. Muell. (Compos.).

Lesteri, *Burkill*, in *Kew Bull.* 1901, 140.—Austral.

**ACONITUM**, Tourm. (Ranuncul.).

albo-violaceum, *Kom. in Act. Hort. Petrop.* xviii. 439.—As. or.

atrocyaneum, *Rydb. in Bull. Torr. Bot. Club*, 1902, 150.—Am. bor.

atrox, *Goris*, in *Bull. Sc. Pharm. Par. iii.* (1901) 122, et ex *Stapf*, in *Ann. Bot. Gard. Calc.* x. 158, partim = *deinorrhizum*.

Bakeri, *Greene, Pl. Baker.* iii. 5.—Am. bor.

Balfourii, *Stapf*, in *Ann. Bot. Gard. Calc.* x. 160.—Reg. Himal.

Bodinieri, *Léveillé & Vaniot*, in *Bull. Acad. Géog. Bot.* 1902, 45.—China.

Brühlü, *Goris*, in *Bull. Sc. Pharm. Par. iii.* (1901) 122, et ex *Stapf*, in *Ann. Bot. Gard. Calc.* x. 158, partim = *deinorrhizum*.

cannabifolium, *Franch. ex Finet & Gagnep. in Bull. Soc. Bot. Fr.* li. 503.—China.

Cavaleriei, *Léveillé & Vaniot*, in *Bull. Soc. Agri. Sci. Arts Sarthe*, 1905, 78.—China.

chasmanthum, *Stapf*, ex *Holmes, Mus. Report, Pharm. Soc. G. Brit.* 1903, 2; et in *Ann. Bot. Gard. Calc.* x. 142.—Reg. Himal.

contortum, *Finet & Gagnep. in Bull. Soc. Bot. Fr.* li. 506.—China.

deinorrhizum, *Stapf*, in *Ann. Bot. Gard. Calc.* x. 158.—Reg. Himal.

dissectum, *Watt*, in *Agric. Ledger*, 1902, No. 3, 100, partim = *chasmanthum*.

divaricatum, *Finet & Gagnep. in Bull. Soc. Bot. Fr.* li. 511.—China.

Elwesii, *Stapf*, in *Ann. Bot. Gard. Calc.* x. 174.—Reg. Himal.

Falconeri, *Stapf*, l. c. 163.—Reg. Himal.

Franchetii, *Finet & Gagnep. in Bull. Soc. Bot. Fr.* li. 510.—China.

Fauriei, *Léveillé & Vaniot*, in *Bull. Soc. Agri. Sci. Arts Sarthe*, 1905, 77.—Japon.

glaberrimum, *Rydb. in Bull. Torr. Bot. Club*, 1902, 151.—Am. bor.

heterophyllodes, *Stapf*, in *Ann. Bot. Gard. Calc.* x. 171.—Reg. Himal.

hians, *Watt*, in *Agric. Ledger*, 1902, No. 3, 101 = *chasmanthum*.

Hookeri, *Stapf*, in *Ann. Bot. Gard. Calc.* x. 147.—Reg. Himal.

jaluense, *Kom. in Act. Hort. Petrop.* xviii. 439.—As. or.

laciniatum, *Stapf*, in *Ann. Bot. Gard. Calc.* x. 168.—Reg. Himal.

leucanthum, *Stapf*, l. c. 173.—Reg. Himal.

moschatum, *Stapf*, l. c. 139.—Reg. Himal.

Nagarum, *Stapf*, l. c. 176.—Assam.

naviculare, *Stapf*, l. c. 154.—Reg. Himal.

pendulum, *Busch*, in *Bull. Jard. Bot. Pétersb.* v. 135.—Tibet.

petiolare, *Royle*, ex *Stapf*, in *Ann. Bot. Gard. Calc.* x. 151 = *heterophyllum*.

porrectum, *Rydb. in Bull. Torr. Bot. Club*, 1902, 150.—Am. bor.

romanicum, *Wolosz. Fl. Polon. Exsicc.* no. 905.—Hungar.

rotundifolium, *Kar. & Kir. in Bull. Soc. Nat. Mosc.* xv. 139.—As. cent.

soongaricum, *Stapf*, in *Ann. Bot. Gard. Calc.* x. 141.—As. cent.

Souliei, *Finet & Gagnep. in Bull. Soc. Bot. Fr.* li. 515.—China.

spicatum, *Stapf*, in *Ann. Bot. Gard. Calc.* x. 165.—Reg. Himal.

tatsienense, *Finet & Gagnep. in Bull. Soc. Bot. Fr.* li. 510.—China.

tenue, *Rydb. in Bull. Torr. Bot. Club*, 1902, 149.—Am. bor.

umbrosum, *Kom. in Act. Hort. Petrop.* xxii. 250.—China.

violaceum, *Jacquem. ex Stapf*, in *Ann. Bot. Gard. Calc.* x. 144.—Reg. Himal.

vitifolium, *Royle*, ex *Stapf*, l. c. 136 = *laeve*.

**ACORELLUS**, Palla, ex Kneuck. in *Allg. Bot. Zeitschr.* 1903, 68; et in *Koch, Syn. Deutsch. Schweiz. Fl. ed. III. ii.* 2557 (1905). **CYPERACEAE**.  
distachyus, *Palla*, l. c. 68; l. c. 2558 (= *Cyperus distachyus*).—Reg. Medit.  
laevigatus, *Palla*, l. c. 2558 (= *Cyperus laevigatus*).—Sicil.**ACORELLUS** :—

pannonicus, *Palla*, in *Koch, Syn. Deutsch. Schweiz. Fl. ed. III. ii.* 2557 (= *Cyperus pannonicus*).—Eur.

**ACORIDIUM**, Nees & Meyen (Orchid.).

[*CERATOSTYLIS*, Blume. I. K.]

abbreviatum, *Rolfe*, in *Orchid. Rev.* 1904, 219 (= *Dendrochilum abbreviatum*).—Java.

Arachnites, *Rolfe*, l. c. (= *Dendrochilum Arachnites*).—Ins. Philipp.

auritum, *Rolfe*, l. c. (= *Dendrochilum auritum*).—Java.

barbifrons, *Rolfe*, l. c. (= *Platyclinis barbifrons*).—Sumatra.

bistortum, *Rolfe*, l. c. (= *Platyclinis bistorta*).—Malaya.

brachyotum, *Rolfe*, l. c. 220 (= *Dendrochilum brachyotum*).—Java.

bracteosum, *Rolfe*, l. c. (= *Dendrochilum bracteosum*).—Malaya.

brevilabratum, *Rolfe*, l. c. (= *Platyclinis brevilabrata*).—Sumatra.

Cobbianum, *Rolfe*, l. c. (= *Dendrochilum Cobbianum*).—Ins. Philipp.

convallariaeforme, *Rolfe*, l. c. (= *Dendrochilum convallariaeforme*).—Ins. Philipp.

cornutum, *Rolfe*, l. c. (= *Dendrochilum cornutum*).—Java.

corrugatum, *Rolfe*, l. c. (= *Platyclinis corrugata*).—Borneo.

cucumerinum, *Rolfe*, l. c. (= *Dendrochilum cucumerinum*).—Ins. Philipp.?

edentulum, *Rolfe*, l. c. (= *Dendrochilum edentulum*).—Java.

erosum, *Rolfe*, l. c. (= *Dendrochilum erosum*).—Java.

filiforme, *Rolfe*, l. c. (= *Dendrochilum filiforme*).—Ins. Philipp.

globigerum, *Rolfe*, l. c. (= *Platyclinis globigera*).—Borneo.

glumaceum, *Rolfe*, l. c. (= *Dendrochilum glumaceum*).—Ins. Philipp.

gracile, *Rolfe*, l. c. (= *Platyclinis gracilis*).—Penins. Mal.

grandiflorum, *Rolfe*, l. c. (= *Platyclinis grandiflora*).—Borneo.

Kingii, *Rolfe*, l. c. (= *Platyclinis Kingii*).—Malaya.

latifolium, *Rolfe*, l. c. (= *Dendrochilum latifolium*).—Ins. Philipp.

lineare, *Rolfe*, l. c. (= *Platyclinis linearis*).—Penins. Mal.

linearifolium, *Rolfe*, l. c. (= *Dendrochilum linearifolium*).—Penins. Mal.

longifolium, *Rolfe*, l. c. (= *Dendrochilum longifolium*).—Malaya.

magnum, *Rolfe*, l. c. (= *Dendrochilum magnum*).—Ins. Philipp.

pumilum, *Rolfe*, l. c. (= *Dendrochilum pumilum*).—Ins. Philipp.

rufum, *Rolfe*, l. c. (= *Platyclinis rufa*).—Hab.?

sarawakense, *Rolfe*, l. c. (= *Platyclinis sarawakense*).—Borneo.

simile, *Rolfe*, l. c. (= *Dendrochilum simile*).—Malaya.

sphacelatum, *Ames, Orchid. i.* 1.—Ins. Philipp.

stachyodes, *Rolfe*, in *Orchid. Rev.* 1904, 220 (= *Platyclinis stachyodes*).—Borneo.

uncatum, *Rolfe*, l. c. (= *Dendrochilum uncatum*).—Ins. Philipp.

Whitfordii, *Rolfe*, in *Ames, Orchid. i.* 73.—Ins. Philipp.

**ACRIDOCARPUS**, Guill. & Perr. (Malpigh.).

brevipetiolatus, *Engl. Jahrb.* xxxvi. 252.—Afr. trop.

ferrugineus, *Engl. l. c.* 250.—Afr. trop.

glaucescens, *Engl. in Ann. Ist. Bot. Roma*, ix. 253.—Afr. trop.

katangensis, *Wildem. in Ann. Mus. Congo, Sér. IV.* 27.—Afr. trop.

macrocalyx, *Engl. Jahrb.* xxxvi. 250.—Afr. trop.

pruricus, *Hook. & Jacks. Ind. Kew. i.* 32, sphalm. = *pruriens*.

pruriens, *A. Juss. in Arch. Mus. Par. iii.* (1843) 492.—Afr. austr.

Scheffleri, *Engl. Jahrb.* xxxvi. 251.—Afr. trop.

**ACRISTA**, O. F. Cook, in *Bull. Torr. Bot. Club*, 1901

555. **PALMAE**.

monticola, *O. F. Cook*, l. c. 557.—Ind. occ.

**ACRITOCOAETE**, Pilg. in *Engl. Jahrb.* xxxii.

(1902) 53. **GRAMINEAE**.

Volkensii, *Pilg.* l. c. 54.—Afr. trop.

**ACROCEPHALUS**, Benth. (Labiata.).

Debeerstii, *Briq. ex Th. Dur. & Wildem. in Bull. Soc. Bot. Belg.* xl. 37.—Afr. trop.

Demeusei, *Briq. l. c.* 36.—Afr. trop.

Descampsii, *Briq. l. c.* 38.—Afr. trop.

Stormsii, *Briq. l. c.* 37.—Afr. trop.

**ACROCOMIA**, Mart. (Palmae).

erisacantha, *Barb. Rodr. Contrib. Jard. Bot. Rio* (1902) 85.—Bras.

media, *O. F. Cook*, in *Bull. Torr. Bot. Club*, 1901, 566.—Ind. occ.

**ACROLASIA**, Presl = **Mentzelia**, Linn. (Loasac.).

affinis, *Rydb. in Bull. Torr. Bot. Club*, 1903, 278 = *M. affinis*.

albicaulis, *Rydb. l. c.* 277 = *M. albicaulis*.

aurea, *Rydb. l. c.* 278 (= *Bartonia aurea*).—Am. bor.

compacta, *Rydb. l. c.* = *M. compacta*.

congesta, *Rydb. l. c.* 277 = *M. congesta*.

ctenophora, *Rydb. l. c.* = *M. ctenophora*.

Davidsoniana, *Abrams*, in *Bull. Torr. Bot. Club*, 1905, 538.—Calif.

gracilentia, *Rydb. in Bull. Torr. Bot. Club*, 1903, 278 = *M. gracilentia*.

gracilis, *Rydb. l. c.* 1904, 566.—Am. bor.

integriifolia, *Rydb. l. c.* 1903, 278 = *M. dispersa*.

latifolia, *Rydb. l. c.* 1904, 567.—Am. bor.

micrantha, *Rydb. l. c.* 1903, 278 = *M. micrantha*.

ngaumderensis, *Guerke*, in *Bauer, Deutsch. Niger-Benne Exped.* 163, nomen.—Afr. trop.

nitens, *Rydb. in Bull. Torr. Bot. Club*, 1903, 278 = *M. nitens*.

pectinata, *Rydb. l. c.* = *M. gracilentia*.

pinetorum, *Heller, Muhlenbergia*, ii. 99 = *M. pinetorum*.

tenerrima, *Rydb. in Bull. Torr. Bot. Club*, 1903, 277 = *M. tenerrima*.

Tweedyi, *Rydb. l. c.* = *M. Tweedyi*.

Veatchiana, *Rydb. l. c.* 278 = *M. albicaulis*.

viridescens, *Heller, Muhlenbergia*, ii. 98.—Calif.

**ACRONYCHIA**, Forst. (Rutac.).

serrata, *Hochr. Pl. Bogor. Exsicc.* 49.—Ins. Amboin.

**ACROTOME**, Benth. (Labiata.).

amboensis, *Briq. in Bull. Herb. Boiss. Sér. II.* iii. 1095.—Afr. trop.

**ACTAEA**, Linn. (Ranunc.).

asplenifolia, *Greene*, in *Ottawa Natural.* xvi. 35.—Am. bor.

californica, *Greene*, l. c. 36.—Am. bor.

caudata, *Greene*, l. c. 35.—Am. bor.

**ACTINIDIA**, Lindl. (Ternstroem.).

Giraldii, *Diels*, in *Engl. Jahrb.* xxxvi. Beibl. lxxxii. 75.—China.

**ACTINOCARPUS**, R. Br. = **Damasonium**, Juss.

(Alism.).

stellatus, *Bub. Fl. Pyren.* iv. 3 = *D. stellatum*.

**ACTINODAPHNE**, Nees (Laurac.).

lanceolata, *Dalz. & Gibs. Bomb. Fl.* 312.—Ind. or.

**ACTINOMERIS**, Nutt. (Compos.).

paniculata, *Small, Fl. S.E.U.S.* 1271 (= *Athanasia paniculata*).—Am. bor.

**ACTINOPHLOEUS**, Becc. = **Drymophloeus**, Zipp.

(Palm.).

furcatus, *Becc. in Martelli, Webbia*, 302.—N. Guin.

**ACTINOSTEMMA**, Griff. (Cucurb.).

multilobum, *Harms*, in *Engl. Jahrb.* xxix. 602.—China.

**ACTINOTUS**, Labill. (Umbell.).

Forsythii, *Maiden & Betcher*, in *Proc. Linn. Soc. N. S. Wales*, xxvii. 60.—Austral.

Moorei, *Rodw. Tasman. Fl.* 65.—Austral.

Paddisoni, *R. T. Baker*, in *Proc. Linn. Soc. N. S. Wales*, xxx. 225.—Austral.

suffocata, *Rodw. Tasman. Fl.* 65.—Austral.

**ACTOPLANES**, K. Schum. in *Engl. Pflanzenreich*,

Marant. (1902) 33. **MARANTACEAE**.

canniformis, *K. Schum. l. c.* 34 (= *Thalia cannaeformis*).—Malaya.

Ridleyi, *K. Schum. l. c.* 35.—Ind. or.

ACUAN, Medic. = *Desmanthus*, Willd. (Legum.).  
*fallax*, Small, in Bull. N. York Bot. Gard. ii. 97.—  
Am. bor.

ADELIA, P. Br. = *Forestiera*, Poir. (Oleac.).  
*globularis*, Small, in Bull. N. York Bot. Gard. iii. 433.  
—Am. bor.  
*pinetorum*, Small, l. c. —Am. bor.

ADELIA, Linn. (Euphorb.).  
*membranifolia*, Chod. & Hassl. in Bull. Herb. Boiss.  
Sér. II. v. 604 (= *Ricinella membranifolia*).—Parag.;  
Bras.

ADELOBOTRYS, DC. (Melast.).  
*macrophylla*, Pilg. in Verh. Bot. Ver. Brand. xlvii.  
(1905) 165.—Peruv.  
*multiflora*, Pilg. l. c. 166.—Peruv.  
*praetexta*, Pilg. l. c. 167.—Peruv.

ADENANTHOS, Labill. (Proteac.).  
*argyrea*, Diels, ex Diels & Pritz. in Engl. Jahrb. xxxv.  
138.—Austral.  
*cynorum*, Diels, l. c. —Austral.

ADENIA, Forsk. (Passifl.).  
[MODECCA, Linn. I. K.]  
*acuminata*, King, in Journ. As. Soc. Beng. lxxi. 54  
(= *Modecca acuminata*).—Malaya.  
Goetzei, Harms, in Engl. Jahrb. xxx. 330.—Afr. trop.  
*nicobarica*, King, in Journ. As. Soc. Beng. lxxi. 52  
(= *Modecca nicobarica*).—Malaya.  
Schlechteri, Harms, in Engl. Jahrb. xxxiii. 150.—Afr.  
austr.

ADENIUM, Roem. & Schult. (Apocyn.).  
*coetaneum*, Stapf, in Dyer, Fl. Trop. Afr. iv. i. 227.—  
Afr. trop.  
*socotranum*, Vierh. in Oesterr. Bot. Zeitschr. 1904, 286.  
—Socotra.  
*somalense*, Balf. f. Bot. Socotra, 162.—Afr. trop.  
*namaquarium*, Henslow, in The Gardener, 1901, 1194  
= *Hoodia Currori*.

ADENOCALYMNA, Mart. (Bignon.).  
*glomeratum*, Sprague, in Bull. Herb. Boiss. Sér. II. v.  
81.—Parag.  
*macrocarpum*, Donn. Sm. in Coult. Bot. Gaz. xl. 9.—  
Am. cent.

ADENODOLICHOS, Harms, in Engl. Jahrb. xxxiii.  
179 (1902); in Warb. Kunene-Sambesi Exped. 266  
(1903). LEGUMINOSAE.  
*adenophorus*, Harms, l. c. 180; l. c. 267 (= *Dolichos*  
*adenophorus*).—Afr. trop.  
*Anchietae*, Harms, l. c. 179; l. c. 266 (= *Dolichos*  
*Anchietae*).—Afr. trop.  
*Baumii*, Harms, l. c. 180; l. c. 267.—Afr. trop.  
*Bussei*, Harms, l. c. 180; l. c. 267.—Afr. trop.  
*euryphyllus*, Harms, l. c. 180; l. c. 267.—Afr. trop.  
*grandifoliolatus*, Wildem. in Ann. Mus. Congo, Sér. IV.  
203.—Afr. trop.  
*Harmsianus*, Wildem. l. c. 202.—Afr. trop.  
*macrothyrsus*, Harms, in Engl. Jahrb. xxxiii. 180;  
in Warb. Kunene-Sambesi Exped. 267 (= *Dolichos*  
*macrothyrsus*).—Afr. trop.  
*punctatus*, Harms, l. c. 180; l. c. 267 (= *Dolichos*  
*punctatus*).—Afr. trop.  
*rhomboideus*, Harms, l. c. 179; l. c. 266 (= *Dolichos*  
*rhomboideus*).—Afr. trop.

ADENOPHORA, Fisch. (Campan.).  
*Alpini*, Borb. in Magyar Bot. Lap. iii. 194 (= *Cam-*  
*panula Alpini*).—Hungar.  
*axilliflora*, Borb. l. c. 191 (= *Campanula axilliflora*).  
—China.  
*Bockiana*, Diels, in Engl. Jahrb. xxix. 605.—China.  
*Mikoi*, Borb. in Magyar Bot. Lap. iii. 192 (= *Cam-*  
*panula Mikoi*).—Eur.  
*palustris*, Kom. in Act. Hort. Petrop. xviii. 426.—As. or.  
*perpallens*, Borb. in Magyar Bot. Lap. iii. 193  
(= *Campanula perpallens*).—Eur.  
*rhomboidea*, Borb. l. c. 192 (= *Campanula rhomboidea*).  
—Sibir.  
*Richteri*, Borb. ex Freyn, in Oesterr. Bot. Zeitschr. 1890,  
47, nomen; in Magyar Bot. Lap. i. 253 (= *Cam-*  
*panula Richteri*).—Sibir.

ADENOPUS, Benth. (Cucurb.).  
*noctiflorus*, Gilg, in Engl. Jahrb. xxxiv. 347.—Afr. trop.  
*reticulatus*, Gilg, l. c. 348.—Afr. trop.  
*rufus*, Gilg, l. c. 346.—Afr. trop.

ADENOSACME, Wall. (Rubiace.).  
[MYCETIA, Reinw. DT. & H.]  
*Scortechinii*, King & Gamble, in Journ. As. Soc. Beng.  
lxxii. 197.—Penins. Mal.

ADENOSMA, R. Br. (Scrophul.).  
*inopinatum*, Prain, in Journ. As. Soc. Beng. lxxii. 16.  
—Penins. Mal.

ADENOSTEGIA, Benth. = *Cordylanthus*, Nutt.  
(Scrophul.).  
*filifolia*, Abrams, Fl. Los Angeles, 372 = *C. filifolius*.

ADESMIA, DC. (Legum.).  
*aphanantha*, Speg. in Anal. Mus. Buenos Aires, vii.  
270 (= *Patagonium aphananthum*).—Patag.  
*glutinosa*, Arech. in Anal. Mus. Montev. iii. 351.—  
Urug.  
*graminidea*, Speg. in Anal. Mus. Buenos Aires, vii.  
272 (= *Patagonium graminideum*).—Patag.  
*karraikensis*, Speg. Nov. Add. Fl. Patag. i. (1901),  
repr. 31.—Patag.  
*leptopoda*, Speg. l. c. 32.—Patag.  
*salicornioides*, Speg. l. c. 35.—Patag.  
*tehuelcha*, Speg. l. c. 36.—Patag.  
*uruguaya*, Arech. in Anal. Mus. Montev. iii. 350.—Urug.

ADHATODA, Tourn. (Acanth.).  
[JUSTICIA, Linn. DT. & H.]  
*Andromeda*, C. B. Clarke, in Dyer, Fl. Cap. v. 76  
(= *Duvernoia Andromeda*).—Afr. austr.  
*Duvernoia*, C. B. Clarke, l. c. 77 (= *Duvernoia ad-*  
*hatodioides*).—Afr. austr.

ADICEA, Rafin. = *Pilea*, Lindl. (Urticac.).  
*herniarioides*, Small, Fl. S. E. U. S. 358 = *P. muscosa*.

ADINANDRA, Jack (Ternstroem.).  
*luzonica*, Merrill, in Philipp. Gov. Lab. Bur. Bull.  
xxix. 29.—Ins. Philipp.

ADOPOGON, Neck. = *Krigia*, Schreb. (Compos.).  
*virginicum*, Shafer, in Ann. Carneg. Mus. i. 71 = *K.*  
*amplexicaulis*.

ADYSETON, Adans. = *Alyssum*, Linn. (Crucif.).  
*orbiculare*, Bub. Fl. Pyren. iii. 207 = *Alyss. minimum*.

AECHMEA, Ruiz & Pav. (Bromel.).  
*aciculosa*, Mez & Sodiro, ex Mez, in Bull. Herb.  
Boiss. Sér. II. iv. 620.—Ecuador.  
*inermis*, Mez, l. c. —Peruv.  
*lavandulacea*, C. H. Wright, in Bot. Mag. t. 8005.—  
Ind. occ.  
*oligosepala*, Ind. Kew. Suppl. i. 12, sphalm. = *oligo-*  
*sphaera*.  
*Tonduzii*, Mez & Pittier, ex Mez, in Bull. Herb. Boiss.  
Sér. II. iii. 132.—Am. cent.

AEGIPHILA, Jacq. (Verben.).  
*Candelabrum*, Briq. in Bull. Herb. Boiss. Sér. II. iv.  
1168.—Parag.  
*Hassleri*, Briq. l. c. 1167.—Parag.  
*nervosa*, Urb. Symb. Antill. iii. 366.—Ind. occ.  
*paraguariensis*, Briq. in Bull. Herb. Boiss. Sér. II. iv.  
1166.—Parag.  
*platyphylla*, Briq. l. c. 1168.—Parag.  
*plicata*, Urb. Symb. Antill. iii. 365.—Ind. occ.  
*Swartziana*, Urb. l. c. 364.—Ind. occ.  
*uniflora*, Urb. l. c. 365.—Ind. occ.

AEGLE, Correa (Rutac.).  
*glutinosa*, Merrill, in Philipp. Gov. Lab. Bur. Bull. vi.  
12 (= *Limonia glutinosa*).—Ins. Philipp.

AEGOPODIUM, Knaut (Umbellif.).  
*tenera*, Yabe, in Journ. Coll. Sci. Tokyo, XVI. iv. 46  
(= *Chamaele tenera*).—Japon.

AELUROPUS, Trin. (Gramin.).  
*macrostachyus*, Hack. in Oesterr. Bot. Zeitschr. 1902,  
374.—As. trop.

AEOLANTHUS, Mart. (Labiata.).  
*adenotrichus*, Guerke, ex Wildem. in Ann. Mus. Congo,  
Sér. IV. 224.—Afr. trop.  
*Edlingeri*, Guerke, in Engl. Jahrb. xxxvi. 130.—Afr.  
trop.  
*glandulosus*, Guerke, l. c. xxx. 396.—Afr. trop.  
*paludosus*, Guerke, in Warb. Kunene-Sambesi Exped.  
354.—Afr. trop.

AEOLANTHUS:—  
*rubescens*, Guerke, in Engl. Jahrb. xxxvi. 131.—Afr.  
trop.  
*tuberosus*, Guerke, l. c. xxx. 395 = *rubescens*.  
*uliginosus*, Guerke, in Warb. Kunene-Sambesi Exped.  
355.—Afr. trop.  
*usambarensis*, Guerke, in Engl. Jahrb. xxxvi. 129.—  
Afr. trop.

AERANTHES, Lindl. (Orchid.).  
*caudata*, Rolfe, in Kew Bull. 1901, 149.—Madag.  
*ramosa*, Rolfe, in Orch. Rev. ix. 352.—Madag.

AERANTHUS, Reichb. f. (Orchid.).  
[MYSTACIDIUM, Lindl. I. K.]  
[MACROPECTRUM, Pfitz. D. T. & H.]  
*Deistelianus*, Kraenzl. in Engl. Jahrb. xxxiii. 75.—  
Afr. trop.

AERIA, O. F. Cook, in Bull. Torr. Bot. Club, 1901,  
547. PALMAE.  
*attenuata*, O. F. Cook, l. c. 548.—Ind. occ.

AERVA, Forsk. (Amarant.).  
*Ruspolii*, Lopr. in Malpighia, xiv. 431.—Afr. trop.

AESCHYNANTHUS, Jack (Gesner.).  
*breviflorus*, K. Schum. in Just, Jahresb. xxvii. i. 534  
(= *Trichosporum breviflorum*).—Ins. Philipp.  
*buxifolius*, Hemsl. in Journ. Linn. Soc. xxxv. 515.  
—China.  
*Forbesii*, K. Schum. in Just, Jahresb. xxvii. i. 534  
(= *Trichosporum Forbesii*).—N. Guin.  
*humilis*, Hemsl. in Journ. Linn. Soc. xxxv. 516.—China.  
*meo*, K. Schum. in K. Schum. & Lauterb. Nachtr. Fl.  
Deutsch. Südsee, 376.—N. Guin.  
*nummularius*, K. Schum. in Just, Jahresb. xxvii. i.  
534 (= *Trichosporum nummularium*).—N. Guin.

AESCHYNOMENE, Linn. (Legum.).  
*Baumii*, Harms, in Warb. Kunene-Sambesi Exped. 261.  
—Afr. trop.  
*bella*, Harms, in Engl. Jahrb. xxx. 327.—Afr. trop.  
*Butayei*, Wildem. in Ann. Mus. Congo, Sér. V. 143.—  
Afr. trop.  
*Dewevrei*, Wildem. & Th. Dur. in Ann. Mus. Congo,  
Sér. III. i. 64.—Afr. trop.  
*Gilletii*, Wildem. l. c. Sér. V. 143.—Afr. trop.  
*glandulosa*, Wildem. l. c. 142.—Afr. trop.  
*glutinosa*, Schinz, in Bull. Herb. Boiss. Sér. II. ii.  
947, non Taub.—Afr. austr.  
*Goetzei*, Harms, in Engl. Jahrb. xxx. 328.—Afr. trop.  
*katangensis*, Wildem. in Ann. Mus. Congo, Sér. IV.  
188.—Afr. trop.  
*madrensis*, Micheli, in Mém. Soc. Phys. Hist. Nat.  
Genève, xxxiv. 255.—Mexic.  
*nambalensis*, Harms, in Warb. Kunene-Sambesi  
Exped. 261.—Afr. trop.  
*Newtonii*, Schinz, in Bull. Herb. Boiss. Sér. II. ii.  
948.—Afr. trop.  
*oligantha*, Micheli, in Mém. Soc. Phys. Hist. Nat.  
Genève, xxxiv. 256.—Mexic.  
*paludicola*, Harms, in Engl. Jahrb. xxx. 329.—Afr. trop.  
*paucifoliolata*, Micheli, in Mém. Soc. Phys. Hist. Nat.  
Genève, xxxiv. 256.—Mexic.  
*pratensis*, Small, in Bull. N. York Bot. Gard. iii. 423.  
—Am. bor.  
*Pringlei*, Rose, in U. S. Dept. Agric. Contrib. Nat.  
Herb. viii. 312.—Mexic.  
*Rehmannii*, Schinz, in Bull. Herb. Boiss. Sér. II. ii.  
947.—Afr. austr.

AESCULUS, Linn. (Sapind.).  
*austriana*, Small, in Bull. Torr. Bot. Club, 1901, 359.  
—Am. bor.

AETHIONEMA, R. Br. (Crucif.).  
*carneum*, B. Fedtsch. in Act. Hort. Petrop. xxiii. 428  
(= *Thlaspi carneum*).—Oriens.  
*latifolium*, Freyn, in Bull. Herb. Boiss. Sér. II. i. 258.  
—Oriens.

AFRAMOMUM, K. Schum. in Engl. Pflanzenreich,  
Zingib. 201 (1904). ZINGIBERACEAE.  
*albo-violaceum*, K. Schum. l. c. 207 (= *Amomum albo-*  
*violaceum*).—Afr. trop.  
*alpinum*, K. Schum. l. c. 220 (= *Amomum alpinum*).  
—Afr. trop.  
*angustifolium*, K. Schum. l. c. 218 (= *Amomum angusti-*  
*folium*).—Afr. trop.  
*arundinaceum*, K. Schum. l. c. 205 (= *Amomum arun-*  
*dinaceum*).—Afr. trop.



**AFRAMOMUM** :—

- Baummannii, *K. Schum. in Engl. Pflanzenreich, Zingib.* 220.—Afr. trop.  
biauriculatum, *K. Schum. l. c.* 207.—Afr. trop.  
cereum, *K. Schum. l. c.* 210 (= *Amomum cereum*).—Afr. trop.  
citratum, *K. Schum. l. c.* 214 (= *Amomum citratum*).—Afr. trop.  
colosseum, *K. Schum. l. c.* 206.—Afr. trop.  
crassilabium, *K. Schum. l. c.* 220 (= *Amomum crassilabium*).—Afr. trop.  
cuspidatum, *K. Schum. l. c.* 209 (= *Amomum cuspidatum*).—Afr. trop.  
Daniellii, *K. Schum. l. c.* 218 (= *Amomum Daniellii*).—Afr. trop.  
Elliotii, *K. Schum. l. c.* 217 (= *Amomum Elliotii*).—Afr. trop.  
erythrostachyum, *Gagnep. in Bull. Soc. Bot. Fr.* li. 444.—Afr. trop.  
giganteum, *K. Schum. in Engl. Pflanzenreich, Zingib.* 212 (= *Amomum giganteum*).—Afr. trop.  
glaucophyllum, *K. Schum. l. c.* 216 (= *Amomum glaucophyllum*).—Afr. trop.  
Granum-Paradisi, *K. Schum. l. c.* 213 (= *Amomum Granum-Paradisi*).—Afr. trop.  
Hanburyi, *K. Schum. l. c.* 217 (= *Amomum Clusii*).—Afr. trop.  
Kayserianum, *K. Schum. l. c.* 210 (= *Amomum Kayserianum*).—Afr. trop.  
latifolium, *K. Schum. l. c.* 209 (= *Amomum latifolium*).—Afr. trop.  
Laurentii, *K. Schum. l. c.* 213 (= *Amomum Laurentii*).—Afr. trop.  
leonense, *K. Schum. l. c.* 214.—Afr. trop.  
leptolepis, *K. Schum. l. c.* 216 (= *Amomum leptolepis*).—Afr. trop.  
limbatum, *K. Schum. l. c.* 215 (= *Amomum limbatum*).—Afr. trop.  
longiscapum, *K. Schum. l. c.* 212 (= *Amomum longiscapum*).—Afr. trop.  
luteo-album, *K. Schum. l. c.* 216 (= *Amomum luteo-album*).—Afr. trop.  
lycobasis, *K. Schum. l. c.* 215.—Afr. trop.  
Mala, *K. Schum. l. c.* 218 (= *Amomum Mala*).—Afr. trop.  
Mannii, *K. Schum. l. c.* 209 (= *Amomum Mannii*).—Afr. trop.  
masuianum, *K. Schum. l. c.* 212 (= *Amomum masuianum*).—Afr. trop.  
Melegueta, *K. Schum. l. c.* 204 (= *Amomum Melegueta*).—Afr. trop.  
Meleguetella, *K. Schum. l. c.* 205.—Afr. trop.  
pilosum, *K. Schum. l. c.* 206 (= *Amomum pilosum*).—Afr. trop.  
polyanthum, *K. Schum. l. c.* 207 (= *Amomum polyanthum*).—Afr. trop.  
rostratum, *K. Schum. l. c.* 215 (= *Amomum rostratum*).—Afr. trop.  
sanguineum, *K. Schum. l. c.* 219 (= *Amomum sanguineum*).—Afr. trop.  
sceptum, *K. Schum. l. c.* 214 (= *Amomum sceptum*).—Afr. trop.  
stipulatum, *K. Schum. l. c.* 220 (= *Amomum stipulatum*).—Afr. trop.  
subsericeum, *K. Schum. l. c.* 217 (= *Amomum subsericeum*).—Afr. trop.  
sulcatum, *K. Schum. l. c.* 205 (= *Amomum sulcatum*).—Afr. trop.  
tectorum, *K. Schum. l. c.* 210.—Afr. trop.  
zambesiaceum, *K. Schum. l. c.* 206 (= *Amomum zambesiaceum*).—Afr. trop.  
Zimmermannii, *K. Schum. l. c.* 207.—Afr. trop.

**AFRARDISIA**, Mez, in Engl. Pflanzenreich, Myrsin.

- 183 (1902). **MYRSINACEAE**.  
bracteata, *Mez, l. c.* 184 (= *Ardisia bracteata*).—Afr. trop.  
brunneo-purpurea, *Mez, l. c.* 186 (= *Ardisia brunneo-purpurea*).—Afr. trop.  
Conraui, *Mez, l. c.* 184 (= *Ardisia Conraui*).—Afr. trop.  
cymosa, *Mez, l. c.* 186 (= *Ardisia cymosa*).—Afr. trop.  
haemantha, *Mez, l. c.* (= *Ardisia haemantha*).—Afr. trop.  
polyadenia, *Mez, l. c.* 185 (= *Ardisia polyadenia*).—Afr. trop.  
Sadebeckiana, *Mez, l. c.* 187 (= *Ardisia Sadebeckiana*).—Afr. trop.  
Schlechteri, *Mez, l. c.* 185 (= *Ardisia Schlechteri*).—Afr. trop.

**AFRARDISIA** :—

- Staudtii, *Mez, in Engl. Pflanzenreich, Myrsin.* 185 (= *Ardisia Staudtii*).—Afr. trop.  
Zenkeri, *Mez, l. c.* 186 (= *Ardisia Zenkeri*).—Afr. trop.

**AFRIDIA**, Duthie (Labiata).

- suavis, *K. Schum. in Just's Jahresb.* xxvii. i. 535 (= *Nepeta suavis*).—Afghan.

**AFROCALATHEA**, K. Schum. in Engl. Pflanzenreich, Marant. (1902) 51. **MARANTACEAE**.

- rhizantha, *K. Schum. l. c.* (= *Calathea rhizantha*).—Afr. trop.

**AFRODAPHNE**, Stapf, in Journ. Linn. Soc. xxxvii.

- (1905) 110. **LAURACEAE**.  
calabarica, *Stapf, l. c.* 112.—Afr. trop.  
caudata, *Stapf, l. c.*—Afr. trop.  
elata, *Stapf, l. c.* 111 (= *Beilschmiedia elata*).—Afr. trop.  
eurynura, *Stapf, l. c.* 112.—Afr. trop.  
fruticosa, *Stapf, l. c.* 111 (= *Beilschmiedia fruticosa*).—Afr. trop.  
gaboonensis, *Stapf, l. c.* 112 (= *Beilschmiedia gaboonensis*).—Afr. trop.  
grandifolia, *Stapf, l. c.* 111 (= *Cryptocarya grandifolia*).—Afr. trop.  
Mannii, *Stapf, l. c.* (= *Beilschmiedia Mannii*).—Afr. trop.  
minutiflora, *Stapf, l. c.* (= *Beilschmiedia minutiflora*).—Afr. trop.  
nitida, *Stapf, l. c.* (= *Beilschmiedia nitida*).—Afr. trop.  
obscura, *Stapf, l. c.* 112 (= *Beilschmiedia obscura*).—Afr. trop.  
Preussii, *Stapf, l. c.* 111 (= *Beilschmiedia Preussii*).—Afr. trop.  
sessilifolia, *Stapf, l. c.* (= *Beilschmiedia sessilifolia*).—Afr. trop.  
Staudtii, *Stapf, l. c.* (= *Beilschmiedia Staudtii*).—Afr. trop.  
Zenkeri, *Stapf, l. c.* (= *Beilschmiedia Zenkeri*).—Afr. trop.

**AFZELIA**, J. F. Gmel. = **Seymeria**, Pursh (Scrophul.).

- texana, Small, Fl. S. E. U. S. 1072.—Am. sept.  
africana, Persoon, Syn. Pl. i. 455.—Afr. trop.

**AGANONERION**, Pierre, in L. Planch. Prod. Apocyn. (1894) 206. **APOCYNACEAE**.

- dongnaiense, Pierre, l. c. nomen.—Cochinch.

**AGAPANTHUS**, L'Hérit. (Liliac.).

- caulescens, Spreng. in Bull. Soc. Tosc. Ort. 1902, 42.—Afr. austr.

**AGAPETES**, G. Don (Vaccin.).

- Hosseana, Diels, in Fedde, Repert. Nov. Sp. i. 16.—Siam.  
Moorei, Hemsl. in Bot. Mag. t. 7928.—Reg. Himal.  
parviflora, Dunn, in Journ. Linn. Soc. xxxv. 515.—China.  
vaccinioides, Léveillé, in Bull. Acad. Géogr. Bot. 1903, 251.—China.  
vaccinioides, Dunn, in Journ. Linn. Soc. xxxv. 515.—China.

**AGASTACHE**, Clayt. (Labiata).

- [**LOPHANTHUS**, Benth. I.K.S.]  
Cusickii, A. A. Heller, Muhlenbergia, i. 59 (= *Lophanthus Cusickii*).—Am. bor.  
glaucifolia, A. A. Heller, l. c. 32.—Calif.  
nepetoides, Schafer, in Ann. Carneg. Mus. i. 89.—Am. bor.  
occidentalis, A. A. Heller, Muhlenbergia, i. 4 (= *Vleckia occidentalis*).—Am. bor.  
scrophulariaefolia, Schafer, in Ann. Carneg. Mus. i. 89.—Am. bor.

**AGATHOSMA**, Willd. (Rutac.).

- stricta, Dod, in Journ. Bot. 1901, 398.—Afr. austr.

**AGAURIA**, Benth. & Hook. f. (Ericac.).

- Goetzei, Engl. Jahrb. xxx. 369.—Afr. trop.

**AGAVE**, Linn. (Amaryll.).

- Datyllo, Web. in Bull. Mus. Hist. Nat. Par. 1902, 224.—Calif.  
Langlassei, André, Rev. Hort. 1901, 349.—Mexic.  
Simoni, André, l. c. 1904, 297.—Hort.  
tequilana, Web. in Bull. Mus. Hist. Nat. Par. 1902, 220.—Mexic.  
Treleasii, Tourn. in Missouri Bot. Gard. Rep. xii. 75.—Am. bor.

**AGERATELLA**, A. Gray (Compos.).

- Palmeri, Robinson, in Proc. Amer. Acad. xli. 272.—Mexic.

**AGERATINA**, O. Hoffm. (Compos.).

- fruticosa, O. Hoffm. in Engl. Jahrb. xxx. 426.—Afr. trop.

**AGERATUM**, Linn. (Compos.).

- lucidum, Robinson, in Proc. Amer. Acad. xxxvi. 475.—Mexic.  
rhytidophyllum, Robinson, l. c. 476.—Mexic.  
stachyofolium, Robinson, l. c.—Mexic.

**AGLAIA**, Lour. (Meliac.).

- Aherniana, Perkins, Frag. Fl. Philipp. 32.—Ins. Philipp.  
apoana, Merrill, in Philipp. Gov. Lab. Bur. Bull. xxxv. 30.—Ins. Philipp.  
Bauerleni, C. DC. in Bull. Herb. Boiss. Sér. II. iii. 175.—N. Guin.  
Betchei, C. DC. l. c. 179.—Ins. Samoa.  
Bordenii, Merrill, in Philipp. Gov. Lab. Bur. Bull. xvii. 22.—Ins. Philipp.  
Chalmersi, C. DC. in Bull. Herb. Boiss. Sér. II. iii. 173.—N. Guin.  
Clarkii, Merrill, in Philipp. Gov. Lab. Bur. Bull. xxix. 21.—Ins. Philipp.  
Edelfeldti, C. DC. in Bull. Herb. Boiss. Sér. II. iii. 174.—N. Guin.  
Forbesiana, C. DC. l. c.—N. Guin.  
glomerata, Merrill, in Philipp. Gov. Lab. Bur. Bull. xxxv. 30.—Ins. Philipp.  
Harmsiana, Perkins, in Notizbl. Bot. Gart. Berlin, iv. 78.—Ins. Philipp.  
Hartmanni, C. DC. in Bull. Herb. Boiss. Sér. II. iii. 173.—N. Guin.  
laevigata, Merrill, in Philipp. Gov. Lab. Bur. Bull. xxxv. 31.—Ins. Philipp.  
leucoclada, C. DC. in Bull. Herb. Boiss. Sér. II. iii. 172.—N. Guin.  
micrantha, Merrill, in Philipp. Gov. Lab. Bur. Bull. xxix. 22.—Ins. Philipp.  
monophylla, Perkins, Frag. Fl. Philipp. 33.—Ins. Philipp.  
myristicifolia, C. DC. in Bull. Herb. Boiss. Sér. II. iii. 176.—N. Guin.  
novoguineensis, C. DC. l. c. 173 (= *Aglaiopsis glaucescens*).—N. Guin.  
oxypetala, Valet, in Ic. Bogor. t. 86.—Hort.  
parviflora, C. DC. in Bull. Herb. Boiss. Sér. II. iii. 176.—N. Guin.  
parvifolia, Merrill, in Philipp. Gov. Lab. Bur. Bull. xxix. 21.—Ins. Philipp.  
pauciflora, Merrill, l. c. xxxv. 31.—Ins. Philipp.  
subminutiflora, C. DC. in Bull. Herb. Boiss. Sér. II. iii. 175.—N. Guin.  
Whitmei, C. DC. l. c. 178.—Ins. Samoa.  
Yzermannii, Boerl. & Koord. in Ic. Bogor. t. 87.—Malaya.

**AGLAONEMA**, Schott (Arac.).

- densinervium, Engl. Jahrb. xxxvii. 134.—Ins. Philipp.  
hospitum, F. N. Williams, in Bull. Herb. Boiss. Sér. II. iv. 226.—Siam.  
latifolium, Engl. Jahrb. xxxvii. 134.—Ins. Philipp.  
siamense, Engl. in Bot. Tidsskr. xxiv. 275.—Siam.  
tenuipes, Engl. l. c.—Siam.

**AGLOSSORRHYNCHA**, Schlechter, in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee, (1905) 133. **ORCHIDACEAE**.

- aurea, Schlechter, l. c.—Ins. Bismarck.

**AGOSERIS**, Rafin. = **Troximon**, Nutt. (Compos.).

- agrestis, Osterh. in Bull. Torr. Bot. Club, 1901, 645.—Am. bor.  
arachnoidea, Rydb. in Bull. Torr. Bot. Club, 1901, 511.—Am. bor.  
attenuata, Rydb. l. c. 1905, 136.—Am. bor.  
humilis, Rydb. l. c. 137.—Am. bor.  
maculata, Rydb. l. c. 136.—Am. bor.  
maritima, Sheldon, in Bull. Torr. Bot. Club, 1903, 310.—Am. bor.  
maritima, Eastw. in Bull. Torr. Bot. Club, 1903, 501.—Am. bor.  
pubescens, Rydb. in Bull. Torr. Bot. Club, 1901, 511.—Am. bor.  
roseata, Rydb. l. c. 1905, 136.—Am. bor.  
rostrata, Rydb. l. c. 137.—Am. bor.

AGRESTIS, Bub. Fl. Pyren. iv. (1901) 281 = *Agrostis*, Linn. (Gramin.).

**AGROPYRON**, J. Gaertn. (Gramin.).

- arenicolum, *Davy*, in *Jepson, Fl. W. Mid. Calif.* 76.—Am. bor.  
 Bakeri, *E. Nelson*, in *Coult. Bot. Gaz.* xxxviii. 378.—Am. bor.  
 Coxii, *Petrie*, in *Trans. N. Z. Inst.* xxxiv. 395.—Ins. Chatham.  
 flexuosum, *Piper*, in *Proc. Biol. Soc. Washington*, xviii. 149 (= *Sitanion flexuosum*).—Am. bor.  
 fuegianum, *MacL. in Rep. Princeton Univ. Exped. Patag.* viii. 245 (= *Triticum fuegianum*).—Reg. Magell.  
 Griffithsi, *Scribn. & Sm. ex Piper*, in *Proc. Biol. Soc. Washington*, xviii. 148.—Am. bor.  
 incrustatum, *Adam*, in *Denkschr. Akad. Wien, Math. Nat.* lxxiv. 119.—Turcia.  
 libanoticum, *Hack. ex Kneuck. in Allg. Bot. Zeitschr.* 1904, 21.—As. Min.  
 sitanoides, *J. G. Sm. ex Piper*, in *Proc. Biol. Soc. Washington*, xviii. 149.—Am. bor.  
 subvillosum, *E. Nelson*, in *Coult. Bot. Gaz.* xxxviii. 378.—Am. bor.

**AGROSTIS**, Linn. (Gramin.).

- ampla, *Hitchc. in U. S. Dept. Agric. Bull. Pl. Ind.* lxxviii. 38.—Am. bor.  
 bacillata, *Hack. in Oesterr. Bot. Zeitschr.* 1902, 59.—Am. cent.  
 breviculmis, *Hitchc. in U. S. Dept. Agric. Bull. Pl. Ind.* lxxviii. 36.—nana.  
 Castriferrei, *Waisb. in Magyar Bot. Lap.* iv. 56, 68.—Eur.  
 Davyi, *Scribn. in U. S. Dept. Agric. Circ. Agrost.* xxx. 3.—Am. bor.  
 Elmeri, *Merrill*, in *Philipp. Gov. Lab. Bur. Bull.* xxix. 7.—Ins. Philipp.  
 eremophila, *Speg. in Anal. Mus. Buenos Aires*, vii. 190.—Patag.  
 eriantha, *Hack. in Vierteljahrsschr. Naturf. Ges. Zürich.* xlix. 172.—Afr. austr.  
 gredensis, *Gand. in Bull. Soc. Bot. Fr.* lii. 460.—Hispan.  
 Hackelii, *R. Fries*, in *Nov. Act. Soc. Sci. Upsal.* Ser. IV. i. no. 1, 175.—Reg. Argent.  
 Hugoniana, *Rendle*, in *Journ. Linn. Soc.* xxxvi. 389.—China.  
 Lemmonii, *Scribn. in U. S. Dept. Agric. Circ. Agrost.* xxx. 3.—Am. bor.  
 longiligula, *Hitchc. in U. S. Dept. Agric. Bull. Pl. Ind.* lxxviii. 54.—Calif.  
 melaleuca, *Hitchc. l. c.* 51.—Am. bor.  
 obtusissima, *Hack. in Oesterr. Bot. Zeitschr.* 1902, 107.—Ins. Mader.  
 occidentalis, *Scribn. & Merrill*, in *Bull. Torr. Bot. Club*, 1902, 466.—Am. bor.  
 Paulsenii, *Hack. ex Paulsen*, in *Kjoeb. Vidensk. Meddel.* 1903, 165.—As. cent.  
 Petriei, *Hack. in Trans. Proc. N. Z. Inst.* xxxv. 379.—N. Zel.  
 Pittieri, *Hack. in Oesterr. Bot. Zeitschr.* 1902, 60.—Am. cent.  
 sanctaecruzensis, *Speg. in Anal. Mus. Buenos Aires*, vii. 186.—Patag.  
 Scribneriana, *Nash*, in *Small. Fl. S. E. U. S.* 126.—Am. bor.  
 Sodiroana, *Hack. in Oesterr. Bot. Zeitschr.* 1902, 61.—Ecuador.  
 tehuelcha, *Speg. in Anal. Mus. Buenos Aires*, vii. 186.—Patag.  
 Thurberiana, *Hitchc. in U. S. Dept. Agric. Bull. Pl. Ind.* lxxviii. 23.—Am. bor.  
 valdiviana, *Hack. in Oesterr. Bot. Zeitschr.* 1902, 58.—Chili.

**AGROSTISTACHYS**, Dalz. (Euphorb.).

- borneensis, *Becc. Nelle Foreste di Borneo*, 331.—Borneo.

**AGROSTOPHYLLUM**, Blume (Orchid.).

- amboinense, *J. J. Sm. in Ic. Bogor.* ii. t. 111 B.—Ins. Malay.  
 atrovirens, *J. J. Sm. l. c.* t. 111 A.—Ins. Malay.  
 bicuspidatum, *J. J. Sm. l. c.* sub t. 110 A (= *Appendicula callosa*).—Burma; Malaya.  
 callosum, *J. J. Sm. Orchid. Java*, 286 = bicuspidatum.  
 cyathiforme, *J. J. Sm. l. c.* 281.—Java.  
 dolichophyllum, *Schlechter*, in *K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 127.—N. Guin.

**AGROSTOPHYLLUM** :—

- Drakeanum, *Kraenzl. in Journ. de Bot.* 1903, 422.—N. Caled.  
 Hasseltii, *J. J. Sm. in Ic. Bogor.* ii. sub t. 110 A (= *Appendicula Hasseltii*).—Burma.  
 leucocephalum, *Schlechter*, in *K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 128.—N. Guin.  
 papuanum, *Schlechter*, *l. c.*—N. Guin.  
 spicatum, *Schlechter*, *l. c.* 129.—N. Guin.  
 uniflorum, *Schlechter*, *l. c.*—N. Guin.

**AILANTHUS**, Desf. (Simarub.).

- grandis, *Prain*, in *Ind. Forester*, xxviii. (1902) 131.—Ind. or.  
 Kurzii, *Prain*, *l. c.* 133.—Indo-China.  
 philippinensis, *Merrill*, in *Philipp. Gov. Lab. Bur. Bull.* xxxv. 25.—Ins. Philipp.  
 Vilmoriniana, *Dode*, in *Rev. Hort.* 1904, 444.—China.

**AINSLIAEA**, DC. (Compos.).

- elegans, *Hemsl. in Hook. Ic. Pl.* t. 2747.—China.  
 glabra, *Hemsl. in Journ. Linn. Soc.* xxiii. 471.—China.  
 Henryi, *Diels*, in *Engl. Jahrb.* xxix. 628.—China.  
 ovalifolia, *Vaniot*, in *Bull. Acad. Géogr. Bot.* 1903, 119.—China.  
 ramosa, *Hemsl. in Journ. Linn. Soc.* xxiii. 471.—China.  
 scabrida, *Dunn*, in *Journ. Linn. Soc.* xxxv. 510.—China.  
 sparsiflora, *Vaniot*, in *Bull. Acad. Géogr. Bot.* 1903, 118.—China.  
 spicata, *Vaniot*, *l. c.* 117.—China.  
 undulata, *Diels*, in *Engl. Jahrb.* xxix. 629.—China.

**AIOUEA**, Aubl. (Laurac.).

- farinosa, *Mez*, in *Engl. Jahrb.* xxx. Beibl. lxxvii. 13.—Bras.  
 Hassleri, *Mez*, in *Bull. Herb. Boiss. Sér. II.* ii. 823, nomen; iii. (1903) 229.—Parag.  
 marginata, *Mez*, in *Engl. Jahrb.* xxx. Beibl. lxxvii. 13.—Bras.  
 Schwackeana, *Mez*, *l. c.* 12.—Bras.

**AIRA**, Linn. (Gramin.).

- scoparia, *Adam*, in *Denkschr. Akad. Wien, Math.-Nat.* lxxiv. 117.—Turcia.  
 Todari, *Tin. ex Ponzo*, in *Bull. Bot. Soc. Bot. Ital.* 1903, 201.—Sicil.

**AIZOON**, Linn. (Ficoid.).

- Kochii, *Wagner*, in *Ann. Nat. Hofmus. Wien*, xix. 80.—Austral.

**AJAX**, Salisb. = *Narcissus*, Linn. (Amaryll.).

- asturiensis, *Jord. in Jord. & Fourr. Ic. Fl. Eur.* iii. 4.—Hispan.  
 concolor, *Jord. l. c.* 1.—Gallia.  
 festinus, *Jord. l. c.* 2.—Gallia.  
 Gayi, *Hénon*, in *Jord. l. c.*—Hab. ?  
 macrolobus, *Jord. l. c.* 3.—Gallia.  
 montinus, *Jord. l. c.*—Gallia.  
 parviflorus, *Jord. l. c.* 4.—Eur.  
 platylobus, *Jord. l. c.* 2.—Eur.  
 porrigens, *Jord. l. c.* 3.—Gallia.  
 praelongus, *Jord. l. c.* 2.—Hab. ?  
 serotinus, *Jord. l. c.* 3.—Eur.  
 tubulosus, *Jord. l. c.* 4.—Eur.

**AJUGA**, Linn. (Labi.).

- Labordei, *Vaniot*, in *Bull. Acad. Géogr. Bot. Sér. III.* xiii. 185.—China.

**AKEBIA**, Decne. (Berberid.).

- Chaffanjonii, *Léveillé*, in *Bull. Soc. Agric. Sci. Arts Sarthe*, 1904, repr. 1.—China.

**ALAFIA**, Thou. (Apocyn.).

- Bentharii, *Stapf*, in *Dyer, Fl. Trop. Afr.* iv. i. 199 (= *Ectinocladus Bentharii*).—Afr. trop.  
 Butayei, *Stapf*, *l. c.*—Afr. trop.  
 clusioides, *S. Moore*, in *Journ. Linn. Soc.* xxxvii. 181.—Afr. trop.  
 grandis, *Stapf*, in *Dyer, Fl. Trop. Afr.* iv. i. 196.—Afr. trop.  
 parviflora, *Stapf*, *l. c.* 610.—Afr. trop.  
 Schumannii, *Stapf*, *l. c.* 197.—Afr. trop.  
 Whytei, *Stapf*, *l. c.* 610.—Afr. trop.

**ALANGIUM**, Lam. (Cornac.).

- costatum, *Boerl. ex King*, in *Journ. As. Soc. Beng.* lxxi. 78, nomen.—Hab. ?

**ALANGIUM** :—

- ebenaceum, *Griff. ex King*, in *Journ. As. Soc. Beng.* lxxi. 78 (= *Marlea ebenacea*).—Penins. Mal.  
 Meyeri, *Merrill*, in *Philipp. Gov. Lab. Bur. Bull.* xxxv. 54.—Ins. Philipp.  
 nobile, *Harms*, ex *King*, in *Journ. As. Soc. Beng.* lxxi. 79 (= *Marlea nobile*).—Penins. Mal.  
 Ridleyi, *King*, *l. c.* 78.—Penins. Mal.  
 uniloculare, *King*, *l. c.* 77 (= *Marlea unilocularis*).—Penins. Mal.

**ALBIZZIA**, Durazz. (Legum.).

- Antunesiana, *Harms*, in *Engl. Jahrb.* xxx. 75.—Afr. trop.  
 bracteata, *Dunn*, in *Journ. Linn. Soc.* xxxi. 493.—China.  
 brevifolia, *Schinz*, in *Bull. Herb. Boiss. Sér. II.* ii. 945.—Afr. austr.  
 euryphylla, *Harms*, in *Engl. Jahrb.* xxxiii. 151.—Afr. trop.  
 intermedia, *Wildem. & Th. Dur.* in *Bull. Herb. Boiss. Sér. II.* i. 751.—Afr. trop.  
 katangensis, *Wildem.* in *Ann. Mus. Congo*, Sér. IV. 37.—Afr. trop.  
 Laurentii, *Wildem. Énum. Pl. Laurent*, 92.—Afr. trop.  
 Richardiana, *King & Prain*, in *Ann. Bot. Gard. Calc.* ix. 32.—Madag.  
 Warneckeii, *Harms*, in *Engl. Jahrb.* xxx. 75.—Afr. trop.

**ALBUCA**, Linn. (Liliac.).

- acuminata, *Baker*, in *Rec. Albany Mus.* i. 90.—Afr. austr.  
 affinis, *Baker*, *l. c.* 93.—Afr. austr.  
 bifolia, *Baker*, *l. c.* 89.—Afr. austr.  
 brevipes, *Baker*, *l. c.* 92.—Afr. austr.  
 circinata, *Baker*, *l. c.*—Afr. austr.  
 concordiana, *Baker*, *l. c.* 93.—Afr. austr.  
 Dalvae, *Baker*, *l. c.* 90.—Afr. austr.  
 Erlangeriana, *Engl. Jahrb.* xxxii. 92.—Afr. trop.  
 glauca, *Baker*, in *Bull. Herb. Boiss. Sér. II.* iv. 999.—Afr. austr.  
 granulata, *Baker*, *l. c.*—Afr. austr.  
 katangensis, *Wildem.* in *Ann. Mus. Congo*, Sér. IV. 12.—Afr. trop.  
 longifolia, *Baker*, in *Rec. Albany Mus.* i. 91.—Afr. austr.  
 longipes, *Baker*, *l. c.* 93.—Afr. austr.  
 malangensis, *Baker*, in *Bull. Herb. Boiss. Sér. II.* i. 786.—Afr. trop.  
 micrantha, *Baker*, in *Rec. Albany Mus.* i. 93.—Afr. austr.  
 Schlechteri, *Baker*, *l. c.* 92.—Afr. austr.  
 Schlechteri, *Baker*, in *Bull. Herb. Boiss. Sér. II.* i. 787.—Afr. austr.  
 Schoenlandi, *Baker*, in *Rec. Albany Mus.* i. 90.—Afr. austr.  
 semipetalis, *Baker*, *l. c.*—Afr. austr.  
 sordida, *Baker*, in *Bull. Herb. Boiss. Sér. II.* i. 787.—Afr. trop.  
 zebrina, *Baker*, in *Rec. Albany Mus.* i. 92.—Afr. austr.  
 Zenkeri, *Engl. Jahrb.* xxxii. 93.—Afr. trop.

**ALCEA**, Tourn. = *Althaea*, Tourn. (Malvac.).

- karakalensis, *Freyn*, in *Bull. Herb. Boiss. Sér. II.* iii. 1066.—Turkestan.

**ALCHEMILLA**, Linn. (Rosac.).

- acuminatidens, *Buser*, in *Bull. Herb. Boiss. Sér. II.* ii. 624.—Eur.  
 alpigena, *Buser*, in *Bull. Soc. Nat. Ain*, Nov. 1903, 23.—Eur.  
 chirophylla, *Buser*, *l. c.* 24.—Eur.  
 compta, *Buser*, in *Bull. Herb. Boiss. Sér. II.* i. 471.—Eur.  
 controversa, *Buser*, in *Bull. Soc. Nat. Ain*, Nov. 1903, 25.—Eur.  
 flaccida, *Buser*, *l. c.* 28.—Eur.  
 flavicoma, *Buser*, ex *Schroet. in Ber. Schweiz. Bot. Ges.* xiv. 120.—Eur.  
 flavo-virens, *Buser*, in *Bull. Soc. Nat. Ain*, Nov. 1903, 33.—Eur.  
 floribunda, *Buser*, *l. c.* 24.—Eur.  
 floribunda, *Murb. in Act. Univ. Lund.* xxxvi. Afd. II. No. 1. (1903) 31.—Afr. bor.; Graecia.  
 glacialis, *Buser*, in *Bull. Herb. Boiss. Sér. II.* v. 514.—Helvet.

**ALCHEMILLA** :—

- hirtipes*, Buser, in Bull. Herb. Boiss. Sér. II. i. 473.—Eur.  
*Jaquetiana*, Buser, l. c. ii. 619.—Eur.  
*longana*, Buser, l. c. i. 468.—Eur.  
*Marcaillouorum*, Buser, in Bull. Ass. Fr. Bot. v. 124, fide Hua, in Bot. Centralbl. xc. 172.—Eur.  
*nitida*, Buser, in Bull. Soc. Nat. Ain, Nov. 1903, 33.—Eur.  
*obscura*, Buser, l. c. 30.—Eur.  
*Othmari*, Buser, in Bull. Herb. Boiss. Sér. II. i. 464.—Eur.  
*petiolulans*, Buser, in Bull. Soc. Nat. Ain, Nov. 1903, 24.—Eur.  
*rhododendrophila*, Buser, l. c. 34.—Eur.  
*trichocalycina*, Degen, in Magyar Bot. Lap. iv. 125.—Serbia.  
*venosula*, Buser, in Bull. Herb. Boiss. Sér. II. i. 466.—Eur.

**ALCHORNEA**, Sw. (Euphorb.).

- Pearcei*, Britton, in Bull. Torr. Bot. Club, 1901, 305.—Bolivia.  
*Pittieri*, Pax, in Engl. Jahrb. xxxiii. 291.—Am. cent.

**ALCOCERIA**, Fern. in Proc. Am. Acad. xxxvi. (1901) 493. **EUPHORBIACEAE**.  
*Pringlei*, Fern. l. c.—Mexico.

**ALECTOROLOPHUS**, Moench = **Rhinanthus**, Linn. (Scrophul.).

- apterus*, Ostenf. in Bot. Notiser, 1904, 83, 97.—Eur.  
*arcticus*, Sterneck, in Abh. Zool. Bot. Ges. Wien, i. II. 114.—Am. bor.  
*arenarius*, Borbas, ex Behrend. & Sterneck, in Verh. Bot. Ver. Brand. xlv. 211.—Eur.  
*arvernensis*, Sterneck, in Abh. Zool. Bot. Ges. Wien, i. II. 58.—Eur.  
*Behrendsenii*, Sterneck, ex Behrend. & Sterneck, in Verh. Bot. Ver. Brand. xlv. 202.—Eur.  
*Beyeri*, Behrend, in Verh. Bot. Ver. Brand. xlv. 47.—Eur.  
*bosniacus*, Behrend, ex Behrend. & Sterneck, in Verh. Bot. Ver. Brand. xlv. 210.—Eur.  
*Burnati*, Sterneck, in Abh. Zool. Bot. Ges. Wien, i. II. 52.—Eur.  
*Chaberti*, Behrend, ex Behrend. & Sterneck, in Verh. Bot. Ver. Brand. xlv. 204.—Eur.  
*deminutus*, Sterneck, in Abh. Zool. Bot. Ges. Wien, i. II. 60.—Eur.  
*divaricatus*, Sterneck, l. c. 64.—Eur.  
*Drummond-Hayi*, Sterneck, l. c. 115.—Eur.  
*dubius*, Poeverl. in Ber. Bayr. Bot. Ges. x. (1905) 22; Fedde Repert. Nov. Sp. i. 144.—Hybr.  
*elatus*, Sterneck, in Abh. Zool. Bot. Ges. Wien, i. II. 83.—Eur.  
*erectus*, Sterneck, l. c. 86.—Eur.  
*Facchinii*, Sterneck, l. c. 38 = R. Facchinii.  
*gracilis*, Sterneck, l. c. 93.—Eur.  
*Heldreichii*, Behr. in Allg. Bot. Zeitschr. 1904, 37.—Graecia.  
*illyricus*, Beck & Sterneck, ex Sterneck, in Abh. Zool. Bot. Ges. Wien, i. II. 102.—Eur.  
*Kyrollae*, Sterneck, l. c. 119 = R. Kyrollae.  
*mediterraneus*, Sterneck, l. c. 54.—Eur.; As. Min.  
*modestus*, Sterneck, l. c. 33.—Eur.  
*monticola*, Sterneck, l. c. 111.—Eur.  
*ovifugus*, Sterneck, l. c. 61.—Eur.  
*pacificus*, Sterneck, l. c. 120.—Am. bor.  
*patulus*, Sterneck, l. c. 34.—Eur.  
*pectinatus*, Behrend, in Verh. Bot. Ver. Brand. xlv. 51.—Armen.  
*personatus*, Behrend, ex Behrend. & Sterneck, in Verh. Bot. Ver. Brand. xlv. 213.—Eur.  
*pindicus*, Sterneck, in Oestr. Bot. Zeitschr. 1902, 177.—Eur.  
*ponticus*, Sterneck, in Abh. Zool. Bot. Ges. Wien, i. II. 48.—Eur.  
*praesignis*, Beck & Sterneck, ex Sterneck, l. c. 98.—Eur.  
*rigidus*, Sterneck, l. c. 121 = R. rigidus.  
*rusticulus*, Sterneck, l. c. 108.—Eur.; Iceland.  
*Semleri*, Sterneck, ex Behrend. & Sterneck, in Verh. Bot. Ver. Brand. xlv. 199.—Eur.  
*simplex*, Sterneck, in Abh. Zool. Bot. Ges. Wien, i. II. 89.—Eur.

**ALECTOROLOPHUS** :—

- Sintenisii*, Sterneck, in Oestr. Bot. Zeitschr. 1902, 179.—Eur.  
*songaricus*, Sterneck, in Abh. Zool. Bot. Ges. Wien, i. II. 79.—Oriens.  
*Songeonii*, Sterneck, l. c. 65 = R. Songeonii.  
*stenophyllus*, Sterneck, in Schinz & Heller, Fl. Schweiz, ed. II. 459.—Helvetia.  
*subalpinus*, Sterneck, in Abh. Zool. Bot. Ges. Wien, i. II. 86.—Eur.  
*subulatus*, Sterneck, l. c. 80.—Reg. Caucas.  
*sudeticus*, Behrend, in Allg. Bot. Zeitschr. 1904, 35.—Eur.

**ALECTRA**, Thunb. (Scrophul.).

- [*MELASMA*, Berg. D. T. & H.]  
*arabica*, Defflers, Voy. Yemen, 179.—Arab.

**ALECTRYON**, Gaertn. (Sapind.).

- mollis*, Radlk. in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee, 308.—N. Guin.

**ALETES**, Coult. & Rose (Umbell.).

- obovata*, Rydb. in Bull. Torr. Bot. Club, 1904, 573.—Am. bor.

**ALETRIS**, Linn. (Haemodor.).

- alpestris*, Diels, in Engl. Jahrb. xxxvi. Beibl. lxxxii. 20.—China.  
*Biondiana*, Diels, l. c. 19.—China.  
*bracteata*, Northrop, in Mem. Torr. Bot. Club, xii. 27.—Ins. Baham.  
*obovata*, Nash, in Torreya, iii. 102.—Am. bor.

**ALIBERTIA**, A. Rich. (Rubiace.).

- Hassleriana*, Chod. in Bull. Herb. Boiss. Sér. II. iv. 173.—Parag.

**ALICIELLA**, Brand, in Helios, xxii. (1905) repr. 11. **POLEMONIACEAE**.

- triodon*, Brand, l. c. repr. 12 (= *Gilia triodon*).—Am. bor.

**ALIGERA**, Suksd. (Valerian.).

- patelliformis*, Suksd. in W. Am. Sci. xii. 54.—Am. bor.

**ALLAEANTHUS**, Thw. (Urtic.).

- glaber*, Warb. in Perkins, Frag. Fl. Philipp. 166.—Ins. Philipp.

**ALLIARIA**, DC. (Crucif.).

- [*SISYMBRIUM*, Linn. I. K.]  
*auriculata*, Kom. in Act. Hort. Petrop. xviii. 437.—Corea.

**ALLIONIA**, Loeff. (Nyctag.).

- bracteata*, Rydb. in Bull. Torr. Bot. Club, 1902, 690.—Am. bor.  
*comata*, Small, Fl. S. E. U. S. 407.—Am. bor.  
*divaricata*, Rydb. in Bull. Torr. Bot. Club, 1902, 691.—Am. bor.  
*glandulifera*, A. Nelson, in Coult. Bot. Gaz. xxxiv. 364.—Am. bor.  
*lanceolata*, Rydb. in Bull. Torr. Bot. Club, 1902, 691.—Am. bor.  
*oblongifolia*, Small, Fl. S. E. U. S. 407.—Am. bor.  
*pilosa*, Rydb. in Bull. Torr. Bot. Club, 1902, 690 (= *Oxybaphus pilosus*).—Am. bor.  
*rotundifolia*, Greene, Pl. Baker. iii. 33.—Am. bor.  
*sessilifolia*, Osterh. in Bull. Torr. Bot. Club, 1905, 611.—Am. bor.  
*texensis*, Small, Fl. S. E. U. S. 406.—Am. bor.

**ALLIONIELLA**, Rydb. in Bull. Torr. Bot. Club, (1902) 687. **NYCTAGINACEAE**.

- oxybaphoides*, Rydb. l. c. 688 (= *Quamoclidion oxybaphoides*).—Am. bor.

**ALLIUM**, Tourn. (Liliac.).

- aflatunense*, B. Fedtsch. in Bull. Herb. Boiss. Sér. II. iv. 917.—Turkestan.  
*albopilosum*, C. H. Wright, in Gard. Chron. 1903, II. 34.—Persia bor.  
*anguinum*, Bub. Fl. Pyren. iv. 87 = *Victorialis*.  
*assimile*, Halacsy, Consp. Fl. Graec. iii. 249.—Graecia.  
*collinum*, Dougl. in Howell, Fl. N. W. Amer. i. 640.—Am. bor.

**ALLIUM** :—

- Columnae*, Bub. Fl. Pyren. iv. 93 = A. Chamaemoly. confusum, Halacsy, Consp. Fl. Graec. iii. 244.—Graecia.  
*continuum*, Small, Fl. S. E. U. S. 263.—Am. bor.  
*Cuthbertii*, Small, l. c. 264.—Am. bor.  
*cyclospathum*, Freyn, in Bull. Herb. Boiss. Sér. II. i. 288.—Oriens.  
*dictyotum*, Greene, Pl. Baker. i. 52.—Am. bor.  
*Ellisii*, Hook. f. Bot. Mag. t. 7875.—Oriens.  
*fallens*, Bub. Fl. Pyren. iv. 91 = fallax.  
*Helleri*, Small, Fl. S. E. U. S. 264.—Am. bor.  
*Hickmani*, Eastw. in Bull. Torr. Bot. Club, 1903, 483.—Calif.  
*javorjense*, Rohl. in Sitzb. Böhm. Ges. Wiss. 1904, no. 38, 91.—Montenegr.  
*luteolum*, Halacsy, Consp. Fl. Graec. iii. 256.—Graecia.  
*macropetalum*, Rydb. in Bull. Torr. Bot. Club, 1904, 401.—Am. bor.  
*meteoricum*, Heldr. & Hausskn. ex Halacsy, Consp. Fl. Graec. iii. 250.—Graecia.  
*microscordion*, Small, Fl. S. E. U. S. 263.—Am. bor.  
*Pikeanum*, Rydb. in Bull. Torr. Bot. Club, 1904, 402.—Am. bor.  
*Prattii*, C. H. Wright, in Journ. Linn. Soc. xxxvi. 124.—China.  
*pskemense*, B. Fedtsch. in Bull. Jard. Bot. Pétersb. v. 43.—Turkestan.  
*scilloides*, Dougl. in Howell, Fl. N. W. Amer. i. 640.—Am. bor.  
*sessile*, R. Fries, in Nov. Act. Soc. Sci. Upsal. Ser. IV. i. no. 1, 165.—Reg. Argent.  
*venustum*, C. H. Wright, in Journ. Linn. Soc. xxxvi. 126.—China.  
*Watsoni*, Howell, Fl. N. W. Amer. i. 642.—Am. bor.  
*Zimmermannianum*, Gilg, in Engl. Jahrb. xxxiv. Beibl. lxxv. 23.—China.

**ALLOCARYA**, Greene (Borag.).

- [*ERITRICHUM*, Schrad. I. K.]  
*bracteata*, Howell, Fl. N. W. Amer. i. 481.—Am. bor.  
*cognata*, Greene, Pittonia, iv. (1901) 235.—Am. bor.  
*jucunda*, Piper, in Bull. Torr. Bot. Club, 1902, 643.—Am. bor.  
*orthocarpa*, Greene, Pittonia, iv. (1901) 235.—Am. bor.  
*salina*, Jepson, Fl. W. Mid. Calif. 442.—Am. bor.

**ALLONEURON**, Pilg. in Verh. Bot. Ver. Brand. xlvii. (1905) 185. **MELASTOMATACEAE**.

- Ulei*, Pilg. l. c.—Peruv.

**ALLOPHYLUS**, Linn. (Sapind.).

- [*ALLOPHYLUS*, Linn. et *SCHMIDELIA*, Linn. I. K.]  
*appendiculato-serratus*, Gilg, in Engl. Jahrb. xxx. 348.—Afr. trop.  
*chaenostachys*, Gilg, l. c. 349.—Afr. trop.  
*latefoliolatus*, Baker f. in Journ. Linn. Soc. xxxvii. 137.—Afr. trop.  
*macrostachys*, Radlk. in Perkins, Frag. Fl. Philipp. 56.—Ins. Philipp.  
*micrococcus*, Radlk. in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee, 307.—N. Guin.  
*montanus*, F. N. Williams, in Bull. Herb. Boiss. Sér. II. v. 221.—Siam.  
*pseudo-paniculatus*, Baker f. in Journ. Linn. Soc. xxxvii. 137.—Afr. trop.  
*quinatus*, Radlk. in Perkins, Frag. Fl. Philipp. 57.—Ins. Philipp.  
*setulosus*, Radlk. l. c. 58.—Ins. Philipp.  
*subcoriaceus*, Baker f. in Journ. Linn. Soc. xxxvii. 136.—Afr. trop.  
*Yeru*, Gilg, in Engl. Jahrb. xxx. 348.—Afr. trop.

**ALLOPLECTUS**, Mart. (Gesner.).

- domingensis*, Urb. Symb. Antill. ii. 357.—Ind. occ.  
*macranthus*, Donn. Sm. in Coult. Bot. Gaz. xxxi. 117.—Am. cent.

**ALLUANDIA**, Drake, in Compt. Rend. Acad. Sci. Par. cxxxiii. (1901) 240. **SAPINDACEAE**.

- [*DIDIAREA*, Baill. D. T. & H.]

**ALNIPHYLLUM**, Matsum. in Bot. Mag. Tokyo, xv. (1901) 67. **STYRACACEAE**.

- macranthum*, Perk. in Engl. Jahrb. xxxi. 488.—China.  
*pterospermum*, Matsum. in Bot. Mag. Tokyo, xv. 67.—Formosa.

**ALNUS**, Tourn. (Cupul.).

- californica*, Hort. ex H. Winkl. in Engl. Pflanzenreich Betul. 115 = rhombifolia.  
*Fauriei*, Léveillé & Vaniot, in Bull. Soc. Bot. Fr. li. 423.—Japon.  
*glabrata*, Fernald, in Proc. Amer. Acad. xl. 26.—Mexic. mollis, Fernald, in Rhodora, vi. 162.—Am. bor.  
*noveboracensis*, Britton, in Torreya, 1904, 124.—Am. bor.  
*pendula*, Matsum. in Journ. Coll. Sci. Tokyo, xvi. no. 5, 6.—Japon.  
*Sieboldiana*, Matsum. l. c. 3.—Japon.  
*sitchensis*, Sarg. Silva N. Am. xiv. 61. t. 727.—Am. bor.  
*sorbifolia*, Hort. ex H. Winkl. in Engl. Pflanzenreich Betul. 117 = glutinosa.  
*Yasha*, Matsum. in Journ. Coll. Sci. Tokyo, xvi. no. 5, 4.—Japon.

**ALOCASIA**, Neck. (Arac.).

- arifolia*, Haller f. in Bull. Herb. Boiss. Sér. II. i. 670.—Arch. mal.  
*culionensis*, Engl. Jahrb. xxxvii. 135.—Ins. Philipp.  
*ovalifolia*, Ridley, in Journ. As. Soc. Straits, xli. 47.—Penins. Mal.  
*Schlechteri*, Engl. in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee, 62.—N. Guin.

**ALOE**, Tourn. (Liliac.).

- aethiopica*, A. Berg. in Engl. Jahrb. xxxvi. 60.—Afr. trop.  
*amanensis*, A. Berg. l. c. 59.—Afr. trop.  
*asperifolia*, A. Berg. l. c. 63.—Afr. austr.  
*Bakeri*, Hook. f. ex Baker, in Bot. Mag. sub t. 7834 = oligospila.  
*bamangwatensis*, Schoenl. in Rec. Albany Mus. i. 122.—Afr. austr.  
*Baumii*, Engl. & Gilg, in Warb. Kunene-Sambesi Exped. 191.—Afr. trop.  
*brunneo-punctata*, Engl. & Gilg, l. c. 189.—Afr. trop.  
*Buettneri*, A. Berg. in Engl. Jahrb. xxxvi. 60.—Afr. trop.  
*Cameroni*, Hemsl. in Bot. Mag. t. 7915.—Afr. trop.  
*campylosiphon*, A. Berg. in Notizbl. Bot. Gart. Berlin, iv. 151.—Afr. trop.  
*Chabaudii*, Schoenl. in Gard. Chron. 1905, II. 102.—Afr. trop.  
*cinnabarina*, Diels, ex A. Berg. in Engl. Jahrb. xxxvi. 65.—Afr. austr.  
*comosa*, Marl. & A. Berg. in Engl. Jahrb. xxxviii. 86.—Afr. austr.  
*Corderoyi*, A. Berg. in Monatsschr. Kakt. 1904, 61.—Hybr.  
*Davyana*, Schoenl. in Rec. Albany Mus. i. 288.—Afr. austr.  
*decora*, Schoenl. in Gard. Chron. 1905, II. 386.—Afr. austr.  
*deserti*, A. Berg. in Engl. Jahrb. xxxvi. 61.—Afr. trop.  
*divaricata*, A. Berg. l. c. 64.—Madag.  
*Dyeri*, Schoenl. in Rec. Albany Mus. i. 289.—Hab. ?  
*Ellenbeckii*, A. Berg. in Engl. Jahrb. xxxvi. 59.—Afr. trop.  
*Engleri*, A. Berg. l. c. 60.—Afr. trop.  
*Galpini*, Baker, in Kew Bull. 1901, 135.—Afr. austr.  
*Grahami*, Schoenl. in Rec. Albany Mus. i. 39.—Afr. austr.  
*graminifolia*, A. Berg. in Engl. Jahrb. xxxviii. 84.—Afr. trop.  
*Greatheadii*, Schoenl. in Rec. Albany Mus. i. 121.—Afr. austr.  
*haenanthifolia*, Marl. & A. Berg. in Engl. Jahrb. xxxviii. 85.—Afr. austr.  
*Lastii*, Baker, in Kew Bull. 1901, 135.—Afr. trop.  
*leptosiphon*, A. Berg. in Engl. Jahrb. xxxvi. 66.—Afr. trop.  
*leucantha*, A. Berg. l. c. 65.—Afr. trop.  
*Lugardiana*, Baker, in Kew Bull. 1901, 135.—Afr. trop.  
*macrocephala*, Kew Hand-list Tender Monocots. 1897, 173 = Cameroni.  
*Marlothii*, A. Berg. in Engl. Jahrb. xxxviii. 87.—Afr. austr.  
*melanacantha*, A. Berg. l. c. xxxvi. 63.—Afr. austr.  
*Menyharthi*, Baker, in Bull. Herb. Boiss. Sér. II. i. 785.—Afr. trop.  
*metallica*, Engl. & Gilg, in Warb. Kunene-Sambesi Exped. 191.—Afr. trop.  
*natalensis*, Wood & Evans, ex Wood, in Natal Colon. Herb. Rep. 1900 (1901) 9; et in Journ. Bot. 1901, 170.—Afr. austr.  
*oligospila*, Baker, in Bot. Mag. t. 7834.—Afr. trop.

**ALOE**—

- Orpenea*, Schoenl. in Gard. Chron. 1905, II. 385.—Afr. austr.  
*pallidiflora*, A. Berg. in Engl. Jahrb. xxxvi. 58.—Afr. austr.  
*parviflora*, Baker, in Bull. Herb. Boiss. Sér. II. i. 785.—Afr. austr.  
*parvispina*, Schoenl. in Rec. Albany Mus. i. 283.—Afr. austr.  
*Peacockii*, A. Berg. in Engl. Jahrb. xxxvi. 60.—Afr. trop.  
*Peglerae*, Schoenl. in Rec. Albany Mus. i. 120.—Afr. austr.  
*Pirottae*, A. Berg. in Engl. Jahrb. xxxvi. 65.—Afr. trop.  
*Princeae*, A. Berg. l. c. 64.—Afr. trop.  
*Schlechteri*, Schoenl. in Rec. Albany Mus. i. 45.—Afr. austr.  
*somaliensis*, C. H. Wright, in Kew Bull. 1901, 135.—Afr. trop.  
*trichosantha*, A. Berg. in Engl. Jahrb. xxxvi. 62.—Afr. trop.  
*Trothai*, A. Berg. l. c. xxxviii. 86.—Afr. trop.

**ALOITIS**, Rafin. = **Gentiana**, Linn. (Gentian.).

- divaricata*, Greene, Leaflets Bot. Obs. i. 94.—Am. bor.  
*foliosa*, Greene, l. c.—Am. bor.  
*mesochora*, Greene, l. c.—Am. bor.  
*occidentalis*, Greene, l. c. = G. occidentalis.

**ALOPECURUS**, Linn. (Gramin.).

- Bornmuelleri*, Domin, in Fedde, Repert. Nov. Sp. i. 4.—Palest.  
*mucronatus*, Hack. ex Paulsen, in Kjoeb. Vidensk. Meddel. 1903, 162.—As. cent.

**ALOYSIA**, Ort. & Palau = **Lippia**, Linn. (Verben.).

- ligustrina*, Small, Fl. S. E. U. S. 1013 = L. lycioides.

**ALPHONSEA**, Hook. f. & Thoms. (Anonac.).

- mollis*, Dunn, in Journ. Linn. Soc. xxxv. 485.—China.  
*philippinensis*, Merrill, in Philipp. Gov. Lab. Bur. Bull. xxxv. 9.—Ins. Philipp.  
*tonkinensis*, A. DC. in Bull. Herb. Boiss. Sér. II. iv. 1071.—Tonkin.

**ALPINIA**, Linn. (Scitamin.).

- Arundelliana*, K. Schum. in Engl. Pflanzenreich, Zingib. 318.—Austral.  
*bilamellata*, Makino, in Bot. Mag. Tokyo, xvi. 51.—Japon.  
*blepharocalyx*, K. Schum. in Engl. Pflanzenreich, Zingib. 334.—China.  
*boninsimensis*, Makino, in Bot. Mag. Tokyo, xvi. 52.—Japon.  
*borneensis*, Valet, ex Gagnep. in Bull. Soc. Bot. Fr. li. 448 = Nieuwenhuizii.  
*boraginoides*, K. Schum. in Engl. Pflanzenreich, Zingib. 344.—Burma.  
*caudata*, Gagnep. in Bull. Soc. Bot. Fr. li. 446 = Romburghiana.  
*celestica*, K. Schum. in Engl. Pflanzenreich, Zingib. 362.—Celebes.  
*chrysogynia*, K. Schum. l. c. 365 (= *Amomum chrysogynium*).—Celebes.  
*Cumingii*, K. Schum. l. c. 315.—Ins. Philipp.  
*densiflora*, Gagnep. in Bull. Soc. Bot. Fr. xlviii. p. lxxxviii.—Tonkin.  
*Dyeri*, K. Schum. in Engl. Pflanzenreich, Zingib. 349.—Ins. Samoa.  
*exostylis*, K. Schum. l. c. 314.—Borneo.  
*fimbriata*, Gagnep. in Bull. Soc. Bot. Fr. li. 447 = Schumanniana.  
*floribunda*, K. Schum. in Engl. Pflanzenreich, Zingib. 439.—N. Guin.  
*Gagnepainii*, K. Schum. l. c. 342.—Tonkin.  
*hainanensis*, K. Schum. l. c. 335.—China.  
*Havilandii*, K. Schum. l. c. 329.—Borneo.  
*Hellwigii*, K. Schum. l. c. 320.—N. Guin.  
*Hemsleyana*, K. Schum. l. c. 348.—Ins. Fiji.  
*Henrii*, K. Schum. l. c. 335.—China.  
*Hookeriana*, Valet. in Bull. Inst. Buitenz. xx. 81.—Borneo.  
*Homeana*, K. Schum. in Engl. Pflanzenreich, Zingib. 349.—Ins. Fiji.  
*intermedia*, Gagnep. in Bull. Soc. Bot. Fr. xlviii. p. lxxxiii.—Japon.  
*Korthalsii*, K. Schum. in Engl. Pflanzenreich, Zingib. 327.—Borneo.  
*Kumatahe*, Makino, in Bot. Mag. Tokyo, xvi. 49.—Japon.

**ALPINIA**—

- laxiflora*, Gagnep. in Bull. Soc. Bot. Fr. xlviii. p. lxxxviii.—Cochinch.  
*Leptosolenia*, K. Schum. in Pflanzenreich, Zingib. 312 (= *Leptosolenia Haenkei*).—Ins. Philipp.  
*macrocephala*, K. Schum. l. c. 350.—Ins. Fiji.  
*macroura*, K. Schum. in Bot. Tidsskr. xxiv. 268.—Siam.  
*melanocarpa*, Valet. in Bull. Inst. Buitenz. xx. 80 (= *Hellenia melanocarpa*).—Sumatra.  
*melichroa*, K. Schum. in Engl. Pflanzenreich, Zingib. 364 (= *Amomum melichroum*).—Celebes.  
*modesta*, F. Muell. ex K. Schum. l. c. 318.—Austral.  
*molucana*, Gagnep. in Bull. Soc. Bot. Fr. xlviii. p. xc.—Ins. Molucc.  
*Nieuwenhuizii*, Valet. in Bull. Inst. Buitenz. xx. 86.—Borneo.  
*odontonema*, K. Schum. in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee, 65.—Ins. Bismarck.  
*oxymitra*, K. Schum. in Bot. Tidsskr. xxiv. 268.—Siam.  
*philippinensis*, Ridley, in Philipp. Gov. Lab. Bur. Bull. xxxv. 86.—Ins. Philipp.  
*platyphilus*, K. Schum. in Engl. Pflanzenreich, Zingib. 334.—China.  
*platynema*, K. Schum. l. c. 438.—N. Guin.  
*pterocalyx*, K. Schum. l. c. 332.—N. Guin.  
*pterocarpa*, K. Schum. l. c. 322.—N. Guin.  
*pubiflora*, K. Schum. l. c. 313 (= *Hellenia pubiflora*).—N. Guin.  
*pulchra*, K. Schum. l. c. 348 (= *Hellwigia pulchra*).—N. Guin.  
*purpurata*, K. Schum. l. c. 323 (= *Guillainia purpurata*).—Polynes. occ.  
*Rolfei*, K. Schum. l. c. 368.—Ins. Philipp.  
*Romburghiana*, Valet. in Bull. Inst. Buitenz. xx. 83.—Arch. Mal.  
*rufescens*, K. Schum. in Engl. Pflanzenreich, Zingib. 322 (= *Amomum rufescens*).—Zeylan.  
*Sanderae*, Hort. Sand. in Gard. Chron. 1903, I. 245.—N. Guin.  
*satsumensis*, Gagnep. in Bull. Soc. Bot. Fr. xlix. (1903) 247.—Japon.  
*Schlechteri*, K. Schum. in Engl. Pflanzenreich, Zingib. 438.—N. Guin.  
*Schumanniana*, Valet. in Bull. Inst. Buitenz. xx. 84.—Formosa.  
*scyphonema*, K. Schum. in Engl. Pflanzenreich, Zingib. 438.—N. Guin.  
*siamensis*, K. Schum. l. c. 357.—Siam.  
*Stapfiana*, K. Schum. l. c. 347.—Ins. Solomon.  
*tonkinensis*, Gagnep. in Bull. Soc. Bot. Fr. xlviii. p. lxxxv.—Tonkin.  
*trachyasacus*, K. Schum. in Engl. Pflanzenreich, Zingib. 336.—Ins. Philipp.  
*tricolor*, Hort. Sand. in Gard. Chron. 1903, I. 245.—Ins. Solomon.

**ALSINASTRUM**, Schur. = **Elatine**, Linn. (Elatin.).

- macropodium*, Bub. Fl. Pyren. iii. 21 = E. macropoda.  
*octandrum*, Bub. l. c. = E. Hydropiper.

**ALSINE**, Scop. (Caryophyll.).

- [**ARENARIA**, Linn. I. K.]  
*axillaris*, MacL. in Rep. Princeton Univ. Exped. Patag. viii. 386 (= *Stellaria axillaris*).—Am. austr.  
*Baldwinii*, Small, Fl. S. E. U. S. 422.—Am. bor.  
*chubutensis*, MacL. in Rep. Princeton Univ. Exped. Patag. viii. 386 (= *Stellaria chubutensis*).—Patag.  
*Clementei*, Huter, in Oesterr. Bot. Zeitschr. 1904, 451.—Eur.  
*Curtisii*, Rydb. in Bull. Torr. Bot. Club, 1901, 274.—Am. bor.  
*debilis*, MacL. in Rep. Princeton Univ. Exped. Patag. viii. 386 (= *Stellaria debilis*).—Patag.; Fuegia.  
*geniculata*, Hochr. in Ann. Conserv. & Jard. Bot. Genève, vii-viii. 140 (= *Arenaria geniculata*).—Alger.  
*glutinosa*, A. A. Heller, in Bull. S. Calif. Acad. ii. 67.—Calif.  
*Jooi*, Makino, in Bot. Mag. Tokyo, xvii. 12.—Japon.  
*lanceolata*, MacL. in Rep. Princeton Univ. Exped. Patag. viii. 387 (= *Stellaria lanceolata*).—Reg. Magell.  
*longifolia*, Shafer, in Ann. Carneg. Mus. i. 29.—Am. bor.  
*longipes*, Shafer, l. c.—Am. bor.  
*memorum*, MacL. in Rep. Princeton Univ. Exped. Patag. viii. 387 (= *Stellaria nemorum*).—Eur.; Am. austr.



**ALSINE:**—

- pontica*, Bornm. in *Mitth. Thüring. Bot. Ver.* n. s. xx. 9.—As. Min.  
*pubera*, Shafer, in *Ann. Carneg. Mus.* i. 29.—Am. bor.  
*rotundifolia*, Maccl. in *Rep. Princeton Univ. Exped. Patag.* viii. 387 (= *Stellaria rotundifolia*).—Reg. Magell.  
*salina*, Groves, in *Bab. Man. Brit. Bot.* ed. ix. 68 (= *Lepigonum salinum*).—Eur.  
*tennesseensis*, Small, *Fl. S. E. U. S.* 422.—Am. bor.  
*validus*, Goodd. in *Coult. Bot. Gaz.* xxxiii. 69.—Am. bor.

- ALSINELLA**, Dill. ex Linn. = **Sagina**, Linn. (Caryophyll.).  
*alpestris*, Bub. *Fl. Pyren.* iii. 55 = *S. Linnaei*.  
*filiformis*, Bub. l. c. 57 = *S. maritima*.  
*maritima*, Bub. l. c. 56 = *S. maritima*.  
*nodosa*, Bub. l. c. 54 = *S. nodosa*.  
*procumbens*, Bub. l. c. 55 = *S. procumbens*.  
*subulata*, Bub. l. c. 54 = *S. subulata*, Wimm.

- ALSINOPSIS**, Small, *Fl. S. E. U. S.* 491 (1903).  
**CARYOPHYLLACEAE.**  
 [ARENARIA, Linn. D. T. & H.]  
*brevifolia*, Small, l. c. 420 (= *Arenaria brevifolia*).—Am. bor.  
*caroliniana*, Small, l. c. 421 (= *Arenaria caroliniana*).—Am. bor.  
*glabra*, Small, l. c. 420 (= *Arenaria glabra*).—Am. bor.  
*groenlandica*, Small, l. c. (= *Stellaria groenlandica*).—Am. bor.  
*macrantha*, Rydb. in *Bull. Torr. Bot. Club*, 1904, 407.—Am. bor.  
*Nuttallii*, Small, *Fl. S. E. U. S.* 420 (= *Stellaria Nuttallii*).—Am. bor.  
*patula*, Small, l. c. (= *Arenaria patula*).—Am. bor.  
*stricta*, Small, l. c. (= *Arenaria stricta*).—Am. bor.  
*texana*, Small, l. c.—Am. bor.  
*uniflora*, Small, l. c. (= *Stellaria uniflora*).—Am. bor.

- ALSODEIA**, Thou. (Violac.).  
*Bourdaisii*, Panch. ex Beauvis. Gen. Montrouz. 81 = *Ionidium ilicifolium*.  
*Johnstonei*, Stapf, in *Journ. Linn. Soc.* xxxvii. 84.—Afr. trop.  
*prasina*, Stapf, l. c. 82.—Afr. trop.  
*ramiziana*, Glas. in *Bull. Soc. Bot. Fr.* lii. *Mém.* III. 22, nomen.—Bras.  
*Whytei*, Stapf, in *Journ. Linn. Soc.* xxxvii. 83.—Afr. trop.

- ALSOMITRA**, M. Roem. (Cucurb.).  
*graciliflora*, Harms, in *Diels*, in *Engl. Jahrb.* xxix. 602.—China.

- ALSTONIA**, R. Br. (Apocyn.).  
*Duerckheimiana*, Schlechter, in *Tropenpfl.* vii. 528.—N. Caled.  
*parvifolia*, Merrill, in *Philipp. Gov. Lab. Bur. Bull.* xxxv. 59.—Ins. Philipp.

- ALSTROEMERIA**, Linn. (Amaryll.).  
*Hassleriana*, Baker, in *Bull. Herb. Boiss. Sér.* II. iii. 1101.—Parag.  
*nana*, Rendle, in *Journ. Bot.* 1904, 325.—Patag.

- ALTAMIRANIA**, Greenm. in *Proc. Amer. Acad.* xxxix. (1903) 106 = **Aspiliopsis**, Greenm. (Compositae).  
*pachyphylla*, Greenm. l. c. = *Asp. pachyphylla*.

- ALTAMIRANOA**, Rose, ex Britton & Rose, in *Bull. N. York Bot. Gard.* iii. (1903) 31. **CRASSULACEAE.**  
 [COTYLEDON, Linn. D. T. & H.]  
*Batesii*, Rose, l. c. 32 (= *Cotyledon Batesii*).—Mexic.  
*calicicola*, Rose, l. c. (= *Sedum calicicola*).—Mexic.  
*chihuahuensis*, Rose, l. c. 33 (= *Sedum chihuahuense*).—Mexic.  
*elongata*, Rose, l. c. 31.—Mexic.  
*fusca*, Rose, l. c. 33 (= *Sedum fuscum*).—Mexic.  
*Galeottiana*, Rose, in *N. Am. Fl.* xxii. 51 (= *Cotyledon Galeottiana*).—Mexic.  
*Goldmani*, Rose, ex Britton & Rose, in *Bull. N. York Bot. Gard.* iii. 32.—Mexic.  
*Hemsleyana*, Rose, in *N. Am. Fl.* xxii. 49 (= *Sedum Batesii*).—Mexic.; Am. cent.  
*Jurgensenii*, Rose, l. c. 50 (= *Cotyledon Jurgensenii*).—Mexic.  
*mexicana*, Rose, l. c. 51 (= *Umbilicus mexicanus*).—Mexic.

VOL. IV.

**ALTAMIRANOA:**—

- parva*, Rose, ex Britton & Rose, in *Bull. N. York Bot. Gard.* iii. 32 (= *Sedum parvum*).—Mexic.  
*scopolina*, Rose, l. c.—Mexic.

- ALTENSTEINIA**, H. B. & K. (Orchid.).  
*nervosa*, Kraenzl. in *Engl. Jahrb.* xxxvi. Beibl. lxxx. 8.—Chili.

- ALTERNANTHERA**, Forsk. (Amarant.).  
*dolichocephala*, Urb. *Symb. Antill.* iv. 221 (= *Telanthera dolichocephala*).—Ind. occ.  
*floridana*, Small, *Fl. S. E. U. S.* 396 (= *Telanthera floridana*).—Am. bor.  
*Hassleriana*, Chod. ex Chod. & Hassl. in *Bull. Herb. Boiss. Sér.* II. iii. 355.—Parag.  
*microphylla*, R. Fries, in *Nov. Act. Soc. Sci. Upsal.* Ser. IV. i. no. 1, 154.—Reg. Argent.

- ALTHAEA**, Tourn. (Malvac.).  
*angulata*, Freyn, in *Bull. Herb. Boiss. Sér.* II. iii. 1065.—Turkestan.

- ALYPUM**, Fisch. = **Globularia**, Tourn. (Selag.).  
*flexiramus*, Jord. in *Jord. & Fourr. Ic. Fl. Eur.* iii. 14.—Gallia.  
*glaucescens*, Jord. l. c.—Gallia.

- ALYSSUM**, Tourn. (Crucif.).  
*bulbotrichum*, Hausskn. & Bornm. in *Mitth. Thüring. Bot. Ver.* n. s. xx. 3.—As. Min.  
*cupreum*, Freyn & Sint. ex Freyn, in *Bull. Herb. Boiss. Sér.* II. iii. 695.—As. cent.  
*Jonasianum*, Coste & Sennen, in *Bull. Soc. Bot. Fr.* xlvii. 426.—Eur.  
*pannulosum*, Hausskn. & Bornm. in *Mitth. Thüring. Bot. Ver.* n. s. xx. 2.—As. Min.  
*paphlagonicum*, Bornm. in *Mitth. Thüring. Bot. Ver.* n. s. xx. 7 = *Schievereckia Bornmuelleri*.  
*Preissmanni*, Hayek, in *Oesterr. Bot. Zeitschr.* 1901, 301.—Eur.

- ALYXIA**, Banks (Apocyn.).  
*diellipticocarpa*, E. Heck. in *L. Planch. Prod. Apocyn.* (1894) 217.—N. Caled.  
*elliptica*, Cheesem. in *Trans. Linn. Soc. Ser. II. Bot.* vi. 287.—Ins. Cook.  
*flavescens*, Pierre, in *L. Planch. Prod. Apocyn.* (1894) 261, nomen.—Cochinch.  
*pisiformis*, Pierre, l. c. nomen.—Cochinch.

- AMALOCALYX**, Pierre (Apocyn.).  
*microlabus*, Pierre, in *L. Planch. Prod. Apocyn.* (1894) 325, nomen.—Cochinch.

- AMARANTELLUS**, Speg. in *Com. Mus. Buenos Aires*, I. x. 343 (1901). **AMARANTACEAE.**  
*argentinus*, Speg. l. c. 344.—Reg. Argent.

- AMARANTHUS**, Linn. (Amarant.).  
*cristulatus*, Speg. in *Com. Mus. Buenos Aires*, I. x. 345.—Reg. Argent.  
*vulgatissimus*, Speg. in *Anal. Mus. Buenos Aires*, vii. 135.—Reg. Argent.

- AMARELLA**, Gilib. = **Gentiana**, Linn. (Gentian.).  
*amarelloides*, Greene, *Leaflets Bot. Obs.* i. 53 = *G. quinqueflora*.  
*anisosepala*, Greene, l. c. = *G. anisosepala*.  
*arctophila*, Greene, l. c. = *G. arctophila*.  
*auriculata*, Greene, l. c. = *G. auriculata*.  
*californica*, Greene, l. c. 54.—Calif.  
*cobrensis*, Greene, l. c. 56.—Am. bor.  
*conferta*, Greene, l. c. 55.—Am. bor.  
*Copelandi*, Greene, l. c. 53 = *G. Copelandi*.  
*distegia*, Greene, l. c. = *G. distegia*.  
*heterosepala*, Greene, l. c. = *G. heterosepala*.  
*Lemberti*, Greene, l. c. 54.—Calif.  
*Macounii*, Greene, l. c.—Am. bor.  
*microcalyx*, Greene, l. c. 53 = *G. microcalyx*.  
*occidentalis*, Greene, l. c. = *G. occidentalis*.  
*plebeia*, Greene, l. c. = *G. Amarella*.  
*propinqua*, Greene, l. c. = *G. propinqua*.  
*revoluta*, Greene, l. c. 55.—Am. bor.  
*scopulorum*, Greene, l. c.—Am. bor.  
*strictiflora*, Greene, l. c. 53 = *G. strictiflora*.  
*tenuis*, Greene, l. c. = *G. Amarella*.  
*Wislizenii*, Greene, l. c. = *G. Wislizenii*.  
*Wrightii*, Greene, l. c. = *G. Wrightii*.

- AMARYLLIS**, Linn. (Amaryll.).  
*Hassleriana*, Chod. & Lendn. in *Bull. Herb. Boiss. Sér.* II. i. 422.—Parag.

- AMBELANIA**, Aubl. (Apocyn.).  
*grandiflora*, Huber, in *Bol. Mus. Para.* iii. (1902) 444.—Bras.

- AMBERBOA**, Pers. = **Centaurea**, Linn. (Compos.).  
 [VOLUTARELLA, Cass. I. K.]  
*leucantha*, Coss. ex Chevall. in *Bull. Herb. Boiss. Sér.* II. iii. 774.—Alger.  
*Saharae*, Chevall. l. c. v. 442.—Afr. bor.

- AMBYLANTHOPSIS**, Mez, in *Engl. Pflanzenreich*, Myrsin. 1902, 210. **MYRSINACEAE.**  
*bhotanica*, Mez, l. c. 211 (= *Ardisia bhotanica*).—Ind. or.  
*membranacea*, Mez, l. c. (= *Ardisia membranacea*).—Ind. or.

- AMBYLANTHUS**, A. DC. (Myrsin.).  
*multiflorus*, Mez, in *Engl. Pflanzenreich*, Myrsin. 210.—Ind. or.  
*praetervisus*, Mez, l. c.—Ind. or.

- AMBLYSTIGMA**, Benth. (Asclep.).  
*pilosum*, Malmé, in *Arkiv Bot. Stockh.* iii. no. 1, 18.—Reg. Argent.

- AMBULIA**, Lam. = **Limnophila**, R. Br. (Scrophul.).  
*Baumii*, Engl. & Gilg. in *Warb. Kunene-Sambesi Exped.* 361.—Afr. trop.  
*dasyantha*, Engl. & Gilg, l. c. 362.—Afr. trop.  
*indica*, W. F. Wight, in *U. S. Dept. Agric. Contrib. Nat. Herb.* ix. 181 = *L. gratioides*.  
*trichophylla*, Kom. in *Act. Hort. Petrop.* xviii. 429.—As. or.

- AMELANCHIER**, Medic. (Rosac.).  
*Amelanchier*, Degen, in *Magyar Bot. Lap.* iv. 125.—Serbia.  
*elliptica*, A. Nelson, in *Coult. Bot. Gaz.* xl. 66.—Am. bor.  
*gracilis*, Heller, *Muhlenbergia*, ii. 59.—Calif.  
*obovalis*, Ashe, in *Coult. Bot. Gaz.* xxxv. 434.—Am. bor.  
*oreophila*, A. Nelson, in *Coult. Bot. Gaz.* xl. 65.—Am. bor.  
*subintegra*, Greene, *Pittonia*, v. 109.—Calif.

- AMELLUS**, Linn. (Compos.).  
*arenarius*, S. Moore, in *Bull. Herb. Boiss. Sér.* II. iv. 1013.—Afr. austr.

- AMMANNIA**, Linn. (Lythrac.).  
*alcalina*, Blank, in *Montana Agric. Coll. Sci. Studies*, Bot. i. 87.—Am. bor.  
*Friesii*, Koehne, in *Engl. Pflanzenreich*, Lythrac. 50.—Reg. Argent.

- AMMOCALLIS**, Small, *Fl. S. E. U. S.* 935 (1903) = **Lochnera**, Reichb. (Apocyn.).  
 [LOCHNERA = **Vinca**, Linn. I. K.]  
*rosea*, Small, l. c. 936 = *L. rosea*.

- AMOMUM**, Linn. (Scitamin.).  
*alpinum*, Gagnep. in *Bull. Soc. Bot. Fr.* xlix. 253; in *Bull. Soc. Hist. Nat. Autun*, xv. 170.—Afr. trop.  
*bicorniculatum*, K. Schum. in *Engl. Pflanzenreich*, Zingib. 229.—Borneo.  
*Bitacoum*, Gagnep. in *Bull. Soc. Bot. Fr.* li. 164.—Afr. trop.  
*chaunocephalum*, K. Schum. in *Engl. Pflanzenreich*, Zingib. 237.—N. Guin.  
*cuspidatum*, Gagnep. in *Bull. Soc. Bot. Fr.* xlix. 253; in *Bull. Soc. Hist. Nat. Autun*, xv. 171.—Afr. trop.  
*echinosphaera*, K. Schum. ex Gagnep. in *Bull. Soc. Bot. Fr.* xlix. 257, descr.—Tonkin.  
*elegans*, Ridley, in *Philipp. Gov. Lab. Bur. Bull.* xxxv. 84.—Ins. Philipp.  
*gracilipes*, K. Schum. in *Engl. Pflanzenreich*, Zingib. 252.—Borneo.  
*Harmsii*, K. Schum. l. c. 256.—Sumatra.  
*hirticalyx*, K. Schum. in *Bot. Tidsskr.* xxiv. 269.—Malaya.  
*Holmesii*, K. Schum. in *Engl. Pflanzenreich*, Zingib. 256.—Ind. or.  
*Loheri*, K. Schum. l. c. 247.—Ins. Philipp.  
*longibractea*, K. Schum. l. c. 248.—Sumatra.  
*longipes*, Valet. in *Bull. Inst. Buitenz.* xx. 73.—Java.

C

**AMOMUM:**

- Loroglossum, *Gagnep. in Bull. Soc. Bot. Fr.* xlix. 258.—Reg. Himal.  
 macropodium, *Gagnep. l. c.* li. 450.—Hab.?  
 platyandrum, *Gagnep. l. c.* 451.—Hab.?  
 polycarpum, *K. Schum. in Engl. Pflanzenreich, Zingib.* 226, descr.—Celebes.  
 procurrens, *Gagnep. in Bull. Soc. Bot. Fr.* xlix. 254.—N. Guin.  
 propinquum, *Ridley, in Philipp. Gov. Lab. Bur. Bull.* xxxv. 84.—Ins. Philipp.  
 pseudofotens, *Valet. in Bull. Inst. Buitenz.* xx. 23; et in *l. c.* Bogor. t. 159.—Java.  
 robustum, *K. Schum. in Engl. Pflanzenreich, Zingib.* 253.—Penins. Mal.  
 Schlechteri, *K. Schum. l. c.* 437.—N. Guin.  
 stipulatum, *Gagnep. in Bull. Soc. Bot. Fr.* l. 260.—Afr. trop.  
 tephrodelphys, *K. Schum. in Engl. Pflanzenreich, Zingib.* 248.—Sumatra.  
 thyrsoidum, *Gagnep. in Bull. Soc. Bot. Fr.* xlix. 256.—Tonkin.  
 trilobum, *Ridley, in Philipp. Gov. Lab. Bur. Bull.* xxxv. 85.—Ins. Philipp.  
 trilobum, *Gagnep. in Bull. Soc. Bot. Fr.* li. 453.—Cochinch.  
 truncatum, *Gagnep. l. c.* l. 164.—Celebes.  
 Vespertilio, *Gagnep. l. c.* xlix. 255.—Tonkin.  
 Walang, *Valet. in Bull. Inst. Buitenz.* xx. 44.—Java.  
 Warburgii, *K. Schum. in Engl. Pflanzenreich, Zingib.* 257 (= *Costus Warburgii*).—Ins. Philipp.  
 xanthoparyphe, *K. Schum. l. c.* 224.—N. Guin.

**AMOORA**, Roxb. (Meliac.).

- Ahermiana, *Merrill, in Philipp. Gov. Lab. Bur. Bull.* xvii. 24.—Ins. Philipp.  
 Elmeri, *Merrill, l. c.* xxix. 23.—Ins. Philipp.  
 lepidota, *Merrill, l. c.* xvii. 23.—Ins. Philipp.  
 macrocarpa, *Merrill, l. c.* 24.—Ins. Philipp.

**AMORPHA**, Linn. (Legum.).

- angustifolia, *Boynton, in Biltm. Bot. Studies*, i. 139.—Am. bor.  
 montana, *Boynton, l. c.* 138.—Am. bor.  
 nitens, *Boynton, l. c.* 139.—Am. bor.

**AMORPHOPHALLUS**, Blume (Arac.).

- abyssinicus, *N. E. Br. in Dyer, Fl. Trop. Afr.* viii. 160 (= *Arum abyssinicum*).—Afr. trop.  
 accensis, *N. E. Br. l. c.* 157.—Afr. trop.  
 angolensis, *N. E. Br. l. c.* 156 (= *Hydrosme angolensis*).—Afr. trop.  
 angustilobum, *F. M. Bailey, Queensl. Fl.* 1696.—Austral.  
 Barteri, *N. E. Br. in Dyer, Fl. Trop. Afr.* viii. 151 (= *Hydrosme Fontanesii*).—Afr. trop.  
 Baumannii, *N. E. Br. l. c.* 153 (= *Hydrosme Baumannii*).—Afr. trop.  
 calabaricus, *N. E. Br. l. c.* 155.—Afr. trop.  
 carnea, *Ridley, in Journ. As. Soc. Straits*, xli. 47.—Penins. Mal.  
 dracontoides, *N. E. Br. in Dyer, Fl. Trop. Afr.* viii. 148 (= *Hydrosme dracontoides*).—Afr. trop.  
 Fischeri, *N. E. Br. l. c.* 153; *Bull. Herb. Boiss. Sér. II.* i. 777 (= *Hydrosme Fischeri*).—Afr. trop.  
 flavovirens, *N. E. Br. in Dyer, Fl. Trop. Afr.* viii. 153.—Afr. trop.  
 gallaensis, *N. E. Br. l. c.* 155 (= *Hydrosme gallaensis*).—Afr. trop.  
 Goetzei, *N. E. Br. l. c.* 150 (= *Hydrosme Goetzei*).—Afr. trop.  
 gratus, *N. E. Br. l. c.* 151 (= *Hansaliagrata*).—Afr. trop.  
 hainanica, *N. E. Br. in Journ. Linn. Soc.* xxxvi. 183.—Hainan.  
 Henryi, *N. E. Br. l. c.* 181.—Formosa.  
 hirtus, *N. E. Br. l. c.*—Formosa.  
 Johnsoni, *N. E. Br. in Dyer, Fl. Trop. Afr.* viii. 156.—Afr. trop.  
 laxiflorus, *N. E. Br. l. c.* 152 (= *Hydrosme sparsiflora*).—Afr. trop.  
 Leopoldianus, *N. E. Br. l. c.* 157 (= *Hydrosme Leopoldiana*).—Afr. trop.  
 maculatus, *N. E. Br. l. c.* 155.—Afr. trop.  
 malaccensis, *Ridley, in Journ. As. Soc. Straits*, xli. 46.—Penins. Mal.  
 Mannii, *N. E. Br. in Dyer, Fl. Trop. Afr.* viii. 159.—Afr. trop.  
 maximus, *N. E. Br. l. c.* 157 (= *Hydrosme maxima*).—Afr. trop.

**AMORPHOPHALLUS:**

- minor, *Ridley, in Journ. As. Soc. Straits*, xli. 46.—Penins. Mal.  
 Preussii, *N. E. Br. in Dyer, Fl. Trop. Afr.* viii. 152 (= *Hydrosme Preussii*).—Afr. trop.  
 Schweinfurthii, *N. E. Br. l. c.* 149 (= *Hydrosme Schweinfurthii*).—Afr. trop.  
 Staudtii, *N. E. Br. l. c.* 154 (= *Hydrosme Staudtii*).—Afr. trop.  
 Teuszii, *N. E. Br. l. c.* 149 (= *Hydrosme Teuszii*).—Afr. trop.  
 Zenkeri, *N. E. Br. l. c.* 159 (= *Hydrosme Zenkeri*).—Afr. trop.

**AMPELOCISSUS**, Planch. (Vitac.).

- [VITIS, Linn. I. K.]  
 brunneo-rubra, *Gilg, in Warb. Kunene-Sambesi Exped.* 293.—Afr. trop.  
 Dekindtiana, *Gilg, in Engl. Jahrb.* xxxii. 132.—Afr. trop.  
 gracilipes, *Stapp, in Journ. Linn. Soc.* xxxvii. 90.—Afr. trop.

**AMPELOPSIS**, L. C. Rich. (Vitac.).

- [VITIS, Linn. I. K.]  
 japonica, *Mak. in Bot. Mag. Tokyo*, xvii. 113 (= *Paullinia japonica*).—Japon.  
 mexicana, *Rose, in U. S. Dept. Agric. Contrib. Nat. Herb.* viii. 51.—Mexic.

**AMPHIDOX**, DC. (Compos.).

- adscendens, *O. Hoffm. ex Zahlbr. in Ann. Nat. Hofmus. Wien*, xx. (1905) 56.—Afr. austr.  
 lasiocephala, *O. Hoffm. in Warb. Kunene-Sambesi Exped.* 411.—Afr. trop.

**AMPHILOPHIS**, Nash, in Britton, Man. Fl. N. U. S. (1901) 71. GRAMINEAE.

- [ANDROPOGON, Linn. D. T. & H.]  
 barbinodis, *Nash, in Small, Fl. S. E. U. S.* 65 (= *Andropogon barbinodis*).—Am. bor.  
 exaristatus, *Nash, l. c.*—Am. bor.  
 perforatus, *Nash, l. c.* 66 (= *Andropogon perforatus*).—Am. bor.  
 Torreyanus, *Nash, in Britton, Man. Fl. N. U. S.* 71 (= *Andropogon Torreyanus*).—Am. bor.

**AMPHILOPHIUM**, Kunth (Bignon.).

- Aschersonii, *Ule, in Urb. & Graebn. Festschr. Aschers.* 549.—Peruv.  
 oxylophium, *Donn. Sm. in Coult. Bot. Gaz.* xxxi. 119.—Am. cent.  
 purpureum, *T. S. Brandegee, in Zoe*, v. (1905) 220.—Mexic.

**AMPHIPOGON**, R. Br. (Gramin.).

- restionaceus, *Pilg. ex Diels & Pritz. in Engl. Jahrb.* xxxv. 72.—Austral.

**AMPHIPTERYGIUM**, Schiede ex Schlechtend. in Linnaea, xvii. (1843) 746 = **JULIANIA**, Schlechtend. (Julianiac.).

- amplifolium, *Hemsl. & Rose, in Ann. Bot.* xvii. 444 = *J. amplifolia*.  
 glaucum, *Hemsl. & Rose, l. c.* 445 = *J. glauca*.  
 Huacui, *Hemsl. & Rose, l. c.* = *J. Huacui*.  
 molle, *Hemsl. & Rose, l. c.* 444 = *J. mollis*.

**AMPHIRRHOX**, Spreng. (Violac.).

- juruana, *Ule, ex Pilg. in Verh. Bot. Ver. Brand.* xlvii. (1905) 156.—Bras.

**AMPHORANTHUS**, S. Moore, in Journ. Bot. 1902, 305, 408 = **Phaeoptilum**, Radlk. (Nyctag.).

- spinosus, *S. Moore, l. c.* = *P. spinosum*.

**AMSINCKIA**,

- patagonica, *Speg. Nov. Add. Fl. Patag.* ii. (1902), repr. 39.—Patag.  
 pseudocopsioides, *Speg. l. c.* (errore pseudocopsioides).—Patag.

**AMSONIA**, Walt. (Apocyn.).

- ludoviciana, *Small, Fl. S. E. U. S.* 935.—Am. bor.  
 texana, *A. A. Heller, Muhlenbergia*, i. 2.—Am. bor.

**AMYGDALUS**, Tourn. = **Prunus**, Linn. (Rosac.).

- Aitchisoni, *Korsh. in Bull. Acad. Pétersb. Sér. V.* xiv. 94.—Afghan.  
 bucharica, *Korsh. l. c.* 92.—As. cent.  
 Fenzliana, *Korsh. l. c.* 91 = *P. Fenzliana*.  
 kuramica, *Korsh. l. c.* 93.—Afghan.

**AMYGDALUS:**

- Petunnikowi, *Litv. in Trav. Mus. Bot. Acad. Pétersb.* i. 16.—Turkestan.  
 tangutica, *Korsh. in Bull. Acad. Pétersb. Sér. V.* xiv. 94.—China.

**AMYLOCARPUS**, Barb. Rodr. Contrib. Jard. Bot.

- Rio de Janeiro, iii. (1902) 69. PALMAE.  
 acanthocnemis, *Barb. Rodr. l. c.* 71 (= *Bactris acanthocnemis*).—Bras.  
 arenarius, *Barb. Rodr. l. c.* 72 (= *Bactris arenaria*).—Bras.  
 cuspidatus, *Barb. Rodr. l. c.* (*Bactris cuspidata*).—Bras.  
 ericetinus, *Barb. Rodr. l. c.* 71 (= *Bactris ericetina*).—Bras.  
 formosus, *Barb. Rodr. l. c.* 72, nomen.—Bras.  
 geonomoides, *Barb. Rodr. l. c.* (= *Bactris geonomoides*).—Bras.  
 hirtus, *Barb. Rodr. l. c.* (= *Bactris hirta*).—Bras.  
 hylophilus, *Barb. Rodr. l. c.* (= *Bactris hylophila*).—Bras.  
 linearifolius, *Barb. Rodr. l. c.* (= *Bactris linearifolia*).—Bras.  
 Marayá-y, *Barb. Rodr. l. c.* (= *Bactris Maraja*).—Bras.  
 microspathus, *Barb. Rodr. l. c.* (= *Bactris microspatha*).—Bras.  
 mitis, *Barb. Rodr. l. c.* (= *Bactris mitis*).—Bras.  
 pectinatus, *Barb. Rodr. l. c.* (= *Bactris pectinata*).—Bras.  
 platispinus, *Barb. Rodr. l. c.* nomen.—Bras.  
 pulcher, *Barb. Rodr. l. c.* (= *Bactris pulchra*).—Bras.  
 setipinnatus, *Barb. Rodr. l. c.* (errore settipinnatus) (= *Bactris setipinnata*).—Bras.  
 simplicifrons, *Barb. Rodr. l. c.* 71 (= *Bactris simplicifrons*).—Bras.  
 syagroides, *Barb. Rodr. l. c.* 72 (= *Bactris syagroides*).—Bras.  
 tenuissimus, *Barb. Rodr. l. c.* nomen.—Bras.  
 xanthocarpus, *Barb. Rodr. l. c.* 71 (= *Bactris xanthocarpa*).—Bras.

**ANABASIS**, Linn. (Chenopod.).

- hispanica, *Pau, in Bol. Soc. Arag.* ii. 66.—Hispan.  
 wathanica, *Paulsen, in Kjoeb. Vidensk. Meddel.* 1903, 201.—As. cent.

**ANACAMPSEROS**, Linn. (Portul.).

- Alstonii, *Schoenl. in Rec. Albany Mus.* i. 51.—Afr. austr.  
 Dinteri, *Schinz, in Bull. Herb. Boiss. Sér. II.* i. 873.—Afr. trop.

**ANADENDRUM**, Schott (Arac.).

- angustifolium, *Engl. in Bot. Tidsskr.* xxiv. 272.—Malaya.

**ANAGALLIS**, Tourn. (Primul.).

- Baumii, *Knuth, in Engl. Pflanzenreich, Primul.* 333.—Afr. trop.  
 Dekindtiana, *Gilg, ex Knuth, l. c.* 333 = *pulchella*.  
 filifolia, *Engl. & Gilg, in Warb. Kunene-Sambesi Exped.* 325.—Afr. trop.  
 Hanningtonii, *Baker, in Kew Bull.* 1901, 127.—Afr. trop.  
 kilimandscharica, *Knuth, in Engl. Pflanzenreich, Primul.* 326.—Afr. trop.  
 kingaensis, *Engl. Jahrb.* xxx. 371.—Afr. trop.

**ANAPHALIS**, DC. (Compos.).

- alpicola, *Mak. in Bot. Mag. Tokyo*, xvii. 151.—Japon.  
 chilensis, *Reiche, Fl. Chile*, iv. 46.—Chili.  
 occidentalis, *A. A. Heller, Muhlenbergia*, i. 46.—Calif.

**ANARTHRIA**, R. Br. (Restiac.).

- calovaginata, *Gilg, ex Diels & Pritz. in Engl. Jahrb.* xxxv. 87.—Austral.

**ANARTHROPHYLLUM**, Benth. (Legum.).

- Negeri, *Chod. & Wilcz. in Bull. Herb. Boiss. Sér. II.* ii. 489.—Reg. argent.  
 patagonicum, *Speg. in Anal. Mus. Buenos Aires*, vii. 261.—Patag.  
 Prichardi, *Rendle, in Journ. Bot.* 1904, 331.—Patag.  
 pungens, *Chod. & Wilcz. in Bull. Herb. Boiss. Sér. II.* ii. 521.—Reg. Argent.  
 subandinum, *Speg. in Anal. Mus. Buenos Aires*, vii. 259.—Patag.

**ANASTRAPHIA**, D. Don (Compos.).

bahamensis, *Urb. Symb. Antill.* iii. 415.—Ind. occ.  
 oligantha, *Urb. l. c.* 417.—Ind. occ.  
 Picardae, *Urb. l. c.* 414.—Ind. occ.

**ANASTROPHUS**, Schlecht. = **Paspalum**, Linn. (Gramin.).  
*paspaloides*, Nash, in Britton, *Man. Fl. N. U. S.* 75 = *P. Waltherianum*.

**ANCHOMANES**, Schott (Arac.).

abbreviatus, *Engl. Jahrb.* xxxvi. 237.—Afr. trop.

**ANCHONIUM**, DC. (Crucif.).

persicum, *Bornm. in Bull. Herb. Boiss. Sér. II.* iv. 1265 (= *Matthiola persica*).—Oriens.

**ANCHUSA**, Linn. (Borag.).

Claryi, *Batt. in Batt. & Trab. Fl. Algér. Tunis.* 232.—Afr. bor.

**ANCISTRELLA**, Van Tiegh. in *Journ. de Bot.* xvii. (1903) 155 = **Ancistrocladus**, Wall. (Dipterocarp.).  
*Barteri*, Van Tiegh. *l. c.* = *Ancistrocladus Barteri*.

**ANCISTROCLADUS**, Wall. (Dipterocarp.).

*Barteri*, Van Tiegh. in *Journ. de Bot.* 1903, 154.—Afr. trop.  
*Thwaitesi*, Van Tiegh. *l. c.*—Zeylan.

**ANCOURATEA**, Van Tiegh. in *Bull. Mus. Hist. Nat.*

Par. vii. (1902) 544 = **Ouratea**, Aubl. (Ochnac.).  
 [OURATEA, Aubl. = **Gomphia**, Schreb. *l. K.*]  
*hemiodonta*, Van Tiegh. in *Ann. Sci. Nat. Sér. VIII.* xvi. 226. = *O. semiserrata*.  
*longifolia*, Van Tiegh. in *Bull. Mus. Hist. Nat. Par.* viii. 544 = *O. longifolia*.

**ANDIRA**, Lam. (Legum.).

jamaicensis, *Urb. Symb. Antill.* iv. 298 (= *Geoffraea jamaicensis*).—Ind. occ.

**ANDROCYMBIUM**, Willd. (Liliac.).

albanense, *Schoenl. in Rec. Albany Mus.* i. 123.—Afr. austr.  
 hantamense, *Engl. Jahrb.* xxxii. 89.—Afr. austr.

**ANDROPOGON**, Linn. (Gramin.).

andongensis, *K. Schum. in Just. Jahresb.* xxvii. i. 454 (= *Cymbopogon andongensis*).—Afr. trop.  
*androphilus*, Stapf, in *Journ. de Bot.* xix. 103.—Afr. trop.  
*arrectus*, Stapf, *l. c.* 101.—Afr. trop.  
*Calamus-aromaticus*, Royle, *Essay Antiq. Hindoo Medicine*, 33, 83; *Illustr. Bot. Himal.* t. 97 = *pachnodes*.  
*chrysocomus*, Nash, in Britton, *Man. Fl. N. U. S.* 70.—Am. bor.  
*corymbosus*, Nash, *l. c.* 69.—Am. bor.  
*formosus*, Rendle, in *Journ. Linn. Soc.* xxxvi. 371.—China.  
*glauco-purpureus*, Stapf, in *Journ. de Bot.* xix. 102.—Afr. trop.  
*goyazensis*, Hack. in *Oesterr. Bot. Zeitschr.* 1901, 152.—Bras.  
*gracilior*, Nash, in *Small, Fl. S. E. U. S.* 63.—Am. bor.  
*Hassleri*, Hack. in *Bull. Herb. Boiss. Sér. II.* iv. 266.—Parag.  
*himalayensis*, Gandoger, in *Bull. Soc. Bot. Fr.* xlvi. 421.—Ind. or.  
*ingratus*, Hack. in *Oesterr. Bot. Zeitschr.* 1901, 151.—Bras.  
*littoralis*, Nash, in Britton, *Man. Fl. N. U. S.* 69.—Am. bor.  
*Matteodanum*, Chiov. in *Ann. di Bot. Roma*, ii. 365.—Afr. trop.  
*palustris*, Pilg. in *Engl. Jahrb.* xxx. 137.—Bras.  
*paucipilus*, Nash, in Britton, *Man. Fl. N. U. S.* 70.—Am. bor.  
*perangustatus*, Nash, in *Small, Fl. S. E. U. S.* 62.—Am. bor.  
*phoenix*, *K. Schum. in Just. Jahresb.* xxvii. i. 454 (= *Cymbopogon phoenix*).—Afr. trop.  
*Selloanus*, Hack. in *Bull. Herb. Boiss. Sér. II.* iv. 266.—Parag.  
*subtenuis*, Nash, in *Small, Fl. S. E. U. S.* 63.—Am. bor.  
*tenuiflorus*, Stapf, in *Journ. de Bot.* xix. 103.—Afr. trop.  
*tremulus*, Hack. in *Bull. Herb. Boiss. Sér. II.* i. 765.—Afr. trop.  
*trepidarius*, Stapf, in *Journ. de Bot.* xix. 100.—Afr. trop.  
*vagans*, Rendle, in *Journ. Linn. Soc.* xxxvi. 375.—China.  
*Welwitschii*, *K. Schum. in Just. Jahresb.* xxvii. i. 454 (= *Cymbopogon Welwitschii*).—Afr. trop.

**ANDROPOGON** :—

*zizanioides*, *Urb. Symb. Antill.* iv. 79 (= *Phalaris zizanioides*).—Ind. occ.

**ANDROSACE**, Tourn. (Primul.).

*akbajtalensis*, *Derganc, ex O. Fedtsch. Pl. Pamir.* 50.—As. cent.  
*apus*, *Franch. ex Knuth, in Engl. Pflanzenreich, Primul.* 208.—As. cent.  
*bryomorpha*, *Lipsky, in Act. Hort. Petrop.* xxiii. 175.—As. cent.  
*Duthieana*, *Knuth, in Engl. Pflanzenreich, Primul.* 193.—Reg. Himal.  
*Engleri*, *Knuth, in Engl. Jahrb.* xxxvi. Beibl. lxxxii. 84.—China.  
*eritrichioides*, *Gandoger, in Bull. Soc. Bot. Fr.* xlvi. 420.—Ind. or.  
*ferruginea*, *Watt, ex Knuth, in Engl. Pflanzenreich, Primul.* 208.—Ind. or.  
*flaccida*, *Hook. f. ex Knuth, l. c.* 174 = *geranii-olia*.  
*fragilis*, *Duthie, in Ann. Bot. Gard. Calc.* ix. 48.—Ind. or.  
*hirsuta*, *Auct. ex Knuth, in Engl. Pflanzenreich, Primul.* 190 = *Chamaejasme*.  
*Laxmanniana*, *Auct. ex Knuth, l. c.* 192 = *villosa*.  
*oculata*, *Hort. ex Knuth, l. c.* 219.—Quid?  
*Paxiana*, *Knuth, in Engl. Jahrb.* xxxvi. Beibl. lxxxii. 84.—China.  
*pedicellata*, *Royle, ex Knuth, in Engl. Pflanzenreich, Primul.* 174 = *geranii-olia*.  
*Poissonii*, *Knuth, l. c.* 203.—Reg. Himal.  
*Prattiana*, *Knuth, l. c.* 184.—China.  
*puberulenta*, *Rydb. in Bull. Torr. Bot. Club.* 1903, 260.—Am. bor.  
*Salasii*, *F. Kurtz, in Bot. Acad. Ci. Cordoba*, xv. 513, nomen.—Reg. Argent.  
*spinulifera*, *Knuth, in Engl. Pflanzenreich, Primul.* 184.—China.  
*tibetica*, *Knuth, l. c.* 187.—Reg. Himal.; China.  
*Tschuktschorum*, *Knuth, l. c.* 200.—Sibir.  
*Vegae*, *Knuth, l. c.* 201.—Sibir.

**ANDROSIPHONIA**, Stapf, in *Journ. Linn. Soc.* xxxvii. (1905) 101. **PASSIFLORACEAE.**

*adenostegia*, *Stapf, l. c.*—Afr. trop.

**ANDROTUM**, Stapf, in *Hook. Ic. Pl.* t. 2763 (1903).**ANACARDIACEAE.**

*astylum*, *Stapf, l. c.*—Borneo.

**ANDRYALA**, Linn. (Compos.).

*canariensis*, *Lowe, Man. Fl. Madeir.* 564 = *pinnatifida*.  
*minuta*, *Lojac. Fl. Sic.* ii. i. 223.—Sicil.

**ANEILEMA**, R. Br. (Commel.).

*angolense*, *C. B. Clarke, in Dyer, Fl. Trop. Afr.* viii. 67.—Afr. trop.  
*angustifolium*, *N. E. Br. in Journ. Linn. Soc.* xxxvi. 151.—China.  
*chrysanthum*, *K. Schum. in Engl. Jahrb.* xxxiii. 376.—Afr. trop.  
*formosanum*, *N. E. Br. in Journ. Linn. Soc.* xxxvi. 152.—Formosa.  
*Nicholsoni*, *C. B. Clarke, in Dyer, Fl. Trop. Afr.* viii. 70.—Afr. trop.  
*nyasense*, *C. B. Clarke, l. c.* 66.—Afr. trop.  
*paraguayensis*, *C. B. Clarke, ex Chod. in Bull. Herb. Boiss. Sér. II.* i. 437.—Parag.  
*paucifolium*, *N. E. Br. in Journ. Linn. Soc.* xxxvi. 153.—China.  
*plagiocapsa*, *K. Schum. in Warb. Kunene-Sambesi Exped.* 184.—Afr. trop.  
*Rendlei*, *C. B. Clarke, in Dyer, Fl. Trop. Afr.* viii. 68.—Afr. trop.  
*rhodospermum*, *K. Schum. ex C. B. Clarke, l. c.* 72 = *lanceolatum*.  
*Russegeri*, *C. B. Clarke, l. c.* 75 (= *Lamprodithyros Russegeri*).—Afr. trop.  
*Schlechteri*, *K. Schum. in Engl. Jahrb.* xxxiii. 376.—Afr. austr.  
*Smithii*, *C. B. Clarke, in Dyer, Fl. Trop. Afr.* viii. 70.—Afr. trop.  
*somaliense*, *C. B. Clarke, l. c.* 69.—Afr. trop.  
*soudanicum*, *C. B. Clarke, l. c.* 71.—Afr. trop.  
*Spekei*, *C. B. Clarke, l. c.* 72.—Afr. trop.  
*Taylori*, *C. B. Clarke, l. c.* 73.—Afr. trop.  
*Whytei*, *C. B. Clarke, l. c.* 72.—Afr. trop.

**ANEMONE**, Linn. (Ranunc.).

*amurensis*, *Kom. in Act. Hort. Petrop.* xxii. 262.—China.

**ANEMONE** :—

*balkana*, *Guerke, Pl. Eur.* ii. 460 (= *Pulsatilla balkana*).—Bulgar.  
*begoniifolia*, *Léveillé & Vaniot, in Bull. Acad. Géog. Bot. Sér. III.* xi. (1902) 46.—China.  
*Boissiae*, *Léveillé & Vaniot, l. c.* 47.—China.  
*bolzanensis*, *Guerke, Pl. Eur.* ii. 461 (= *Pulsatilla bolzanensis*).—Hybr.  
*gelida*, *Maxim. in Act. Hort. Petrop.* xi. (1890) 21.—China.  
*hirsutissima*, *Mak. in Bot. Mag. Tokyo*, xviii. 69 (= *Pulsatilla hirsutissima*).—Ins. Kurile.  
*Leveillei*, *Ulbr. in Engl. Jahrb.* xxxvi. Beibl. lxxx. 5.—China.  
*lithophila*, *Rydb. in Bull. Torr. Bot. Club.* 1902, 152.—Am. bor.  
*myriophylla*, *Speg. in Anal. Mus. Buenos Aires*, vii. 204.—Patag.  
*Piperi*, *Rydb. in Bull. Torr. Bot. Club.* 1902, 153.—Am. bor.  
*Prattii*, *Huth, ex Ulbr. in Engl. Jahrb.* xxxvi. Beibl. lxxx. 4.—China.  
*Scabiosa*, *Léveillé & Vaniot, in Bull. Acad. Géog. Bot. Sér. III.* xi. (1902) 47.—China.  
*subalbida*, *Jord. in Jord. & Fourr. Ic. Fl. Eur.* iii. 33.—Gallia.  
*tuberosa*, *Rydb. in Bull. Torr. Bot. Club.* 1902, 151.—Am. bor.  
*Ulbrichiana*, *Diels, ex Ulbr. in Engl. Jahrb.* xxxvi. Beibl. lxxx. 4.—China.  
*Wilsoni*, *Ulbr. l. c.* 2.—China.

**ANEMOPAEGMA**, Mart. (Bignon.).

*grandiflorum*, *Sprague, in Trans. Proc. Bot. Soc. Edinb.* xxii. 434.—Ind. occ.  
*longipetiolatum*, *Sprague, in Bull. Herb. Boiss. Sér. II.* v. 82.—Parag.

**ANGELICA**, Riv. (Umbell.).

*crucifolia*, *Kom. in Act. Hort. Petrop.* xxv. (1905) 170.—Corea.  
*Dielsii*, *Boissieu, in Bull. Herb. Boiss. Sér. II.* iii. 850.—China.  
*Fargesii*, *Boissieu, l. c.*—China.  
*flaccida*, *Kom. in Act. Hort. Petrop.* xviii. 431.—As. or.  
*ibukiensis*, *Mak. ex Yabe, in Journ. Coll. Sci. Tokyo*, xvi. iv. 68 (= *Ligusticum ibukiense*).—Japon.  
*Matsumurae*, *Yabe, l. c.* 85.—Japon.  
*nikoensis*, *Yabe, l. c.* 84.—Japon.  
*pseudo-selinum*, *Boissieu, in Bull. Herb. Boiss. Sér. II.* iii. 848.—China.  
*saxicola*, *Mak. ex Yabe, in Journ. Coll. Sci. Tokyo*, xvi. iv. 84.—Japon.  
*shikokiana*, *Mak. ex Yabe, l. c.* 83.—Japon.  
*Uchiyamae*, *Yabe, in Bot. Mag. Tokyo*, xvii. 107.—Corea.  
*utilis*, *Mak. ex Yabe, in Journ. Coll. Sci. Tokyo*, xvi. iv. 79.—Japon.  
*villosa*, *C. P. Smith, in Proc. Indiana Acad. Sci.* 1903 (1904) 135.—Am. bor.

**ANGELONIA**, Humb. & Bonpl. (Scrophul.).

*cubensis*, *Robins. in Urb. Symb. Antill.* ii. 458.—Ind. occ.  
*Hassleriana*, *Chod. in Bull. Herb. Boiss. Sér. II.* i. 404.—Parag.

**ANGIANTHUS**, Wendl. (Compos.).

*connatus*, *Fitzger. in Journ. W. Austral. Nat. Hist. Soc.* ii. 24.—Austral.

**ANGRAECUM**, Bory (Orchid.).

*affine*, *Schlechter, in Engl. Jahrb.* xxxviii. 19, descr.—Afr. trop.  
*biloboides*, *Wildem. Notices Pl. Utiles Congo*, 144.—Afr. trop.  
*calanthum*, *Schlechter, in Engl. Jahrb.* xxxviii. 20, descr.—Afr. trop.  
*crinale*, *Wildem. Notices Pl. Utiles Congo*, 320.—Afr. trop.  
*curvatum*, *Schlechter, in Engl. Jahrb.* xxxviii. 22 (= *Mystacidium curvatum*).—Afr. trop.  
*curvipes*, *Schlechter, l. c.* 21, descr.—Afr. trop.  
*filicomoides*, *Wildem. Pl. Nov. Hort. Then.* t. 21.—Afr. trop.  
*filifolium*, *Schlechter, in Engl. Jahrb.* xxxviii. 21, descr.—Afr. trop.  
*filiforme*, *Schlechter, l. c.* 21 (= *Listrostachys filiformis*).—Afr. trop.  
*filipes*, *Schlechter, l. c.* 22, descr.—Afr. trop.

**ANGRAECUM** :—

- Gentilii, *Wildem. Notices Pl. Utiles Congo*, 140.—Afr. trop.  
 Goetzeanum, *Kraenzl. in Engl. Jahrb.* xxx. 289.—Afr. trop.  
 ischnopus, *Schlechter, in Notizbl. Bot. Gart. Berlin*, iv. 170.—Afr. trop.  
 konduensis, *Wildem. Notices Pl. Utiles Congo*, 321.—Afr. trop.  
 Laurentii, *Wildem. l. c.* 322.—Afr. trop.  
 Lujaei, *Wildem. l. c.* 142.—Afr. trop.  
 macrorrhynchium, *Schlechter, in Engl. Jahrb.* xxxviii. 22, descr.—Afr. trop.  
 micropetalum, *Schlechter, l. c.* 23, descr.—Afr. trop.  
 Plehnanum, *Schlechter, l. c.* 24, descr.—Afr. trop.  
 Rothschildianum, *O'Brien, in Gard. Chron.* 1903, II. 130.—Afr. trop.  
 scabripes, *Kraenzl. in Engl. Jahrb.* xxxiii. 73.—Afr. trop.  
 scandens, *Schlechter, in Engl. Jahrb.* xxxviii. 24, descr.—Afr. trop.  
 Verdickii, *Wildem. in Ann. Mus. Congo*, Sér. IV. 21.—Afr. trop.  
 viridescens, *Wildem. Enum. Pl. Laurent.* 61 (= *Mystacidium Laurentii*).—Afr. trop.  
 Voeltzkowianum, *Kraenzl. in Engl. Jahrb.* xxxvi. 116.—Ins. Comor.  
 zigzag, *Wildem. Notices Pl. Utiles Congo*, 143.—Afr. trop.

**ANGURIA**, Tourn. (Cucurb.).

- Keithii, *Northrop, in Mem. Torr. Bot. Club*, xii. 69.—Ind. occ.  
 ovata, *Donn. Sm. in Coult. Bot. Gaz.* xxxi. 112.—Am. cent.

**ANGURIOPSIS**, J. R. Johnston, in *Proc. Amer. Acad.* xl. (1905) 697. **CUCURBITACEAE**.  
*margaritensis*, *J. R. Johnston, l. c.*—Venez.**ANIBA**, Aubl. (Laurac.).

- megacarpa, *Hemsl. in Hook. Ic. Pl.* tt. 2751–2.—Ins. Trinitatis.

**ANIDRUM**, Neck. = **Bifora**, Hoffm. (Umbell.).

- flosculosum*, *Calest. in Martelli, Webbia*, 273 = *B. testiculata*.

**ANISACANTHUS**, Nees (Acanth.).

- Gonzalezii, Greenm. in Proc. Amer. Acad.* xxxix. 89.—Mexic.

**ANISOMERIS**, Presl = **Chomelia**, Jacq. (Rubiace.).

- Pohlana*, *Chod. in Bull. Herb. Boiss. Sér. II. iv.* 175 = *C. Pohlana*.

**ANISOPAPPUS**, Hook. & Arn. (Compos.).

- gracilis*, *O. Hoffm. in Warb. Kunene-Sambesi Exped.* 416.—Afr. trop.  
*subdiscoideus*, *O. Hoffm. l. c.*—Afr. trop.

**ANISOPHYLLEA**, R. Br. (Rhizophor.).

- fruticulosa*, *Engl. & Gilg. in Warb. Kunene-Sambesi Exped.* 313.—Afr. trop.

**ANISOPTERA**, Korth. (Dipterocarp.).

- calophylla*, *Perkins, Frag. Fl. Philipp.* 22.—Ins. Philipp.  
*marginatoides*, *Heim, in Bot. Tidsskr.* xxv. 44.—Siam.

**ANISOPUS**, N. E. Br. (Asclep.).

- bicoronata*, *N. E. Br. in Dyer, Fl. Trop. Afr.* iv. i. 416 (= *Marsdenia bicoronata*).—Afr. trop.

**ANISUM**, Riv. = **Pimpinella**, Linn. (Umbell.).

- creticum*, *Calest. in Martelli, Webbia*, 162 = *P. cretica*, *Poir.*

**ANODA**, Cav. (Malvac.).

- rubra*, *Hochr. in Ann. Conserv. & Jard. Bot. Genève*, 1902, 42 (= *Sida rubra*).—Mexic.

**ANOGRA**, Spach (Onagrac.).

- [**OENOTHERA**, Linn. I. K.]  
*cinerea*, *Rydb. in Bull. Torr. Bot. Club*, 1904, 570.—Am. bor.  
*latifolia*, *Rydb. l. c.*—Am. bor.  
*Nuttallii*, *A. Nelson, in Coult. Bot. Gaz.* xxxiv. 363 (= *Oenothera Nuttallii*).—Am. bor.  
*violacea*, *A. Nelson, in Bull. Torr. Bot. Club*, 1904, 242.—Am. bor.  
*Vreelandii*, *Rydb. in Bull. Torr. Bot. Club*, 1904, 570.—Am. bor.

**ANOIGANTHUS**, Baker (Amaryll.).

- gracilis*, *Harms, in Engl. Jahrb.* xxx. 276.—Afr. trop.

**ANOMOPANAX**, Harms, ex Dalla Torre & Harms,

- Gen. Siphon. 364 (1903); et in *Ann. Jard. Buitenz.* xix. (1904) 13. **ARALIACEAE**.  
*celebicus*, *Harms, in Ann. Jard. Buitenz.* xix. (1904) 14.—Celebes.  
*philippinensis*, *Harms, l. c.* 15.—Ins. Philipp.  
*Schlechteri*, *Harms, in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 332.—N. Guin.  
*Warburgii*, *Harms, in Ann. Jard. Buitenz.* xix. (1904) 15.—Celebes.

**ANONA**, Linn. (Anonac.).

- falsifolia*, *Glaz. in Bull. Soc. Bot. Fr. lii. Mém.* III. 14, nomen.—Bras.  
*glaucophylla*, *R. E. Fries, in Bull. Herb. Boiss. Sér. II. iv.* 1172.—Parag.  
*imbitibana*, *Glaz. in Bull. Soc. Bot. Fr. lii. Mém.* III. 14, nomen.—Bras.  
*jamaicensis*, *Sprague, in Bull. Herb. Boiss. Sér. II. v.* 701.—Jamaica.  
*minensis*, *Glaz. in Bull. Soc. Bot. Fr. lii. Mém.* III. 14, nomen.—Bras.  
*nutans*, *R. E. Fries, in Bull. Herb. Boiss. Sér. II. iv.* 1171.—Parag.  
*paraguayensis*, *R. E. Fries, l. c.*—Parag.  
*scandens*, *Diels, ex Pilg. in Verh. Bot. Ver. Brand.* xlvii. (1905) 134.—Peruv.  
*sericea*, *Dunal, ex Sprague, in Bull. Herb. Boiss. Sér. II. v.* 700, descr. emend.—Am. austr.  
*uncinata*, *Sprague, l. c.* 701.—Am. cent.

**ANOTIS**, DC. (Rubiace.).

- papana*, *Lauterb. in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 391.—N. Guin.

**ANOTITES**, Greene, *Leaflets Bot. Obs.* i. (1905) 97.

- CARYOPHYLLACEAE**.  
*alsinoides*, *Greene, l. c.* 99.—Am. bor.  
*Bakeri*, *Greene, l. c.* 102.—Am. bor.  
*costata*, *Greene, l. c.* 100.—Am. bor.  
*debilis*, *Greene, l. c.* 104.—Am. bor.  
*diffusa*, *Greene, l. c.* 99.—Calif.  
*discurrens*, *Greene, l. c.* 103.—Am. bor.  
*Dorrii*, *Greene, l. c.* 101 (= *Silene Dorrii*).—Am. bor.  
*elliptica*, *Greene, l. c.* 103.—Am. bor.  
*halophila*, *Greene, l. c.* 101.—Am. bor.  
*Jonesii*, *Greene, l. c.* 102.—Am. bor.  
*latifolia*, *Greene, l. c.* 98.—Am. bor.  
*macilentia*, *Greene, l. c.* 100.—Am. bor.  
*Menziesii*, *Greene, l. c.* 98 (= *Silene Menziesii*).—Am. bor.  
*nodosa*, *Greene, l. c.* 100.—Am. bor.  
*picta*, *Greene, in Ottawa Naturalist*, xix. 165.—Am. bor.  
*tenerima*, *Greene, Leaflets Bot. Obs.* i. 104.—Am. bor.  
*tereticaulis*, *Greene, l. c.* 105.—Am. bor.  
*villosula*, *Greene, l. c.* 104.—Am. bor.  
*viscosa*, *Greene, l. c.* 98.—Am. bor.

**ANTENNARIA**, Gaertn. (Compos.).

- acuminata*, *Greene, in Ottawa Naturalist*, xvii. 202.—Am. bor.  
*austromontana*, *E. Nelson, in Proc. U. S. Nat. Mus.* xxiii. 703.—Am. bor.  
*borealis*, *Greene, in Pittonia*, iv. 85 = *pallida*.  
*callilepis*, *Greene, in Ottawa Naturalist*, xvii. 201.—Am. bor.  
*chlorantha*, *Greene, l. c.* xviii. 38.—Am. bor.  
*concinna*, *E. Nelson, in Proc. U. S. Nat. Mus.* xxiii. 705.—Am. bor.  
*formosa*, *Greene, Leaflets Bot. Obs.* i. 145.—Am. bor.  
*Hendersoni*, *Piper, in Bull. Torr. Bot. Club*, 1902, 221.—Am. bor.  
*lanulosa*, *Greene, in Ottawa Naturalist*, xviii. 38.—Am. bor.  
*latisquama*, *Piper, in Bull. Torr. Bot. Club*, 1901, 41.—Am. bor.  
*latisquamea*, *Greene, Leaflets Bot. Obs.* i. (1905) 145.—Am. bor.  
*leucophaea*, *Piper, in Bull. Torr. Bot. Club*, 1902, 221.—Am. bor.  
*maculata*, *Greene, in Ottawa Naturalist*, xviii. 39.—Am. bor.  
*mesochora*, *Greene, Pittonia*, v. 111.—Am. bor.  
*microphylla*, *Rydb. in Britton, Man. Fl. N. U. S.* 975.—Am. bor.  
*oxyphylla*, *Greene, Pittonia*, iv. 284.—Am. bor.  
*pallida*, *E. Nelson, in Proc. U. S. Nat. Mus.* xxiii. 700.—Alaska.

**ANTENNARIA** :—

- Piperi*, *Rydb. in Bull. Torr. Bot. Club*, 1901, 21.—Am. bor.  
*Sansonii*, *Greene, in Ottawa Naturalist*, xviii. 37.—Am. bor.  
*sedoides*, *Greene, l. c.*—Am. bor.  
*Sierrae-Blancae*, *Rydb. in Bull. Torr. Bot. Club*, 1905, 127.—Am. bor.  
*speciosa*, *E. Nelson, in Proc. U. S. Nat. Mus.* xxiii. 705.—Calif.  
*stenolepis*, *Greene, in Ottawa Naturalist*, xvii. 201.—Am. bor.  
*tomentella*, *E. Nelson, in Proc. U. S. Nat. Mus.* xxiii. 701.—Am. bor.

**ANTHEMIS**, Mich. (Compos.).

- aeolica*, *Lojac. Fl. Sic. ii. i.* 84.—Sicil.  
*brevifolia*, *Lojac. l. c.* 81.—Sicil.  
*Callieri*, *Velen. in Allg. Bot. Zeitschr.* 1905, 43.—Tauria.  
*carthaginensis*, *Pau, in Bol. Soc. Arag.* ii. 70; et *ex Munuera, in Mem. Soc. Esp. Hist. Nat.* ii. 92.—Hispan.  
*concolor*, *Lojac. Fl. Sic. ii. i.* 87.—Sicil.  
*Cupaniana*, *Tod. in Lojac. l. c.* 77.—Sicil.  
*Georgieviana*, *Davidoff, in Magyar Bot. Lap.* iv. 29.—Bulgar.  
*Ismelia*, *Lojac. Fl. Sic. ii. i.* 78.—Sicil.  
*leucopilodes*, *Bornm. in Mitth. Thüring. Bot. Ver. n. s.* xx. 19.—As. Min.  
*Ionadioides*, *Hochr. in Ann. Conserv. & Jard. Bot. Genève*, vii–viii (= *Rhetinolepis Ionadioides*).—Alger.  
*lopadasana*, *Lojac. Fl. Sic. ii. i.* 85.—Sicil.  
*orbicula*, *Velen. in Oesterr. Bot. Zeitschr.* lii. 155.—Eur.  
*Palumbi*, *Lojac. Fl. Sic. ii. i.* 91.—Sicil.  
*panachaica*, *Halacsy, Consp. Fl. Graec.* ii. 57.—Eur.  
*riloensis*, *Velen. in Sitz. Böhm. Ges. Wiss.* 1903, no. 28, 6.—Bulgar.  
*sicula*, *Lojac. Fl. Sic. ii. i.* 84.—Sicil.  
*virescens*, *Velen. in Sitz. Böhm. Ges. Wiss.* 1903, no. 28, 5.—Bulgar.

**ANTHEPHORA**, Schreb. (Gramin.).

- cristata*, *Hack. in Wildem. & Th. Dur. in Ann. Mus. Congo*, Sér. III. 255.—Afr. trop.  
*elongata*, *Wildem. in Ann. Mus. Congo*, Sér. IV. 2.—Afr. trop.

**ANTHERICUM**, Linn. (Liliac.).

- cirrifolium*, *Schinz, in Bull. Herb. Boiss. Sér. II. ii.* 937.—Afr. austr.  
*Conrathii*, *Baker, in Bull. Herb. Boiss. Sér. II. iv.* 997.—Afr. austr.  
*divaricatum*, *Baker, ex Schinz, in Vierteljahrsschr. Nat. Ges. Zürich*, xlix. 174.—Afr. austr.  
*drepanoides*, *Greenm. in Proc. Amer. Acad.* xxxix. 71.—Mexic.  
*durangense*, *Greenm. l. c.* 72.—Mexic.  
*hereroense*, *Schinz, in Bull. Herb. Boiss. Sér. II. i.* 857.—Afr. trop.  
*Junodi*, *Baker, ex Schinz, in Vierteljahrsschr. Nat. Ges. Zürich*, xlix. 175.—Afr. austr.  
*Laurentii*, *Wildem. Enum. Pl. Laurent.* 39.—Afr. trop.  
*liliagastrium*, *Engl. & Gilg. in Warb. Kunene-Sambesi Exped.* 188.—Afr. trop.  
*lowryense*, *Baker, in Bull. Herb. Boiss. Sér. II. iv.* 996.—Afr. austr.  
*macranthum*, *Baker, ex Schinz, in Vierteljahrsschr. Nat. Ges. Zürich*, xlix. 175.—Afr. austr.  
*Nelsonii*, *Greenm. in Proc. Amer. Acad.* xxxix. 72.—Mexic.  
*oligotrichum*, *Baker, in Bull. Herb. Boiss. Sér. II. iv.* 996.—Afr. austr.  
*pallidiflavum*, *Engl. & Gilg. in Warb. Kunene-Sambesi Exped.* 187.—Afr. trop.  
*pretoriense*, *Baker, in Bull. Herb. Boiss. Sér. II. i.* 780.—Afr. austr.  
*Radula*, *Baker, l. c.* 781.—Afr. austr.  
*Rehmanni*, *Baker, l. c.*—Afr. austr.  
*stenophyllum*, *Baker, l. c.*—Afr. austr.  
*subulatum*, *Baker, l. c.* 782.—Afr. austr.  
*tortile*, *Baker, l. c.* iv. 996.—Afr. austr.  
*vaginatum*, *Baker, l. c.* 997.—Afr. austr.  
*vestitum*, *Baker, ex Schinz, in Vierteljahrsschr. Nat. Ges. Zürich*, xlix. 174.—Afr. austr.  
*Warneckei*, *Engl. Jahrb.* xxxii. 91.—Afr. trop.  
*xyllorrhizum*, *Engl. & Gilg. in Warb. Kunene-Sambesi Exped.* 187.—Afr. trop.  
*Zenkeri*, *Engl. Jahrb.* xxxii. 91.—Afr. trop.



**ANTHOCLEISTA**, Afzel. (Logan.).

- Baertsiana, *Wildem. & Th. Dur. in Bull. Herb. Boiss.* Sér. II. i. 829.—Afr. trop.  
 insulana, S. Moore, in *Journ. Linn. Soc.* xxxvii. 186.—Afr. trop.  
 procera, *Lepr. ex Bureau, Thèse Logan.* 77.—Afr. trop.  
 pulcherrima, *Gilg, in Engl. Jahrb.* xxx. 374.—Afr. trop.

**ANTHOLYZA**, Linn. (Irid.).

- Cabrae, *Wildem. in Ann. Mus. Congo*, Sér. V. 15.—Afr. trop.  
 Descampsii, *Wildem. l. c.* Sér. IV. 18.—Afr. trop.  
 Gilletii, *Wildem. l. c.* 19.—Afr. trop.  
 magnifica, *Harms, in Warb. Kunene-Sambesi Exped.* 201.—Afr. trop.  
 Schlechteri, *Baker, in Bull. Herb. Boiss.* Sér. II. iv. 1007.—Afr. austr.

**ANTHOSPERMUM**, Linn. (Rubiace.).

- cliffortioides, *K. Schum. in Engl. Jahrb.* xxx. 416.—Afr. trop.  
 Holtzii, *K. Schum. l. c.* xxxiv. 340.—Afr. trop.  
 leuconeuron, *K. Schum. l. c.* xxx. 416.—Afr. trop.  
 Randii, S. Moore, in *Journ. Bot.* 1902, 253.—Afr. trop.  
 Rosmarinus, *K. Schum. in Engl. Jahrb.* xxx. 417.—Afr. trop.

**ANTHOXANTHUM**, Linn. (Gramin.).

- Hookeri, *Rendle, in Journ. Linn. Soc.* xxxvi. 380 (= *Ataxia Hookeri*).—Ind. or.; China.  
 laxiflorum, *Bub. Fl. Pyren.* iv. 264 = *Puelii*.  
 pauciflorum, *Adam, in Denkschr. Akad. Wien, Math. Nat.* lxxiv. 116.—Turcia.

**ANTHRISCUS**, Bernh. (Umbell.).

- dissectus, *C. H. Wright, in Johnston, Uganda Prot.* i. 326.—Afr. trop.  
 glacialis, *Lipsky, in Act. Hort. Petrop.* xxiii. 145.—As. cent.

**ANTHURIUM**, Schott (Arac.).

- acrobates, *Sod. in Anal. Univ. Quito*, xvi. 276; *Contrib. Fl. Ecuat. Monog.* ii. 128.—Ecuador.  
 adsimile, *Sod. Contrib. Fl. Ecuat. Monog.* ii. 219.—Ecuador.  
 agoyanense, *Sod. in Revista Chil. Hist. Nat.* ix. 203.—Ecuador.  
 alatum, *Engl. Pflanzenreich, Arac.-Poth.* 276.—N. Granat.  
 albidum, *Sod. in Revista Chil. Hist. Nat.* ix. 251.—Ecuador.  
 albispatha, *Sod. l. c.* 261.—Ecuador.  
 albo-virescens, *Sod. l. c.* 252.—Ecuador.  
 alegriasense, *Engl. Pflanzenreich, Arac.-Poth.* 220.—N. Granat.  
 amazonicum, *Engl. l. c.* 194.—Bras.  
 anceps, *Sod. Contrib. Fl. Ecuat. Monog.* ii. 215.—Ecuador.  
 angamarcanum, *Sod. in Anal. Univ. Quito*, xvi. 200; *Contrib. Fl. Ecuat. Monog.* ii. 109.—Ecuador.  
 annulatum, *Sod. l. c.* xv. 303; *l. c.* 14.—Ecuador.  
 antioquiense, *Engl. Pflanzenreich, Arac.-Poth.* 174.—N. Granat.  
 argyrostachyum, *Sod. in Anal. Univ. Quito*, xvi. 104; *Contrib. Fl. Ecuat. Monog.* ii. 90.—Ecuador.  
 aristatum, *Sod. l. c.* xv. 469; *l. c.* 51.—Ecuador.  
 atroviride, *Sod. l. c.* xvi. 12; *l. c.* 68.—Ecuador.  
 baezanum, *Sod. in Revista Chil. Hist. Nat.* ix. 255.—Ecuador.  
 barbacoasense, *Engl. Pflanzenreich, Arac.-Poth.* 156.—N. Granat.  
 Barclayanum, *Engl. l. c.* 79.—N. Granat.  
 Blanchetianum, *Engl. l. c.* 168.—Bras.  
 brachypodium, *Sod. in Anal. Univ. Quito*, xvi. 192; *Contrib. Fl. Ecuat. Monog.* ii. 99.—Ecuador.  
 brevipes, *Sod. in Revista Chil. Hist. Nat.* ix. 195.—Ecuador.  
 Briosianum, *Sod. Contrib. Fl. Ecuat. Monog.* ii. 222.—Ecuador.  
 buglossum, *Sod. in Anal. Univ. Quito*, xvii. 9; *Contrib. Fl. Ecuat. Monog.* ii. 160.—Ecuador.  
 Bullianum, *Engl. Pflanzenreich, Arac.-Poth.* 120.—Hab. ?  
 bullosum, *Sod. in Revista Chil. Hist. Nat.* ix. 249.—Ecuador.  
 cabrerense, *Engl. Pflanzenreich, Arac.-Poth.* 240.—N. Granat.  
 cachabianum, *Sod. in Revista Chil. Hist. Nat.* ix. 197.—Ecuador.  
 cainarachense, *Engl. Pflanzenreich, Arac.-Poth.* 192.—Peruv.

**ANTHURIUM**—

- Camposii, *Sod. in Revista Chil. Hist. Nat.* ix. 258.—Ecuador.  
 canaliculatum, *Sod. l. c.* 245.—Ecuador.  
 carneospadix, *Engl. Pflanzenreich, Arac.-Poth.* 194.—Peruv.  
 caulorrhizum, *Sod. in Revista Chil. Hist. Nat.* ix. 211.—Ecuador.  
 chlorocarpum, *Sod. l. c.* 251.—Ecuador.  
 chlorostachyum, *Sod. Diagn.* 11 = *malacophyllum*.  
 chorense, *Engl. Pflanzenreich, Arac.-Poth.* 128.—N. Granat.  
 citrifolium, *Sod. in Anal. Univ. Quito*, xv. 301; *Contrib. Fl. Ecuat. Monog.* ii. 11.—Ecuador.  
 clathratum, *Sod. l. c.* xvi. 100; *l. c.* 86.—Ecuador.  
 cochliodes, *Sod. l. c.* xvii. 164; *l. c.* 198.—Ecuador.  
 conterminum, *Sod. Contrib. Fl. Ecuat. Monog.* ii. 67.—Ecuador.  
 cordulatum, *Sod. l. c.* 223.—Ecuador.  
 coripatense, *N. E. Br. ex Engl. Pflanzenreich, Arac.-Poth.* 255.—Bolivia.  
 corrugatum, *Sod. in Anal. Univ. Quito*, xvi. 97; *Contrib. Fl. Ecuat. Monog.* ii. 82.—Ecuador.  
 crebrinerve, *Sod. l. c.* 91; *l. c.* 76.—Ecuador.  
 cultrifolium, *Sod. in Revista Chil. Hist. Nat.* ix. 202.—Ecuador.  
 cupreonitens, *Engl. Pflanzenreich, Arac.-Poth.* 238.—N. Granat.  
 curvatum, *Sod. in Revista Chil. Hist. Nat.* ix. 198.—Ecuador.  
 cuspidiferum, *Sod. l. c.* 207.—Ecuador.  
 cymbispatha, *Sod. in Anal. Univ. Quito*, xvi. 106; *Contrib. Fl. Ecuat. Monog.* ii. 93.—Ecuador.  
 dendrobates, *Sod. l. c.* xvii. 159; *l. c.* 192.—Ecuador.  
 dictyophyllum, *Sod. l. c.* xvi. 99; *l. c.* 84.—Ecuador.  
 discolor, *Sod. in Revista Chil. Hist. Nat.* ix. 262.—Ecuador.  
 divaricatum, *Sod. in Anal. Univ. Quito*, xvii. 251; *Contrib. Fl. Ecuat. Monog.* ii. 207.—Ecuador.  
 dolichophyllum, *Sod. l. c.* 341; *l. c.* 180.—Ecuador.  
 dolichostachyum, *Sod. l. c.* xvi. 198; *l. c.* 104 bis.—Ecuador.  
 elatius, *Sod. l. c.* 8; *l. c.* 62.—Ecuador.  
 elegantulum, *Sod. l. c.* 419; *l. c.* 136.—Ecuador.  
 ellipsoideum, *Sod. in Revista Chil. Hist. Nat.* ix. 80.—Ecuador.  
 Engleri, *Sod. in Anal. Univ. Quito*, xvi. 5; *Contrib. Fl. Ecuat. Monog.* ii. 59.—Ecuador.  
 Ernesti, *Engl. Pflanzenreich, Arac.-Poth.* 80.—Peruv.  
 erythrocarpum, *Sod. in Anal. Univ. Quito*, xvii. 339; *Contrib. Fl. Ecuat. Monog.* ii. 169.—Ecuador.  
 esmeraldense, *Sod. in Revista Chil. Hist. Nat.* ix. 253.—Ecuador.  
 extipulatum, *Sod. in Anal. Univ. Quito*, xvi. 92; *Contrib. Fl. Ecuat. Monog.* ii. 77 (errore extipulatum).—Ecuador.  
 fasciale, *Sod. in Revista Chil. Hist. Nat.* ix. 204.—Ecuador.  
 furcatum, *Sod. in Anal. Univ. Quito*, xvii. 168; *Contrib. Fl. Ecuat. Monog.* ii. 203.—Ecuador.  
 fusco-punctatum, *Sod. in Revista Chil. Hist. Nat.* ix. 195.—Ecuador.  
 Gaffurii, *Sod. l. c.* 263.—Ecuador.  
 Gilgii, *Sod. l. c.* 208.—Ecuador.  
 glanduligerum, *Engl. Pflanzenreich, Arac.-Poth.* 97.—N. Granat.  
 glaucophyllum, *Sod. in Revista Chil. Hist. Nat.* ix. 254.—Ecuador.  
 gracilescens, *Sod. in Anal. Univ. Quito*, xv. 393; *Contrib. Fl. Ecuat. Monog.* ii. 35.—Ecuador.  
 grande, *N. E. Br. ex Engl. Pflanzenreich, Arac.-Poth.* 204.—Bolivia.  
 Greigii, *Hort. ex Engl. l. c.* 281.—Hab. ?  
 guallupense, *Sod. in Revista Chil. Hist. Nat.* ix. 243.—Ecuador.  
 hastaefolium, *Sod. in Anal. Univ. Quito*, xvi. 191; *Contrib. Fl. Ecuat. Monog.* ii. 97.—Ecuador.  
 hastiferum, *Hort. in Engl. Pflanzenreich, Arac.-Poth.* 195.—Hybr.  
 Hrubi, *Hort. ex Engl. l. c.* 245.—Hybr.  
 huallagense, *Engl. l. c.* 132.—Peruv.  
 huamaliense, *Engl. l. c.* 193.—Peruv.  
 huanucense, *Engl. l. c.* 165.—Peruv.  
 hybridum, *Hort. ex Engl. l. c.* 228.—Hybr.  
 hylaenum, *Sod. in Anal. Univ. Quito*, xvi. 95; *Contrib. Fl. Ecuat. Monog.* ii. 79.—Ecuador.  
 hylophilum, *Sod. in Revista Chil. Hist. Nat.* ix. 207.—Ecuador.

**ANTHURIUM**—

- interruptum, *Sod. in Anal. Univ. Quito*, xv. 301; *Contrib. Fl. Ecuat. Monog.* ii. 13.—Ecuador.  
 itanhaense, *Engl. Pflanzenreich, Arac.-Poth.* 166.—Bras.  
 Jenmanii, *Engl. l. c.* 72.—Guiana.  
 Johnii, *Engl. l. c.* 119.—Am. cent.  
 joseanum, *Engl. l. c.* 68.—Am. cent.  
 julospadix, *Sod. in Revista Chil. Hist. Nat.* ix. 199.—Ecuador.  
 Kellerianum, *Hort. ex Engl. Pflanzenreich, Arac.-Poth.* 195.—Hybr.  
 laciniosum, *Sod. in Anal. Univ. Quito*, xv. 300; *Contrib. Fl. Ecuat. Monog.* ii. 10.—Ecuador.  
 Lancea, *Sod. l. c.* xvi. 273; *l. c.* 123.—Ecuador.  
 lanceum, *Engl. Pflanzenreich, Arac.-Poth.* 140.—Hybr.  
 latecordatum, *Sod. in Anal. Univ. Quito*, xvii. 8; *Contrib. Fl. Ecuat. Monog.* ii. 158.—Ecuador.  
 latemarginatum, *Sod. l. c.* xvi. 194; *l. c.* 100.—Ecuador.  
 latifolium, *Sod. Contrib. Fl. Ecuat. Monog.* ii. 226; et in *Revista Chil. Hist. Nat.* iv. 78.—Ecuador.  
 latissimum, *Engl. Pflanzenreich, Arac.-Poth.* 292.—Peruv.  
 leonianum, *Sod. Contrib. Fl. Ecuat. Monog.* ii. 21.—Ecuador.  
 lepturum, *Sod. in Anal. Univ. Quito*, xv. 458; *Contrib. Fl. Ecuat. Monog.* ii. 37.—Ecuador.  
 leucostachyum, *Sod. Contrib. Fl. Ecuat. Monog.* ii. 221.—Ecuador.  
 Leveillei, *Sod. in Revista Chil. Hist. Nat.* ix. 260.—Ecuador.  
 lineolatum, *Sod. l. c.*—Ecuador.  
 Lingua, *Sod. l. c.* 245.—Ecuador.  
 linguifolium, *Engl. Pflanzenreich, Arac.-Poth.* 162.—Ecuador.  
 litanum, *Sod. in Revista Chil. Hist. Nat.* ix. 242.—Ecuador.  
 livescens, *Sod. in Anal. Univ. Quito*, xvi. 337; *Contrib. Fl. Ecuat. Monog.* ii. 122.—Ecuador.  
 lividispica, *Sod. l. c.* 432; *l. c.* 139.—Ecuador.  
 Loeffgrenii, *Engl. Pflanzenreich, Arac.-Poth.* 165.—Bras.  
 lorifolium, *Sod. in Anal. Univ. Quito*, xv. 304; *Contrib. Fl. Ecuat. Monog.* ii. 15.—Ecuador.  
 lucorum, *Engl. Pflanzenreich, Arac.-Poth.* 194.—N. Granat.  
 lunatum, *Sod. in Anal. Univ. Quito*, xvii. 156; *Contrib. Fl. Ecuat. Monog.* ii. 189.—Ecuador.  
 luteolum, *Sod. l. c.* xvi. 281; *l. c.* 133.—Ecuador.  
 lutescens, *Engl. Pflanzenreich, Arac.-Poth.* 293.—Peruv.  
 macrolonchium, *Sod. in Revista Chil. Hist. Nat.* ix. 259.—Ecuador.  
 macrostachyum, *Sod. l. c.* 246.—Ecuador.  
 macrourum, *Sod. in Anal. Univ. Quito*, xvi. 438; *Contrib. Fl. Ecuat. Monog.* ii. 146.—Ecuador.  
 maculosum, *Sod. l. c.* xv. 388; *l. c.* 30.—Ecuador.  
 malacophyllum, *Sod. l. c.* xvi. 201; *l. c.* 111.—Ecuador.  
 margaricarpum, *Sod. l. c.* xv. 292; *l. c.* 2.—Ecuador.  
 marginellum, *Sod. in Revista Chil. Hist. Nat.* ix. 202.—Ecuador.  
 marmoratum, *Sod. in Anal. Univ. Quito*, xvi. 261; *Contrib. Fl. Ecuat. Monog.* ii. 107.—Ecuador.  
 masense, *Sod. l. c.* 439; *l. c.* 148.—Ecuador.  
 maximum, *Engl. Pflanzenreich, Arac.-Poth.* 77 = *Fontanesii*.  
 membranaceum, *Sod. in Revista Chil. Hist. Nat.* ix. 208.—Ecuador.  
 miconiaefolium, *Sod. in Anal. Univ. Quito*, xvi. 7; *Contrib. Fl. Ecuat. Monog.* ii. 61.—Ecuador.  
 micromystrium, *Sod. l. c.* xvii. 163; *l. c.* 196.—Ecuador.  
 Miguelii, *Engl. Pflanzenreich, Arac.-Poth.* 126.—Bolivia.  
 mindense, *Sod. in Anal. Univ. Quito*, xv. 470; *Contrib. Fl. Ecuat. Monog.* ii. 53.—Ecuador.  
 miniatum, *Sod. l. c.* xvii. 14; *l. c.* 166.—Ecuador.  
 monzonense, *Engl. Pflanzenreich, Arac.-Poth.* 264.—Peruv.  
 multisulcatum, *Engl. l. c.* 189.—N. Granat.  
 Myosurus, *Sod. in Revista Chil. Hist. Nat.* ix. 196.—Ecuador.  
 nanagalense, *Sod. in Anal. Univ. Quito*, xv. 460; *Contrib. Fl. Ecuat. Monog.* ii. 40.—Ecuador.  
 nanospadix, *Engl. Pflanzenreich, Arac.-Poth.* 173.—Bras.  
 Navasi, *Sod. in Revista Chil. Hist. Nat.* ix. 247.—Ecuador.  
 nemorale, *Sod. in Anal. Univ. Quito*, xv. 462; *Contrib. Fl. Ecuat. Monog.* ii. 43.—Ecuador.

**ANTHURIUM:—**

- nitens, *Sod. in Revista Chil. Hist. Nat.* ix. 258.—Ecuador.  
 oblongifolium, *Sod. in Anal. Univ. Quito*, xvi. 2; *Contrib. Fl. Ecuat. Monog.* ii. 56.—Ecuador.  
 oblongo-cordatum, *Engl. Pflanzenreich, Arac.-Poth.* 110.—N. Granat.  
 obtusatum, *Engl. l. c.* 239.—N. Granat.  
 ochreatum, *Sod. in Anal. Univ. Quito*, xv. 464; *Contrib. Fl. Ecuat. Monog.* ii. 45.—Ecuador.  
 oreophilum, *Sod. l. c.* xvi. 441; *l. c.* 150.—Ecuador.  
 orientale, *Sod. l. c.* 435; *l. c.* 143.—Ecuador.  
 ovatum, *Sod. l. c.* 15; *l. c.* 72.—Ecuador.  
 oxyphyllum, *Sod. l. c.* xv. 381; *l. c.* 20.—Ecuador.  
 pachyphyllum, *Sod. l. c.* xvi. 10; *l. c.* 65.—Ecuador.  
 pallidinerivum, *Engl. Pflanzenreich, Arac.-Poth.* 197, 245.—Hybr.  
 panduraefolium, *Sod. in Anal. Univ. Quito*, xvi. 190; *Contrib. Fl. Ecuat. Monog.* ii. 95.—Ecuador.  
 pangoanum, *Sod. l. c.* 6; *l. c.* 60.—Ecuador.  
 Parambae, *Sod. in Revista Chil. Hist. Nat.* ix. 247.—Ecuador.  
 parile, *N. E. Br. ex Engl. Pflanzenreich, Arac.-Poth.* 151.—Bolivia.  
 patulum, *Sod. in Anal. Univ. Quito*, xvi. 427; *Contrib. Fl. Ecuat. Monog.* ii. 134.—Ecuador.  
 pedunculare, *Sod. in Revista Chil. Hist. Nat.* ix. 196.—Ecuador.  
 pellucido-punctatum, *Sod. l. c.* 206.—Ecuador.  
 peltigerum, *Sod. l. c.* 244.—Ecuador.  
 peruvianum, *Engl. Pflanzenreich, Arac.-Poth.* 262.—Peruv.  
 perversum, *Engl. l. c.* 195.—Hybr.  
 Pfitzeri, *Engl. l. c.* 259.—Ecuador.  
 philodendroides, *Sod. in Anal. Univ. Quito*, xvii. 5; *Contrib. Fl. Ecuat. Monog.* ii. 155.—Ecuador.  
 Pirottae, *Sod. in Revista Chil. Hist. Nat.* ix. 261.—Ecuador.  
 plantagineum, *Sod. l. c.* 198.—Ecuador.  
 platyglossum, *Sod. in Anal. Univ. Quito*, xvii. 252; *Contrib. Fl. Ecuat. Monog.* ii. 208.—Ecuador.  
 platylobum, *Sod. l. c.* 250; *l. c.* 205.—Ecuador.  
 Pohlmanum, *Engl. Pflanzenreich, Arac.-Poth.* 152.—Reg. Andin.  
 polyphlebium, *Sod. in Anal. Univ. Quito*, xv. 388; *Contrib. Fl. Ecuat. Monog.* ii. 29.—Ecuador.  
 polystictum, *Sod. in Revista Chil. Hist. Nat.* ix. 248.—Ecuador.  
 Porteri, *Sod. l. c.* 210.—Ecuador.  
 praealtum, *Sod. in Anal. Univ. Quito*, xvii. 3; *Contrib. Fl. Ecuat. Monog.* ii. 153.—Ecuador.  
 Preussii, *Engl. Pflanzenreich, Arac.-Poth.* 68.—Venez.  
 procerum, *Sod. in Anal. Univ. Quito*, xvi. 203; *Contrib. Fl. Ecuat. Monog.* ii. 113.—Ecuador.  
 prominens, *Engl. Pflanzenreich, Arac.-Poth.* 123.—N. Granat.  
 psilostachyum, *Sod. in Revista Chil. Hist. Nat.* ix. 248.—Ecuador.  
 psilurum, *Sod. in Anal. Univ. Quito*, xvi. 433; *Contrib. Fl. Ecuat. Monog.* ii. 141.—Ecuador.  
 puelanum, *Sod. l. c.* xvii. 92; *l. c.* 185.—Ecuador.  
 Pululahuae, *Sod. in Revista Chil. Hist. Nat.* ix. 256.—Ecuador.  
 pulverulentum, *Sod. in Anal. Univ. Quito*, xvi. 103; *Contrib. Fl. Ecuat. Monog.* ii. 89, 216.—Ecuador.  
 quinque-sulcatum, *Sod. in Revista Chil. Hist. Nat.* ix. 194.—Ecuador.  
 quitense, *Sod. in Anal. Univ. Quito*, xvi. 3; *Contrib. Fl. Ecuat. Monog.* ii. 57.—Ecuador.  
 radiatum, *Sod. l. c.* xvii. 13; *l. c.* 164.—Ecuador.  
 Regelii, *Van Gaert, ex Engl. Pflanzenreich, Arac.-Poth.* 228.—Hybr.  
 retusum, *Sod. in Anal. Univ. Quito*, xv. 461; *Contrib. Fl. Ecuat. Monog.* ii. 41.—Ecuador.  
 rhizophorum, *Sod. in Revista Chil. Hist. Nat.* ix. 211.—Ecuador.  
 rhodostachyum, *Sod. in Anal. Univ. Quito*, xvi. 9; *Contrib. Fl. Ecuat. Monog.* ii. 64.—Ecuador.  
 rigescens, *Sod. Diagn. Prev.* 16; *ex Contrib. Fl. Ecuat. Monog.* ii. 191, 196=Pichinchae vel rigidifolium.  
 rigidissimum, *Engl. Pflanzenreich, Arac.-Poth.* 292.—Peruv.  
 Rimbachii, *Sod. Contrib. Fl. Ecuat. Monog.* ii. 202.—Ecuador.  
 Riofrioi, *Sod. in Anal. Univ. Quito*, xvii. 82; *Contrib. Fl. Ecuat. Monog.* ii. 173.—Ecuador.  
 riparium, *Engl. Pflanzenreich, Arac.-Poth.* 214.—N. Granat.

**ANTHURIUM:—**

- rivulare, *Sod. in Anal. Univ. Quito*, xvi. 195; *Contrib. Fl. Ecuat. Monog.* ii. 101.—Ecuador.  
 robustum, *Hort. ex Engl. Pflanzenreich, Arac.-Poth.* 192.—Hybr.  
 rotundilobum, *Engl. l. c.* 275.—N. Granat.  
 rugulosum, *Sod. in Anal. Univ. Quito*, xvi. 96; *Contrib. Fl. Ecuat. Monog.* ii. 81.—Ecuador.  
 rumicifolium, *Sod. l. c.* xv. 305; *l. c.* 17.—Ecuador.  
 rupestre, *Sod. in Revista Chil. Hist. Nat.* ix. 201.—Ecuador.  
 rusticum, *N. E. Br. ex Engl. Pflanzenreich, Arac.-Poth.* 82.—Bolivia.  
 Saccardoi, *Sod. Contrib. Fl. Ecuat. Monog.* ii. 218.—Ecuador.  
 sagittale, *Sod. in Anal. Univ. Quito*, xvi. 274; *Contrib. Fl. Ecuat. Monog.* ii. 125.—Ecuador.  
 sagittellum, *Sod. in Revista Chil. Hist. Nat.* ix. 253.—Ecuador.  
 scaberulum, *Sod. l. c.* 249 (errore scaherulum).—Ecuador.  
 scabrinerve, *Sod. in Anal. Univ. Quito*, xvii. 87; *Contrib. Fl. Ecuat. Monog.* ii. 178.—Ecuador.  
 sclerophyllum, *Sod. l. c.* xvi. 436; *l. c.* 144.—Ecuador.  
 septuplinervium, *Sod. in Revista Chil. Hist. Nat.* ix. 247.—Ecuador.  
 smilacifolium, *Sod. in Anal. Univ. Quito*, xvi. 93; *Contrib. Fl. Ecuat. Monog.* ii. 78.—Ecuador.  
 Soederstroemii, *Sod. l. c.* 13; *l. c.* 70.—Ecuador.  
 spathulatum, *Sod. l. c.* xv. 391; *l. c.* 33.—Ecuador.  
 spathulifolium, *Sod. in Revista Chil. Hist. Nat.* ix. 194.—Ecuador.  
 Spruceanum, *Engl. Pflanzenreich, Arac.-Poth.* 109.—Ecuador.  
 stans, *Sod. in Anal. Univ. Quito*, xvii. 94; *Contrib. Fl. Ecuat. Monog.* ii. 187.—Ecuador.  
 stenophyllum, *Sod. l. c.* xv. 392; *l. c.* 34.—Ecuador.  
 stipulosum, *Sod. l. c.* 394; *l. c.* 36.—Ecuador.  
 striatipes, *Sod. l. c.* xvii. 81; *l. c.* 171.—Ecuador.  
 striolatum, *Sod. l. c.* xv. 463; *l. c.* 44.—Ecuador.  
 subcarinatum, *Engl. Pflanzenreich, Arac.-Poth.* 117.—N. Granat.  
 subellipticum, *Sod. in Anal. Univ. Quito*, xv. 472; *Contrib. Fl. Ecuat. Monog.* ii. 54.—Ecuador.  
 suborbiculare, *Sod. l. c.* xvii. 1; *l. c.* 151.—Ecuador.  
 subtrigonum, *Sod. l. c.* 6; *l. c.* 157.—Ecuador.  
 tarapotense, *Engl. Pflanzenreich, Arac.-Poth.* 74.—Peruv.  
 tenuinerve, *Sod. Contrib. Fl. Ecuat. Monog.* ii. 49, 214=citrifolium.  
 tenuispadix, *Engl. Pflanzenreich, Arac.-Poth.* 73.—Bras.  
 tenuispica, *Sod. in Revista Chil. Hist. Nat.* ix. 199.—Ecuador.  
 terrestre, *Engl. Pflanzenreich, Arac.-Poth.* 196.—Peruv.  
 tremulum, *Sod. in Anal. Univ. Quito*, xvii. 10; *Contrib. Fl. Ecuat. Monog.* ii. 161.—Ecuador.  
 Trianae, *Engl. Pflanzenreich, Arac.-Poth.* 147.—N. Granat.  
 tridigitatum, *Engl. l. c.* 276.—N. Granat.  
 Trinitatis, *Engl. l. c.* 73.—Ins. Trinitat.  
 tripartitum, *Engl. l. c.* 277.—N. Granat.  
 trisulcatum, *Sod. in Anal. Univ. Quito*, xvi. 14; *Contrib. Fl. Ecuat. Monog.* ii. 71.—Ecuador.  
 Tungurahuae, *Sod. l. c.* xvii. 85; *l. c.* 176.—Ecuador.  
 Uleanum, *Engl. Pflanzenreich, Arac.-Poth.* 74.—Bras.  
 Umbraculum, *Sod. in Anal. Univ. Quito*, xvi. 101; *Contrib. Fl. Ecuat. Monog.* ii. 87.—Ecuador.  
 Urbani, *Sod. Contrib. Fl. Ecuat. Monog.* ii. 224.—Ecuador.  
 validinerivum, *Engl. Pflanzenreich, Arac.-Poth.* 138.—Bras.  
 variegatum, *Sod. in Anal. Univ. Quito*, xvi. 279; *Contrib. Fl. Ecuat. Monog.* ii. 131.—Ecuador.  
 venustum, *Sod. in Revista Chil. Hist. Nat.* ix. 257.—Ecuador.  
 verapazense, *Engl. Pflanzenreich, Arac.-Poth.* 191.—Am. cent.  
 versicolor, *Sod. in Anal. Univ. Quito*, xvi. 270; *Contrib. Fl. Ecuat. Monog.* ii. 118.—Ecuador.  
 vestitum, *Sod. in Revista Chil. Hist. Nat.* ix. 243.—Ecuador.  
 vexillare, *Sod. in Anal. Univ. Quito*, xvii. 12; *Contrib. Fl. Ecuat. Monog.* ii. 163.—Ecuador.  
 vittariifolium, *Engl. Pflanzenreich, Arac.-Poth.* 88.—Bras.  
 vomeriforme, *Sod. in Anal. Univ. Quito*, xvi. 430; *Contrib. Fl. Ecuat. Monog.* ii. 138.—Ecuador.  
 vulcanicum, *Sod. l. c.* xvii. 84; *l. c.* 174.—Ecuador.  
 Weberbaueri, *Engl. Pflanzenreich, Arac.-Poth.* 81.—Peruv.

**ANTHURIUM:—**

- Wolfii, *Sod. in Anal. Univ. Quito*, xvi. 262; *Contrib. Fl. Ecuat. Monog.* ii. 106.—Ecuador.  
 xanthostachyum, *Sod. l. c.* 204; *l. c.* 114.—Ecuador.
- ANTIARIS**, Lesch. (Urtic.).  
 africana, *Engl. Jahrb.* xxxiii. 119.—Afr. trop.  
 usambarensis, *Engl. l. c.*—Afr. trop.  
 Welwitschii, *Engl. l. c.* 118.—Afr. trop.
- ANTICLEA**, Kunth = **Zygadenus**, Michx. (Liliac.).  
 chlorantha, Rydb. in *Bull. Torr. Bot. Club*, 1903, 273 = *Z. elegans*.  
 coloradensis, Rydb. *l. c.* = *Z. coloradensis*.  
 elegans, Rydb. *l. c.* = *Z. elegans*.  
 porrifolia, Rydb. *l. c.* = *Z. porrifolius*.  
 virescens, Rydb. *l. c.* = *Z. mexicanus*.
- ANTIDESMA**, Burm. (Euphorb.).  
 edule, Merrill, in *Philipp. Gov. Lab. Bur. Bull.* xvii. 26.—Ins. Philipp.  
 oligonervium, *Lauterb. in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 294.—N. Guin.  
 rhynchophyllum, *K. Schum. in K. Schum. & Lauterb. l. c.*—N. Guin.  
 Warburgii, *K. Schum. in K. Schum. & Lauterb. l. c.* 293.—N. Guin.
- ANTIPHYLLA**, Haw. = **Saxifraga**, Linn. (Saxifr.).  
 acrophila, Jord. in *Jord. & Fourr. Ic. Fl. Eur.* ii. 29.—Eur.  
 acutiflora, Jord. *l. c.* 30.—Eur.  
 aretioides, Jord. *l. c.* 28.—Gallia.  
 coryphaea, Jord. *l. c.* 29.—Eur.  
 grandiflora, Jord. *l. c.* 28.—Gallia.  
 latiflora, Jord. *l. c.*—Eur.  
 laxifolia, Jord. *l. c.* 30.—Eur.  
 majuscula, Jord. *l. c.*—Eur.  
 parviflora, Jord. *l. c.* 28.—Gallia.  
 pulvinata, Small, in *N. Am. Fl. xxii.* 157 = *S. pulvinata*.  
 scopulosa, Jord. in *Jord. & Fourr. Ic. Fl. Eur.* ii. 29.—Eur.  
 squarrosula, Jord. *l. c.*—Gallia.  
 vesula, Jord. *l. c.* 30.—Eur.
- ANTIRRHINUM**, Tourn. (Scrophul.).  
 appendiculatum, *A. A. Heller, Muhlenbergia*, i. 44.—Calif.  
 emarginatum, *Eastw. in Bull. Torr. Bot. Club*, 1905, 214.—Calif.  
 ovatum, *Eastw. l. c.* 213.—Calif.
- ANTONIANA**, Bub. Fl. Pyren. iii. (1901) 170 = **Hesperis**, Linn. (Crucif.).  
 laciniata, Bub. *l. c.* 171 = *H. laciniata*.  
 sylvestris, Bub. *l. c.* 170 = *H. matronalis*.
- ANUBIAS**, Schott (Arac.).  
 congensis, *N. E. Br. in Dyer, Fl. Trop. Afr.* viii. 184.—Afr. trop.  
 Gillettii, *Wildem. & Th. Dur. in Bull. Herb. Boiss. Sér. II. i.* 845.—Afr. trop.  
 Haullevilleana, *Wildem. in Ann. Mus. Congo*, Sér. V. 13.—Afr. trop.  
 lanceolata, *N. E. Br. in Dyer, Fl. Trop. Afr.* viii. 183.—Afr. trop.
- ANVILLEA**, DC. (Compos.).  
 australis, *L. Chevall. in Bull. Herb. Boiss. Sér. II. iii.* 771.—Alger.
- ANYCHIASTRUM**, Small, Fl. S. E. U. S. 400 (1903) = **Paronychia**, Adans. (Illecebr.).  
 Baldwinii, Small, *l. c.* 401 = *P. Baldwinii*.  
 herniarioides, Small, *l. c.* = *P. herniarioides*.  
 riparium, Small, *l. c.* = *P. riparia*.
- AONIKENA**, Speg. in *Anal. Mus. Buenos Aires*, vii. 162 (1902). **EUPHORBACEAE**.  
 patagonica, *Speg. l. c.*—Patag.
- APALATOA**, Aubl. = **Crudia**, Schreb. (Legum.).  
 Blancoi, Merrill, in *Philipp. Gov. Lab. Bur. Bull.* xxxv. 19 = *C. Blancoi*.
- APALOXYLON**, Drake, Hist. Pl. Madag. i. i. (1902) 75, 206. **LEGUMINOSAE**.  
 madagascariense, *Drake, ll. cc.*—Madag.
- APEIBA**, Aubl. (Tiliac.).  
 Burchellii, *Sprague, in Bull. Herb. Boiss. Sér. II. v.* 703.—Am. austr.
- APERA**, Adans. (Gramin.).  
 intermedia, *Hack. ex A. B. Jacks. in Journ. Bot.* 1904, 348, nomen.—As. Min.

**APHANELYTRUM**, Hack. in Oesterr. Bot. Zeitschr. 1902, 12. GRAMINEAE.  
procumbens, Hack. l. c. 13.—Ecuador.

**APHANIA**, Blume (Sapind.).  
[SAPINDUS, Linn. I. K.]  
philippinensis, Radlk. in Perkins, Frag. Fl. Philipp. 60.—Ins. Philipp.

**APHELANDRA**, R. Br. (Acanth.).  
cajatambensis, Lindau, in Bull. Herb. Boiss. Sér. II. v. 368.—Peruv.  
Caput-Medusae, Lindau, l. c. iv. 325.—Bras.  
cirsioides, Lindau, in Fedde, Repert. Nov. Sp. i. 157.—Peruv.  
jacobinioides, Lindau, l. c. 156.—Peruv.  
limbatifolia, Lindau, in Bull. Herb. Boiss. Sér. II. iv. 323.—Peruv.  
madrensis, Lindau, l. c. 326.—Mexic.  
Montis-scalaris, Lindau, ex Pilg. in Verh. Bot. Ver. Brand. xlvii. (1905) 188.—Peruv.  
paraensis, Lindau, in Bull. Herb. Boiss. Sér. II. iv. 324.—Bras.  
phrynioides, Lindau, l. c. 326.—Bras.

**APHYLLANTHES**, Tourn. (Liliac.).  
cantabrica, Bub. Fl. Pyren. iv. 111.—monspeliensis.

**APHYLLON**, Mitch. = **Orobanch**, Linn. (Orobanch.).  
violaceum, Eastw. in Zoe, v. (1900) 85.—Calif.

**APHYLLOCHORIS**, Blume (Orchid.).  
Gollani, Duthie, in Journ. As. Soc. Beng. lxxi. 42.—Ind. or.

**APINELLA**, Neck. = **Trinia**, Hoffm. (Umbell.).  
dioica, Calest. in Martelli, Webbia, 145 = T. vulgaris.  
Hoffmannii, Calest. l. c. = T. hispida.

**APINUS**, Neck. = **Pinus**, Linn. (Conif.).  
albicaulis, Rydb. in Bull. Torr. Bot. Club, 1905, 598 = P. albicaulis.  
Cembra, Neck. Elem. iii. 270 = P. Cembra.  
flexilis, Rydb. in Bull. Torr. Bot. Club, 1905, 598 = P. flexilis.  
Pinea, Neck. Elem. iii. 270 = P. Pinea.

**APIOS**, Moench (Legum.).  
gracillima, Dunn, in Journ. Linn. Soc. xxxv. 488.—China.

**APIUM**, Tourn. (Umbell.).  
ammoides, Calest. in Martelli, Webbia, 174 (= Seseli ammoides).—Reg. Medit.  
angustilobum, Reiche, Fl. Chile, iii. 112 (= Ligusticum angustilobum).—Chili.  
apioides, Reiche, l. c. 110 (= Ligusticum apioides).—Chili.  
Bicknellii, Calest. in Martelli, Webbia, 178 (= Pimpinella Bicknellii).—Ins. Balear.  
biternatum, Reiche, Fl. Chile, iii. 115 (= Heliosciadium biternatum).—Chili.  
catalaunicum, Calest. in Martelli, Webbia, 177.—Hispan.  
chrysanthum, Calest. l. c. (= Pimpinella chrysanthum).—Graecia.  
dichotomum, Calest. l. c. 179 (= Pimpinella dichotoma).—Hispan.; Afr. bor.  
elatum, Calest. l. c. 173 (= Heliosciadium elatum).—Hispan.  
gracile, Calest. l. c. 177 (= Reutera gracilis).—Hispan.  
Gussonei, Calest. l. c. 178 (= Pimpinella Gussonei).—Ital.  
Heldreichii, Calest. l. c. 176 (= Carum Heldreichii).—Graecia.  
humile, Reiche, Fl. Chile, iii. 111 (= Ligusticum humile).—Chili.  
laconicum, Calest. in Martelli, Webbia, 178 (= Pimpinella laconica).—Graecia.  
meoides, Calest. l. c. 176 (= Silaus meoides).—Graecia.  
occidentale, Calest. l. c. 175.—Eur.  
pimpinellifolium, Reiche, Fl. Chile, iii. 110 (= Ligusticum pimpinellifolium).—Chili.  
Pretenderis, Calest. in Martelli, Webbia, 178 (= Pimpinella Pretenderis).—Graecia.  
procumbens, Calest. l. c. 177 (= Reutera procumbens).—Hispan.  
puberulum, Calest. l. c. (= Reutera puberula).—Hispan.  
pumilum, Calest. l. c. 175 (= Ammi pumilum).—Lusitan.  
rupestre, Calest. l. c. 176 (= Carum rupestre).—Graecia.

**APIUM** :—  
saxifragum, Calest. in Martelli, Webbia, 178 (= Pimpinella saxifraga).—Eur.  
serbicum, Calest. l. c. 177 (= Pancicia serbica).—Turcia.  
siifolium, Calest. l. c. 178 (= Pimpinella siifolia).—Hispan.  
Sisarum, Calest. l. c. 176 (= Sium Sisarum).—Eur.; As. bor. et cent.  
Thorei, Calest. l. c. 174 (= Ptychotis Thorei).—Gallia.  
villosum, Calest. l. c. 179 (= Pimpinella villosa).—Hispan.; Afr. bor.

**APLECTRUM**, Torr. (Orchid.).  
Shortii, Rydb. in Britton, Man. Fl. N. U. S. 305.—Am. bor.

**APLOPAPPUS**, Cass. (Compos.).  
[HAPLOPAPPUS, Endl. D. T. & H.]  
Ameghinoi, Speg. Nov. Add. Fl. Patag. i. (1901), repr. 74.—Patag.  
Andersonii, Blank. in Montana Agric. Coll. Sci. Studies, Bot. i. 100 (= Stenotus Andersonii).—Am. bor.  
angustifolius, Reiche, Fl. Chile, iii. 286 (= Pyrrhocoma angustifolia).—Chili.  
bezanillanus, Reiche, l. c. 289 (= Pyrrhocoma bezanillana).—Chili.  
breviradiatus, Reiche, l. c. 326.—Chili.  
canescens, Reiche, l. c. 288 (= Pyrrhocoma canescens).—Chili.  
Cerberoanus, Reiche, l. c. 292 (= Pyrrhocoma Cerberoana).—Chili.  
chrysocephalus, Reiche, l. c. 287 (= Pyrrhocoma aurea).—Chili.  
corymbosus, Reiche, l. c. 330 (= Steriphe corymbosus).—Chili.  
denticulatus, Reiche, l. c. 273 (= Pyrrhocoma denticulata).—Chili.  
Donianus, Schultz, Bip. ex Reiche, l. c. 294.—Chili.  
durus, Reiche, l. c. 287 (= Pyrrhocoma rigida).—Chili.  
elatus, Reiche, l. c. 293 (= Haplodiscus elatus).—Chili.  
fallax, Reiche, l. c. 296 (= Haplodiscus fallax).—Chili.  
graveolens, Reiche, l. c. 294 (= Haplodiscus graveolens).—Chili.  
humilis, Reiche, l. c. 328 (= Haplodiscus humilis).—Chili.  
ischnos, Reiche, l. c. 292 (= Haplodiscus ischnos).—Chili.  
Illini, Speg. Nov. Add. Fl. Patag. i. (1901), repr. 75.—Patag.  
Kingi, Reiche, Fl. Chile, iii. 291 (= Haplodiscus Kingi).—Chili.  
latifolius, Reiche, l. c. 294 (= Haplodiscus latifolius).—Chili.  
linifolius, Reiche, l. c. 286 (= Pyrrhocoma linifolia).—Chili.  
longipes, Reiche, l. c. 295 (= Pyrrhocoma longipes).—Chili.  
Macraeanus, Reiche, l. c. 296 (errore Macraeanus) (= Pyrrhocoma Macraeana).—Chili.  
megacephalus, Hitchc. in Trans. Kansas Acad. xvi. 131 (= Eriocarpum megacephalum).—Am. bor.  
Moyanoi, Speg. in Rev. Agron. La Plata, 1897, 609.—Patag.  
multifolius, Phil. ex Reiche, Fl. Chile, iii. 291 (= Pyrrhocoma foliosa).—Chili.  
Mustersi, Speg. Nov. Add. Fl. Patag. i. (1901), repr. 77.—Patag.  
parvifolius, Reiche, Fl. Chile, iii. 287 (= Pyrrhocoma parvifolia).—Chili.  
patagonicus, Speg. in Rev. Agron. La Plata, 1897, 528.—Patag.  
phyllophorus, Reiche, Fl. Chile, iii. 291 (= Haplodiscus clausiflorus).—Chili.  
Pinea, Reiche, l. c. (= Pyrrhocoma Pinea).—Chili.  
prostratus, Phil. in Reiche, l. c. 320 = australis.  
reticulatus, Reiche, l. c. 290 (= Pyrrhocoma reticulata).—Chili.  
rigidus, Blank. in Montana Agric. Coll. Sci. Studies, Bot. i. 100 (= Pyrrhocoma rigida).—Am. bor.  
rosmarinifolius, Reiche, Fl. Chile, iii. 329.—Chili.  
saxatilis, Reiche, l. c. 289 (= Pyrrhocoma saxatilis).—Chili.  
serrulatus, Reiche, l. c. 312.—Chili.  
setigerus, Meigen, in Engl. Jahrb. xvii. 281 (= Pyrrhocoma setigera).—Chili.

**APLOPAPPUS** :—  
sphacelatus, Reiche, Fl. Chile, iii. 290 (= Haplodiscus sphacelatus).—Chili.  
stenophyllus, Phil. in Anal. Univ. Chil. lxxxvii. 604.—Chili.  
Struthionum, Speg. in Rev. Agron. La Plata, 1897, 529.—Patag.  
tehuelches, Speg. Nov. Add. Fl. Patag. i. (1901), repr. 78.—Patag.  
tiltilensis, Phil. ex Reiche, Fl. Chile, iii. 322.—Chili.  
taeda, Reiche, l. c. 295 (= Haplodiscus Peteroanus).—Chili.  
vernicosus, Phil. ex Reiche, l. c. 312.—Chili.  
Zanartui, Reiche, l. c. 296 (= Haplodiscus Zanartui).—Chili.

**APOCYNUM**, Tourn. (Apocyn.).  
ambigens, Greene, Pl. Baker. iii. 17.—Am. bor.  
Andrewsii, Greene, Leaflets Bot. Obs. i. 57.—Am. bor.  
calophyllum, Greene, l. c.—Am. bor.  
cardiophyllum, Greene, l. c. 79.—Calif.  
divergens, Greene, l. c. 56.—Am. bor.  
laurinum, Greene, Pittonia, v. 65.—Am. bor.  
lividum, Greene, Pl. Baker. iii. 17.—Am. bor.  
Milleri, Britton, Man. Fl. N. U. S. 739.—Am. bor.  
myrianthum, Greene, Leaflets Bot. Obs. i. 59.—Am. bor.  
nevadense, Goodd. in Coult. Bot. Gaz. xxxvii. 57.—Am. bor.  
oblongum, Greene, Pittonia, v. 65.—Calif.  
oliganthum, Greene, Leaflets Bot. Obs. i. 58.—Am. bor.  
palustre, Greene, l. c.—Am. bor.  
rhomboideum, Greene, Pittonia, v. 66.—Am. bor.  
salignum, Greene, l. c. 64.—Calif.  
Suksdorffii, Greene, l. c. 65.—Am. bor.  
tomentellum, Greene, Leaflets Bot. Obs. i. 58.—Am. bor.

**APONOGETON**, Linn. f. (Naiad.).  
Dinteri, Engl. & Krause, in Engl. Jahrb. xxxviii. 92.—Afr. trop.  
gracilis, Schinz, in Bull. Herb. Boiss. Sér. II. i. 763.—Afr. austr.  
hereroensis, Schinz, l. c. 764.—Afr. trop.

**APOROSELLA**, Chod. in Bull. Herb. Boiss. Sér. II. v. 488 (1905). EUPHORBACEAE.  
Hassleriana, Chod. l. c. 489.—Parag.

**APOSTASIA**, Blume (Orchid.).  
pauana, Schlechter, in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee, 72.—N. Guin.

**APPENDICULA**, Blume (Orchid.).  
imbricata, J. J. Sm. in Ic. Bogor. t. 110 B.—Java.  
Latilabium, J. J. Sm. Orch. Ambon, 89.—Ins. Ambon.  
longa, J. J. Sm. Orch. Java, 531.—Java.  
pauana, Kraenzl. in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee, 125.—N. Guin.  
pilosa, J. J. Sm. in Ic. Bogor. t. 110 A.—Borneo.

**APSANTHEA**, Jord. in Jord. & Fourr. Ic. Fl. Eur. ii. 40 (1903) = **Scilla**, Linn. (Liliac.).  
melanocarpa, Jord. l. c. 41.—Alger.  
micrantha, Jord. l. c.—Alger.  
oligantha, Jord. l. c. 40.—Alger.  
propera, Jord. l. c. 41.—Alger.  
serotina, Jord. l. c. 40.—Alger.

**APTERIA**, Nutt. (Burmamn.).  
aphylla, Small, Fl. S. E. U. S. 309 (= Lobelia aphylla).—Am. bor.  
Ulei, Schlechter, in Pilg. in Verh. Bot. Ver. Brand. xlvii. (1905) 102.—Reg. Amaz.

**APTOSIMUM**, Burch. (Scrophul.).  
angustifolium, E. Web. & Schinz, ex E. Web. in Bull. Herb. Boiss. Sér. II. iii. 896.—Afr. trop.  
Dinteri, E. Web. l. c. 902.—Afr. austr.  
glandulosum, E. Web. & Schinz, ex E. Web. l. c. 899.—Afr. trop.  
Marlothii, Hiern, in Dyer, Fl. Cap. iv. ii. 127 (= Peliosotomum Marlothii).—Afr. austr.  
neglectum, E. Web. in Bull. Herb. Boiss. Sér. II. iii. 894.—Afr. austr.  
Nelsii, E. Web. l. c. 900.—Afr. trop.  
pubescens, E. Web. l. c. 903.—Afr. trop.  
Schinzii, E. Web. l. c. 901.—Afr. trop.  
suberosum, E. Web. l. c. 904.—Afr. trop.

**AQUILEGIA**, Tourn. (Ranunc.).  
columbiana, Rydb. in Bull. Torr. Bot. Club, 1902, 145.—Am. bor.

**AQUILEGIA** :—

- desertorum, Cockerell, ex A. A. Heller, *Muhlenbergia*, i. 27.—Am. bor.  
 Eastwoodiae, Rydb. in *Bull. Torr. Bot. Club*, 1902, 146.—Am. bor.  
 Ebneri, Zimm. in *Fünft. Jahres-Ber. Staats-Ober-Realsch. Steyr*, (1875) 21.—Eur.  
 Fauriei, Léveillé, in *Bull. Acad. Géog. Bot.* 1902, 300.—As. bor.  
 Henryi, Finet & Gagnep. in *Bull. Soc. Bot. Fr.* ii. (1904) 411 (= *Isopyrum Henryi*).—China.  
 longispala, Zimm. in *Fünft. Jahres-Ber. Staats-Ober-Realsch. Steyr*, (1875) 26.—Eur.  
 mancosana, Cockerell, in *Torreya*, ii. 75 = *Eastwoodiae*.  
 oreophila, Rydb. in *Bull. Torr. Bot. Club*, 1902, 146.—Am. bor.  
 Pancicii, Degen, in *Magyar Bot. Lap.* iv. 118.—Serbia.  
 pauciflora, Greene, *Leaflets Bot. Obs.* i. 76.—Calif.  
 Portae, Huter, in *Oestr. Bot. Zeitschr.* 1903, 495.—Eur.  
 Shockleyi, Eastw. in *Bull. Torr. Bot. Club*, 1905, 193.—Am. bor.  
 sulphurea, Zimm. in *Fünft. Jahres-Ber. Staats-Ober-Realsch. Steyr*, (1875) 38 = *chrysantha*.  
 thalictrifolia, Rydb. in *Bull. Torr. Bot. Club*, 1902, 145.—Am. bor.

**AQUILINA**, Bub. Fl. Pyren. iii. (1901) 374 = **Aquilegia**, Tourn. (Ranunc.).  
*pyrenaica*, Bub. l. c. = *Aquilegia pyrenaica*.  
*vulgaris*, Bub. l. c. 375 = *Aquilegia vulgaris*.

**ARABIS**, Linn. (Crucif.).

- anachoretica, Porta, ex Huter, in *Oesterr. Bot. Zeitschr.* 1904, 139.—Eur.  
 axillaris, Kom. in *Act. Hort. Petrop.* xviii. 437.—Corea.  
 Collinsii, Fernald, in *Rhodora*, vii. 32.—Am. bor.  
 Ferdinandi-Coburgi, Kell. & Suenderm. in *Allg. Bot. Zeitschr.* 1903, 62.—Maced.  
 Georgiana, Harper, in *Torreya*, iii. 87.—Am. bor.  
 gredensis, Gandoger, in *Bull. Soc. Bot. Fr.* xlviii. 413.—Hispan.  
 iwatensis, Makino, in *Bot. Mag. Tokyo*, xviii. 113.—Japan.  
 Kochii, Blank, in *Montana Agric. Coll. Sci. Studies*, Bot. i. 57.—Am. sept.  
 Macdonaldiana, Eastw. in *Bull. Torr. Bot. Club*, 1903, 488.—Calif.  
 Menziesii, A. Nelson, in *Proc. Biol. Soc. Washington*, xviii. 187 (= *Hesperis Menziesii*).—Am. bor.  
 Merinoi, Pau, ex Merino, in *Mem. Soc. Esp. Hist. Nat.* ii. 512.—Hispan.  
 oblanceolata, Rydb. in *Bull. Torr. Bot. Club*, 1904, 557.—Am. bor.  
 pedicellata, A. Nelson, in *Proc. Biol. Soc. Washington*, xvii. 91.—Am. bor.  
 pieninica, Wolosa, Fl. Polon. Exsicc. no. 803.—Hungar.  
 rugocarpa, Osterh. in *Bull. Torr. Bot. Club*, 1904, 357.—Am. bor.  
 rupicola, Krylov, in *Act. Hort. Petrop.* xxi. 3.—As. cent.  
 Selbyi, Rydb. in *Bull. Torr. Bot. Club*, 1904, 557.—Am. bor.  
 stenoloba, Greene, Pl. Baker. iii. 8.—Am. bor.  
 tanakana, Makino, in *Bot. Mag. Tokyo*, xvii. 160.—Japan.  
 Whitedii, Piper, in *Bull. Torr. Bot. Club*, 1901, 39.—Am. bor.

**ARACHIS**, Linn. (Legum.).

- guaranitica, Chod. & Hassl. in *Bull. Herb. Boiss. Sér. II.* iv. 886.—Parag.  
 paraguariensis, Chod. & Hassl. l. c.—Parag.

**ARACHNANTHE**, Blume (Orchid.).

- [*RENANTHERA*, Lour. D. T. & H.]  
 annamensis, Rolfe, in *Gard. Chron.* 1905, i. 391.—Anam.  
 Flos-aeris, J. J. Sm. *Orchid. Java*, 584 (= *Renanthera Flos-aeris*).—Malaya.  
 Sulingi, J. J. Sm. l. c. 586 (= *Aerides Sulingi*).—Java.

**ARACHNITES**, F. W. Schmidt = **Ophrys**, Linn. (Orchid.).

- aranifera*, Bub. Fl. Pyren. iv. 48 = *O. aranifera*.

**ARAGALLUS**, Neck. = **Astragalus**, Tourn. (Legum.).

- abbreviatus*, Greene, in *Proc. Biol. Soc. Washington*, xviii. 12.—Am. bor.  
*aboriginum*, Greene, l. c. 13.—Am. bor.

**ARAGALLUS** :—

- Albertinus*, Greene, in *Proc. Biol. Soc. Washington*, xviii. 15.—Am. bor.  
*articulatus*, Greene, l. c. 13.—Am. bor.  
*bryophilus*, Greene, l. c. 17.—Am. bor.  
*cervinus*, Greene, l. c. 16.—Am. bor.  
*falcatus*, Greene, l. c. 13.—Am. bor.  
*formosus*, Greene, l. c. 14.—Am. bor.  
*galioides*, Greene, l. c. 16.—Am. bor.  
*hudsonicus*, Greene, l. c. 17.—Am. bor.  
*invenustus*, Greene, l. c. 14.—Am. bor.  
*johannensis*, Rydb. in *Britton, Man. Fl. N. U. S.* 556.—Am. bor.  
*Knowltonii*, Greene, in *Proc. Biol. Soc. Washington*, xviii. 12.—Am. bor.  
*luteolus*, Greene, l. c. 17.—Am. bor.  
*Macounii*, Greene, l. c. 16.—Am. bor.  
*majusculus*, Greene, l. c. 12.—Am. bor.  
*melanodontus*, Greene, l. c. 15.—Am. bor.  
*Metcalfei*, Greene, l. c. 12.—Am. bor.  
*rigens*, Greene, l. c. 14.—Am. bor.  
*varians*, Rydb. ex Britton & Rydb. in *Bull. N. York Bot. Gard.* ii. 176.—Am. bor.  
*ventosus*, Greene, in *Proc. Biol. Soc. Washington*, xviii. 15.—Am. bor.  
*villosus*, Rydb. in *Bull. Torr. Bot. Club*, 1901, 36.—Am. bor.

**ARALIA**, Tourn. (Aral.).

- repens*, Matsum. *Enum. Sci. Names* (1895) 27 (= *Panax repens*).—Japan.  
*reticulata*, Hort. ex Hemsl. in *Bot. Mag.* t. 7927 = *Meryta Denhamii*.  
*Searelliana*, Dunn, in *Journ. Linn. Soc.* xxxv. 498.—China.

**ARCHANGELICA**, Hoffm. = **Angelica**, Linn. (Umbell.).

- songarica*, Lipsky, ex Paulsen, in *Kjoeb. Vidensk. Meddel.* 1903, 143 = *A. songorica*.

**ARCHAETOGERON**, Greenm. in *Proc. Amer. Acad.* xxxix. (1904) 94 = **Achaetogeron**, A. Gr. (Compos.).**ARCHIBACCHARIS**, Heering, in *Jahrb. Hamb. Wiss. Anst.* xxi. Beiheft III. (1904) 40. **COMPOSITAE**.

- hieraciifolia*, Heering, l. c. (= *Baccharis hieraciifolia*).—Mexic.  
*hirtella*, Heering, l. c. 41 (= *Baccharis hirtella*).—Mexic.

**ARCHIDENDRON**, F. Muell. (Legum.).

- solomonense*, Hemsl. in *Hook. Ic. Pl.* t. 2735.—Ins. Solom.

**ARCHYTAEA**, Mart. (Ternstroem.).

- pulcherrima*, Becc. *Nelle Foreste di Borneo*, 569.—Borneo.

**ARCTAGROSTIS**, Griseb. (Gramin.).

- angustifolia*, Nash, ex Britton & Rydb. in *Bull. N. York Bot. Gard.* ii. 149.—Am. bor.  
*macrophylla*, Nash, ex Britton & Rydb. l. c. 151.—Am. bor.  
*poaeoides*, Nash, ex Britton & Rydb. l. c. 152.—Am. bor.

**ARCTERICA**, Coville, in *Proc. Wash. Acad. Sci.* iii. 573 (1901). **ERICACEAE**.

- [*CASSIOPE*, G. Don. D. T. & H.]  
*oxycoccoides*, Coville, l. c. (= *Cassiope oxycoccoides*).—Ins. Bering.

**ARCTIUM**, Linn. (Compos.).

- austriacum*, Teyber, in *Verh. Zool. Bot. Ges. Wien*, lii. (1902) 590.—Eur.

**ARCTOPHILA**, Rupr. = **Colpodium**, Trin. (Gramin.).

- brizoides*, Greene, in *Ottawa Natural.* xvi. 83.—Am. bor.  
*chrysantha*, Greene, l. c. 84.—Am. bor.  
*gracilis*, Greene, l. c. 83.—Am. bor.

**ARCTOSTAPHYLOS**, Adans. (Ericac.).

- auriculata*, Eastw. in *Bull. Torr. Bot. Club*, 1905, 202.—Calif.  
*bracteata*, Howell, Fl. N. W. Amer. i. 417.—Am. bor.  
*Conzattii*, Fern. in *Proc. Amer. Acad.* xxxvi. 497.—Mexic.  
*franciscana*, Eastw. in *Bull. Torr. Bot. Club*, 1905, 201.—Calif.

**ARCTOSTAPHYLOS** :—

- glabrata*, Fern. in *Proc. Amer. Acad.* xxxvi. 497.—Mexic.  
*hispidula*, Howell, Fl. N. W. Amer. i. 415.—Am. bor.  
*intricata*, Howell, l. c. 416.—Am. bor.  
*nochistlanensis*, Loesen. in *Bull. Herb. Boiss. Sér. II.* iii. (1903) 220.—Mexic.  
*oblongifolia*, Howell, Fl. N. W. Amer. i. 416.—Am. bor.  
*obtusifolia*, Piper, in *Bull. Torr. Bot. Club*, 1902, 642.—Am. bor.  
*parvifolia*, Howell, Fl. N. W. Amer. i. 416.—Am. bor.  
*pulchella*, Howell, l. c.—Am. bor.  
*strigosa*, Howell, l. c. 417.—Am. bor.  
*vestita*, Eastw. in *Sarg. Trees & Shrubs*, 205, t. 97.—Calif.  
*virgata*, Eastw. l. c. 203, t. 96.—Calif.

**ARCTOTIS**, Linn. (Compos.).

- Gumbletoni*, Hook. f. *Bot. Mag.* t. 7796.—Afr. austr.

**ARDISIA**, Sw. (Myrsin.).

- angustifolia*, Mez, in *Engl. Pflanzenreich, Myrsin.* 94 (= *Wallenia angustifolia*).—Bras.  
*Beccariana*, Mez, l. c. 110.—Borneo.  
*Brackenridgei*, Mez, l. c. 127 (= *Myrsine Brackenridgei*).—Ins. Fiji.  
*brevithyrsa*, Mez, l. c. 121.—Java.  
*Brongiartii*, Mez, l. c. 79.—Hort.  
*brunneo-purpurea*, Gilg, in *Engl. Jahrb.* xxx. 98.—Afr. trop.  
*Candolleana*, Mez, in *Engl. Pflanzenreich, Myrsin.* 138 (= *Tinus Candolleanus*).—Ins. Philipp.  
*carnea*, Mez, l. c. 120.—Celebes.  
*castaneifolia*, Mez, l. c. 138.—Ins. Philipp.  
*catharinensis*, Mez, l. c. 96.—Bras.  
*caudifera*, Mez, l. c. 116.—Borneo.  
*chontalensis*, Mez, l. c. 90.—Am. cent.  
*Conraui*, Gilg, in *Engl. Jahrb.* xxx. 98.—Afr. trop.  
*cornudentata*, Mez, in *Engl. Pflanzenreich, Myrsin.* 144.—Formosa.  
*corymbifera*, Mez, l. c. 149.—China.  
*crassifolia*, Mez, l. c. 130.—Java.  
*crenifolia*, Mez, l. c. 91.—Mexic.  
*dentata*, Mez, in *Urb. Symb. Antill.* ii. 393 (= *Icacorea dentata*).—Ind. occ.  
*Donnell-Smithii*, Mez, in *Bull. Herb. Boiss. Sér. II.* iii. 235.—Am. cent.  
*ferruginea*, Mez, in *Engl. Pflanzenreich, Myrsin.* 108.—Ind. or.  
*fluminensis*, Mez, l. c. 95.—Bras.  
*fortis*, Mez, l. c. 114.—Borneo.  
*granatensis*, Mez, l. c. 79.—N. Granat.  
*grandis*, Mez, l. c. 137.—Ins. Philipp.  
*guatemalensis*, Mez, l. c. 92.—Am. cent.  
*guianensis*, Mez, in *Urb. Symb. Antill.* ii. 392 (= *Icacorea guianensis*).—Ind. occ. ; Am. austr. trop.  
*haemantha*, Gilg, in *Engl. Jahrb.* xxx. 99.—Afr. trop.  
*hainanensis*, Mez, in *Engl. Pflanzenreich, Myrsin.* 138.—China.  
*Hanceana*, Mez, l. c. 149.—China.  
*Harrisiana*, Mez, in *Urb. Symb. Antill.* ii. 401.—Ind. occ.  
*Hosei*, Mez, in *Bull. Herb. Boiss. Sér. II.* v. 244.—Borneo.  
*Huallagae*, Mez, in *Engl. Pflanzenreich, Myrsin.* 95.—Peru.  
*Hulletii*, Mez, l. c. 131.—Arch. Mal.  
*insignis*, Mez & Pittier, ex Mez, in *Bull. Herb. Boiss. Sér. II.* iii. 237.—Am. cent.  
*insularis*, Mez, in *Engl. Pflanzenreich, Myrsin.* 111.—As. trop.  
*Jagorii*, Mez, l. c. 148.—Ins. Philipp.  
*kachinensis*, Mez, l. c. 147.—Ind. or.  
*Karwinskyana*, Mez, l. c. 85.—Mexic.  
*Lindenii*, Mez, l. c. 86.—Mexic.  
*livida*, Mez, in *Bull. Herb. Boiss. Sér. II.* v. 245.—Borneo.  
*maculosa*, Mez, in *Engl. Pflanzenreich, Myrsin.* 146.—China.  
*meonobotrys*, K. Schum. in *K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 342.—N. Guin.  
*mindanaensis*, Mez, in *Engl. Pflanzenreich, Myrsin.* 107.—Ins. Philipp.  
*myriosticta*, K. Schum. in *K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 342.—N. Guin.  
*Nagelii*, Mez, in *Engl. Pflanzenreich, Myrsin.* 114.—Java.  
*nitidula*, Mez, l. c. 122.—Java.  
*obtusata*, Mez, l. c. 104.—China.  
*Oldhamii*, Mez, l. c. 148.—Formosa.



**ARDISIA** :—

- oligantha, *Mez*, in *Engl. Pflanzenreich*, *Myrsin*. 134.—Java.  
 ophirensis, *Mez*, l. c. 113.—Penins. Mal.  
 pachysandra, *Mez*, l. c. 97 (= *Myrsine pachysandra*).—Penins. Mal.  
 panurensis, *Mez*, l. c. 95.—Reg. Amaz.  
 pardalina, *Mez*, l. c. 148.—Ins. Philipp.  
 patens, *Mez*, l. c. 149.—China.  
 paupera, *Mez*, l. c. 134.—Sumatra.  
 pendula, *Mez*, l. c. 125.—Java.  
 penduliflora, *Mez*, l. c. 150.—China.  
 pergamacea, *Mez*, l. c. 154 (= *Climacandra pergamacea*).—Sumatra.  
 Picardae, *Urb. ex Mez*, in *Urb. Symb. Antill.* ii. 395.—Ind. occ.  
 pirifolia, *Mez*, in *Engl. Pflanzenreich*, *Myrsin*. 129.—Ins. Philipp.  
 Pittieri, *Mez*, in *Bull. Herb. Boiss. Sér. II.* iii. 236.—Am. cent.  
 polyactis, *Mez*, in *Engl. Pflanzenreich*, *Myrsin*. 118.—Borneo.  
 polyadenia, *Gilg*, in *Engl. Jahrb.* xxx. 98.—Afr. trop.  
 polylepsis, *Mez*, in *Engl. Pflanzenreich*, *Myrsin*. 103.—Ind. or.  
 popayanensis, *Mez*, l. c. 89.—N. Granat.  
 proteifolia, *Mez*, l. c. 143.—Ins. Philipp.  
 pulverulenta, *Mez*, l. c. 88.—Am. cent.  
 Quelchii, *N. E. Br.* in *Trans. Linn. Soc. Ser. II.* vi. 46.—Guian.  
 racemigera, *Mez*, in *Engl. Pflanzenreich*, *Myrsin*. 125.—Arch. Mal.  
 racemosa, *R. T. Baker*, in *Proc. Linn. Soc. N. S. Wales*, xxvii. 380 (Dec. 1902).—Austral.  
 racemosa, *Mez*, in *Engl. Pflanzenreich*, *Myrsin*. (Mai. 1902) 138 (= *Pyrgus racemosa*).—Cochinch.  
 radians, *Hemsl. & Mez*, ex *Mez*, l. c. 146.—China.  
 Robinsonii, *Mez*, l. c. 77.—Venez.  
 robusta, *Mez*, l. c. 84.—Venez.  
 Sadebeckiana, *Gilg*, in *Engl. Jahrb.* xxx. 97.—Afr. trop.  
 saligna, *Mez*, in *Engl. Pflanzenreich*, *Myrsin*. 143.—Ins. Philipp.  
 Sarasinii, *Mez*, l. c. 124.—Celebes.  
 scabra, *Thunb.* *Fl. Ceilan.* 4, nomen.—Zeylan.  
 scabrida, *Mez*, in *Engl. Pflanzenreich*, *Myrsin*. 118.—Ins. Philipp.  
 scalaris, *Mez*, l. c. 142.—Ins. Philipp.?  
 Schlechteri, *Gilg*, in *Engl. Jahrb.* xxx. 97.—Afr. trop.  
 Schlimii, *Mez*, in *Engl. Pflanzenreich*, *Myrsin*. 84.—N. Granat.  
 scoparia, *Mez*, l. c. 82.—N. Granat.  
 scopulina, *T. S. Brandegee*, in *Zoe*, v. (1905) 215.—Mexic.  
 sessilifolia, *Mez*, in *Engl. Pflanzenreich*, *Myrsin*. 125.—Sumatra.  
 sideromalla, *K. Schum.* in *K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 343.—N. Guin.  
 sinuato-crenata, *Mez*, in *Engl. Pflanzenreich*, *Myrsin*. 148.—Ins. Philipp.  
 sonchifolia, *Mez*, l. c. 116.—Ind. or.  
 squarrosa, *Mez*, l. c. 110.—N. Guin.  
 Standtii, *Gilg*, in *Engl. Jahrb.* xxx. 99.—Afr. trop.  
 sublancolata, *Hochr.* in *Bull. Inst. Buitenz.* xix. 25; *Pl. Bogor. Exsicc.* 13.—Java?  
 sulcata, *Mez*, in *Engl. Pflanzenreich*, *Myrsin*. 112.—Ins. Philipp.  
 tenera, *Mez*, l. c. 104.—China.  
 Thomsonii, *Mez*, l. c. 133.—Ind. or.  
 undulata, *Mez*, l. c. 146.—China.  
 valida, *Mez*, l. c. 85.—N. Granat.  
 verbascifolia, *Mez*, l. c. 153.—Cochinch.  
 vernicosa, *Mez*, in *Bull. Herb. Boiss. Sér. II.* v. 244.—Borneo.  
 villosa, *Mez*, in *Engl. Pflanzenreich*, *Myrsin*. 152 (= *Bladhia villosa*).—Japon.  
 Wagneri, *Mez*, l. c. 79.—Am. cent.  
 Willisii, *Mez*, l. c. 140.—Zeylan.  
 yunnanensis, *Mez*, l. c. 107.—China.  
 Zenkeri, *Gilg*, in *Engl. Jahrb.* xxx. 100.—Afr. trop.

**ARENARIA**, *Rupp.* (Caryophyll.).

- breviflora, *Bub.* *Fl. Pyren.* iii. 36 = *trinervia*.  
 confusa, *Rydb.* in *Bull. Torr. Bot. Club*, 1901, 275.—Am. bor.  
 Eastwoodiae, *Rydb.* l. c. 1904, 406.—Am. bor.  
 glaucescens, *H. Winkl.* in *Kjoeb. Vidensk. Meddel.* (1901) 1902, 53.—As. cent.

VOL. IV.

**ARENARIA** :—

- gregaria, *A. A. Heller*, in *Bull. S. Calif. Acad.* ii. 67.—Calif.  
 Katoana, *Mak.* in *Bot. Mag. Tokyo*, xix. 88.—Japon.  
 Lawsonensis, *Britton*, ex *Britton & Rydb.* in *Bull. N. York Bot. Gard.* ii. 169.—Am. bor.  
 oresbia, *Greenm.* in *Zoe*, v. (1904) 184.—Mexic.  
 Paulseni, *H. Winkl.* in *Kjoeb. Vidensk. Meddel.* (1901) 1902, 53.—As. cent.  
 polycaulos, *Rydb.* in *Bull. Torr. Bot. Club*, 1904, 406.—Am. bor.  
 pulvinata, *Huter*, in *Oesterr. Bot. Zeitschr.* 1904, 450.—Eur.  
 Tweedyi, *Rydb.* in *Bull. Torr. Bot. Club*, 1904, 406.—Am. bor.

**ARENGA**, *Labill.* (Palm.).

- mindorensis, *Becc.* in *Perkins, Frag. Fl. Philipp.* 48.—Ins. Philipp.

**ARETHUSA**, *Gronov.* (Orchid.).

- sinensis, *Rolfe*, in *Journ. Linn. Soc.* xxxvi. 46.—China.

**ARGEMONE**, *Tourn.* (Papav.).

- arida, *Rose*, in *U. S. Dept. Agric. Contrib. Nat. Herb.* viii. 26.—Mexic.  
 pinnatifida, *Norton*, in *Trans. Acad. Sci. St. Louis*, xii. 33.—Am. bor.  
 rotundata, *Rydb.* in *Bull. Torr. Bot. Club*, 1902, 160.—Am. bor.  
 stenopetala, *Rose*, in *U. S. Dept. Agric. Contrib. Nat. Herb.* viii. 27.—Mexic.

**ARGITHAMNIA**, *Sw.* (Euphorb.).

- Brandegei, *Millsp.* in *Proc. Calif. Acad. Ser. II.* ii. (1889) 220.—Calif.  
 coehensis, *J. R. Johnston*, in *Proc. Amer. Acad.* xl. 688.—Venez.  
 erubescens, *J. R. Johnston*, l. c. 689.—Venez.  
 Palmeri, *S. Wats.* in *Proc. Amer. Acad.* xxiv. (1889) 77.—Mexic.  
 Pringlei, *Greenm.* in *Proc. Amer. Acad.* xli. 239.—Mexic.

**ARGOSTEMMA**, *Wall.* (Rubiace.).

- acuminatum, *King*, in *Journ. As. Soc. Beng.* lxxii. 143.—Penins. Mal.  
 aequifolium, *Ridley*, in *Journ. As. Soc. Straits*, xxxv. 15.—Penins. Mal.  
 bicolor, *King*, in *Journ. As. Soc. Beng.* lxxii. 155.—Penins. Mal.  
 bryophilum, *K. Schum.* in *K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 393.—N. Guin.  
 Curtissii, *King*, in *Journ. As. Soc. Beng.* lxxii. 151.—Penins. Mal.  
 hirtum, *Ridley*, in *Journ. As. Soc. Straits*, xxxv. 14.—Penins. Mal.  
 Hookeri, *King*, in *Journ. As. Soc. Beng.* lxxii. 155.—Penins. Mal.  
 membranaceum, *King*, l. c. 145.—Penins. Mal.  
 nutans, *King*, l. c. 146.—Penins. Mal.  
 oblongum, *King*, l. c. 153.—Penins. Mal.  
 perakense, *King*, l. c. 152.—Penins. Mal.  
 Ridleyi, *King*, l. c. 147.—Penins. Mal.  
 subcrassum, *King*, l. c. 152.—Penins. Mal.  
 unifolioloides, *King*, l. c. 148.—Penins. Mal.  
 urticifolium, *King*, l. c. 146.—Penins. Mal.  
 Wrayi, *King*, l. c. 154.—Penins. Mal.  
 Yappii, *King*, l. c. 145.—Penins. Mal.

**ARGYREIA**, *Lour.* (Convolv.).

- Burneyi, *Gage*, in *Rec. Bot. Surv. India*, iii. 78.—Burma.

**ARGYROLOBIUM**, *Eckl. & Zeyh.* (Legum.).

- vaginiferum, *Harms*, in *Engl. Jahrb.* xxx. 323.—Afr. trop.

**ARGYROSTACHYS**, *Lopr.* in *Engl. Jahrb.* xxx.

- (1901) 108; et in *Malpighia*, xiv. (1901) 435.  
**AMARANTACEAE.**  
 splendens, *Lopr.* l. c. 109; l. c. 436.—Afr. trop.

**ARIA**, *Jacq. f.* = *Pyrus*, *Linn.* (Rosac.).

- angustata, *Jord.* in *Jord. & Fourr. Ic. Fl. Eur.* iii. 10.—Gallia.  
 austriaca, *Beck* ex *Hedl.* in *Svenska Vet. Akad. Handl.* xxxv. (1901) 65 = *P. Aria*.  
 callophylla, *Jord.* in *Jord. & Fourr. Ic. Fl. Eur.* iii. 11.—Gallia.

**ARIA** :—

- calvescens, *Jord.* in *Jord. & Fourr. Ic. Fl. Eur.* iii. 8.—Gallia.  
 cantalica, *Jord.* l. c. 11.—Gallia.  
 chlorocarpa, *Jord.* l. c. 9.—Gallia.  
 cuspidata, *Jord.* l. c.—Gallia.  
 ellipsoidea, *Jord.* l. c.—Gallia.  
 globulosa, *Jord.* l. c. 8.—Gallia.  
 obovata, *Jord.* l. c. 9.—Gallia.  
 parvidens, *Jord.* l. c. 10.—Gallia.  
 plicata, *Jord.* l. c. 9.—Gallia.  
 rostellata, *Jord.* l. c. 10.—Gallia.  
 rotundifolia, *Jord.* l. c.—Gallia.

**ARIOCARPUS**, *Scheidw.* = *Mamillaria*, *Haw.* (Cact.).

- prismaticus, *Hort.* ex *Cobbold*, in *Journ. Hortic.* 1903, l. 332 = *M. prismatica*.  
 Rotchubeyanus, *Hort.* ex *Cobbold*, l. c. = *M. sulcata*.

**ARISAEMA**, *Mart.* (Arac.).

- acuminatum, *Small*, *Fl. S. E. U. S.* 226.—Am. bor.  
 asperatum, *N. E. Br.* in *Journ. Linn. Soc.* xxxvi. 176.—China.  
 brevipes, *Engl. Jahrb.* xxxvi. Beibl. lxxxii. 11.—China.  
 cordatum, *N. E. Br.* in *Journ. Linn. Soc.* xxxvi. 177.—China.  
 microspadix, *Engl. Jahrb.* xxxvii. 142.—Java.  
 polyphyllum, *Merrill*, in *Philipp. Gov. Lab. Bur. Bull.* xxvii. 90 (= *Calla polyphylla*).—Ins. Philipp.  
 pusillum, *Nash*, in *Britton, Man. Fl. N. U. S.* 229.—Am. bor.  
 ruwenzoricum, *N. E. Br.* in *Dyer, Fl. Trop. Afr.* viii. 143.—Afr. trop.  
 Sarasinorum, *Engl. Jahrb.* xxxvii. 143.—Celebes.  
 Sazensoo, *Mak.* in *Bot. Mag. Tokyo*, xv. 133 (= *Arum Sazensoo*).—Japon.  
 Stewardsonii, *Britton*, *Man. Fl. N. U. S.* 1045.—Am. bor.  
 tosaense, *Mak.* in *Bot. Mag. Tokyo*, xv. 130.—Japon.

**ARISARUM**, *Tourn.* (Arac.).

- latifolium, *Bub.* *Fl. Pyren.* iv. 29 = *vulgare*.

**ARISTIDA**, *Linn.* (Gramin.).

- abnormis, *Chiov.* in *Ann. Ist. Bot. Roma*, viii. (1903) 48.—Afr. or. trop.  
 altissima, *Arech.* in *Anal. Mus. Montevide.* iv. i. 80.—Urug.  
 arachnoidea, *Litw.* in *Trav. Mus. Bot. Acad. Pétersb.* i. 21.—Turkestan.  
 Chapmaniana, *Nash*, in *Small, Fl. S. E. U. S.* 118.—Am. bor.  
 cordobensis, *Hack.* ex *Stuck.* in *Anal. Mus. Buenos Aires*, xi. 91.—Reg. Argent.  
 culionensis, *Pilger*, ex *Perkins, Frag. Fl. Philipp.* i. 145.—Ins. Philipp.  
 Curtissii, *Nash*, in *Britton, Man. Fl. N. U. S.* 94.—Am. bor.  
 Dinteri, *Hack.* in *Bull. Herb. Boiss. Sér. II.* i. 767.—Afr. trop.  
 fastigiata, *Hack.* l. c. 768.—Afr. trop.  
 Hackeli, *Arech.* in *Anal. Mus. Montevide.* iv. i. 79.—Urug.  
 Hassleri, *Hack.* in *Bull. Herb. Boiss. Sér. II.* iv. 277.—Parag.  
 intermedia, *Arech.* in *Anal. Mus. Montevide.* iv. i. 78.—Urug.  
 Kerstingii, *Pilg.* in *Engl. Jahrb.* xxxiv. 127.—Afr. trop.  
 micrantha, *Nash*, in *Small, Fl. S. E. U. S.* 117.—Am. bor.  
 Pennei, *Chiov.* in *Ann. di Bot. Roma*, ii. 366.—Afr. trop.  
 portoricensis, *Pilg.* in *Urb. Symb. Antill.* iv. 100.—Ind. occ.  
 subinterrupta, *Arech.* in *Anal. Mus. Montevide.* iv. i. 77.—Urug.  
 subuniflora, *Nash*, in *Small, Fl. S. E. U. S.* 116.—Am. bor.  
 teretifolia, *Arech.* in *Anal. Mus. Montevide.* iv. i. 79.—Urug.  
 venustula, *Arech.* l. c. 77.—Urug.  
 Wrightii, *Nash*, in *Small, Fl. S. E. U. S.* 116.—Am. bor.

**ARISTOLOCHIA**, *Tourn.* (Aristoloch.).

- amazonica, *Ule*, ex *Pilg.* in *Verh. Bot. Ver. Brand.* xlvii. (1905) 122.—Peruv.  
 asperifolia, *Ule*, l. c. 121.—Peruv.  
 bicolor, *Ule*, l. c. 124.—Peruv.  
 Burro, *Lindm.* in *Bull. Herb. Boiss. Sér. II.* i. 526.—Eur.

D

**ARISTOLOCHIA**—

- cauliflora, *Ule*, in *Pilg. in Verh. Bot. Ver. Brand.* xvii. (1905) 120.—Peruv.  
 curviflora, *Malmé*, in *Arkiv Bot. Stockh.* i. 545.—Bras.  
 cuyabensis, *Malmé*, in *Bih. Svensk. Vet. Akad. Handl.* xxvii. no. 5, 14.—Bras.  
 exigua, *Lindm.* in *Bull. Herb. Boiss. Sér. II.* i. 525.—Bras.  
 gracillima, *Hemsl.* in *Kew Bull.* 1901, 143.—China.  
 juruana, *Ule*, in *Pilg. in Verh. Bot. Ver. Brand.* xvii. (1905) 118.—Reg. Amaz.  
 Lagesiana, *Ule*, l. c. 119.—Reg. Amaz.  
 lingua, *Malmé*, in *Arkiv Bot. Stockh.* i. 543.—Reg. Argent.  
 lingulata, *Ule*, in *Pilg. in Verh. Bot. Ver. Brand.* xvii. (1905) 123.—Peruv.  
 longicaudata, *S. Wats.* in *Proc. Amer. Acad.* xxii. 447.—Pringlei.  
 longicaudata, *Mart.* in *Mart. Fl. Bras.* iv. II. 84.—Guiana.  
 manshuriensis, *Kom.* in *Act. Hort. Petrop.* xxii. 112.—China.  
 mindanaensis, *Warb.* in *Perkins, Frag. Fl. Philipp.* 169.—Ins. Philipp.  
 philippinensis, *Warb.* l. c. 170.—Ins. Philipp.  
 physodes, *Ule*, in *Pilg. in Verh. Bot. Ver. Brand.* xvii. (1905) 119.—Peruv.  
 Pringlei, *Rose*, in *U. S. Dept. Agric. Contrib. Nat. Herb.* viii. 23.—Mexic.  
 Schlechteri, *Lauterb.* in *K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 260.—N. Guin.  
 securidata, *Mast.* in *Donn. Sm. in Coult. Bot. Gaz.* xxxiii. 256.—Am. cent.  
 sessilifolia, *Malmé*, in *Arkiv Bot. Stockh.* i. 541.—Bras.  
 stenophylla, *Urb. Symb. Antill.* iii. 281.—Ind. occ.  
 tarapotina, *Ule*, in *Pilg. in Verh. Bot. Ver. Brand.* xvii. (1905) 123.—Peruv.

**ARJONA**, Comm. (Santal.).

- Ameghinol, *Speg.* in *Anal. Mus. Buenos Aires*, vii. 159.—Patag.

**ARNEBIA**, Forsk. (Borag.).

- lutea, *Armari*, in *Ann. Ist. Bot. Roma*, viii. 161 (= *Toxostigma luteum*).—Afr. trop.  
 purpurascens, *Baker*, in *Dyer, Fl. Trop. Afr.* iv. II. 56.—Afr. trop.

**ARNICA**, Rupp. (Compos.).

- aprica, *Greene*, in *Ottawa Naturalist*, xv. 280.—Am. bor.  
 arcana, *A. Nelson*, in *Coult. Bot. Gaz.* xxxvii. 276.—Am. bor.  
 aspera, *Greene*, in *Ottawa Naturalist*, xv. 281.—Am. bor.  
 aurantiaca, *Greene*, in *Torreyia*, i. 42.—Am. bor.  
 cana, *Greene*, in *Ottawa Naturalist*, xv. 282.—Am. bor.  
 celsa, *A. Nelson*, in *Coult. Bot. Gaz.* xxxi. 408.—Am. bor.  
 chionopappa, *Fernald*, in *Rhodora*, vii. 148.—Am. bor.  
 coloradensis, *Rydb.* in *Bull. Torr. Bot. Club*, 1905, 131.—Am. bor.  
 confinis, *Greene*, in *Ottawa Naturalist*, xv. 281.—Am. bor.  
 gaspensis, *Fernald*, in *Rhodora*, vii. 148.—Am. bor.  
 Grayi, *A. A. Heller*, *Muhlenbergia*, i. 5.—Am. bor.  
 laevigata, *Greene*, in *Ottawa Naturalist*, xv. 279.—Am. bor.  
 lanulosa, *Greene*, *Pl. Baker*, iii. 26.—Am. bor.  
 parvifolia, *Greene*, l. c. 28.—Am. bor.  
 platyphylla, *A. Nelson*, in *Coult. Bot. Gaz.* xxxi. 407.—Am. bor.  
 rhizomata, *A. Nelson*, l. c. 409.—Am. bor.  
 silvatica, *Greene*, *Pl. Baker*, iii. 27.—Am. bor.  
 Sornborgeri, *Fernald*, in *Rhodora*, vii. 147.—Am. bor.  
 stricta, *A. Nelson*, in *Coult. Bot. Gaz.* xxxi. 407.—Am. bor.  
 tenuis, *Rydb.* in *Bull. Torr. Bot. Club*, 1901, 20.—Am. bor.  
 tomentulosa, *Rydb.* l. c.—Am. bor.

**ARNICASTRUM**, Greenm. in *Proc. Amer. Acad.* xxxix. (1903) 115. **COMPOSITAE.**  
 glandulosum, *Greenm.* l. c.—Mexic.
**ARONIA**, Pers. = *Amelanchier*, Lindl. (Rosac.).

- atropurpurea, *Britton*, *Man. Fl. N. U. S.* 517.—Am. bor.

**ARRACACIA**, Bancr. (Umbell.).

- humilis, *Rose*, in *U. S. Dept. Agric. Contrib. Nat. Herb.* viii. 336.—Am. cent.

**ARTABOTRYS**, R. Br. (Anonac.).

- aurantiodorus, *Engl. & Diels*, in *Engl. Monogr. Afr. Pl.* vi. 76 (= *Xylopia aurantiodora*).—Afr. trop.  
 Jollyanus, *Pierre*, in *Engl. l. c.* 73.—Afr. trop.  
 Klainei, *Pierre*, in *Engl. l. c.* 80.—Afr. trop.  
 oliganthus, *Engl. & Diels*, in *Engl. l. c.* 73.—Afr. trop.  
 Pierreanus, *Engl. & Diels*, in *Engl. l. c.* 76.—Afr. trop.

**ARTEMISIA**, Linn. (Compos.).

- akbaitalensis, *O. Fedtsch.* in *Act. Hort. Petrop.* xxiv. (1905) 335.—As. cent.  
 arachnoidea, *Sheldon*, in *Bull. Torr. Bot. Club*, 1903, 310.—Am. bor.  
 Bakeri, *Greene*, *Pl. Baker*, iii. 31.—Am. bor.  
 Brittonii, *Rydb.* in *Bull. Torr. Bot. Club*, 1905, 129.—Am. bor.  
 deversa, *Diels*, in *Engl. Jahrb.* xxix. 618.—China.  
 diversifolia, *Rydb.* in *Bull. Torr. Bot. Club*, 1901, 20.—Am. bor.  
 Kennedyi, *A. Nelson*, in *Proc. Biol. Soc. Washington*, xviii. 175.—Am. bor.  
 lancea, *Vaniot*, in *Bull. Acad. Géogr.* 1903, 500.—China.  
 monocephala, *A. A. Heller*, *Muhlenbergia*, i. 118.—Am. bor.  
 Portae, *Huter*, in *Oesterr. Bot. Zeitschr.* 1905, 474.—Eur. cent.  
 Pringlei, *Greenm.* in *Proc. Amer. Acad.* xl. 50.—Mexic.  
 pudica, *Rydb.* in *Bull. Torr. Bot. Club*, 1905, 130.—Am. bor.  
 saxicola, *Rydb.* l. c. 128.—Am. bor.  
 silvicola, *Osterh.* in *Bull. Torr. Bot. Club*, 1901, 645.—Am. bor.  
 sinanensis, *Yabe*, in *Bot. Mag. Tokyo*, xvii. 26.—Japan.  
 Suksdorfii, *Piper*, in *Bull. Torr. Bot. Club*, 1901, 42.—Am. bor.  
 togusbulakensis, *Fedtsch.* in *Trav. Mus. Bot. Acad. Petersb.* i. 143.—As. cent.  
 Underwoodii, *Rydb.* in *Bull. Torr. Bot. Club*, 1905, 129.—Am. bor.  
 Volffii, *Petitmeng.* in *Mondes Pl. Sér. II.* vi. 46.—Hybr.  
 Wellbyi, *Hemsl. & H. H. W. Pearson*, in *Journ. Linn. Soc.* xxxv. 183.—As. cent.

**ARTEMISIOPSIS**, S. Moore, in *Journ. Linn. Soc.* xxxv. (1902) 331. **COMPOSITAE.**  
 linearis, *S. Moore*, l. c. 332.—Afr. trop.
**ARTHAXON**, Beauv. (Gramin.).

- nodosus, *Kom.* in *Act. Hort. Petrop.* xviii. 448.—As. or.

**ARTHROSOLEN**, C. A. Mey. (Thymel.).

- [*GNIDIA*, Linn. D. T. & H.]  
 fraternus, *N. E. Br.* in *Kew Bull.* 1901, 132.—Afr. austr.

**ARTHROSTEMA**, Ruiz & Pav. (Melast.).

- apodocarpum, *Donn. Sm.* in *Coult. Bot. Gaz.* xxxvii. 210.—Am. cent.

**ARTHROSTYLIDIUM**, Rupr. (Gramin.).

- angustifolium, *Nash*, in *Torreyia*, iii. 172.—Ind. occ.  
 Pittieri, *Hack.* in *Oesterr. Bot. Zeitschr.* liii. (1903) 75.—Am. cent.  
 sarmentosum, *Pilg.* in *Urb. Symb. Antill.* iv. 108.—Ind. occ.

**ARTOCARPUS**, Forst. (Urtic.).

- antiarifolia, *Becc. Nelle Foreste di Borneo*, 630.—Borneo.  
 foeniformis, *Eeden*, *Hout. Ned. Oost. Ind.* ed. II. 122, nomen.—Arch. Mal.  
 humilis, *Becc. Nelle Foreste di Borneo*, 629.—Borneo.  
 longifolia, *Becc. l. c.*—Borneo.  
 mutabilis, *Becc. l. c.* 627.—Borneo.  
 refracta, *Becc. l. c.* 630.—Borneo.  
 reniformis, *Becc. l. c.* 631.—Borneo.  
 rubrovenia, *Warb.* in *Perkins, Frag. Fl. Philipp.* 166.—Ins. Philipp.  
 styracifolia, *Pierre*, in *Bull. Soc. Bot. Fr.* lii. 492.—Cochinch.  
 superba, *Becc. Nelle Foreste di Borneo*, 625.—Borneo.  
 Tamaran, *Becc. l. c.* 626.—Borneo.  
 Tarap, *Becc. l. c.*—Borneo.  
 xanthocarpa, *Merrill*, in *Philipp. Gov. Lab. Bur. Bull.* xvii. 10.—Ins. Philipp.

**ARUNCUS**, Linn. = *Spiraea*, Tourn. (Rosac.).

- Aruncus*, *Shaffer*, in *Ann. Carneg. Mus.* i. 44 = *S. Aruncus*.

**ARUNDINARIA**, Michx. (Gramin.).

- deflexa, *N. E. Br.* in *Trans. Linn. Soc. Ser. II.* vi. 75.—Guiana.  
 densiflora, *Rendle*, in *Journ. Linn. Soc.* xxxvi. 434.—China.  
 effusa, *Hack.* in *Oesterr. Bot. Zeitschr.* liii. (1903) 71.—Bras.  
 Faberi, *Rendle*, in *Journ. Linn. Soc.* xxxvi. 435.—China.  
 falcata, *Rivière*, in *Bull. Soc. Acclim. Sér. III.* v. 791 = *Falconeri*.  
 Glaziovii, *Hack.* in *Oesterr. Bot. Zeitschr.* liii. (1903) 72.—Bras.  
 goyazensis, *Hack. l. c.* 71.—Bras.  
 humillima, *Pilg.* in *Verh. Bot. Ver. Brand.* xvii. (1905) 100.—Peruv.  
 marmorea, *Mak. Descr. Prod. Forest. Japon* (1900) 38, nomen.—Japan.  
 nana, *Mak.* in *Bot. Mag. Tokyo*, xi. (1897) (160).—Japan.  
 Narihira, *Mak. l. c.* (159) (= *Bambusa Narihira*).—Japan.  
 nobilis, *Mitford*, *Bamboo Garden*, 178 = *Falconeri*.  
 ramosissima, *Hack.* in *Oesterr. Bot. Zeitschr.* liii. 74.—Bras.  
 setifera, *Pilg.* in *Fedde, Repert. Nov. Sp.* i. 145.—Peruv.  
 setigera, *Hack.* in *Oesterr. Bot. Zeitschr.* liii. 73.—Bras.  
 Sodiroana, *Hack. l. c.* 70.—Ecuad.  
 sparsiflora, *Rendle*, in *Journ. Linn. Soc.* xxxvi. 436.—China.  
 Tootsik, *Mak. Descr. Prod. Forest. Japon* (1900) 38, nomen.—Japan.  
 Ulei, *Hack.* in *Oesterr. Bot. Zeitschr.* liii. (1903) 75.—Bras.  
 Wilsoni, *Rendle*, in *Journ. Linn. Soc.* xxxvi. 437.—China.

**ARUNDINELLA**, Raddi (Gramin.).

- hispida, *Hack.* in *Bull. Herb. Boiss. Sér. II.* iv. 527 (= *Andropogon hispidus*).—Formosa.  
 sinensis, *Rendle*, in *Journ. Linn. Soc.* xxxvi. 342.—China.

**ARUNDO**, Tourn. (Gramin.).

- glauca, *Bub. Fl. Pyren.* iv. 303 = *A. Donax*.  
 roraimensis, *N. E. Br.* in *Trans. Linn. Soc. Ser. II.* vi. 74.—Guian.

**ARYTERA**, Blume (Sapind.).

- [*RATONIA*, DC. I. K.]  
 geminata, *Radlk.* in *K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 308 (= *Guioa geminata*).—N. Guin.

**ASARCA**, Poepp. = *Chloraea*, Lindl. (Orchid.).

- appendiculata, *Phil.* in *Kraenzl. Orch. Gen. et Sp.* ii. 33.—Chili.  
 Feuilleana, *Kraenzl.* l. c. 36.—Chili.  
 macroptera, *Kraenzl.* l. c. 38.—Chili.  
 thernarum, *Phil.* ex *Kraenzl.* l. c. 40.—Chili.

**ASCLEPIAS**, Linn. (Asclep.).

- abyssinica, *N. E. Br.* in *Dyer, Fl. Trop. Afr.* iv. i. 333 (= *Gomphocarpus abyssinicus*).—Afr. trop.  
 affinis, *Wildem.* in *Ann. Mus. Congo, Sér. V.* 184.—Afr. trop.  
 angustata, *N. E. Br.* in *Dyer, Fl. Trop. Afr.* iv. i. 343 (= *Stathmostelma angustatum*).—Afr. trop.  
 anisophylla, *Conr. & Schlechter*, in *Engl. Jahrb.* xxxviii. 31.—Afr. austr.  
 Baumii, *Schlechter*, in *Warb. Kunene-Sambesi Exped.* 341.—Afr. trop.  
 Bicknellii, *Vail*, in *Bull. Torr. Bot. Club*, 1904, 458.—Hybr.?  
 Buchwaldii, *Wildem.* in *Ann. Mus. Congo, Sér. V.* 185 (= *Gomphocarpus Buchwaldii*).—Afr. trop.  
 Cabrae, *Wildem.* l. c.—Afr. trop.  
 Calceolus, *S. Moore*, in *Journ. Bot.* 1903, 312.—Afr. austr.  
 coccinea, *N. E. Br.* in *Dyer, Fl. Trop. Afr.* iv. i. 340 (= *Stathmostelma incarnatum*).—Afr. trop.  
 congolensis, *Wildem.* in *Ann. Mus. Congo, Sér. V.* 186.—Afr. trop.  
 cordifolia, *Jepson*, *Fl. W. Mid. Calif.* 384 (= *Gomphocarpus cordifolius*).—Calif.

**ASCLEPIAS:—**

- crinita, *N. E. Br. in Dyer, Fl. Trop. Afr.* iv. i. 352 (= *Gomphocarpus crinitus*).—Afr. trop.  
 curvipes, *A. Nelson, in Bull. Torr. Bot. Club*, 1901, 229.—Am. bor.  
 densiflora, *N. E. Br. in Dyer, Fl. Trop. Afr.* iv. i. 320.—Afr. trop.  
 dependens, *N. E. Br. l. c.* 352 (= *Gomphocarpus dependens*).—Afr. trop.  
 Dewevrei, *Wildem. in Ann. Mus. Congo, Sér. v.* 186.—Afr. trop.  
 erecta, *Wildem. l. c.* 187.—Afr. trop.  
 foliosa, *N. E. Br. in Dyer, Fl. Trop. Afr.* iv. i. 349 (= *Gomphocarpus foliosus*).—Afr. trop.  
 gigantiflora, *N. E. Br. l. c.* 326 (= *Stathmostelma gigantiflorum*).—Afr. trop.  
 Hassleriana, *Malmé, in Bull. Herb. Boiss. Sér. II.* iii. 63.—Parag.  
 intermedia, *Vail, in Bull. Torr. Bot. Club*, 1904, 459.—Hybr.?  
 Kaessneri, *N. E. Br. ex S. Moore, in Journ. Bot.* 1903, 362.—Afr. trop.  
 kansana, *Vail, in Bull. Torr. Bot. Club*, 1904, 457.—Am. bor.  
 katangensis, *Wildem. in Ann. Mus. Congo, Sér. V.* 187.—Afr. trop.  
 Kotolo, *Eastw. in Zoe*, v. (1900) 86, 98.—Calif.  
 Laurentiana, *N. E. Br. in Dyer, Fl. Trop. Afr.* iv. i. 342 (= *Stathmostelma Laurentiana*).—Afr. trop.  
 leucotricha, *Schlechter, in Warb. Kunene-Sambesi Exped.* 342.—Afr. trop.  
 lisianthoides, *N. E. Br. in Dyer, Fl. Trop. Afr.* iv. i. 326 (= *Gomphocarpus lisianthoides*).—Afr. trop.  
 longissima, *N. E. Br. l. c.* 338 (= *Gomphocarpus longissimus*).—Afr. trop.  
 macropetala, *N. E. Br. l. c.* 616 (= *Stathmostelma macropetalum*).—Afr. trop.  
 modesta, *N. E. Br. l. c.* 348.—Afr. trop.  
 muhindsensis, *N. E. Br. l. c.* 344 (= *Stathmostelma bicolor*).—Afr. trop.  
 nutans, *N. E. Br. l. c.* 352 (= *Gomphocarpus nutans*).—Afr. trop.  
 odorata, *N. E. Br. l. c.* 324 (= *Stathmostelma odoratum*).—Afr. trop.  
 pachyclada, *N. E. Br. l. c.* 325 (= *Stathmostelma pachycladum*).—Afr. trop.  
 pubiseta, *N. E. Br. l. c.* 329 (= *Gomphocarpus purpurascens*).—Afr. trop.  
 pulchella, *N. E. Br. l. c.* 346 (= *Gomphocarpus pulchellus*).—Afr. trop.  
 Randii, *S. Moore, in Journ. Bot.* 1902, 255.—Afr. trop.  
 rhacodes, *N. E. Br. in Dyer, Fl. Trop. Afr.* iv. i. 342 (= *Stathmostelma rhacodes*).—Afr. trop.  
 robusta, *N. E. Br. l. c.* 324 (= *Gomphocarpus robustus*).—Afr. trop.  
 Rolfii, *Britton, in Small, Fl. S. E. U. S.* 943.—Am. bor.  
 rostrata, *N. E. Br. in Dyer, Fl. Trop. Afr.* iv. i. 331.—Afr. trop.  
 rubella, *N. E. Br. l. c.* 348 (= *Gomphocarpus roseus*).—Afr. trop.  
 semilunata, *N. E. Br. l. c.* 327 (= *Gomphocarpus semilunatus*).—Afr. trop.  
 sphacelata, *N. E. Br. l. c.* 339 (= *Gomphocarpus sphacelatus*).—Afr. trop.  
 Stolzianus, *N. E. Br. l. c.* 617 (= *Gomphocarpus Stolzianus*).—Afr. trop.  
 ulophylla, *Schlechter, in Engl. Jahrb.* xxxviii. 32.—Afr. austr.  
 Verdickii, *Wildem. in Ann. Mus. Congo, Sér. V.* 188 (= *Stathmostelma Verdickii*).—Afr. trop.

**ASCOCHILUS**, Ridl. (Orchid.).

- minutiflora, *Ridley, in Journ. As. Soc. Straits*, xxxix. 85.—Penins. Mal.  
 teres, *Ridley, l. c.*—Penins. Mal.

**ASCOLEPIS**, Nees (Cyperac.).

- pinguis, *C. B. Clarke, in Dyer, Fl. Trop. Afr.* viii. 475.—Afr. trop.

**ASCYRUM**, Linn. (Hyperic.).

- tetrapetalum, *Vail, in Small, Fl. S. E. U. S.* 785 (= *Hypericum tetrapetalum*).—Am. bor.

**ASPARAGUS**, Tourn. (Liliac.).

- altiscandens, *Engl. & Gilg, in Warb. Kunene-Sambesi Exped.* 196.—Afr. trop.  
 Baumii, *Engl. & Gilg, l. c.*—Afr. trop.  
 conglomeratus, *Baker, in Vierteljahrsschr. Naturf. Ges. Zürich*, xlix. 176.—Afr. austr.

**ASPARAGUS:—**

- katangensis, *Wildem. & Th. Dur. in Bull. Soc. Bot. Belg.* xl. 32.—Afr. trop.  
 Lecardi, *Wildem. in Ann. Mus. Congo, Sér. V.* 17.—Afr. trop.  
 longipes, *Baker, in Kew Bull.* 1901, 134.—Afr. trop.  
 Lujae, *Wildem. Pl. Nov. Hort. Thén.* t. 34.—Afr. trop.  
 Schroederi, *Engl. Jahrb.* xxxii. 97.—Afr. trop.  
 sinicus, *C. H. Wright, in Journ. Linn. Soc.* xxxvi. 103 (= *Asparagopsis sinica*).—China.

**ASPERULA**, Linn. (Rubiace.).

- capillacea, *Rouy, Illustr. Pl. Eur. Rar.* t. 404.—Eur.  
 idaea, *Halacsy, Consp. Fl. Graec.* i. 737.—Eur.  
 occidentalis, *Rouy, Fl. Fr.* viii. 60.—Hybr.

**ASPICARPA**, Rich. (Malpigh.).

- lanata, *Rose, in U. S. Dept. Agric. Contrib. Nat. Herb.* viii. 49.—Mexic.

**ASPIDISTRA**, Ker-Gawl. (Liliac.).

- minutiflora, *Staff, in Journ. Linn. Soc.* xxxvi. 113.—China.

**ASPIDOCARYA**, Hook. f. & Thoms. (Menisperm.).

- stenothyrsus, *K. Schum. in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 264.—N. Guin.

**ASPIDOPTERYS**, A. Juss. (Malpigh.).

- indica, *Hochr. in Bull. Inst. Buitenz.* xix. 45 (= *Triopteris indica*).—Ind. or.

**ASPIDOSPERMA**, Mart. & Zucc. (Apocyn.).

- ingratum, *K. Schum. in Urb. in Engl. Jahrb.* xxx. Beibl. lxvii. 30.—Bras.

**ASPILIA**, Thou. (Compos.).

- aggregata, *Greenm. in Proc. Amer. Acad.* xxxix. 102.—Mexic.  
 apensis, *Chod. in Bull. Herb. Boiss. Sér. II.* iii. 721.—Parag.  
 Baumii, *O. Hoffm. in Warb. Kunene-Sambesi Exped.* 417.—Afr. trop.  
 callosa, *Chod. in Bull. Herb. Boiss. Sér. II.* iii. 720.—Parag.  
 camporum, *Chod. l. c.*—Parag.  
 Eenii, *S. Moore, in Journ. Linn. Soc.* xxxv. 345.—Afr. trop.  
 Eggersii, *Hieron. in Engl. Jahrb.* xxviii. 606.—Ecuad.  
 elata, *Lindau, in Engl. Jahrb.* xxx. 203.—Bras.  
 Hassleriana, *Chod. in Bull. Herb. Boiss. Sér. II.* ii. 391.—Parag.  
 induta, *Chod. l. c.* iii. 720.—Parag.  
 Lehmannii, *Hieron. in Engl. Jahrb.* xxviii. 605.—N. Granat.  
 Leucanthemum, *Chod. in Bull. Herb. Boiss. Sér. II.* ii. 391.—Parag.  
 monocephala, *Baker, in Kew Bull.* 1898, 152.—Afr. trop.  
 monoptala, *Ind. Kew. Suppl. II.* 19, sphalm. = monocephala.  
 purpurea, *Greenm. in Proc. Amer. Acad.* xl. 39.—Mexic.  
 Rosei, *Greenm. l. c.*—Mexic.  
 stenophylla, *Greenm. l. c.* xxxix. 102.—Mexic.  
 xylopoda, *Greenm. l. c.* xl. 40.—Mexic.

**ASPILIOPSIS**, Greenm. in Contrib. Gray Herb. n. s.

- i. no. 25 (1903) Suppl. leaf. **COMPOSITAE.**  
 pachyphylla, *Greenm. in Coult. Bot. Gaz.* xxxvii. 222.—Mexic.

**ASTELIA**, Banks & Soland. (Liliac.).

- hemichrysa, *Brongn. ex Cordem. Fl. Ile Réunion*, 155.—Bourbon.

**ASTER**, Tourn. (Compos.).

- agrostifolius, *Burgess, in Small, Fl. S. E. U. S.* 1226.—Am. bor.  
 Andrewsii, *A. Nelson, in Proc. Biol. Soc. Washington*, xvii. 179.—Am. bor.  
 arcticus, *Eastw. in Coult. Bot. Gaz.* xxxiii. 295.—Am. bor.  
 asperifolius, *Burgess, in Small, Fl. S. E. U. S.* 1216.—Am. bor.  
 Boykinii, *Burgess, l. c.* 1211.—Am. bor.  
 breviscapus, *Vaniot, in Bull. Acad. Géogr. Bot.* 1903, 495.—China.  
 Burkel, *Howell, Fl. N. W. Amer.* i. 310.—Am. bor.  
 Candelabrum, *Vaniot, in Bull. Acad. Géogr. Bot.* 1903, 498.—China.  
 capillaceus, *Burgess, in Small, Fl. S. E. U. S.* 1215.—Am. bor.

**ASTER:—**

- castaneus, *Burgess, in Small, Fl. S. E. U. S.* 1211.—Am. bor.  
 celtibericus, *Pau, in Bull. Acad. Géogr. Bot. Sér. III.* xiii. 212.—Hybr.  
 chlorolepis, *Burgess, in Small, Fl. S. E. U. S.* 1211.—Am. bor.  
 claviger, *Burgess, l. c.* 1217.—Am. bor.  
 conduplicatus, *Burgess, l. c.* 1221.—Am. bor.  
 Cordineri, *A. Nelson, in Coult. Bot. Gaz.* xl. 64.—Am. bor.  
 corrigiatus, *Burgess, in Small, Fl. S. E. U. S.* 1216.—Am. bor.  
 corymbiformis, *Rydb. in Bull. Torr. Bot. Club*, 1904, 655.—Am. bor.  
 crassulus, *Rydb. l. c.* 1901, 504.—Am. bor.  
 curvatus, *Vaniot, in Bull. Acad. Géogr. Bot.* 1903, 499.—China.  
 defolius, *Parish, in Coult. Bot. Gaz.* xxxviii. 461.—Calif.  
 diabolicus, *Piper, in Bull. Torr. Bot. Club*, 1902, 645.—Am. bor.  
 Durbrowi, *Eastw. in Proc. Calif. Acad. Ser. III.* ii. 292.—Am. bor.  
 Eatoni, *Howell, Fl. N. W. Amer.* i. 310.—Am. bor.  
 Elmeri, *Piper, in Bull. Torr. Bot. Club*, 1902, 645.—Am. bor.  
 excavatus, *Burgess, in Small, Fl. S. E. U. S.* 1211.—Am. bor.  
 exiguus, *Rydb. in Bull. Torr. Bot. Club*, 1901, 505; et in *Britton, Man. Fl. N. U. S.* 964.—Am. bor.  
 falcidens, *Burgess, in Small, Fl. S. E. U. S.* 1219.—Am. bor.  
 flabellum, *Vaniot, in Bull. Acad. Géogr. Bot.* 1903, 492.—China.  
 flexilis, *Burgess, in Small, Fl. S. E. U. S.* 1212.—Am. bor.  
 fluvialis, *Osterh. in Bull. Torr. Bot. Club*, 1905, 611.—Am. bor.  
 Geyeri, *Howell, Fl. N. W. Am.* i. 308.—Am. bor.  
 Giraldii, *Diels, in Engl. Jahrb.* xxxvi. Beibl. lxxxii. 103.—China.  
 glossophyllus, *Piper, in Bull. Torr. Bot. Club*, 1902, 646.—Am. bor.  
 gracilescens, *Burgess, in Small, Fl. S. E. U. S.* 1218.—Am. bor.  
 Gravesii, *Burgess, in Britton, Man. Fl. N. U. S.* 961.—Am. bor.  
 Greatai, *Parish, in Bull. S. Calif. Acad.* i. 15.—Am. bor.  
 griseolus, *Rydb. in Bull. Torr. Bot. Club*, 1904, 653.—Am. bor.  
 griseus, *Greene, Leaflets Bot. Obs.* i. 147.—Am. bor.  
 incertus, *A. Nelson, in Coult. Bot. Gaz.* xxxvii. 269.—Am. bor.  
 juniperinus, *Burgess, in Small, Fl. S. E. U. S.* 1225.—Am. bor.  
 kentuckiensis, *Britton, Man. Fl. N. U. S.* 960.—Am. bor.  
 lacinians, *Borb. in Magyar Bot. Lap.* iii. 50 (= *Callistephus lacinians*).—Hort.  
 laticorymbus, *Vaniot, in Bull. Acad. Géogr. Bot.* 1903, 494.—China.  
 lentus, *Greene, Man. Bot. San Francisco Bay*, 180.—Calif.  
 leptocaulis, *Burgess, in Britton, Man. Fl. N. U. S.* 950.—Am. bor.  
 leucopappus, *Reiche, Fl. Chile*, iii. 339 (= *Noticastrum leucopappum*).—Chili.  
 limnophilus, *Hemsl. & H. H. W. Pearson, in Journ. Linn. Soc.* xxxv. 86 (= *Erigeron limnophilus*).—Reg. Andin.  
 linguiformis, *Burgess, in Small, Fl. S. E. U. S.* 1217.—Am. bor.  
 lonchophyllus, *Greene, Leaflets Bot. Obs.* i. 146.—Am. bor.  
 loriformis, *Burgess, in Small, Fl. S. E. U. S.* 1217.—Am. bor.  
 macilentus, *Vaniot, in Bull. Acad. Géogr. Bot.* 1903, 497.—China.  
 Meehani, *Fellett, Germantown*, 84.—Am. bor.  
 meritus, *A. Nelson, in Coult. Bot. Gaz.* xxxvii. 268.—Am. bor.  
 microlonchus, *Greene, in Ottawa Naturalist*, xv. 278.—Am. bor.  
 millefolius, *Vaniot, in Bull. Acad. Géogr. Bot.* 1903, 496.—China.  
 Moelleri, *Reiche, Fl. Chile*, iii. 343 (= *Tripolium Moelleri*).—Chili.

**ASTER:**—

- Mohrii, *Burgess, in Small, Fl. S. E. U. S.* 1217.—Am. bor.  
 mollis, *Rydb. in Bull. Torr. Bot. Club*, 1901, 22.—Am. bor.  
 mucronatus, *Sheldon, in Bull. Torr. Bot. Club*, 1903, 309.—Am. bor.  
 nigrescens, *Vaniot, in Bull. Acad. Géogr. Bot.* 1903, 493.—China.  
 nigromontana, *Dunn, in Journ. Linn. Soc.* xxxv. 501.—China.  
 orthophyllus, *Greene, Leaflets Bot. Obs.* i. 146.—Am. bor.  
 Osterhoutii, *Rydb. in Bull. Torr. Bot. Club*, 1904, 654.—Am. bor.  
 parviceps, *Mackenzie & Bush, Fl. Jacks. County*, 196.—Am. bor.  
 philippinensis, *S. Moore, in Journ. Bot.* 1905, 138.—Ins. Philipp.  
 plumarius, *Burgess, in Small, Fl. S. E. U. S.* 1214.—Am. bor.  
 poaceus, *Burgess, l. c.* 1215.—Am. bor.  
 Priceae, *Britton, Man. Fl. N. U. S.* 960.—Am. bor.  
 Proteus, *Burgess, in Small, Fl. S. E. U. S.* 1216.—Am. bor.  
 riciniatus, *Burgess, l. c.* 1212.—Am. bor.  
 Saundersii, *Burgess, in Britton, Man. Fl. N. U. S.* 954.—Am. bor.  
 spatelliformis, *Burgess, in Small, Fl. S. E. U. S.* 1225.—Am. bor.  
 stiletiformis, *Burgess, l. c.* 1211.—Am. bor.  
 subcoerulea, *S. Moore, in Gard. Chron.* 1901, II. 385.—Ind. or.  
 subsessilis, *Burgess, in Small, Fl. S. E. U. S.* 1220.—Am. bor.  
 sylvestris, *Burgess, l. c.* 1216.—Am. bor.  
 tenuicaulis, *Burgess, l. c.* 1220.—Am. bor.  
 tenuissimus, *Dunn, in Journ. Linn. Soc.* xxxv. 502.—China.  
 texanus, *Burgess, in Small, Fl. S. E. U. S.* 1214.—Am. bor.  
 triangularis, *Burgess, l. c.* 1217.—Am. bor.  
 tricapitatus, *Vaniot, in Bull. Acad. Géogr. Bot.* 1903, 493.—China.  
 trigonicus, *Burgess, in Small, Fl. S. E. U. S.* 1214.—Am. bor.  
 truelli, *Burgess, l. c.* 1216.—Am. bor.  
 Tweedyi, *Rydb. in Bull. Torr. Bot. Club*, 1904, 655.—Am. bor.  
 umbraticus, *Sheldon, in Bull. Torr. Bot. Club*, 1903, 310.—Am. bor.  
 Underwoodii, *Rydb. in Bull. Torr. Bot. Club*, 1904, 654.—Am. bor.  
 ursinus, *Burgess, in Small, Fl. S. E. U. S.* 1218.—Am. bor.  
 vaccinus, *Piper, in Bull. Torr. Bot. Club*, xxix. 648.—Am. bor.  
 vernalis, *Burgess, in Small, Fl. S. E. U. S.* 1215.—Am. bor.  
 Wattii, *Piper, in Bull. Torr. Bot. Club*, 1902, 645.—Am. bor.  
 Wootonii, *Greene, Leaflets Bot. Obs.* i. 146.—Am. bor.  
 zosterifolius, *Reiche, Fl. Chile*, iii. 343 (= *Tripolium tenuifolium*).—Chili.

**ASTERANTHE**, Engl. & Diels, in Engl. Monogr. Afr. Pf. vi. 30. **ANONACEAE**.  
 Asterias, Engl. & Diels, l. c. (= *Uvaria Asterias*).—Afr. trop.

**ASTERISCUM**, Cham. & Schlecht. (Umbell.).  
 argentinum, *Chod. & Wilcz. in Bull. Herb. Boiss. Sér.* II. ii. 526.—Reg. Argent.

**ASTEROLINON**, Hoffm. & Link (Primul.).  
 adoense, *Kunze, in Linnaea*, xvi. (1842) *Liter.* 108.—Afr. trop.

**ASTEROMOEAE**, Blume (Compos.).  
 [BOLTONIA, L'Hérit. I. K.]  
 cantoniensis, *Matsum. Enum. Sci. Names* (1895) 41 (= *Boltonia cantoniensis*).—Japon.  
 japonica, *Matsum. l. c.* (= *Boltonia japonica*).—Japon.

**ASTILBE**, Buch-Ham. (Saxifrag.).  
 crenatiloba, *Small, in N. Am. Fl.* xxii. 158.—Am. bor.  
 crenatilobata, *Small, Fl. S. E. U. S.* 500=praec.  
 Davidii, *Henry, in Gard. Chron.* 1902, II. 95; *Bot. Mag.* t. 7880.—China.

**ASTILBE:**—

- grandis, *Stapf, ex Wilson, in Gard. Chron.* 1905, II. 426.—China.  
 myriantha, *Diels, in Engl. Jahrb. xxxvi. Beibl.* lxxxii. 48.—China.  
 philippinensis, *Henry, in Gard. Chron.* 1902, II. 155.—Ins. Philipp.

**ASTRAGALUS**, Tourn. (Legum.).

- ackerbergensis, *Frey, in Bull. Herb. Boiss. Sér.* II. v. 562.—As. cent.  
 aconcaguensis, *Speg. in Anal. Mus. Buenos Aires*, vii. 264.—Chili.  
 aflatunensis, *B. Fedtsch. in Act. Hort. Petrop.* xxiv. 201.—Turkestan.  
 akbaitalensis, *B. Fedtsch. ex O. Fedtsch. in Act. Hort. Petrop.* xxiv. (1905) 327.—As. cent.  
 alabugensis, *B. Fedtsch. in Act. Hort. Petrop.* xxiv. 234.—Turkestan.  
 alaicus, *Frey, in Bull. Herb. Boiss. Sér.* II. iv. 766.—Turkestan.  
 Albertoregelii, *Winkl. & B. Fedtsch. in Bull. Jard. Bot. Petersb.* v. 42.—Turkestan.  
 Alitschuri, *O. Fedtsch. Pl. Pamir*, 28.—As. cent.  
 Ameghinoi, *Speg. in Anal. Mus. Buenos Aires*, vii. 262.—Patag.  
 amphidoxus, *Blank. in Montana Agric. Coll. Sci. Studies, Bot.* i. 72.—Am. bor.  
 andaulgensis, *B. Fedtsch. in Act. Hort. Petrop.* xxiv. 213.—Turkestan.  
 angustidens, *Frey & Sint. in Bull. Herb. Boiss. Sér.* II. iv. 758.—Turkestan.  
 aridus, *Frey, in Bull. Herb. Boiss. Sér.* II. iv. 1107.—As. cent.  
 Arnoldi, *Hemsl. & H. H. W. Pearson, in Journ. Linn. Soc.* xxxv. 172.—As. cent.  
 Arnottianus, *MacL. in Rep. Princeton Univ. Exped. Patag.* viii. 504 (= *Phaca Arnottiana*).—Am. austr.  
 Aschuturi, *B. Fedtsch. in Act. Hort. Petrop.* xxiv. 233.—Turkestan.  
 atacamensis, *R. Fries, in Nov. Act. Soc. Sci. Upsal. Sér. IV. i. no. 1, 134* (= *Tragacantha atacamensis*).—Am. austr.  
 atricapillus, *Bornm. in Bull. Herb. Boiss. Sér.* II. v. 753.—Persia.  
 Atuelii, *Chod. & Wilcz. in Bull. Herb. Boiss. Sér.* II. ii. 477.—Reg. Argent.  
 Beckii, *Bornm. in Bull. Herb. Boiss. Sér.* II. v. 755.—Persia.  
 Beketowi, *B. Fedtsch. in Bull. Herb. Boiss. Sér.* II. v. 316; *et in Act. Hort. Petrop.* xxiv. 202.—Turkestan.  
 bellus, *R. Fries, in Nov. Act. Soc. Sci. Upsal. Sér. IV. i. no. 1, 135* (= *Tragacantha bella*).—Reg. Andin.  
 Benthianus, *Speg. in Anal. Mus. Buenos Aires*, vii. 265.—Beluchist.  
 Biondianus, *Ulbr. in Engl. Jahrb. xxxvi. Beibl.* lxxxii. 62.—China.  
 Brauntorii, *Parish, in Bull. S. Calif. Acad. Sci.* ii. 26.—Calif.  
 brevicaulis, *B. Fedtsch. in Act. Hort. Petrop.* xxiv. 234.—Turkestan.  
 Bungeanus, *Speg. in Anal. Mus. Buenos Aires*, vii. 265.—As. cent.  
 Bungei, *C. Winkl. & B. Fedtsch. ex B. Fedtsch. in Act. Hort. Petrop.* xxiv. 198.—Turkestan.  
 charginchuanus, *Frey, in Bull. Herb. Boiss. Sér.* II. iv. 764.—As. cent.  
 chubutensis, *Speg. in Anal. Mus. Buenos Aires*, vii. 266.—Patag.  
 Crandallii, *Gandoger, in Bull. Soc. Bot. Fr.* xlvi. p. xiv.—Am. bor.  
 Danieli-Kochii, *Frey, in Bull. Herb. Boiss. Sér.* II. v. 558.—As. cent.  
 distans, *MacL. in Rep. Princeton Univ. Exped. Patag.* viii. 505 (= *Phaca distans*).—Patag.  
 divergens, *Blank. in Montana Agric. Coll. Sci. Studies, Bot.* i. 73.—Am. bor.  
 dolichopodus, *Frey, in Bull. Herb. Boiss. Sér.* II. iv. 1120.—As. cent.  
 dschanbulakensis, *B. Fedtsch. in Act. Hort. Petrop.* xxiv. 236.—Turkestan.  
 Edmonstonei, *Robinson, in Proc. Amer. Acad.* xxxviii. (1902) 148 (= *Phaca Edmonstonei*).—Ins. Galap.  
 enantiotrichus, *Frey, in Bull. Herb. Boiss. Sér.* II. v. 561.—As. cent.  
 Englerianus, *Ulbr. in Engl. Jahrb. xxxvi. Beibl.* lxxxii. 60.—China.

**ASTRAGALUS:**—

- erythrostachys, *Ulbr. in Notizbl. Bot. Gart. Berlin*, iii. 192.—Mexic.  
 Fetissowii, *B. Fedtsch. in Act. Hort. Petrop.* xxiv. 202.—Turkestan.  
 fissuralis, *Alex. in Act. Hort. Tiflis*, vi. 49.—Reg. Caucas.  
 fragilidens, *Frey & Sint. in Bull. Herb. Boiss. Sér.* II. iv. 1111.—Reg. Casp.  
 Fuhsii, *Frey & Sint. l. c.* 1114.—Reg. Casp.  
 gaviotus, *Elmer, in Coult. Bot. Gaz.* xxxix. 54.—Calif.  
 Girdalianus, *Ulbr. in Engl. Jahrb. xxxvi. Beibl.* lxxxii. 64.—China.  
 Harmsii, *Ulbr. l. c.* 63.—China.  
 Hedini, *Ulbr. l. c.* xxxv. 679.—Tibet.  
 heterochrous, *Bornm. in Mitth. Thüring. Bot. Ver.* n. s. xviii. 46; *et in Bull. Herb. Boiss. Sér.* II. v. 757.—Persia.  
 Hohenackeri, *Speg. in Anal. Mus. Buenos Aires*, vii. 265 (errore Hohenackeri).—Persia.  
 hurtadensis, *Speg. l. c.*—Chili.  
 hybridus, *Pau, in Bull. Acad. Géogr. Bot.* 1904, 212.—Hybr.  
 jassiensis, *B. Fedtsch. in Act. Hort. Petrop.* xxiv. 236.—Turkestan.  
 Jesupi, *Britton, Man. Fl. N. U. S.* 1048.—Am. bor.  
 juratzkanus, *Frey & Sint. in Bull. Herb. Boiss. Sér.* II. v. 567.—As. cent.  
 karakalensis, *Frey & Sint. l. c.* iv. 1110.—Reg. Casp.  
 kaswinensis, *Bornm. in Bull. Herb. Boiss. Sér.* II. v. 758.—Persia.  
 Kawakamii, *Matsum. in Bot. Mag. Tokyo*, xv. 115.—Ins. Kurile.  
 kenkolensis, *B. Fedtsch. in Act. Hort. Petrop.* xxiv. 201.—Turkestan.  
 kifonsanicus, *Ulbr. in Engl. Jahrb. xxxvi. Beibl.* lxxxii. 64.—China.  
 Kneuckeri, *Frey, in Bull. Herb. Boiss. Sér.* II. iv. 1113.—As. Min.  
 Kronenburgii, *B. Fedtsch. ex Kneuck. in Allg. Bot. Zeitschr.* 1905, 171.—Turkestan.  
 kujukensis, *B. Fedtsch. in Act. Hort. Petrop.* xxiv. 225.—Turkestan.  
 kunigudensis, *Frey, in Bull. Herb. Boiss. Sér.* II. iv. 447.—As. cent.  
 kurilensis, *Matsum. in Bot. Mag. Tokyo*, xv. 115.—Ins. Kurile.  
 Kuschakewiczii, *B. Fedtsch. ex O. Fedtsch. Fl. Pamir*, 78.—As. cent.  
 latistylus, *Frey, in Bull. Herb. Boiss. Sér.* II. iv. 1106.—As. cent.  
 leansanicus, *Ulbr. in Engl. Jahrb. xxxvi. Beibl.* lxxxii. 62.—China.  
 Lipskyanus, *Frey, in Bull. Herb. Boiss. Sér.* II. iv. 755.—As. cent.  
 longispicatus, *Ulbr. in Engl. Jahrb. xxxvi. Beibl.* lxxxii. 61.—China.  
 Lorinserianus, *Frey, in Bull. Herb. Boiss. Sér.* II. v. 565.—As. cent.  
 macrosphaerus, *Frey & Sint. in Bull. Herb. Boiss. Sér.* II. iv. 1116.—Reg. Casp.  
 mailiensis, *B. Fedtsch. in Act. Hort. Petrop.* xxiv. 221.—Turkestan.  
 Malcolmii, *Hemsl. & H. H. W. Pearson, in Journ. Linn. Soc.* xxxv. 172.—As. cent.  
 managildensis, *B. Fedtsch. in Act. Hort. Petrop.* xxiv. 222.—Turkestan.  
 maulesis, *Speg. in Anal. Mus. Buenos Aires*, vii. 264.—Chili.  
 megalocarpus, *Speg. l. c.* 265.—Chili.  
 mendax, *Frey, in Bull. Herb. Boiss. Sér.* II. iv. 770.—Turkestan.  
 Meyenianus, *Speg. in Anal. Mus. Buenos Aires*, vii. 265.—Chili.  
 Murii, *Huter, in Oesterr. Bot. Zeitschr.* 1905, 29.—Eur.  
 nebraskensis, *Bates, in Torreya*, v. (1905) 216.—Am. bor.  
 Neireichianus, *Frey & Sint. in Bull. Herb. Boiss. Sér.* II. v. 571.—As. cent.  
 nephtonensis, *Frey, in Bull. Herb. Boiss. Sér.* II. iv. 760.—Turkestan.  
 nertschinskensis, *Frey, in Oesterr. Bot. Zeitschr.* 1902, 21.—As. bor.  
 nobilis, *Bunge & B. Fedtsch. ex B. Fedtsch. in Act. Hort. Petrop.* xxiv. 236.—Turkestan.  
 Nuttalianus, *Speg. in Anal. Mus. Buenos Aires*, vii. 265.—Am. bor.  
 Olufsenii, *Frey, in Bull. Herb. Boiss. Sér.* II. iv. 450.—As. cent.



**ASTRAGALUS** :—

olympicus, *J. S. Cotton*, in *Bull. Torr. Bot. Club*, 1902, 573.—Am. bor.  
 oophorus, *Freyn*, in *Bull. Herb. Boiss. Sér. II. v.* 1019.—As. cent.  
 oreophilus, *Rydb.* in *Bull. Torr. Bot. Club*, 1904, 561.—Am. bor.  
 orophacoides, *Freyn*, in *Bull. Herb. Boiss. Sér. II. v.* 563.—As. cent.  
 orthanthus, *Freyn*, *l. c.* 1018.—As. cent.  
 Paulsenii, *Freyn*, *l. c.* iv. 445.—As. cent.  
 pauperiformis, *B. Fedtsch.* in *Act. Hort. Petrop.* xxiv. 207.—Turkestan.  
 Petunnikowii, *Litw.* in *Sched. Herb. Fl. Ross.* v. 76.—Turkestan.  
 Philippii, *Speg.* in *Anal. Mus. Buenos Aires*, vii. 265.—Chili.  
 Rhodolphi, *Speg.* *l. c.*—Chili.  
 piletocladus, *Freyn & Sint.* in *Bull. Herb. Boiss. Sér. II. iv.* 1108.—Reg. Casp.  
 purpureus, *Fomine*, in *Act. Hort. Tifl.* VI. ii. 2.—Caucas.  
 raswendicus, *Hausskn. & Bornm.* in *Bull. Herb. Boiss. Sér. II. v.* 766.—Persia.  
 Reichei, *Speg.* in *Anal. Mus. Buenos Aires*, vii. 264.—Chili.  
 rimarum, *Bornm.* in *Bull. Herb. Boiss. Sér. II. v.* 755.—Persia.  
 samarkandinus, *Freyn*, in *Bull. Herb. Boiss. Sér. II. iv.* 763.—Turkestan.  
 santiagensis, *Speg.* in *Anal. Mus. Buenos Aires*, vii. 265.—Chili.  
 sarbasnensis, *B. Fedtsch.* in *Act. Hort. Petrop.* xxiv. 221.—Turkestan.  
 Sarcocolla, *Dymock*, in *Dymock, Warden & Hooper, Pharmac. Indica*, i. (1890) 476.—Persia.  
 Scheremetewianus, *Fedtsch.* in *Trav. Mus. Bot. Acad. Petersb.* i. 125.—As. cent.  
 schugnanicus, *Fedtsch.* *l. c.* 124.—As. cent.  
 senilis, *Bornm.* in *Bull. Herb. Boiss. Sér. II. v.* 755.—Persia.  
 serafichanicus, *Freyn*, in *Bull. Herb. Boiss. Sér. II. iv.* 767.—Turkestan.  
 Shearii, *Rydb.* in *Bull. Torr. Bot. Club*, 1904, 562.—Am. bor.  
 simulans, *Cockerell*, in *Torreya*, 1902, 154.—Am. bor.  
 sinuatus, *Piper*, in *Bull. Torr. Bot. Club*, 1901, 40.—Am. bor.  
 Skorniakowii, *B. Fedtsch.* in *Act. Hort. Petrop.* xxiv. 227.—Turkestan.  
 stenanthus, *Freyn*, in *Bull. Herb. Boiss. Sér. II. iv.* 761.—Reg. Casp.  
 strictipes, *Bornm.* in *Bull. Herb. Boiss. Sér. II. v.* 840.—Persia.  
 subandinus, *Speg.* in *Anal. Mus. Buenos Aires*, vii. 264.—Chili.  
 sulphureus, *Rydb.* in *Bull. Torr. Bot. Club*, 1901, 36.—Am. bor.  
 suluklensis, *Freyn & Sint.* in *Bull. Herb. Boiss. Sér. II. iv.* 451.—Turkestan.  
 supralanatus, *Freyn*, in *Bull. Herb. Boiss. Sér. II. iv.* 768.—Turkestan.  
 sykensis, *Freyn*, *l. c.* v. 559.—As. cent.  
 tarapacanus, *Speg.* in *Anal. Mus. Buenos Aires*, vii. 264.—Chili.  
 Tarletonis, *Rydb.* ex *Britton & Rydb.* in *Bull. N. York Bot. Gard.* ii. 175.—Am. bor.  
 Tecti Mundi, *Freyn*, in *Bull. Herb. Boiss. Sér. II. iv.* 456.—As. cent.  
 tehuelches, *Speg.* in *Anal. Mus. Buenos Aires*, vii. 266.—Patag.  
 Thlaspi, *Lipsky*, in *Act. Hort. Petrop.* xxiii. 90.—As. cent.  
 Titi, *Eastw.* in *Bull. Torr. Bot. Club*, 1905, 195.—Calif.  
 totschalensis, *Bornm.* in *Bull. Herb. Boiss. Sér. II. v.* 763.—Persia.  
 Tulinovii, *B. Fedtsch.* ex *O. Fedtsch.* *Pl. Pamir*, 27.—As. cent.  
 ufraensis, *Freyn & Sint.* in *Bull. Herb. Boiss. Sér. II. v.* 568.—As. cent.  
 ulacholensis, *B. Fedtsch.* in *Act. Hort. Petrop.* xxiv. 208.—Turkestan.  
 valparadiensis, *Speg.* in *Anal. Mus. Buenos Aires*, vii. 264.—Chili.  
 variifolius, *Freyn & Sint.* in *Bull. Herb. Boiss. Sér. II. v.* 784.—Turkestan.  
 varnensis, *Davidoff*, in *Oesterr. Bot. Zeitschr.* lii. 493.—Eur.

**ASTRAGALUS** :—

warackensis, *Freyn*, in *Bull. Herb. Boiss. Sér. II. i.* 263.—Oriens.  
 Watsonianus, *Speg.* in *Anal. Mus. Buenos Aires*, vii. 265.—Am. bor.  
 Whitedii, *Piper*, in *Bull. Torr. Bot. Club*, 1902, 224.—Am. bor.  
 Williamsii, *Rydb.* ex *Britton & Rydb.* in *Bull. N. York Bot. Gard.* ii. 175.—Am. bor.  
 Xanthoxiphidium, *Freyn & Sint.* in *Bull. Herb. Boiss. Sér. II. v.* 788.—Reg. Casp.  
 xiphidioides, *Freyn & Sint.* *l. c.* 786.—Turkestan.

**ASTRANTIA**, Tourn. (Umbell.).

rissensis, *Gremlich*, ex *Huter*, in *Oesterr. Bot. Zeitschr.* 1905, 362.—Hybr.

**ASTROCARPUS**, Neck. (Resed.).

latifolius, *Merino*, in *Bol. Soc. Espan. Hist. Nat.* i. 116.—Eur.

**ASTROCARYUM**, G. F. W. Mey. (Palm.).

Burity, *Barb. Rodr. Sert. Palm. Bras.* ii. 74.—Bras.  
 giganteum, *Barb. Rodr. Contrib. Jard. Bot. Rio*, 1902, 82.—Bras.  
 kewense, *Barb. Rodr. Sert. Palm. Bras.* ii. 70.—Bras.

**ASTROCASIA**, Robinson & Millsp. in *Engl. Jahrb.* xxxvi. (1905) Beibl. lxxx. 19. *EUPHORBIACEAE*.  
 phyllanthoides, *Robinson & Millsp.* *l. c.* 20.—Am. cent.

**ASTROCHLAENA**, Hallier f. (Convolv.).

annua, *Rendle*, in *Dyer, Fl. Trop. Afr.* iv. II. 124.—Afr. trop.  
 Delamereana, *Rendle*, in *Journ. Bot.* 1901, 60.—Afr. trop.  
 Grantii, *Rendle*, in *Dyer, Fl. Trop. Afr.* iv. II. 123.—Afr. trop.  
 involuta, *Rendle*, in *Journ. Bot.* 1901, 59.—Afr. trop.  
 Kaessneri, *Rendle*, in *Dyer, Fl. Trop. Afr.* iv. II. 123.—Afr. trop.  
 Phillipsiae, *Rendle*, *l. c.* 121.—Afr. trop.  
 ugandensis, *Rendle*, *l. c.* 124.—Afr. trop.  
 Whytei, *Rendle*, *l. c.*—Afr. trop.

**ASTRONIA**, Noronha (Melast.).

glauca, *Merrill*, in *Philipp. Gov. Lab. Bur. Bull.* xxix. 31.—Ins. Philipp.  
 Meyerii, *Merrill*, *l. c.* xxxv. 51.—Ins. Philipp.  
 Stuhlmannii, *Damm*, in *Engl. Jahrb.* xxx. 386.—Afr. trop.

**ASYSTASIA**, Blume (Acanth.).

excellens, *Lindau*, in *Engl. Jahrb.* xxxiii. 190.—Afr. trop.  
 glandulosa, *Lindau*, *l. c.* 189.—Afr. trop.  
 natalensis, *C. B. Clarke*, in *Dyer, Fl. Cap.* v. 42.—Afr. austr.  
 riparia, *Lindau*, in *Engl. Jahrb.* xxxiii. 189.—Afr. trop.  
 stenosphon, *C. B. Clarke*, in *Dyer, Fl. Cap.* v. 42.—Afr. austr.  
 subbiflora, *C. B. Clarke*, *l. c.* 43.—Afr. austr.  
 trichotogyne, *Lindau*, in *Engl. Jahrb.* xxxiii. 190.—Afr. trop.

**ATALANTIA**, Correa (Rutac.).

disticha, *Merrill*, in *Philipp. Gov. Lab. Bur. Bull.* xxvii. 28.—Ins. Philipp.

**ATAMASCO**, Rafin. = *Zephyranthes*, Herb. (Amaryll.).  
 longifolia, *Small*, *Fl. S. E. U. S.* 289 = *Z. longifolia*.

**ATELOPHRAGMA**, Rydb. in *Bull. Torr. Bot. Club*, 1905, 660. *LEGUMINOSAE*.

aboriginum, *Rydb.* *l. c.* (= *Astragalus aboriginorum*).—Am. bor.  
 Brandegei, *Rydb.* *l. c.* (= *Astragalus Brandegei*).—Am. bor.  
 elegans, *Rydb.* *l. c.* (= *Phaca elegans*).—Am. bor.  
 glabriuscula, *Rydb.* *l. c.* (= *Astragalus glabriusculus*).—Am. bor.  
 Macounii, *Rydb.* *l. c.* (= *Astragalus Macounii*).—Am. bor.  
 Shearis, *Rydb.* *l. c.* (= *Astragalus Shearis*).—Am. bor.

**ATHANASIA**, Linn. (Compos.).

montana, *Wood & Evans*, ex *Wood*, in *Natal Colon. Herb. Rep.* 1900 (1901) 10; et in *Journ. Bot.* 1901, 171.—Afr. austr.

**ATHRIXIA**, Ker-Gawl. (Compos.).

arachnoidea, *Wood & Evans*, ex *Wood*, in *Natal Colon. Herb. Rep.* 1900 (1901) 9; et in *Journ. Bot.* 1901, 170.—Afr. austr.  
 nyassana, *S. Moore*, in *Journ. Linn. Soc.* xxxv. 339.—Afr. trop.

**ATHYSANUS**, Greene, Man. Bot. San Francisco Bay, 14. *CRUCIFERAE*.

pusillus, *Greene*, *l. c.* (= *Draba pusilla*).—Calif.  
 unilateralis, *Jepson*, *Fl. W. Mid. Calif.* 224 (= *Heterodraba unilateralis*).—Calif.

**ATITARA**, Barrère = *Desmoneus*, Mart. (Palm.).

aerea, *Barb. Rodr. Contrib. Jard. Bot. Rio de Janeiro*, iii. (1902) 75 = *D. aereus*.  
 caespitosa, *Barb. Rodr.* *l. c.* 76.—Bras.  
 cuyabaensis, *Barb. Rodr.* *l. c.* 75 = *D. cuyabaensis*.  
 inermis, *Barb. Rodr.* *l. c.* 76 = *D. inermis*.  
 leptoclona, *Barb. Rodr.* *l. c.* = *D. leptoclona*.  
 lophacantha, *Barb. Rodr.* *l. c.* = *D. lophacanthos*.  
 macrocarpa, *Barb. Rodr.* *l. c.* 1902, 75.—Bras.  
 macrodon, *Barb. Rodr.* *l. c.*—Bras.  
 nemorosa, *Barb. Rodr.* *l. c.*—Bras.  
 orthacantha, *Barb. Rodr.* *l. c.* 76 = *D. orthacanthos*.  
 paraensis, *Barb. Rodr.* *l. c.* = *D. paraensis*.  
 Philipiana, *Barb. Rodr.* *l. c.*—Bras.  
 prostrata, *Barb. Rodr.* *l. c.* 75 = *D. prostratus*.  
 pycnacantha, *Barb. Rodr.* *l. c.* 76 = *D. pycnacanthos*.  
 rudenta, *Barb. Rodr.* *l. c.* 75 = *D. rudentum*.

**ATRACTYLIS**, Linn. (Compos.).

aristata, *Batt.* in *Bull. Soc. Bot. Fr.* xlix. 291.—Alger.  
 Babelii, *Hochr.* in *Ann. Conserv. & Jard. Bot. Genève*, vii-viii. 228.—Alger.  
 delicatula, *Batt.* ex *L. Chevall.* in *Bull. Herb. Boiss. Sér. II. iii.* 773.—Alger.

**ATRAGENE**, Linn. = *Clematis*, Linn. (Ranunc.).

grosseserrata, *Rydb.* in *Bull. Torr. Bot. Club*, 1902, 156.—Am. bor.  
 koreana, *Kom.* in *Act. Hort. Petrop.* xxii. 278 = *C. koreana*.  
 pseudoalpina, *Rydb.* in *Bull. Torr. Bot. Club*, 1902, 157.—Am. bor.  
 repens, *Rydb.* *l. c.* 156.—Am. bor.

**ATRIPLEX**, Tourn. (Chenopod.).

Ameghinii, *Speg.* in *Anal. Mus. Buenos Aires*, vii. 143.—Patag.  
 andina, *R. Fries*, in *Nov. Act. Soc. Sci. Upsal.* Ser. IV. i. no. 1, 157.—Reg. Argent.  
 aptera, *A. Nelson*, in *Coult. Bot. Gaz.* xxxiv. 356.—Am. bor.  
 argentina, *Speg.* in *Com. Mus. Buenos Aires*, I. x. 346.—Reg. Argent.  
 Cachiyuyu, *F. Kurtz*, in *Bol. Acad. Ci. Cordoba*, xv. 518, nomen.—Reg. Argent.  
 carnosia, *A. Nelson*, in *Coult. Bot. Gaz.* xxxiv. 361.—Am. bor.  
 crenatifolia, *Chod. & Wilcz.* in *Bull. Herb. Boiss. Sér. II. ii.* 537.—Reg. Argent.  
 cuneata, *A. Nelson*, in *Coult. Bot. Gaz.* xxxiv. 357.—Am. bor.  
 flavescens, *Speg.* in *Com. Mus. Buenos Aires*, I. x. 347.—Reg. Argent.  
 frigida, *Speg.* in *Anal. Mus. Buenos Aires*, vii. 142.—Patag.  
 joaquinana, *A. Nelson*, in *Proc. Biol. Soc. Washington*, xvii. 99.—Am. bor.  
 leptostachys, *L. Chevall.* in *Bull. Herb. Boiss. Sér. II. iii.* 777.—Alger.  
 macrostyla, *Speg.* in *Anal. Mus. Buenos Aires*, vii. 144.—Patag.  
 matamorensis, *A. Nelson*, in *Proc. Biol. Soc. Washington*, xvii. 99.—Am. bor.  
 mendozaensis, *Speg.* in *Com. Mus. Buenos Aires*, I. x. 348.—Reg. Argent.  
 oblanceolata, *Rydb.* in *Bull. Torr. Bot. Club*, 1904, 403.—Am. bor.  
 odontoptera, *Rydb.* *l. c.* 404.—Am. bor.  
 pacifica, *A. Nelson*, in *Proc. Biol. Soc. Washington*, xvii. 99.—Am. bor.  
 Philippii, *R. Fries*, in *Nov. Act. Soc. Sci. Upsal.* Ser. IV. i. no. 1, 157.—Reg. Argent.  
 philonitra, *A. Nelson*, in *Coult. Bot. Gaz.* xxxiv. 358.—Am. bor.  
 quadrivalvata, *Diels*, in *Engl. Jahrb.* xxxv. 182.—Austral.

**ATRIPLEX** :—

Serenana, *A. Nelson*, ex *Abrams*, *Fl. Los Angeles*, 128 ; et in *Proc. Biol. Soc. Washington*, xvii. 99.—Am. bor. serrulata, *Pau*, in *Bol. Soc. Arag.* ii. 66.—Hispan. socotrana, *Vierh.* in *Oesterr. Bot. Zeitschr.* 1903, 481.—Socotra. spatiosa, *A. Nelson*, in *Coult. Bot. Gaz.* xxxiv. 360.—Am. bor. tenuissima, *A. Nelson*, l. c. 359.—Am. bor. Watsoni, *A. Nelson*, ex *Abrams*, *Fl. Los Angeles*, 128 ; et in *Proc. Biol. Soc. Washington*, xvii. 99.—Am. bor.

**ATROPIS**, Rupr. (Gramin.).

palustris, *Beck*, in *Wiss. Mitth. Bosn. Herzegow.* ix. 447 (= *Festuca palustris*).—Austria. pannonica, *Hack.* in *Magyar Bot. Lap.* i. 41.—Eur.

**ATROXIMA**, Stapf, in *Journ. Linn. Soc.* xxxvii.

(1905) 85. **POLYGALACEAE**. Afzeliana, *Stapf*, l. c. 86 (= *Carpolobia Afzeliana*).—Afr. trop. liberica, *Stapf*, l. c. 85.—Afr. trop. macrostachya, *Stapf*, l. c. 86 (= *Carpolobia macrostachya*).—Afr. trop. Zenkeri, *Stapf*, l. c. (= *Carpolobia Zenkeri*).—Afr. trop.

**ATTALEA**, H. B. & K. (Palm.).

Macoupi, *Sagot*, ex *Drude*, in *Mart. Fl. Bras.* iii. 11. 441 = spectabilis.

**ATYLOSIA**, Wight & Arn. (Legum.).

[**CANTHAROSPERMUM**, Wight & Arn. D. T. & H.] trichodon, *Dunn*, in *Journ. Linn. Soc.* xxxv. 491.—China.

**AUBRIETIA**, Adans. (Crucif.).

Froebeli, *Hort.* ex *Guenthart*, *Beitr. Blüthenb.* 22.—Hab. ?

**AULACODISCUS**, Hook. f. (Rubiace.).

[**PLEIOCARPIDIA**, K. Schum. D. T. & H.] Maingayi, *King & Gamble*, in *Journ. As. Soc. Beng.* lxxii. 189.—Malaya.

**AULOSPERMUM**, Coult. & Rose (Umbell.).

angustum, *Osterh.* in *Bull. Torr. Bot. Club*, 1904, 358.—Am. bor. planosum, *Osterh.*, l. c. 1903, 236.—Am. bor.

**AULOTANDRA**, Gagnep. in *Bull. Soc. Bot. Fr.*

xlvi. (1902) p. lxxix. **ZINGIBERACEAE**. madagascariensis, *Gagnep.* l. c.—Madag.

**AUXOPUS**, Schlechter, in *Engl. Jahrb.* xxxviii. (1905)

3. **ORCHIDACEAE**. kamerunensis, *Schlechter*, l. c. 4.—Afr. trop.

**AVENA**, Linn. (Gramin.).

almeriensis, *Gand.* in *Bull. Soc. Bot. Fr.* lii. 443.—Hispan. Delavayi, *Hack.* in *Oesterr. Bot. Zeitschr.* 1902, 189.—China. Hackelii, *Henriq.* in *Bol. Soc. Broter.* xx. (1905) 87 ; et in *Bull. Soc. Bot. Fr.* lii. 494.—Lusitan. montevidensis, *Hack.* in *Oesterr. Bot. Zeitschr.* 1902, 188 ; et ex *Arech.* in *Anal. Mus. Montevide*, iv. 1. 86.—Urug.

**AVENASTRUM**, Jess. (Gramin.).

Neumayerianum, *Beck*, in *Wiss. Mitth. Bosn. Herzegow.* ix. 434 (= *Avena Neumayeriana*).—Austria.

**AXYRIS**, Linn. (Chenopod.).

pamirica, *B. Fedtsch.* ex *O. Fedtsch.* in *Act. Hort. Petrop.* xxiv. (1905) 342.—As. cent.

**AYENIA**, Loeffl. (Stercul.).

compacta, *Rose*, in *U. S. Dept. Agric. Contrib. Nat. Herb.* viii. 321.—Calif. fruticosa, *K. Schum.* ex *Glaz.* in *Bull. Soc. Bot. Fr.* lii. *Mém.* III. 56, nomen.—Bras. Nelsoni, *Rose*, in *U. S. Dept. Agric. Contrib. Nat. Herb.* viii. 321.—Mexic.

**AZALEA**, Linn. = **Rhododendron**, Linn. (Ericac.).

candida, *Small*, in *Bull. Torr. Bot. Club*, 1901, 360.—Am. bor. oblongifolia, *Small*, *Fl. S. E. U. S.* 883.—Am. bor. serrulata, *Small*, l. c.—Am. bor.

**AZORELLA**, Lam. (Umbell.).

Ameghinoi, *Speg.* Nov. Add. *Fl. Patag.* i. (1901), repr. 61.—Patag. concolor, *Rendle*, in *Journ. Bot.* 1904, 368.—Patag. hydrocotylifolia, *MacL.* in *Rep. Princeton Univ. Exped. Patag.* viii. 629 (= *Pozoa hydrocotylifolia*).—Chili ; Patag. Morenonis, *MacL.* l. c. (= *Mulinum Morenonis*).—Patag. patagonica, *Speg.* in *Anal. Mus. Buenos Aires*, vii. 293.—Patag. plantaginea, *Speg.* l. c. 292.—Patag.

**B****BIANIANA**, Ker-Gawl. (Irid.).

Bakeri, *Schinz*, in *Bull. Herb. Boiss. Sér. II.* vi. (1906) 712.—Afr. austr. Gawleri, *N. E. Br.* in *Hook. Ic. Pl.* sub t. 2710.—Afr. trop. Schlechteri, *Baker*, in *Bull. Herb. Boiss. Sér. II.* i. 865 (1901).—Afr. austr. Schlechteri, *Baker*, l. c. iv. 1005 (1904) = Bakeri. stenophylla, *Baker*, l. c. i. 866.—Afr. austr.

**BACCAUREA**, Lour. (Euphorb.).

bipindensis, *Pax*, in *Engl. Jahrb.* xxxiv. 368.—Afr. trop. papuana, *F. M. Bailey*, in *Proc. Roy. Soc. Queensl.* xviii. 3.—N. Guin.

**BACCHARIS**, Linn. (Compos.).

auriculigera, *Hieron.* in *Engl. Jahrb.* xxxvi. 478.—Peruv. Bakeri, *Heering*, in *Jahrb. Hamb. Wiss. Anst.* xxi. Beiheft III. 39.—Bras. Chilcaura, *Hieron.* in *Engl. Jahrb.* xxxvi. 477.—Peruv. cotinifolia, *Urb. Symb. Antill.* iii. 406 (= *Eupatorium cotinifolium*).—Ind. occ. curtifolia, *S. Moore*, in *Journ. Bot.* 1904, 37.—Bras. cuthervensis, *Hieron.* in *Engl. Jahrb.* xxxvi. 479.—Peruv. Eggersii, *Hieron.* l. c. xxviii. 558.—Ecuad. fastigiata, *Phil.* ex *Reiche*, *Fl. Chile*, iv. 7.—Chili. glandulosa, *Greenm.* in *Proc. Amer. Acad.* xl. 36.—Mexic. grandicapitulata, *Hieron.* in *Engl. Jahrb.* xxxvi. 481.—Peruv. huairacajensis, *Hieron.* l. c. xxviii. 589.—Ecuad. Kraussei, *Heering*, ex *Reiche*, *Fl. Chile*, iv. 9.—Chili. melanopotamica, *Speg.* Nov. Add. *Fl. Patag.* i. (1901), repr. 83.—Patag. Negeri, *Heering*, ex *Reiche*, *Fl. Chile*, iv. 28.—Chili. oaxacana, *Greenm.* in *Proc. Amer. Acad.* xl. 37.—Mexic. pachycephala, *Hieron.* in *Engl. Jahrb.* xxxvi. 480.—Peruv. pallida, *Heering*, ex *Reiche*, *Fl. Chile*, iv. 12.—Chili. Palmeri, *Greenm.* in *Proc. Amer. Acad.* xli. 259.—Mexic. palustris, *Heering*, in *Jahrb. Hamb. Wiss. Anst.* xxi. Beiheft III. 38.—Bras. pellucida, *Hieron.* in *Engl. Jahrb.* xxxvi. 482.—Peruv. petraea, *Heering*, in *Jahrb. Hamb. Wiss. Anst.* xxi. Beiheft III. 30.—Bras. petrophila, *R. Fries*, in *Nov. Act. Soc. Sci. Upsal.* Ser. IV. i. no. 1, 81.—Reg. Argent. popayanensis, *Hieron.* in *Engl. Jahrb.* xxviii. 593.—N. Granat. Pringlei, *Greenm.* in *Proc. Amer. Acad.* xli. 259.—Mexic. procumbens, *Hieron.* in *Engl. Jahrb.* xxxvi. 479.—Peruv. santiagensis, *Heering*, ex *Reiche*, *Fl. Chile*, iv. 26.—Chili. spicata, *Hieron.* in *Engl. Jahrb.* xxviii. 590.—Ecuad. tandilensis, *Speg.* Contrib. *Fl. Tandil*, 26.—Reg. Argent. variifolia, *Hieron.* in *Engl. Jahrb.* xxviii. 591.—Ecuad. villosa, *Heering*, in *Jahrb. Hamb. Wiss. Anst.* xxi. Beiheft III. 25.—Bras.

**BACOPA**, Aubl. (Scrophul.).

congesta, *Chod. & Hassl.* in *Bull. Herb. Boiss. Sér. II.* iv. 289.—Parag. dubia, *Chod. & Hassl.* l. c. 290.—Parag. gratioides, *Chod.* l. c. 288 (= *Herpestes gratioides*).—Parag. Hassleriana, *Chod.* l. c. 289.—Parag. Salzmanni, *Chod. & Hassl.* l. c. 290 (= *Herpestes Salzmanni*).—Parag.

**BACTRIS**, Jacq. (Palm.).

exscapa, *Barb. Rodr. Sert. Palm. Bras.* ii. 9.—Bras.

**BACTRIS** :—

falcata, *J. R. Johnston*, in *Proc. Amer. Acad.* xl. 683.—Venez. nigrispina, *Barb. Rodr. Palm. Hassl. Nov.* 15.—Bras. unaensis, *Barb. Rodr.* l. c. 14.—Bras.

**BACULARIA**, F. Muell. (Palm.).

angustisecta, *Becc.* in *Martelli, Webbia*, 294.—N. Guin.

**BADULA**, Juss. (Myrsin.).

[**ARDISIA**, Sw. I. K.] Balfouriana, *Mez*, in *Engl. Pflanzenreich, Myrsin.* 281 (= *Tinus Balfouriana*).—Ins. Rodrig. Candolleana, *Mez*, l. c. 282.—Ins. Borbon. Commersoniana, *Mez*, l. c. 280.—Ins. Maurit. maculata, *Mez*, l. c. 281.—Ins. Borbon. Richeana, *Mez*, l. c. 280.—Ins. Mascar.

**BAECKEA**, Linn. (Myrtac.).

decipiens, *Fitzg.* in *Journ. W. Austral. Nat. Hist. Soc.* i. 20.—Austral. Elderiana, *Pritz.* in *Engl. Jahrb.* xxxv. 418.—Austral. grandibracteata, *Pritz.* l. c. 417.—Austral. grandis, *Pritz.* l. c.—Austral. latens, *C. R. P. Andrews*, in *Journ. W. Austral. Nat. Hist. Soc.* i. 41.—Austral. pentagonantha, *F. Muell.* ex *Pritz.* in *Engl. Jahrb.* xxxv. 418 = Elderiana. platycephala, *Pritz.* in *Engl. Jahrb.* xxxv. 419.—Austral. staminosa, *Pritz.* l. c. 417.—Austral.

**BAERIA**, Fisch. & Mey. (Compos.).

aristosa, *Howell*, *Fl. N. W. Am.* i. 354.—Am. bor.

**BAHIA**, Lag. (Compos.).

glandulosa, *Greenm.* in *Proc. Amer. Acad.* xxxix. 116.—Mexic.

**BAIKIAEA**, Benth. (Legum.).

plurijuga, *Harms*, in *Warb. Kunene-Sambesi Exped.* 248.—Afr. trop.

**BAILLONELLA**, Pierre (Sapot.).

obovata, *Pierre*, ex *Engl. Monogr. Afr. Pfl.* viii. 82 = *Mimusops Pierreana*.

**BAISSEA**, A. DC. (Apocyn.).

axillaris, *Hua*, in *Compt. Rend. Acad. Sci. Par.* cxxxiv. 857 (= *Zygodia axillaris*).—Afr. trop. calophylla, *Stapf*, in *Dyer, Fl. Trop. Afr.* iv. 1. 205 (= *Codonura calophylla*).—Afr. trop. elliptica, *Stapf*, l. c. 215.—Afr. trop. erythrosticta, *K. Schum.* ex *Stapf*, in *Dyer, Fl. Trop. Afr.* iv. 1. 206 ; et in *Engl. Jahrb.* xxxiii. 319.—Afr. trop. ochrantha, *K. Schum.* ex *Stapf*, l. c. 206.—Afr. trop. odorata, *K. Schum.* ex *Stapf*, l. c. 212.—Afr. trop. zygodioides, *Stapf*, l. c. 210 (= *Oncinotis zygodioides*).—Afr. trop.

**BAKERISIDEROXYLON**, Engl. Monogr. Afr.

Pfl. viii. 33 (1904). **SAPOTACEAE**. densiflorum, *Engl.* l. c. 34 (= *Sideroxylon densiflorum*).—Afr. trop. Passargei, *Engl.* l. c. 35.—Afr. trop. revolutum, *Engl.* l. c. 34 (= *Sideroxylon revolutum*).—Afr. trop.

**BALANOCARPUS**, Bedd. (Dipteroc.).

bancanus, *Boerl. Cat. Hort. Bogor.* 111.—Arch. Mal. Sibogae, *Boerl.* l. c. 112.—Arch. Mal.

**BALANOPHORA**, Forst. (Balanophor.).

dioica, lto, in *Journ. Linn. Soc.* xxiv. (1887) 196, t. 5, fig. 5-6 (non R. Br.) = japonica. japonica, *Mak.* in *Bot. Mag. Tokyo*, xvi. (1902) 212.—Japon. Kuroiwai, *Mak.* l. c. 213, nomen.—Ins. Liukiu. micrantha, *Warb.* in *Perkins, Frag. Fl. Philipp.* 169.—Ins. Philipp.

**BALDUINA**, Nutt. (Compos.).

[**BALDWINIA**, Torr. & Gray. I. K.] atropurpurea, *Harper* in *Bull. Torr. Bot. Club*, 1901, 483.—Am. bor.

**BALLOTA**, Linn. (Labiata.).

glabriflora, *Brand.* in *Koch, Syn. Deutsch. Fl.* Ed. III. 2145.—Eur. macedonica, *Vandas*, in *Magyar Bot. Lap.* iv. 112.—Turcia.

**BAMBUSA**, Schreb. (Gramin.).

- fauriei*, Hack. in Bull. Herb. Boiss. Sér. II. iv. 529.—Formosa.  
*Glaziovii*, Hack. in Oesterr. Bot. Zeitschr. liii. 194.—Bras.  
*maculosa*, Hack. l. c. 196.—Bras.  
*Narihira*, Mak. in Bot. Mag. Tokyo, xi. (1897) (159).—Japan.  
*ontakensis*, Mak. Descr. Prod. Forest. Japon, (1900) 37, nomen.—Japan.  
*paniculata*, Mak. l. c. nomen.—Japan.  
*papuana*, K. Schum. in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee, 58 (= *Arundinaria papuana*).—N. Guin.  
*purpurascens*, Mak. Descr. Prod. Forest. Japon, (1900) 37, nomen.—Japan.  
*ramosa*, Mak. l. c. nomen.—Japan.  
*spinossissima*, Hack. in Oesterr. Bot. Zeitschr. liii. 197.—Bras.

**BANARA**, Aubl. (Samyd.).

- Vanderbiltii*, Urb. Symb. Antill. iii. 320.—Ind. occ.

**BANISTERIA**, Linn. (Malpigh.).

- arbores*, Boj. ex Juss. in Arch. Mus. Par. iii. (1843) 489 = *Acridocarpus excelsus*.  
*peruviana*, *Niedenau*, in Ind. Lect. Lyc. Brunsb. 1901 (aest.) 15.—Peruv.  
*Rusbyana*, *Niedenau*, l. c. 19.—Boliv.

**BAPHIA**, Afzel. (Legum.).

- acuminata*, Wildem. Enum. Pl. Laurent, 104.—Afr. trop.  
*batangensis*, Harms, in Engl. Jahrb. xxxiii. 166.—Afr. trop.  
*bipindensis*, Harms, l. c. 165.—Afr. trop.  
*Busseana*, Harms, l. c. 166.—Afr. trop.  
*Conraui*, Harms, l. c. 167.—Afr. trop.  
*cordifolia*, Harms, l. c.—Afr. trop.  
*cornifolia*, Harms, in Warb. Kunene-Sambesi Exped. 252.—Afr. trop.  
*ericalyx*, Harms, in Engl. Jahrb. xxxiii. 165.—Afr. trop.  
*Laurentii*, Wildem. Enum. Pl. Laurent, 105.—Afr. trop.  
*Preussii*, Harms, in Engl. Jahrb. xxxiii. 165.—Afr. trop.  
*Radcliffei*, Baker f. in Journ. Linn. Soc. xxxvii. 147.—Afr. trop.

**BAPTISIA**, Vent. (Legum.).

- albescens*, Small, Fl. S. E. U. S. 600.—Am. bor.  
*Bushii*, Small, l. c. 600.—Am. bor.  
*elliptica*, Small, l. c. 599.—Am. bor.  
*Gibbesii*, Small, l. c.—Am. bor.  
*hirsuta*, Small, l. c. 598.—Am. bor.  
*Nuttalliana*, Small, l. c. 599.—Am. bor.

**BARBACENIA**, Vand. (Amaryll.).

- Damaziana*, Beauverd, in Bull. Herb. Boiss. Sér. II. v. 1078.—Bras.  
*Wentzeliana*, Harms, in Engl. Jahrb. xxx. 277.—Afr. trop.

**BARJONIA**, Decne. (Asclep.).

- laxa*, Malme, in Arkiv Bot. Stockh. iv. no. 14, 8.—Bras.  
*platyphylla*, K. Schum. in Urb. in Engl. Jahrb. xxx. Beibl. lxvii. 31.—Bras.

**BARKERWEBBIA**, Becc. in Martelli, Webbia, 281 (1905). PALMAE.

- elegans*, Becc. l. c. 283.—N. Guin.

**BARLERIA**, Linn. (Acanth.).

- affinis*, C. B. Clarke, in Dyer, Fl. Cap. v. 50 (1901).—Afr. austr.  
*affinis*, Wildem. in Ann. Mus. Congo, iv. 140 (1903).—Afr. trop.  
*bechuanensis*, C. B. Clarke, in Dyer, Fl. Cap. v. 48.—Afr. austr.  
*buddleioides*, S. Moore, in Journ. Bot. 1902, 307.—Afr. trop.  
*cephalophora*, Lindau, in Engl. Jahrb. xxxviii. 70.—Afr. trop.  
*cinereicaulis*, C. B. Clarke, in Dyer, Fl. Cap. v. 53.—Afr. austr.  
*crossandriiformis*, C. B. Clarke, l. c. 51.—Afr. austr.  
*Dewevrei*, K. Schum. in Just's Jahresb. xxvii. i. 514 (sphalm.) = *Barleria Dewevrei*.  
*Eylesii*, S. Moore, in Journ. Bot. 1905, 50.—Afr. trop.  
*Galpinii*, C. B. Clarke, in Dyer, Fl. Cap. v. 54.—Afr. austr.  
*heterotricha*, Lindau, in Engl. Jahrb. xxxviii. 69.—Afr. trop.  
*Holubii*, C. B. Clarke, in Dyer, Fl. Cap. v. 47.—Afr. austr.

**BARLERIA** :—

- jasminiflora*, C. B. Clarke, in Dyer, Fl. Cap. v. 50.—Afr. austr.  
*laceratiflora*, Lindau, in Engl. Jahrb. xxxviii. 68.—Afr. trop.  
*lukafuensis*, Wildem. in Ann. Mus. Congo, iv. 140.—Afr. trop.  
*media*, C. B. Clarke, in Dyer, Fl. Cap. v. 51.—Afr. austr.  
*oxyphylla*, Lindau, in Engl. Jahrb. xxxviii. 69.—Afr. trop.  
*pretoriensis*, C. B. Clarke, in Dyer, Fl. Cap. v. 54.—Afr. austr.  
*Rehmanni*, C. B. Clarke, l. c. 53.—Afr. austr.  
*taitensis*, S. Moore, in Journ. Bot. 1902, 343.—Afr. trop.  
*umbrosa*, Lindau, in Engl. Jahrb. xxxiii. 188.—Afr. trop.  
*Verdickii*, Wildem. in Ann. Mus. Congo, iv. (1903) 139.—Afr. trop.  
*Virgula*, C. B. Clarke, in Dyer, Fl. Cap. v. 48.—Afr. austr.  
*Whytei*, S. Moore, in Journ. Bot. 1903, 138.—Afr. trop.  
*Wilmsiana*, Lindau, in Engl. Jahrb. xxx. 111 (Mart. 1901).—Afr. austr.  
*Wilmsii*, Lindau, ex C. B. Clarke, in Dyer, Fl. Cap. v. 54 (Jun. 1901) = *praec.*  
*Woodii*, C. B. Clarke, in Dyer, l. c. 50.—Afr. austr.

**BARNADESIA**, Mutis (Compos.).

- Jelskii*, Hieron. in Engl. Jahrb. xxxvi. 511.—Peruv.  
*laurifolia*, Hieron. l. c. xxviii. 651 = *Turpinia laurifolia*.

**BARRINGTONIA**, Forst. (Myrtac.).

- fusiformis*, King, in Journ. As. Soc. Beng. lxx. 140.—Penins. Mal.  
*musiformis*, King, l. c. 139.—Penins. Mal.  
*pauciflora*, King, l. c. 137.—Penins. Mal.  
*Scortechinii*, King, l. c. 138.—Penins. Mal.

**BARROËTEA**, A. Gray (Compos.).

- sessilifolia*, Greenm. in Proc. Amer. Acad. xl. 35.—Mexic.

**BARTERIA**, Hook. f. (Passifl.).

- acuminata*, Baker f. in Journ. Linn. Soc. xxxvii. 155.—Afr. trop.

**BARTONIA**, Muhl. (Gentian.).

- lanceolata*, Small, Fl. S. E. U. S. 932.—Am. bor.

**BARYXYLUM**, Lour. (Legum.).

- ferrugineum*, F. N. Williams, in Bull. Herb. Boiss. Sér. II. v. 19 (= *Peltophorum ferrugineum*).—Siam.

**BASELLA**, [RHEEDE] Linn. (Chenopod.).

- paniculata*, Volkens, in Engl. Jahrb. xxxviii. 81.—Afr. trop.

**BASSIA**, All. (Chenopod.).

- [CHENOLEA, Thunb. I. K.]  
*densiflora*, Fitzg. in Journ. W. Austral. Nat. Hist. Soc. i. 31.—Austral.  
*hostilis*, Diels, in Engl. Jahrb. xxxv. 185.—Austral.  
*litoralis*, Diels, l. c. 186.—Austral.  
*longifolia*, Fitzg. in Journ. W. Austral. Nat. Hist. Soc. i. 32.—Austral.  
*recurvuspis*, Fitzg. l. c.—Austral.

**BASSIA**, Koenig (Sapot.).

- [ILLIPE, Koenig. D. T. & H.]  
*crassipes*, Pierre, ex Becc. Nelle Foreste di Borneo, 580.—Borneo.  
*Pierrei*, F. N. Williams, in Bull. Herb. Boiss. Sér. II. v. 226.—Siam.

**BASSOVIA**, Aubl. (Solan.).

- ciliata*, J. R. Johnston, in Proc. Amer. Acad. xl. 694.—Venez.  
*hispidula*, K. Schum. in Just's Jahresb. xxvii. i. 544 = *Brachistus hispidus*.  
*stellata*, Greenm. in Proc. Amer. Acad. xli. 246.—Mexic.  
*strigosa*, K. Schum. in Just's Jahresb. xxvii. i. 544 (sphalm.) = *Brachistus strigosus*.

**BATHIAEA**, Drake, Hist. Pl. Madag. i. (1902) 205. LEGUMINOSAE.

- rubriflora*, Drake, l. c.—Madag.

**BATODENDRON**, Nutt. = *Vaccinium*, Linn. (Vaccin.).

- andrachneforme*, Small, Fl. S. E. U. S. 893.—Am. bor.

**BATRACHIUM**, S. F. Gray = *Ranunculus*, Linn. (Ranunc.).

- Bakeri*, Greene, Leaflets Bot. Obs. i. 95.—Calif.  
*pedunculare*, Greene, l. c.—Calif.

**BAUHINIA**, Linn. (Legum.).

- Aherniana*, Perkins, Frag. Fl. Philipp. 8.—Ins. Philipp.  
*angulicaulis*, Harms, in Engl. Jahrb. xxxiii. Beibl. lxxii. 20.—Bras.  
*antipolana*, Perkins, Frag. Fl. Philipp. 9.—Ins. Philipp.  
*campestris*, Malme, in Arkiv Bot. Stockh. v. no. 5, (1905) 10.—Bras.  
*chapidensis*, Malme, l. c. 13.—Bras.  
*chlorantha*, T. S. Brandegee, in Zoe, v. (1905) 200.—Mexic.  
*concinna*, Drake, in Bull. Mus. Hist. Nat. Par. 1903, 41.—Madag.  
*crocea*, Drake, Hist. Pl. Madag. i. 87.—Madag.  
*Ellenbeckii*, Harms, in Engl. Jahrb. xxxiii. 158.—Afr. trop.  
*goyazensis*, Harms, l. c. Beibl. lxxii. 21.—Bras.  
*Grevei*, Drake, Hist. Pl. Madag. i. 87.—Madag.  
*Hagenbeckii*, Harms, in Engl. Jahrb. xxxiii. Beibl. lxxii. 21.—Bras.  
*Hassleriana*, Chod. in Bull. Herb. Boiss. Sér. II. iv. 690.—Parag.  
*Hawkesiana*, F. M. Bailey, in Queensl. Agric. Journ. xv. 897.—Austral.  
*hiemalis*, Malme, in Arkiv Bot. Stockh. v. no. 5, (1905) 13.—Bras.  
*lamprophylla*, Harms, in Engl. Jahrb. xxxiii. Beibl. lxxii. 22.—Bras.  
*leptantha*, Malme, in Arkiv Bot. Stockh. v. no. 5, (1905) 11.—Bras.  
*leptopus*, Perkins, Frag. Fl. Philipp. 10.—Ins. Philipp.  
*Loeseneriana*, Harms, in Engl. Jahrb. xxxiii. 158.—Afr. trop.  
*malacotricha*, Harms, l. c. Beibl. lxxii. 22.—Bras.  
*Merrilliana*, Perkins, Frag. Fl. Philipp. 10.—Ins. Philipp.  
*nymphaeifolia*, Perkins, l. c. 11.—Ins. Philipp.  
*Perkinsae*, Merrill, in Philipp. Gov. Lab. Bur. Bull. xvii. 21.—Ins. Philipp.  
*Pinchotiana*, Perkins, Frag. Fl. Philipp. 12.—Ins. Philipp.  
*viscidula*, Harms, in Engl. Jahrb. xxxiii. Beibl. lxxii. 22.—Bras.  
*Warburgii*, Perkins, Frag. Fl. Philipp. 12.—Ins. Philipp.

**BAUMIA**, Engl. & Gilg. in Warb. Kunene-Sambesi Exped. 365 (1903). SCROPHULARIACEAE.

- angolensis*, Engl. & Gilg, l. c. 366.—Afr. trop.

**BEADLEA**, Small, Fl. S. E. U. S. 319 (1903). ORCHIDACEAE.

- [SPIRANTHES, L. C. Rich. D. T. & H.]  
*Storeri*, Small, Fl. S. E. U. S. 319 (= *Spiranthes Storeri*).—Am. bor.

**BEAUFORTIA**, R. Br. (Myrtac.).

- bracteosa*, Diels, in Engl. Jahrb. xxxv. 431.—Austral.  
*cymbifolia*, Diels, l. c.—Austral.  
*eriocephala*, Fitzg. in Journ. W. Austral. Nat. Hist. Soc. ii. 23.—Austral.

**BEAUMONTIA**, Wall. (Apocyn.).

- fragrans*, Pierre, in L. Planch. Prod. Apocyn. (1894) 325, nomen.—Cochinch.

**BEBBIA**, Greene (Compos.).

- aspera*, A. Nelson, in Coult. Bot. Gaz. xxxvii. 273.—Am. bor.

**BEFARIA**, Mutis (Ericac.).

- Imthurnii*, N. E. Br. in Trans. Linn. Soc. Ser. II. vi. 46.—Guiana.

**BEGONIA**, Tourn. (Begon.).

- Andreana*, Sprague, in Trans. Proc. Bot. Soc. Edinb. xxii. 433.—N. Granat.  
*Balansae*, C. DC. in Chod. & Hassl. in Bull. Herb. Boiss. Sér. II. iii. 403.—Parag.  
*Bowringiana*, Hori. Sand. in Gard. Chron. 1903, i. 245.—China.  
*Buchholzii*, Gilg, in Engl. Jahrb. xxxiv. 96.—Afr. trop.  
*capillipes*, Gilg, l. c. 96.—Afr. trop.  
*colorata*, Warb. in Perkins, Frag. Fl. Philipp. 51.—Ins. Philipp.  
*Conraui*, Gilg, in Engl. Jahrb. xxxiv. 87.—Afr. trop.  
*contracta*, Warb. in Perkins, Frag. Fl. Philipp. 54.—Ins. Philipp.

**BEGONIA:**

- crispa, *Krel. in Wien. Ill. Gart. Zeit.* 1904, 146.—Hab. ?
- cristata, *Koord. in Natuurk. Tijdschr. Ned. Ind.* lxiii. 90.—Celebes.
- debilis, *King, in Journ. As. Soc. Beng.* lxxi. 60.—Penins. Mal.
- Dielsiana, *Gilg, in Engl. Jahrb.* xxxiv. 91.—Afr. trop.
- Engleri, *Gilg, l. c.* 97.—Afr. trop.
- Favargeri, *Reching. ex Zahlbr. in Ann. Nat. Hofmus. Wien*, xx. (1905) 33.—Afr. austr.
- Forbesii, *King, in Journ. As. Soc. Beng.* lxxi. 58.—Malaya.
- gemella, *Warb. ex Koord. in Natuurk. Tijdschr. Ned. Ind.* lxiii. 91.—Celebes.
- Gilsoni, *Hort. in Gartenfl.* lii. 430.—Hab. ?
- Herveyana, *King, in Journ. As. Soc. Beng.* lxxi. 63.—Penins. Mal.
- Huberi, *C. DC. ex Huber, in Bull. Herb. Boiss. Sér. II.* i. 315.—Bras.
- isopteroidea, *King, in Journ. As. Soc. Beng.* lxxi. 59.—Penins. Mal.
- Jagori, *Warb. in Perkins, Frag. Fl. Philipp.* 54.—Ins. Philipp.
- Kummeria, *Gilg, in Engl. Jahrb.* xxxiv. 87.—Afr. trop.
- Kunstleriana, *King, in Journ. As. Soc. Beng.* lxxi. 63.—Penins. Mal.
- Koordersii, *Warb. ex Koord. in Natuurk. Tijdschr. Ned. Ind.* lxiii. 91.—Celebes.
- Labordei, *Léveillé, in Bull. Soc. Agric. Sci. Arts Sarthe*, 1904, repr. 8.—China.
- leucosticta, *Warb. in Perkins, Frag. Fl. Philipp.* 55.—Ins. Philipp.
- loloensis, *Gilg, in Engl. Jahrb.* xxxiv. 94.—Afr. trop.
- longicyma, *Bellair, in Rev. Hort.* 1905, 581.—Hybr.
- longipetiolata, *Gilg, in Engl. Jahrb.* xxxiv. 92.—Afr. trop.
- longiscapa, *Warb. in Perkins, Frag. Fl. Philipp.* 52.—Ins. Philipp.
- Lowiana, *King, in Journ. As. Soc. Beng.* lxxi. 67.—Penins. Mal.
- luzonensis, *Warb. in Perkins, Frag. Fl. Philipp.* 52.—Ins. Philipp.
- macropoda, *Gilg, in Engl. Jahrb.* xxxiv. 90.—Afr. trop.
- macrura, *Gilg, l. c.* 92.—Afr. trop.
- Martini, *Léveillé, in Bull. Soc. Agric. Sci. Arts Sarthe*, 1904, repr. 8.—China.
- Maxwelliana, *King, in Journ. As. Soc. Beng.* lxxi. 66.—Penins. Mal.
- megapteroidea, *King, l. c.* 65.—Penins. Mal.
- Merrillii, *Warb. in Perkins, Frag. Fl. Philipp.* 53.—Ins. Philipp.
- mindanaensis, *Warb. l. c.* 55.—Ins. Philipp.
- monantha, *Warb. in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 322.—N. Guin.
- montis-Bismarckii, *Warb. l. c.*—N. Guin.
- multidentata, *Warb. l. c.*—N. Guin.
- panpercula, *King, in Journ. As. Soc. Beng.* lxxi. 64.—Penins. Mal.
- perakensis, *King, l. c.*—Penins. Mal.
- peristegia, *Stapf, in Kew Bull.* 1901, 140.—Bras.
- petrophila, *Gilg, in Engl. Jahrb.* xxxiv. 86.—Afr. trop.
- pilderfolia, *C. DC. ex Huber, in Bull. Herb. Boiss. Sér. II.* i. 315.—Bras.
- potamophila, *Gilg, in Engl. Jahrb.* xxxiv. 89.—Afr. trop.
- praeclara, *King, in Journ. As. Soc. Beng.* lxxi. 66.—Penins. Mal.
- Princeae, *Gilg, in Engl. Jahrb.* xxx. 361.—Afr. trop.
- pseudimpatiens, *Gilg, l. c.* xxxiv. 93.—Afr. trop.
- pseudo-lateralis, *Warb. in Perkins, Frag. Fl. Philipp.* 51.—Ins. Philipp.
- pseudoviola, *Gilg, in Engl. Jahrb.* xxxiv. 88.—Afr. trop.
- rubro-marginata, *Gilg, l. c.* 95.—Afr. trop.
- Schlechteri, *Gilg, l. c.* 93.—Afr. trop.
- Scortechinii, *King, in Journ. As. Soc. Beng.* lxxi. 62.—Penins. Mal.
- Simii, *Stapf, in Journ. Linn. Soc.* xxxvii. 104.—Afr. trop.
- Staudtii, *Gilg, in Engl. Jahrb.* xxxiv. 90.—Afr. trop.
- Strachwitzii, *Warb. ex Koord. in Natuurk. Tijdschr. Ned. Ind.* lxiii. 90.—Celebes.
- subcucullata, *C. DC. in Chod. & Hassl. in Bull. Herb. Boiss. Sér. II.* iii. 404.—Parag.
- thaspigenis, *King, in Journ. As. Soc. Beng.* lxxi. 61.—Penins. Mal.
- togoensis, *Gilg, in Engl. Jahrb.* xxxiv. 88.—Afr. trop.

**BEGONIA:**

- torricellensis, *Warb. in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 321.—N. Guin.
- trichochila, *Warb. in Perkins, Frag. Fl. Philipp.* 53.—Ins. Philipp.
- unialata, *C. DC. ex Huber, in Bull. Herb. Boiss. Sér. II.* i. 316.—Bras.
- unifolia, *Trelease, in Rep. Missouri Bot. Gard.* 1904, 80.—Mexic.
- venusta, *King, in Journ. As. Soc. Beng.* lxxi. 65.—Penins. Mal.
- Verdickii, *Wildem. in Ann. Mus. Congo*, iv. (1903) 93.—Afr. trop.
- Warburgii, *Gilg, in Engl. Jahrb.* xxxiv. 94.—Afr. trop.
- Whytei, *Stapf, in Journ. Linn. Soc.* xxxvii. 103.—Afr. trop.

**BEILSCHMIEDIA**, Nees (Laurac.).

- glomerata, *Merrill, in Philipp. Gov. Lab. Bur. Bull.* xxix. 15.—Ins. Philipp.
- obscura, *Engl. ex Stapf, in Journ. Linn. Soc.* xxxvii. 112 = *Afrodaphne obscura*.
- praecox, *Koord. & Valet. in Meded. 'S Lands Plantent.* lxxviii. 195.—Java.
- sessilifolia, *Engl. ex Stapf, in Journ. Linn. Soc.* xxxvii. 112 = *Afrodaphne sessilifolia*.
- ugandensis, *Rendle, in Journ. Linn. Soc.* xxxvii. 208.—Afr. trop.

**BELANGERA**, Cambess. (Saxifr.).

- Chaberti, *Pampan. in Ann. Conserv. & Jard. Bot. Genève*, vii-viii. 328.—Bras.
- paraguayensis, *Pampan. in Ann. di Bot. Roma*, ii. 53.—Parag.

**BELLEVALIA**, Montrouz. ex Beauvis. Gen. Montrouz.

- 80 = *Agation*, Brongn. (Violac.).
- artensis, *Montrouz. l. c.* = *A. Pancheri*.
- serrulata, *Montrouz. l. c.* 81 = *Ionidium ilicifolium*.
- undulata, *Montrouz. l. c.* 80 = *A. Pancheri*.

**BELLIOLUM**, Van Tiegh. in Journ. de Bot. xiv. (1900)

- 330 = *Drimys*, Forst. (Magnol.).
- crassifolium, *Van Tiegh. l. c.* = *D. crassifolia*.
- Pancheri, *Van Tiegh. l. c.* = *D. Pancheri*.
- rivularis, *Van Tiegh. l. c.* 331 = *D. rivularis*.
- Vieillardii, *Van Tiegh. l. c.* = *D. Vieillardii*.

**BELLIUM**, Linn. (Compos.).

- Sommieri, *Parl. in Lofac. Fl. Sic.* ii. i. 57.—Sicil.

**BELLUCIA**, Neck. (Melast.).

- acutata, *Pilg. in Verh. Bot. Ver. Brand.* xlvii. (1905) 181.—Reg. Amaz.
- aequiloba, *Pilg. l. c.* 182.—Reg. Amaz.

**BELMONTIA**, E. Mex. (Gentian.).

- Baumiana, *Gilg, in Warb. Kunene-Sambesi Exped.* 331.—Afr. trop.
- chionantha, *Gilg, l. c.* 332.—Afr. trop.

**BELOPERONE**, Nees (Acanth.).

- adenothyrsa, *Lindau, in Bull. Herb. Boiss. Sér. II.* iv. 416.—Mexic.
- albomarginata, *Lindau, l. c.* v. 373.—Parag.
- chapadensis, *S. Moore, in Journ. Bot.* 1904, 34.—Bras.
- corumbensis, *Lindau, in Bull. Herb. Boiss. Sér. II.* v. 373.—Bras.
- monopleurantha, *Lindau, l. c.* iv. 415.—Peruv.
- Purpusi, *T. S. Brandege, in Zoe*, v. (1903) 172.—Calif.
- pyrrhostachya, *Lindau, in Bull. Herb. Boiss. Sér. II.* iv. 417.—Peruv.
- thunbergioides, *Lindau, l. c.* v. 372.—Bras.

**BELUTTAKAKA**, Adans. = *Chonemorpha*, G. Don (Apocyn.).

- Grandieriana, *Pierre, in L. Planch. Prod. Apocyn.* (1894) 296 = *C. Grandieriana*.
- Harmandiana, *Pierre, l. c.* = *C. Harmandiana*.

**BENTHAMIELLA**, Speg. (Solan.).

- azorelloides, *Speg. Nov. Add. Fl. Patag.* ii. (1902), repr. 53.—Patag.

**BERARDIA**, Vill. (Compos.).

- lanuginosa, *Fiori & Paol. Fl. Ital.* iii. 316; *Ic. Fl. Ital.* 440 (= *Arctium lanuginosum*).—Ital.

**BERBERIS**, Tourn. (Berber.).

- afghanica, *Schneider, in Bull. Herb. Boiss. Sér. II.* v. 455.—Afghan.
- antucoana, *Schneider, l. c.* 144.—Chili.

**BERBERIS:**

- australis, *Hochr. in Ann. Conserv. & Jard. Bot. Genève*, vii-viii. (1904) 146.—Reg. Medit.
- Barbeyana, *Schneider, in Bull. Herb. Boiss. Sér. II.* v. 816.—Peruv.
- Beauverdiana, *Schneider, l. c.* 817.—Peruv.
- Berberiana, *Schneider, l. c.* 805.—N. Granat.
- Boissieri, *Schneider, l. c.* 660.—Ins. Balear.
- bumeliaefolia, *Schneider, l. c.* 818.—Bolivia.
- Caroli, *Schneider, l. c.* 459.—China.
- ceylanica, *Schneider, l. c.* 453.—Ind. or.; Zeylan.
- chimboensis, *Schneider, l. c.* 811, nomen.—Hab. ?
- Dielsiana, *Fedde, in Engl. Jahrb.* xxxvi. Beibl. lxxxii. 41.—China.
- dolichobotrys, *Fedde, l. c.* 41.—China.
- dubia, *Schneider, in Bull. Herb. Boiss. Sér. II.* v. 663.—China.
- elegans, *Léveillé, in Bull. Soc. Bot. Fr.* li. 289 (1904).—China.
- elegans, *Schneider, in Bull. Herb. Boiss. Sér. II.* v. 463 (1905).—China.
- Engleriana, *Schneider, l. c.* 807.—Ecuador.
- Feddeana, *Schneider, l. c.* 665.—China.
- Forskaliana, *Schneider, l. c.* 456.—Arabia.
- ganpinensis, *Léveillé, in Bull. Soc. Agric. Sci. Arts Sarthe*, 1904, repr. 2.—China.
- garhwalensis, *Schneider, in Bull. Herb. Boiss. Sér. II.* v. 454.—Reg. Himal.
- Gilgiana, *Fedde, in Engl. Jahrb.* xxxvi. Beibl. lxxxii. 43.—China.
- Griffithiana, *Schneider, in Bull. Herb. Boiss. Sér. II.* v. 403.—Reg. Himal.
- Henryana, *Schneider, l. c.* 664.—China.
- Hieronimi, *Schneider, l. c.* 394.—Reg. Argent.
- Huegeliana, *Schneider, l. c.* 451.—Reg. Himal.
- ignorata, *Schneider, l. c.* 661.—Reg. Himal.
- Itatiaiae, *Glaz. in Bull. Soc. Bot. Fr.* lii. Mém. III. 17, nomen.—Bras.
- Jaesckeanae, *Schneider, in Bull. Herb. Boiss. Sér. II.* v. 399.—Reg. Himal.
- japonica, *Schneider, l. c.* 667.—Japon.
- Jelskiana, *Schneider, l. c.* 808.—Peruv.
- Keissleriana, *Schneider, l. c.* 808.—Bolivia.
- Koehneana, *Schneider, l. c.* 814.—Ind. or.
- kumaonensis, *Schneider, l. c.* 397.—Ind. or.
- Lechleriana, *Schneider, l. c.* 806.—Ecuador ?
- montevideensis, *Schneider, l. c.* 143.—Urug.
- oblonga, *Schneider, l. c.* 458.—Turkestan.
- orientalis, *Schneider, l. c.* 666.—Reg. Cauc.; Persia.
- Petitiana, *Schneider, l. c.* 455.—Afr. trop.
- Rechingeri, *Schneider, l. c.* 808.—Bolivia.
- Rehderiana, *Schneider, l. c.* 659.—Japon ?
- Reicheana, *Schneider, l. c.* 806.—Ecuador.
- salicaria, *Fedde, in Engl. Jahrb.* xxxvi. Beibl. lxxxii. 42.—China.
- Schwerini, *Schneider, in Bull. Herb. Boiss. Sér. II.* v. 818.—Ecuador.
- Sellowiana, *Schneider, l. c.* 801.—Am. austr.
- Soulieana, *Schneider, l. c.* 449.—China.
- sphalera, *Fedde, in Engl. Jahrb.* xxxvi. Beibl. lxxxii. 44.—China.
- Thomsoniana, *Schneider, in Bull. Herb. Boiss. Sér. II.* v. 454.—Reg. Himal.
- triacanthophora, *Fedde, in Engl. Jahrb.* xxxvi. Beibl. lxxxii. 43.—China.
- variflora, *Schneider, in Bull. Herb. Boiss. Sér. II.* v. 147.—Chili.
- Verschaffelti, *Schneider, l. c.* 821.—Hab. ?
- Wawrana, *Schneider, l. c.* 140.—Chili.
- Wettsteiniana, *Schneider, l. c.* 809.—Bolivia.
- Wightiana, *Schneider, l. c.* 452.—Ind. or.
- Zabeliana, *Schneider, l. c.* 667.—Reg. Himal.
- Zahlbruckneriana, *Schneider, l. c.* 145.—Chili.
- BERGERETIA, Bub. Fl. Pyren. iii. (1901) 10 = *Illecebrum*, Linn. (Caryophyll.).
- uliginosa, *Bub. l. c.* = *I. verticillatum*.
- BERGIA, Linn. (Elatin.).
- erythroleuca, *Gilg, in Warb. Kunene-Sambesi Exped.* 308.—Afr. trop.
- palliderosea, *Gilg, l. c.* 308.—Afr. trop.
- Pentheriana, *Keissl. in Zahlbr. in Ann. Nat. Hofmus. Wien*, xv. 58.—Afr. austr.
- BERKHEYA, Ehrh. (Compos.).
- bilabiata, *N. E. Br. in Kew Bull.* 1901, 126.—Afr. austr.
- nivea, *N. E. Br. l. c.*—Afr. austr.
- spinulosa, *N. E. Br. l. c.* 127.—Afr. austr.



**BERLANDIERA**, DC. (Compos.).

*betonicifolia*, Small, *Fl. S. E. U. S.* 1246 (= *Silphium betonicifolium*).—Am. bor.  
*dealbata*, Small, *l. c.*—Am. bor.  
*humilis*, Small, *l. c.*—Am. bor.

**BERLINIA**, Soland. (Legum.).

*Baumii*, Harms, in *Warb. Kunene-Sambesi Exped.* 249.—Afr. trop.  
*bifoliolata*, Harms, in *Engl. Jahrb.* xxx. 83.—Afr. trop.  
*micrantha*, Harms, *l. c.* xxxiii. 156.—Afr. trop.  
*Scheffleri*, Harms, *l. c.* xxx. 83, descr.—Afr. trop.  
*tomentosa*, Harms, *l. c.* 321.—Afr. trop.

**BERMUDIANA**, Tourn. = *Sisyrinchium*, Linn. (Irid.).  
*bella*, Greene, Man. Bot. San Francisco Bay, 308 = *S. angustifolium*.  
*californica*, Greene, *l. c.* = *S. californicum*.

**BERNARDIA**, Houst. (Euphorb.).

*apaensis*, Chod. & Hassl. in *Bull. Herb. Boiss. Sér. II.* v. 504.—Parag.  
*guaranitica*, Chod. & Hassl. *l. c.* 505.—Parag.  
*Hassleriana*, Chod. in *Bull. Herb. Boiss. Sér. II.* i. 397.—Parag.  
*leptostachys*, Chod. & Hassl. in *Bull. Herb. Boiss. Sér. II.* v. 506.—Parag.  
*paraguariensis*, Chod. & Hassl. *l. c.* 503.—Parag.  
*polymorpha*, Chod. & Hassl. *l. c.* 505.—Parag.  
*simplex*, Chod. & Hassl. *l. c.*—Parag.

**BERNARDINA**, Baudo, in *Ann. Sci. Nat. Par. Sér. II.* xx.

348 (1843) = *Lysimachia*, Linn. (Primul.).  
*capensis*, Baudo, *l. c.* 349 = *L. nutans*.  
*clethroides*, Baudo, *l. c.* = *L. clethroides*.  
*elegans*, Baudo, *l. c.*; et ex Knuth, in *Engl. Pflanzenreich*, Primul. 294 = *L. Leschenaultii*.  
*eucalyx*, Baudo, *l. c.* = *L. glaucophylla*.  
*laurina*, Baudo, *l. c.*—Hab.?  
*lobelina*, Baudo, *l. c.*; et ex Knuth, in *Engl. Pflanzenreich*, Primul. 296 = *L. lobelioides*.  
*mauritiensis*, Baudo, *l. c.* = *L. mauritiana*.  
*orientalis*, Baudo, *l. c.* = *L. orientalis*.  
*parviflora*, Baudo, *l. c.* = *L. decurrens*.  
*pentapetala*, Baudo, *l. c.* = *L. pentapetala*.  
*pubescens*, Baudo, *l. c.* = *L. barystachys*.  
*pumila*, Baudo, *l. c.* = *L. pumila*.  
*salicifolia*, Baudo, *l. c.* 348 = *L. salicifolia*.  
*sessilis*, Baudo, *l. c.* 349 = *L. atropurpurea*, Linn.  
*stenia*, Baudo, *l. c.* = *L. lineariloba*.  
*tenuis*, Baudo, *l. c.* = *L. pyramidalis*.

**BERSAMA**, Fresen. (Sapind.).

*leiostegia*, Stapf, in *Journ. Linn. Soc.* xxxvii. 92.—Afr. trop.

**BERTEROA**, DC. (Crucif.).

[*ALYSSUM*, Tourn. I. K.]  
*Gintlii*, Rohl. in *Magyar Bot. Lap.* iii. (1904) 232; et in *Sitz. Böhm. Ges. Wiss.* 1904, no. 38, 24.—Montenegr.

**BERTIERA**, Aubl. (Rubiace.).

*Dewevrei*, Wildem. & Th. Dur. in *Ann. Mus. Congo*, Sér. III. i. 113.—Afr. trop.  
*laxissima*, K. Schum. in *Engl. Jahrb.* xxxiii. 348.—Afr. trop.

**BERTYA**, Planch. (Euphorb.).

*Andrewsii*, Fitzgerald, in *Journ. W. Austral. Nat. Hist. Soc.* ii. 31.—Austral.  
*Brownii*, S. Moore, in *Journ. Bot.* 1905, 147.—Austral.

**BERZELIA**, Brongn. (Bruniac.).

*Dregeana*, Colozza, in *Nuov. Giorn. Bot. Ital.* x. 396.—Afr. austr.  
*squarrosa*, Colozza, in *Ann. di Bot. Roma*, ii. (1905) 40 (= *Brunia squarrosa*).—Afr. austr.

**BESCHORNERIA**, Kunth (Amaryll.).

*Wrightii*, Hook. f. *Bot. Mag.* t. 7779.—Mexic.?

**BESLERIA**, Plum. (Gesner.).

*coriacea*, Urb. *Symb. Antill.* ii. 351.—Ind. occ.  
*elongata*, Urb. *l. c.* 353.—Ind. occ.  
*filipes*, Urb. *l. c.* 350.—Ind. occ.  
*lanceolata*, Urb. *l. c.* 351.—Ind. occ.  
*petiolaris*, Urb. *l. c.* 352 (= *Collandra petiolaris*).—Ind. occ.  
*Sieberiana*, Urb. *l. c.* 349.—Ind. occ.  
*strigillosa*, Urb. *l. c.*—Ind. occ.

VOL. IV.

**BESSEYA**, Rydberg, in *Bull. Torr. Bot. Club*, 1903, 279. *SCROPHULARIACEAE*.

[*SYNTHYRIS*, Benth. I. K.]  
*alpina*, Rydberg, *l. c.* 280 (= *Synthyris alpina*).—Am. bor.  
*Bullii*, Rydberg, *l. c.* (= *Gymnandra Bullii*).—Am. bor.  
*gymnocarpa*, Rydberg, *l. c.* (= *Wulfenia gymnocarpa*).—Am. bor.  
*plantaginea*, Rydberg, *l. c.* (= *S. plantaginea*).—Am. bor.  
*reflexa*, Rydberg, *l. c.* (= *S. reflexa*).—Am. bor.  
*Ritteriana*, Rydberg, *l. c.* (= *S. Ritteriana*).—Am. bor.  
*rubra*, Rydberg, *l. c.* (= *S. rubra*).—Am. bor.  
*wyomingensis*, Rydberg, *l. c.* (= *W. wyomingensis*).—Am. bor.

**BETULA**, Tourn. (Cupulif.).

*alaskana*, Sarg. in *Coult. Bot. Gaz.* 1901, 236.—Am. bor.  
*alleganiensis*, Britton, in *Bull. Torr. Bot. Club*, 1904, 166.—Am. bor.  
*Baeumkeri*, H. Winkl. in *Engl. Pflanzenreich*, Betul. 91.—China.  
*Borggreveana*, Zabel, ex H. Winkl. in *Engl. Pflanzenreich*, Betul. 94.—Hybr.  
*grandifolia*, Litw. in *Trav. Mus. Bot. Acad. Pétersb.* ii. 98.—Sibir.  
*Hallii*, Howell, *Fl. N. W. Amer.* i. 614.—Am. bor.  
*luminifera*, H. Winkl. in *Engl. Pflanzenreich*, Betul. 91.—China.  
*Piperi*, Britton, in *Bull. Torr. Bot. Club*, 1904, 165.—Am. bor.  
*Plettkei*, Junge, in *Verh. Nat. Ver. Hamb.* xiii. (1905) 39.—Hybr.  
*resinifera*, Britton, in *Britton & Rydb. in Bull. N. Y. Bot. Gard.* ii. vi. 165.—Am. bor.  
*Rosae*, H. Winkl. in *Engl. Pflanzenreich*, Betul. 135.—China.  
*Sandbergi*, Britton, in *Bull. Torr. Bot. Club*, 1904, 166.—Am. bor.  
*utahensis*, Britton, *l. c.* 165.—Am. bor.  
*Vulcani*, Léveillé & Vaniot, in *Bull. Soc. Bot. Fr.* li. 423.—Japon.  
*Zimpelii*, Junge, in *Allg. Bot. Zeitschr.* 1904, 153; et ex H. Winkl. in *Engl. Pflanzenreich*, Betul. 94.—Hybr.

**BIAURICULA**, Bub. Fl. Pyren. iii. (1901) 217 = *Iberis*, Linn. (Crucif.).

*amara*, Bub. Fl. Pyren. iii. 225 = *I. amara*.  
*Benthamiana*, Bub. *l. c.* 220 = *I. Benthamiana*.  
*ciliata*, Bub. *l. c.* 222 = *I. ciliata*.  
*Dewillei*, Bub. *l. c.* 217 = *I. Bubanii*.  
*Dunalii*, Bub. *l. c.* 221.—Eur.  
*linifolia*, Bub. *l. c.* 223 = *I. linifolia*.  
*panduraeformis*, Bub. *l. c.* 224 = *I. panduraeformis*.  
*pinnatifida*, Bub. *l. c.* 223 = *I. pinnatifida*.  
*resedaefolia*, Bub. *l. c.* = *I. resedaefolia*.  
*saxatilis*, Bub. *l. c.* 226 = *I. saxatilis*.  
*sempervirens*, Bub. *l. c.* 225 = *I. sempervirens*.  
*spathulata*, Bub. *l. c.* 217 = *I. spathulata*.

**BICUCULLA**, Borchk. = *Adlumia*, Rafin. (Papav.).

*occidentalis*, Rydb. in *Bull. Torr. Bot. Club*, 1902, 160.—Am. bor.

**BICUSPIDARIA**, Rydberg, in *Bull. Torr. Bot. Club*, 1903, 275. *LOASACEAE*.

[*MENTZELIA*, Linn. D. T. & H.]  
*hirsutissima*, Rydberg, *l. c.* 275 (= *Mentzelia hirsutissima*).—Calif.  
*involuta*, Rydberg, *l. c.* (= *M. involuta*).—Calif.  
*tricuspis*, Rydberg, *l. c.* (= *M. tricuspis*).—Calif.

**BIDENS**, Tourn. (Compos.).

*acuta*, Britton, Man. Fl. N. U. S. 1001.—Am. bor.  
*amplissima*, Greene, in *Pittonia*, iv. 268.—Am. bor.  
*bicolor*, Greenm. in *Proc. Amer. Acad.* xxxix. 114.—Mexic.  
*ciliolata*, Greene, in *Pittonia*, iv. 256.—Am. bor.  
*cognata*, Greene, *Leaflets Bot. Obs.* i. 149.—Am. bor.  
*Cusickii*, Greene, in *Pittonia*, iv. 259.—Am. bor.  
*Eatoni*, Fernald, in *Rhodora*, v. (1903) 92.—Am. bor.  
*elegans*, Greene, in *Pittonia*, iv. 254.—Am. bor.  
*elliptica*, Gleason, in *Ohio Naturalist*, v. 317.—Am. bor.  
*expansa*, Greene, in *Pittonia*, iv. 266.—Am. bor.  
*flabellata*, O. Hoffm. in *Warb. Kunene-Sambesi Exped.* 419.—Afr. trop.  
*formosa*, Greene, in *Pittonia*, iv. 264.—Am. bor.  
*glaucescens*, Greene, *l. c.* 258.—Am. bor.

**BIDENS** :—

*gracilentia*, Greene, in *Pittonia*, iv. 255.—Am. bor.  
*hyperborea*, Greene, *l. c.* 257.—Am. bor.  
*Kelloggii*, Greene, *l. c.* 267.—Am. bor.  
*leptomeria*, Greene, *l. c.* 264.—Am. bor.  
*leptopoda*, Greene, *l. c.* 260.—Am. bor.  
*lonchophylla*, Greene, *l. c.* 258.—Am. bor.  
*lugens*, Greene, *l. c.* 254.—Am. bor.  
*Macounii*, Greene, *l. c.* 259.—Am. bor.  
*marginata*, Greene, *l. c.* 262.—Am. bor.  
*oligantha*, T. S. Brandegee, in *Zoe*, v. 224 (1905).—Mexic.  
*Parryi*, Greene, in *Pittonia*, iv. 265.—Am. bor.  
*persicaefolia*, Greene, *l. c.* 266.—Am. bor.  
*Pringlei*, Greenm. in *Proc. Amer. Acad.* xli. 263.—Mexic.  
*prionophylla*, Greene, *Pittonia*, iv. 256.—Am. bor.  
*riparia*, Greene, *l. c.* 261.—Am. bor.  
*robustior*, S. Moore, in *Journ. Linn. Soc.* xxxv. 349.—Afr. trop.  
*sarmentosa*, Greenm. in *Proc. Amer. Acad.* xli. 264.—Mexic.  
*speciosa*, Parish, in *Zoe*, v. 75 (1900).—Calif.  
*urceolata*, Wildem. in *Ann. Mus. Congo*, Sér. IV. 167.—Afr. trop.  
*ukambensis*, S. Moore, in *Journ. Linn. Soc.* xxxv. 350.—Afr. trop.

**BIFRENARIA**, Lindl. (Orchid.).

*Wendlandiana*, Cogn. in *Mart. Fl. Bras.* iii. v. 489 (= *Stenocoryne Wendlandiana*).—Bras.

**BIGAMEA**, Koen. = *Ancistrocladus*, Wall. (Dipterocarpaceae).

*hamata*, Van Tiegh, in *Journ. de Bot.* 1903, 155 (= *A. hamatus*).—Zeylan.  
*Thwaitesi*, Van Tiegh, *l. c.* (= *A. Thwaitesi*).—Zeylan.

**BIGELOWIA**, DC. (Compos.).

*Lehmannii*, Hieron. in *Engl. Jahrb.* xxviii. 583.—Ecuador.  
*Nelsonii*, Fern. in *Proc. Amer. Acad.* xxxvi. 505.—Mexic.

**BIGNONIA**, Tourn. (Bignon.).

*acuminata*, F. R. Johnston, in *Proc. Amer. Acad.* xl. 696.—Venez.  
*californica*, T. S. Brandegee, in *Zoe*, v. 170 (1903).—Calif.

**BIHAI**, Adans. = *Heliconia*, Linn. (Musac.).

*aurantiaca*, Bihai, *borinquena*, Burchellii, *Champneiana*, *choconiana*, *Collinsiana*, *crassa*, *distans*, *elongata*, *episcopalis*, *humilis*, *latispatha*, *librata*, *lingulata*, *platystachys*, *purpurea*, *rostrata*, *rutilla*, *spissa*, *tortuosa*, Griggs, in *Bull. Torr. Bot. Club*, 1904, 445 = homonyma omnia *Heliconiae*.  
*longa*, Griggs, *l. c.* 446.—Am. cent.  
*reticulata*, Griggs, *l. c.*—Am. cent.

**BIKKIA**, Reinw. (Rubiace.).

*fritillarioides*, Schlechter, in *Engl. Jahrb.* xxxvi. 19 (= *Grisia fritillarioides*).—N. Caled.

**BILDERDYKIA**, Dum. = *Polygonum*, Tourn. (Polygon.).

*cilinodis*, Greene, *Leaflets Bot. Obs.* i. 23 (= *Polygonum cilinode*).—Am. bor.  
*cristata*, Greene, *l. c.* (= *Polygonum cristatum*).—Am. bor.  
*pterocarpa*, Greene, *l. c.* (= *Polygonum pterocarpum*).—Ind. or.  
*scandens*, Greene, *l. c.* (= *Polygonum scandens*).—Am. bor.

**BI-LEVELLEA**, Vaniot, in *Bull. Acad. Géogr. Bot.* xiii. (1904) 326. *COMPOSITAE*.

*LEVELLEA*, Vaniot, non Decne.  
 [BLUMEA, DC. D. T. & H.]

**BILLARDIERA**, Sm. (Pittospor.).

*gracilis*, Diels, in *Engl. Jahrb.* xxxv. 213.—Austral.

**BILLBERGIA**, Thunb. (Bromel.).

*boliviensis*, Baker, in *Bull. Torr. Bot. Club*, 1902, 696.—Bolivia.  
*Forgetiana*, Hort. Sand. in *Gard. Chron.* 1903, I. 266, t. 102.—Hab.?  
*magnifica*, Mez, in *Bull. Herb. Boiss. Sér. II.* iii. 133.—Parag.  
*Meyeri*, Mez, in *Pilg. in Engl. Jahrb.* xxx. 148.—Bras.  
*oxysepala*, Mez, in *Bull. Herb. Boiss. Sér. II.* iv. 621.—Bras.

- BILTIA**, Small, Fl. S. E. U. S. 884 (1903). *ERICA-CEAE*.  
[*RHODODENDRON*, Linn. D. T. & H.]  
Vaseyi, Small, l. c. (= *Rhododendron Vaseyi*).—Am. bor.
- BINOTIA**, Rolfe, in Orchid Rev. (1905) 296. *ORCHIDEAE*.  
brasiliensis, Rolfe, l. c.—Bras.
- BIONDIA**, Schlechter, in Engl. Jahrb. xxxvi. Beibl. lxxxii. (1905) 91. *ASCLEPIADACEAE*.  
chinensis, Schlechter, l. c.—China.
- BIPINNULA**, Comm. (Orchid.).  
Philipporum, Kraenzl. Orch. Gen. et Sp. ii. 21.—Chili.  
Volkmanni, Kraenzl. l. c. 22.—Chili.
- BIRAMELLA**, Van Tiegh. in Journ. de Bot. xvii. (1903) 96 = *Ochna*, Linn. (Ochnac.).  
Holstii, Van Tiegh. l. c. 97; Bull. Mus. Hist. Nat. Par. 1903, 159; et in Ann. Sci. Nat. Sér. VIII. xviii. 40 = *Ochna* Holstii.
- BISCUTELLA**, Linn. (Crucif.).  
corsica, Rouy, in Rev. Bot. Syst. Géogr. Bot. i. 132.—Corsica.  
montenegrina, Rohl. in Sitz. Böhm. Ges. Wiss. 1903, no. 17, 17.—Montenegr.  
Rotgesii, Fouc. in Bull. Soc. Bot. Roch. xxii. 28, fide Index Univ. Bot. 1204.—Eur.  
turolensis, Pau, in Bol. Soc. Arag. ii. 282, nomen.—Hispan.
- BISSETARIA**, Van Tiegh. in Journ. de Bot. 1902, 35 = *Ouratea*, Aubl. (Ochnac.).  
febrifuga, Van Tiegh. in Ann. Sci. Nat. Sér. VIII. xviii. 14 = *Ouratea febrifuga*.  
Lecomtei, Van Tiegh. in Journ. de Bot. 1902, 45 = *Ouratea Lecomtei*.
- BISGOEPPERTIA**, O. Kuntze (Gentian.).  
[*GOEPPERTIA*, Griseb. I. K.]  
Frenlelopuii, Urb. Symb. Antill. iii. 331.—Ind. occ.
- BISTORTA**, Tourn. = *Polygonum*, Linn. (Polygon.).  
affinis, Greene, Leaflets Bot. Obs. i. 21 = *P. affine*.  
amplexicaulis, Greene, l. c. = *P. amplexicaule*.  
bernardina, Greene, l. c. 18 = *P. bernardinum*.  
bulbifera, Greene, l. c. 21 = *P. bulbiferum*.  
calophylla, Greene, l. c. 19.—Am. bor.  
cephalophora, Greene, l. c. 18 = *P. cephalophorum*.  
confusa, Greene, l. c. 21 = *P. confusum*.  
glastifolia, Greene, l. c. 18 = *P. glastifolium*.  
jejuna, Greene, l. c. = *P. jejunum*.  
leptophylla, Greene, l. c. 20.—Calif.  
lilacina, Greene, l. c. 18.—Am. bor.  
linearifolia, Greene, l. c. = *P. linearifolium*.  
littoralis, Greene, l. c. 19.—Am. bor.  
Macounii, Greene, l. c. 18 = *P. Macounii*.  
ophioglossa, Greene, l. c. 19.—Am. bor.  
oxyphylla, Greene, l. c. 21 = *P. oxyphyllum*.  
perpusilla, Greene, l. c. = *P. perpusillum*.  
plumosa, Greene, l. c. 18 = *P. plumosum*.  
scaberula, Greene, l. c. 77.—Calif.  
scopulina, Greene, l. c. 20.—Am. bor.  
speciosa, Greene, l. c. 21 = *P. speciosum*.  
sphaerostachya, Greene, l. c. = *P. sphaerostachyum*.  
stenophylla, Greene, l. c. = *P. stenophyllum*.  
vacciniifolia, Greene, l. c. = *P. vacciniifolium*.  
vulcanica, Greene, l. c. 18 = *P. vulcanicum*.
- BLAERIA**, Linn. (Ericac.).  
affinis, N. E. Br. in Dyer, Fl. Cap. iv. 1, 325.—Afr. austr.  
grandis, N. E. Br. l. c. 320.—Afr. austr.  
kingaensis, Engl. Jahrb. xxx. 370.—Afr. trop.  
subverticillata, Engl. l. c. 371.—Afr. trop.
- BLAINVILLEA**, Cass. (Compos.).  
latifolia, DC. in Wight, Contrib. Ind. Or. 17 = *rhomboida*.
- BLAKEA**, P. Br. (Melast.).  
monticola, J. R. Johnston, in Proc. Amer. Acad. xl. 693.—Venez.  
tuberculata, Donn. Sm. in Coult. Bot. Gaz. xxxi. 111.—Am. cent.
- BLANDOWIA**, Willd. = *Apinagia*, Tul. (Podost.).  
myriophylla, Nash, in N. Am. Fl. xxii. 5 (= *Neolacis myriophylla*).—Am. cent.

- BLASTEMANTHUS**, Planch. (Ochnac.).  
paniculatus, Van Tiegh. in Ann. Sci. Nat. Sér. VIII. xix. 68.—Guiana.  
Sprucei, Van Tiegh. l. c.—Bras.
- BLASTOCAULON**, Ruhl. in Engl. Pflanzenreich, Eriocaul. 223 (1903). *ERIOCAULACEAE*.  
albidum, Ruhl. l. c. 225 (= *Paepalanthus albidus*).—Bras.  
prostratum, Ruhl. l. c. 224 (= *Paepalanthus prostratus*).—Bras.  
rupestre, Ruhl. l. c. 223 (= *Paepalanthus rupestris*).—Bras.
- BLEPHARIGLOTIS**, Rafin. = *Habenaria*, Willd. (Orchid.).  
Blephariglottis, Rydb. in Britton, Man. Fl. N. U. S. 296 (= *Habenaria Blephariglottis*).—Am. bor.  
Chapmanii, Small, Fl. S. E. U. S. 314.—Am. bor.  
ciliaris, Rydb. in Britton, Man. Fl. N. U. S. 296 (= *Habenaria ciliaris*).—Am. bor.  
conspicua, Small, Fl. S. E. U. S. 313 (= *Habenaria conspicua*).—Am. bor.  
grandiflora, Rydb. in Britton, Man. Fl. N. U. S. 296 (= *Habenaria grandiflora*).—Am. bor.  
lacera, Rydb. l. c. (= *Habenaria lacera*).—Am. bor.  
leucophaea, Rydb. l. c. (= *Habenaria leucophaea*).—Am. bor.  
peramoena, Rydb. l. c. 297 (= *Habenaria peramoena*).—Am. bor.  
psycodes, Rydb. l. c. 296 (= *Habenaria psycodes*).—Am. bor.
- BLEPHARIS**, Juss. (Acanth.).  
carduacea, Lindau, in Engl. Jahrb. xxx. 410.—Afr. trop.  
cristata, S. Moore, in Journ. Linn. Soc. xxxvii. 194.—Afr. trop.  
dilatata, C. B. Clarke, in Dyer, Fl. Cap. v. 31.—Afr. austr.  
Ecklonii, C. B. Clarke, l. c. 27.—Afr. austr.  
extenuata, S. Moore, in Journ. Bot. 1901, 301.—Afr. trop.  
inaequalis, C. B. Clarke, in Dyer, Fl. Cap. v. 32.—Afr. austr.  
inermis, C. B. Clarke, l. c. 28.—Afr. austr.  
innocua, C. B. Clarke, l. c. 25.—Afr. austr.  
katangensis, Wildem. in Ann. Mus. Congo, Sér. IV. 146.—Afr. trop.  
longispica, C. B. Clarke, in Dyer, Fl. Cap. v. 30.—Afr. austr.  
marginata, C. B. Clarke, l. c. 29 (= *Acanthodium marginatum*).—Afr. austr.  
mitrata, C. B. Clarke, l. c. 27 (= *Blepharacanthus furcatus*).—Afr. austr.  
Scullyi, S. Moore, in Journ. Bot. 1901, 301.—Afr. trop.  
sinuata, C. B. Clarke, in Dyer, Fl. Cap. v. 33 (= *Acanthodium sinuatum*).—Afr. austr.  
Stainbankiae, C. B. Clarke, l. c. 26.—Afr. austr.  
subvolubilis, C. B. Clarke, l. c. 31.—Afr. austr.  
uniflora, C. B. Clarke, l. c. 27.—Afr. austr.  
Verdickii, Wildem. in Ann. Mus. Congo, Sér. IV. 147.—Afr. trop.  
villosa, C. B. Clarke, in Dyer, Fl. Cap. v. 29.—Afr. austr.
- BLEPHARISPERMUM**, Wight (Compos.).  
minus, S. Moore, in Journ. Bot. 1902, 340.—Afr. trop.  
pubescens, S. Moore, in Journ. Linn. Soc. xxxvii. 168.—Afr. trop.
- BLEPHARIZONIA**, Greene, Man. Bot. San Francisco Bay, 198. *COMPOSITAE*.  
laxa, Greene, l. c.—Calif.  
plumosa, Greene, l. c.—Calif.
- BLEPHARODON**, Decne. (Asclep.).  
angustifolius, Malme, in Bih. Svenska Vet. Akad. Handl. xxvii. no. 8, 32.—Parag.
- BLETIA**, Ruiz & Pav. (Orchid.).  
Rodriguesii, Cogn. in Mart. Fl. Bras. iii. v. 351.—Bras.
- BLITUM**, Tourn. = *Chenopodium*, Linn. (Chenopod.).  
hastatum, Rydb. in Bull. Torr. Bot. Club, 1901, 273.—Am. bor.

- BLUMEA**, DC. (Compos.).  
Bodinieri, Vaniot, in Bull. Acad. Géogr. Bot. 1903, 23.—China.  
Ducloxii, Vaniot, l. c. 25.—China.  
globata, Vaniot, l. c. 24.—China.  
gracilis, Dunn, in Journ. Linn. Soc. xxxv. 502.—China.  
Henryi, Dunn, l. c. 503.—China.  
hongkongensis, Vaniot, in Bull. Acad. Géogr. Bot. 1903, 22.—China.  
lanuginosa, Law, ex Cooke, Fl. Bombay, ii. 23 = *Malcolmii*.  
Martiniana, Vaniot, in Bull. Acad. Géogr. Bot. 1903, 26.—China.  
subracemosa, C. B. Clarke, in Bot. Tidsskr. xxiv. 245 (= *Conyza subracemosa*).—Java.
- BLUMENBACHIA**, Schrad. (Loasac.).  
acaulis, R. Phil. in Anal. Univ. Chil. lxxxv. 17.—Chili.  
mitis, R. Phil. l. c.—Chili.  
nemorosa, R. Phil. l. c. 18.—Chili.
- BLYXA**, Noronha (Hydrocharid.).  
caulescens, Maxim. in Bot. Mag. Tokyo, iv. no. 39; et ex Matsum. Ind. Pl. Jap. ii. 31.—Japon.  
leiocarpa, Maxim. l. c. no. 30; et ex Matsum. l. c. 32.—Japon.
- BOBARTIA**, Linn. (Irid.).  
gracilis, Baker, in Kew Bull. 1901, 134.—Afr. austr.
- BOCAGEA**, St. Hil. (Anonac.).  
mattogrossensis, R. Fries, in Arkiv Bot. Stockh. iv. no. 19, 12.—Bras.
- BODINIERIA**, Léveillé & Vaniot, in Bull. Acad. Géogr. Bot. 1902, 48. *RANUNCULACEAE*.  
thalictrifolia, Léveillé & Vaniot, l. c.—China.
- BOEA**, Comm. (Gesner.).  
hians, Burkill, in Kew Bull. 1901, 142.—N. Guin.
- BOEBERA**, Willd. = *Dysodia*, Cav. (Compos.).  
papposa, Rydb. in Britton, Man. Fl. N. U. S. 1012 = *D. papposa*.
- BOEHMERIA**, Jacq. (Urtic.).  
austriana, Small, Fl. S. E. U. S. 359.—Am. bor.  
decurrens, Small, l. c. 358.—Am. bor.  
scabra, Small, l. c.—Am. bor.  
tenuistachys, Rusby, in Bull. Torr. Bot. Club, 1901, 312.—Bolivia.
- BOEHMERIOPSIS**, Kom. in Act. Hort. Petrop. xviii. 441 (1901). *URTICACEAE*.  
pallida, Kom. l. c.—As. or.
- BOERHAAVIA**, Vaill. (Nyctag.).  
Heimerlii, Vierh. in Oesterr. Bot. Zeitschr. liii. 435.—Socotra.  
Simonyi, Heimerl & Vierh. ex Vierh. in Oesterr. Bot. Zeitschr. liii. 435.—Socotra.
- BOERLAGIODENDRON**, Harms (Aral.).  
monticola, Harms, in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee, 330.—N. Guin.
- BOGORIA**, J. J. Sm. Orchid. Java, 566 (1905). *ORCHIDACEAE*.  
Raciborskii, J. J. Sm. l. c.—Java.
- BOISDUVALIA**, Spach (Onagrac.).  
[*OENOTHERA*, Linn. I. K.]  
campestris, Jepson, Fl. W. Mid. Calif. 330.—Am. bor.  
imbricata, A. A. Heller, Muhlenbergia, i. 42.—Calif.  
macrantha, A. A. Heller, l. c. ii. 101.—Calif.  
sparsiflora, A. A. Heller, l. c. i. 42.—Calif.
- BOLBOSCHOENUS**, Palla, in Koch, Syn. Deutsch. Fl. ed. III. 2531 (1904). *CYPERACEAE*.  
maritimus, Palla, l. c. 2532 (= *Scirpus maritimus*).—Cosmos.
- BOLTONIA**, L. Hérit. (Compos.).  
occidentalis, Howell, Fl. N. W. Am. i. 305.—Am. bor.

- BOLUSIA**, Benth. (Legum.).  
amboensis, *Harms, in Warb. Kunene-Sambesi Exped.* 260 (= *Phaseolus amboensis*).—Afr. trop.
- BOMAREA**, Mirb. (Amaryll.).  
boliviensis, *Baker, in Bull. Torr. Bot. Club*, 1902, 700.—Bolivia.
- BOMBAX**, Linn. (Bombac.).  
chastifolium, *K. Schum. ex Glas. in Bull. Soc. Bot. Fr.* lii. Mém. III. 51, nomen.—Bras.  
Kimuenzae, *Wildem. & Th. Dur. in Bull. Herb. Boiss. Sér. II. i. 740.*—Afr. trop.  
lukayense, *Wildem. & Th. Dur. l. c. 741.*—Afr. trop.  
Martianum, *K. Schum. ex Chod. & Hassl. in Bull. Herb. Boiss. Sér. II. v. 73* (= *Carolinea tomentosa*).—Parag.  
pumilum, *Pilg. in Engl. Jahrb.* xxx. 172.—Bras.  
tenebrosus, *Dunn, in Journ. Linn. Soc.* xxxv. 486.—China.  
Valetonii, *Hochr. in Bull. Inst. Buitenz.* xix. 15, 23; *Pl. Bogor. Exsicc.* 7.—Java.
- BOMBYCIDENDRON**, Zoll. & Mor. = **Hibiscus**, Linn. (Malvac.).  
glabrescens, *Warb. ex Perkins, Frag. Fl. Philipp.* i. 110.—Ins. Philipp.  
parvifolium, *Warb. l. c.*—Ins. Philipp.
- BONAMIA**, Thou. (Convolv.).  
spinosa, *Vierh. in Oesterr. Bot. Zeitschr.* 1904, 287.—Socotra.
- BONANIA**, A. Rich. (Euphorb.).  
microphylla, *Urb. Symb. Antill.* iii. 311.—Ind. occ.
- BONANNIA**, Guss. (Umbell.).  
graeca, *Halacsy, Consp. Fl. Graec.* i. 641 (= *S. graecum*).—Graecia.
- BONATEA**, Willd. (Orchid.).  
[**HABENARIA**, Willd. I. K.]  
antennifera, *Rolfe, in Gard. Chron.* 1905, II. 450.—Afr. trop.  
Pirottae, *Cortesi, in Ann. di Bot. Roma*, ii. 362.—Afr. trop.  
Verdichii, *Wildem. in Ann. Mus. Congo*, Sér. IV. 24.—Afr. trop.
- BONNIERELLA**, Viguier, in *Bull. Soc. Bot. Fr.* lii. (1905) 314. **ARALIACEAE**.  
tahitense, *Viguier, l. c.* (= *Panax tahitensis*).—Ins. Societ.
- BONYUNIA**, Schomb. (Logan.).  
minor, *N. E. Br. in Trans. Linn. Soc. Ser. II. vi. 49.*—Guian.
- BOOPIS**, Juss. (Calycer.).  
Ameghinoi, *Speg. Nov. Add. Fl. Patag.* i. (1901), repr. 69.—Patag.  
chubutensis, *Speg. in Anal. Mus. Buenos Aires*, vii. 300.—Patag.  
filifolia, *Speg. Nov. Add. Fl. Patag.* i. (1901), repr. 70.—Patag.  
leptophylla, *Speg. l. c. 71.*—Patag.  
patagonica, *Speg. in Anal. Mus. Buenos Aires*, vii. 301.—Patag.  
Prichardi, *S. Moore, in Rendle, in Journ. Bot.* 1904, 372.—Patag.
- BOOTTIA**, Wall. (Hydrocharid.).  
Aschersonia, *Guerke, in Warb. Kunene-Sambesi Exped.* 173.—Afr. trop.  
brachyphylla, *Guerke, in Urb. & Graebn. Festschr. Aschers.* 539.—Afr. trop.  
kunenensis, *Guerke, in Warb. Kunene-Sambesi Exped.* 172.—Afr. trop.  
parviflora, *Guerke, in Urb. & Graebn. Festschr. Aschers.* 537.—Afr. trop.  
Rautaneni, *Guerke, l. c. 583.*—Afr. trop.
- BOPUSIA**, Presl = **Graderia**, Benth. (Scrophul.).  
subintegra, *Hiern, in Dyer, Fl. Cap.* iv. II. 390 = *G. subintegra*.
- BORONIA**, Sm. (Rutac.).  
granitica, *Maiden & Betche, in Proc. Linn. Soc. N. S. Wales*, xxx. 357.—Austral.  
Purdieana, *Diels, in Engl. Jahrb.* xxxv. 318.—Austral.  
xerophila, *Diels, l. c. 319.*—Austral.
- BORRERIA**, G. F. W. Mey. (Rubiace.).  
[**SPERMACOCE**, Linn. I. K.]  
articularis, *F. N. Williams, in Bull. Herb. Boiss. Sér. II. v. 956* (= *Spermacoce articularis*).—Siam.  
cristata, *S. Moore, in Journ. Bot.* 1904, 101.—Bras.  
cyperoides, *Chod. in Bull. Herb. Boiss. Sér. II. iv. 187.*—Parag.  
guaranitica, *Chod. l. c. 186.*—Parag.  
Hassleriana, *Chod. l. c. 188.*—Parag.  
malacophylla, *K. Schum. in Engl. Jahrb.* xxxiii. 373.—Afr. trop.  
minutiflora, *K. Schum. l. c.*—Afr. trop.  
oligantha, *K. Schum. in Schlechter, Westaf. Kautschuk-Exped.* 322, nomen.—Afr. trop.  
paraguariensis, *Chod. in Bull. Herb. Boiss. Sér. II. iv. 186.*—Parag.  
perangusta, *S. Moore, in Journ. Bot.* 1904, 100.—Bras.  
Princeae, *K. Schum. in Engl. Jahrb.* xxxiv. 341.—Afr. trop.  
somphica, *K. Schum. l. c. xxxiii. 374.*—Afr. trop.  
tetradon, *K. Schum. in Schlechter, Westaf. Kautschuk-Exped.* 322, nomen.—Afr. trop.
- BORRICHIA**, Adans. (Compos.).  
glabrata, *Small, Fl. S. E. U. S.* 1263.—Am. bor.
- BORYA**, Montrouz. ex Beauvis, Gen. Montrouz. 68 (1901) = **Oxera**, Labill. (Verben.).  
Latreillei, *Montrouz. l. c.* = *O. oblongifolia*.
- BOSCIA**, Lam. (Capparid.).  
filipes, *Gilg, in Engl. Jahrb.* xxxiii. 221.—Afr. trop.  
pachyandra, *Gilg, l. c. xxx. 310.*—Afr. trop.  
Pestalozziana, *Gilg, l. c. xxxiii. 221.*—Afr. trop.  
prunoides, *Gage, in Rec. Bot. Surv. India*, iii. 23.—Burma.  
suaveolens, *Gilg, in Warb. Kunene-Sambesi Exped.* 239.—Afr. trop.
- BOSLERIA**, A. Nelson, in *Proc. Biol. Soc. Washington*, xviii. (1905) 175. **SOLANACEAE**.  
nevadensis, *A. Nelson, l. c.*—Am. bor.
- BOSQUEIOPSIS**, Wildem. & Th. Dur. in *Bull. Herb. Boiss. Sér. II. i. (1901) 839. **URTICACEAE**.  
Gilletii, *Wildem. & Th. Dur. l. c. 840.*—Afr. trop.*
- BOSSIAEA**, Vent. (Legum.).  
leptacantha, *Pritz. in Engl. Jahrb.* xxxv. 263.—Austral.
- BOSWELLIA**, Roxb. (Burser.).  
boranensis, *Engl. Jahrb.* xxxiv. 316.—Afr. trop.  
elegans, *Engl. l. c. 314.*—Afr. trop.
- BOTHRIOCLINE**, Oliv. (Compos.).  
linearifolia, *O. Hoffm. in Warb. Kunene-Sambesi Exped.* 399.—Afr. trop.  
Schinzii, *O. Hoffm. l. c. 398.*—Afr. trop.
- BOUCHEA**, Cham. (Verben.).  
caespitosa, *H. H. W. Pearson, in Trans. S. Afr. Phil. Soc.* xv. 178.—Afr. austr.  
glandulifera, *H. H. W. Pearson, in Dyer, Fl. Cap.* v. 204.—Afr. austr.  
incisa, *H. H. W. Pearson, in Trans. S. Afr. Phil. Soc.* xv. 180.—Afr. trop.  
integrifolia, *H. H. W. Pearson, l. c. 179.*—Afr. austr.  
Krookii, *Guerke, ex Zahlbr. in Ann. Nat. Hofmus. Wien*, xx. (1905) 45.—Afr. austr.  
longipetala, *H. H. W. Pearson, in Dyer, Fl. Cap.* v. 199.—Afr. austr.  
namaquana, *Bolus, ex H. H. W. Pearson, l. c. 204.*—Afr. austr.
- BOUCHETIA**, DC. (Solan.).  
arniatera, *Robinson, in Coult. Bot. Gaz.* xxxviii. 377.—Mexic.
- BOUTELOUA**, Lag. (Gramin.).  
hirticulmis, *Scribn. in U. S. Dept. Agric. Circ. Agrost.* xxx. 4.—Am. bor.  
Pringlei, *Scribn. l. c.*—Am. bor.
- BOUVARDIA**, Salisb. (Rubiace.).  
Conzattii, *Greenm. in Proc. Amer. Acad.* xxxix. 92.—Mexic.
- BOWKERIA**, Harv. (Scrophul.).  
Gerrardiana, *Harv. ex Hiern, in Dyer, Fl. Cap.* iv. II. 220.—Afr. austr.  
velutina, *Harv. l. c. 219.*—Afr. austr.
- BOYKINIA**, Nutt. (Saxifrag.).  
heucheriforme, *Rosend. in Engl. Jahrb.* xxxvii. Beibl. lxxxiii. 62 (= *Therophon heucheriforme*).—Am. bor.
- BRACEA**, Britton, in *Bull. N. York Bot. Gard.* iii. (1905) 448. **APOCYNACEAE**.  
bahamensis, *Britton, l. c.*—Ind. occ.
- BRACHIARIA**, Griseb. = **Panicum**, Linn. (Gramin.).  
digitarioides, *Nash, in Britton, Man. Fl. N. U. S.* 77 = *P. digitarioides*.  
obtusum, *Nash, l. c.* = *P. obtusum*.  
platyphylla, *Nash, in Small, Fl. S. E. U. S.* 81 = *P. platyphyllum*.
- BRACHIONIDIUM**, Lindl. (Orchid.).  
brevicaudatum, *Rolfe, in Trans. Linn. Soc. Ser. II. vi. 59.*—Guian.
- BRACHISTUS**, Miers (Solan.).  
lanceolatus, *Greenm. in Donn. Sm. in Coult. Bot. Gaz.* xxxvii. 212.—Am. cent.  
physocalycius, *Donn. Sm. in Coult. Bot. Gaz.* xl. 8.—Am. cent.
- BRACHYACTIS**, Ledeb. (Compos.).  
[**ASTER**, Linn. D. T. & H.]  
hybrida, *Greene, Leaflets Bot. Obs.* i. 147.—Am. bor.
- BRACHYANDRA**, Phil. (Compos.).  
tenuifolia, *Reiche, Fl. Chile*, iii. 263 (= *Leto tenuifolia*).—Chili.
- BRACHYCHILUM**, O. G. Petersen (Scitamin.).  
tenellum, *K. Schum. in Engl. Pflanzenreich, Zingib.* 61.—Ins. Molucc.
- BRACHYCLADOS**, D. Don (Compos.).  
caespitosus, *Speg. Nov. Add. Fl. Patag.* ii. (1902), repr. 18 (= *Lavidia caespitosa*).—Patag.  
megalanthus, *Speg. l. c. 19.*—Patag.
- BRACHYCOME**, Cass. (Compos.).  
ciliocarpa, *Fitzger. in Journ. W. Austral. Nat. Hist. Soc.* ii. 23.—Austral.  
oncocarpa, *Diels, in Engl. Jahrb.* xxxv. 606.—Austral.  
palustris, *O. Hoffm. in Engl. Jahrb.* xxx. 427.—Afr. trop.
- BRACHYCORYTHIS**, Lindl. (Orchid.).  
oligophylla, *Kraenzl. in Warb. Kunene-Sambesi Exped.* 208.—Afr. trop.
- BRACHYGYNE**, Small, Fl. S. E. U. S. 1073 (1903). **SCROPHULARIACEAE**.  
macrophylla, *Small, l. c.* (= *Seymeria macrophylla*).—Am. bor.
- BRACHYLAENA**, R. Br. (Compos.).  
mullensis, *O. Hoffm. in Engl. Jahrb.* xxxii. 149.—Afr. trop.  
rotundata, *S. Moore, in Journ. Bot.* 1903, 131.—Afr. austr.
- BRACHYPODIUM**, Beauv. (Gramin.).  
tenerum, *Vel. in Allg. Bot. Zeitschr.* 1904, 34.—Bulgar.
- BRACHYSTEGIA**, Benth. (Legum.).  
Bragaei, *Harms, in Engl. Jahrb.* xxx. 82.—Afr. trop.  
Bussei, *Harms, l. c. xxxiii. 155.*—Afr. trop.  
euryphylla, *Harms, l. c. 82.*—Afr. trop.  
Goetzei, *Harms, l. c. xxx. 318.*—Afr. trop.  
Holtzii, *Harms, l. c. xxxiii. 154.*—Afr. trop.  
katangensis, *Wildem. in Ann. Mus. Congo*, Sér. IV. 204.—Afr. trop.  
polyantha, *Harms, in Engl. Jahrb.* xxx. 319.—Afr. trop.  
stipulata, *Wildem. in Ann. Mus. Congo*, Sér. IV. 44.—Afr. trop.  
taxifolia, *Harms, in Engl. Jahrb.* xxxiii. 155.—Afr. trop.  
Woodiana, *Harms, l. c. xxx. 82.*—Afr. trop.
- BRACHYSTELMA**, R. Br. (Asclep.).  
Bingeri, *A. Chevall. in Rev. Cult. Col.* viii. 65.—Afr. trop.  
Johnstoni, *N. E. Br. in Hook. Ic. Pl. t. 2754.*—Afr. trop.  
nauseosum, *Wildem. in Ann. Mus. Congo*, Sér. V. 191.—Afr. trop.  
praelongum, *S. Moore, in Journ. Bot.* 1902, 384.—Afr. austr.  
Schinzii, *N. E. Br. in Dyer, Fl. Trop. Afr.* iv. I. 471 (= *Craterostemma Schinzii*).—Afr. trop.

**BRACHYSTELMA** :—

simplex, *Schlechter*, in *Engl. Jahrb.* xxxviii. 40.—Afr. trop.  
togoense, *Schlechter*, l. c.—Afr. trop.

**BRACHYTOME**, Hook. f. (Rubiace).

Scortechinii, *King & Gamble*, in *Journ. As. Soc. Beng.* lxxii. 198.—Penins. Mal.

**BRACKENRIDGEA**, A. Gray (Ochnace).

albo-serrata, *Van Tiegh.* in *Journ. de Bot.* 1902, 47 (= *Ochna albo-serrata*).—Afr. trop.  
Bussei, *Gilg*, in *Engl. Jahrb.* xxxiii. 273.—Afr. trop.  
corymbosa, *Van Tiegh.* in *Ann. Sci. Nat. Sér. VIII.* xvi. 396.—Penins. Mal.  
ferruginea, *Van Tiegh.* in *Journ. de Bot.* 1902, 47 (= *Ochna ferruginea*).—Afr. trop.  
Forbesii, *Van Tiegh.* l. c. 46.—N. Guin.  
Kingi, *Van Tiegh.* in *Ann. Sci. Nat. Sér. VIII.* xvi. 395.—Penins. Mal.  
palustris, *Bartell.* in *Malpighia*, xv. 165.—Borneo.  
perakensis, *Van Tiegh.* in *Ann. Sci. Nat. Sér. VIII.* xvi. 396.—Penins. Mal.  
rubescens, *Van Tiegh.* l. c.—Penins. Mal.  
serrulata, *Bartell.* in *Malpighia*, xv. 163.—Borneo.

**BRADBURYA**, Rafin. = **Centrosema**, Benth. (Legum.).

arenicola, *Small*, Fl. S. E. U. S. 651.—Am. bor.  
floridana, *Britton*, in *Torreya*, iv. 142.—Am. bor.  
sagittata, *Rose*, in U. S. Dept. Agric. Contrib. Nat. Herb. viii. 46 (= *Glycine sagittata*).—Mexic.  
Schiedeana, *Rose*, l. c. (= *Clitoria Schiedeana*).—Mexic.  
unifoliata, *Rose*, l. c. 45.—Mexic.

**BRADLEA**, Adans. = **Apios**, Tourn. (Legum.).

frutescens, *Britton*, Man. Fl. N. U. S. 549 (= *Kraunkia frutescens*).—Am. bor.  
macrostachys, *Small*, in *Britton*, Man. Fl. N. U. S. 549 (= *Kraunkia macrostachys*).—Am. br.

**BRASSAIOPSIS**, Decne. & Planch. (Aral.).

ciliata, *Dunn*, in *Journ. Linn. Soc.* xxxv. 499.—China.  
ficifolia, *Dunn*, l. c. 500.—China.

**BRASSAVOLA**, R. Br. (Orchid.).

chacoensis, *Kraenzl.* in *Engl. Jahrb.* xxxvi. Beibl. lxxx. 7.—Reg. Argent.  
Gardneri, *Cogn.* in *Mart. Fl. Bras.* iii. v. 263.—Bras.

**BRASSIA**, R. Br. (Orchid.).

Lewisii, *Rolfe*, in *Orch. Rev.* i. 149.—Hab. ?

**BRASSICA**, Tourn. (Crucif.).

amblyphylla, *Ford.* in *Ford. & Fourr. Ic. Fl. Eur.* iii. 46.—Corsica.  
brevicaulis, *Bub.* Fl. Pyren. iii. 186 = *Diploaxis brevicaulis*.  
calcareia, *Ford.* in *Ford. & Fourr. Ic. Fl. Eur.* iii. 47.—Corsica.  
cernua, *Matsum.* Enum. Sci. Names, (1895) 52 (= *Sinapis cernua*).—Japon.  
conferta, *Ford.* in *Ford. & Fourr. Ic. Fl. Eur.* iii. 47.—Corsica.  
decumbens, *Bub.* Fl. Pyren. iii. 185 = *Diploaxis muralis*.  
erigens, *Ford.* in *Ford. & Fourr. Ic. Fl. Eur.* iii. 45.—Corsica.  
flexicaulis, *Ford.* l. c. 48.—Corsica.  
hololeuca, *Ford.* l. c. 45.—Corsica.  
integrifolia, *O. E. Schulz*, in *Urb. Symb. Antill.* iii. 509.—Ind. occ.  
luteola, *Ford.* in *Ford. & Fourr. Ic. Fl. Eur.* iii. 48.—Corsica.  
praeruptorum, *Ford.* l. c. 46.—Corsica.  
puberula, *Pau.* in *Bol. Soc. Arag.* i. 50.—Hispan.  
pubescens, *Druce*, in *Pharmac. Journ.* Ser. IV. xvii. 799 (= *Sinapis pubescens*).—Eur. austr.  
recurva, *Ford.* in *Ford. & Fourr. Ic. Fl. Eur.* iii. 46.—Corsica.  
Revelieri, *Ford.* l. c. 48.—Corsica.  
rugosa, *Prain*, *Bengal Pl.* 220 (= *Sinapis rugosa*).—Ind. or.  
Urbaniana, *O. E. Schulz*, in *Urb. Symb. Antill.* iii. 511.—Ind. occ.

**BRAUNERIA**, Neck. = **Rudbeckia**, Linn. (Compos.).

[*Echinacea*, Moench. I. K.]  
angustifolia, *A. A. Heller*, *Muhlenbergia*, i. 5 (= *Echinacea angustifolia*).—Am. bor.

**BRAUNERIA** :—

atrorubens, *Boynton & Beadle*, in *Biltm. Bot. Stud.* i. 11 = *Rudbeckia atrorubens*.  
laevigata, *Boynton & Beadle*, in *Small*, Fl. S. E. U. S. 1261.—Am. bor.  
paradoxa, *Norton*, in *Trans. Acad. Sci. St. Louis*, xii. 40.—Am. bor.

**BRAVAISIA**, DC. (Acanth.).

grandiflora, *Donn. Sm.* in *Coult. Bot. Gaz.* xxxiii. 255.—Am. cent.

**BRAYA**, Sternb. & Hoppe (Crucif.).

glebaria, *Speg.* in *Anal. Mus. Buenos Aires*, vii. 224.—Patag.  
linearis, *Rouy*, *Illustr. Pl. Eur. Rar.* t. 254.—Eur.  
lycopodioides, *Speg.* Nov. Add. Fl. Patag. i. (1901), repr. 12.—Patag.  
pamirica, *O. Fedtsch.* Pl. Pamir, 14 (= *Erysimum pamiricum*).—As. cent.  
patagonica, *Speg.* Nov. Add. Fl. Patag. i. (1901), repr. 13.—Patag.  
pectinata, *Speg.* in *Anal. Mus. Buenos Aires*, vii. 225.—Patag.  
pyncophylloides, *Speg.* Nov. Add. Fl. Patag. i. (1901), repr. 14.—Patag.  
sinensis, *Hemsl.* in *Journ. Linn. Soc.* xxix. (1892) 303.—China.

**BRAYODENDRON**, Small, in Bull. Torr. Bot.

Club, 1901, 356. *EBENACEAE*.  
[*Diospyros*, Linn. D. T. & H.]  
texanum, *Small*, l. c. (= *Diospyros texana*).—Am. bor.

**BRAYULINEA**, Small, Fl. S. E. U. S. 394 (1903).

*AMARANTACEAE*.  
[*Guilleminea*, H. B. & K. D. T. & H.]  
densa, *Small*, l. c. (= *Guilleminea densa*).—Am. bor. et trop.

**BRAZZEIA**, Baill. (Tiliac.).

[*Erythropyxis*, Pierre? D. T. & H. S.]  
acuminata, *Van Tiegh.* in *Ann. Sci. Nat. Sér. IX.* i. 359.—Afr. trop.  
biseriata, *Van Tiegh.* l. c. 358.—Afr. trop.  
Eetveldiana, *Van Tiegh.* l. c. 357 (= *Rhaptopetalum Eetveldianum*).—Afr. trop.  
Klainei, *Pierre*, ex *Van Tiegh.* l. c. 359.—Afr. trop.  
pellucida, *Van Tiegh.* l. c.—Afr. trop.  
rosea, *Van Tiegh.* l. c. 358.—Afr. trop.  
scandens, *Van Tiegh.* l. c. 356 (= *Erythropyxis scandens*).—Afr. trop.  
Soyauxii, *Van Tiegh.* l. c. (= *Rhaptopetalum Soyauxii*).—Afr. trop.  
Trillesiana, *Pierre*, ex *Van Tiegh.* l. c. 359.—Afr. trop.

**BRETSCHNEIDERA**, Hemsl. in Hook. Ic. Pl. t.

2708 (1901). *SAPINDACEAE*.  
sinensis, *Hemsl.* l. c.—China.

**BREWERIA**, R. Br. (Convolvul.).

[*Bonamia*, Thou. D. T. & H.]  
capensis, *Baker*, in *Dyer*, Fl. Cap. iv. II. 80 (= *Evolvulus capensis*).—Afr. austr.  
Hassleriana, *Chod.* in *Bull. Herb. Boiss. Sér. II.* v. 683.—Parag.  
trichosanthes, *Small*, Fl. S. E. U. S. 959 (= *Convolvulus trichosanthes*).—Am. bor.

**BREYNIA**, Forst. (Euphorb.).

accrescens, *Hayata*, in *Journ. Coll. Sci. Tokyo*, xx. no. 3, 22.—Formosa.

**BRICKELLIA**, Ell. (Compos.).

amblyolepis, *Robins.* in *Proc. Amer. Acad.* xxxvi. 485.—Mexic.  
cardiophylla, *Robins.* l. c.—Mexic.  
glomerata, *Fernald*, in *Proc. Amer. Acad.* xxxvi. 504.—Mexic.  
hebecarpoides, *Robins.* in *Proc. Amer. Acad.* xxxvi. 486.—Mexic.  
megalodonta, *Greenm.* in *Proc. Amer. Acad.* xl. 34.—Mexic.  
microphylla, *Hieron.* in *Engl. Jahrb.* xxviii. 583 (= *Baccharis microphylla*).—Peruv.  
monocephala, *Robins.* in *Proc. Bost. Soc. Nat. Hist.* xxxi. 268.—Mexic.  
peninsularis, *T. S. Brandegee*, in *Zoe*, v. (1903) 160.—Calif.

**BRICKELLIA** :—

petrophila, *Robins.* in *Proc. Amer. Acad.* xxxvi. 486.—Mexic.  
pulcherrima, *Robins.* in *Proc. Bost. Soc. Nat. Hist.* xxxi. 268.—Mexic.  
vernica, *Robins.* in *Proc. Amer. Acad.* xxxvi. 487.—Mexic.

**BRIDELIA**, Willd. (Euphorb.).

Balansae, *Tutcher*, in *Journ. Linn. Soc.* xxxvii. 66.—China.

**BRILLANTAISIA**, Beauv. (Acanth.).

Borellii, *Lindau*, in *Engl. Jahrb.* xxxiii. 186.—Afr. trop.

**BRIQUETIA**, Hochr. in Ann. Conserv. & Jard. Bot.

Genève, vi. (1902) 11. *MALVACEAE*.  
ancylocarpa, *Hochr.* l. c.—Parag.

**BRITTONASTRUM**, Briq. (Labiata).

betonicoides, *Briq.* in *Ann. Conserv. & Jard. Bot. Genève*, 1902, 160 (= *Gardoquia betonicoides*).—Am. bor.  
Greenii, *Briq.* l. c. 157.—Am. bor.  
lanceolatum, *A. A. Heller*, *Muhlenbergia*, i. 4.—Am. bor.  
neomexicanum, *Briq.* in *Ann. Conserv. & Jard. Bot. Genève*, 1902, 158.—Am. bor.  
Pringlei, *Briq.* l. c. 161.—Mexic.  
rupestre, *A. A. Heller*, *Muhlenbergia*, i. 4 (= *Cedronella rupestris*).—Am. bor.

**BRIZA**, Linn. (Gramin.).

ambigua, *Hack.* in *Oesterr. Bot. Zeitschr.* lii. 308.—Bras.  
Calotheca, *Hack.* in *Bull. Herb. Boiss. Sér. II.* iv. 282.—Parag.

**BRODIAEA**, Sm. (Liliac.).

aurea, *Macl.* in *Rep. Princeton Univ. Exped. Patag.* viii. 304 (= *Milla aurea*).—Patag.  
bicolor, *Suksd.* in *West Amer. Sci.* xiv. (1902) 1.—Am. bor.  
Luzula, *Macl.* in *Rep. Princeton Univ. Exped. Patag.* viii. 305 (= *Luzula patagonica*).—Patag.  
Spegazzinii, *Macl.* l. c.—Patag.

**BROMELIA**, Plum. (Bromel.).

exigua, *Mez*, in *Engl. Jahrb.* xxx. Beibl. lxvii. 2.—Bras.  
Glaziovii, *Mez*, l. c. 1.—Bras.  
goyazensis, *Mez*, l. c. 2.—Bras.  
mucronata, *Mez*, in *Bull. Herb. Boiss. Sér. II.* iii. 131.—Mexic.  
villosa, *Mez*, in *Engl. Jahrb.* xxx. Beibl. lxvii. 3.—Bras.

**BROMUS**, Dill. (Gramin.).

brachyphyllus, *Merrill*, in *Rhodora*, iv. 146.—Am. bor.  
Hackeli, *Macl.* in *Rep. Princeton Univ. Exped. Patag.* viii. 241.—Patag.  
induratus, *Hauskn. & Bornm.* in *Mitth. Thüring. Bot. Ver. n. s.* xx. 48.—As. Min.  
Janczewskii, *Zapal.* in *Bull. Acad. Cracov.* 1904, 306.—Galicia.  
macrantherus, *Hack.* ex *Henriq.* in *Bol. Soc. Broter.* xx. (1905) 145.—Lusitan.  
magnificus, *Elmer*, in *Coult. Bot. Gaz.* xxxvi. 53.—Am. bor.  
Paulsenii, *Hack.* ex *Paulsen*, in *Kjoeb. Vidensk. Meddel.* 1903, 174.—As. cent.  
pubens, *Wolosz.* Fl. Polon. Exsicc. no. 1013.—Galicia.  
torgesianus, *Hauskn. & Bornm.* in *Mitth. Thüring. Bot. Ver. n. s.* xx. 50.—As. Min.

**BRONGNIARTIA**, H. B. & K. (Legum.).

bilabiata, *Micheli*, in *Mém. Soc. Phys. Hist. Nat. Genève*, xxxiv. 248.—Mexic.  
bracteolata, *Micheli*, l. c. 249.—Mexic.  
trifoliata, *T. S. Brandegee*, in *Zoe*, v. (1901) 105.—Calif.

**BROSIMUM**, Sw. (Urtic.).

heteroclitum, *Donn. Sm.* in *Coult. Bot. Gaz.* xxxi. 121.—Am. cent.

**BROWNLEEIA**, Harv. (Orchid.).

monophylla, *Schlechter*, in *Engl. Jahrb.* xxxi. 307.—Afr. austr.  
Pentheriana, *Kraenzl.* ex *Zahlbr.* in *Ann. Nat. Hofmus. Wien*, xx. (1905) 6.—Afr. austr.

**BROWNLOWIA**, Roxb. (Tiliac.).

suluensis, *Warb.* ex *Perkins*, *Frag. Fl. Philipp.* i. 102.—Ins. Philipp.



**BRUGUIERA**, Lam. (Rhizoph.).  
Ritchiei, Merrill, in *Philipp. Gov. Lab. Bur. Bull.* vi.  
11.—Ins. Philipp.

**BRUNELLA**, Tourn. (Labiata).  
[PRUNELLA, Linn. I. K.]  
gentianaeifolia, Pau, in *Bull. Acad. Géogr. Bot. Sér.*  
III. xiii. 211.—Hybr.

**BRUNFELSIA**, Plum. (Solan.).  
Fawcettii, Urb. *Symb. Antill.* iii. 371.—Ind. occ.  
Harrisii, Urb. l. c. 373.—Ind. occ.  
maliformis, Urb. l. c. 372.—Ind. occ.  
paraguayensis, Chod. in *Bull. Herb. Boiss. Sér. II.* i.  
406.—Parag.

**BRUNSVIGIA**, Heist. (Amaryll.).  
Rautanenii, Baker, in *Bull. Herb. Boiss. Sér. II.* iii.  
667.—Afr. trop.

**BUBBIA**, Van Tiegh. in *Journ. de Bot.* xiv. (1900) 278 =  
**Drimys**, Forst. (Magnol.).  
auriculata, Van Tiegh. l. c. 293 = D. amplexicaulis.  
Balansae, Van Tiegh. l. c. = D. Balansae.  
Deplanchei, Van Tiegh. l. c. = D. Deplanchei.  
heteroneura, Van Tiegh. l. c. 294.—N. Caled.  
isoneura, Van Tiegh. l. c. 294.—N. Caled.  
Muelleri, Van Tiegh. l. c. 293.—N. Caled.

**BUCCAFERREA**, Bub. = **Potamogeton**, Tourn.  
(Naiad.).  
amplexicaulis, Bub. Fl. Pyren. iv. 13 = P. perfoliatus.  
crispata, Bub. l. c. = P. crispus.  
densa, Bub. l. c. 14 = P. densus.  
lucida, Bub. l. c. 13 = P. lucens.  
natans, Bub. l. c. 11 = P. natans.  
pectinata, Bub. l. c. 17 = P. pectinatus.  
pusilla, Bub. l. c. 16 = P. pusillus.  
rufescens, Bub. l. c. 12 = P. rufescens.  
varifolia, Bub. l. c. = P. gramineus.

**BUCHANANIA**, Spreng. (Anacard.).  
Engleriana, Volk. in *Engl. Jahrb.* xxxi. 466.—Ins. Carol.  
heterophylla, K. Schum. in K. Schum. & Lauterb.  
*Nachtr. Fl. Deutsch. Südsee*, 300.—N. Guin.  
pseudoflorida, Perkins, *Frag. Fl. Philipp.* 24.—Ins.  
Philipp.

**BUCHENROEDERA**, Eckl. & Zeyh. (Legum.).  
glabriflora, N. E. Br. in *Kew Bull.* 1901, 120.—Afr. trop.  
grigiana, Schlechter, ex Zahlbr. in *Ann. Nat. Hofmus.*  
Wien, xx. (1905) 18.—Afr. austr.

**BUCHHOLZIA**, Engl. (Capparid.).  
Engleri, Gilg, in *Engl. Jahrb.* xxxiii. 221.—Afr. trop.

**BUCHNERA**, Linn. (Scrophul.).  
[BUCHNERA, Linn. D. T. & H.]  
affinis, Wildem. in *Ann. Mus. Congo, Sér. IV.* 123.—  
Afr. trop.  
Baumii, Engl. & Gilg. in *Warb. Kunene-Sambesi*  
*Exped.* 367.—Afr. trop.  
brevibractealis, Hiern, in *Dyer, Fl. Cap.* iv. II. 392.—  
Afr. austr.  
crassifolia, Engl. *Jahrb.* xxx. 403.—Afr. trop.  
kingensis, Engl. l. c. 404.—Afr. trop.  
minutiflora, Engl. l. c.—Afr. trop.  
prorepens, Engl. & Gilg. in *Warb. Kunene-Sambesi*  
*Exped.* 368.—Afr. trop.  
pulchra, Skan, ex S. Moore, in *Journ. Linn. Soc.*  
xxxvii. 190.—Afr. trop.  
pusilla, Wildem. in *Ann. Mus. Congo, Sér. IV.* 123.—  
Afr. trop.  
reducta, Hiern, in *Dyer, Fl. Cap.* iv. II. 394.—Afr. austr.  
rungwensis, Engl. *Jahrb.* xxx. 403.—Afr. trop.  
strictissima, Engl. & Gilg. in *Warb. Kunene-Sambesi*  
*Exped.* 367.—Afr. trop.

**BUDDLEIA**, Houst. (Logan.).  
albotomentosa, R. Fries, in *Arkiv Bot. Stockh.* i. 411.  
—Reg. Argent.  
aurantiaco-maculata, Gilg, in *Engl. Jahrb.* xxx. 377.—  
Afr. trop.  
Columbae, André, in *Rev. Hort.* 1901, 37.—Hort.  
Hemsleyana, Koehne, in *Gartenfl.* 1903, 169.—China.  
Hieronymi, R. Fries, in *Nov. Act. Soc. Sci. Upsal.*  
Ser. IV. i. no. 1, 117.—Reg. Argent.  
nivea, Duthie, in *Gard. Chron.* 1905, II. 275.—China.  
paraguayensis, Chod. in *Bull. Herb. Boiss. Sér. II.* i.  
407.—Parag.

**BUETTNERIA**, Loeffl. (Stercul.).  
anatomica, Teijsm. & Binn. *Cat. Hort. Bogor.* (1866)  
198, nomen; *Pl. Bogor. Exsicc.* 23.—Am. trop.  
celebica, Hochr. in *Bull. Inst. Buitenz.* xix. 48; *Pl.*  
*Bogor. Exsicc.* 22.—Celebes.  
Hassleri, K. Schum. in *Bull. Herb. Boiss. Sér. II.* iv.  
73.—Parag.  
subulifolia, K. Schum. ex Glaz. in *Bull. Soc. Bot. Fr.*  
lii. Mém. III. 57, nomen.—Bras.

**BUFONIA**, Sauv. (Caryophyll.).  
Sintenisii, Freyn, in *Bull. Herb. Boiss. Sér. II.* iii. 1054.  
—Turkestan.

**BULBINE**, Linn. (Liliac.).  
Bachmanniana, Schinz, in *Bull. Herb. Boiss. Sér. II.* ii.  
938.—Afr. austr.  
Bachmannii, Baker, in *Bull. Herb. Boiss. Sér. II.* iii.  
664.—Afr. austr.  
ensifolia, Baker, l. c. i. 780.—Afr. austr.  
longifolia, Schinz, in *Bull. Herb. Boiss. Sér. II.* ii. 939.  
—Afr. austr.  
namaensis, Schinz, l. c.—Afr. austr. or.  
nigra, Schinz, l. c. 940.—Afr. austr.  
transvaalensis, Baker, in *Vierteljahrsschr. Naturf. Ges.*  
*Zürich.* xlix. 173.—Afr. austr.  
trichophylla, Baker, in *Bull. Herb. Boiss. Sér. II.* i.  
780.—Afr. austr.  
xanthobotrys, Engl. & Gilg, in *Warb. Kunene-*  
*Sambesi Exped.* 186.—Afr. trop.

**BULBINELLA**, Kunth (Liliac.).  
yedoensis, Matsum. in *Bot. Mag. Tokyo*, xv. 39  
(= *Anthericum yedoense*).—Japan.

**BULBOPHYLLUM**, Thou. (Orchid.).  
[BOLBOPHYLLUM, Thou. D. T. & H.]  
absconditum, J. J. Sm. *Orchid. Java*, 449.—Java;  
Sumatra.  
acutum, J. J. Sm. l. c. 466.—Java.  
aemulum, Schlechter, in K. Schum. & Lauterb. *Nachtr.*  
*Fl. Deutsch. Südsee*, 195.—N. Guin.  
allifolium, J. J. Sm. *Orchid. Java*, 421.—Java;  
Sumatra.  
antennatum, Schlechter, in K. Schum. & Lauterb.  
*Nachtr. Fl. Deutsch. Südsee*, 196.—N. Guin.  
arfakianum, Kraenzl. in *Engl. Jahrb.* xxxiv. 250.—N.  
Guin.  
Bakossorum, Schlechter, in *Engl. Jahrb.* xxxviii. 13.—  
Afr. trop.  
bataanense, Ames, *Orchid.* i. 96.—Ins. Philipp.  
bidentatum, Cogn. in *Mart. Fl. Bras.* iii. v. 612  
(= *Didactyle bidentatum*).—Bras.  
Binnendijkii, J. J. Sm. *Orchid. Java*, 442 (= *Cirrhop-*  
*etatum leopardinum*).—Java.  
bisepalum, Schlechter, in K. Schum. & Lauterb.  
*Nachtr. Fl. Deutsch. Südsee*, 196.—N. Guin.  
bismarckense, Schlechter, l. c. 197.—N. Guin.  
Blumei, J. J. Sm. *Orchid. Java*, 459 = cuspidilingua.  
brevipes, Ridley, in *Journ. As. Soc. Straits*, xxxix. 75.  
—Penins. Mal.  
Brookeanum, Kraenzl. in *Engl. Jahrb.* xxxiv. 250.—  
Borneo.  
burfordiense, Hort. ex Hook. f. in *Bot. Mag.* sub t. 7787  
= grandiflorum.  
Ceratostylis, J. J. Sm. in *Rec. Trav. Bot. Néerl.* i. 154.  
—Sumatra.  
chloranthum, Schlechter, in K. Schum. & Lauterb.  
*Nachtr. Fl. Deutsch. Südsee*, 197.—Ins. Bismarck.  
chrysoglossum, Schlechter, l. c. 198.—N. Guin.  
cinnatum, Ridley, in *Journ. As. Soc. Straits*, xxxix.  
75.—Penins. Mal.  
Clarkei, Schlechter, in *Engl. Jahrb.* xxxviii. 13  
(= *Megaclinium Clarkei*).—Afr. trop.  
coiloglossum, Schlechter, in K. Schum. & Lauterb.  
*Nachtr. Fl. Deutsch. Südsee*, 199.—N. Guin.  
congolanthum, Schlechter, in *Engl. Jahrb.* xxxviii. 14.  
—Afr. trop.  
Copelandi, Ames, *Orchid.* i. 97.—Ins. Philipp.  
crassifolium, J. J. Sm. *Orchid. Java*, 429 (= *Osyricera*  
*crassifolia*).—Java.  
crassinervium, J. J. Sm. in *Id. Bogor.* t. 118 A.—  
Amboina.  
crenulatum, Rolfe, in *Bot. Mag.* t. 8000.—Madag.  
Crista-galli, Kraenzl. in *Engl. Jahrb.* xxxiv. 253.—  
Sumatra.  
cryptanthum, Schlechter, in K. Schum. & Lauterb.  
*Nachtr. Fl. Deutsch. Südsee*, 199.—N. Guin.

**BULBOPHYLLUM:—**

cryptophoranthoides, Kraenzl. in *Engl. Jahrb.* xxxiv.  
251.—Borneo.  
cuneatum, Rolfe, in *Ames, Orchid.* i. 98.—Ins.  
Philipp.  
Curtisii, Ridley, in *Journ. As. Soc. Straits*, xxxix. 76.  
—Penins. Mal.  
cylindrobulbum, Schlechter, in K. Schum. & Lauterb.  
*Nachtr. Fl. Deutsch. Südsee*, 200.—N. Guin.  
dasypetalum, Rolfe, in *Ames, Orchid.* i. 98.—Ins.  
Philipp.  
decipiens, Schlechter, in *Engl. Jahrb.* xxxviii. 14.—  
Afr. trop.  
deistelianum, Schlechter, l. c. 17 (= *Megaclinium*  
*deistelianum*).—Afr. trop.  
ebulbe, Schlechter, in K. Schum. & Lauterb. *Nachtr.*  
*Fl. Deutsch. Südsee*, 200.—N. Guin.  
elasmatopus, Schlechter, l. c. 201.—N. Guin.  
elegans, J. J. Sm. *Orch. Ambon*, 83 (= *Cirrhopetalum*  
*elegans*).—Ins. Mal.  
erioides, Schlechter, in K. Schum. & Lauterb. *Nachtr.*  
*Fl. Deutsch. Südsee*, 201.—N. Guin.  
erythrostachyum, Rolfe, in *Orch. Rev.* 1903, 200.—  
Madag.  
fruticicola, Schlechter, in K. Schum. & Lauterb.  
*Nachtr. Fl. Deutsch. Südsee*, 202.—N. Guin.  
gabunense, Schlechter, in *Engl. Jahrb.* xxxviii. 15.—  
Afr. trop.  
Gentilii, Rolfe, in *Gard. Chron.* 1904, II. 266.—Afr.  
trop.  
globiceps, Schlechter, in K. Schum. & Lauterb. *Nachtr.*  
*Fl. Deutsch. Südsee*, 203.—N. Guin.  
glutinosum, Cogn. in *Mart. Fl. Bras.* iii. v. 597  
(= *Didactyle glutinosum*).—Bras.  
graciliscapum, Schlechter, in K. Schum. & Lauterb.  
*Nachtr. Fl. Deutsch. Südsee*, 203.—N. Guin.  
grudense, J. J. Sm. *Orchid. Java*, 458.—Java.  
Hahlianum, Schlechter, in K. Schum. & Lauterb.  
*Nachtr. Fl. Deutsch. Südsee*, 204.—Ins. Bismarck.  
Humboldtianum, Kraenzl. in *Engl. Jahrb.* xxxiii. 71.—  
Ins. Comor.  
hydrophilum, J. J. Sm. *Orchid. Java*, 463.—Java.  
hymenobraceum, Schlechter, in K. Schum. & Lauterb.  
*Nachtr. Fl. Deutsch. Südsee*, 204.—N. Guin.  
hymenochilum, Kraenzl. in *Engl. Jahrb.* xxxiv. 252.  
—Borneo.  
Incarum, Kraenzl. in *Fedde, Repert. Nov. Sp.* i. 86.—  
Peruv.  
infundibuliforme, J. J. Sm. in *Id. Bogor.* t. 120 A.—  
Amboina.  
ischnopus, Schlechter, in K. Schum. & Lauterb. *Nachtr.*  
*Fl. Deutsch. Südsee*, 205.—N. Guin.  
kamerunense, Schlechter, in *Engl. Jahrb.* xxxviii. 15.  
—Afr. trop.  
kindtianum, Wildem. *Notices Pl. Utiles Congo*, 309;  
*et in Belgique Coloniale*, x. (1904) 449.—Afr. trop.  
laciniatum, Cogn. in *Mart. Fl. Bras.* iii. v. 609  
(= *Didactyle laciniatum*).—Bras.  
lageniforme, F. M. Bailey, in *Queensl. Agric. Journ.*  
xv. 494.—Austral.  
lasioglossum, Rolfe, in *Ames, Orchid.* i. 100.—Ins.  
Philipp.  
laxum, Schlechter, in K. Schum. & Lauterb. *Nachtr.*  
*Fl. Deutsch. Südsee*, 205.—N. Guin.  
lepidum, J. J. Sm. *Orchid. Java*, 471 (= *Ephippium*  
*lepidum*).—Java; Borneo.  
leptopus, Schlechter, in K. Schum. & Lauterb. *Nachtr.*  
*Fl. Deutsch. Südsee*, 206.—N. Guin.  
leptorrhachis, Schlechter, in *Engl. Jahrb.* xxxviii. 17.—  
Afr. trop.  
leucorrhachis, Schlechter, l. c. (= *Megaclinium leuco-*  
*rhachis*).—Afr.  
longibulbum, Schlechter, l. c.—Afr. trop.  
macranthoides, Kraenzl. in *Engl. Jahrb.* xxxiv. 254.—  
N. Guin.  
macrophyllum, Kraenzl. l. c. 249.—Borneo.  
macroum, Schlechter, in K. Schum. & Lauterb.  
*Nachtr. Fl. Deutsch. Südsee*, 207.—N. Guin.  
Malachadenia, Cogn. in *Mart. Fl. Bras.* iii. v. 596  
(= *Malachadenia clavata*).—Bras.  
manobulbum, Schlechter, in K. Schum. & Lauterb.  
*Nachtr. Fl. Deutsch. Südsee*, 207.—N. Guin.  
masdevalliacum, Kraenzl. in *Engl. Jahrb.* xxxiv. 251.  
—N. Guin.  
maxillarioides, Schlechter, in K. Schum. & Lauterb.  
*Nachtr. Fl. Deutsch. Südsee*, 208.—N. Guin.  
melinanthum, Schlechter, l. c.—N. Guin.  
Micholitzii, Rolfe, in *Orch. Rev.* 1901, 272.—Malaya.

**BULBOPHYLLUM** :—

- microbulbon, *Schlechter*, in *K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 209.—Ins. Bismarck.  
 microcharis, *Schlechter*, l. c.—N. Guin.  
 Millenii, *Schlechter*, in *Engl. Jahrb.* xxxviii. 13 (= *Megaclinium Millenii*).—Afr. trop.  
 mirandum, *Kraenzl. in Engl. Jahrb.* xxxiv. 255.—Borneo.  
 nannodes, *Schlechter*, in *K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 210.—N. Guin.  
 nanum, *Wildem. Notices Pl. Utiles Congo*, 122.—Afr. trop.  
 nemorosum, *Cogn. in Mart. Fl. Bras.* iii. v. 608 (= *Didactyle nemorosum*).—Bras.  
 neopommeranicum, *Schlechter*, in *K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 210.—Ins. Bismarck.  
 Novae-Hiberniae, *Schlechter*, l. c. 211.—Ins. Bismarck.  
 nuruanum, *Schlechter*, l. c. 212.—N. Guin.  
 obtusipetalum, *J. J. Sm. Orchid. Java*, 424.—Malaya.  
 ochraceum, *Cogn. in Mart. Fl. Bras.* iii. v. 610 (= *Didactyle ochraceum*).—Bras.  
 ochranthum, *Ridley, in Journ. As. Soc. Straits*, xxxix. 76.—Penins. Mal.  
 ochroleucum, *Schlechter*, in *K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 212.—N. Guin.  
 oxyanthum, *Schlechter*, l. c. 213.—N. Guin.  
 oxychilum, *Schlechter*, in *Engl. Jahrb.* xxxviii. 18.—Afr. trop.  
 pachytelos, *Schlechter*, in *K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 213.—N. Guin.  
 papillosum, *Finet, in Bull. Mus. Hist. Nat. Par.* 1903, 303.—Afr. trop.  
 papillosum, *J. J. Sm. Orchid. Java*, 464.—Java.  
 penduliscapum, *J. J. Sm. in Ic. Bogor.* t. 119 B.—Sumatra.  
 perakense, *Ridley, in Journ. As. Soc. Straits*, xxxix. 76.—Penins. Mal.  
 perductum, *J. J. Sm. Orchid. Java*, 451.—Java.  
 platyrhachis, *Schlechter*, in *Engl. Jahrb.* xxxviii. 15 (= *Megaclinium platyrhachis*).—Afr. trop.  
 plumosum, *Cogn. in Mart. Fl. Bras.* iii. v. 614 (= *Didactyle plumosum*).—Bras.  
 polyblepharon, *Schlechter*, in *K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 214.—N. Guin.  
 praestans, *Kraenzl. in Engl. Jahrb.* xxxiv. 254.—N. Guin.  
 psittacoides, *J. J. Sm. Orch. Ambon*, 84 (= *Cirrhopetalum psittacoides*).—Malaya.  
 pustulatum, *Ridley, in Journ. As. Soc. Straits*, xxxix. 74.—Penins. Mal.  
 quadricolor, *Cogn. in Mart. Fl. Bras.* iii. v. 611 (= *Didactyle quadricolor*).—Bras.  
 ramosum, *Schlechter*, in *K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 214.—N. Guin.  
 recurviflorum, *J. J. Sm. in Ic. Bogor.* t. 118 B.—Amboina.  
 rhodopetalum, *Kraenzl. in Engl. Jahrb.* xxxvi. 114.—Afr. trop.  
 rhodosepalum, *Schlechter*, in *Notizbl. Bot. Gart. Berlin*, iv. 171.—Sumatra.  
 rigidipes, *Schlechter*, in *K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 215.—N. Guin.  
 robustum, *Rolfe, in Bot. Mag.* sub t. 8000.—Madag.  
 roraimense, *Rolfe, in Trans. Linn. Soc. Ser. II.* vi. 61.—Guian.  
 saccatum, *Kraenzl. in Engl. Jahrb.* xxxiv. 250.—Borneo.  
 Sangae, *Schlechter*, in *Engl. Jahrb.* xxxviii. 19.—Afr. trop.  
 saurocephalum, *Reichb. f. in Gard. Chron.* 1886, II. 262.—Ins. Philipp.  
 scandens, *Kraenzl. in Engl. Jahrb.* xxxiv. 253.—Borneo.  
 Schimperianum, *Kraenzl. l. c.* xxxiii. 71.—Afr. trop.  
 Schinzianum, *Kraenzl. ex Wildem. Notices Pl. Utiles Congo*, 123.—Afr. trop.  
 schistopetalum, *Schlechter*, in *K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 216.—Ins. Bismarck.  
 serrulatum, *Schlechter*, l. c.—N. Guin.  
 sessile, *J. J. Sm. Orchid. Java*, 448 = clandestinum.  
 stipulaceum, *Schlechter*, in *K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 217.—N. Guin.  
 tenerum, *Ridley, in Journ. As. Soc. Straits*, xxxix. 75.—Penins. Mal.  
 teretifolium, *Schlechter*, in *Engl. Jahrb.* xxxviii. 18.—Afr. trop.  
 Teysmannii, *J. J. Sm. Orch. Ambon*, 79.—Amboina.  
 trachyglossum, *Schlechter*, in *K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 217.—Ins. Bismarck.

**BULBOPHYLLUM** :—

- trigonocarpum, *Schlechter*, in *K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 218.—N. Guin.  
 triste, *Schlechter*, in *Engl. Jahrb.* xxxviii. 17 (= *Megaclinium triste*).—Afr. trop.  
 triurum, *Kraenzl. in Engl. Jahrb.* xxxiv. 252.—Sumatra.  
 umbellatum, *J. J. Sm. Orchid. Java*, 419 = lepidum.  
 Usambarae, *Kraenzl. in Engl. Jahrb.* xxxiv. 58.—Afr. trop.  
 variabile, *Ridley, in Journ. As. Soc. Straits*, xxxix. 74.—Penins. Mal.  
 Warmingianum, *Cogn. in Mart. Fl. Bras.* iii. v. 605.—Bras.  
 Weberbauerianum, *Kraenzl. in Fedde, Repert. Nov. Sp.* i. 85.—Peruv.  
 Whitfordii, *Rolfe, in Ames, Orchid.* i. 100.—Ins. Philipp.  
 yunnanense, *Rolfe, in Journ. Linn. Soc.* xxxvi. 14.—China.

**BULBOSTYLIS**, Kunth (Cyperac.).

- argenteobrunnea, *C. B. Clarke, in Dyer, Fl. Trop. Afr.* viii. 440.—Afr. trop.  
 Buchananii, *C. B. Clarke, l. c.* 437.—Afr. trop.  
 Camporum, *K. Schum. ex C. B. Clarke, l. c.* 441 = abortiva.  
 erratica, *C. B. Clarke, l. c.* 434 (= *Schoenus erraticus*).—Afr. trop.  
 filiformis, *C. B. Clarke, l. c.* 441.—Afr. trop.  
 Johnstoni, *C. B. Clarke, l. c.* 442.—Afr. trop.  
 junciformis, *C. B. Clarke, in Bull. Herb. Boiss. Sér. II.* iii. 1019 (= *Isolepis junciformis*).—Parag.  
 Schlechteri, *C. B. Clarke, l. c.* iv. 995.—Afr. austr.  
 sphaerocephala, *C. B. Clarke, l. c.* iii. 1018 (= *Scirpus sphaerocephalus*).—Parag.  
 subumbellata, *K. Schum. ex C. B. Clarke, in Dyer, Fl. Trop. Afr.* viii. 436 = Schimperiana.  
 transiens, *C. B. Clarke, l. c.* 444 (= *Fimbristylis transiens*).—Afr. trop.  
 Willdenowii, *C. B. Clarke, l. c.* 431 = barbata.

**BUMELIA**, Sw. (Sapot.).

- bahamensis, *Britton, in Bull. N. York Bot. Gard.* iii. 447.—Ind. occ.  
 egensis, *Poepp. ex Pierre, in Urb. Symb. Antill.* v. 127 = *Micropholis egensis*.  
 Eggersii, *Pierre, in Urb. Symb. Antill.* v. 146.—Ind. occ.  
 fragrans, *T. S. Brandegee, in Zoe, v.* (1901) 106.—Calif.  
 Grisebachii, *Pierre, in Urb. Symb. Antill.* v. 141.—Ind. occ.  
 Krugii, *Pierre, l. c.* 146.—Ind. occ.  
 loranthifolia, *Britton, in Bull. N. York Bot. Gard.* iii. 447.—Ind. occ.  
 peninsularis, *T. S. Brandegee, in Zoe, v.* (1901) 107.—Calif.  
 Picardae, *Urb. Symb. Antill.* v. 148.—Ind. occ.  
 Purdiaei, *Urb. l. c.* 143.—Ind. occ.  
 socorrensis, *T. S. Brandegee, in Zoe, v.* (1901) 106.—Calif.

**BUNCHOSIA**, Rich. (Malpigh.).

- apiculata, *Huber, in Bull. Herb. Boiss. Sér. II.* i. 308.—Bras.

**BUNIOSERIS**, Jord. in Jord. & Fourr. Ic. Fl. Eur.

- iii. (1903) 44. **COMPOSITAE.**  
 Blanci, *Jord. l. c.*—Eur.  
 pinnatifida, *Jord. l. c.* 45.—Eur.

**BUNIUM**, Linn. (Umbell.).

- [**CARUM**, Linn. I. K.]  
 Chaberti, *Batt. in Batt. & Trab. Fl. Algér. Tunis.* 140.—Afr. bor.

**BUPLEURUM**, Linn. (Umbell.).

- celtibericum, *Pau, in Bol. Soc. Arag.* ii. 15, nomen.—Hispan.  
 commelynoideum, *Boissieu, in Bull. Herb. Boiss. Sér. II.* ii. 805.—China.  
 gracilescens, *Reching, in Ann. Nat. Hofmus. Wien,* xviii. 393.—Afr. austr.  
 longeinvolucratum, *Krylov, in Acta Hort. Petrop.* xxi. 17.—As. cent.  
 Martjanovi, *Krylov, l. c.*—As. cent.

**BUPLEURUM** :—

- parnassicum, *Halacsy, Consp. Fl. Graec.* i. 687.—Eur.  
 purpureum, *Blank. in Montana Agric. Coll. Sci. Studies Bot.* i. 89.—Am. sept.  
 pusillum, *Krylov, in Acta Hort. Petrop.* xxi. 18.—As. cent.  
 Rigoi, *Huter, in Oesterr. Bot. Zeitschr.* 1905, 360 = *Sintenisii*.  
 Souliaei, *Calest. in Martelli, Webbia*, 168.—Corsica.

**BURBIDGEA**, Hook. f. (Zingib.).

- schizocheila, *Hort. in Gard. Chron.* 1904, II. 301.—Hab. ?

**BURLINGTONIA**, Lindl. = **Rodriguezia**, Ruiz & Pav.

- (Orchid.).  
 perpusilla, *Kraenzl. in Gard. Chron.* 1903, I. 18.—Bras.

**BURMANNIA**, Linn. (Burmanniac.).

- amazonica, *Schlechter, in Pilg. in Verh. Bot. Ver. Brand.* xlvi. (1905) 102.—Reg. Amaz.  
 blanda, *Gilg, in Warb. Kunene-Sambesi Exped.* 202.—Afr. trop.  
 Dalzieli, *Rendle, in Journ. Bot.* 1902, 311.—China.  
 Damazii, *Beauverd, in Bull. Herb. Boiss. Sér. II.* v. 948, 1081.—Bras.  
 japonica, *Maxim. in Bot. Mag. Tokyo*, iv. no. 39; et ex *Matsum. Ind. Pl. Jap.* ii. 234.—Japon.  
 Novae-Hiberniae, *Schlechter, in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 73.—Ins. Bismarck.  
 oblonga, *Ridley, in Journ. As. Soc. Straits*, xli. 33.—Penins. Mal.  
 polygaloides, *Schlechter, in Pilg. in Verh. Bot. Ver. Brand.* xlvi. (1905) 103.—Reg. Amaz.

**BURSA**, Weber = **Capsella**, Medic. (Crucif.).

- Bursa-pastoris*, *Shafer, in Ann. Carneg. Mus.* i. 25 = *C. Bursa-pastoris*.

**BURSERIA**, Jacq. (Burserac.).

- Anderssonii, *Robinson, in Proc. Amer. Acad.* xxxviii. 160.—Ins. Galap.  
 collina, *T. S. Brandegee, in Zoe, v.* (1905) 204.—Mexic.  
 inaguensis, *Britton, in Bull. N. York Bot. Gard.* iii. 443.—Ind. occ.  
 malacophylla, *Robinson, in Proc. Amer. Acad.* xxxviii. (1902) 160.—Ins. Galap.

**BURTONIA**, R. Br. (Legum.).

- viscida, *Pritz. in Engl. Jahrb.* xxxv. 234.—Austral.

**BUSSEA**, Harms, in Engl. Jahrb. xxxiii. 159 (1902).

- LEGUMINOSAE.**  
 massaiensis, *Harms, l. c.* (= *Peltophorum massaiense*).—Afr. trop.

**BUTAYEA**, Wildem. in Ann. Mus. Congo, Sér. IV.

149. **ACANTHACEAE.**  
 [PSEUDOLEPHARIS, *Baill. D.T. & H.*]  
 congolana, *Wildem. l. c.* 150.—Afr. trop.

**BUTTNERIA**, Duham. = **Calycanthus**, Linn.

- (*Calycanth.*).  
 Mohrii, *Small, Fl. S. E. U. S.* 528.—Am. bor.  
 nana, *Small, l. c.* = *C. nanus*.

**BUXUS**, Linn. (Euphorb.).

- liukuensis, *Makino, in Bot. Mag. Tokyo*, xvi. 179.—Ins. Liukiu.

**BYRSONIMA**, Rich. (Malpigh.).

- arctostaphyloides, *Niedenzu, in Arb. Inst. Braunsb.* i. 40.—Am. trop.  
 crassa, *Niedenzu, l. c.* 30.—Am. trop.  
 decipiens, *Niedenzu, l. c.* 35.—Am. trop.  
 fagifolia, *Niedenzu, l. c.* 20.—Am. trop.  
 fluminensis, *Niedenzu, l. c.* 43.—Am. trop.  
 Grisebachiana, *Niedenzu, l. c.* 23.—Am. trop.  
 laevis, *Niedenzu, l. c.* 34.—Am. trop.  
 lucidula, *Huber, in Bol. Mus. Para.* iii. 423.—Bras.  
 lyoniifolia, *Niedenzu, in Arb. Inst. Braunsb.* i. 38.—Am. trop.  
 oblanceolata, *Niedenzu, l. c.* 14.—Am. trop.  
 subcordata, *Niedenzu, l. c.* 40.—Am. trop.  
 tenuifolia, *Urb. & Niedenzu, l. c.* 19.—Am. trop.  
 vernicosa, *Niedenzu, l. c.* 33.—Am. trop.

## C

**CABRALEA**, A. Juss. (Meliac.).

- brachystachya, C. DC. in *Chod. & Hassl. in Bull. Herb. Boiss. Sér. II. iii.* 412.—Parag.  
fluminensis, *Glas. in Bull. Soc. Bot. Fr. lii.* Mém. III. 93, nomen.—Bras.  
humilis, C. DC. in *Bull. Herb. Boiss. Sér. II. i.* 365.—Bras.  
microcalyx, Harms, in *Urb. in Engl. Jahrb. xxx.* Beibl. lxvii. 34.—Bras.  
Schwackei, C. DC. in *Bull. Herb. Boiss. Sér. II. i.* 365.—Bras.

**CACALIA**, Linn. (Compos.).

- [SENECIO, Tourn. I. K.]  
firma, Kom. in *Act. Hort. Petrop. xviii.* 420.—As. or.  
Krameri, *Matsum. Enum. Sci. Names* (1895) 57 (= *Senecio Krameri*).—Japon.  
palmata, Mak. in *Bot. Mag. Tokyo, xviii.* 16 = C. Syneilesis.  
sulcata, Fernald, in *Coult. Bot. Gaz. xxxiii.* 157.—Am. bor.  
Syneilesis, *Matsum. Enum. Sci. Names* (1895) 57 (= *Senecio Syneilesis*).—Japon.  
tuberosa, Nutt. *Gen. Am. Pl. ii.* 138.—Am. bor.

**CACHRYS**, Linn. (Umbell.).

- ferulacea, *Calest. in Martelli, Webbia, 15* (= *Prangos ferulacea*).—Eur.; As. occ.

**CACTUS**, Linn. = **Mamillaria**, Haw. (Cactac.).

- hemisphaericus, Small, *Fl. S. E. U. S.* 811 = M. hemisphaerica.  
neo-mexicanus, Small, l. c. 812.—Am. bor.  
robustus, Small, l. c. —Am. bor.  
similis, Small, l. c. = M. similis.  
sulcatus, Small, l. c. = M. sulcata.  
texanus, Small, l. c. —Am. bor.

**CADABA**, Forsk. (Capparid.).

- macropoda, Gilg, in *Engl. Jahrb. xxxiii.* 222.—Afr. trop.

**CADIA**, Forsk. (Legum.).

- Baroni, Drake, *Hist. Pl. Madag. i.* 97.—Madag.  
Catati, Drake, l. c. 96.—Madag.

**CAESALPINIA**, Linn. (Legum.).

- acutifolia, F. R. Johnston, in *Proc. Amer. Acad. xl.* 686.—Venez.  
dictamnoides, Chod. & Hassl. in *Bull. Herb. Boiss. Sér. II. iv.* 829.—Parag.  
Erlangeri, Harms, in *Engl. Jahrb. xxxiii.* 160.—Afr. trop.  
modesta, Arech. in *Anal. Mus. Montevideo, iii.* 405.—Urug.  
Morsei, Dunn, in *Journ. Linn. Soc. xxxv.* 492.—China.  
oligophylla, Harms, in *Engl. Jahrb. xxxiii.* 160.—Afr. trop.  
rostrata, N. E. Br. in *Hook. Ic. Pl. t.* 2702.—Afr. austr.

**CAESAREA**, Camb. = **Viviania**, Cav. (Geran.).

- Sellowii, Taub. ex Glas. in *Bull. Soc. Bot. Fr. lii.* Mém. III. 78, nomen.—Bras.

**CAIOPHORA**, Presl (Loasac.).

- [BLUMENBACHIA, Schrad. I. K.]  
patagonica, Macl. in *Rep. Princeton Univ. Exped. Patag. viii.* 590 (= *Blumenbachia patagonica*).—Patag.

**CAKILE**, Linn. (Crucif.).

- Harperi, Small, *Fl. S. E. U. S.* 478.—Am. bor.  
lanceolata, O. E. Schulz, in *Urb. Symb. Antill. iii.* 504.—Ind. occ.

**CALADENIA**, R. Br. (Orchid.).

- Purdieana, Andrews, in *Journ. Muell. Soc. W. Austral. i.* no. 10, 39.—Austral.

**CALADIOPSIS**, Engl. Jahrb. xxxvii. (1905) 139. **ARACEAE**.

- Lehmannii, Engl. l. c. 140.—N. Granat.

**CALADIUM**, Vent. (Aroid.).

- angustilobum, Engl. Jahrb. xxxvii. 136.—N. Granat.  
Colocasia, W. F. Wight, in *U. S. Dept. Agric. Contrib. Nat. Herb. ix.* 206 (= *Arum Colocasia*).—As. trop.  
Eggersii, Engl. Jahrb. xxxvii. 136.—Ecuador.  
puberulum, Engl. l. c.—N. Granat.

**CALAMAGROSTIS**, Adans. (Gramin.).

- albiflora, Vaniot, in *Bull. Acad. Géogr. Bot. Sér. III. xiii.* 181.—China.  
Ameghinoi, Macl. in *Rep. Princeton Univ. Exped. Patag. viii.* 193 (= *Deyeuxia Ameghinoi*).—Patag.  
atropurpurea, Nash, in *Britton & Rydb. in Bull. N. Y. Bot. Gard. ii.* 153.—Am. bor.  
clipeata, Vaniot, in *Bull. Acad. Géogr. Bot. Sér. III. xiii.* 184.—China.  
chilensis, R. Fries, in *Nov. Act. Soc. Sci. Upsal. Ser. IV. i.* no. 1, 176 (= *Deyeuxia chilensis*).—Am. austr.  
compacta, Hack. ex Paulsen, in *Kjoeb. Vidensk. Meddel. 1903, 167* (= *Deyeuxia compacta*).—As. cent.  
freticola, Macl. in *Rep. Princeton Univ. Exped. Patag. viii.* 194 (= *Deyeuxia freticola*).—Patag.  
Hieronymi, Hack. in *Oesterr. Bot. Zeitschr. lii.* 109.—Argent.  
Huttoniae, Hack. in *Rec. Albany Mus. i.* 113, 340.—Afr. austr.  
indagata, Torges & Hausskn. in *Mitth. Thüring. Bot. Ver. n. s. xx.* 80.—Hybr.  
Kotulae, Zapal. in *Bull. Acad. Cracov. 1904, 163.*—Galic.  
lucida, Scribn. in *U. S. Dept. Agric. Circ. Agrost. xxx.* 8.—Am. bor.  
Neumaniana, Torges, in *Mitth. Thüring. Bot. Ver. n. s. xvii.* 93.—Hybr.  
pappophorea, Hack. in *Ann. Conserv. & Jard. Bot. Genève, vii–viii.* 325.—Turkestan.  
patagonica, Macl. in *Rep. Princeton Univ. Exped. Patag. viii.* 195 (= *Deyeuxia patagonica*).—Patag.  
Petriei, Hack. in *Trans. Proc. N. Z. Inst. xxxv.* 380.—N. Zel.  
perplexa, Scribn. in *U. S. Dept. Agric. Circ. Agrost. xxx.* 7.—Am. bor.  
Pittieri, Hack. in *Oesterr. Bot. Zeitschr. lii.* 108.—Am. cent.  
polycephala, Vaniot, in *Bull. Acad. Geogr. Bot. Sér. III. xiii.* 183.—China.  
Prahiana, Torges, in *Mitth. Thüring. Bot. Ver. n. s. xvii.* 88.—Hybr.  
radicans, Vaniot, in *Bull. Acad. Géogr. Bot. Sér. III. xiii.* 182.—China.  
rosea, Hack. ex Stuck. in *Anal. Mus. Buenos Aires, xi.* 109 (= *Agrostis rosea*).—Reg. Argent.  
sclerantha, Hack. in *Oesterr. Bot. Zeitschr. lii.* 108.—Reg. Argent.  
tenuifolia, R. Fries, in *Nov. Act. Soc. Sci. Upsal. Ser. IV. i.* no. 1, 177 (= *Deyeuxia tenuifolia*).—Am. austr.  
yukonensis, Nash, in *Britton & Rydb. in Bull. N. Y. Bot. Gard. ii.* vi. 154.—Am. bor.

**CALAMINTHA**, Tourn. (Labiata.).

- [SATURIA, Linn. D. T. & H.]  
Chandleri, T. S. Brandegee, in *Zoe, v.* (1905) 195.—Calif.  
montenegrina, Sagorski, in *Oesterr. Bot. Zeitschr. 1903, 20.*—Eur.

**CALAMUS**, Linn. (Palm.).

- aquatilis, Ridley, in *Journ. As. Soc. Straits, xli.* 43.—Penins. Mal.  
bacularis, Becc. *Nelle Foreste di Borneo, 609.*—Borneo.  
Barterii, Becc. in *Rec. Bot. Surv. Ind. ii.* 199, nomen.—Afr. trop.  
borneensis, Becc. l. c. 205.—Borneo.  
Bousigonii, Becc. l. c. 209.—Cochinch.  
brachystachys, Becc. l. c. 215.—Borneo.  
Burckianus, Becc. l. c. 198.—Java.  
corrugatus, Becc. l. c. 201.—Arch. Mal.  
Cumingianus, Becc. l. c. 210.—Ins. Philipp.  
dilaceratus, Becc. l. c. 198.—Ins. Nicobar.  
dimorphocanthus, Becc. l. c. 214.—Ins. Philipp.  
dongnaiensis, Pierre, ex Becc. l. c. 198.—Cochinch.  
erioacanthus, Becc. *Nelle Foreste di Borneo, 610.*—Borneo.  
ferrugineus, Becc. in *Rec. Bot. Surv. Ind. ii.* 216.—Borneo.  
filiformis, Becc. *Nelle Foreste di Borneo, 609.*—Borneo.  
formosanus, Becc. in *Rec. Bot. Surv. Ind. ii.* 211.—Formosa.  
gonospermus, Becc. l. c. 202.—Arch. Mal.  
Harmandi, Pierre, ex Becc. l. c. 216.—Cochinch.  
Hendelotii, Becc. l. c. 199.—Afr. trop.  
Henryanus, Becc. l. c. —China.  
hispidulus, Becc. l. c. 209.—Borneo.  
kandariensis, Becc. l. c. 210.—Celebes.

**CALAMUS** :—

- Laurentii, Wildem. in *Ann. Mus. Congo, Sér. V. i.* 97.—Afr. trop.  
Leprieurii, Becc. in *Rec. Bot. Surv. Ind. ii.* 200.—Afr. trop.  
mattanensis, Becc. l. c. 216.—Borneo.  
maximus, Becc. in *Perkins, Fragm. Fl. Philipp. i.* 45 = Merrillii.  
Merrillii, Becc. in *Martelli, Webbia, 347.*—Ins. Philipp.  
microcarpus, Becc. in *Rec. Bot. Surv. Ind. ii.* 213.—Ins. Philipp.  
microsphaerion, Becc. in *Perkins, Frag. Fl. Philipp. 45.*—Ins. Philipp.  
Moseleyanus, Becc. in *Rec. Bot. Surv. Ind. ii.* 211.—Ins. Philipp.  
muricatus, Becc. *Nelle Foreste di Borneo, 609.*—Borneo.  
mucronatus, Becc. in *Rec. Bot. Surv. Ind. ii.* 213.—Borneo.  
myriacanthus, Becc. l. c. 214.—Borneo.  
nematospadix, Becc. l. c. 204.—Borneo.  
optimus, Becc. *Nelle Foreste di Borneo, 610.*—Borneo.  
Perrotetii, Becc. in *Rec. Bot. Surv. Ind. ii.* 200.—Afr. trop.  
pilosellus, Becc. l. c. 208.—Borneo.  
ramulosus, Becc. in *Perkins, Frag. Fl. Philipp. 46.*—Ins. Philipp.  
Ridleyanus, Becc. in *Rec. Bot. Surv. Ind. ii.* 205.—Penins. Mal.  
ruvidus, Becc. l. c. 202.—Borneo.  
salicifolius, Becc. l. c. 206.—Cochinch.  
sarawakensis, Becc. l. c. 208.—Borneo.  
scabridulus, Becc. l. c. 203.—Arch. Mal.  
siamensis, Becc. l. c. —Siam.  
spinilifolius, Becc. l. c. 202.—Ins. Philipp.  
subinermis, Wendl. ex Becc. l. c. 212.—Borneo.  
Vidalianus, Becc. l. c. 212.—Ins. Philipp.  
trispermus, Becc. in *Perkins, Frag. Fl. Philipp. 46.*—Ins. Philipp.  
Zollingerii, Becc. in *Rec. Bot. Surv. Ind. ii.* 199, nomen.—Celebes.  
zonatus, Becc. *Nelle Foreste di Borneo, 609.*—Borneo.

**CALANDA**, K. Schum. in Warb. Kunene-Sambesi Exped. 386 (1903). **RUBIACEAE**.

- cygnorum, Diels, in *Engl. Jahrb. xxxv.* 199.—Austral.  
primuliflora, Diels, l. c. 198.—Austral.  
rubricaulis, K. Schum. in *Warb. Kunene-Sambesi Exped. 386.*—Afr. trop.

**CALANDRINIA**, H. B. & K. (Portulac.).

- chubutensis, Speg. in *Anal. Mus. Buenos Aires, vii.* 243.—Patag.  
columbiana, Howell, in *Proc. Amer. Acad. xxii.* 277.—Am. bor.  
patagonica, Speg. *Nov. Add. Fl. Patag. i.* 1901, repr. 18.—Patag.  
Punae, R. Fries, in *Nov. Act. Soc. Sci. Upsal. Ser. IV. i.* no. 1, 149.—Reg. Argent.

**CALANTHE**, R. Br. (Orchid.).

- aceras, Schlechter, in *K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee, 140.*—N. Guin.  
albo-lutea, Ridley, in *Journ. As. Soc. Straits, xxxix.* 80.—Penins. Mal.  
aurantiaca, Ridley, l. c. —Penins. Mal.  
Balansae, Finet, in *Bull. Soc. Bot. Fr. xlyi.* 435.—N. Caled.  
chrysantha, Schlechter, in *K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee, 141.*—N. Guin.  
Delavayi, Finet, in *Bull. Soc. Bot. Fr. xlyi.* 434.—China.  
coiloglossa, Schlechter, in *K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee, 141.*—N. Guin.  
Engleriana, Kraenzl. in *K. Schum. & Lauterb. l. c.* 142.—N. Guin.  
Fargesii, Finet, in *Bull. Soc. Bot. Fr. xlyi.* 434.—China.  
laxiflora, Mak. in *Matsum. Ind. Pl. Jap. ii.* 237.—Japon.  
madagascariensis, Rolfe, ex Hook. f. in *Bot. Mag. t.* 7780.—Madag.  
microglossa, Ridley, in *Journ. As. Soc. Straits, xxxix.* 81.—Sumatra.  
mutabilis, Ridley, l. c. 79.—Sumatra.  
neo-hibernica, Schlechter, in *K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee, 142.*—Ins. Bismarck.  
parvilabris, Schlechter, l. c. 143.—N. Guin.  
pusilla, Finet, in *Bull. Soc. Bot. Fr. xlyi.* 436.—China.  
rhodochila, Schlechter, in *K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee, 143.*—N. Guin.

**CALANTHE:**—

saccata, *Sm. in Bull. Inst. Buitenz.* vii. 3.—Arch. Mal.  
torricellensis, *Schlechter, in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 144.—N. Guin.  
tunensis, *J. J. Sm. in Bull. Inst. Buitenz.* vii. 3.—Arch. Mal.  
undulata, *J. J. Sm. in Ic. Bogor.* t. 112 B.—Borneo.  
yunnanensis, *Rolfe, in Journ. Linn. Soc.* xxxvi. 27.—China.

**CALATHEA**, G. F. W. Mey. (Scitam.).

albovaginata, *K. Schum. in Engl. Pflanzenreich, Marant.* 99 (= *Phrynium albovaginatum*).—Bras.  
brunescens, *K. Schum. l. c.* (= *Phrynium brunescens*).—Bras.  
Bullii, *K. Schum. l. c.* 114.—Hort.  
cardiophylla, *K. Schum. l. c.* 108.—Bras.  
cartaractarum, *K. Schum. l. c.* 95.—Venez.  
comosa, *K. Schum. l. c.* 89 = capitata.  
cylindrica, *K. Schum. l. c.* 83 (= *Phrynium cylindricum*).—Bras.  
dasycarpa, *Donn. Sm. in Coult. Bot. Gaz.* xxxi. 123.—Am. cent.  
divaricata, *Rusby, in Bull. Torr. Bot. Club*, 1902, 695.—Bolivia.  
Donnell-Smithii, *K. Schum. in Engl. Pflanzenreich, Marant.* 75.—Am. cent.  
elliptica, *K. Schum. l. c.*—Guiana.  
Gigas, *Gagn. in Bull. Soc. Bot. Fr.* l. 589.—Hab.?  
grandiflora, *Donn. Sm. in Coult. Bot. Gaz.* xxxi. 125.—Am. cent.  
grandiflora, *K. Schum. in Engl. Pflanzenreich, Marant.* 99.—Bras.  
lasioctachya, *Donn. Sm. in Coult. Bot. Gaz.* xxxi. 124.—Am. cent.  
Lehmannii, *K. Schum. in Engl. Pflanzenreich, Marant.* 78.—Ecuador.  
Lindmanii, *K. Schum. l. c.* 175.—Bras.  
macrosepala, *K. Schum. l. c.* 84.—Am. cent.  
nigricans, *Gagn. in Bull. Soc. Bot. Fr.* l. 588.—Hab.?  
Pittieri, *K. Schum. in Engl. Pflanzenreich, IV.* xlviii. 108.—Am. cent.  
polystachya, *K. Schum. l. c.* 176.—Bras.  
Riedeliana, *K. Schum. l. c.* 105 = Koernickeana.  
Rodeckiana, *K. Schum. l. c.* 115.—Hort.  
sclerobracteata, *K. Schum. l. c.* 73.—Am. cent.  
sphaerocephala, *K. Schum. l. c.* 101.—Bras.  
Trinitatis, *K. Schum. l. c.* 95.—Ind. occ.  
truncata, *K. Schum. l. c.* 104 = orbiculata.  
Vera-pax, *Donn. Sm. in Coult. Bot. Gaz.* xxxi. 124.—Am. cent.

**CALCEOLARIA**, Linn. (Scrophul.).

anagalloides, *Kraenzl. in Fedde, Reper. Nov. Sp.* i. 84.—Peruv.  
brachiata, *Kraenzl. l. c.* 106.—Ecuador.  
Cajabambae, *Kraenzl. l. c.* 102.—Peruv.  
callunoides, *Kraenzl. l. c.* 103.—Peruv.  
Catamarcae, *Kraenzl. l. c.* 98.—Reg. Argent.  
cypripediiflora, *Kraenzl. l. c.* 101.—Peruv.  
delicatula, *Kraenzl. l. c.* 102.—Peruv.  
Engleriana, *Kraenzl. l. c.* 106.—Peruv.  
Fiebrigiana, *Kraenzl. l. c.* 84.—Bolivia.  
Grisebachii, *Kraenzl. l. c.* 98.—Reg. Argent.  
Halliana, *Kraenzl. l. c.* 85.—Peruv.  
heterophylloides, *Kraenzl. l. c.* 100.—Peruv.  
inaudita, *Kraenzl. l. c.* 104.—Peruv.  
Incarum, *Kraenzl. l. c.* 103.—Peruv.  
Lehmanniana, *Kraenzl. l. c.* 100.—N. Granat.  
Iepidota, *Kraenzl. l. c.* 83.—Reg. Argent.  
lysismachioides, *Kraenzl. l. c.* 84.—Peruv.  
macrocalyx, *Kraenzl. l. c.* 99.—Peruv.  
Martinezii, *Kraenzl. l. c.* 105.—Ecuador.  
myrtilloides, *Kraenzl. l. c.* 99.—Peruv.  
polyclada, *Kraenzl. l. c.* 105.—Bolivia.  
ramosissima, *Kraenzl. l. c.* 107.—Peruv.  
ranunculoides, *Kraenzl. l. c.* 97.—Peruv.  
rivularis, *Kraenzl. l. c.* 83.—Bolivia.  
sarmentosa, *Kraenzl. l. c.* 97.—Peruv.  
Schickendantziana, *Kraenzl. l. c.* 104.—Reg. Argent.  
urticina, *Kraenzl. l. c.* 82.—Mexic.  
Weberbaueriana, *Kraenzl. l. c.* 101.—Peruv.  
Zanattilla, *Kraenzl. l. c.* 107.—Peruv.

**CALEA**, Linn. (Compos.).

Bakeriana, *Chod. in Bull. Herb. Boiss. Sér. II.* ii. 395.—Parag.  
crenata, *Chod. l. c.* iii. 726.—Parag.

**CALEA:**—

formosa, *Chod. in Bull. Herb. Boiss. Sér. II.* ii. 396.—Parag.  
Hassleriana, *Chod. l. c.* 727.—Parag.  
Jelskii, *Hieron. in Engl. Jahrb.* xxxvi. 496.—Peruv.  
nitida, *Chod. in Bull. Herb. Boiss. Sér. II.* ii. 396.—Parag.  
Pringlei, *Robinson, in Proc. Amer. Acad.* xxxvi. 488.—Mexic.  
Rojasiana, *Chod. in Bull. Herb. Boiss. Sér. II.* iii. 728.—Parag.  
rupicola, *Chod. l. c.* 726.—Parag.  
septuplinervia, *Hieron. in Engl. Jahrb.* xxviii. 615.—N. Granat.  
Szyszyłowiczii, *Hieron. l. c.* xxxvi. 497.—Peruv.  
urticifolia, *Millsp. l. c. Beibl.* lxxx. 30 (= *Caleacte urticifolia*).—Am. cent.

**CALEPINA**, Adans. (Crucif.).

irregularis, *Thellung, in Schinz & Keller, Fl. Schweiz*, ed. II. 218 = Corvini.  
Ruellii, *Bub. Fl. Pyren.* iii. 248 = Corvini.

**CALLIANDRA**, Benth. (Legum.).

panlosia, *J. R. Johnston, in Proc. Amer. Acad.* xl. 686.—Venez.  
Pervillei, *Drake, Hist. Pl. Madag.* i. 60.—Madag.  
rupestris, *T. S. Brandegee, in Zoe*, v. (1905) 199.—Mexic.

**CALLICARPA**, Linn. (Verben.).

longipetiolata, *Merrill, in Philipp. Gov. Lab. Bur. Bull.* xxix. 47.—Ins. Philipp.

**CALLICHILIA**, Stapf, in Dyer, *Fl. Trop. Afr.* iv. i. 130 (1902). *APOCYNACEAE*.

Barteri, *Stapf, l. c.* 133 (= *Tabernaemontana Barteri*).—Afr. trop.  
inaequalis, *Stapf, l. c.* 132 (= *Tabernaemontana inaequalis*).—Afr. trop.  
Mannii, *Stapf, l. c.* 131.—Afr. trop.  
monopodialis, *Stapf, l. c.* (= *Tabernaemontana monopodialis*).—Afr. trop.  
stenosepala, *Stapf, l. c.* 602.—Afr. trop.  
subsessilis, *Stapf, l. c.* 132 (= *Tabernaemontana subsessilis*).—Afr. trop.

**CALLIPHYLLON**, Bub. *Fl. Pyren.* iv. (1901) 56 = *Epipactis*, Adans. (Orchid.).

latifolium, *Bub. l. c.* = *E. latifolia*.  
palustre, *Bub. l. c.* 57 = *E. palustris*.

**CALLIPRORA**, Lindl. = *Brodiaea*, Sm. (Liliac.).

analina, *Heller, Muhlenbergia*, ii. 14.—Calif.

**CALLISIA**, Linn. (Commelin.).

scopulorum, *T. S. Brandegee, in Zoe*, v. (1903) 173.—Calif.

**CALLISTEMON**, R. Br. (Myrtac.).

Polandii, *F. M. Bailey, Queensl. Fl.* 2003.—Austral.

**CALLISTEPHUS**, Cass. (Compos.).

cuneatus, *Dalz. ex Cooke, Fl. Bombay*, ii. 31 = *Inula gratioioides*.  
lacinians, *Borb. in Magyar Bot. Lap.* iii. 50 (= *Aster lacinians*).—Hort.

**CALLISTERIS**, Greene, *Leaflets Bot. Obs.* i. (1905) 159. *POLEMONIACEAE*.

aggregata, *Greene, l. c.* 159 (= *Cantua aggregata*).—Am. bor.  
arizonica, *Greene, l. c.* 160.—Am. bor.  
attenuata, *Greene, l. c.*—Am. bor.  
Bridgesii, *Greene, l. c.*—Am. bor.  
collina, *Greene, l. c.* 159.—Am. bor.  
flavida, *Greene, l. c.* 160.—Am. bor.  
formosissima, *Greene, l. c.*—Am. bor.  
leucantha, *Greene, l. c.* 159.—Am. bor.  
pulchella, *Greene, l. c.* 160 (= *Gilia pulchella*).—Am. bor.  
texana, *Greene, l. c.*—Am. bor.

**CALLISTHENE**, Mart. (Vochys.).

mucronata, *Glaz. in Bull. Soc. Bot. Fr.* lii. *Mém.* III. 30, nomen.—Bras.  
robusta, *Glaz. l. c.*, nomen.—Bras.

**CALLITRIS**, Vent. (Conifer.).

gracilis, *R. T. Baker, in Proc. Linn. Soc. N. S. Wales*, xxvii. 839.—Austral.  
Schwarzii, *Marloth, in Engl. Jahrb.* xxxvi. 206.—Afr. austr.

**CALOCARPUM**, Pierre = *Lucuma*, A. DC. (Sapot.).  
mammosum, *Pierre, in Urb. Symb. Antill.* v. 98 = *L. mammosa*.

**CALOCEPHALUS**, R. Br. (Compos.).

phlegmatocarpus, *Diels, in Engl. Jahrb.* xxxv. 614.—Austral.

**CALOCHORTUS**, Pursh (Liliac.).

amabilis, *Purdy, in Proc. Calif. Acad. Ser.* III. ii. 119.—Am. bor.  
concolor, *Purdy, l. c.* 135.—Am. bor.  
Dunnii, *Purdy, l. c.* 147.—Am. bor.  
Lobbii, *Purdy, l. c.* 122.—Am. bor.  
Pringlei, *Robinson, in Proc. Amer. Acad.* xxxvi. 472.—Mexic.  
shastensis, *Purdy, in Proc. Calif. Acad. Ser.* III. ii. 125.—Am. bor.  
striatus, *Parish, in Bull. S. Calif. Acad. Sci.* i. (1902) 112.—Calif.  
Vesta, *Gard. Chron.* 1895, ii. 14; *Purdy, in Proc. Calif. Acad. Ser.* III. ii. 139.—Am. bor.

**CALODENDRUM**, Thunb. (Rutac.).

Eichii, *Engl. Jahrb.* xxxii. 119.—Afr. trop.

**CALONYCTION**, Choisy (Convolv.).

[*IPOMOEAE*, Linn. I. K.]  
aculeatum, *House, in Bull. Torr. Bot. Club*, 1904, 590 (= *Convolvulus aculeatus*).—Am. trop.; Ind. occ.  
album, *House, l. c.* 591 (= *Ipomoea alba*).—Ind. or. et occ.

**CALOPHACA**, Fisch. (Legum.).

nigricans, *B. Fedtsch. in Act. Hort. Petrop.* xxiv. 178 (= *Cytisus nigricans*).—Ross. austr.; As. cent.

**CALOPHYLLUM**, Linn. (Guttif.).

Horstii, *Boerl. Cat. Hort. Bogor.* 79 (= *Calysaccion Horstii*).—Borneo.  
Sulatri, *Eeden. Hout. Ned. Oost. Ind. Ed. I.* 9, nomen.—Celebes.

**CALOPOGONIUM**, Desv. (Legum.).

sericeum, *Chod. & Hassl. in Bull. Herb. Boiss. Sér.* II. iv. 897.—Parag.

**CALOSTEMMA**, R. Br. (Amaryll.).

Scott-Sellickiana, *F. M. Bailey, in Queensl. Agric. Journ.* xv. 899.—Austral.

**CALOTIS**, R. Br. (Compos.).

inermis, *Maiden, in Proc. Linn. Soc. N. S. Wales*, xxvi. 84.—Austral.

**CALOTROPIS**, R. Br. (Asclep.).

Busseana, *K. Schum. in Engl. Jahrb.* xxxiii. 323.—Afr. trop.

**CALTHA**, Rupp. (Ranuncul.).

elata, *Duthie, in Gard. Chron.* 1905, i. 178.—Ind. or.  
obtusa, *Cheesem. in Trans. & Proc. N. Zeal. Inst.* xxxiii. 312.—N. Zel.

**CALYCERA**, Cav. (Calycer.).

crenata, *R. Fries, in Nov. Act. Soc. Sci. Upsal.* Ser. IV. i. no. 1, 98.—Reg. Argent.  
foliosa, *Phil. ex Reiche, Fl. Chile*, iii. 207, descr.—Chili.

**CALYPSO**, Salisb. (Orchid.).

japonica, *Maxim. ex Kom. in Act. Hort. Petrop.* xx. 533.—Japon.

**CALYPTOCARPUS**, Less. = *Blainvillea*, Cass. (Compos.).

africanus, *O. Hoffm. in Wildem. & Th. Dur. in Bull. Herb. Boiss. Sér. II.* i. 827.—Afr. trop.  
tampicanus, *Small, Fl. S. E. U. S.* 1274 (= *Oligogyne tampicana*).—Am. bor.

**CALYPTRANTHES**, Sw. (Myrtac.).

amoena, *Pilg. in Engl. Jahrb.* xxx. 168.—Bras.

**CALYPTROCALYX**, Blume (Palm.).

Albertianus, *Becc. in Martelli, Webbia*, 305.—N. Guin.  
laxiflorus, *Becc. l. c.* 311.—N. Guin.  
leptostachys, *Becc. l. c.* 306.—N. Guin.  
pachystachys, *Becc. l. c.* 308.—N. Guin.

**CALYPTROTHECA**, Gilg (Capparid.).

Stuhlmannii, *Gilg, in Engl. Jahrb.* xxxiii. 230.—Afr. trop.



**CALYTHRIX**, Labill. (Myrtac.).

- [CALYCOYTHRIX, Labill. D. T. & H.]  
stenophylla, *Fitzg. in Journ. W. Austral. Nat. Hist. Soc.* i. 18.—Austral.  
stipulosa, *Fitzg. l. c.*—Austral.

**CAMASSIA**, Lindl. (Liliac.).

- Suksdorfii, *Greenm. in Coult. Bot. Gaz.* xxxiv. 307.—Am. bor.

**CAMELINA**, Crantz (Crucif.).

- subappressa, *Hauskn. & Bornm. in Mitth. Thüring. Bot. Ver. n. s. xx. 7.*—As. Min.

**CAMELLIA**, Linn. (Ternstroem.).

- [THEA, Linn. D. T. & H.]  
Crapnelliana, *Tutch. in Journ. Linn. Soc.* xxxvii. 63.—China.

**CAMOENSIA**, Welw. (Legum.).

- Laurentii, *Wildem. Enum. Pl. Laurent.* 103.—Afr. trop.

**CAMPANULA**, Tourn. (Campanul.).

- amabilis*, *Leichtl. in Bull. Soc. Tosc. Ort.* 1904, 339; *Kew Bull.* 1905, App. III. 69 = phytidocalyx.  
*aurasiaca*, *Batt. & Trab. Fl. Algér. Tunis.* 220.—Afr. bor.  
*axilliflora*, *Borb. in Magyar Bot. Lap.* iii. 191 (= *Adenophora axilliflora*).—China.  
*Baileyi*, *Eastw. in Bull. Torr. Bot. Club.* 1902, 525.—Am. bor.  
*Beauverdiana*, *Fomine, in Monit. Jard. Bot. Tiflis.* i. 12.—Reg. Caucas.  
*besenginica*, *Fomine, in Act. Hort. Tiflis.* vi. II. 8.—Reg. Caucas.  
*californica*, *A. A. Heller, Muhlenbergia.* i. 46 = *linnaefolia*.  
*Choziatowskyi*, *Fomine, in Act. Hort. Tiflis.* vi. III. 38.—Reg. Caucas.  
*corbariensis*, *Rouy, Illustr. Pl. Eur.* t. 494.—Gallia.  
*cristalocalyx*, *Adam. in Denkschr. Akad. Wien, Math.-Nat.* lxxiv. 141.—Turcia.  
*Fergusonii*, *Ferguson, in Rev. Hort.* 1904, 557.—Hybr.  
*finitima*, *Fomine, in Monit. Jard. Bot. Tiflis.* i. 15.—Reg. Caucas.  
*Fritschii*, *Witasek, in Abh. Zool. Bot. Ges. Wien.* i. III. 90.—Eur.  
*granatensis*, *Witasek, l. c.* 73.—Eur.  
*gypsicola*, *Witasek, l. c.* 70.—Eur.  
*intercedens*, *Witasek, l. c.* 43.—Am. bor.  
*Kernerii*, *Witasek, ex A. Kern. & Fritsch, Sched. Fl. Austr.-Hung.* ix. 38.—Eur.  
*Kladniana*, *Witasek, in Abh. Zool. Bot. Ges. Wien.* i. III. 39.—Eur.  
*lanceifolia*, *Witasek, l. c.* 84.—Eur.  
*longestyla*, *Fomine, in Act. Hort. Tiflis.* vi. III. 37.—Reg. Caucas.  
*Loretiana*, *Witasek, in Abh. Zool. Bot. Ges. Wien.* i. III. 88.—Eur.  
*Macdougallii*, *Rydb. in Bull. Torr. Bot. Club.* 1901, 25.—Am. bor.  
*Marchesettii*, *Witasek, in Abh. Zool. Bot. Ges. Wien.* i. III. 32.—Eur.  
*mardinensis*, *Bornm. & Sint. in Mitth. Thüring. Bot. Ver. n. s. xx. 31.*—Mesopotam.  
*Mikoi*, *Borb. in Magyar Bot. Lap.* iii. 192 (= *Adenophora Mikoi*).—Eur.  
*Mrkvickana*, *Velen. in Allg. Bot. Zeitschr.* 1905, 44.—Turcia.  
*multicaulis*, *Witasek, in Meddel. Soc. Faun. Fl. Fenn.* xxix. 209.—Eur.  
*perpallens*, *Borb. in Magyar Bot. Lap.* iii. 193 (= *Adenophora perpallens*).—Eur.  
*pterocaula*, *Hauskn. in Mitth. Thüring. Bot. Ver. n. s. xx. 34.*—As. Min.  
*pulvinaris*, *Hauskn. & Bornm. l. c.* 29, descr.—Cap-padoc.  
*racemosa*, *Witasek, in Abh. Zool. Bot. Ges. Wien.* i. III. 34.—Eur.  
*regina*, *Albofi, in Nature*, liv. (1896) 46; *Kew Bull.* 1897, App. II. 47 = *mirabilis*.  
*rhomboidea*, *Borb. in Magyar Bot. Lap.* iii. 192 (= *Adenophora rhomboidea*).—Sibir.  
*Richteri*, *Borb. l. c.* 193 (= *Adenophora Richteri*).—Sibir.  
*sardoa*, *Levier, ex Nym. Consp. Suppl.* II. (1889–90) 209 = *macrorhiza*.  
*Scheuchzeri*, *Marchesetti, Fl. Trieste*, 354 = *Marchesettii*.

VOL. IV.

**CAMPANULA** :—

- stylocampa*, *Eastw. in Bull. Torr. Bot. Club.* 1902, 525.—Am. bor.  
*uliginosa*, *Rydb. in Britton, Man. Fl. N. U. S.* 885.—Am. bor.  
*Willkommii*, *Witasek, in Abh. Zool. Bot. Ges. Wien.* i. III. 75.—Eur.

**CAMPANULASTRUM**, Small, Fl. S. E. U. S. 1141 (1903). **CAMPANULACEAE**.

- [**CAMPANULA**, Linn. D. T. & H.]  
*americanum*, *Small, l. c.* (= *Campanula americana*).—Am. bor.

**CAMPANUMOEIA**, Blume (Campanul.).

- Labordei*, *Léveillé, in Bull. Soc. Agric. Sci. Arts Sarthe*, 1904, repr. 9.—China.

**CAMPNOSPERMA**, Thw. (Anacard.).

- brevipetiolata*, *Volk. in Engl. Jahrb.* xxxi. 466.—Ins. Carol.

**CAMPOMANESIA**, Ruiz & Pav. (Myrtac.).

- diversifolia*, *Barb. Rodr. Myrt. Parag.* 18.—Parag.  
*Hasslerii*, *Barb. Rodr. l. c.* 19.—Parag.  
*resinosa*, *Barb. Rodr. l. c.* 20.—Parag.  
*trichosepala*, *Barb. Rodr. l. c.* 19.—Parag.

**CAMPTOURATEA**, Van Tiegh. in Bull. Mus. Hist.

- Nat. Par. viii. (1902) 375 = *Ouratea*, Aubl. (Ochnac.).  
*agrophylla*, Van Tiegh. in Ann. Sci. Nat. Par. Sér. VIII. xvi. 215.—Ind. occ.  
*alaternifolia*, Van Tiegh. in Journ. de Bot. 1902, 192 = *O. alternifolia*.  
*castaneifolia*, Van Tiegh. in Bull. Mus. Hist. Nat. Par. 1902, 375 = *O. castaneifolia*.  
*cinerea*, Van Tiegh. in Ann. Sci. Nat. Par. Sér. VIII. xvi. 214.—Ind. occ.  
*elliptica*, Van Tiegh. l. c. (= *Gomphia elliptica*).—Ind. occ.  
*ilicifolia*, Van Tiegh. in Bull. Mus. Hist. Nat. Par. 1902, 375 = *O. ilicifolia*.  
*Leblondii*, Van Tiegh. in Ann. Sci. Nat. Par. Sér. VIII. xvi. 205.—Guian.  
*persistens*, Van Tiegh. in Bull. Mus. Hist. Nat. Par. 1902, 375 (= *Gomphia persistens*).—Bras.  
*revoluta*, Van Tiegh. in Journ. de Bot. 1902, 192 = *O. revoluta*.  
*Sagoti*, Van Tiegh. in Ann. Sci. Nat. Par. Sér. VIII. xvi. 211.—Guian.  
*semiserrata*, Van Tiegh. in Journ. de Bot. 1902, 192 = *O. semiserrata*.  
*spinulosa*, Van Tiegh. in Ann. Sci. Nat. Par. Sér. VIII. xvi. 214 = *O. spinulosa*.  
*striata*, Van Tiegh. l. c.—Ind. occ.

**CAMPYLOCENTRON**, Benth. (Orchid.).

- chlororhizum*, *Porsch, in Oesterr. Bot. Zeitschr.* 1905, 162.—Bras.  
*filiforme*, *Cogn. in Urb. Symb. Antill.* iv. 184 (= *Epidendrum filiforme*).—Ind. occ.; N. Granat.  
*pygmaeum*, *Cogn. l. c.* 183.—Ind. occ.

**CAMPYLOCERCUM**, Van Tiegh. in Bull. Mus. Hist.

- Nat. Par. viii. (1902) 546 = *Ouratea*, Aubl. (Ochnac.).  
*Hohenackeri*, Van Tiegh. l. c. 1903, 86.—Ind. or.  
*Metzi*, Van Tiegh. l. c.—Ind. or.  
*neriifolium*, Van Tiegh. in Ann. Sci. Nat. Par. Sér. VIII. xvi. 304 = *O. neriifolia*.  
*paucifolium*, Van Tiegh. in Bull. Mus. Hist. Nat. Par. 1903, 86.—Ind. or.  
*Zollingeri*, Van Tiegh. in Ann. Sci. Nat. Par. Sér. VIII. xvi. 305.—Java.

**CAMPYLOCHNELLA**, Van Tiegh. in Bull. Mus. Hist.

- Nat. Par. viii. (1902) 378 = *Ochna*, Linn. (Ochnac.).  
*angustifolia*, Van Tiegh. in Ann. Sci. Nat. Par. Sér. VIII. xvi. 402 = *O. angustifolia*.  
*arenaria*, Van Tiegh. l. c. = *O. arenaria*.  
*katangensis*, Van Tiegh. l. c. xviii. 60 = *O. katangensis*.  
*roseiflora*, Van Tiegh. l. c. = *O. roseiflora*.  
*Tholloni*, Van Tiegh. l. c. xvi. 401.—Afr. trop.

**CAMPYLOPORA**, Van Tiegh. in Bull. Mus. Hist. Nat.

- Par. viii. (1902) 547 = *Brackenridgea*, A. Gray (Ochnac.).  
*australiana*, Van Tiegh. l. c. = *B. australiana*.

**CAMPYLOSPERMUM**, Van Tiegh. in Journ. de Bot.

- xvi. (1902) 35 = *Ouratea*, Aubl. (Ochnac.).

**CAMPYLOSPERMUM** :—

- abbreviatum*, Van Tiegh. in Ann. Sci. Nat. Par. Sér. VIII. xviii. 21.—Malaya.  
*affine*, Van Tiegh. in Journ. de Bot. 1902, 42 = *O. affinis*.  
*angulatum*, Van Tiegh. l. c. 197 = *O. angulata*.  
*angustifolium*, Van Tiegh. l. c. = *O. angustifolia*.  
*Baroni*, Van Tiegh. in Ann. Sci. Nat. Par. Sér. VIII. xvi. 302.—Madag.  
*Beccarianum*, Van Tiegh. l. c. 301 = *O. Beccariana*.  
*Bernieri*, Van Tiegh. in Bull. Mus. Hist. Nat. Par. 1903, 83.—Madag.  
*borneense*, Van Tiegh. in Journ. de Bot. 1902, 197 = *O. borneensis*.  
*Breoni*, Van Tiegh. in Bull. Mus. Hist. Nat. Par. 1903, 83.—Madag.  
*breviflorum*, Van Tiegh. in Ann. Sci. Nat. Par. Sér. VIII. xvi. 302.—Madag.  
*calophyllum*, Van Tiegh. in Journ. de Bot. 1902, 42 = *O. calophyllum*.  
*Chapelieri*, Van Tiegh. in Bull. Mus. Hist. Nat. Par. 1903, 83.—Madag.  
*Cloiseli*, Van Tiegh. in Ann. Sci. Nat. Par. Sér. VIII. xvi. 302.—Madag.  
*coriaceum*, Van Tiegh. in Bull. Mus. Hist. Nat. Par. 1903, 84.—Madag.  
*Cumingi*, Van Tiegh. l. c. 80.—Ins. Philipp.  
*deltoidum*, Van Tiegh. in Ann. Sci. Nat. Par. Sér. VIII. xvi. 301 = *O. deltoidea*.  
*densum*, Van Tiegh. in Bull. Mus. Hist. Nat. Par. 1903, 84.—Madag.  
*denudatum*, Van Tiegh. l. c.—Madag.  
*Duparquetianum*, Van Tiegh. in Journ. de Bot. 1902, 43 = *O. Duparquetiana*.  
*Dybowskianum*, Van Tiegh. l. c. 197.—Afr. trop.  
*elongatum*, Van Tiegh. l. c. 43 = *O. elongata*.  
*Hildebrandtii*, Van Tiegh. in Ann. Sci. Nat. Par. Sér. VIII. xvi. 2, 300 = *O. Hildebrandtii*.  
*Humbloti*, Van Tiegh. in Journ. de Bot. 1902, 197 = *O. Humbloti*.  
*Kingi*, Van Tiegh. in Bull. Mus. Hist. Nat. Par. 1903, 79.—Penins. Mal.  
*laevigatum*, Van Tiegh. in Journ. de Bot. 1902, 197 = *O. laevigata*.  
*Lastelli*, Van Tiegh. in Bull. Mus. Hist. Nat. Par. 1903, 83.—Madag.  
*laxiflorum*, Van Tiegh. in Journ. de Bot. 1902, 197 = *O. laxiflora*.  
*Leschenaultii*, Van Tiegh. in Bull. Mus. Hist. Nat. Par. 1903, 76.—Zeylan.  
*malabaricum*, Van Tiegh. l. c. 77 (= *Gomphia malabarica*).—Ind. or.  
*Mannii*, Van Tiegh. in Journ. de Bot. 1902, 42 = *O. Mannii*.  
*nigricaulis*, Van Tiegh. in Bull. Mus. Hist. Nat. Par. 1903, 84.—Madag.  
*nigrinerve*, Van Tiegh. in Ann. Sci. Nat. Par. Sér. VIII. xvi. 302.—Madag.  
*nodosum*, Van Tiegh. in Bull. Mus. Hist. Nat. Par. 1903, 77.—Zeylan.  
*obtusifolium*, Van Tiegh. in Journ. de Bot. 1902, 197 = *O. obtusifolia*.  
*ovale*, Van Tiegh. in Bull. Mus. Hist. Nat. Par. 1903, 82.—Madag.  
*perakense*, Van Tiegh. l. c. 80.—Penins. Mal.  
*perseifolium*, Van Tiegh. in Ann. Sci. Nat. Par. Sér. VIII. xvi. 298 = *O. perseaeifolia*.  
*plicatum*, Van Tiegh. in Bull. Mus. Hist. Nat. Par. 1903, 78.—Penins. Mal.  
*retinerve*, Van Tiegh. in Ann. Sci. Nat. Par. Sér. VIII. xviii. 16.—Ind. or.  
*revolutum*, Van Tiegh. l. c. xvi. 302.—Madag.  
*Rheedi*, Van Tiegh. in Bull. Mus. Hist. Nat. Par. 1903, 78.—Ind. or.  
*rubrum*, Van Tiegh. in Ann. Sci. Nat. Par. Sér. VIII. xvi. 302.—Madag.  
*Rutenbergi*, Van Tiegh. l. c.—Madag.  
*sculptum*, Van Tiegh. in Bull. Mus. Hist. Nat. Par. 1903, 83.—Madag.  
*strictum*, Van Tiegh. l. c. 79.—Penins. Mal.  
*sumatranum*, Van Tiegh. in Journ. de Bot. 1902, 197 = *O. sumatrana*.  
*Thouarsi*, Van Tiegh. in Bull. Mus. Hist. Nat. Par. 1903, 82.—Madag.  
*Thwaitesi*, Van Tiegh. l. c. 77.—Zeylan.  
*Vahlianum*, Van Tiegh. l. c. 76.—Ind. or.  
*Walkerii*, Van Tiegh. l. c.—Zeylan.  
*Wallichianum*, Van Tiegh. l. c.—Ind. or.  
*zeylanicum*, Van Tiegh. l. c. 77 (= *Ochna zeylanica*).—Zeylan.

F

**CAMPYLOSTEMON**, Welw. (Celastr.).

Warneckeanum, Loes. ex Fritsch, in Bot. Centralbl. Beih. xi. 344.—Afr. trop.

**CANARINA**, Linn. (Campanul.).

abyssinica, Engl. Jahrb. xxxii. 116.—Afr. trop.

**CANARIOPSIS**, Hochr. Pl. Bogor. Exsicc. (1904) p. ii, sphalm. = **Canarium**, Rumph. (Burser.).**CANARIUM**, Rumph. (Burser.).

amboinense, Hochr. Pl. Bogor. Exsicc. 55.—Ins. Amboin.

articulatum, Engl. ex Koord. in Natuurk. Tijdschr. Ned. Ind. lxiii. 97, nomen.—Celebes.

bersamifolium, Perkins, Frag. Fl. Philipp. i. 90.—Ins. Philipp.

calophyllum, Perkins, l. c. 91.—Ins. Philipp.

carapifolium, Perkins, l. c.—Ins. Philipp.

celebicum, Engl. ex Koord. in Natuurk. Tijdschr. Ned. Ind. lxiii. 97, nomen.—Celebes.

connarifolium, Perkins, Frag. Fl. Philipp. i. 92.—Ins. Philipp.

emarginatum, Engl. ex Koord. in Natuurk. Tijdschr. Ned. Ind. lxiii. 97, nomen.—Celebes.

Englerianum, Hochr. Pl. Bogor. Exsicc. 56.—Ins. Amboin.

euryphyllum, Perkins, Frag. Fl. Philipp. i. 99.—Ins. Philipp.

Greshoffii, Koord. in Natuurk. Tijdschr. Ned. Ind. lxiii. 95.—Celebes.

juglandifolium, Perkins, Frag. Fl. Philipp. i. 93.—Ins. Philipp.

Koordersianum, Engl. ex Koord. in Natuurk. Tijdschr. Ned. Ind. lxiii. 97, nomen.—Celebes.

longissimum, Hochr. Pl. Bogor. Exsicc. 58.—Celebes.

lucidum, Perkins, Frag. Fl. Philipp. i. 94.—Ins. Philipp.

Minahassae, Koord. in Natuurk. Tijdschr. Ned. Ind. lxiii. 96.—Celebes.

pachyphyllum, Perkins, Frag. Fl. Philipp. i. 94.—Ins. Philipp.

Perkinsae, Merrill, in Philipp. Gov. Lab. Bur. Bull. xxxv. 26.—Ins. Philipp.

polyanthum, Perkins, Frag. Fl. Philipp. i. 95.—Ins. Philipp.

polyneum, Perkins, l. c. 96.—Ins. Philipp.

pseudo-commune, Hochr. Pl. Bogor. Exsicc. 60.—Hab. ?

pseudo-decumanum, Hochr. l. c. 61.—Sumatra.

Radlkoferi, Perkins, Frag. Fl. Philipp. i. 96.—Ins. Philipp.

Rooseboomii, Hochr. Pl. Bogor. Exsicc. 62.—Ins. Kei solo, Engl. ex Koord. in Natuurk. Tijdschr. Ned. Ind. lxiii. 98, nomen.—Celebes.

stachyanthum, Perkins, Frag. Fl. Philipp. i. 97.—Ins. Philipp.

thyrsoidum, Perkins, l. c. 98.—Ins. Philipp.

Treubianum, Engl. ex Koord. in Natuurk. Tijdschr. Ned. Ind. lxiii. 98, nomen.—Celebes.

Valetonianum, Engl. ex Hochr. Pl. Bogor. Exsicc. 63.—Celebes.

Vrieseanum, Engl. ex Koord. in Natuurk. Tijdschr. Ned. Ind. lxiii. 98, nomen.—Celebes.

Warburgianum, Perkins, Frag. Fl. Philipp. i. 99.—Ins. Philipp.

**CANAVALIA**, DC. (Legum.).

mattogrossensis, Malme, in Arkiv Bot. Stockh. iv. no. 7, 9 (= *Mucuna mattogrossensis*).—Bras.

**CANEPHORA**, Juss. (Rubiace.).

maroana, Aug. DC. in Bull. Herb. Boiss. Sér. II. i. 584.—Madag.

**CANHAMO**, Perini, Prospectus & Expl. Notice Cult.

Canh. Braz. 1 = **Hibiscus**, Linn. (Malvac.).

brasiliensis, Perini, l. c. = *H. radiatus*, Cav.

**CANISTRUM**, Ed. Morr. (Bromel.).

[**AECHMEA**, Ruiz & Pav. I. K.]

ingratum, Mez, in Engl. Jahrb. xxx. Beibl. lxvii. 3.—Bras.

Schwackeanum, Mez, l. c. 4.—Bras.

**CANNA**, Linn. (Scitam.).

Brittoni, Rusby, in Bull. Torr. Bot. Club, 1902, 695.—Bolivia.

cearensis, Huber, in Bull. Herb. Boiss. Sér. II. i. 297.—Bras.

**CANSCORA**, Lam. (Gentian.).

Kirkii, N. E. Br. in Dyer, Fl. Trop. Afr. iv. i. 558.—Afr. trop.

**CANTHIUM**, Lam. = **Plectronia**, Linn. (Rubiace.).

abbreviatum, S. Moore, in Journ. Bot. 1903, 398 = *P. abbreviata*.

bipinnatum, Merrill, in Philipp. Gov. Lab. Bur. Bull. xxvii. 53 (= *Ronabea bipinnata*).—Ins. Philipp.

griseum, King & Gamble, in Journ. As. Soc. Beng. lxiii. 62.—Penins. Mal.

Kaessneri, S. Moore, in Journ. Bot. 1905, 351.—Afr. trop.

majus, Drake, Hist. Pl. Madag. Atlas, t. 437 B.—Madag.

mölle, King & Gamble, in Journ. As. Soc. Beng. lxiii. 60.—Penins. Mal.

pauciflorum, King & Gamble, l. c. 58.—Penins. Mal.

pseudoverticillatum, S. Moore, in Journ. Bot. 1905, 352.—Afr. trop.

pubipes, S. Moore, l. c.—Afr. trop.

transvaalense, S. Moore, l. c. 1903, 398.—Afr. austr.

**CAPNITES**, Dum. = **Corydalis**, Vent. (Papaver.).

brevidentis, Jord. in Jord. & Fourr. Ic. Fl. Eur. iii. 7.—Gallia.

brevis, Jord. l. c. 5.—Gallia.

corsica, Jord. l. c. 8.—Corsica.

crenulata, Jord. l. c. 7.—Eur.

erythrocarpa, Jord. l. c. 6.—Gallia.

integriloba, Jord. l. c. 7.—Corsica.

macrostachys, Jord. l. c. 6.—Eur.

peduncularis, Jord. l. c.—Gallia.

pumila, Jord. l. c. 8.—Hab. ?

tenuiloba, Jord. l. c. 5.—Eur.

**CAPNOREA**, Rafin. = **Hesperochiron**, S. Wats. (Hydrophyll.).

californica, Greene, Pittonia, v. 44 (= *Ourisia californica*).—Calif.

campanulata, Greene, l. c. 52.—Calif.

fulcrata, Greene, l. c. 51.—Am. bor.

hirtella, Greene, l. c.—Am. bor.

incana, Greene, l. c. 49.—Am. bor.

lasiantha, Greene, l. c. 47.—Am. bor.

leporina, Greene, l. c. 45.—Calif.

macilenta, Greene, l. c. 48.—Am. bor.

nervosa, Greene, l. c. 51.—Am. bor.

pumila, Greene, l. c. 50.—Am. bor.

strigosa, Greene, l. c. 45.—Calif.

villosula, Greene, l. c. 52.—Am. bor.

Watsonianae, Greene, l. c. 44 = *H. californica*.

**CAPPARIS**, Tourn. (Capparid.).

acuminata, Wildem. in Ann. Mus. Congo, Sér. i. V. 37.—Afr. trop.

cerasifera, Gilg, in Engl. Jahrb. xxxiii. 214.—Afr. trop.

collina, J. R. Johnston, in Proc. Amer. Acad. xl. 686.—Venez.

Duchesnei, Wildem. Enum. Pl. Laurent, 87.—Afr. trop.

elaegnoides, Gilg, in Engl. Jahrb. xxxiii. 215.—Afr. trop.

lilacina, Gilg, l. c. 215.—Afr. trop.

oblongata, Merrill, in Philipp. Gov. Lab. Bur. Bull. xxxv. 15.—Ins. Philipp.

Oliveriana, Gilg, in Engl. Jahrb. xxxiii. 216.—Afr. trop.

sansibarensis, Gilg, l. c. 213.—Afr. trop.

Verdickii, Wildem. in Ann. Mus. Congo, Sér. IV. 35.—Afr. trop.

Warneckei, Gilg, in Engl. Jahrb. xxxiii. 216.—Afr. trop.

Welwitschii, Gilg, l. c. 214.—Afr. trop.

zizyphoides, Gilg, l. c. 216.—Afr. trop.

**CAPRIFOLIUM**, Tourn. = **Lonicera**, Linn. (Caprifol.).

californicum, Howell, Fl. N. W. Am. i. 283 = *L. californica*.

dimorphum, Kuntze, Rev. Gen. i. 274 = *L. etrusca*.

**CARAIPA**, Aubl. (Ternstroem.).

minor, Huber, in Bol. Mus. Para. iii. 434.—Bras.

paraensis, Huber, l. c. 432.—Bras.

**CARALLUMA**, R. Br. (Asclep.).

affinis, Wildem. in Ic. Hort. Thén. t. 167.—Reg. Medit.

atrosanguinea, N. E. Br. in Dyer, Fl. Trop. Afr. iv. i. 485 (= *Stapelia atrosanguinea*).—Afr. trop.

caudata, N. E. Br. l. c.—Afr. trop.

inversa, N. E. Br. in Gard. Chron. 1903, i. 354.—Afr. austr.

lateritia, N. E. Br. in Dyer, Fl. Trop. Afr. iv. i. 486.—Afr. trop.

Lugardi, N. E. Br. l. c. 487.—Afr. trop.

maculata, N. E. Br. l. c.—Afr. trop.

Marlothii, N. E. Br. in Gard. Chron. 1903, ii. 414.—Afr. austr.

priogonium, K. Schum. in Engl. Jahrb. xxxiv. 327.—Afr. trop.

**CARALLUMA** :—

robusta, N. E. Br. in Dyer, Fl. Trop. Afr. iv. i. 482.—Afr. trop.

Rosengrenii, Vierh. in Oesterr. Bot. Zeitschr. 1905, 91.—Socotra.

Simonis, Berger, in Monatsschr. Kakt. 1904, 6.—Hab. ?

tombuctuensis, N. E. Br. in Dyer, Fl. Trop. Afr. iv. i. 622 (= *Boucerosia tombuctuensis*).—Afr. trop.

torta, N. E. Br. in Kew Bull. 1901, 142.—Arabia.

vittata, N. E. Br. in Dyer, Fl. Trop. Afr. iv. i. 483.—Afr. trop.

**CARANDAS**, Rumph. = **Carissa**, Linn. (Apocyn.).

Arduina, S. Moore, in Journ. Bot. 1903, 403 = *Carissa Arduina*.

**CARAPA**, Aubl. (Meliac.).

borneensis, Becc. Nelle Foreste di Borneo, 574.—Borneo.

**CARDAMINE**, Tourn. (Crucif.).

acuminata, Rydb. in Bull. Torr. Bot. Club, 1902, 237.—Am. bor.

africana, Maxim. in Bull. Acad. Pétersb. xviii. (1873) 277 = *anemonoides*.

amphibia, Bub. Fl. Pyren. iii. 147 = *Nasturtium amphibium*.

anemonoides, O. E. Schulz, in Engl. Jahrb. xxxii. 340.—Japon.

angustata, O. E. Schulz, l. c. 349 (= *Dentaria heterophylla*).—Am. bor.

Aschersoniana, O. E. Schulz, l. c. 410.—Venez.

aspera, Bub. Fl. Pyren. iii. 149 = *Nasturtium asperum*.

bipinnata, O. E. Schulz, in Engl. Jahrb. xxxii. 344 (= *Dentaria bipinnata*).—Reg. Caucas.

Blaisdellii, Eastw. in Coult. Bot. Gaz. xxxiii. 146.—Am. bor.

callitrichoides, Spég. in Anal. Mus. Buenos Aires, vii. 211.—Patag.

cardiophylla, Rydb. in Bull. Torr. Bot. Club, 1901, 280, non Greene.—Am. bor.

crenata, T. S. Brandege, in Zoe, v. 156 (1903) (= *Sisymbrium crenatum*).—Calif.

Cymbalaria, Chod. & Wilcz. in Bull. Herb. Boiss. Sér. II. ii. 289.—Reg. Argent.

denudata, O. E. Schulz, in Engl. Jahrb. xxxvi. Beibl. lxxxii. 46.—China.

digitata, O. E. Schulz, l. c. xxxii. 372.—Eur.

Engleriana, O. E. Schulz, l. c. 407.—China.

finitima, O. E. Schulz, l. c. 537.—Austral.

flagellifera, O. E. Schulz, l. c. 405.—Am. bor.

fragarifolia, O. E. Schulz, l. c. 446.—China.

heterophylla, O. E. Schulz, l. c. 487 (= *Sisymbrium heterophyllum*).—N. Zel. ; Oceania.

Holtziana, Engl. & Schulz, ex O. E. Schulz, l. c. 416.—Afr. trop.

hyperborea, O. E. Schulz, l. c. 550.—Sibir. or.

infausta, Greene, in Pittonia, iv. (1901) 307.—Am. bor.

innovans, O. E. Schulz, in Engl. Jahrb. xxxii. 417.—Am. cent.

insignis, O. E. Schulz, l. c. 439.—China.

laevigata, Bub. Fl. Pyren. iii. 148 = *Sisymbrium laevigatum*.

leucantha, O. E. Schulz, in Engl. Jahrb. xxxii. 403 (= *Dentaria leucantha*).—As. or.

mexicana, O. E. Schulz, l. c. 461.—Mexic.

microphylla, O. E. Schulz, l. c. 342 (= *Dentaria microphylla*).—Reg. Caucas.

microzyga, O. E. Schulz, l. c. 545.—As. cent. ; China.

montana, Bub. Fl. Pyren. iii. 147 = *Nasturtium pyrenaicum*.

multifolia, Rydb. in Bull. Torr. Bot. Club, 1902, 238.—Am. bor.

occidentalis, O. E. Schulz, in Engl. Jahrb. xxxii. 539.—Am. bor. occ.

palustris, Bub. Fl. Pyren. iii. 147 = *Nasturtium palustre*.

penduliflora, O. E. Schulz, in Engl. Jahrb. xxxii. 538.—Calif.

polyphylla, O. E. Schulz, l. c. 366 (= *Dentaria polyphylla*).—Eur.

savensis, O. E. Schulz, l. c. 355.—Balkan.

Schinziana, O. E. Schulz, l. c. 503.—Japon.

sylvestris, Bul. Fl. Pyren. iii. 148 = *Nasturtium sylvestre*.

tangutorum, O. E. Schulz, in Engl. Jahrb. xxxii. 360.—China.

tasmanica, Gaud. in Bull. Soc. Bot. Fr. xlvii. 305.—Austral.

tenella, O. E. Schulz, in Engl. Jahrb. xxxii. 389.—Am. bor.

thyrsoida, O. E. Schulz, l. c. 591.—Chili.

**CARDAMINE** :—

Urbaniana, O. E. Schulz, in *Engl. Jahrb.* xxxii. 396.—China.  
violifolia, O. E. Schulz, l. c. 440.—China.

**CARDIANDRA**, Sieb. & Zucc. (Saxifrag.).

sinensis, Hemsl. in *Gard. Chron.* 1903, i. 82.—China.

**CARDIOSPERMUM**, Linn. (Sapind.).

pterocarpum, Radlk. in *Bull. Herb. Boiss. Sér. II.* iii. 806.—Parag.

**CARDUNCCELLUS**, Adans. (Compos.).

gracilis, Lojac. *Fl. Sic.* ii. i. 172.—Sicil.  
multifidus, Lojac. l. c. 173 (= *Carthamus multifidus*).—Sicil.

**CARDUUS**, Tourn. (Compos.).

acaulescens, Rydb. in *Bull. Torr. Bot. Club.* 1901, 508.—Am. bor.  
americanus, Rydb. l. c.—Am. bor.  
araneosus, Osterh. in *Bull. Torr. Bot. Club.* 1905, 612.—Am. bor.  
austrius, Small, *Fl. S. E. U. S.* 1307.—Am. bor.  
bipinnatus, A. A. Heller, *Muhlenbergia*, i. 5 (= *Cnicus bipinnatus*).—Am. bor.  
Borderi, Rouy, *Fl. Fr.* ix. 92.—Hybr.  
calcareus, A. A. Heller, *Muhlenbergia*, i. 5 (= *Cnicus calcareus*).—Am. bor.  
callilepis, Greene, in *Proc. Acad. Philad.* 1892, 358.—Calif.  
Centaureae, Rydb. in *Bull. Torr. Bot. Club.* 1901, 507.—Am. bor.  
ciliolatus, A. A. Heller, *Muhlenbergia*, i. 5.—Am. bor.  
clavatus, A. A. Heller, l. c. (= *Cnicus clavatus*).—Am. bor.  
coloradensis, Rydb. in *Bull. Torr. Bot. Club.* 1905, 132.—Am. bor.  
diffusus, A. A. Heller, *Muhlenbergia*, i. 6 (= *Cnicus diffusus*).—Am. bor.  
erosus, Rydb. in *Bull. Torr. Bot. Club.* 1901, 507.—Am. bor.  
flaccidus, Small, *Fl. S. E. U. S.* 1307.—Am. bor.  
floccosus, Rydb. in *Bull. Torr. Bot. Club.* 1905, 133.—Am. bor.  
glaberrimus, Lojac. *Fl. Sic.* ii. i. 167.—Sicil.  
griseus, Rydb. in *Bull. Torr. Bot. Club.* 1901, 509.—Am. bor.  
Helleri, Small, *Fl. S. E. U. S.* 1307.—Am. bor.  
hesperius, A. A. Heller, *Muhlenbergia*, i. 6 (= *Cnicus hesperius*).—Am. bor.  
intermedius, Lojac. *Fl. Sic.* ii. i. 167.—Sicil.  
Lesurinus, Rouy, *Fl. Fr.* ix. 90.—Hybr.  
lusitanicus, Rouy, *Illustr. Pl. Eur.* sub t. 437.—Lusitan.  
Macounii, Greene, in *Ottawa Natural.* xvi. 38.—Am. bor.  
maritima, Elmer, in *Coult. Bot. Gaz.* xxxix. 45.—Calif.  
membranaceus, Lojac. *Fl. Sic.* ii. i. 168.—Sicil.  
nidulus, A. A. Heller, *Muhlenbergia*, i. 6 (= *Cnicus nidulus*).—Am. bor.  
nutantiformis, Shuttlew. ex Rouy, *Fl. Fr.* ix. 90.—Hybr.  
oblanceolatus, Rydb. in *Bull. Torr. Bot. Club.* 1901, 510.—Am. bor.  
oreophilus, Rydb. l. c. 509.—Am. bor.  
Osterhoutii, Rydb. l. c. 1905, 131.—Am. bor.  
perplexans, Rydb. l. c. 132.—Am. bor.  
personatiformis, Rouy, *Fl. Fr.* ix. 83.—Hybr.  
pinetorum, Small, *Fl. S. E. U. S.* 1308.—Am. bor.  
pulcherrimus, Rydb. in *Bull. Torr. Bot. Club.* 1901, 510.—Am. bor.  
revolutus, Small, *Fl. S. E. U. S.* 1307.—Am. bor.  
ruwenzoriensis, S. Moore, in *Journ. Linn. Soc.* xxxv. 364.—Afr. trop.  
rhodopeus, Velen. in *Sitz. Böhm. Ges. Wiss.* 1903, no. 28, 7.—Bulgar.  
sinensis, S. Moore, in *Journ. Bot.* 1905, 143.—China.  
spatulatus, Osterh. in *Bull. Torr. Bot. Club.* 1905, 612.—Am. bor.  
Therioti, Rouy, *Fl. Fr.* ix. 72.—Hybr.  
Tracyi, Rydb. in *Bull. Torr. Bot. Club.* 1905, 133.—Am. bor.  
Traunsteineri, Rouy, *Illustr. Pl. Eur.* t. 461.—Hybr.  
Vaseyi, A. A. Heller, *Muhlenbergia*, i. 61—inamoenus.  
vittatus, Small, in *Bull. N. York Bot. Gard.* iii. 439.—Am. bor.

**CAREX**, Dill. (Cyper.).

accedens, Holm, in *Amer. Journ. Sci.* clxvi. (1903) 457.—Am. bor.  
acrogyna, Léveillé & Vaniot, in *Bull. Acad. Géogr. Bot.* (1901) 201.—Japon.

**CAREX** :—

aenea, Fernald, in *Proc. Amer. Acad.* xxxvii. 480.—Am. bor.  
agglomerata, C. B. Clarke, in *Journ. Linn. Soc.* xxxvi. 269.—China.  
albomas, C. B. Clarke, l. c. 270.—China.  
alliiformis, C. B. Clarke, l. c.—China.  
aphyllopus, Kuek. in *Bull. Herb. Boiss. Sér. II.* iv. 53.—Japon.  
appendiculata, Kuek. l. c. 54.—As. bor. or.  
appropinquata, Schumacher, *Enum. Pl. Saell.* i. (1801) 266.—Scand.  
arcatica, Meinsh. in *Act. Hort. Petrop.* xviii. 336.—As. cent.  
Argyi, Léveillé & Vaniot, in *Bull. Soc. Agri. Sci. Arts Sarthe*, 1905, 78.—China.  
argyrostachys, Léveillé & Vaniot, in *Bull. Acad. Géogr. Bot.* xi. (1902) 27.—Japon.  
bakanensis, Léveillé & Vaniot, in *Bull. Soc. Bot. Fr.* ii. 203.—Japon.  
basiflora, C. B. Clarke, in *Journ. Linn. Soc.* xxxvi. 274.—China.  
bengalensis, Boeck. ex Kuek. in *Bull. Herb. Boiss. Sér. II.* iv. 52=pyramidalis.  
bonanzensis, Britton, in *Britton & Rydb. in Bull. N. York Bot. Gard.* ii. 160.—Am. bor.  
borneensis, C. B. Clarke, in *Journ. Linn. Soc.* xxxvii. 14.—Borneo.  
bovina, Howell, *Fl. N. W. Amer.* i. 702.—Am. bor.  
brachypoda, Holm, in *Amer. Journ. Sci.* clxx. 302.—Am. bor.  
Bremuri, Christ, ex Meinsh. in *Act. Hort. Petrop.* xviii. 411.—Reg. arctic.  
brevicuspis, C. B. Clarke, in *Journ. Linn. Soc.* xxxvi. 277.—China.  
burejana, Meinsh. in *Act. Hort. Petrop.* xviii. 368.—Sibir.  
Cajanderi, Kuek. in *Mitth. Thüring. Bot. Ver.* n. s. xvii. 115, nomen.—Sibir.  
campylocarpa, Holm, in *Amer. Journ. Sci.* clxx. 304.—Am. bor.  
Candolleana, Léveillé & Vaniot, in *Bull. Acad. Géogr. Bot.* x. (1901) 273.—Japon.  
cardioglochis, Léveillé & Vaniot, l. c. xi. (1902) 31.—Japon.  
Castriferrei, Waisb. in *Magyar Bot. Lap.* iv. 63, 75.—Hybr.  
caulorrhiza, Léveillé & Vaniot, in *Bull. Acad. Géogr. Bot.* xi. (1902) 179.—Japon.  
Cavaleriei, Léveillé & Vaniot, in *Bull. Soc. Agri. Sci. Arts Sarthe*, 1905, 79.—China.  
cercidascus, C. B. Clarke, in *Journ. Linn. Soc.* xxxvi. 279.—China.  
chalciolepis, Holm, in *Amer. Journ. Sci.* clxvi. 28.—Am. bor.  
Chamissonis, Meinsh. in *Act. Hort. Petrop.* xviii. 361.—Am. bor.  
chimaphila, Holm, in *Amer. Journ. Sci.* clxvi. 33.—Am. bor.  
chionophila, Holm, l. c. 457; clxvii. 310.—Am. bor.  
chloroleuca, Meinsh. in *Act. Hort. Petrop.* xviii. 398.—As. or.  
chorgosica, Meinsh. l. c. 381.—Turkestan.  
chrysoleuca, Holm, in *Amer. Journ. Sci.* clxvi. 454; clxvii. 302.—Calif.  
cinerascens, Kuek. in *Bull. Herb. Boiss. Sér. II.* ii. 1017.—Japon.  
Clarkeana, Kuek. l. c. iv. 52.—Penins. Mal.  
Comari, Léveillé & Vaniot, in *Bull. Acad. Géogr. Bot.* xi. (1902) 16.—Eur.  
consimilis, Holm, in *Amer. Journ. Sci.* clxvi. 457; clxvii. 310.—Am. bor.  
Crawfordii, Fernald, in *Proc. Amer. Acad.* xxxvii. 469.—Am. bor.  
cryptochlaena, Holm, in *Amer. Journ. Sci.* clxx. 305.—Am. bor.  
cyclocarpa, Holm, l. c. clxvi. 457; clxvii. 310.—Am. bor.  
cyrtosaccus, C. B. Clarke, in *Dyer, Fl. Trop. Afr.* viii. 524.—Afr. trop.  
desertorum, Litw. in *Trav. Mus. Bot. Acad. Pétersb.* i. 19.—Turkestan.  
dineuros, C. B. Clarke, in *Journ. Linn. Soc.* xxxvi. 283.—China.  
dispalatha, Léveillé & Vaniot, in *Bull. Acad. Géogr. Bot.* xi. (1902) 177.—Japon.  
dives, Holm, in *Amer. Journ. Sci.* clxvii. 312; clxviii. 19.—Am. bor.  
ducensis, Meinsh. in *Act. Hort. Petrop.* xviii. 387.—Sibir.

**CAREX** :—

ebenea, Rydb. in *Bull. Torr. Bot. Club.* 1901, 266.—Am. bor.  
ecuadorica, Kuek. in *Engl. Jahrb.* xxxiv. Beibl. lxxviii. 7.—Ecuador.  
elachycarpa, Fernald, in *Proc. Amer. Acad.* xxxvii. 492.—Am. bor.  
Engleriana, Léveillé & Vaniot, in *Bull. Acad. Géogr. Bot.* 1901, 274.—Japon.  
eriocarpa, Hausskn. & Kuek. ex Kuek. in *Bull. Herb. Boiss. Sér. II.* iv. 57.—Armen.  
eurycarpa, Holm, in *Amer. Journ. Sci.* clxx. 303.—Am. bor.  
explens, Kuek. in *Bull. Herb. Boiss. Sér. II.* ii. 1017.—Corea.  
Fernaldiana, Léveillé & Vaniot, in *Bull. Acad. Géogr. Bot.* 1901, 276.—Japon.  
flabellata, Léveillé & Vaniot, l. c. 1902, 111.—Japon.  
floribunda, Meinsh. in *Act. Hort. Petrop.* xviii. 402.—As. or.  
foliata, F. Schmidt, ex Meinsh. l. c. 385=pilosa.  
foraminata, C. B. Clarke, in *Journ. Linn. Soc.* xxxvi. 285.—China.  
Forbesii, C. B. Clarke, l. c. 286.—China.  
formosensis, Léveillé & Vaniot, in *Mém. Soc. Sci. Nat. Math. Cherbourg*, xxxv. (1905) 216.—Formosa.  
Franchetiana, Léveillé & Vaniot, in *Bull. Acad. Géogr. Bot.* 1901, 268.—Japon.  
Fritschii, Waisb. in *Magyar Bot. Lap.* iv. 61, 73.—Eur.  
fuscotincta, Merino, in *Mem. Soc. Esp. Hist. Nat.* ii. 467.—Hispan.  
fuscovaginata, Kuek. in *Bull. Herb. Boiss. Sér. II.* iv. 56.—Sibir.  
gallaecica, Léveillé & Vaniot, in *Bull. Acad. Géogr. Bot.* 1903, 96; & ex Merino, in *Mem. Soc. Esp. Hist. Nat.* ii. 466.—Hispan.  
Gandogeri, Léveillé & Vaniot, in *Bull. Acad. Géogr. Bot.* xv. (1905) 184.—Hispan.  
gembolensis, C. B. Clarke, in *Journ. Linn. Soc.* xxxvii. 10.—Java.  
ginsiensis, Waisb. in *Magyar Bot. Lap.* iv. 62, 74.—Hybr.  
Giraldiana, Kuek. in *Engl. Jahrb.* xxxvi. Beibl. lxxxii. 10.—China.  
glaberrima, Meinsh. in *Act. Hort. Petrop.* xviii. 369.—Sibir.  
glandulifolia, Kuek. in *Bull. Herb. Boiss. Sér. II.* iv. 57.—China.  
glaucaeformis, Meinsh. in *Act. Hort. Petrop.* xviii. 389.—Sibir.  
Goodenoughii, Aschers. & Graebn. *Mittel. Europ. Fl.* ii. pt. II. 94=C. Goodenowii.  
grandiligulata, Kuek. in *Engl. Jahrb.* xxxvi. Beibl. lxxxii. 9.—China.  
Guffroyana, Léveillé & Vaniot, in *Bull. Acad. Géogr. Bot.* x. (1901) 203.—Japon.  
gymnoclada, Holm, in *Amer. Journ. Sci.* clxiv. 424.—Am. bor.  
haematostachys, Léveillé & Vaniot, in *Bull. Acad. Géogr. Bot.* xi. (1902) 305.—Corea.  
hakodatensis, Léveillé & Vaniot, in *Bull. Soc. Bot. Fr.* li. 206.—Japon.  
Hancei, C. B. Clarke, in *Journ. Linn. Soc.* xxxvi. 288.—China.  
Havilandii, C. B. Clarke, l. c. xxxvii. 13.—Borneo.  
heleochariformis, Léveillé & Vaniot, in *Bull. Soc. Bot. Fr.* li. 202.—Japon.  
Hendesii, Léveillé & Vaniot, in *Bull. Acad. Géogr. Bot.* 1903, 12.—Japon.  
Heribaudiana, Léveillé & Vaniot, l. c. 1901, 275.—Japon.  
hirtifructus, Kuek. in *Bull. Herb. Boiss. Sér. II.* v. 1163.—Japon.  
hololasius, Léveillé & Vaniot, in *Bull. Acad. Géogr. Bot.* 1901, 280.—Japon.  
Hudsonii, A. Bennett, in *London Cat. Pl. ed.* ix. 41=stricta.  
hypochlora, Freyn, in *Oesterr. Bot. Zeitschr.* liii. 26.—As. bor.  
ichangensis, C. B. Clarke, in *Journ. Linn. Soc.* xxxvi. 290.—China.  
immanis, C. B. Clarke, l. c.—China.  
jaluensis, Kom. in *Act. Hort. Petrop.* xx. 369.—As. bor.  
jizogataensis, Léveillé & Vaniot, in *Bull. Soc. Bot. Fr.* li. 203.—Japon.  
Karelini, Meinsh. in *Act. Hort. Petrop.* xviii. 380.—As. cent.  
katahdinensis, Fernald, in *Rhodora*, iii. 171.—Am. bor.  
kattaeana, Kuek. in *Bull. Herb. Boiss. Sér. II.* v. 1161.—Japon.

**CAREX:—**

- Kinashii, *Léveillé & Vaniot*, in *Bull. Soc. Bot. Fr.* li. 204.—Japon.  
 Kingiana, *Léveillé & Vaniot*, in *Bull. Acad. Géogr. Bot.* x. (1901) 272.—Japon.  
 koreana, *Kom. in Act. Hort. Petrop.* xviii. 446.—Corea.  
 Korshinskii, *Kom. l. c. xx. 394.*—As. bor.  
 Ktausipali, *Meinsh. in Act. Hort. Petrop.* xviii. 359.—Sibir.  
 Kuekenthaliana, *Appel & Brueckn. in Ber. Bayer. Bot. Ges. i.* (1891) 75.—Hybr.  
 lacunarum, *Holm. in Amer. Journ. Sci.* clxvi. 458; clxvii. 316.—Calif.  
 laeviculmis, *Meinsh. in Act. Hort. Petrop.* xviii. 326.—Sibir.  
 lancifolia, *C. B. Clarke, in Journ. Linn. Soc.* xxxvi. 293.—China.  
 latinervia, *Léveillé & Vaniot*, in *Bull. Acad. Géogr. Bot. x.* (1901) 219.—Japon.  
 latisquamea, *Kom. in Act. Hort. Petrop.* xviii. 447.—As. or.  
 Legendrei, *Léveillé & Vaniot*, in *Rev. Sci. Limousin*, 1904, *ex Mém. Soc. Sci. Nat. Math. Cherbourg*, xxxv. (1905) 216.—Formosa.  
 lepidopristis, *Léveillé & Vaniot*, in *Bull. Acad. Géogr. Bot. x.* (1901) 198.—Japon.  
 leptocladus, *C. B. Clarke, in Dyer, Fl. Trop. Afr.* viii. 519.—Afr. trop.  
 leptosaccus, *C. B. Clarke, l. c. 516.*—Afr. trop.  
 leucodonta, *Holm. in Amer. Journ. Sci.* clxvi. 461.—Am. bor.  
 limnaea, *Holm, l. c. clxx. 301.*—Am. bor.  
 limnocharis, *Holm, l. c. clxvi. 457; clxvii. 311.*—Am. bor.  
 Litwinovii, *Kuek. in Bull. Herb. Boiss. Sér. II. iv. 59.*—Turkestan.  
 Loheri, *C. B. Clarke, in Journ. Linn. Soc.* xxxvii. 14.—Ins. Philipp.  
 macrophylla, *K. Schum. in Engl. Jahrb.* xxx. 381.—Afr. trop.  
 macroura, *Meinsh. in Act. Hort. Petrop.* xviii. 404.—Sibir.  
 madoerensis, *C. B. Clarke, in Journ. Linn. Soc.* xxxvii. 15.—Java.  
 Maidenii, *Gandoger, in Bull. Soc. Bot. Fr.* xlv. 392.—Austral.  
 mainensis, *Porter, in Britton, Man. Fl. N. U. S.* 193.—Am. bor.  
 malacocarpa, *Léveillé & Vaniot*, in *Bull. Acad. Géogr. Bot. x.* (1901) 200.—Japon.  
 Malinvaldi, *Léveillé & Vaniot*, in *Bull. Soc. Bot. Fr.* li. 204.—Japon.  
 mandshurica, *Meinsh. in Act. Hort. Petrop.* xviii. 394.—As. or.  
 Martini, *Léveillé & Vaniot*, in *Bull. Acad. Géogr. Bot. xi.* (1902) 57.—China.  
 micrantha, *Kuek. in Bull. Herb. Boiss. Sér. II. ii. 1018.*—Corea.  
 microchaeta, *Holm. in Amer. Journ. Sci.* clxvi. 457; clxvii. 305.—Am. bor.  
 millegrana, *Holm, l. c. 311.*—Am. bor.  
 mira, *Kuek. in Bull. Herb. Boiss. Sér. II. v. 1161.*—Japon.  
 mollissima, *Christ, ex Meinsh. in Act. Hort. Petrop.* xviii. 413.—Ross.  
 multipes, *Léveillé & Vaniot*, in *Bull. Acad. Géogr. Bot. x.* (1901) 271.—Japon.  
 Navasi, *Merino, in Bol. Soc. Arag. i.* 65.—Hispan.  
 neo-guineensis, *C. B. Clarke, in Journ. Linn. Soc.* xxxvii. 12.—N. Guin.  
 nesophila, *Holm. in Amer. Journ. Sci.* clxvi. 458; clxvii. 315.—Am. bor.  
 neurochlaena, *Holm, l. c. 453; l. c. 301.*—Am. bor.  
 Nicoloffi, *Pampan. in Ann. di Bot. Roma, i.* 135.—Hybr.  
 nyasensis, *C. B. Clarke, in Dyer, Fl. Trop. Afr.* viii. 519.—Afr. trop.  
 odontostoma, *Kuek. in Bull. Herb. Boiss. Sér. II. v. 1162.*—Japon.  
 Olivieri, *Léveillé, in Rev. Sci. Bourb. Centr. Fr.* xvii. (1904) 166.—China.  
 omskiana, *Meinsh. in Act. Hort. Petrop.* xviii. 340.—Sibir.  
 ontakensis, *Léveillé, in Mém. Soc. Sci. Nat. Math. Cherbourg*, xxxv. (1905) 218.—Japon.  
 orientalis, *Meinsh. in Act. Hort. Petrop.* xviii. 393.—Turkestan.  
 oronensis, *Fernald, in Proc. Amer. Acad.* xxxvii. 471.—Am. bor.

**CAREX:—**

- oxycarpa, *Holm. in Amer. Journ. Sci.* clxx. 303.—Am. bor.  
 pachystoma, *Holm, l. c. 302.*—Am. bor.  
 Peiktusani, *Kom. in Act. Hort. Petrop.* xviii. 445.—Corea.  
 peniculacea, *Léveillé & Vaniot*, in *Bull. Acad. Géogr. Bot. xi.* (1902) 110.—Japon.  
 peucophila, *Holm, in U. S. Dept. Agric. Contrib. Nat. Herb.* viii. 290.—Mexic.  
 phaeolepis, *Holm. in Amer. Journ. Sci.* clxvi. 454; clxvii. 302.—Am. bor.  
 physochlaena, *Holm, l. c. 464; l. c. 317.*—Am. bor.  
 planiculmis, *Kom. in Act. Hort. Petrop.* xvi. 448.—As. or.  
 platycarpus, *Reichb. in Moessl. Handb. ed. II.* 1656.—Eur.  
 pleiorhiza, *Léveillé & Vaniot*, in *Bull. Soc. Bot. Fr.* li. 205.—Japon.  
 plena, *Clairv. Man. d'Herbor.* 292 = capillaris.  
 pollens, *C. B. Clarke, in Journ. Linn. Soc.* xxxvi. 305.—China.  
 polyschoena, *Léveillé & Vaniot*, in *Bull. Acad. Géogr. Bot. xii.* (1903) 9.—Japon.  
 Prahliana, *Junge, in Jahrb. Hamb. Wiss. Anst.* xxii. Beiheft 71.—Hybr.  
 Prainii, *Kuek. in Bull. Herb. Boiss. Sér. II. iv. 51* (1903).—Reg. Himal.  
 Prainii, *C. B. Clarke, in Journ. Linn. Soc.* xxxvi. 305 (1904).—Ind. or.; China.  
 prionophylla, *Holm. in Amer. Journ. Sci.* clxiv. 423.—Am. bor.  
 pseudoatrata, *Meinsh. in Act. Hort. Petrop.* xviii. 346.—Ross.  
 pseudochinensis, *Léveillé & Vaniot*, in *Bull. Acad. Géogr. Bot. xi.* (1902) 306.—Corea.  
 pseudo-diandra, *Waisb. in Magyar Bot. Lap.* iv. 60, 72.—Eur.  
 pseudo-hirta, *Meinsh. in Act. Hort. Petrop.* xviii. 371.—Sibir.  
 pseudostrigosa, *Léveillé & Vaniot*, in *Bull. Acad. Géogr. Bot. xi.* (1902) 109.—Japon.  
 pseudo-vesicaria, *Léveillé & Vaniot, l. c. 180.*—Japon.  
 pulchella, *Holm. in Amer. Journ. Sci.* xvi. 457.—Am. bor.  
 pyramidalis, *Kuek. in Bull. Herb. Boiss. Sér. II. iv. 52.*—Madag.  
 radiata, *Small, Fl. S. E. U. S.* 218.—Am. bor.  
 Regelii, *C. B. Clarke, ex O. Fedtsch. Pl. Pamir*, 71.—As. cent.  
 Reichenbachiana, *Léveillé & Vaniot*, in *Bull. Acad. Géogr. Bot. xi.* (1902) 60.—China.  
 remotaeformis, *Kom. in Act. Hort. Petrop.* xviii. 444.—As. or.  
 reniformis, *Small, Fl. S. E. U. S.* 220.—Am. bor.  
 rhomboidea, *Holm. in Amer. Journ. Sci.* clxvi. 35.—Am. bor.  
 rhynchachaenium, *C. B. Clarke, in Philipp. Gov. Lab. Bur. Bull.* xxxv. 5.—Ins. Philipp.  
 ruffa, *Brot. Fl. Lusit. i.* (1804) 66 = riparia.  
 rugulosa, *Kuek. in Bull. Herb. Boiss. Sér. II. iv. 58.*—Japon.  
 Sadleri, *E. F. Linton, in Journ. Bot.* 1898, 43.—Brit.  
 saturata, *C. B. Clarke, in Journ. Linn. Soc.* xxxvii. 12.—Borneo.  
 scaberrima, *C. B. Clarke, l. c. 10.*—Ins. Philipp.  
 scabrostris, *Kuek. in Engl. Jahrb.* xxxvi. Beibl. lxxxii. 9.—China.  
 scaposa, *C. B. Clarke, in Bot. Mag. t.* 6940.—China.  
 Schkuhriana, *Léveillé & Vaniot*, in *Bull. Acad. Géogr. Bot. xi.* (1902) 59.—China.  
 scitaeformis, *Kuek. in Bull. Herb. Boiss. Sér. II. v. 1162.*—Japon.  
 scopulorum, *Holm. in Amer. Journ. Sci.* clxiv. 422.—Am. bor.  
 seiskoensis, *Freyn, in Oesterr. Bot. Zeitschr.* liii. 27.—As. bor.  
 semiplena, *Kuek. in Bull. Herb. Boiss. Sér. II. ii. 1018.*—Japon.  
 seorsa, *E. C. Howe, in Peck, Rep. N. York Mus. Nat. Hist.* xlviii. (1894) 138.—Am. bor.  
 Shriveri, *Britton, Man. Fl. N. U. S.* 208.—Am. bor.  
 simulans, *C. B. Clarke, in Journ. Linn. Soc.* xxxvi. 310.—China.  
 Sodiroi, *Kuek. in Engl. Jahrb.* xxxiv. Beibl. lxxviii. 7.—Ecuador.  
 sorachensis, *Léveillé & Vaniot*, in *Bull. Soc. Bot. Fr.* li. 205.—Japon.  
 soyacensis, *Kuek. in Bull. Herb. Boiss. Sér. II. iv. 53.*—Japon.

**CAREX:—**

- sphacelata, *Holm. in Amer. Journ. Sci.* clxvi. 457; clxvii. 309.—Am. bor.  
 stolonifera, *Léveillé & Vaniot*, in *Bull. Acad. Géogr. Bot. xi.* (1902) 27.—Japon.  
 stupenda, *Léveillé & Vaniot, l. c. x.* (1901) 195.—Japon.  
 subalpina, *Bruegger, ex Appel, in Ber. Bayer. Bot. Ges. i.* (1891) 76.—Bavaria.  
 subantarctica, *Kraenzl. & Speg. in Anal. Mus. Buenos Ayres*, vii. 180.—Patag.  
 subumbellata, *Meinsh. in Act. Hort. Petrop.* xviii. 395.—As. or.  
 suifunensis, *Kom. in Act. Hort. Petrop.* xviii. 445.—As. or.  
 sumatrensis, *C. B. Clarke, in Journ. Linn. Soc.* xxxvii. 13.—Sumatra.  
 taldycola, *Meinsh. in Act. Hort. Petrop.* xviii. 339.—Turkestan.  
 tasmanica, *Kuek. in Bull. Herb. Boiss. Sér. II. iv. 59.*—Tasman.  
 tegulata, *Léveillé & Vaniot*, in *Bull. Acad. Géogr. Bot. xi.* (1902) 306.—Corea.  
 tenuiformis, *Léveillé & Vaniot, l. c. 104.*—Japon.  
 terniflora, *Maxim. ex Matsum. Ind. Pl. Jap.* ii. 136.—Japon.  
 Timmiana, *Junge, in Jahrb. Hamb. Wiss. Anst.* xxii. Beiheft 70.—Hybr.  
 Tonnerrei, *C. B. Clarke, in Journ. Linn. Soc.* xxxvi. 314.—China.  
 Tourleti, *Gill. ex Tourl. in Bull. Soc. Bot. Fr.* l. 313.—Hybr.  
 truncatigluma, *C. B. Clarke, in Journ. Linn. Soc.* xxxvi. 315.—China.  
 tumensis, *Kom. in Act. Hort. Petrop.* xviii. 444.—Corea.  
 turrita, *C. B. Clarke, in Journ. Linn. Soc.* xxxvii. 13.—Ins. Philipp.  
 Turuli, *Sink. in Magyar Bot. Lap.* iii. 82, 87.—Eur.  
 udensis, *Meinsh. in Act. Hort. Petrop.* xviii. 366.—Ross.  
 Underwoodii, *Britton, in Torreya*, v. 10.—Ind. occ.  
 unisexualis, *C. B. Clarke, in Journ. Linn. Soc.* xxxvi. 316.—China.  
 ussuriensis, *Kom. in Act. Hort. Petrop.* xviii. 443.—As. or.  
 vagans, *Holm. in Amer. Journ. Sci.* clxvi. 454; clxvii. 301.—Am. bor.  
 Vanioti, *Léveillé & Vaniot*, in *Bull. Acad. Géogr. Bot. xi.* (1902) 108.—Japon.  
 venustula, *Holm. in Amer. Journ. Sci.* clxvi. 457; clxvii. 304.—Am. bor.  
 veracunda, *Holm, l. c. clxvi. 461.*—Am. bor.  
 vesicata, *Meinsh. in Act. Hort. Petrop.* xviii. 367.—Sibir.  
 vespertina, *Howell, Fl. N. W. Amer.* i. 705.—Am. bor.  
 vitrea, *Holm. in Amer. Journ. Sci.* clxvi. 454; clxvii. 302.—Calif.  
 Warburgiana, *Kuek. in Bull. Herb. Boiss. Sér. II. v. 1162.*—Formosa.  
 Wardiana, *Léveillé & Vaniot*, in *Bull. Acad. Géogr. Bot. x.* (1901) 276.—Japon.  
 Wilfordii, *C. B. Clarke, in Journ. Linn. Soc.* xxxvi. 318.—China; Japon.  
 Williamsii, *Britton, in Britton & Rydb. in Bull. N. Y. Bot. Gard.* ii. 159.—Am. bor.  
 Wolteri, *Gross, in Allg. Bot. Zeitschr.* 1905, 23.—Hybr.  
 xiphium, *Kom. in Act. Hort. Petrop.* xviii. 446.—As. or.  
 Yabei, *Léveillé & Vaniot*, in *Bull. Soc. Agri. Sci. Arts Sarthe*, 1905, 79.—China.  
 yukonensis, *Britton, in Britton & Rydb. in Bull. N. Y. Bot. Gard.* ii. 159.—Am. bor.
- CARINTA, *W. F. Wight, in U. S. Dept. Agric. Contrib. Nat. Herb.* ix. (1905) 216 = *Geophila*, *D. Don* (Rubiaceae).  
*herbacea*, *W. F. Wight, l. c. 216* = *G. herbacea*.
- CARISSA, *Linn. (Apocyn.)*.  
 tetramera, *Stapp, in Dyer, Fl. Trop. Afr.* iv. i. 91 (= *Arduina tetramera*).—Afr. trop.
- CARLESIA, *Dunn, in Hook. Ic. Pl. t.* 2739 (1902).  
*UMBELLIFERAE*.  
 sinensis, *Dunn, l. c.*—China.
- CARLINA, *Linn. (Compos.)*.  
 brevibracteata, *Aznav. in Magyar Bot. Lap.* iii. 4.—Turcia.
- CARLOWRIGHTIA, *A. Gray (Acanth.)*.  
 californica, *T. S. Brandegee, in Zoe*, v. (1903) 172.—Calif.



**CARLUDOVICA**, Ruiz & Pav. (Cyclanth.).  
caribaea, *Cowell*, in *Torrey*, iii. 103.—Ind. occ.  
scandens, *Cowell*, l. c.—Ind. occ.

**CARLINELLA**, Hemsl. in *Hook. Ic. Pl.* t. 2726 (1902). *PRIMULACEAE*.  
cordifolia, *Hemsl.* l. c. t. 2775.—China.  
Henryi, *Hemsl.* l. c. t. 2726.—China.  
obovata, *Hemsl.* l. c. sub t. 2775.—China.

**CAROXYLON**, Thunb. = *Salsola*, inn. (Chenopod.).  
genistoides, *Pau*, in *Bot. Soc. Arag.* ii. 71 = *S. genistoides*.

**CARPHA**, Banks & Soland. (Cyperac.).  
antarctica, *C. B. Clarke*, in *Engl. Jahrb.* xxx. *Beibl.* lxxviii. 40.—Chili.  
Emini, *C. B. Clarke*, in *Dyer, Fl. Trop. Afr.* viii. 483 (= *Oreogrostis Emini*).—Afr. trop.  
graciliceps, *C. B. Clarke*, ex *Diels & Pritz.* in *Engl. Jahrb.* xxxv. 81.—Austral.  
Schlechteri, *C. B. Clarke*, in *Wildem. Pl. Nov. Hort. Thun.* i. 37, t. 9.—Afr. austr.

**CARPHOCHAETE**, A. Gray (Compos.).  
Schaffneri, *Greenm.* in *Proc. Amer. Acad.* xli. 34.—Mexic.

**CARPINUS**, Linn. (Cupul.).  
grosseserrata, *H. Winkl.* in *Engl. Pflanzenreich Betul.* 40.—Persia.  
hybrida, *H. Winkl.* l. c.—Reg. Caucas.  
Londoniana, *H. Winkl.* l. c. 32.—China.  
macrocarpa, *H. Winkl.* l. c. 38.—Persia.  
oxycarpa, *H. Winkl.* l. c. 31.—As. cent.  
Paxii, *H. Winkl.* l. c. 35.—China.  
pinfaensis, *Léveillé & Vaniot*, in *Bull. Soc. Bot. Fr.* lii. 142.—China.  
schuschaensis, *H. Winkl.* in *Engl. Pflanzenreich Betul.* 32.—As. cent.  
stipulata, *H. Winkl.* l. c. 35.—China.

**CARPODINUS**, R. Br. (Apocyn.).  
chylorrhiza, *K. Schum.* in *Warb. Kunene-Sambesi, Exped.* 336.—Afr. trop.  
Eetveldeana, *Wildem.* in *Wildem. & Gentil, Lianes Cautch. Congo*, 107.—Afr. trop.  
Gentilii, *Wildem. Obs. Apocyn. Latex*, 26.—Afr. trop.  
glabra, *Pierre*, ex *Stapf*, in *Dyer, Fl. Trop. Afr.* iv. i. 81.—Afr. trop.  
globulifera, *K. Schum.* in *Engl. Jahrb.* xxxiii. 316.—Afr. trop.  
Klainei, *Pierre*, ex *Stapf*, in *Dyer, Fl. Trop. Afr.* iv. i. 79, descr.—Afr. trop.  
laetea, *K. Schum.* ex *Stapf*, l. c. 81 = subrepanda.  
landolphioides, *Stapf*, l. c. 80 (= *Clitandra landolphioides*).—Afr. trop.  
leucantha, *K. Schum.* in *Warb. Kunene-Sambesi Exped.* 338.—Afr. trop.  
trichanthera, *Pierre*, ex *Stapf*, in *Dyer, Fl. Trop. Afr.* iv. i. 82.—Afr. trop.

**CARPOLOBIA**, G. Don (Polygal.).  
Zenkeri, *Guerke*, ex *Stapf*, in *Journ. Linn. Soc.* xxxvii. 86 = *Atroxima Zenkeri*.

**CARTHAMUS**, Tourn. (Compos.).  
baeticus, *Lara*, in *Mem. Soc. Esp. Hist. Nat.* ii. 37 (= *Kentrophyllum baeticum*).—Hispan.  
Duvauxii, *Batt.* in *Batt. & Trab. Fl. Algér. Tunis.* 202.—Afr. bor.  
Pomelianus, *Batt.* l. c.—Afr. bor.  
Reboudianus, *Batt.* l. c.—Afr. bor.

**CARTONEMA**, R. Br. (Commelin.).  
Baileyi, *F. M. Bailey, Queensl. Fl.* 1656.—Austral.

**CARUELIA**, Parl. = *Ornithogalum*, Tourn. (Liliac.).  
algeriensis, *Jord.* in *Jord. & Fourr. Ic. Fl. Eur.* ii. 30.—Afr. bor.  
hipponensis, *Jord.* l. c. 31.—Afr. bor.  
macrocoma, *Jord.* l. c. 32.—Afr. bor.  
ochroleuca, *Jord.* l. c. 31.—Afr. bor.  
stenopetala, *Jord.* l. c.—Afr. bor.

**CARUM**, Rupp. (Umbellif.).  
alaicum, *Lipsky*, in *Act. Hort. Petrop.* xxiii. 127.—As. cent.  
Korshinskii, *Lipsky*, l. c. 128.—As. cent.

**CARUM** :—  
kuriense, *Vierh.* in *Oesterr. Bot. Zeitschr.* 1904, 63.—Socotra.  
meoides, *Halacsy, Consp. Fl. Graec.* i. 678 (= *Silaus meoides*).—Graecia.  
montanum, *Blank*, in *Montana Agric. Coll. Sci. Studies, Bot.* i. 91.—Am. bor.  
platycarpum, *Lipsky*, in *Act. Hort. Petrop.* xxiii. 132.—As. cent.  
sogdianum, *Lipsky*, l. c. 118.—As. cent.  
Tamerlani, *Lipsky*, l. c. 129.—As. cent.  
trichocarpum, *Vierh.* in *Oesterr. Bot. Zeitschr.* 1904, 64.—Socotra.  
turkestanicum, *Lipsky*, in *Act. Hort. Petrop.* xxiii. 113.—As. cent.  
Velenovskiy, *Rohl.* in *Sitz. Böhm. Ges. Wiss.* 1903, no. 17, 34.—Montenegr.

**CARVALHOA**, K. Schum. (Apocyn.).  
petiolata, *K. Schum.* in *Engl. Jahrb.* xxxiii. 317.—Afr. trop.

**CARYOPITYS**, Small, *Fl. S. E. U. S.* 29 (1903). *PINACEAE*.  
[PINUS, Linn. D. T. & H.]  
edulis, *Small*, l. c. (= *Pinus edulis*).—Am. bor.  
monophylla, *Rydb.* in *Bull. Torr. Bot. Club*, 1905, 597 (= *Pinus monophyllus*).—Am. bor.

**CARYOTA**, Linn. (Palm.).  
Merrillii, *Becc.* in *Martelli, Webbia*, 338.—Ins. Philipp.

**CASEARIA**, Jacq. (Samyd.).  
bahamensis, *Urb. Symb. Antill.* iii. 322.—Ind. occ.  
camporum, *Sprague*, in *Trans. Proc. Bot. Soc. Edinb.* xxii. 427.—N. Granat.  
cauliflora, *Volk.* in *Engl. Jahrb.* xxxi. 469.—Ins. Carol.  
flexicaulis, *K. Schum.* in *K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 320.—N. Guin.  
luzonensis, *Warb.* in *Engl. & Prantl, Pflanzenf.* iii. vi A. 51, fig. 19.—Ins. Philipp.  
maculata, *Pilg.* in *Verh. Bot. Ver. Brand.* xlvii. (1905) 161.—Reg. Amaz.  
solida, *Merrill*, in *Philipp. Gov. Lab. Bur. Bull.* xxxv. 46.—Ins. Philipp.  
spiralis, *J. R. Johnston*, in *Proc. Amer. Acad.* xl. 691.—Venez.  
tarapotina, *Pilg.* in *Verh. Bot. Ver. Brand.* xlvii. (1905) 161.—Peruv.

**CASSELLA**, Nees & Mart. (Verben.).  
Hassleri, *Briq.* in *Bull. Herb. Boiss. Sér. II.* iv. 1165.—Parag.  
hymenocalyx, *Briq.* l. c.—Parag.

**CASSIA**, Tourn. (Legum.).  
anisopetala, *Donn. Sm.* in *Coult. Bot. Gaz.* xxxvii. 209.—Am. cent.  
apaensis, *Chod. & Hassl.* in *Bull. Herb. Boiss. Sér. II.* iv. 827.—Parag.  
artensis, *Beauvis. Gen. Montrouz.* 19 (= *Macleayia multiflora*).—N. Caled.  
Bartoni, *F. M. Bailey*, in *Queensl. Agric. Journ.* ix. 410.—N. Guin.  
Beareana, *Holmes*, in *Pharm. Journ.* lxxviii. (1902) 42.—Afr. trop.  
caribaea, *Northr.* in *Mem. Torr. Bot. Club*, xii. 39.—Ins. Baham.  
Droogmansiana, *Wildem.* in *Ann. Mus. Congo, Sér. IV.* 47.—Afr. trop.  
granitica, *Baker f.* in *Journ. Bot.* 1905, 45.—Afr. trop.  
guaranitica, *Chod. & Hassl.* in *Bull. Herb. Boiss. Sér. II.* iv. 824.—Parag.  
Holwayana, *Rose*, in *U. S. Dept. Agric. Contrib. Nat. Herb.* viii. 301.—Mexic.  
inaguensis, *Britton*, in *Bull. N. York Bot. Gard.* iii. 443.—Ind. occ.  
insignis, *N. E. Br.* in *Trans. Linn. Soc. Ser. II.* vi. 24.—Guian.  
Kethulleana, *Wildem.* in *Ann. Mus. Congo, Sér. IV.* 48.—Afr. trop.  
leptadenia, *Greenm.* in *Proc. Amer. Acad.* xli. 238.—Texas; Mexic.  
longicoma, *Greenm.* l. c. xxxix. 79.—Mexic.  
Medsgeri, *Shafer*, in *Torrey*, iv. 179.—Am. bor.  
mirabilis, *Urb. Symb. Antill.* iv. 276 (= *Chamaecrista mirabilis*).—Ind. occ.  
morelensis, *Greenm.* in *Proc. Amer. Acad.* xxxix. 79.—Mexic.

**CASSIA** :—  
piribebuiensis, *Chod. & Hassl.* in *Bull. Herb. Boiss. Sér. II.* iv. 825.—Parag.  
Quiedondilla, *Micheli*, in *Mém. Soc. Phys. Hist. Nat. Genève*, xxxiv. 272.—Mexic.  
Verdickii, *Wildem.* in *Ann. Mus. Congo, Sér. IV.* 49.—Afr. trop.

**CASSINIA**, R. Br. (Compos.).  
phylicaeifolia, *Wood*, *Natal Plants*, t. 355 (= *Rhynea phylicaeifolia*).—Afr. austr.

**CASSIPOUREA**, Aubl. (Rhizophor.).  
caesia, *Stapf*, in *Journ. Linn. Soc.* xxxvii. 97.—Afr. trop.  
parvifolia, *Stapf*, l. c. (= *Dactylopetalum parvifolium*).—Afr. trop.  
schizocalyx, *N. E. Br.* in *Kew Bull.* 1901, 122.—Afr. trop.

**CASTANEA**, Tourn. (Cupulif.).  
armata, *F. N. Williams*, in *Bull. Herb. Boiss. Sér. II.* iv. 1029 (= *Quercus armata*).—Siam.  
Bodinieri, *Léveillé & Vaniot*, in *Bull. Soc. Bot. Fr.* lii. 142.—China.  
Fauriei, *Léveillé & Vaniot*, l. c.—Japon.

**CASTANOPSIS**, Spach (Cupul.).  
[CASTANEA, Adans. D. T. & H.]  
Eyrei, *Tutch.* in *Journ. Linn. Soc.* xxxvii. 68 (= *Quercus Eyrei*).—China.

**CASTANOSPERMUM**, A. Cunn. (Legum.).  
Cunninghamii, *J. M. Wood*, in *Rep. Natal Bot. Gard.* 1903-4, 20, nomen.—Hab. ?

**CASTILLEJA**, Mutis (Scrophul.).  
Brooksii, *Eastw.* in *Proc. Calif. Acad. Ser. III.* ii. 288.—Am. bor.  
brunescens, *Rydb.* in *Bull. Torr. Bot. Club*, 1904, 643.—Am. bor.  
californica, *Abrams*, in *Bull. S. Calif. Acad. Sci.* i. (1902) 68.—Calif.  
camporum, *Howell*, *Fl. N. W. Am.* i. 532.—Am. bor.  
Clementis, *Eastw.* in *Bull. Torr. Bot. Club*, 1905, 212.—Calif.  
cognata, *Greene*, *Pl. Baker.* iii. 22.—Am. bor.  
collina, *Nelson*, in *Bull. Torr. Bot. Club*, 1901, 231.—Am. bor.  
Culbertsonii, *Greene*, *Leaflets Bot. Obs.* i. 78.—Calif.  
disticha, *Eastw.* in *Proc. Calif. Acad. Ser. III.* ii. 289.—Am. bor.  
exilis, *A. Nelson*, in *Proc. Biol. Soc. Washington*, xvii. 100.—Am. bor.  
glandulosa, *Greenm.* in *Proc. Amer. Acad.* xli. 247.—Mexic.  
Gleasoni, *Elmer*, in *Coult. Bot. Gaz.* xxxix. 51.—Calif.  
guadalupensis, *T. S. Brandegee*, in *Zoe*, v. 166 (1903).—Calif.  
katakyptusa, *Loesen.* in *Bull. Herb. Boiss. Sér. II.* iii. 286.—Am. cent.  
linearis, *Rydb.* in *Bull. Torr. Bot. Club*, 1901, 25.—Am. bor.  
Inteovirens, *Rydb.* l. c. 26.—Am. bor.  
Martini, *Abrams*, in *Bull. S. Calif. Acad.* i. 69.—Calif.  
nana, *Eastw.* in *Proc. Calif. Acad. Ser. III.* ii. 289.—Am. bor.  
obtusiloba, *Rydb.* in *Bull. Torr. Bot. Club*, 1904, 644.—Am. bor.  
patriotica, *Fernald*, in *Proc. Amer. Acad.* xl. 56.—Mexic.  
pilifera, *A. Nelson*, in *Bull. Torr. Bot. Club*, 1904, 246.—Am. bor.  
Pringlei, *Fernald*, in *Proc. Amer. Acad.* xl. 56.—Mexic.  
puberula, *Rydb.* in *Bull. Torr. Bot. Club*, 1904, 644.—Am. bor.  
Purpusi, *T. S. Brandegee*, in *Zoe*, v. 181 (1904).—Mexic.  
scabrida, *Eastw.* in *Bull. Torr. Bot. Club*, 1902, 523.—Am. bor.  
spiralis, *Jepson*, *Fl. W. Mid. Calif.* 412.—Am. bor.  
tapeinoclada, *Loesen.* in *Bull. Herb. Boiss. Sér. II.* iii. 285.—Am. cent.  
trinervis, *Rydb.* in *Bull. Torr. Bot. Club*, 1901, 26.—Am. bor.  
trisecta, *Greene*, *Leaflets Bot. Obs.* i. 78.—Calif.  
wyomingensis, *Rydb.* in *Bull. Torr. Bot. Club*, 1901, 502.—Am. bor.



**CASTILLOA**, Cervant. (Urtic.).

- australis, *Hemsl. in Hook. Ic. Pl.* t. 2676.—Peruv.  
fallax, *O. F. Cook, in Science*, n. s. xviii. 438.—  
Am. cent.  
lactiflua, *O. F. Cook, l. c.*—Mexic.  
nicoyensis, *O. F. Cook, l. c.*—Am. cent.  
panamensis, *O. F. Cook, l. c.*—Am. cent.  
Ulei, *Warb. in Engl. Jahrb.* xxxv. 674.—Reg. Amazon.

**CASUARINA**, Linn. (Casuarin.).

- campestris, *Diels, ex Diels & Pritz. in Engl. Jahrb.*  
xxxv. 126.—Austral.  
grevilleoides, *Diels, ex Diels & Pritz. l. c.* 130.—  
Austral.  
Prinsepiana, *C. R. P. Andrews, in Journ. W. Austral.*  
*Nat. Hist. Soc.* i. 43.—Austral.

**CATALPA**, Scop. (Bignon.).

- vestita, *Diels, in Engl. Jahrb.* xxix. 577.—China.

**CATASETUM**, Rich. (Orchid.).

- bicallosum, *Cogn. in Mart. Fl. Bras.* iii. v. 427.—  
Venez.  
Crashleyanum, *St. Leger, in Citade de Rio*, April 15,  
1889.—Bras.  
monodon, *Kraenzl. in Gard. Chron.* 1904, i. 354.—Bras.  
Ornithorhynchus, *Porsch, in Oesterr. Bot. Zeitschr.*  
1905, 161.—Bras.  
quadridentis, *Rolfe, in Kew Bull.* 1901, 149.—Hab. ?

**CATESBAEA**, Linn. (Rubiace.).

- fasciculata, *Northr. in Mem. Torr. Bot. Club*, xii. 66.  
—Ind. occ.

**CATIS**, O. F. Cook, in Bull. Torr. Bot. Club, 1901,

557. *PALMAE*.  
[EUTERPE, Mart. D. T. & H.]  
Martiana, *O. F. Cook, l. c.* (= *Euterpe oleracea*).—Bras.

**CATOPSIS**, Griseb. (Bromel.).

- Bakerii, *Mez, in Bull. Torr. Bot. Club*, 1903, 435.—  
Am. cent.  
brevifolia, *Mez & Wercklé, in Bull. Herb. Boiss. Sér.*  
II. iv. 1127.—Am. cent.  
compacta, *Mez, l. c.* iii. 140.—Mexic.  
juncifolia, *Mez & Wercklé, l. c.* iv. 1124.—Am. cent.  
Wangerini, *Mez & Wercklé, l. c.* 1126.—Am. cent.  
Werckleana, *Mez, l. c.* 1125.—Am. cent.

**CATTLEYA**, Lindl. (Orchid.).

- caucaensis, *Ballif, in Chron. Orchid.* 1901, 329 =  
chocoensis.  
Cogniauxii, *Peeters, ex Cogn. Dict. Ic. Orch. Cattl.*  
*Hybr.* t. 22.—Hybr.  
Peetersii, *Hort. ex Cogn. l. c.* 27.—Hybr.  
Pittiana, *O'Brien, ex Cogn. l. c.* 28.—Hybr.  
Saint-Gilles, *Peeters, ex Cogn. l. c.* 30.—Hybr.  
Sapho, *Peeters, ex Cogn. l. c.* 31.—Hybr.

**CAUCANTHUS**, Forsk. (Malpigh.).

- argenteus, *Niedenzu, in Bull. Herb. Boiss. Sér.* II. iv.  
1010.—Afr. trop.  
cinereus, *Niedenzu, l. c.* 1011.—Afr. trop.

**CAVENDISHIA**, Lindl. (Vacciniac.).

- guatemalensis, *Loesen, in Bull. Herb. Boiss. Sér.* II. iii.  
(1903) 221.—Am. cent.  
longiflora, *Donn. Sm. in Coult. Bot. Gaz.* xxxvii. 420.  
—Am. cent.

**CEANOTHUS**, Linn. (Rhamn.).

- macrothyrsus, *Greene, Leaflets Bot. Obs.* i. 68.—Am. bor.  
mogollonicus, *Greene, l. c.* 67.—Am. bor.  
myrianthus, *Greene, l. c.*—Am. bor.  
peduncularis, *Greene, l. c.*—Am. bor.  
puberulus, *Greene, l. c.* 66.—Calif.  
pubescens, *Rydb. in Small, Fl. S. E. U. S.* 751.—Am. bor.  
purpureus, *Jepson, Fl. W. Mid. Calif.* 258.—Am. bor.  
subsericeus, *Rydb. in Bull. Torr. Bot. Club*, 1904, 564.  
—Am. bor.

**CEBATHA**, Forsk. = **Cocculus**, DC. (Menisperm.).

- carolina, *Shafter, in Ann. Carneg. Mus.* i. 19 = *Coc-*  
*culus carolinus*.

**CEDRELA**, P. Br. (Meliac.).

- hirsuta, *C. DC. in Chod. & Hassl. in Bull. Herb. Boiss.*  
*Sér.* II. iii. 413.—Parag.  
saxatilis, *Rose, in U. S. Dept. Agric. Contrib. Nat.*  
*Herb.* viii. 314.—Mexic.  
Tonduzii, *C. DC. in Bull. Herb. Boiss. Sér.* II. v. 427.  
—Am. cent.

**CEDRONELLA**, Riv. (Labi.).

- Wrightii, *Greenm. in Proc. Amer. Acad.* xli. 244.—  
Mexic.

**CEIBA**, Medic. (Malvac.).

- [ERIODENDRON, DC. I. K.]  
acuminata, *Rose, in U. S. Dept. Agric. Contrib. Nat.*  
*Herb.* viii. 320 (= *Eriodendron acuminatum*).—Mexic.  
Glaziovii, *K. Schum. ex Chod. & Hassl. in Bull. Herb.*  
*Boiss. Sér.* II. v. 72, nomen.—Parag.  
Glaziovii, *O. Kuntze, ex Glas. in Bull. Soc. Bot. Fr.*  
lii. Mém. III. 52, nomen.—Bras.  
pallida, *Rose, in U. S. Dept. Agric. Contrib. Nat.*  
*Herb.* viii. 320.—Mexic.  
parvifolia, *Rose, l. c.* 320.—Mexic.  
Sipolisii, *K. Schum. ex Glas. in Bull. Soc. Bot. Fr.* lii.  
Mém. III. 52, nomen.—Bras.

**CELASTRUS**, Linn. (Celastr.).

- gemmata, *Loes. in Engl. Jahrb.* xxx. 470.—China.  
grenadensis, *Urb. Symb. Antill.* v. 51.—Ind. occ.  
Hookeri, *Prain, in Journ. As. Soc. Beng.* lxxiii. 197.  
—Reg. Himal.  
Listeri, *Prain, l. c.*—Ind. or.  
membranifolia, *Prain, l. c.*—Ind. or.

**CELOSIA**, Linn. (Amarant.).

- Dewevrei, *Schinz, in Th. Dur. & Wildem. in Bull.*  
*Soc. Bot. Belg.* xxxix. 102.—Afr. trop.  
falcata, *Lopr. in Malpighia*, xiv. 427.—Afr. trop.  
Fleckii, *Schinz, in Bull. Herb. Boiss. Sér.* II. iii. 8.—  
Afr. trop.  
hastata, *Lopr. in Malpighia*, xiv. 427; in *Engl. Jahrb.*  
xxx. 106.—Afr. trop.  
Persicaria, *Schinz, in Bull. Herb. Boiss. Sér.* II. iii. 4.  
—Peruv.  
salicifolia, *Lopr. in Malpighia*, xiv. 428; et *ex Urb. in*  
*Engl. Jahrb.* xxx. Beibl. lxvii. 35.—Bras.  
Toenjesii, *Schinz, in Bull. Herb. Boiss. Sér.* II. iii. 8.—  
Afr. trop.

**CELSIA**, Linn. (Scrophul.).

- brevicaulis, *Freyn, in Bull. Herb. Boiss. Sér.* II. i. 276.  
—Oriens.  
pinnatisecta, *Batt. in Batt. & Trab. Fl. Algér. Tunis.*  
243.—Afr. bor.

**CELTIS**, Tourn. (Urtic.).

- luzonica, *Warb. in Perkins, Frag. Fl. Philipp.* 164.—  
Ins. Philipp.  
Nymanii, *K. Schum. in K. Schum. & Lauterb. Nachtr.*  
*Fl. Deutsch. Südsee*, 240.—N. Guin.  
Smallii, *Beadle, in Small, Fl. S. E. U. S.* 365.—Am. bor.

**CENCHROPSIS**, Nash, in Small, Fl. S. E. U. S. 109 (1903). *GRAMINEAE*.

- [CENCHRUS, Linn. D. T. & H.]  
myosuroides, *Nash, in Small, l. c.* (= *Cenchrus myo-*  
*suroides*).—Am. bor.

**CENIA**, Comm. (Compos.).

- [COTULA, Linn. D. T. & H.]  
albavillosa, *S. Moore, in Journ. Bot.* 1902, 381.—Afr.  
austr.

**CENTAUREA**, Linn. (Compos.).

- Aemilii, *Brig. Monogr. Centaur. Alp. Marit.* 91.—Eur.  
aemula, *Lojac. Fl. Sic.* ii. i. 147 = *Durieu*.  
albaracinensis, *Rouy, Fl. Fr.* ix. 169.—Hybr.  
argyrolepis, *Hayek, in Denkschr. Acad. Wien*, lxx.  
696.—Eur.  
aterrima, *Hayek, l. c.* 731.—Eur.  
atriplicifolia, *Matsum. Enum. Sci. Names* (1895) 72  
(= *Rhaponticum atriplicifolium*).—Japon.  
auricularis, *Pau, in Bol. Soc. Arag.* ii. 68.—Hispan.  
Battandieri, *Hochr. in Ann. Conserv. & Jard. Bot.*  
*Genève*, vii–viii. 230.—Alger.  
Bornmuelleri, *Hauskn. in Mitth. Thüring. Bot. Ver.*  
n. s. xx. 21.—Cappadoc.  
cardanica, *Rouy, in Rev. Bot. Syst. Géogr. Bot.* ii. 161.  
—Hybr.  
Chaixiana, *Rouy, Fl. Fr.* ix. 168.—Hybr.  
corbatiensis, *Sennen, in Bull. Soc. Bot. Fr.* xlvii. 435.  
—Eur.  
Damanti, *Lojac. Fl. Sic.* ii. i. 145.—Sicil.  
deustiformis, *Adamov. in Denkschr. Akad. Wien,*  
*Math.-Nat.* lxxiv. 145.—Turcia.  
Durieu, *Lojac. Fl. Sic.* ii. i. 147.—Sicil.  
epapposa, *Velen. in Sitz. Böhm. Ges. Wiss.* 1903, no.  
28, 6.—Bulgar.

**CENTAUREA** :—

- filaginoides, *Lojac. Fl. Sic.* ii. i. 144.—Sicil.  
Finazzeri, *Adamov. in Oesterr. Bot. Zeitschr.* 1905,  
235.—Turcia.  
Fritschii, *Hayek, in Denkschr. Acad. Wien*, lxx. 623.  
—Eur.  
Gerstlaueri, *Erdner, in Mitth. Bayer. Bot. Ges. Erforsch.*  
*Fl.* xxxiv. (1905) 425, ex *Bot. Centralbl.* xcvi. 604.  
—Hybr.  
gilanica, *Bornm. in Mitth. Thüring. Bot. Ver.* n. s.  
xx. 23.—Persia.  
Goetzeana, *O. Hoffm. in Engl. Jahrb.* xxx. 441.—Afr.  
trop.  
inermis, *Velen. in Oesterr. Bot. Zeitschr.* lii. 154.—Eur.  
integrans, *Naggi, in Malpighia*, xix. 79.—Ital.  
jaceiformis, *Rouy, Fl. Fr.* ix. 138.—Hybr.  
Jankae, *Brandza, in Anal. Acad. Rom. Sér.* II. iv.  
446.—Eur.  
Kanitziana, *Janka ex Brandza, l. c.* 447.—Eur.  
lilinnica, *Velen. in Allg. Bot. Zeitschr.* 1904, 34.—Bulgar.  
magocsyana, *Wagn. in Magyar Bot. Lap.* ii. 281.—  
Hybr.  
Mannagettae, *Podp. in Verh. Zool. Bot. Ges. Wien*, lii.  
661.—Eur.  
Markiana, *Wagn. in Magyar Bot. Lap.* ii. 284.—Hybr.  
Murbeckii, *Hayek, in Denkschr. Acad. Wien*, lxx. 639.  
—Eur.  
Perrieri, *Rouy, Fl. Fr.* ix. 135.—Hybr.  
Rothrockii, *Greenm. in Coult. Bot. Gaz.* xxxvii. 221.  
—Am. bor.; Mexic.  
panormitana, *Lojac. Fl. Sic.* ii. i. 137.—Sicil.  
Pomeliana, *Batt. in Batt. & Trab. Fl. Algér. Tunis,*  
196.—Afr. bor.  
pseudo-Cineraria, *Rouy, in Rev. Bot. Syst. Géogr. Bot.*  
ii. 140.—Gallia.  
scariosa, *Rouy, Fl. Fr.* ix. 114.—Gallia.  
scleroblephara, *Freyn, in Bull. Herb. Boiss. Sér.* II. i.  
271 (= *Phaeopappus scleroblepharus*).—Armen.  
segoviensis, *Rouy, in Bull. Soc. Bot. Fr.* lii. 513.—  
Hispan.  
Serresii, *Rouy, in Rev. Bot. Syst. Géogr. Bot.* ii. 162.  
—Hybr.  
Simonkaiana, *Hayek, in A. Kern. & Fritsch, Sched.*  
*Fl. Austr.-Hung.* ix. 79.—Eur.  
smolinensis, *Hayek, in Denkschr. Acad. Wien*, lxx.  
719.—Eur.  
solutina, *Tin. in Lojac. Fl. Sic.* ii. i. 135.—Sicil.  
Stohlii, *Hayek, in Denkschr. Acad. Wien*, lxx. 710.—  
Eur.  
ustulata, *Halacsy, Consp. Fl. Graec.* ii. 134.—Eur.  
xerolepida, *Pau, in Bol. Soc. Arag.* i. 50.—Hispan.

**CENTELLA**, Linn. (Umbell.).

- [HYDROCOTYLE, Linn. I. K.]  
repanda, *Small, Fl. S. E. U. S.* 859 (= *H. repanda*).—  
Am. bor.

**CENTROGLOSSA**, Barb. Rodr. (Orchid.).

- [ZYGOSTATES, Lindl. D. T. & H.]  
Glaziovii, *Cogn. in Mart. Fl. Bras.* iii. vi. 189.—Bras.  
Greeniana, *Cogn. l. c.* 190 (= *Zygostates Greeniana*).—  
Bras.

**CENTROLEPIS**, Labill. (Centrolepid.).

- cephaloformis, *Reader, in Vict. Natural.* xix. 97.—  
Austral.  
inconspicua, *Fitzger. in Proc. Linn. Soc. N. S. Wales,*  
xxviii. 107.—Austral.

**CENTROPOGON**, Presl (Campan.).

- uncinatus, *Zahlbr. in Beih. Bot. Centralbl.* xiii. 84.—  
Ecuador.

**CENTROSEMA**, Benth. (Legum.).

- brevilobulatum, *Pilg. in Engl. Jahrb.* xxx. 162.—Bras.

**CENTROSTEGIA**, A. Gray (Polygon.).

- cryptantha, *Goodd. in Coult. Bot. Gaz.* xxxvii. 53.—Am.  
bor.

**CENTUNCULUS**, Dill. (Primul.).

- mexicanus, *Schaffn. ex Knuth, in Engl. Pflanzenreich,*  
Primul. 335 = *Anagallis pumila*.

**CEPHAËLIS**, Sw. (Rubiace.).

- Peraltai, *Gorriiz, in Bol. Acad. Barcelona*, Ser. III. i.  
337.—Am. cent.  
Ridleyi, *King, in Journ. As. Soc. Beng.* lxxiii. 106.—  
Penins. Mal.

**CEPHALACANTHUS**, Lindau, in Fedde, Repert. Nov. Sp. i. (1905) 158. *ACANTHACEAE*. maculatus, Lindau, l. c.—Peruv.

**CEPHALARIA**, Schrad. (Dipsac.). Goetzei, Engl. Jahrb. xxx. 418.—Afr. trop. retrosetosa, Engl. & Gilg, in Warb. Kunene-Sambesi Exped. 394.—Afr. trop.

**CEPHALOSPHERA**, Warb. in Engl. Jahrb. xxxiii. (1903) 383. *MYRISTICACEAE*. usambarensis, Warb. l. c. (= *Brochoneura usambarensis*).—Afr. trop.

**CEPHALOTAXUS**, Sieb. & Zucc. (Conif.). argotaenia, Pilg. in Engl. Pflanzenreich Taxac. 104 (= *Podocarpus argotaenia*).—China.

**CERAMANTHUS**, Malme, in Arkiv Bot. Stockh. iv. (1905) no. 14, 2. *ASCLEPIADACEAE*. flavus, Malme, l. c. 3 (= *Sarcostemma flavum*).—Am. austr. gracilis, Malme, l. c. 4 (= *Sarcostemma gracile*).—Am. austr.

**CERASTIUM**, Dill. (Caryophyll.). adsurgens, Greene, Pittonia, iv. (1901) 303.—Am. bor. alsophilum, Greene, in Ottawa Natural. xvi. 37.—Am. bor. angustatum, Greene, Pittonia, iv. (1901) 300.—Am. bor. Barberi, Robinson, in Proc. Bost. Soc. Nat. Hist. xxxi. 266.—Mexic. Beckianum, Hand.-Mazz. & Stadlm. in Oesterr. Bot. Zeitschr. 1905, 433.—Eur. campestre, Greene, Pittonia, iv. (1901) 301.—Am. bor. confertum, Greene, l. c. 302.—Am. bor. Earlei, Rydb. in Bull. Torr. Bot. Club, 1903, 249.—Am. bor. effusum, Greene, Pittonia, iv. (1901) 298.—Am. bor. fastigiatum, Greene, l. c. 303.—Am. bor. graminifolium, Rydb. in Bull. Torr. Bot. Club, 1903, 250.—Am. bor. Leibergii, Rydb. l. c.—Am. bor. lithophilum, Greenm. in Zoe, v. (1904) 183.—Mexic. maximum, A. A. Heller, Muhlenbergia, i. 50.—Calif. micropetalum, Greenm. in Zoe, v. (1904) 183.—Mexic. nitidum, Greene, in Ottawa Natural. xvi. 37.—Am. bor. occidentale, Greene, Pittonia, iv. (1901) 299.—Am. bor. oreophilum, Greene, l. c. 297.—Am. bor. oxalidiflorum, Mak. in Bot. Mag. Tokyo, xix. 102.—Japan. patulum, Greene, Pittonia, iv. (1901) 302.—Am. bor. pulchellum, Rydb. in Bull. Torr. Bot. Club, 1904, 405.—Am. bor. Purpusi, Greenm. in Zoe, v. (1904) 183.—Mexic. Rigoi, Huter & Porta, ex Huter, in Oesterr. Bot. Zeitschr. 1904, 341.—Hybr. schizopetalum, H. Winkl. in Vidensk. Medd. Kjöbenh. (1901) 1902, 51.—As. cent. scopulorum, Greene, Pittonia, iv. (1901) 298.—Am. bor. Sonnei, Greene, l. c. 303.—Am. bor. Sturmianum, Hayek, in Oesterr. Bot. Zeitschr. 1903, 366.—Eur. subulatum, Greene, in Ottawa Natural. xvi. 36.—Am. bor. variable, Goodd. in Coult. Bot. Gaz. xxxvii. 54.—Am. bor. vestitum, Greene, Pittonia, iv. (1901) 301.—Am. bor.

**CERASUS**, Tourn. = *Prunus*, Linn. (Rosac.). arida, Greene, in Proc. Biol. Soc. Washington, xviii. 57.—Calif. crenulata, Greene, l. c. 56.—Am. bor. Herincquiana, Lav. in Arb. Segrez. 117 = *P. pendula*, Maxim. Kelloggiana, Greene, in Proc. Biol. Soc. Washington, xviii. 58.—Calif. Lannesiana, Carr. in Rev. Hort. 1872, 198; 1873, 351 = *Prunus pseudo-Cerasus*. Lyoni, Eastw. in Occas. Papers Calif. Acad. Sci. ix. (1905) 54.—Calif. obliqua, Greene, in Proc. Biol. Soc. Washington, xviii. 59.—Calif. obtusata, Greene, l. c. 60.—Am. bor. padifolia, Greene, l. c. 59.—Am. bor. parvifolia, Greene, l. c.—Calif. prunifolia, Greene, l. c. 57.—Calif. rhamnoides, Greene, l. c. 58.—Calif.

**CERASUS**:— serratifolia, Lindl. ex Carr. in Rev. Hort. 1877, 389 = *Prunus pseudo-Cerasus*. trichopetala, Greene, in Proc. Biol. Soc. Washington, xviii. 60.—Am. bor.

**CERATOPHYLLUM**, Linn. (Ceratophyll.). tanaiticum, Sapégin, in Trav. Soc. Nat. Kharkow, xxxvii. 315.—Rossia.

**CERATOSANTHES**, Burm. (Cucurb.). Hassleri, Cogn. in Bull. Herb. Boiss. Sér. II. iii. 925.—Parag.

**CERATOSTYLIS**, Blume (Orchid.). gracilis, Naves, in Blanco, Fl. Filip. ed. III. Nov. App. 245 = *Acordium tenellum*. grandiflora, F. J. Sm. in Rec. Trav. Bot. Néerl. i. 156.—Sumatra. latuensis, F. J. Sm. Orch. Ambon, 37.—Amboina. philippinensis, Rolfe, in Ames, Orchid. i. 79.—Ins. Philipp. platychila, Schlechter, in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee, 138.—N. Guin. punctulata, Ridley, in Journ. As. Soc. Straits, xxxix. 79.—Penins. Mal. radiata, F. J. Sm. Orchid. Java, 295.—Java. scirpoides, Schlechter, in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee, 138.—N. Guin. spatulata, Schlechter, l. c. 139.—N. Guin.

**CERATOZAMIA**, Brongn. (Cycad.). Juscata, Matte, Recherches App. Lib. Lign. Cycad. 35, nomen.—Hab. ? purpurea, Matte, l. c. 125.—Hab. ?

**CERCANTHEMUM**, Van Tiegh. in Bull. Mus. Hist. Nat. Par. viii. (1902) 215 = *Ouratea*, Aubl. (Ochnac.). amplexicaule, Van Tiegh. in Journ. de Bot. 1902, 198 = *O. amplexicaulis*. anceps, Van Tiegh. l. c. = *O. anceps*. auriculatum, Van Tiegh. in Ann. Sci. Nat. Sér. VIII. xviii. 30.—Madag. auriculatum, Van Tiegh. in Bull. Mus. Hist. Nat. Par. 1903, 88.—Madag. Boivini, Van Tiegh. l. c.—Madag. circinale, Van Tiegh. l. c. 89.—Madag. dependens, Van Tiegh. in Journ. de Bot. 1902, 198 = *O. dependens*. Hoffmanni, Van Tiegh. in Ann. Sci. Nat. Par. Sér. VIII. xvi. 306.—Madag. lanceolatum, Van Tiegh. in Journ. de Bot. 1902, 198 = *O. lanceolata*. reflexum, Van Tiegh. in Ann. Sci. Nat. Par. Sér. VIII. xvi. 306.—Madag. Saclexii, Van Tiegh. in Journ. de Bot. 1902, 198.—Afr. trop. squamiferum, Van Tiegh. in Ann. Sci. Nat. Par. Sér. VIII. xvi. 307.—Madag.

**CERCESTIS**, Schott (Arac.). kamerunianus, N. E. Br. in Dyer, Fl. Trop. Afr. viii. 182 (= *Alocasiophyllum kamerunianum*).—Afr. trop. stigmaticus, N. E. Br. l. c. 181.—Afr. trop.

**CERCIDIUM**, Tul. (Legum.). Goldmani, Rose, in U. S. Dept. Agric. Contrib. Nat. Herb. viii. 301.—Mexic. peninsulare, Rose, l. c.—Calif. plurifoliolatum, Micheli, in Mém. Soc. Phys. Hist. Nat. Genève, xxxiv. 269.—Mexic. unijugum, Rose, in U. S. Dept. Agric. Contrib. Nat. Herb. viii. 301.—Mexic.

**CERCINIA**, Van Tiegh. in Bull. Mus. Hist. Nat. Par. viii. (1902) 376 = *Ouratea*, Aubl. (Ochnac.). brevis, Van Tiegh. in Ann. Sci. Nat. Par. Sér. VIII. xvi. 310.—Cochinch. Doumeri, Van Tiegh. in Bull. Mus. Hist. Nat. Par. 1903, 87.—Ind. or. Thoreli, Van Tiegh. in Journ. de Bot. 1902, 198.—Cochinch. Wightii, Van Tiegh. in Bull. Mus. Hist. Nat. Par. 1903, 87.—Ind. or.

**CERCOCARPUS**, H. B. & K. (Rosac.). mojadensis, Schneider, Ill. Handb. Laubholzsk. i. (1905) 530, nomen.—Mexic. Treleasei, Schneider, l. c. nomen.—Mexic.

**CERCOURATEA**, Van Tiegh. in Bull. Mus. Hist. Nat. Par. 1902, 434 = *Ouratea*, Aubl. (Ochnac.). acuta, Van Tiegh. in Ann. Sci. Nat. Par. Sér. VIII. xvi. 277.—Bras. aemula, Van Tiegh. l. c. 276 (= *Gomphia aemula*).—Bras. alaternifolia, Van Tiegh. l. c. 277 = *O. alaternifolia*, errore alternifolia. Barrae, Van Tiegh. l. c. 272.—Bras. brevipes, Van Tiegh. l. c. 277.—Bras. cassinifolia, Van Tiegh. in Bull. Mus. Hist. Nat. Par. 1902, 434 = *O. cassinifolia*. caudata, Van Tiegh. in Ann. Sci. Nat. Par. Sér. VIII. xvi. 276 = *O. caudata*. Chaffanjonii, Van Tiegh. l. c. 272.—Venez. curvata, Van Tiegh. l. c. 276 (= *Gomphia curvata*).—Bras. cuspidata, Van Tiegh. l. c. = *O. cuspidata*. erythrocalyx, Van Tiegh. l. c. = *O. erythrocalyx*. ferruginea, Van Tiegh. l. c. = *O. ferruginea*. Fieldingiana, Van Tiegh. l. c. = *O. Fieldingiana*. glaucescens, Van Tiegh. l. c. 271 = *O. glaucescens*. glomerata, Van Tiegh. l. c. 276 (= *Gomphia glomerata*).—Bras. Grosourdyi, Van Tiegh. l. c. 278.—Venez. impressa, Van Tiegh. l. c.—Guian. laxa, Van Tiegh. l. c. 273.—Venez. longifolia, Van Tiegh. in Bull. Mus. Hist. Nat. Par. 1902, 434 = *O. longifolia*. lucens, Van Tiegh. in Ann. Sci. Nat. Par. Sér. VIII. xvi. 271 = *O. lucens*. Melinoni, Van Tiegh. l. c. 278.—Guiana. Magdalenae, Van Tiegh. l. c. 276 = *O. Magdalenae*. oliviformis, Van Tiegh. l. c. 271 = *O. olivaeformis*. Orbignyana, Van Tiegh. l. c. 277.—Boliv. repens, Van Tiegh. l. c.—Bras. rotundifolia, Van Tiegh. l. c. 276 = *O. rotundifolia*. Schomburgkii, Van Tiegh. l. c. = *O. Schomburgkii*. tenuifolia, Van Tiegh. l. c. 271 = *O. tenuifolia*. venulata, Van Tiegh. l. c. 272.—Bras. verruculosa, Van Tiegh. l. c. 276 = *O. verruculosa*.

**CEREUS**, Mill. (Cact.). acidus, K. Schum. Gesamtb. Kakt. Nachtr. i. 22 (= *Eulychnia acida*).—Chili. Aragoni, Web. in Bull. Mus. Hist. Nat. Par. 1902, 456.—Am. cent. aurivillus, K. Schum. in Monatsschr. Kakt. 1903, 67.—Hort. Biolleyi, Web. ex K. Schum. Gesamtb. Kakt. Nachtr. i. 60.—Am. cent. calcaratus, A. Web. in Bull. Mus. Hist. Nat. Par. 1902, 458.—Am. cent. castaneus, K. Schum. Gesamtb. Kakt. Nachtr. i. 22 (= *Eulychnia castanea*).—Chili. Chende, Gosselin, in Bull. Mus. Hist. Nat. Par. vi. (1905) 506.—Mexic. Chichipe, Gosselin, l. c. 507.—Mexic. chrysacanthus, Orcutt, in W. Amer. Sci. xiii. 63 (= *Pilocereus chrysacanthus*).—Mexic. coniflorus, Weing. in Monatsschr. Kakt. 1904, 118.—Ind. occ. coquimbatus, K. Schum. Gesamtb. Kakt. Nachtr. i. 23 (= *Eulychnia breviflora*).—Chili. Dautwitzii, Orcutt, in W. Amer. Sci. xiii. 63 (= *Pilocereus Dautwitzii*).—Peruv. Dayami, Speg. in Anal. Mus. Buenos Aires, xi. 480.—Reg. Argent. Dusenii, Weber, ex Speg. Nov. Add. Fl. Patag. i. (1901), repr. 56; et in Bull. Mus. Hist. Nat. Par. 1904, 383.—Reg. Argent. glycimorphus, Orcutt, Seed Pl. Co., Cat. Cact. 1903, 5 (= *Echinocereus glycimorphus*).—Hab. ? Gonzalezi, A. Weber, in Bull. Mus. Hist. Nat. Par. 1902, 460.—Am. cent. Greggii, W. Watson, in Gard. Chron. 1903, II. 93.—Am. bor. Grusonianus, Weing. in Monatsschr. Kakt. 1905, 54.—Mexic. ? Guelichii, Speg. in Anal. Mus. Buenos Aires, xi. 482.—Reg. Argent. huitcholensis, Weber, in Bull. Mus. Hist. Nat. Par. 1904, 383.—Mexic. iquiquensis, K. Schum. in Monatsschr. Kakt. 1904, 99.—Chili. Knippelianus, Orcutt, in W. Amer. Sci. xiii. 27 (= *Echinocereus Knippelianus*).—Mexic.

**CEREUS** :—

- Lauterbachii, K. Schum. ex Chod. & Hassl. in Bull. Herb. Boiss. Sér. II. iii. 250.—Parag.  
 leonensis, Orcutt, in W. Amer. Sci. xiii. 27 (= *Echinocereus leonensis*).—Mexic.  
 longicaudatus, Weber, in Bull. Mus. Hist. Nat. Par. 1904, 384.—Mexic.  
 margaritensis, F. R. Johnston, in Proc. Amer. Acad. xl. 693.—Venez.  
 miravallensis, A. Weber, in Bull. Mus. Hist. Nat. Par. 1902, 459.—Am. cent.  
 Moeninghoffii, Fischer, in Monatsschr. Kakt. xv. 143.—Hybr.  
 nesioticus, K. Schum. ex Robinson, in Proc. Amer. Acad. xxxviii. 179.—Ins. Galap.  
 pachyrrhizus, K. Schum. Gesamtb. Kakt. Nachtr. i. 33.—Parag.  
 paraguayensis, K. Schum. ex Chod. & Hassl. in Bull. Herb. Boiss. Sér. II. iii. (1903) 249.—Parag.  
 pensilis, K. Brandegee, in Zoe, v. 192 (1904).—Calif.  
 platygonus, Speg. in Anal. Mus. Buenos Aires, xi. 481.—Reg. Argent.  
 ruber, Weing. in Monatsschr. Kakt. 1905, 22.—Hab. ?  
 santiaguensis, Speg. in Anal. Mus. Buenos Aires, xi. 478.—Reg. Argent.  
 Sargentianus, Orcutt, Seed Pl. Co. Cat. Cact. 1903, 9.—Hort.  
 sciurus, K. Brandegee, in Zoe, v. 192 (1904).—Calif.  
 sclerocarpus, K. Schum. ex Robinson, in Proc. Amer. Acad. xxxviii. 179.—Ins. Galap.  
 Silvestrii, Speg. in Anal. Mus. Buenos Aires, xi. 483.—Reg. Argent.  
 Sirul, Weber, in Bull. Mus. Hist. Nat. Par. 1904, 384.—Mexic.  
 smaragdiflorus, Speg. in Anal. Mus. Buenos Aires, xi. 482.—Reg. Argent.  
 stenopterus, A. Weber, in Bull. Mus. Hist. Nat. Par. 1902, 458.—Am. cent.  
 thelegonoides, Speg. in Anal. Mus. Buenos Aires, xi. 480.—Reg. Argent.  
 Tonduzii, A. Weber, in Bull. Mus. Hist. Nat. Par. 1902, 459.—Am. cent.  
 Tunilla, A. Weber, l. c. 460.—Am. cent.  
 Urbanianus, Guerke & Weing. in Notizbl. Bot. Gart. Berlin, iv. 158.—Ind. occ.  
 vagans, K. Brandegee, in Zoe, v. 191 (1904).—Mexic.  
 viperinus, Weber, in Bull. Mus. Hist. Nat. Par. 1904, 385.—Mexic.  
 Weingartianus, Hartm. in Monatsschr. Kakt. xiv. 155.—Ind. occ.  
 Wercklei, A. Weber, in Bull. Mus. Hist. Nat. Par. 1902, 460.—Am. cent.  
 xanthocarpus, K. Schum. Gesamtb. Kakt. Nachtr. i. 32.—Parag.

**CEROPEGIA**, Linn. (Asclep.).

- angustiloba, Wildem. in Ann. Mus. Congo, Sér. IV. 109.—Afr. trop.  
 Bonafouxii, K. Schum. in Engl. Jahrb. xxxiii. 327.—Afr. trop.  
 botrys, K. Schum. l. c. 328.—Afr. trop.  
 brachyeras, Schlechter, in Engl. Jahrb. xxxviii. 45.—Afr. austr.  
 Butayei, Wildem. in Ann. Mus. Congo, Sér. V. i. 192.—Afr. trop.  
 calcarata, N. E. Br. in Dyer, Fl. Trop. Afr. iv. 1. 453.—Afr. trop.  
 Conrathii, Schlechter, in Engl. Jahrb. xxxviii. 45.—Afr. austr.  
 Dewevrei, Wildem. in Ann. Mus. Congo, Sér. V. i. 192.—Afr. trop.  
 dichroantha, K. Schum. in Engl. Jahrb. xxx. 385.—Afr. trop.  
 Ellenbeckii, K. Schum. l. c. xxxiii. 327.—Afr. trop.  
 euryacme, Schlechter, in Engl. Jahrb. xxxviii. 46.—Afr. austr.  
 floribunda, N. E. Br. in Dyer, Fl. Trop. Afr. iv. 1. 460.—Afr. trop.  
 gemmifera, K. Schum. in Engl. Jahrb. xxxiii. 328.—Afr. trop.  
 Haygarthii, Schlechter, in Engl. Jahrb. xxxviii. 46.—Afr. austr.  
 humilis, N. E. Br. in Dyer, Fl. Trop. Afr. iv. 1. 464.—Abyss.  
 infausta, N. E. Br. in Dyer, l. c. 459 (= *Riocreuxia longiflora*).—Afr. trop.

**CEROPEGIA** :—

- Kerstingii, K. Schum. in Engl. Jahrb. xxxiii. 326.—Afr. trop.  
 kroboensis, N. E. Br. in Dyer, Fl. Trop. Afr. iv. 1. 440.—Afr. trop.  
 kwebensis, N. E. Br. l. c. 456.—Afr. trop.  
 leptocarpa, Schlechter, in Engl. Jahrb. xxxviii. 47.—Afr. austr.  
 perforata, N. E. Br. in Kew Bull. 1901, 141.—N. Guin.  
 subaphylla, K. Schum. in Engl. Jahrb. xxxiii. 329.—Afr. trop.  
 tenuissima, S. Moore, in Journ. Linn. Soc. xxxvii. 185.—Afr. trop.  
 Verdickii, Wildem. in Ann. Mus. Congo, Sér. IV. 109.—Afr. trop.  
 yorubana, Schlechter, in Engl. Jahrb. xxxviii. 48.—Afr. trop.  
 Zeyheri, Schlechter, l. c.—Afr. austr.

**CERVICINA**, Delile = **Wahlenbergia**, Schrad. (Campan.).

- gracilis, J. Britten, Bot. Cook Voy. 56 = W. gracilis.  
 denudata, S. Moore, in Journ. Bot. 1903, 402 = W. denudata.  
 depressa, S. Moore, l. c. = W. depressa.

**CESPEDESIA**, Goudot (Ochnac.).

- brasiliensis, Van Tiegh. in Ann. Sci. Nat. Sér. VIII. xix. 51.—Bras.  
 repanda, Van Tiegh. l. c. 50 (= *Godoya repanda*).—N. Granat.  
 Sprucei, Van Tiegh. l. c. 51.—Peruv.

**CESTICHIS**, Thou. = **Liparis**, Rich. (Orchid.).

- [**STICHORCHIS**, Thou. D. T. & H.]  
 araneola, Ames, Orchid. i. 12 = L. araneola.  
 benguetensis, Ames, l. c. 9.—Ins. Philipp.  
 compressa, Ames, l. c. 8 = L. compressa.  
 Cumingii, Ames, l. c. = L. Cumingii.  
 divergens, Ames, l. c. = L. divergens.  
 Elmeri, Ames, l. c. 10.—Ins. Philipp.  
 longipes, Ames, l. c. 75 = L. longipes.  
 Merrilli, Ames, l. c. 11.—Ins. Philipp.  
 philippinensis, Ames, l. c. 7.—Ins. Philipp.

**CESTRUM**, Linn. (Solan.).

- brevifolium, Urb. Symb. Antill. ii. 457.—Ind. occ.  
 guaranitum, Chod. & Hassl. in Bull. Herb. Boiss. Sér. II. iv. 86.—Parag.  
 heterophyllum, Urb. Symb. Antill. ii. 457.—Ind. occ.  
 inclusum, Urb. l. c. iii. 370.—Ind. occ.  
 linearifolium, Urb. l. c. ii. 458.—Ind. occ.  
 poasanum, Donn. Sm. in Coult. Bot. Gaz. xxxiii. 253.—Am. cent.

**CHADSIA**, Boj. (Legum.).

- Grevei, Drake, Hist. Pl. Madag. i. 134.—Madag.  
 majungensis, Drake, l. c. 132.—Madag.  
 racemosa, Drake, l. c. 134.—Madag.

**CHAENARRHINUM**, Lange = **Linaria**, Tourn. (Scrophul.).

- [**CHAENORRHINUM**, Lange, D. T. & H.]  
 Aschersoni, Simk. in Urb. & Graebn. Festschr. Aschers. 236.—Eur.  
 viscidum, Simk. l. c. 234 = L. viscida.

**CHAENOCEPHALUS**, Griseb. (Compos.).

- Jelskii, Hieron. in Engl. Jahrb. xxxvi. 494.—Peruv.  
 rupestris, Urb. Symb. Antill. iii. 412.—Ind. occ.

**CHAENOLOBUS**, Small, Fl. S. E. U. S. (1903) 1236 = **Chaenobolus**, Cass. = **Pterocaulon**, Ell. (Compos.).**CHAENOSTOMA**, Benth. (Scrophul.).

- subnudum, N. E. Br. in Kew Bull. 1901, 128.—Afr. austr.

**CHAENOTHECA**, Urb. Symb. Antill. iii. 284 (1902) =

- Chascothea**, Urb. (Euphorb.).  
 domingensis, Urb. l. c. 285 = C. domingensis.  
 neopeltandra, Urb. l. c. = C. neopeltandra.

**CHAEROPHYLLUM**, Linn. (Umbell.).

- floridanum, Bush, in Trans. Acad. St. Louis xii. 62.—Am. bor.  
 reflexum, Bush, l. c.—Am. bor.

**CHAETACANTHUS**, Nees (Acanth.).

- [**CALOPHANES**, D. Don. I. K.]  
 hispidus, S. Moore, in Journ. Bot. 1902, 384.—Afr. austr.

**CHAETANTHERA**, Ruiz & Pav. (Compos.).

- collina, Phil. ex Reiche, Fl. Chile, iv. 340.—Chili.  
 euphrasioides, Reiche, l. c. 343 (= *Elachia euphrasioides*).—Chili.  
 Shortii, Bush, in Trans. Acad. St. Louis, xii. 59.—Am. bor.

**CHAETOCHLOA**, Scribn. = **Setaria**, Beauv. (Gramin.).

- occidentalis, Nash, in Britton, Man. Fl. N. U. S. 90.—Am. bor.

**CHALAROTHYRSUS**, Lindau, in Bull. Herb. Boiss. Sér. II. iv. (1904) 327. **ACANTHACEAE**.

- amplexicaulis, Lindau, l. c.—Mexic.

**CHALEPOPHYLLUM**, Hook. f. (Rubiace.).

- speciosum, N. E. Br. in Trans. Linn. Soc. Ser. II. vi. 33.—Guian.

**CHAMAEANTHUS**, Schlechter, in J. J. Sm. Orchid. Java, 552. **ORCHIDACEAE**.

- brachystachys, Schlechter, l. c.—Java.

**CHAMAEACRINUM**, Diels, ex Diels & Pritz. in Engl. Jahrb. xxxv. (1904) 101 = **Hensmania**, Fitzger. (Liliac.).

- bellula, Pollard, in Proc. Biol. Soc. Washington, xv. 19.—Am. bor.

**CHAMAECRISTA**, Moench = **Cassia**, Tourn. (Legum.).

- bellula, Pollard, in Proc. Biol. Soc. Washington, xv. 19.—Am. bor.  
 brachiata, Pollard, l. c. 20.—Am. bor.  
 camporum, Greene, Pittonia, v. 108.—Am. bor.  
 commixta, Auct. in Proc. Biol. Soc. Washington, xiv. 196 = *Cassia nictitans*.  
 littoralis, Pollard, in Proc. Biol. Soc. Washington, xv. 20.—Am. bor.  
 mirabilis, Pollard, l. c. 19.—Ind. occ.  
 puberula, Greene, Pittonia, v. 134.—Am. bor.  
 Tracyi, Pollard, in Proc. Biol. Soc. Washington, xv. 21.—Am. bor.

**CHAMAECPARIS**, Spach (Conif.).

- [**THUYA**, Tourn. I. K.]  
 formosensis, Matsum. in Bot. Mag. Tokyo, xv. 137.—Formosa.

**CHAMAEDOREA**, Willd. (Palm.).

- amabilis, Wendl. ex Damm. in Gard. Chron. 1904, II. 245.—Am. cent.  
 Lechleriana, Wendl. l. c. 246.—Peruv.  
 Pavoniana, Wendl. l. c.—Peruv.  
 pumila, Wendl. l. c.—Am. cent.  
 rigida, Wendl. l. c.—Mexic.  
 Ruizii, Wendl. l. c.—Peruv.

**CHAMAELE**, Miq. (Umbell.).

- decumbens, Mak. in Bot. Mag. Tokyo, xvii. 14 (= *Sium decumbens*).—Japon.  
 japonica, Mak. ex Yabe, in Journ. Coll. Sci. Tokyo, xvi. IV. 47, in obs. = tenera.

**CHAMAELIRIUM**, Willd. (Liliac.).

- obovale, Small, in Torreya, i. 108.—Am. bor.

**CHAMAESPACOS**, Schrenk. (Labiata.).

- longiflorus, Bernm. & Sint. in Mitth. Thüring. Bot. Ver. n. s. xviii. 51.—Reg. Casp.

**CHAMAESYCE**, S. F. Gray = **Euphorbia**, Linn. (Euphorb.).

- adenoptera, Small, Fl. S. E. U. S. 714 = E. adenoptera.  
 adicioides, Small, l. c. 710.—Am. bor.  
 albomarginata, Small, l. c. = E. albomarginata.  
 ammannioides, Small, l. c. 709 = E. ammannioides.  
 angusta, Small, l. c. 711 = E. angusta.  
 Blodgettii, Small, l. c. 712 = E. Blodgettii.  
 brachypoda, Small, l. c. 709.—Am. bor.  
 brasiliensis, Small, l. c. 712 = E. brasiliensis.  
 buxifolia, Small, l. c. 711 = E. buxifolia.  
 Chiogenes, Small, l. c. 709.—Am. bor.  
 cinerascens, Small, l. c. 710 = E. melanadenia.  
 conferta, Small, l. c. 713.—Am. bor.  
 cordifolia, Small, l. c. 709 = E. cordifolia.  
 deltoidea, Small, l. c. 710 = E. deltoidea.  
 Fendleri, Small, l. c. = E. Fendleri.  
 Garberi, Small, l. c. = E. Garberi.  
 Geyeri, Small, l. c. 709 = E. Geyeri.

## CHAMAESYCE:—

- glyptosperma*, Small, Fl. S. E. U. S. 712 = *Euphorbia glyptosperma*.  
*humistrata*, Small, l. c. 713 = *E. humistrata*.  
*hyssopifolia*, Small, in Bull. N. York Bot. Gard. iii. 429 = *E. brasiliensis*.  
*Ingallsii*, Small, Fl. S. E. U. S. 708.—Am. bor.  
*laredana*, Small, l. c. 709 = *E. laredana*.  
*lata*, Small, l. c. 710 = *E. lata*.  
*maculata*, Small, l. c. 713 = *E. maculata*.  
*malaca*, Small, l. c.—Am. bor.  
*Nashii*, Small, l. c. 709.—Am. bor.  
*nutans*, Small, l. c. 712 = *E. Preslii*.  
*Nuttallii*, Small, l. c. 711.—Am. bor.  
*pergemenae*, Small, l. c. 713 = *E. pergemenae*.  
*petaloidea*, Small, l. c. 711 = *E. petaloidea*.  
*pilulifera*, Small, l. c. 714 = *E. pilulifera*.  
*pinetorum*, Small, in Bull. N. York Bot. Gard. iii. 429.—Am. bor.  
*polyclada*, Small, Fl. S. E. U. S. 711 = *E. polyclada*.  
*polygonifolia*, Small, l. c. 708 = *E. polygonifolia*.  
*Porteriana*, Small, l. c. 711.—Am. bor.  
*prostrata*, Small, l. c. 713 = *E. prostrata*.  
*revoluta*, Small, l. c. 711 = *E. revoluta*.  
*serpens*, Small, l. c. 709 = *E. serpens*.  
*serpyllifolia*, Small, l. c. 712 = *E. serpyllifolia*.  
*Stanfieldii*, Small, l. c.—Am. bor.  
*stictospora*, Small, l. c. 714 = *E. stictospora*.  
*Tracyi*, Small, l. c. 713.—Am. bor.  
*villifera*, Small, l. c. 712 = *E. villifera*.

## CHAMIRA, Thunb. (Crucif.).

- circaeoides*, A. Zahlbr. in Ann. Nat. Hofmus. Wien, xviii. 384 (= *Heliophila circaeoides*).—Afr. austr.

## CHAMISSONIA, Endl. (Onagrac.).

- [OENOTHERA, Linn. I. K.]  
*tenuifolia*, MacL. in Rep. Princeton Univ. Exped. Patag. viii. 614 (= *Sphaerostigma tenuifolium*).—Chili; Patag.

## CHAPTALIA, Vent. (Compos.).

- alsophila*, Greene, Leaflets Bot. Obs. i. 158.—Am. bor.  
*Arechavaletai*, Arech. in Anal. Mus. Montevidei. Ser. II. i. 14.—Urug.  
*confinis*, Greene, Leaflets Bot. Obs. i. 158.—Am. bor.  
*Eggersii*, Urb. Symb. Antill. iii. 418.—Ind. occ.  
*membranacea*, Urb. l. c.—Ind. occ.  
*similis*, R. Fries, in Nov. Act. Soc. Sci. Upsal. Ser. IV. i. no. 1, 95.—Reg. Argent.

## CHASALIA, Comm. (Rubiace.).

- Buchwaldii*, K. Schum. in Engl. Jahrb. xxxiv. 338.—Afr. trop.  
*discolor*, K. Schum. l. c. 339.—Afr. trop.  
*subspicata*, K. Schum. l. c. xxxiii. 371.—Afr. trop.

## CHASCOTHECA, Urb. Symb. Antill. v. 14. (1904).

- EUPHORBIACEAE*.  
*domingensis*, Urb. l. c.—Ind. occ.  
*neopeltandra*, Urb. l. c.—Ind. occ.

## CHEIRANTHUS, Linn. (Crucif.).

- ammophilus*, A. A. Heller, Muhlenbergia, i. 52 (= *Erysimum ammophilum*).—Calif.  
*argutus*, Buch, ex Lowe, Man. Fl. Mader. 28 = *mutabilis*.  
*aridus*, Greene, Pittonia, iv. 198 = *Bakeri*.  
*Bakeri*, Greene, l. c. 235.—Am. bor.  
*dentatus*, Buch, ex Lowe, Man. Fl. Mader. 28 = *mutabilis*.  
*littoreus*, Buch, l. c. = *Matthiola maderensis*.  
*nevadensis*, A. A. Heller, Muhlenbergia, i. 52 (= *Erysimum nevadense*).—Calif.  
*pacificus*, Sheldon, in Bull. Torr. Bot. Club, 1903, 308.—Am. bor.  
*suffrutescens*, Abrams, in Bull. S. Calif. Acad. ii. 41.—Calif.

## CHELONANTHUS, Gilg (Gentian.).

- [LISIANTHUS, Linn. I. K. S. i.]  
*candidus*, Malmé, in Arkiv Bot. Stockh. iii. no. 12, 13.—Bras.  
*frigidus*, Urb. Symb. Antill. iii. 334 (= *Lisianthus frigidus*).—Ind. occ.

## CHELONE, Linn. (Scrophul.).

- Cuthbertii*, Small, Fl. S. E. U. S. 1058.—Am. bor.

## CHELONOPSIS, Miq. (Labiata.).

- Giraldii*, Diels, in Engl. Jahrb. xxxvi. Beibl. lxxxi. 94.—China.

VOL. IV.

## CHENOPODIUM, Tourn. (Chenopod.).

- albescens*, Small, Fl. S. E. U. S. 385.—Am. bor.  
*Ameghinoi*, Speg. in Anal. Mus. Buenos Aires, vii. 138.—Patag.  
*aridum*, A. Nelson, in Bull. Torr. Bot. Club, 1904, 240.—Am. bor.  
*atripliciforme*, Murr, in Magyar Bot. Lap. i. 360.—Sibir. or.; Afghan.  
*bolivianum*, Murr, l. c. 359.—Am. bor.; Bolivia.  
*cycloides*, A. Nelson, in Coult. Bot. Gaz. xxxiv. 363.—Am. bor.  
*desiccatum*, A. Nelson, l. c. 362.—Am. bor.  
*Orphanidis*, Murr, in Magyar Bot. Lap. iii. 37.—Graecia.  
*Preissii*, Diels, in Engl. Jahrb. xxxv. 181 (= *Rhagodia Preissii*).—Austral.  
*pseudopunctulatum*, Murr, in Magyar Bot. Lap. iii. 38.—Hybr.  
*querciforme*, Murr, l. c. 37.—Bolivia.  
*rafaelense*, Chod. & Wilcz. in Bull. Herb. Boiss. Sér. II. ii. 534.—Reg. Argent.  
*scabriceule*, Speg. in Anal. Mus. Buenos Aires, vii. 139.—Patag.  
*subglabrum*, A. Nelson, in Coult. Bot. Gaz. xxxiv. 362.—Am. bor.  
*succosum*, A. Nelson, l. c. 361.—Am. bor.  
*Tanaka*, Murr, in Magyar Bot. Lap. iii. 38.—Japon.  
*texanum*, Murr, l. c. ii. 8.—Am. bor.  
*trilobum*, Issl. in Allg. Bot. Zeitschr. 1902, 173.—Eur.  
*Vollmanni*, Murr, in Magyar Bot. Lap. ii. 11.—Eur.  
*Watsoni*, A. Nelson, in Coult. Bot. Gaz. xxxiv. 362.—Am. bor.  
*Wolfii*, Rydb. in Bull. Torr. Bot. Club, 1903, 248.—Am. bor.

## CHESNEYA, Lindl. = Calophaca, Fisch. (Legum.).

- elegans*, Fomine, in Monit. Jard. Bot. Tiflis, i. 6.—Armenia.

## CHILIOTRICHUM, Cass. (Compos.).

- diffusum*, P. Dusen, in Rep. Princeton Univ. Exped. Patag. viii. 31.—Patag.

## CHILOSCHISTA, Lindl. (Orchid.).

- [SARCOCHILUS, R. Br. I. K.]  
*lunifera*, F. F. Sm. Orchid. Java, 553 (= *Sarcophilus luniferus*).—Java; Ind. or.

## CHIOCOCCA, P. Br. (Rubiace.).

- micrantha*, F. R. Johnston, in Proc. Amer. Acad. xl. 696.—Venez.

## CHIONANTHUS, Gaertn. = Linociera, Sw. (Oleac.).

- montana*, Zoll. ex Koord. & Valet. in Meded. 'S Lands Plantent. lix. (1902) 237 = *C. nitens*.  
*nitens*, Koord. & Valet. l. c.—Java.  
*oblongifolia*, Koord. & Valet. l. c. 244.—Java.  
*Zollingeriana*, Koord. & Valet. l. c. 245.—Java.

## CHIONE, DC. (Rubiace.).

- coriacea*, Urb. Symb. Antill. iii. 380.—Ind. occ.

## CHIRONIA, Linn. (Gentian.).

- Baumiana*, Gilg, in Warb. Kunene-Sambesi Exped. 334; et ex Schoch, in Bot. Centralbl. Beiheft. xiv. 232.—Afr. trop.  
*Ecklonii*, Schoch, in Bull. Herb. Boiss. Sér. II. ii. 1013.—Afr. austr.  
*maxima*, Schoch, l. c. 1014.—Afr. austr.  
*mediocris*, Schoch, l. c. 1011.—Afr. austr.  
*rubro-coerulea*, Gilg, in Engl. Jahrb. xxx. 379.—Afr. trop.  
*Schinzi*, Schoch, in Bull. Herb. Boiss. Sér. II. ii. 1012.—Afr. austr.  
*Schlechteri*, Schoch, l. c. 1010.—Afr. austr.

## CHIROPETALUM, A. Juss. (Euphorb.).

- [ARGITHAMNIA, Sw. I. K.]  
*triccocum*, Chod. & Hassl. in Bull. Herb. Boiss. Sér. II. v. 502 (= *Desfontainea triccocca*).—Parag.

## CHISOCHETON, Blume (Meliac.).

- amboinensis*, Valet. in Hochr. Pl. Bogor. Exsicc. 67.—Ins. Amboin.  
*Biroi*, Harms, in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee, 283.—N. Guin.  
*Forbesii*, C. DC. in Bull. Herb. Boiss. Sér. II. iii. (1903) 168.—N. Guin.

## CHISOCHETON:—

- hongkongensis*, Tutch. in Journ. Linn. Soc. xxxvii. 64.—China.  
*novoguineensis*, C. DC. in Bull. Herb. Boiss. Sér. II. iii. 169.—N. Guin.  
*pentandrus*, Merrill, in Philipp. Gov. Lab. Bur. Bull. xxvii. 31 = *philippinus*.  
*Weinlandii*, Harms, in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee, 283.—N. Guin.

## CHITONANTHERA, Schlechter, in K. Schum. &amp; Lauterb. Nachtr. Fl. Deutsch. Südsee, (1905) 193.

## ORCHIDACEAE.

- angustifolia*, Schlechter, l. c. 194.—N. Guin.  
*falcifolia*, Schlechter, l. c.—N. Guin.  
*miniata*, Schlechter, l. c. 195.—N. Guin.

## CHITONCHILUS, Schlechter, in K. Schum. &amp; Lauterb. Nachtr. Fl. Deutsch. Südsee, (1905) 184.

## ORCHIDACEAE.

- papuanum*, Schlechter, l. c.—N. Guin.

## CHLAENOBOLUS, Cass. = Pterocaulon, Eil. (Compos.).

- undulatus*, Small, Fl. S. E. U. S. 1236 = *P. pycnostachyum*.

## CHLAMYSPOURUM, Salisb. = Thysanotus, R. Br. (Liliac.).

- Banksii*, J. Britten, Bot. Cook Voy. 94 (= *Thysanotus Banksii*).—Austral.

## CHLORAEA, Lindl. (Orchid.).

- alborosea*, Kraenzl. & Speg. in Anal. Mus. Buenos Aires, vii. 166.—Patag.  
*Berteroana*, Kraenzl. Orch. Gen. et Sp. ii. 70.—Chili.  
*bicallosa*, Phil. ex Kraenzl. l. c. 69.—Chili.  
*boliviana*, Kraenzl. l. c. 139 (= *Bieneria boliviana*).—Bolivia.  
*chica*, Speg. & Kraenzl. in Kraenzl. l. c. 131.—Patag.  
*cholilensis*, Speg. & Kraenzl. in Kraenzl. l. c. 74.—Patag.  
*collicensis*, Kraenzl. l. c. 127.—Chili.  
*ferruginea*, Speg. & Kraenzl. in Kraenzl. l. c. 76.—Patag.  
*grandis*, Kraenzl. l. c. 58.—Chili.  
*hemichloris*, Kraenzl. l. c. 99.—Chili.  
*Hookeriana*, Speg. & Kraenzl. in Kraenzl. l. c. 79.—Am. austr.  
*hystrix*, Speg. & Kraenzl. in Kraenzl. l. c. 87.—Chili.  
*Johowiana*, Kraenzl. l. c. 127.—Chili.  
*Kingii*, MacL. in Rep. Princeton Univ. Exped. Patag. viii. 322 (= *Asarca Kingii*).—Patag.  
*Kruegeri*, Phil. in Kraenzl. Orch. Gen. et Sp. ii. 130.—Chili.  
*Lagunae-Pacis*, Kraenzl. l. c. 112.—Patag.  
*leontoglossa*, Kraenzl. l. c. 83.—Chili.  
*leucojiflora*, Kraenzl. l. c. 50.—Chili.  
*liliacea*, Kraenzl. l. c. 60.—Chili.  
*lineata*, Phil. ex Kraenzl. l. c. 63.—Chili.  
*modesta*, Phil. ex Kraenzl. l. c. 114.—Chili.  
*multilamellata*, Phil. ex Kraenzl. l. c. 59.—Chili.  
*nervosa*, Phil. ex Kraenzl. l. c. 66.—Chili.  
*odoratissima*, MacL. in Rep. Princeton Univ. Exped. Patag. viii. 323 (= *Asarca odoratissima*).—Patag.  
*panduraeformis*, Phil. ex Kraenzl. Orch. Gen. et Sp. ii. 54.—Chili.  
*picta*, Phil. ex Kraenzl. l. c. 80.—Chili.  
*pleistodactyla*, Kraenzl. & Speg. in Anal. Mus. Buenos Aires, vii. 167.—Patag.  
*praecincta*, Speg. & Kraenzl. in Kraenzl. Orch. Gen. et Sp. ii. 113.—Reg. Argent.  
*pseudo-campestris*, Kraenzl. l. c. 135.—Chili.  
*Reicheana*, Kraenzl. l. c. 81.—Chili.  
*semitensis*, Phil. ex Kraenzl. l. c. 106.—Chili.  
*stenantha*, Kraenzl. l. c. 98.—Chili.  
*Spegazziniana*, Kraenzl. in Anal. Mus. Buenos Aires, vii. 167.—Patag.  
*trachysepala*, Kraenzl. Orch. Gen. et Sp. ii. 133.—Chili.  
*Volkmanni*, Phil. ex Kraenzl. l. c. 121.—Chili.

## CHLORANTHUS, Sw. (Chloranth.).

- spicatus*, Mak. in Bot. Mag. Tokyo, xvi. 180 (= *Nigrina spicata*).—Japon.

## CHLORIS, Sw. (Gramin.).

- anisopoda*, Robinson, in Proc. Amer. Acad. xxxviii. (1902) 118.—Ins. Galap.  
*calvescens*, Hack. in Bull. Herb. Boiss. Sér. II. iv. 279.—Parag.

G



**CHLORIS** :—

Cheesemani, *Hack. ex Cheesem. in Trans. Linn. Soc. Ser. II. vi. 305.*—Ins. Cook.  
 Ridley, *Hack. in Oesterr. Bot. Zeitschr. 1902, 237.*—  
 Penins. Mal.

**CHLOROCYPERUS**, Rikli = **Cyperus**, Mich. (Cyperac.).

*aureus*, Palla, ex Kneuck. in *Allg. Bot. Zeitschr. 1903, 69* = *Cyp. esculentus*.  
*cordobensis*, Palla, l. c.—Reg. Argent.  
*erythrorrhizus*, Palla, l. c. = *Cyp. erythrorrhizus*.  
*phymatodes*, Palla, l. c. = *Cyp. esculentus*.  
*rotundus*, Palla, l. c.—Hab.?  
*salaamensis*, Palla, l. c. 70.—Afr. trop.

**CHLOROPHORA**, Gaudich. (Urtic.).

*mollis*, Fernald, in *Proc. Amer. Acad. xl. 52.*—Mexic.

**CHLOROPHYTUM**, Ker-Gawl. (Liliac.).

*amaniense*, *Engl. in Engl. Jahrb. xxxiv. 157.*—Afr. trop.  
*bifolium*, *Damm. in Engl. Jahrb. xxxviii. 66.*—Afr. trop.  
*dolichostachys*, *Engl. & Gilg. in Warb. Kunene-Sambesi Exped. 188.*—Afr. trop.  
*Fuchsianus*, *Wildem. in Ann. Mus. Congo, Sér. V. i. 102.*—Afr. trop.  
*ginirensis*, *Damm. in Engl. Jahrb. xxxviii. 65.*—Afr. trop.  
*Hasslerianum*, *Baker, in Bull. Herb. Boiss. Sér. II. iii. 1098.*—Parag.  
*Hoffmannii*, *Engl. in Engl. Jahrb. xxxiv. 158.*—Afr. trop.  
*Krookianum*, *Zahlbr. in Ann. Nat. Hofmus. Wien, xv. 19.*—Afr. austr.  
*nigricans*, *Baker, in Bull. Herb. Boiss. Sér. II. iv. 997.*—Afr. austr.  
*psammophilum*, *Engl. & Gilg. in Warb. Kunene-Sambesi Exped. 188.*—Afr. trop.  
*Rivae*, *Engl. in Ann. Ist. Bot. Roma, ix. 244.*—Afr. trop.  
*stamineum*, *Zahlbr. in Ann. Nat. Hofmus. Wien, xv. 18.*—Afr. austr.  
*strictum*, *Baker, in Bull. Herb. Boiss. Sér. II. i. 782.*—Afr. austr.  
*togoense*, *Engl. Jahrb. xxxii. 92.*—Afr. trop.  
*unyikense*, *Engl. l. c. xxx. 272.*—Afr. trop.  
*Zenkeri*, *Engl. l. c. xxxii. 92.*—Afr. trop.

**CHOLISMA**, Greene, in Torrey, iv. (1904) 174 = **XOLISMA**, Rafin. = **Andromeda**, Linn. (Ericac.).**CHOMELIA**, Jacq. (Rubiace.).

*apiculata*, *Wildem. in Ann. Mus. Congo, Sér. V. i. 205.*—Afr. trop.  
*bipindensis*, *K. Schum. in Engl. Jahrb. xxxiii. 339.*—Afr. trop.  
*fusco-flava*, *K. Schum. l. c.*—Afr. trop.  
*Laurentii*, *Wildem. in Ann. Mus. Congo, Sér. V. i. 206.*—Afr. trop.  
*laxissima*, *K. Schum. in Engl. Jahrb. xxxiii. 340.*—Afr. trop.  
*longifolia*, *Wildem. in Ann. Mus. Congo, Sér. V. i. 206.*—Afr. trop.  
*microloba*, *Donn. Sm. in Coult. Bot. Gaz. xxxi. 114.*—Am. cent.  
*neurocarpa*, *K. Schum. in Engl. Jahrb. xxxiii. 340.*—Afr. trop.

**CHONDRADENIA**, Maxim. ex Mak. in Bot. Mag. Tokyo xvi. (1902) 8 = **Orchis**, Tourn. (Orchid.).

*Yatabei*, Maxim. ex Mak, l. c. = *O. Chondradenia*.

**CHONDROPHYLLA**, A. Nelson, in Bull. Torr. Bot. Club, 1904, 245. **GENTIANACEAE**.

[**GENTIANA**, Tourn. D. T. & H.]  
*americana*, A. Nelson, l. c.—Am. bor.  
*Fremontii*, A. Nelson, l. c. (= *Gentiana Fremontii*).—Am. bor.

**CHONEMORPHA**, G. Don (Apocyn.).

*Grandieriana*, *Pierre, in L. Planch. Prod. Apocyn. (1894) 296*, nomen.—Cochinch.  
*Harmandiana*, *Pierre, l. c. nomen.*—Cochinch.  
*Yersini*, *Vernet, ex Spire, in Bull. Econom. Indo-Chine, v. (1902) 859*, nomen; vii. 1197.—Cochinch.

**CHORETRUM**, R. Br. (Santal.).

*Pritzeli*, *Diels, in Engl. Jahrb. xxxv. 177.*—Austral.

**CHORIZANTHE**, R. Br. (Polygon.).

*inequalis*, *Stokes, in Zoe, v. 60 (1900).*—Calif.  
*villosa*, *Eastw. in Bull. Torr. Bot. Club, 1903, 485.*—Calif.

**CHORIZEMA**, Labill. (Legum.).

*uncinatum*, *Fitzg. in Journ. W. Austral. Nat. Hist. Soc. i. 38.*—Austral.

**CHRESTIENIA**, Montrouz. in Beauvis. Gen. Montrouz.

(1901) 88 = **Pseuderanthemum**, Radlk. (Acanth.).  
*elegans*, Montrouz. l. c. = *P. variabile*.  
*montana*, Montrouz. l. c. 89 = *P. variabile*.

**CHRISTISONIA**, Gardn. (Orobanch.).

*Scortechinii*, *Prain, in Journ. As. Soc. Beng. lxxiii. 205.*—Penins. Mal.

**CHRYSANTHELLUM**, Rich. (Compos.).

*mexicanum*, *Greenm. in Proc. Amer. Acad. xxxix. 114.*—Mexic.

**CHRYSANTHEMUM**, Tourn. (Compos.).

*grande*, *Hook. f. Bot. Mag. t. 7886.*—Alger.  
*grandiflorum*, *Battand. in Battand. & Trab. Fl. Algér. (1890) 464* = *grande*.  
*hypargyrea*, *Diels, in Engl. Jahrb. xxxvi. Beibl. lxxxii. 104.*—China.  
*marginatum*, *Raffill, in Gard. Chron. 1904, i. 51* = *ornatum*.  
*ornatum*, *Hemsl. in Bot. Mag. t. 7965.*—Japon.  
*pamiricum*, *O. Hoffm. ex Paulsen, in Kjoeb. Vidensk. Meddel. 1903, 149.*—As. cent.  
*Rohlenae*, *Domin, in Fedde, Repert. Nov. Sp. i. 14.*—Hybr.  
*Sabini*, *Lindl. in Bot. Reg. sub t. 1287* = *indicum*.

**CHRYSITHRIX**, Linn. (Cyperac.).

*distigmata*, *C. B. Clarke, ex Diels & Pritz. in Engl. Jahrb. xxxv. 82.*—Austral.

**CHRYSOCOMA**, Linn. (Compos.).

*polygalaeifolia*, *S. Moore, in Bull. Herb. Boiss. Sér. II. iv. 1014.*—Afr. trop.

**CHRYSOGLOSSUM**, Blume (Orchid.).

*nebulosum*, *J. J. Sm. Orchid. Java, 176* (= *Collabium nebulosum*).—Java.  
*simplex*, *J. J. Sm. l. c. 177* (= *Collabium simplex*).—Java.

**CHRYSOMA**, Nutt. = **Solidago**, Vail. (Compos.).

*fasciculata*, *Eastw. in Bull. Torr. Bot. Club, 1905, 215.*—Calif.  
*Merriami*, *Eastw. l. c.*—Calif.

**CHRYSOPHYLLUM**, Linn. (Sapot.).

*Antunesii*, *Engl. Jahrb. xxxii. 137.*—Afr. trop.  
*Buchholzii*, *Engl. Monogr. Afr. Pfl. viii. 41.*—Afr. trop.  
*Cainito*, *Griseb. ex Pierre, in Urb. Symb. Antill. v. 119* = *Micropholis Cruegeriana*.  
*Carvalhoi*, *Engl. Monogr. Afr. Pfl. viii. 47.*—Afr. trop.  
*discolor*, *Walp. & Duchass. ex Pierre, in Urb. Symb. Antill. v. 121* = *Micropholis discolor*.  
*Eggersii*, *Pierre, in Urb. Symb. Antill. v. 155.*—Ind. occ.  
*Gorungosanum*, *Engl. Monogr. Afr. Pfl. viii. 44.*—Afr. trop.  
*Henriquesii*, *Engl. l. c. 45* (errore Henriquezii).—Afr. trop.  
*Klainii*, *Engl. l. c. 42.*—Afr. trop.  
*Krugii*, *Pierre, ex Urb. Symb. Antill. v. 160* = *pauciflorum*.  
*Millenianum*, *Engl. Monogr. Afr. Pfl. viii. 44.*—Afr. trop.  
*mohorensis*, *Engl. Jahrb. xxxviii. 100.*—Afr. trop.  
*Picardae*, *Urb. Symb. Antill. v. 158.*—Ind. occ.  
*pruniforme*, *Engl. Monogr. Afr. Pfl. viii. 42.*—Afr. trop.  
*Wilmsii*, *Engl. l. c. 46.*—Afr. trop.  
*Zimmermannii*, *Engl. l. c. 44.*—Afr. trop.

**CHRYSOPOGON**, Trin. (Gramin.).

[**ANDROPOGON**, Linn. D. T. & H.]  
*sinensis*, *Rendle, in Journ. Linn. Soc. xxxvi. 368.*—China.

**CHRYSOPSIS**, Ell. (Compos.).

*alpicola*, *Rydb. in Bull. Torr. Bot. Club, 1904, 649.*—Am. bor.  
*amplifolia*, *Rydb. l. c. 648.*—Am. bor.  
*asprella*, *Greene, Leaflets Bot. Obs. i. 150.*—Am. bor.  
*californica*, *Elmer, in Coult. Bot. Gaz. xxxix. 48.*—Calif.  
*camphorata*, *Eastw. in Zoe, v. 81 (1900).*—Calif.  
*caudata*, *Rydb. in Bull. Torr. Bot. Club, 1904, 648.*—Am. bor.

**CHRYSOPSIS** :—

*compacta*, *Greene, Leaflets Bot. Obs. i. 151.*—Am. bor.  
*Cooperi*, *A. Nelson, in Coult. Bot. Gaz. xl. 63.*—Am. bor.  
*floridana*, *Small, Fl. S. E. U. S. 1183.*—Am. bor.  
*gigantea*, *Small, l. c.*—Am. bor.  
*horrida*, *Rydb. in Bull. Torr. Bot. Club, 1904, 648.*—Am. bor.  
*imbricata*, *A. Nelson, in Coult. Bot. Gaz. xxxvii. 263.*—Am. bor.  
*latifolia*, *Small, Fl. S. E. U. S. 1182.*—Am. bor.  
*microcephala*, *Small, l. c.*—Am. bor.  
*resinolens*, *A. Nelson, in Bull. Torr. Bot. Club, 1901, 232.*—Am. bor.  
*scabrifolia*, *A. Nelson, in Coult. Bot. Gaz. xxxvii. 264.*—Am. bor.  
*Tracyi*, *Small, Fl. S. E. U. S. 1182.*—Am. bor.

**CHRYSOSPENIUM**, Tourn. (Saxifr.).

*Biondianum*, *Engl. Jahrb. xxxvi. Beibl. lxxxii. 50.*—China.  
*chamaedryoides*, *Engl. l. c.*—China.  
*Giraldianum*, *Engl. l. c. 49.*—China.  
*iowensis*, *Rydb. in Britton, Man. Fl. N. U. S. 483.*—Am. bor.

**CHRYSOTHAMNUS**, Nutt. = **Bigelowia**, DC. (Compos.).

*angustus*, *Greene, Pittonia, v. 64.*—Calif.  
*appendiculatus*, *A. A. Heller, Muhlenbergia, i. 6.*—Am. bor.  
*asper*, *Greene, Leaflets Bot. Obs. i. 80.*—Calif.  
*confinis*, *Greene, Pittonia, v. 62.*—Am. bor.  
*consimilis*, *Greene, l. c. 60.*—Am. bor.  
*corymbosus*, *Elmer, in Coult. Bot. Gaz. xxxix. 50.*—Calif.  
*falcatus*, *Greene, Pittonia, v. 62.*—Am. bor.  
*filifolius*, *Rydb. in Bull. Torr. Bot. Club, 1901, 503.*—Am. bor.  
*laetevirens*, *Greene, Pittonia, v. 61.*—Am. bor.  
*laricinus*, *Greene, l. c. 110.*—Am. bor.  
*leucocladus*, *Greene, l. c. 59.*—Am. bor.  
*Macounii*, *Greene, l. c. 63.*—Am. bor.  
*Moquianus*, *Greene, l. c. 60.*—Am. bor.  
*nanus*, *Howell, Fl. N. W. Am. i. 302* (= *Aplopappus nanus*).—Am. bor.  
*Newberryi*, *Rydb. in Bull. Torr. Bot. Club, 1904, 652.*—Am. bor.  
*orthophyllus*, *Greene, Pittonia, v. 62.*—Calif.  
*patens*, *Rydb. in Bull. Torr. Bot. Club, 1904, 652.*—Am. bor.  
*pinifolius*, *Greene, Pittonia, v. 60.*—Am. bor.  
*resinosus*, *Howell, Fl. N. W. Am. i. 303* (= *Ericameria resinosa*).—Am. bor.  
*scoparius*, *Rydb. in Bull. Torr. Bot. Club, 1901, 504.*—Am. bor.  
*tortuosus*, *Greene, Pittonia, v. 63.*—Calif.  
*virens*, *Greene, l. c. 61.*—Am. bor.  
*vulcanicus*, *Greene, Leaflets Bot. Obs. i. 80.*—Calif.

**CHRYSTOLIA**, Montrouz. ex Beauvis. Gen. Montrouz. 82 = **Glycine**, Linn. (Legum.).

*violacea*, *Montrouz, l. c.* = *G. tabacina*.

**CHRYSURUS**, Pers. = **Lamarckia**, Moench (Gramin.).

*paradoxus*, *Sommier, in Bull. Soc. Bot. Ital. 1902, 208.*—Eur.

**CHUQUIRAGA**, Juss. (Compos.).

*argentea*, *Speg. Nov. Add. Fl. Patag. ii. (1902), repr. 17* (= *Doniophyton argentinum*).—Patag.  
*Lehmannii*, *Hieron. in Engl. Jahrb. xxviii. 648.*—Ecuad.  
*popayanensis*, *Hieron. l. c. 649.*—N. Granat.

**CHUSQUEA**, Kunth (Gramin.).

*depauperata*, *Pilg. in Fedde, Repert. Nov. Sp. i. 149.*—Peruv.  
*discolor*, *Hack. in Oesterr. Bot. Zeitschr. liii. 155.*—Bras.  
*inamoena*, *Pilg. in Fedde, Repert. Nov. Sp. i. 150.*—Peruv.  
*linearis*, *N. E. Br. in Trans. Linn. Soc. Ser. II. vi. 76.*—Guian.  
*mexicana*, *Hack. in Ann. Nat. Hofmus. Wien, xvii. 256.*—Mexic.  
*Pittieri*, *Hack. in Oesterr. Bot. Zeitschr. liii. 153.*—Am. cent.  
*picta*, *Pilg. in Fedde, Repert. Nov. Sp. i. 151.*—Peruv.  
*polyclados*, *Pilg. l. c. 147.*—Peruv.  
*pubispicula*, *Pilg. l. c. 148.*—Peruv.  
*quintensis*, *Hack. in Oesterr. Bot. Zeitschr. liii. 154.*—Ecuad.



**CHUSQUEA** :—

- ramosissima, *Pilg. in Fedde, Repert. Nov. Sp.* i. 149.—Peruv.  
 simplicissima, *Pilg. l. c.* 145.—Peruv.  
 straminea, *Pilg. l. c.* 147.—Peruv.  
 tarmensis, *Pilg. l. c.* 151.—Peruv.  
 Tonduzii, *Hack. in Oesterr. Bot. Zeitschr.* liii. 155.—Am. cent.  
 urelytra, *Hack. l. c.* 158.—Bras.  
 virgata, *Hack. l. c.* 156.—Am. cent.  
 Weberbaueri, *Pilg. in Fedde, Repert. Nov. Sp.* i. 146.—Peruv.

**CHYTRACULIA**, P. Br. = **Calyptranthes**, Sw. (Myrtac.).  
*pallens*, Britton, in Shattuck, Bahama Is. 260 = *Cal. pallens*.

**CHYTRANTHUS**, Hook. f. (Sapind.).  
*Laurentii*, *Wildem. Enum. Pl. Laurent.* 146.—Afr. trop.

**CHYTROGLOSSA**, Reichb. f. (Orchid.).  
*paulensis*, *Edwall, in Revista Centr. Sci. Campinas*, ii. 195.—Bras.

**CICER**, Tourn. (Legum.).  
*flexuosum*, *Lipsky, in Act. Hort. Petrop.* xxiii. 102.—As. cent.  
*trifoliolatum*, *Bornm. in Bull. Herb. Boiss. Sér. II.* v. 849.—Persia.

**CIENFUEGOSIA**, Cav. (Malvac.).  
 [FUGOSIA, Juss. I. K.]  
*affinis*, *Hochr. in Ann. Conserv. & Jard. Bot. Genève*, 1902, 54 (= *Hibiscus affinis*).—Am. austr.  
*Bentharii*, *Hochr. l. c.* 55.—Austral.  
*cuneiformis*, *Hochr. l. c.* (= *Fugosia cuneiformis*).—Austral.  
*cuyabensis*, *Pilg. in Engl. Jahrb.* xxx. 171.—Bras.  
*Ellenbeckii*, *Guerke, in Engl. Jahrb.* xxxiii. 381.—Afr. trop.  
*escholtzioides*, *Hochr. in Bull. Herb. Boiss. Sér. II.* v. 302.—Parag.  
*flaviflora*, *Hochr. in Ann. Conserv. & Jard. Bot. Genève*, 1902, 56 (= *Fugosia flaviflora*).—Austral.  
*Gerrardii*, *Hochr. l. c.* (= *Fugosia Gerrardii*).—Afr. austr.  
*gossypoides*, *Hochr. l. c.* (= *Sturtia gossypoides*).—Austral.  
*hakeaefolia*, *Hochr. l. c.* (= *Hibiscus hakeaefolius*).—Austral.  
*Hasslerana*, *Hochr. in Bull. Herb. Boiss. Sér. II.* v. 302.—Parag.  
*latifolia*, *Hochr. in Ann. Conserv. & Jard. Bot. Genève*, 1902, 57 (= *Fugosia latifolia*).—Austral.  
*populifolia*, *Hochr. l. c.* (= *Fugosia populifolia*).—Austral.  
*Robinsoni*, *Hochr. l. c.* (= *Fugosia Robinsoni*).—Austral.  
*somalensis*, *Guerke, in Engl. Jahrb.* xxxiii. 380.—Afr. trop.  
*subprostrata*, *Hochr. in Ann. Conserv. & Jard. Bot. Genève*, 1902, 57.—Parag.  
*thespesioides*, *Hochr. l. c.* 58 (= *Fugosia thespesioides*).—Austral.  
*triphylla*, *Hochr. l. c.* 59 (= *Fugosia triphylla*).—Afr. trop.  
*Welshii*, *Guerke, ex Krause, in Engl. Jahrb.* xxxv. 724 = *C. Welshii*, *Garcke*.

**CIMICIFUGA**, Linn. (Ranuncul.).  
 [ACTAEA, Linn. D. T. & H.]  
*heracleifolia*, *Kom. in Act. Hort. Petrop.* xviii. 438.—Manchuria.

**CINERARIA**, Linn. (Compos.).  
*Buchanani*, *S. Moore, in Journ. Linn. Soc.* xxxv. 352.—Afr. trop.  
*foliosa*, *O. Hoffm. in Engl. Jahrb.* xxx. 434.—Afr. trop.  
*Hamiltoni*, *S. Moore, in Journ. Bot.* 1902, 382.—Afr. austr.  
*longipes*, *S. Moore, l. c.* 1903, 400.—Afr. austr.  
*pentactina*, *Hook. f. Bot. Mag.* t. 7799.—Afr. austr. ?  
*repanda*, *Forst. Prod. Fl. Ins. Austr.* 56 = *Brachyglottis repanda*.

**CIPADESSA**, Blume (Meliac.).  
*Warburgii*, *Perkins, in Notizbl. Bot. Gart. Berlin*, iv. 79.—Ins. Philipp.

**CIRRHOPE TALUM**, Lindl. (Orchid.).  
*acutiflorum*, *Hook. f. Fl. Brit. Ind.* v. 779 (= *Bulbophyllum acutiflorum*).—Ind. or.  
*appendiculatum*, *Rolfe, in Kew Bull.* 1901, 148.—Ind. or.  
*bicolor*, *Rolfe, in Journ. Linn. Soc.* xxxvi. 14 (= *Bulbophyllum bicolor*).—China.  
*biflorum*, *J. F. Sm. in Ic. Bogor.* t. 120 B (= *Bulbophyllum biflorum*).—Java.  
*breviscapum*, *Rolfe, in Bot. Mag.* t. 8033.—Penins. Mal.  
*Cogniauxianum*, *Kraenzl. in Fedde, Repert. Nov. Sp.* i. 86.—Bras.  
*Henryi*, *Rolfe, in Journ. Linn. Soc.* xxxvi. 15.—China.  
*Hookeri*, *Duthie, in Journ. As. Soc. Beng.* lxxi. 38.—Ind. or.  
*Ornithorhynchus*, *J. F. Sm. in Ic. Bogor.* t. 121.—Java.  
*proliferum*, *Hort. in Kew Hand-list Orch.* 1896, 57 = *Collettii*.  
*Thwaitesii*, *Hook. f. Fl. Brit. Ind.* v. 777 (= *Bulbophyllum Thwaitesii*).—Zeylan.  
*tigridum*, *Rolfe, in Journ. Linn. Soc.* xxxvi. 15 (= *Bulbophyllum tigridum*).—China.

**CIRSIIUM**, Adans. (Compos.).  
 [CNICUS, Tourn. I. K.]  
*accedens*, *Rouy, in Rev. Bot. Syst. Géogr. Bot.* ii. 61, 117.—Hybr.  
*Andrewsii*, *Jepson, Fl. W. Mid. Calif.* 506 (= *Cnicus Andrewsii*).—Calif.  
*Babingtonii*, *Rouy, Illustr. Pl. Eur.* t. 362.—Eur.  
*benearnense*, *Rouy, in Rev. Bot. Syst. Géogr. Bot.* ii. 61, 117.—Hybr.  
*Breweri*, *Jepson, Fl. W. Mid. Calif.* 507 (= *Cnicus Breweri*).—Calif.  
*californicum*, *Jepson, l. c.* 508 (= *Cnicus californicus*).—Calif.  
*callilepis*, *Jepson, l. c.* 507 (= *Carduus callilepis*).—Calif.  
*Cardo-leonis*, *Lojac. Fl. Sic.* ii. i. 158.—Sicil.  
*corbairiense*, *Sennen, in Bull. Soc. Bot. Fr.* xlix. 374.—Eur.  
*Coulteri*, *Jepson, Fl. W. Mid. Calif.* 508 (= *Carduus venustus*).—Calif.  
*crassicaule*, *Jepson, l. c.* 506 (= *Carduus crassicaulis*).—Calif.  
*dipsacolepis*, *Matsum. Enum. Sci. Names* (1895) 82 (= *Cnicus dipsacolepis*).—Japon.  
*dubium*, *Lojac. Fl. Sic.* ii. i. 155.—Sicil.  
*Fleischeri*, *Podp. in Verh. Zool.-Bot. Ges. Wien*, liv. 339.—Hybr.  
*Fleischmanni*, *Khek, in Allg. Bot. Zeitschr.* 1905, 41.—Hybr.  
*fontinale*, *Jepson, Fl. W. Mid. Calif.* 505 (= *Carduus fontinalis*).—Calif.  
*hydrophilum*, *Jepson, l. c.* 507 (= *Carduus hydrophilus*).—Calif.  
*inundatum*, *Mak. in Bot. Mag. Tokyo*, xix. 154.—Japon.  
*nipponicum*, *Mak. l. c.* 155 (= *Cnicus nipponicus*).—Japon.  
*occidentalis*, *Jepson, Fl. W. Mid. Calif.* 509 (= *Carduus occidentalis*).—Calif.  
*oligophyllum*, *Matsum. Enum. Sci. Names* (1895) 82 (= *Cnicus oligophyllum*).—Japon.  
*pinetorum*, *Greenm. in Proc. Amer. Acad.* xli. 267.—Mexic.  
*purpuratum*, *Matsum. Enum. Sci. Names* (1895) 83 (= *Cnicus purpuratum*).—Japon.  
*quercetorum*, *Jepson, Fl. W. Mid. Calif.* 507 (= *Cnicus quercetorum*).—Calif.  
*remotifolium*, *Jepson, l. c.* 508 (= *Cnicus remotifolius*).—Am. bor. occ.  
*Richeleanum*, *Tourl. in Bull. Soc. Bot. Fr.* i. 310.—Hybr.  
*Rouyana*, *Sennen, in Bull. Soc. Bot. Fr.* li. 426.—Hybr.  
*Sennenii*, *Rouy, in Rev. Bot. Syst. Géogr. Bot.* ii. 42; *Fl. Fr.* ix. 31.—Hybr.  
*spicatum*, *Matsum. Enum. Sci. Names* (1895) 83 (= *Cnicus spicatum*).—Japon.  
*Tanakae*, *Matsum. l. c.* (= *Cnicus Tanakae*).—Japon.  
*Thureti*, *Burnat, ex Rouy, in Rev. Bot. Syst. Géogr. Bot.* ii. 58; *Rouy, Fl. Fr.* ix. 48.—Hybr.  
*yezoense*, *Mak. in Bot. Mag. Tokyo*, xix. 155 (= *Cnicus yezoensis*).—Japon.

**CISSAMPELOS**, Linn. (Menisperm.).  
*Glaziovii*, *Taub. ex Glas. in Bull. Soc. Bot. Fr.* lii. Mém. III. 16, nomen.—Bras.  
*Wildemaniana*, *Bossche, in Pl. Nov. Hort. Then.* i. 5.—Afr. trop.

**CISSUS**, Linn. (Ampelid.).  
 [VITIS, Tourn. I. K.]  
*Baueri*, *Gilg, in Bauer, Deutsch. Niger-Benue Exped.* 162, nomen.—Afr. trop.  
*chlorantha*, *Gilg, in Warb. Kunene-Sambesi Exped.* 295.—Afr. trop.  
*fugosioides*, *Gilg, l. c.* 294.—Afr. trop.  
*guaranitica*, *Chod. in Bull. Herb. Boiss. Sér. II.* iii. 545.—Parag.  
*hypargyrea*, *Gilg, in Warb. Kunene-Sambesi Exped.* 293.—Afr. trop.  
*Kakoma*, *Wildem. in Ann. Mus. Congo, Sér. IV.* 210.—Afr. trop.  
*lanceolata*, *Malmé, in Bih. Svensk. Vet.-Akad. Handl.* xxvii. no. 11, 16.—Bras.  
*Laurentii*, *Wildem. Enum. Pl. Laurent.* 148.—Afr. trop.  
*macilentia*, *Urb. Symb. Antill.* iii. 318.—Ind. occ.  
*macrothyrsa*, *Gilg, in Notizbl. Bot. Gart. Berlin*, iv. 186.—Afr. trop.  
*Picardae*, *Urb. Symb. Antill.* iii. 317.—Ind. occ.  
*polycymosa*, *Wildem. in Ann. Mus. Congo, Sér. V.* i. 52.—Afr. trop.  
*Rivae*, *Gilg, in Notizbl. Bot. Gart. Berlin*, iv. 185.—Afr. trop.  
*Ruspolii*, *Gilg, l. c.* 186.—Afr. trop.  
*somalensis*, *Gilg, l. c.*—Afr. trop.  
*suberecta*, *Malmé, in Bih. Svensk. Vet.-Akad. Handl.* xxvii. no. 8, 11 (= *Vitis inundata*).—Bras.  
*trinervis*, *Wildem. in Ann. Mus. Congo, Sér. IV.* 210.—Afr. trop.  
*violaceo-glandulosa*, *Gilg, in Warb. Kunene-Sambesi Exped.* 294.—Afr. trop.

**CISTANCHE**, Hoffmgg. & Link (Orobanch.).  
*lusitanica*, *Guim. in Broteria*, iii. (1904) 190 (= *Phe-lipaea lusitanica*).—Lusitan.  
*Sintenisi*, *Beck, ex Bornm. in Bull. Herb. Boiss. Sér. II.* iv. 686.—Oriens.  
*teretifolia*, *Hack. in Oesterr. Bot. Zeitschr.* 1901, 153.—Afr. trop.  
*violacea*, *Hook. f. Bot. Mag.* t. 7911.—Afr. bor.

**CISTUS**, Tourn. (Cistac.).  
*canadensis*, *Moç. ex Gross. in Engl. Pflanzenreich*, Cistac. 46 = *Halimium Coulteri*.  
*ciliaris*, *Moç. ex Gross. l. c.* 45 = *Halimium chihuah-uense*.  
*flexuosus*, *Herb. Link, ex Gross. l. c.* 47 = *Halimium glomeratum*.  
*hirtus*, *Thib. ex Gross. l. c.* 89 = *Helianthemum asperum*.  
*obcordatus*, *Moç. ex Gross. l. c.* 47 = *Halimium glomeratum*.  
*stoechadifolius*, *Hort. ex Gross. l. c.* 69 = *Helianthemum leptophyllum*.

**CITHAREXYLUM**, Mill. (Verben.).  
*bahamense*, *Mills. ex Britton, in Bull. N. York Bot. Gard.* iii. 450.—Ind. occ.  
*crassifolium*, *Greenm. in Donn. Sm. Enum. Pl. Guatem.* vii. 70, nomen.—Am. cent.  
*Donnell-Smithii*, *Greenm. l. c.* nomen.—Am. cent.  
*hexangulare*, *Greenm. l. c.* nomen.—Am. cent.  
*macradenium*, *Greenm. l. c.* nomen.—Am. cent.  
*Pringlei*, *Greenm. in Proc. Amer. Acad.* xli. 243.—Mexic.  
*pterocladum*, *Donn. Sm. in Coult. Bot. Gaz.* xxxiii. 255.—Am. cent.  
*recurvatum*, *Greenm. in Donn. Sm. Enum. Pl. Guatem.* vii. 70, nomen.—Am. cent.

**CITRIOBATUS**, A. Cunn. (Pittospor.).  
*javanicus*, *Boerl. & Koord. in Ic. Bogor.* t. lxxvii.—Malaya.

**CITRUS**, Linn. (Rutac.).  
*Garrawayi*, *F. M. Bailey, in Queensl. Agric. Journ.* xv. 491.—Austral.  
*Oxanthera*, *Beauvis. Gen. Montrous.* 14 (= *Oxanthera fragrans*).—N. Caled.  
*papuana*, *F. M. Bailey, Contrib. Fl. Brit. N. Guin.* (reimpr. ex Rep. Brit. N. Guin. 1901-2) 1.—N. Guin.  
*Warburgiana*, *F. M. Bailey, l. c.*—N. Guin.

**CLADIUM**, P. Br. (Cyperac.).  
*colpodes*, *Lauterb. in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 59.—N. Guin.

**CLADIUM:**—

- Gaudichaudii, W. F. Wight, in U. S. Dept. Agric. Contrib. Nat. Herb. ix. 230 (= *Baumea mariscoides*).—Ins. Philipp. et Mariann.  
 lucense, Merino, in Bol. Soc. Espan. Hist. Nat. ii. 65.—Eur.

**CLADRASTIS**, Rafin. (Legum.).

- platycarpa, Mak. in Bot. Mag. Tokyo xv. 62 (= *Sophora platycarpa*).—Japon.  
 shikokiana, Mak. l. c. (= *Sophora shikokiana*).—Japon.

**CLAOXYLON**, A. Juss. (Euphorb.).

- Dewevrei, Pax, in Engl. Jahrb. xxxiii. 283.—Afr. trop.  
 Holstii, Pax, l. c. xxxiv. 372.—Afr. trop.  
 Menyharthii, Pax, in Bull. Herb. Boiss. Sér. II. i. 877.—Afr. trop.

**CLARKIA**, Pursh (Onagr.).

- parviflora, Eastw. in Bull. Torr. Bot. Club, 1903, 492.—Am. bor.

**CLATHROTROPIS**, Harms, in Dalla Torre & Harms, Gen. Siphon. 221 (1901). **LEGUMINOSAE.**

- grandiflora, Harms, in Engl. Jahrb. xxxiii. Beibl. lxxii. 27 (= *Diploptropis grandiflora*).—Bras.  
 nitida, Harms, l. c. (= *Diploptropis nitida*).—Bras.

**CLAUSENA**, Burm. f. (Rutac.).

- Anisum-olens, Merrill, in Philipp. Gov. Lab. Bur. Bull. xvii. 21 (= *Cookia Anisum-olens*).—Ins. Philipp.  
 Bergeyckiana, Wildem. & Th. Dur. in Bull. Herb. Boiss. Sér. II. i. 743.—Afr. trop.  
 Warburgii, Perkins, Frag. Fl. Philipp. 162.—Ins. Philipp.

**CLAUSIA**, Trotzky (Crucif.).

- [HESPERIS, Linn. I. K.]  
 hispida, Lipsky, in Act. Hort. Petrop. xxiii. 43.—As. cent.  
 mollissima, Lipsky, l. c. 44.—As. cent.  
 Olgae, Lipsky, l. c.—As. cent.  
 sarawachanica, Lipsky, l. c. 45.—As. cent.  
 turkestanica, Lipsky, l. c. 41.—Turkestan.

**CLAVIJA**, Ruiz & Pav. (Myrsin.).

- boliviensis, Mez, in Engl. Pflanzenreich, Theophrast. 26.—Bolivia.  
 Eggersiana, Mez, l. c. 18.—Ecuador.  
 elliptica, Mez, in Bull. Herb. Boiss. Sér. II. v. 537.—Bras.  
 Engelsii, Mez, in Engl. Pflanzenreich, Theophrast. 19.—N. Granat.  
 Hassleri, Mez, in Bull. Herb. Boiss. Sér. II. iii. 238.—Parag.  
 Kalbreyeri, Mez, in Engl. Pflanzenreich, Theophrast. 17 (= *Theophrasta Kalbreyeri*).—N. Granat.  
 Lehmannii, Mez, l. c. 18.—N. Granat.  
 longifolia, Mez, in Urb. Symb. Antill. ii. 438 (= *Theophrasta longifolia*).—Ind. occ.  
 membranacea, Mez, in Engl. Pflanzenreich, Theophrast. 28.—Ecuador.  
 nobilis, Mez, l. c. 17 (= *Theophrasta nobilis*).—Ecuador.  
 parviflora, Mez, l. c. 27.—Peruv.  
 parvula, Mez, l. c. 23.—Ecuador.  
 Poeppigii, Mez, l. c. 25.—Peruv.  
 Radlkoferi, Mez, l. c. 21.—Hab. ?  
 Ruiziana, Mez, l. c. 23 (= *Theophrasta Ruiziana*).—Peruv.  
 Schwackeana, Mez, l. c. 22.—Bras.  
 serrata, Mez, l. c. 23 (= *Theophrasta serrata*).—Peruv.  
 serratifolia, Mez, l. c.—N. Granat.  
 spinosa, Mez, l. c. 22 (= *Hortia spinosa*).—Bras.  
 tarapotana, Mez, l. c. 24.—Peruv.  
 tenera, Mez, l. c. 22.—Bras.

**CLAYTONIA**, Gronov. (Portul.).

- rosea, Rydb. in Bull. Torr. Bot. Club, 1904, 404.—Am. bor.

**CLEIDION**, Blume (Euphorb.).

- papuanum, Lauterb. in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee, 296.—N. Guin.

**CLEISTANTHUS**, Hook. f. (Euphorb.).

- bipindensis, Pax, in Engl. Jahrb. xxxiii. 282.—Afr. trop.  
 dasyphyllus, F. N. Williams, in Bull. Herb. Boiss. Sér. II. v. 31.—Penins. Mal.  
 libericus, N. E. Brown, in Journ. Linn. Soc. xxxvii. 113.—Afr. trop.

**CLEISTANTHUS:**—

- orgyalis, Merrill, in Philipp. Gov. Lab. Bur. Bull. xxvii. 75 (= *Gluta orgyalis*).—Ins. Philipp.  
 polyphyllus, F. N. Williams, in Bull. Herb. Boiss. Sér. II. v. 31.—Penins. Mal.

**CLEISTOCACTUS**, Lem. = **Cereus**, Mill. (Cact.).

- aureus, A. Web. in Roland-Goss. Cleistoc. 11 = *Cereus aureus*.  
 Celsianus, A. Web. l. c. 16 (= *Pilocereus Celsianus*).—Bolivia.  
 chotaensis, A. Web. l. c. 19.—Ecuador.  
 Humboldtii, A. Web. l. c. 5 = *Cereus Humboldtii*.  
 hyalacanthus, Roland-Goss. Cleistoc. 5 = *Cereus hyalacanthus*.  
 icosagonus, A. Web. in Roland-Goss. Cleistoc. 6 = *Cereus icosagonus*.  
 Kerberi, Roland-Goss. Cleistoc. 5 = *Cereus Kerberi*.  
 lanatus, A. Web. in Roland-Goss. Cleistoc. 9 = *Cereus lanatus*.  
 laniceps, Roland-Goss. Cleistoc. 4 = *Cereus laniceps*.  
 monvilleanus, A. Web. in Roland-Goss. Cleistoc. 17 = *Cereus monvilleanus*.  
 parviflorus, Roland-Goss. Cleistoc. 4 = *Cereus parviflorus*.  
 parvisetus, A. Web. in Roland-Goss. Cleistoc. 18 = *Cereus parvisetus*.  
 sepium, A. Web. l. c. 8 = *Cereus sepium*.  
 serpens, A. Web. l. c. 11 = *Cereus serpens*.

**CLEISTOPHOLIS**, Pierre (Anonac.).

- albida, Engl. & Diels, Monogr. Afr. Pfl. vi. 34 (= *Anona albida*).—Afr. trop.  
 glauca, Pierre, ex Engl. & Diels, l. c. 35.—Afr. trop.  
 gracilipes, Engl. & Diels, l. c. 34 (= *Oxymitra gracilipes*).—Afr. trop.  
 grandiflora, Wildem. in Ann. Mus. Congo, Sér. V. i. 39.—Afr. trop.  
 Klaineana, Pierre, ex Engl. & Diels, Monogr. Afr. Pfl. vi. 35.—Afr. trop.  
 patens, Engl. & Diels, l. c. 35 (= *Oxymitra patens*).—Afr. trop.  
 platypetala, Engl. & Diels, l. c. 34 (= *Oxymitra platypetala*).—Afr. trop.  
 Staudtii, Engl. & Diels, l. c. 35 (= *Oxymitra Staudtii*).—Afr. trop.

**CLEMATIS**, Dill. (Ranunc.).

- Antunesii, Engl. Jahrb. xxxii. 130.—Afr. trop.  
 biflora, Eastw. in Bull. Torr. Bot. Club, 1905, 193.—Calif.  
 coreana, Léveillé, in Bull. Acad. Géog. Bot. 1902, 298.—As. bor.  
 Clarkeana, Léveillé & Vaniot, l. c. 170.—China.  
 dictyota, Greene, Pittonia, v. 133.—Am. bor.  
 Drakeana, Léveillé & Vaniot, in Bull. Acad. Géog. Bot. 1902, 168.—China.  
 eriophora, Rydb. in Bull. Torr. Bot. Club, xxix. 154.—Am. bor.  
 Finetiana, Léveillé & Vaniot, in Bull. Soc. Bot. Fr. li. 219.—China.  
 flaccida, Small, in Britton, Man. Fl. N. U. S. 421.—Am. bor.  
 funebris, Léveillé & Vaniot, in Bull. Acad. Géog. Bot. 1902, 168.—China.  
 Gagnepaniana, Léveillé & Vaniot, in Bull. Soc. Bot. Fr. li. 219.—China.  
 hastata, Finet & Gagn. in Bull. Soc. Bot. Fr. i. 527.—China.  
 Jonesii, Rydb. in Bull. Torr. Bot. Club, xxix. 153.—Am. bor.  
 koreana, Kom. in Act. Hort. Petrop. xviii. 438.—Corea.  
 Kuntziana, Léveillé & Vaniot, in Bull. Acad. Géog. Bot. 1902, 171.—China.  
 missouriensis, Rydb. in Britton, Man. Fl. N. U. S. 421.—Am. bor.  
 otophora, Franch. ex Finet & Gagn. in Bull. Soc. Bot. Fr. i. 548.—China.  
 Philippiana, Léveillé & Vaniot, in Bull. Acad. Géog. Bot. 1902, 169.—China.  
 pseudopogonandra, Finet & Gagn. in Bull. Soc. Bot. Fr. i. 549.—China.  
 pterantha, Dunn, in Hook. Ic. Pl. t. 2713.—China.  
 repens, Finet & Gagn. in Bull. Soc. Bot. Fr. i. 548.—China.  
 splendens, Léveillé & Vaniot, in Bull. Acad. Géog. Bot. 1902, 171.—China.

**CLEMATIS:**—

- trullifera, Finet & Gagn. in Bull. Soc. Bot. Fr. i. 547.—China.  
 versicolor, Small, in Britton, Man. Fl. N. U. S. 421.—Am. bor.

**CLEMENTSIA**, Rose, ex Britton & Rose, in Bull. N. York Bot. Gard. iii. (1903) 3. **CRASSULACEAE.**

- [SEDUM, Linn. D. T. & H.]  
 rhodantha, Rose, ex Britton & Rose, l. c. (= *Sedum rhodanthum*).—Am. bor.

**CLEOME**, Linn. (Capparid.).

- Gilletii, Wildem. in Ann. Mus. Congo, Sér. V. i. 36.—Afr. trop.  
 glabra, Taub. ex Glas. in Bull. Soc. Bot. Fr. lii. Mém. III. 19, nomen.—Bras.  
 Marsillei, Wildem. in Ann. Mus. Congo, Sér. IV. 181.—Afr. trop.  
 niamniamensis, Schweinf. & Gilg, ex Gilg, in Engl. Jahrb. xxxiii. 203.—Afr. trop.  
 Paxiana, Gilg, l. c.—Afr. trop.  
 polyanthera, Schweinf. & Gilg, ex Gilg, l. c. 202.—Afr. trop.  
 sinaloensis, T. S. Brandege, in Zoe, v. 198 (1905).—Mexic.  
 stenophylla, Klotzsch, ex Urb. Symb. Antill. iv. 251, descr.—Ind. occ.  
 titubans, Speg. in Bol. Agric. Buenos Aires, i. 236.—Argent.

**CLEOMELLA**, DC. (Capparid.).

- alata, Eastw. in Zoe, v. 87 (1900).—Calif.  
 cornuta, Rydb. in Bull. Torr. Bot. Club, 1903, 249.—Am. bor.  
 Hillmani, A. Nelson, in Proc. Biol. Soc. Washington, xviii. 171.—Am. bor.  
 nana, Eastw. in Bull. Torr. Bot. Club, 1903, 490.—Am. bor.  
 taurocranos, A. Nelson, in Proc. Biol. Soc. Washington, xviii. 172.—Calif.

**CLERODENDRON**, Linn. (Verben.).

- assurgens, K. Schum. in Just's Jahresb. xxviii. i. 496 (= *Siphonanthus assurgens*).—Afr. trop.  
 Baumii, Guerke, in Warb. Kunene-Sambesi Exped. 351.—Afr. trop.  
 botryoides, K. Schum. in Just's Jahresb. xxviii. i. 496 (= *Siphonanthus botryoides*).—Afr. trop.  
 costulatum, K. Schum. l. c. (= *Siphonanthus costulata*).—Afr. trop.  
 Curtisi, N. E. Br. in Kew Bull. 1901, 142.—Malaya.  
 dependens, Aug. DC. in Bull. Herb. Boiss. Sér. II. i. 581.—Madag.  
 discolor, Becc. Nelle Foreste di Borneo, 203.—Borneo.  
 dumale, K. Schum. in Just's Jahresb. xxviii. i. 496 (= *Siphonanthus dumalis*).—Afr. trop.  
 Friesii, K. Schum. in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee, 372.—N. Guin.  
 hastato-oblongum, C. B. Clarke, in Schmidt, in Bot. Tidsskr. xxvi. 174.—Siam.  
 hirsutum, H. H. W. Pearson, in Dyer, Fl. Cap. v. 221 (= *Cyclonema hirsutum*).—Afr. austr.  
 japonicum, Mak. in Bot. Mag. Tokyo, xvii. 91 (= *Volkameria japonica*).—Japon.  
 Kanichi, Wildem. in Ann. Mus. Congo, Sér. IV. 119.—Afr. trop.  
 katangensis, Wildem. l. c. 120.—Afr. trop.  
 Lindawianum, Lauterb. in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee, 372.—N. Guin.  
 Picardae, Urb. Symb. Antill. iii. 367.—Ind. occ.  
 pilosum, H. H. W. Pearson, in Trans. S. Afr. Phil. Soc. xv. 181.—Afr. austr.  
 pusillum, Guerke, in Engl. Jahrb. xxx. 390.—Afr. trop.  
 quadriloculare, Merrill, in Philipp. Gov. Lab. Bur. Bull. xxxv. 63 (= *Ligustrum quadriloculare*).—Ins. Philipp.  
 reflexum, H. H. W. Pearson, in Trans. S. Afr. Phil. Soc. xv. 182.—Afr. trop.  
 rhytidophyllum, K. Schum. in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee, 371.—N. Guin.  
 sanguineum, K. Schum. in Just's Jahresb. xxviii. i. 496 (= *Siphonanthus sanguinea*).—Afr. trop.  
 Schmidtii, C. B. Clarke, in Schmidt, in Bot. Tidsskr. xxvi. 173.—Siam.  
 simile, H. H. W. Pearson, in Dyer, Fl. Cap. v. 224 (1901).—Afr. austr.

**CLERODENDRON** :—

simile, *Merrill, in Philipp. Gov. Lab. Bur. Bull.* xxxv. (1905) 64.—Ins. Philipp.  
triphyllum, *H. H. W. Pearson, in Dyer, Fl. Cap.* v. 220 (= *Cyclonema triphyllum*).—Afr. austr.

**CLETHRA**, Gronov. (Ericac.).

Alcoeri, *Greenm. in Proc. Amer. Acad.* xli. 240.—Mexic.  
luzonica, *Merrill, in Philipp. Gov. Lab. Bur. Bull.* xxix. 38.—Ins. Philipp.

**CLIBADIUM**, Linn. (Compos.).

anceps, *Greenm. in Proc. Amer. Acad.* xxxix. 97.—Mexic.  
Eggersii, *Hieron. in Engl. Jahrb.* xxviii. 598.—Ecuad.  
glomeratum, *Greenm. in Proc. Amer. Acad.* xxxix. 98.—Mexic.  
Pittieri, *Greenm. l. c.*—Mexic.

**CLIDEMIA**, D. Don (Melastom.).

costaricensis, *Cogn. in Donn. Sm. Enum. Pl. Guatem.* vii. 13, nomen.—Am. cent.  
crotonifolia, *Pilg. in Verh. Bot. Ver. Brand.* xlvii. (1905) 179.—Peruv.  
radicans, *Pilg. l. c.*—Reg. Amaz.  
Ulei, *Pilg. l. c.* 180.—Peruv.  
urticoides, *Pilg. l. c.*—Peruv.

**CLIFFORTIA**, Linn. (Rosac.).

alata, *N. E. Br. in Kew Bull.* 1901, 121.—Afr. austr.  
Galpini, *N. E. Br. l. c.* 122.—Afr. austr.  
subsetacea, *Diels, ex Bolus & Wolley-Dod, in Trans. S. Afr. Phil. Soc.* xiv. 260.—Afr. austr.  
tabularis, *Diels, ex Bolus & Wolley-Dod, l. c.* 259.—Afr. austr.

**CLIMACORACHIS**, Hemsl. & Rose, in U. S. Dept. Agric. Contrib. Nat. Herb. viii. (1903) 43. **LEGUMINOSAE**.

fruticosa, *Hemsl. & Rose, l. c.* 44.—Mexic.  
mexicana, *Hemsl. & Rose, l. c.* 43.—Mexic.

**CLINOGYNE**, Salisb. (Scitamin.).

arillata, *K. Schum. ex Wildem. & Th. Dur. in Ann. Mus. Congo, Sér. III. i.* 232 (= *Donax arillata*).—Afr. trop.  
Baumannii, *K. Schum. in Engl. Pflanzenreich, Marant.* 63.—Afr. trop.  
chrysantha, *Gagnep. in Bull. Soc. Bot. Fr.* li. 168.—Afr. trop.  
cordifolia, *K. Schum. in Engl. Pflanzenreich, Marant.* 62.—Afr. trop.  
flexuosa, *K. Schum. l. c.* 63 (= *Phrynium flexuosum*).—Afr. trop.  
Hensii, *K. Schum. l. c.* 62 (= *Phrynium Hensii*).—Afr. trop.  
holostachya, *K. Schum. l. c.* 65 (= *Phrynium holostachyum*).—Afr. trop.  
inaequilatera, *K. Schum. l. c.* (= *Phrynium inaequilaterum*).—Afr. trop.  
lasiocolea, *K. Schum. l. c.* 66.—Afr. trop.  
leucantha, *K. Schum. l. c.* (= *Donax leucantha*).—Afr. trop.  
monophylla, *K. Schum. l. c.* 64 (= *Phrynium monophyllum*).—Afr. trop.  
oligantha, *K. Schum. l. c.* 66 (= *Donax oligantha*).—Afr. trop.  
ramosissima, *K. Schum. l. c.* 64 (= *Phrynium ramosissimum*).—Afr. trop.  
Schweinfurthiana, *K. Schum. l. c.* 62 (= *Donax Schweinfurthiana*).—Afr. trop.  
similis, *Gagnep. in Bull. Soc. Bot. Fr.* l. 587.—Hab. ?  
sulphurea, *K. Schum. in Engl. Pflanzenreich, Marant.* 65 (= *Phrynium sulphureum*).—Afr. trop.  
trichomyte, *K. Schum. l. c.*—Afr. trop.

**CLINOPODIUM**, Linn. = **Calamintha**, Tourn. (Labiata).

*Clinopodium*, *Degen, in Magyar Bot. Lap.* iv. 131 = *Calamintha Clinopodium*.  
*gracium*, *Brand, in Koch, Syn. Deutsch. Fl.* ed. III. 2122 (= *Satureia graeca*).—Eur.  
*macrocalyx*, *Small, Fl. S. E. U. S.* 1043.—Am. bor.

**CLINTONIA**, Rafin. (Liliac.).

umbellulata, *Shafer, in Ann. Carneg. Mus.* i. 109.—Am. bor.

**CLISTOYUCCA**, Trel. in Miss. Bot. Gard. Rep. 1902, 41. **LILIACEAE**.

arborescens, *Trel. l. c.* (= *Yucca arborescens*).—Am. bor.

**CLITANDRA**, Benth. (Apocyn.).

alba, *Stapf, in Dyer, Fl. Trop. Afr.* iv. i. 64.—Afr. trop.  
Arnoldiana, *Wildem. in Compt. Rend. Acad. Sci. Par.* cxxxvi. (1903) 400.—Afr. trop.  
Gentilii, *Wildem. Notes Apocyn. Laticif. Fl. Congo,* 25.—Afr. trop.  
Gilletii, *Wildem. Obs. Apocyn. Latex,* 37.—Afr. trop.  
Lacourtiana, *Wildem. in Wildem. & Gentil, Lianes Caoutch. Congo,* 110.—Afr. trop.  
membranacea, *Stapf, in Dyer, Fl. Trop. Afr.* iv. i. 597.—Afr. trop.  
nitida, *Stapf, l. c.* 595.—Afr. trop.  
Nzunde, *Wildem. Notes Apocyn. Laticif. Fl. Congo,* 22.—Afr. trop.  
oocarpa, *Stapf, in Dyer, Fl. Trop. Afr.* iv. i. 598.—Afr. trop.  
parvifolia, *Stapf, l. c.* 63 (= *Cylindropsis parvifolia*).—Afr. trop.  
sclerophylla, *K. Schum. ex Stapf, l. c.* 67 = *visciflua*.  
Simoni, *Gilg, in Notizbl. Bot. Gart. Berlin,* iv. 169.—Afr. trop.  
Staudtii, *Stapf, in Dyer, Fl. Trop. Afr.* iv. i. 67.—Afr. trop.  
togolana, *Stapf, l. c.* 64 (= *Cylindropsis togolana*).—Afr. trop.

**CLITORIA**, Linn. (Legum.).

cearensis, *Huber, in Bull. Herb. Boiss. Sér. II. i.* 305.—Bras.

**CLIVIA**, Lindl. (Liliac.).

cyrtanthiflora, *Wittm. Gartenfl.* 1904, 225 (= *Imantophyllum cyrtanthiflorum*).—Hybr.

**CLUSIA**, Linn. (Guttif.).

Salvinii, *Donn. Sm. in Bot. Gaz.* xxxv. (1903) 1.—Am. cent.

**CLUYTIA**, Boerh. (Euphorb.).

angustifolia, *Knauf, in Engl. Jahrb.* xxx. 340.—Afr. trop.  
glabrescens, *Knauf, l. c.*—Afr. trop.  
glauca, *Pax, in Zahlbr. in Ann. Nat. Hofmus. Wien,* xv. 50.—Afr. austr.  
Krookii, *Pax, l. c.* 49.—Afr. austr.  
Paxii, *Knauf, in Engl. Jahrb.* xxx. 341.—Afr. trop.  
Schlechteri, *Pax, in Engl. Jahrb.* xxxiv. 373.—Afr. austr.

**CLUYTIANDRA**, Muell. Arg. (Euphorb.).

Engleri, *Pax, in Engl. Jahrb.* xxxiv. 368.—Afr. trop.  
fruticans, *Pax, l. c.* xxxiii. 276.—Afr. trop.  
somalensis, *Pax, l. c.* 277.—Afr. trop.

**CNEMIDOPHACOS**, Rydb. in Bull. Torr. Bot. Club, 1905, 663. **LEGUMINOSAE**.

flavus, *Rydb. l. c.* 664 (= *Astragalus flavus*).—Am. bor.

**CNESTIS**, Juss. (Connarac.).

grandifoliolata, *Wildem. & Th. Dur. in Bull. Herb. Boiss. Sér. II. i.* 746.—Afr. trop.

**CNICUS**, Linn. (Compos.).

Bodinieri, *Vaniot, in Bull. Acad. Géog. Bot.* 1903, 121.—China.  
Cerberus, *Vaniot, l. c.* 120.—China.  
monocephalus, *Vaniot, l. c.* 122.—China.  
Norrisii, *Bickn. Fl. Bordighera,* 156.—Hybr.

**CNIDIUM**, Cusson = **Selinum**, Linn. (Umbell.).

formosanum, *Yabe, in Journ. Coll. Sci. Tokyo,* xvi. iv. 63.—Formosa.  
longiradiatum, *Yabe, l. c.* 60 (= *Selinum longiradiatum*).—Japon.

**CNIDOSCOLUS**, Pohl = **Jatropha**, Linn. (Euphorb.).

texanus, *Small, Fl. S. E. U. S.* 706 (= *Jatropha texana*).—Am. bor.

**COCCINIA**, Wight & Arn. (Cucurb.).

calantha, *Gilg, in Engl. Jahrb.* xxxiv. 358.—Afr. trop.  
djurensis, *Schweinf. & Gilg, ex Gilg, l. c.* 357.—Afr. trop.  
Engleri, *Gilg, l. c.* 354.—Afr. trop.  
microphylla, *Gilg, l. c.* 357.—Afr. trop.  
Petersii, *Gilg, l. c.* 356.—Afr. trop.  
polyantha, *Gilg, l. c.*—Afr. trop.  
Princeae, *Gilg, l. c.* 358.—Afr. trop.

**COCCOCYPSELUM**, P. Br. (Rubiace.).

Hasslerianum, *Chod. in Bull. Herb. Boiss. Sér. II. iv.* 169.—Parag.

**COCCOGLUCHIDION**, K. Schum. in K. Schum.

& Lauterb. Nachtr. Fl. Deutsch. Südsee, (1905) 292. **EUPHORBACEAE**.  
erythroccoccus, *K. Schum. l. c.* 293.—N. Guin.

**COCCOLOBA**, Linn. (Polygon.).

Ernstii, *J. R. Johnston, in Proc. Amer. Acad.* xl. 685.—Venez.  
Lehmanni, *Lindau, in Fedde, Repert. Nov. Sp.* i. 156.—N. Granat.  
Meissneriana, *K. Schum. in Just's Jahrb.* xxviii. i. 451 (= *Uuifera Meissneriana*).—Boliv.  
Tuerckheimii, *Donn. Sm. in Coult. Bot. Gaz.* xxxvii. 213.—Am. cent.

**COCCOTHRINAX**, Sargent (Palm.).

acuminata, *K. Schum. in Just's Jahrb.* xxvii. i. 469 (= *Thrinax acuminata*).—Ind. occ.  
argentea, *K. Schum. l. c.* (= *Thrinax argentea*).—Am. cent.  
radiata, *K. Schum. l. c.* (= *Thrinax radiata*).—Ins. Trinit.

**COCHLEARIA**, Tourn. (Crucif.).

heterophylla, *Hauskn. & Bornm. in Mitth. Thüring. Bot. Ver. n. s.* xx. 5.—As. Min.  
vulgaris, *Bub. Fl. Pyren.* iii. 195 = *officinalis*.

**COCHLIODA**, Lindl. (Orchid.).

brasiliensis, *Rolfe, in Gard. Chron.* 1904, ii. 141.—Bras.  
vulcanica, *Benth. & Hook. f. ex Veitch, Man. Orchid.* ix. 189 (= *Mesospinidium vulcanicum*).—Ecuador.

**COCOPS**, O. F. Cook, in Bull. Torr. Bot. Club, 1901, 568. **PALMAE**.

rivalis, *O. F. Cook, l. c.*—Ind. occ.

**COCOS**, Linn. (Palm.).

amadelpha, *Barb. Rodr. Palm. Hassl. Nov.* 7.—Parag.  
apaensis, *Barb. Rodr. Sert. Palm. Bras.* i. 100.—Parag.  
Arechavaletana, *Barb. Rodr. in Contrib. Jard. Bot. Rio de Janeiro,* i. 43.—Urug.  
arenicola, *Barb. Rodr. Sert. Palm. Bras.* i. 100.—Parag.  
Barbosii, *Barb. Rodr. l. c.* 86.—Bras.  
campicola, *Barb. Rodr. Palm. Hassl. Nov.* 6.—Parag.  
campylospatha, *Barb. Rodr. l. c.* 9.—Parag.  
catechucarpa, *Barb. Rodr. in Contrib. Jard. Bot. Rio de Janeiro,* i. 41.—Urug.  
Cogniauxiana, *Barb. Rodr. Sert. Palm. Bras.* i. 102.—Parag.  
Dyerana, *Barb. Rodr. l. c.* i. 95.—Parag.  
Glazioviana, *Damm. in Engl. Jahrb.* xxxi. Beibl. lxx. 21.—Bras.  
Hassleriana, *Barb. Rodr. Sert. Palm. Bras.* i. 101.—Parag.  
lilliputiana, *Barb. Rodr. Palm. Hassl. Nov.* 5.—Parag.  
quinquefaria, *Barb. Rodr. l. c.* 13.—Hort.  
Romanzoffiana-pulposa, *Barb. Rodr. Sert. Palm. Bras.* i. 116.—Urug.  
stolonifera, *Barb. Rodr. in Contrib. Jard. Bot. Rio de Janeiro,* i. 40.—Urug.  
Urbaniana, *Damm. in Engl. Jahrb.* xxxi. Beibl. lxx. 22.—Bras.  
Wildemaniana, *Barb. Rodr. Sert. Palm. Bras.* i. 101.—Parag.

**CODIA**, Forst. (Saxifr.).

albicans, *Vieill. ex Pampan. in Ann. di Bot. Roma,* ii. 104.—N. Caled.  
incrassata, *Pampan. l. c.* 105.—N. Caled.  
microcephala, *Pampan. in Bull. Herb. Boiss. Sér. II. iv.* 490.—N. Caled.

**CODONANTHE**, Hanst. (Gesner.).

caribaea, *Urb. Symb. Antill.* ii. 365.—Ind. occ.  
Eggersii, *Urb. l. c.* 366.—Ind. occ.  
formicarum, *Fritsch, in Karst. & Schenck, Vegetationsbilder,* iii. (1905) sub tt. 3-4.—Reg. Amaz.  
Uleana, *Fritsch, l. c.*—Reg. Amaz.

**CODONOPSIS**, Wall. (Campanul.).

silvestris, *Kom. in Act. Hort. Petrop.* xviii. 425.—As. or.

**COELACHNE**, R. Br. (Gramin.).

Hackeli, *Merrill, in Philipp. Gov. Lab. Bur. Bull.* xxix. 8.—Ins. Philipp.

**COELOCARYON**, Warb. (Myristic.).

cuneatum, *Warb. in Rev. Cult. Colon.* xii. (1903) 132; et in *Engl. Jahrb.* xxxiii. 385.—Afr. trop.  
multiflorum, *Warb. in Engl. Jahrb.* xxxiii. 386.—Afr. trop.

**COELOCOCCUS**, H. Wendl. = **Metroxylon**, Rottb. (Palm.).  
*amicarum*, W. F. Wight, in U. S. Dept. Agric. Contrib. Nat. Herb. ix. 244 (= *Sagum amicarum*).—Ins. Pacif.  
*carolinensis*, Dingl. in Bot. Centralbl. xxxii. (1887) 349.—Ins. Pacif.  
*Warburgi*, Heim, in Bull. Soc. Bot. Fr. 1. 572; et in Bull. Agric. Colon. Par. i. 11.—Ins. N. Hebrid.

**COELOGLOSSUM**, Hartm. = **Habenaria**, Willd. (Orchid.).  
*diphyllum*, Fiori & Paol. Ic. Fl. Ital. 98.—Ital.

**COELOGYNE**, Lindl. (Orchid.).  
*cinnamomea*, Lindl. in Gard. Chron. 1858, 37.—Hab.?  
*densiflora*, Ridley, in Journ. As. Soc. Straits, xxxix. 81.—Penins. Mal.  
*grandiflora*, Rolfe, in Journ. Linn. Soc. xxxvi. 22.—China.  
*Lawrenceana*, Rolfe, in Gard. Chron. 1905, 1. 227.—Anam.  
*modesta*, J. J. Sm. Orchid. Java, 141.—Java.  
*pallens*, Ridley, in Journ. As. Soc. Straits, xxxix. 81.—Penins. Mal.  
*pholidotoides*, J. J. Sm. in Ic. Bogor. t. 106 B.—Borneo.  
*rhizomatosa*, J. J. Sm. in Rec. Trav. Bot. Néerl. i. 146.—Celebes.  
*septemcostata*, J. J. Sm. in Ic. Bogor. t. 106 A.—Malaya.  
*tumida*, J. J. Sm. Orchid. Java, 141.—Java.  
*yunnanensis*, Rolfe, in Journ. Linn. Soc. xxxvi. 23.—China.

**COELOSpermum**, Blume (Rubiace.).  
*truncatum*, King & Gamble, in Journ. As. Soc. Beng. lxxiii. 51.—Penins. Mal.

**COELOSTYLIS**, Torr. & Gray = **Spigelia**, Linn. (Logan.).  
*Lindheimeri*, Small, Fl. S. E. U. S. 922 = S. Lindheimeri.

**COFFEA**, Linn. (Rubiace.).  
*affinis*, Wildem. in Agric. Prat. Pays Chauds, iv. 113.—Afr. trop.  
*Bonnieri*, Dubard, in Agric. Prat. Pays Chauds, v. 96.—Madag.  
*excelsa*, Cheval. in Rev. Cult. Colon. xii. 258; et in Compt. Rend. Acad. Sci. Par. cxl. 517.—Afr. trop.  
*Gallienii*, Dubard, in Agric. Prat. Pays Chauds, v. 93.—Madag.  
*ligustrifolia*, Stapf, in Journ. Linn. Soc. xxxvii. 109.—Afr. trop.  
*Maclaudi*, Cheval. in Compt. Rend. Acad. Sci. Par. cxl. 1474.—Afr. trop.  
*Mogeneti*, Dubard, in Agric. Prat. Pays Chauds, v. 99.—Madag.  
*nudiflora*, Stapf, in Journ. Linn. Soc. xxxvii. 108.—Afr. trop.  
*Schmidtii*, K. Schum. in Bot. Tidsskr. xxiv. 338.—Malaya.  
*silvatica*, Cheval. in Rev. Cult. Colon. xii. 258.—Afr. trop.

**COLA**, Schott & Endl. (Stercul.).  
*Gilletii*, Wildem. in Ann. Mus. Congo, Sér. V. i. 58.—Afr. trop.  
*Millenii*, K. Schum. in Engl. Jahrb. xxxiii. 313.—Afr. trop.  
*rostrata*, K. Schum. l. c. 314.—Afr. trop.  
*Scheffleri*, K. Schum. l. c.—Afr. trop.

**COLCHICUM**, Linn. (Liliac.).  
*bulgaricum*, Vel. in Oesterr. Bot. Zeitschr. 1901, 32.—Eur.  
*glossophyllum*, Heldr. ex Halacsy, Consp. Fl. Graec. iii. 274.—Graecia.  
*Psaridis*, Heldr. ex Halacsy, l. c.—Graecia.  
*velutinum*, Bornm. & Kneuck. in Allg. Bot. Zeitschr. 1903, 63.—Sinai.  
*Zahnii*, Heldr. ex Halacsy, Consp. Fl. Graec. iii. 273.—Graecia.

**COLEA**, Boj. (Bignon.).  
*hirsuta*, Aug. DC. in Bull. Herb. Boiss. Sér. II. i. 583.—Madag.  
*membranacea*, Aug. DC. l. c.—Madag.

**COLEOSANTHUS**, Cass. = **Brickellia**, Ell. (Compos.).  
*albicaulis*, Rydb. in Bull. Torr. Bot. Club, 1904, 646.—Am. bor.  
*axillaris*, Greene, Leaflets Bot. Obs. i. 149.—Am. bor.  
*congestus*, Nelson, in Coult. Bot. Gaz. 1901, 401.—Am. bor.  
*gracilipes*, Greene, Pittonia, iv. 237.—Calif.  
*melissaefolius*, Greene, Leaflets Bot. Obs. i. 150.—Am. bor.  
*modestus*, Greene, Pittonia, iv. 236.—Am. bor.  
*nepetaefolius*, Greene, l. c. 237.—Am. bor.  
*populifolius*, Greene, l. c. 238.—Am. bor.  
*reniformis*, Rydb. in Bull. Torr. Bot. Club, 1904, 646 (= *Brickellia reniformis*).—Am. bor.  
*umbellatus*, Greene, Pittonia, iv. 238.—Am. bor.  
*venulosus*, A. Nelson, in Coult. Bot. Gaz. xxxvii. 262.—Am. bor.

**COLEOTRYPE**, C. B. Clarke (Commelin.).  
*Laurentii*, K. Schum. in Engl. Jahrb. xxxiii. 377.—Afr. trop.

**COLEUS**, Lour. (Labiata).  
*Baumii*, Guérke, in Warb. Kunene-Sambesi Exped. 357.—Afr. trop.  
*Coppini*, Heck. in Rev. Cult. Colon. viii. 166; et in Ann. Inst. Col. Marseilles, viii. II. (1901) 6.—Afr. trop.  
*Dazo*, Cheval. in Agric. Prat. Pays Chauds, iv. 104.—Afr. trop.  
*heterotrichus*, Briq. in Th. Dur. & Wildem. in Bull. Soc. Bot. Belg. xl. 40.—Afr. trop.  
*Menyharthii*, Briq. in Bull. Herb. Boiss. Sér. II. iii. 1074.—Afr. trop.  
*Pentheri*, Guérke, ex Zahlbr. in Ann. Nat. Hofmus. Wien, xx. (1905) 48.—Afr. austr.  
*Rehmannii*, Briq. in Bull. Herb. Boiss. Sér. II. iii. 1075.—Afr. austr.  
*somalensis*, S. Moore, in Journ. Bot. 1901, 265.—Afr. trop.

**COLLINSIA**, Nutt. (Scrophul.).  
*brachysiphon*, Eastw. in Bull. Torr. Bot. Club, 1905, 214.—Calif.  
*breviflora*, Suksd. in W. Am. Sci. xii. 54.—Am. bor.  
*glandulosa*, Howell, Fl. N. W. Am. i. 506.—Am. bor.  
*multiflora*, Howell, l. c.—Am. bor.  
*pusilla*, Howell, l. c.—Am. bor.

**COLOGANIA**, Kunth (Legum.).  
*capitata*, Rose, in U. S. Dept. Agric. Contrib. Nat. Herb. viii. 41.—Mexic.  
*confusa*, Rose, l. c. 37.—Am. bor.  
*congesta*, Rose, l. c. 312.—Mexic.  
*Deamii*, Fernald, in Proc. Amer. Acad. xxxvi. 492.—Mexic.  
*glabrior*, Rose, in U. S. Dept. Agric. Contrib. Nat. Herb. viii. 38.—Am. cent.  
*grandiflora*, Rose, l. c. 41.—Mexic.  
*Houghii*, Rose, l. c. 39.—Mexic.  
*humilis*, Rose, l. c. 40.—Mexic.  
*Nelsoni*, Rose, l. c.—Mexic.  
*pallida*, Rose, l. c. 38.—N. Mexic.  
*racemosa*, Rose, l. c. 40.—Mexic.  
*rufescens*, Rose, l. c. 38.—Am. cent.  
*scandens*, Rose, l. c.—Mexic.

**COLONA**, Cav. = **Columbia**, Pers. (Tiliac.).  
*Blancoi*, Merrill, in Philipp. Gov. Lab. Bur. Bull. vi. 17 (= *Columbia Blancoi*).—Ins. Philipp.  
*longipetiolata*, Merrill, l. c. 16.—Ins. Philipp.

**COLQUHOUNIA**, Wall. (Labiata).  
*Seguini*, Vaniot, in Bull. Acad. Géogr. Bot. xiv. (1904) 165.—China.

**COLUBRINA**, Rich. (Rhamn.).  
*Colubrina*, Small, Fl. S. E. U. S. 752 (= *Rhamnus Colubrina*).—Am. bor.  
*megacarpa*, Rose, in U. S. Dept. Agric. Contrib. Nat. Herb. viii. 50.—Mexic.

**COLUMBIA**, Pers. (Tiliac.).  
*hastata*, Warb. in Perkins, Frag. Fl. Philipp. i. 105.—Ins. Philipp.  
*hirsuta*, Warb. in Perkins, l. c. 106.—Ins. Philipp.  
*inaequidentata*, Warb. in Perkins, l. c. 105, nomen.—Celebes.

**COLUMBIA**,—  
*Jagori*, Warb. in Perkins, Frag. Fl. Philipp. i. 106.—Ins. Philipp.  
*lanceolata*, Warb. in Perkins, l. c. 107.—Ins. Philipp.  
*mindanaensis*, Warb. in Perkins, l. c.—Ins. Philipp.  
*mollis*, Warb. in Perkins, l. c. 108.—Ins. Philipp.  
*scabra*, Aug. DC. in Bull. Herb. Boiss. Sér. II. iii. 368.—Tonkin.  
*subobovata*, Hochr. Pl. Bogor. Exsicc. 25.—Amboina.

**COLUMNÆA**, Plum. (Gesner.).  
*calcarata*, Donn. Sm. in Coult. Bot. Gaz. xxxiii. 254.—Am. cent.  
*calotricha*, Donn. Sm. l. c. xl. 9.—Am. cent.  
*cubensis*, Britton, in Torrey, v. (1905) 215.—Cuba.  
*jamaicensis*, Urb. Symb. Antill. ii. 359.—Ind. occ.  
*sulfurea*, Donn. Sm. in Coult. Bot. Gaz. xxxi. 117.—Am. cent.

**COLURIA**, R. Br. (Rosac.).  
*longifolia*, Maxim. in Bull. Acad. Pétersb. xxvii. 466; Mdl. Biol. xi. 215.—China.

**COLUTEA**, Tourn. (Legum.).  
*gracilis*, Freyn & Sint. ex Freyn, in Bull. Herb. Boiss. Sér. II. iv. 46.—Turkestan.  
*Paulsenii*, Freyn, l. c. 47.—As. cent.

**COMANDRA**, Nutt. (Santal.).  
*Richardsiana*, Fernald, in Rhodora, 1905, 48.—Am. bor.

**COMBRETUM**, Linn. (Combret.).  
*angustifolium*, Wildem. in Ann. Mus. Congo, Sér. IV. 213.—Afr. trop.  
*arbuscula*, Engl. & Gilg, in Warb. Kunene-Sambesi Exped. 314.—Afr. trop.  
*arenarium*, Engl. & Gilg, l. c. 318.—Afr. trop.  
*argyrophyllum*, K. Schum. in Just's Jahresb. xxvii. 1. 482 (sphalm.) = *Terminalia argyrophylla*.  
*aureonitens*, Engl. & Gilg, in Warb. Kunene-Sambesi Exped. 315.—Afr. trop.  
*Baumii*, Engl. & Gilg, l. c. 320.—Afr. trop.  
*Bosoi*, Wildem. in Ann. Mus. Congo, Sér. V. i. 195.—Afr. trop.  
*Butayi*, Wildem. l. c. 196.—Afr. trop.  
*buvumense*, Baker f. in Journ. Linn. Soc. xxxvii. 152.—Afr. trop.  
*Cabrae*, Wildem. & Th. Dur. in Bull. Soc. Bot. Belg. xxxix. 100.—Afr. trop.  
*Dekindtiana*, Engl. Jahrb. xxxii. 136.—Afr. trop.  
*Dinteri*, Schinz, in Wildem. & Th. Dur. in Bull. Herb. Boiss. Sér. II. i. 877.—Afr. trop.  
*Engleri*, Schinz, l. c. 878.—Afr. trop.  
*Gentilii*, Wildem. in Ann. Mus. Congo, Sér. V. i. 65.—Afr. trop.  
*gnidioides*, Engl. & Gilg, in Warb. Kunene-Sambesi Exped. 319.—Afr. trop.  
*Grandidieri*, Drake, in Bull. Mus. Hist. Nat. Par. 1903, 42.—Madag.  
*Hasslerianum*, Chod. ex Chod. & Hassl. in Bull. Herb. Boiss. Sér. II. iii. 345.—Parag.  
*Haullevilleum*, Wildem. in Ann. Mus. Congo, Sér. IV. 213.—Afr. trop.  
*Kamatutu*, Wildem. l. c. 215.—Afr. trop.  
*lacteiviride*, Engl. & Gilg, in Warb. Kunene-Sambesi Exped. 316.—Afr. trop.  
*Laurentii*, Wildem. in Ann. Mus. Congo, Sér. V. i. 197.—Afr. trop.  
*Leutwen*, Schinz, in Wildem. & Th. Dur. in Bull. Herb. Boiss. i. 878.—Afr. trop.  
*lukafuensis*, Wildem. in Ann. Mus. Congo, Sér. IV. 214.—Afr. trop.  
*monticola*, Engl. & Gilg, in Warb. Kunene-Sambesi Exped. 317.—Afr. trop.  
*pachycarpum*, Engl. & Gilg, l. c. 316.—Afr. trop.  
*quiriense*, Engl. & Gilg, l. c. 318.—Afr. trop.  
*sinuatipetalum*, Wildem. in Ann. Mus. Congo, Sér. IV. 215.—Afr. trop.

**COMINSIA**, Hemsl. (Scitamin.).  
*gigantea*, K. Schum. in Engl. Pflanzenreich, Marant. 58 (= *Phrynium giganteum*).—Australas.

**COMMELINA**, Plum. (Commelin.).  
*Buchananii*, C. B. Clarke, in Dyer, Fl. Trop. Afr. viii. 47.—Afr. trop.  
*Carsoni*, C. B. Clarke, l. c. 52.—Afr. trop.  
*Cecillae*, C. B. Clarke, l. c. 51.—Afr. trop.



**COMMELINA** :—

- Clarkeana, Wildem. & Th. Dur. in Ann. Mus. Congo, Sér. III. i. 245.—Afr. trop.  
 cuneata, C. B. Clarke, in Dyer, Fl. Trop. Afr. viii. 51.—Afr. trop.  
 Dekindtiana, Fritsch, in Bull. Herb. Boiss. Sér. II. i. 1105.—Afr. trop.  
 demissa, C. B. Clarke, in Dyer, Fl. Trop. Afr. viii. 52.—Afr. trop.  
 elegantula, K. Schum. in Warb. Kunene-Sambesi Exped. 182.—Afr. trop.  
 filifolia, K. Schum. l. c. 183.—Afr. trop.  
 grossa, C. B. Clarke, in Dyer, Fl. Trop. Afr. viii. 60.—Afr. trop.  
 guaranitica, C. B. Clarke, ex Chod. & Hassl. in Bull. Herb. Boiss. Sér. II. iii. 245.—Parag.  
 Holubii, C. B. Clarke, in Dyer, Fl. Trop. Afr. viii. 61.—Afr. trop.  
 lagosensis, C. B. Clarke, l. c. 57.—Afr. trop.  
 Merkeri, K. Schum. in Engl. Jahrb. xxxvi. 207.—Afr. trop.  
 Nashii, Small, Fl. S. E. U. S. 242.—Am. bor.  
 neurophylla, C. B. Clarke, in Dyer, Fl. Trop. Afr. viii. 53.—Afr. trop.  
 nyasensis, C. B. Clarke, l. c. 40.—Afr. trop.  
 opulens, C. B. Clarke, l. c. 58.—Afr. trop.  
 rufociliata, C. B. Clarke, l. c. 54.—Afr. trop.  
 saxicola, Small, Fl. S. E. U. S. 242.—Am. bor.  
 sphaerosperma, C. B. Clarke, in Dyer, Fl. Trop. Afr. viii. 58.—Afr. trop.  
 subcucullata, C. B. Clarke, l. c. 53.—Afr. trop.  
 venusta, C. B. Clarke, l. c. 58.—Afr. trop.  
 villosa, C. B. Clarke, ex Chod. & Hassl. in Bull. Herb. Boiss. Sér. II. i. 438.—Parag.  
 violacea, C. B. Clarke, in Dyer, Fl. Trop. Afr. viii. 39.—Afr. trop.  
 Zenkeri, C. B. Clarke, l. c. 59.—Afr. trop.

**COMMIPHORA**, Jacq. (Burser.).

- albiflora, Engl. in Engl. Jahrb. xxxiv. 310.—Afr. trop.  
 arussensis, Engl. l. c. 305.—Afr. trop.  
 baluensis, Engl. l. c. 313.—Afr. trop.  
 buraensis, Engl. l. c. 309.—Afr. trop.  
 Dekindtiana, Engl. l. c. 312.—Afr. trop.  
 Ellenbeckii, Engl. l. c. 303.—Afr. trop.  
 Erlangeriana, Engl. l. c. 311.—Afr. trop.  
 flaviflora, Engl. l. c. 304.—Afr. trop.  
 foliolosa, K. Schum. in Just, Jahresb. xxvii. i. 480 (= *Balsamea foliolosa*).—Afr. trop.  
 fraxinoides, K. Schum. l. c. (= *Balsamea fraxinoides*).—Afr. trop.  
 heterophylla, Engl. in Engl. Jahrb. xxxiv. 306.—Afr. trop.  
 holosericea, Engl. l. c. 313.—Afr. trop.  
 Holtziana, Engl. l. c. 310.—Afr. trop.  
 lindensis, Engl. l. c. 303.—Afr. trop.  
 montana, Engl. l. c. 312.—Afr. trop.  
 Mulelame, K. Schum. in Just, Jahresb. xxvii. i. 479 (= *Balsamea Mulelame*).—Afr. trop.  
 multijuga, K. Schum. l. c. 480 (= *Balsamea multijuga*).—Afr. trop.  
 Neumannii, Engl. in Engl. Jahrb. xxxiv. 306.—Afr. trop.  
 Nkolola, Engl. l. c. 308.—Afr. trop.  
 pilosissima, Engl. l. c.—Afr. trop.  
 rubriflora, Engl. l. c. xxx. 336.—Afr. trop.  
 rugosa, Engl. l. c. xxxiv. 307.—Afr. trop.  
 subsessilifolia, Engl. l. c. 303.—Afr. trop.  
 tomentosa, Engl. l. c. 308.—Afr. trop.  
 truncata, Engl. l. c. 309.—Afr. trop.  
 ugogensis, Engl. l. c. 314.—Afr. trop.

**COMOMYSINE**, Hook. f. (Myrsin.).

- Sodiroyana, Mez, in Bull. Herb. Boiss. Sér. II. v. 535.—Ecuador.

**COMONEURA**, Pierre, in Bull. Soc. Linn. Par. ii. (1897) 1293 = *Oetoknema*, Pierre (Olacac.).  
 Klaineana, Pierre, l. c. = O. Klaineana.

**COMPSONEURA**, Warb. (Myrsin.).

- costaricensis, Warb. in Fedde, Repert. Nov. Sp. i. 71.—Am. cent.  
 Ulei, Warb. ex Pilg. in Verh. Bot. Ver. Brand. xlvii. (1905) 136.—Reg. Amaz.

**CONANDRIUM**, Mez, in Engl. Pflanzenreich, Myrsin. (1902) 156. **MYRSINACEAE**.  
 gymnopus, K. Schum. in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee, 344.—N. Guin.

**CONANDRIUM** :—

- polyanthum, Mez, in Engl. Pflanzenreich, Myrsin. 157 (= *Amblyanthus polyantha*).—N. Guin.  
 rhynchocarpum, Mez, l. c. (= *Ardisia rhynchocarpa*).—Arch. Mal.

**CONCEVEIBA**, Aubl. (Euphorb.).

- pubescens, Britton, in Bull. Torr. Bot. Club, 1901, 306.—Bolivia.

**CONCHOPHYLLUM**, Blume = *Dischidia*, R. Br. (Asclep.).

- papuanum, Schlechter, in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee, 355.—Ins. Bismarck.

**CONDGIEA**, H. Baill. ex Van Tiegh. in Ann. Sci. Nat. Sér. IX. i. (1905) 300 = *Klainedoxa*, Pierre (Simarub.).

- lanceolata, H. Baill. l. c. = K. lanceolata.  
 ovalifolia, H. Baill. l. c. = K. cuprea.

**CONIMITELLA**, Rydb. in N. Am. Fl. xxii. 96 (1905). **SAXIFRAGACEAE**.

- Williamsii, Rydb. l. c. 97 (= *Heuchera Williamsii*).—Am. bor.

**CONIOSELINUM**, Fisch. = *Ligusticum*, Linn. (Umbell.).

- Schugnanicum, B. Fedtsch. in Trav. Mus. Bot. Acad. Pétersb. i. 135.—As. cent.

**CONNARUS**, Linn. (Connar.).

- Gilgianus, Pilg. in Engl. Jahrb. xxx. 154.—Bras.  
 libericus, Stapf, in Journ. Linn. Soc. xxxvii. 93.—Afr. trop.  
 Reynoldsii, Stapf, l. c. 94.—Afr. trop.

**CONNELLIA**, N. E. Br. in Trans. Linn. Soc. Ser. II. vi. (1901) 66. **BROMELIACEAE**.

- Augustae, N. E. Br. l. c. (= *Encholirium Augustae*).—Guiana.  
 Quelchii, N. E. Br. l. c. 67.—Guiana.

**CONOCEPHALUS**, Blume (Urtic.).

- canescens, Warb. in Perkins, Frag. Fl. Philipp. 167.—Ins. Philipp.  
 cordifolius, Barg. in Nuov. Giorn. Bot. Ital. n. s. ix. (1902) 220.—Borneo.  
 dubius, Barg. l. c. 225.—Borneo.  
 grandifolius, Warb. in Perkins, Frag. Fl. Philipp. 167.—Ins. Philipp.  
 intermedius, Barg. in Nuov. Giorn. Bot. Ital. n. s. ix. (1902) 218.—Borneo.  
 oblongifolius, Barg. l. c. 222.—Borneo.  
 microstachys, Barg. l. c. 223.—Borneo.  
 papuanus, Barg. l. c. 228.—N. Guin.  
 scabrinervius, Barg. l. c. 223.—Borneo.  
 sengalensis, Barg. l. c. 226.—Sumatra.  
 violaceus, Merrill, in Philipp. Gov. Lab. Bur. Bull. xxvii. 80 (= *Procris violacea*).—Ins. Philipp.

**CONOCLINIUM**, DC. = *Eupatorium*, Tourn. (Compos.).

- flaccidum, Greene, Pittonia, iv. 274.—Am. bor.  
 Greggii, Small, Fl. S. E. U. S. 1169 (= *Eupatorium Greggii*).—Am. bor.  
 integrifolium, Small, l. c. 1170.—Am. bor.  
 nepetaefolium, Greene, Pittonia, iv. 274.—Am. bor.  
 venulosum, Greene, l. c. 273.—Am. bor.

**CONOMORPHA**, A. DC. (Myrsin.).

- ampla, Mez, in Engl. Pflanzenreich, Myrsin. 257.—Bras.  
 Candolleana, Mez, l. c. 256.—Guian.  
 caracasana, Mez, l. c. 260.—Venez.  
 citrifolia, Mez, l. c. 256.—Am. trop.  
 crotonoides, Mez, l. c. 262 (= *Cybianthus crotonoides*).—Guian.  
 dentata, Mez, l. c. 252.—Ecuador.  
 Dussii, Mez, in Urb. Symb. Antill. ii. 421.—Ind. occ.  
 fulvo-pulverulenta, Mez, in Engl. Pflanzenreich, Myrsin. 258.—Guian.  
 glabra, Mez, l. c. 254.—Venez.  
 glaucorubens, Mez, l. c. 260.—Am. trop.  
 grandiflora, Mez, l. c. 258.—Am. trop.  
 iteoides, Mez, l. c. 254 (= *Badula iteoides*).—N. Granat.  
 Jelskii, Mez, l. c. 251.—Peruv.  
 laeta, Mez, l. c. 257.—Peruv.  
 latifolia, Mez, l. c. 255.—Guian.  
 laurifolia, Mez, l. c. 259.—Venez.

**CONOMORPHA** :—

- magnoliifolia, Mez, in Engl. Pflanzenreich, Myrsin. 258.—Guian.  
 meridensis, Mez, l. c. 255.—Venez.  
 nevadensis, Mez, l. c.—Venez.  
 obovata, Mez, in Bull. Herb. Boiss. Sér. II. v. 535.—Bras.  
 pastensis, Mez, in Engl. Pflanzenreich, Myrsin. 252.—N. Granat.  
 perseoides, Mez, l. c.—N. Granat.  
 pseudo-icacorea, Mez, l. c. 261 (= *Ardisia pseudo-icacorea*).—Am. trop.  
 punctata, Mez, l. c. 260.—Guian.  
 quercifolia, Mez, l. c. 253.—Peruv.  
 Sodiroyana, Mez, l. c. 254.—Ecuador.  
 spicata, Mez, l. c. 259 (= *Myrsine spicata*).—Venez.  
 Stapfii, Mez, l. c. 257.—N. Granat.  
 verticillata, Mez, l. c. 252 (= *Myrsine verticillata*).—Peruv.

**CONOPHARYNGIA**, G. Don (Apocyn.).

- [*PLUMERIA*, Tourn. I. K.]  
 angolensis, Stapf, in Dyer, Fl. Trop. Afr. iv. i. 146 (= *Tabernaemontana angolensis*).—Afr. trop.  
 brachyantha, Stapf, l. c. 148 (= *Tabernaemontana brachyantha*).—Afr. trop.  
 contorta, Stapf, l. c. 142 (= *Tabernaemontana contorta*).—Afr. trop.  
 crassa, Stapf, l. c. 144 (= *Tabernaemontana crassa*).—Afr. trop.  
 Cumminsii, Stapf, l. c. 145.—Afr. trop.  
 durissima, Stapf, l. c. 143 (= *Tabernaemontana durissima*).—Afr. trop.  
 elegans, Stapf, l. c. 149 (= *Tabernaemontana elegans*).—Afr. trop.  
 Holstii, Stapf, l. c. 146 (= *Tabernaemontana Holstii*).—Afr. trop.  
 Johnstonii, Stapf, l. c. 147.—Afr. trop.  
 Jollyana, Stapf, l. c. 144.—Afr. trop.  
 longiflora, Stapf, l. c. 142 (= *Tabernaemontana longiflora*).—Afr. trop.  
 pachysiphon, Stapf, l. c. 146 (= *Tabernaemontana pachysiphon*).—Afr. trop.  
 penduliflora, Stapf, l. c. 149 (= *Tabernaemontana penduliflora*).—Afr. trop.  
 Smithii, Stapf, l. c. 142 (= *Tabernaemontana Smithii*).—Afr. trop.  
 Stapfiana, Stapf, l. c. 147 (= *Tabernaemontana Stapfiana*).—Afr. trop.  
 stenophylla, Stapf, l. c. (= *Tabernaemontana stenophylla*).—Afr. trop.  
 Thonneri, Stapf, l. c. 143 (= *Tabernaemontana Thonneri*).—Afr. trop.  
 usambarensis, Stapf, l. c. 148 (= *Tabernaemontana usambarensis*).—Afr. trop.

**CONOPODIUM**, Koch (Umbell.).

- arvense, Calest. in Martelli, Webbia, 279 (= *Heterotaenia arvensis*).—Hispan.  
 bunioides, Calest. in Martelli, l. c. (= *Butinia bunioides*).—Hispan.  
 majus, Le Grand, in Rev. Gén. de Bot. ix. 167, in obs. cum cit. falsa = *denudatum*, Koch.  
 thalictrifolium, Calest. in Martelli, Webbia, 279 (= *Heterotaenia thalictrifolia*).—Hispan.

**CONOSPERMUM**, Sm. (Proteac.).

- Croninae, Diels, ex Diels & Pritz. in Engl. Jahrb. xxxv. 143.—Austral.  
 Eatoniae, Pritz. ex Diels & Pritz. l. c. 141.—Austral.

**CONOSTEGIA**, D. Don (Melast.).

- minutiflora, Rose, in U. S. Dept. Agric. Contrib. Nat. Herb. viii. 327.—Mexic.

**CONOSTYLIS**, R. Br. (Haemodor.).

- Dielsii, Fitzger. in Journ. Muell. Soc. W. Austral. i. no. 11, 82.—Austral.  
 Harperiana, Fitzger. in Proc. Linn. Soc. N. S. Wales, xxviii. 106.—Austral.  
 phathyantha, Diels, ex Diels & Pritz. in Engl. Jahrb. xxxv. 111.—Austral.  
 psammophila, Diels, ex Diels & Pritz. l. c. 109 = Dielsii.  
 robusta, Diels, ex Diels & Pritz. l. c.—Austral.

**CONOTHAMNUS**, Lindl. (Myrtac.).

- negle us, Diels, in Engl. Jahrb. xxxv. 480.—Austral.



**CONRINGIA**, Heist. (Crucif.).

- australis*, Bub. Fl. Pyren. iii. 181 = *Erysimum australe*.  
*polymorpha*, Bub. l. c. 180 = *Erysimum lanceolatum strictum*, Bub. l. c. 179 = *Erysimum strictum*.  
*turritoides*, Bub. l. c. = *Erysimum cheiranthoides*.

**CONVOLVULUS**, Tourn. (Convolv.).

- ambigens*, House, in Bull. Torr. Bot. Club, 1905, 139.—Am. bor.  
*Berryi*, Eastw. in Proc. Calif. Acad. Ser. III. ii. 287.—Am. bor.  
*Bullerianus*, Rendle, in Journ. Bot. 1901, 62.—Afr. austr.  
*fraterniflorus*, Mackenzie & Bush, in Rep. Miss. Bot. Gard. 1905, 104.—Am. bor.  
*Galpinii*, C. H. Wright, in Dyer, Fl. Cap. iv. ii. 75.—Afr. austr.  
*Hilsenbergianus*, Rendle, in Journ. Bot. 1901, 61.—Madag.  
*huillensis*, Rendle, in Dyer, Fl. Trop. Afr. iv. ii. 97 (= *Ipomoea huillensis*).—Afr. trop.  
*interior*, House, in Bull. Torr. Bot. Club, 1905, 140.—Am. bor.  
*liniformis*, Rendle, in Journ. Bot. 1901, 61.—Afr. austr.  
*Randii*, Rendle, l. c. 1902, 189.—Afr. trop.  
*rhynchophyllus*, Baker, ex Hallier f. in Bull. Herb. Boiss. Sér. I. vi. 534, descr.—Afr. austr.  
*saxicola*, Eastw. in Bull. Torr. Bot. Club, 1903, 495.—Calif.

**CONYZA**, Linn. (Compos.).

- filaginoides*, Hieron. in Engl. Jahrb. xxviii. 588 (= *Laenecia filaginoides*).—N. Granat.  
*Gallianii*, Chiov. in Ann. Ist. Bot. Roma, viii. 169.—Afr. trop.  
*limosa*, O. Hoffm. in Warb. Kunene-Sambesi Exped. 408.—Afr. trop.  
*pinnatifida*, Dunn, in Journ. Linn. Soc. xxxv. 502.—China.  
*straminea*, Chod. in Bull. Herb. Boiss. Sér. II. ii. 383.—Parag.

**COPAIFERA**, Linn. (Legum.).

- Baumiana*, Harms, in Warb. Kunene-Sambesi Exped. 246.—Afr. trop.  
*Chodatiana*, Hassl. in Bull. Herb. Boiss. Sér. II. iii. 1047.—Parag.

**COPROSMA**, Forst. (Rubiace.).

- chathamica*, Cockayne, in Trans. N. Z. Inst. xxxiv. 217.—Ins. Chatham.  
*laevigata*, Cheesem. in Trans. Linn. Soc. Ser. II. vi. 289.—Ins. Cook.  
*Moorei*, Rodw. Tasman. Fl. 69.—Austral.

**CORALLOCARPUS**, Welw. (Cucurb.).

- brevipedunculatus*, Gilg, in Engl. Jahrb. xxxiv. 366.—Afr. trop.  
*Bussei*, Gilg, l. c. 363.—Afr. trop.  
*dissectus*, Cogn. in Wildem. & Th. Dur. in Bull. Herb. Boiss. Sér. II. i. 881.—Afr. austr.  
*elegans*, Gilg, in Engl. Jahrb. xxxiv. 364.—Afr. trop.  
*Hildebrandtii*, Gilg, l. c. 362.—Afr. trop.  
*leiocarpus*, Gilg, l. c. 365.—Afr. trop.  
*longiracemosus*, Gilg, l. c. 364.—Afr. trop.  
*pseudogijef*, Gilg, l. c. 365.—Afr. trop.  
*tavetensis*, Gilg, l. c. 362.—Afr. trop.

**CORALLORHIZA**, Hall. (Orchid.).

- Grabhami*, Cockerell, in Torreya, iii. 140.—N. Mexic.  
*ochroleuca*, Rydb. in Bull. Torr. Bot. Club, 1904, 402.—Am. bor.  
*Vreelandii*, Rydb. l. c. 1901, 271.—Am. bor.

**CORCHOROPSIS**, Sieb. & Zucc. (Tiliac.).

- psilocarpa*, Harms & Loes. ex Gilg & Loes. in Engl. Jahrb. xxxiv. Beibl. lxxv. 51.—China.  
*tomentosa*, Mak. in Bot. Mag. Tokyo, xvii. 11 (= *Corchorus tomentosus*).—Japon.

**CORCHORUS**, Tourn. (Tiliac.).

- lobatus*, Wildem. in Ann. Mus. Congo, Sér. V. i. 54.—Afr. trop.

**CORDIA**, Linn. (Borag.).

- areolata*, Urb. Symb. Antill. iii. 362.—Ind. occ.  
*calicicola*, Urb. l. c. 359.—Ind. occ.  
*chiapensis*, Fernald, in Proc. Amer. Acad. xl. 52.—Mexic.  
*exarata*, Urb. Symb. Antill. iii. 358.—Ind. occ.

**CORDIA** :—

- Gilletii*, Wildem. in Ann. Mus. Congo, Sér. V. i. 71.—Afr. trop.  
*guaranitica*, Chod. & Hassl. in Bull. Herb. Boiss. Sér. II. v. 305.—Parag.  
*haitiensis*, Urb. Symb. Antill. iii. 357.—Ind. occ.  
*Hassleriana*, Chod. in Bull. Herb. Boiss. Sér. II. ii. 815.—Parag.  
*heccaidecandra*, Loes. in Engl. Jahrb. xxxvi. Beibl. lxxx. 25.—Am. cent.  
*Johnsoni*, Baker, in Dyer, Fl. Trop. Afr. iv. ii. 13.—Afr. trop.  
*Mannii*, C. H. Wright, l. c. 15 (= *Ehretia acutifolia*).—Afr. trop.  
*paraguariensis*, Chod. & Hassl. in Bull. Herb. Boiss. Sér. II. v. 305.—Parag.  
*Picardae*, Urb. Symb. Antill. iii. 360.—Ind. occ.  
*propinqua*, Merrill, in Philipp. Gov. Lab. Bur. Bull. xxxv. 60.—Ins. Philipp.  
*pulchra*, Millsp. in Engl. Jahrb. xxxvi. Beibl. lxxx. 24.—Am. cent.  
*Rickseckeri*, Millsp. in Field Columb. Mus. Bot. i. 522.—Ind. occ.  
*Seleriana*, Fernald, in Proc. Amer. Acad. xxxvi. 498.—Mexic.  
*stellata*, Greenm. in Proc. Amer. Acad. xxxix. 86.—Mexic.  
*Uruguaya*, Arech. in Anal. Mus. Montevide. iv. i. (1902) 16.—Urug.  
*Warneckeri*, Guericke, ex Baker & C. H. Wright in Dyer, Fl. Trop. Afr. iv. ii. 13.—Afr. trop.

**CORDYLINAE**, Royen (Liliac.).

- angustata*, K. Schum. in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee, 63.—N. Guin.  
*hyacinthoides*, W. F. Wright, in U. S. Dept. Agric. Contrib. Nat. Herb. ix. 249 (= *Aloe hyacinthoides*).—Zeylan.  
*kewensis*, Hort. Sand. in Gard. Chron. 1903, i. 266 = *Dracaena kewensis*.

**COREOPSIS**, Linn. (Compos.).

- angustata*, Greene, Pittonia, iv. 239.—Am. bor.  
*arenicola*, S. Moore, in Journ. Linn. Soc. xxxvii. 170.—Afr. trop.  
*Baumii*, O. Hoffm. in Warb. Kunene-Sambesi Exped. 419.—Afr. trop.  
*crataegifolia*, O. Hoffm. in Engl. Jahrb. xxx. 431.—Afr. trop.  
*cuneifolia*, Greenm. in Proc. Amer. Acad. xl. 43.—Mexic.  
*Elliotii*, S. Moore, in Journ. Linn. Soc. xxxv. 346.—Afr. trop.  
*falcata*, Boynton, in Biltm. Bot. Studies, i. 141.—Am. bor.  
*Jacksoni*, S. Moore, in Journ. Linn. Soc. xxxv. 347.—Afr. trop.  
*lineariloba*, O. Hoffm. in Engl. Jahrb. xxx. 430.—Afr. trop.  
*lupulina*, O. Hoffm. l. c. 432.—Afr. trop.  
*ochracea*, O. Hoffm. l. c. 431.—Afr. trop.  
*pinnatifida*, O. Hoffm. l. c. 432.—Afr. trop.  
*pulchra*, Boynton, in Small, Fl. S. E. U. S. 1277.—Am. bor.  
*ruwenzoriensis*, S. Moore, in Journ. Linn. Soc. xxxv. 345.—Afr. trop.  
*similis*, Boynton, in Small, Fl. S. E. U. S. 1278.—Am. bor.  
*stenophylla*, Boynton, in Biltm. Bot. Studies, i. 141.—Am. bor.  
*ugandensis*, S. Moore, in Journ. Linn. Soc. xxxv. 347.—Afr. trop.  
*Whytei*, S. Moore, l. c. 348.—Afr. trop.

**CORISPERMUM**, B. Juss. (Chenopod.).

- emarginatum*, Rydb. in Bull. Torr. Bot. Club, 1904, 404.—Am. bor.  
*marginale*, Rydb. l. c. 1903, 247.—Am. bor.

**CORMIGONUS**, Rafin. = *Bikkia*, Reinw. (Rubiace.).

- marianensis*, W. F. Wright, in U. S. Dept. Agric. Contrib. Nat. Herb. ix. 249 = *B. marianensis*.

**CORMUS**, Spach = *Pyrus*, Linn. (Rosac.).

- foliolosa*, Frauch. in Vilm. & Bois, Frut. Vilm. Cat. i. 103 = *P. foliolosa*.

**CORNIDIA**, Ruiz & Pav. = *Hydrangea*, Linn. (Saxifr.).

- peruviana*, Small, in N. Am. Fl. xxii. 161 = *H. peruviana*.

**CORNULACA**, Delile (Chenopod.).

- Korshinskyi*, Litw. in Sched. Herb. Fl. Ross. 1901, 78.—As. cent.

**CORNUS**, Tourn. (Cornac.).

- Arnoldiana*, Rehder, in Sargent, Trees & Shrubs, 79.—Hybr.  
*gracilis*, Koehne, in Mitth. Deutsch. Dendrol. Ges. 1903, 36.—Hab. ?  
*lanceolata*, Rose, in U. S. Dept. Agric. Contrib. Nat. Herb. viii. 55.—Mexic.  
*Nelsoni*, Rose, l. c. 54.—Mexic.  
*Priceae*, Small, in Torreya, i. 54.—Am. bor.  
*pumila*, Koehne, in Mitth. Deutsch. Dendrol. Ges. 1903, 46.—Hab. ?  
*Urbiana*, Rose, in U. S. Dept. Agric. Contrib. Nat. Herb. viii. 53.—Mexic.

**CORNUTIA**, Plum. (Verben.).

- cymosa*, Donn. Sm. in Coult. Bot. Gaz. xl. 10.—Am. cent.

**CORONOPUS**, Rupp. = *Senebiera*, DC. (Crucif.).

- australis*, Macl. in Rep. Princeton Univ. Exped. Patag. viii. 428 = *S. australis*.  
*rhytidocarpus*, Macl. l. c. = *S. rhytidocarpa*.

**CORSIA**, Becc. (Burmann.).

- torricellensis*, Schlechter, in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee, 74.—N. Guin.  
*unguiculata*, Schlechter, l. c. —N. Guin.

**CORTADERIA**, Stapf = *Moorea*, Lemaire (Gramin.).

- dioica*, Speg. in Anal. Mus. Buenos Aires, vii. 194 = *M. argentea*.  
*Sodirolana*, Hack. in Oesterr. Bot. Zeitschr. 1902, 238.—Ecuador.

**CORYDALIS**, Vent. (Papav.).

- Alexeenkoana*, Busch, in Act. Hort. Tiflis, ix. Suppl. 56.—Reg. Caucas.  
*Cavaleriei*, Léveillé & Vaniot, in Bull. Soc. Agric. Sci. Arts Sarthe, 1904, repr. 5.—China.  
*chelonitfolia*, Léveillé & Vaniot, in Bull. Acad. Géog. Bot. 1902, 174.—China.  
*daucifolia*, Léveillé & Vaniot, l. c. 172.—China.  
*Duclouxii*, Léveillé & Vaniot, l. c. 174.—China.  
*Fumaria*, Léveillé & Vaniot, l. c. 172.—China.  
*japonica*, Mak. in Bot. Mag. Tokyo, xvii. 61.—Japon.  
*macrocalyx*, Litw. in Trav. Mus. Bot. Acad. Pétersb. i. 30.—Turkestan.  
*Martini*, Léveillé & Vaniot, in Bull. Acad. Géog. Bot. 1902, 173.—China.  
*Paczoskii*, Busch, in Act. Hort. Tiflis, ix. Suppl. 55.—Reg. Caucas.  
*pallidiflora*, Busch, l. c. 52.—Reg. Caucas.  
*Schangini*, B. Fedtsch. in Act. Hort. Petrop. xxiii. 372 (= *Fumaria Schangini*).—Turkestan.  
*tomentosa*, N. E. Br. in Gard. Chron. 1903, ii. 123.—China.  
*Wetherillii*, Eastw. in Bull. Torr. Bot. Club. 1902, 524.—Am. bor.  
*Wilsoni*, N. E. Br. in Gard. Chron. 1903, ii. 123.—China.

**CORYLOPSIS**, Sieb. & Zucc. (Hamamel.).

- Gotoana*, Mak. in Bot. Mag. Tokyo, xv. 111.—Japon.

**CORYNANTHE**, Welw. (Rubiace.).

- brachythyrus*, K. Schum. in Natissbl. Bot. Gart. Berl. iii. 95.—Afr. trop.  
*Johimbe*, K. Schum. l. c. 94.—Afr. trop.  
*pachyceras*, K. Schum. l. c. 96.—Afr. trop.

**CORYNEPHORUS**, Beauv. (Gramin.).

- incanescens*, Bub. Fl. Pyren. iv. 311 = *canescens*.

**CORYNEPHYLLUM**, Rose, in N. Am. Fl. xxii. 28

(1905). **CRASSULACEAE.**

- viride*, Rose, l. c. 29.—Mexic.

**CORYNOCARPUS**, Forst. (Anacard.).

- dissimilis*, Hemsl. in Ann. Bot. xvii. 754.—N. Caled.  
*similis*, Hemsl. l. c. 753.—Ins. N. Hebrides.

**CORYPHA**, Linn. (Palm.).

- macrophylla*, Rostk, in Bull. Soc. Tosc. Ort. xxix. (1904) 81 (= *Livistona macrophylla*).—Hort.

**CORYSANTHES**, R. Br. (Orchid.).

Merrilli, *Ames, Orchid.* i. 65.—Ins. Philipp.  
 minuta, *Schlechter, in K. Schum. & Lauterb. Nachtr.*  
*Fl. Deutsch. Südsee*, 82 (= *Liparis minuta*).—  
 Polynes.

**COSMIZA**, Rafin. = **Polypompholyx**, Lehm.  
 (Lentib.).  
*longeciliata*, Small, *Fl. S. E. U. S.* 1090 = *P. laciniata*.

**COSMONEURON**, Pierre, in *Bull. Soc. Linn. Par. ii.*  
 (1897) 1293 = **Octoknema**, Pierre (Olacac.).  
*Klaineum*, Pierre, l. c. = *O. Klaineana*.

**COSMOS**, Cav. (Compos.).

ocellatus, *Greenm. in Proc. Amer. Acad.* xli. 265.—  
 Mexic.

**COSTUS**, Linn. (Scitamin.).

anomocalyx, *K. Schum. in Engl. Pflanzenreich,*  
*Zingib.* 396.—Afr. trop.  
 araneosus, *Gagnep. in Bull. Soc. Bot. Fr.* xlix. 95.—  
 Afr. trop.

Bakeri, *K. Schum. in Engl. Pflanzenreich, Zingib.*  
 387.—Am. cent.

brasiliensis, *K. Schum. l. c.* 403.—Bras.  
 chrysocephalus, *K. Schum. l. c.* 410.—Ins. Sunda?  
 congestiflorus, *Rich. ex Gagnep. in Bull. Soc. Bot. Fr.*  
 xlix. 97.—Guiana.

Deistellii, *K. Schum. in Engl. Pflanzenreich, Zingib.*  
 393.—Afr. trop.

dendrophilus, *K. Schum. l. c.* 416.—Afr. trop.

Dinklagei, *K. Schum. l. c.* 408.—Afr. trop.

dubius, *K. Schum. l. c.* 409 (= *Zingiber dubium*).—  
 Afr. trop.

Dussii, *K. Schum. l. c.* 402.—Ind. occ.

erythrocorone, *K. Schum. l. c.* 410.—Peruv.

fissiligulatus, *Gagnep. in Bull. Soc. Bot. Fr.* xlix. 93.  
 —Afr. trop.

Gagnepainii, *K. Schum. in Engl. Pflanzenreich,*  
*Zingib.* 420.—Bras.

geothyrus, *K. Schum. l. c.* 410.—Ecuador.

guanaensis, *Rusby, in Bull. Torr. Bot. Club,* 1902,  
 694.—Bolivia.

juruanus, *K. Schum. in Engl. Pflanzenreich, Zingib.*  
 389.—Bras.

lacerus, *Gagnep. in Bull. Soc. Bot. Fr.* l. 261.—  
 Ind. or.

latifolius, *Gagnep. l. c.* xlix. 101.—Bras.

Lima, *K. Schum. in Engl. Pflanzenreich, Zingib.* 388.  
 —Am. cent.

littoralis, *K. Schum. l. c.* 395.—Afr. trop.

macranthus, *K. Schum. in Engl. Jahrb.* xxx. 279.—  
 Afr. trop.

macrostrobilus, *K. Schum. in Urb. Symb. Antill.* iv.  
 159.—Ind. occ.

maximus, *K. Schum. in Engl. Pflanzenreich, Zingib.*  
 405.—Am. cent.

megalobractea, *K. Schum. l. c.* 407.—Afr. trop.

micranthus, *Gagnep. in Bull. Soc. Bot. Fr.* l. 586.—  
 Ind. occ.

microcephalus, *K. Schum. in Engl. Pflanzenreich,*  
*Zingib.* 412.—Borneo.

nemotrichus, *K. Schum. l. c.* 414.—Afr. trop.

nutans, *K. Schum. l. c.* 407.—Am. cent.

oblitterans, *K. Schum. l. c.* 393.—Afr. trop.

oligophyllus, *K. Schum. l. c.* 408.—Penins. Mal.

pauciflorus, *Gagnep. in Bull. Soc. Bot. Fr.* xlix. 100.  
 —Bras.

phlociflorus, *Rusby, in Bull. Torr. Bot. Club,* 1902,  
 694.—Bras.

Pilgeri, *K. Schum. in Engl. Pflanzenreich, Zingib.*  
 404.—Bras.

pilosissimus, *K. Schum. l. c.* 420.—Bras.

pterometra, *K. Schum. l. c.* 394.—Afr. trop.

radicans, *Gagnep. in Bull. Soc. Bot. Fr.* l. 262.—  
 Afr. trop.

Registrator, *Buesgen, in Ber. Deutsch. Bot. Ges.* 1903,  
 437; *l. c. Bogor.* tt. 164–165.—Hab.?

Ridleyi, *K. Schum. in Engl. Pflanzenreich, Zingib.*  
 411.—Penins. Mal.

rosulifer, *Gagnep. in Bull. Soc. Bot. Fr.* xlix. 101.—  
 Bras.

sanguineus, *Donn. Sm. in Coult. Bot. Gaz.* xxxi. 122.  
 —Am. cent.

scaberulus, *Rich. ex Gagnep. in Bull. Soc. Bot. Fr.*  
 xlix. 99.—Guiana.

splendens, *Donn. Sm. & Tuerckh. in Coult. Bot. Gaz.*  
 xxxiii. 260.—Am. cent.

VOL. IV.

**COSTUS** :—

subbiflorus, *K. Schum. in Engl. Pflanzenreich, Zingib.*  
 394.—Afr. trop.

sulfureus, *K. Schum. l. c.* 412.—Celebes.

tonkinensis, *Gagnep. in Bull. Soc. Bot. Fr.* xlix. 248.—  
 Tonkin.

ubangiensis, *Gagnep. l. c.* 97.—Afr. trop.

ulugurensis, *K. Schum. in Engl. Pflanzenreich, Zingib.*  
 396.—Afr. trop.

Zechii, *K. Schum. l. c.* 409.—Afr. trop.

**COTONEASTER**, Rupp. (Rosac.).  
 adpressa, *Bois, in Vilm. & Bois, Frut. Vilm. Cat.* i.  
 116.—China.

bullata, *Bois, in Vilm. & Bois, l. c.* 119.—Tibet.

*Cotoneaster*, Degen, in *Magyar Bot. Lap.* iv. 125 =  
 integerrima.

Francheti, *Bois, in Rev. Hort.* 1902, 379.—China.

**COTTENDORFIA**, Schult. f. (Bromel.).  
 Rusbyi, *Baker, ex Rusby, in Bull. Torr. Bot. Club,*  
 1902, 697.—Bolivia.

**COTULA**, Tourn. (Compos.).  
 goughensis, *Rud. Brown, in Journ. Linn. Soc.* xxxvii.  
 242.—Ins. Gough.

**COTYLEDON**, Tourn. (Crassul.).  
 Alstoni, *Schoenl. & Baker f. in Journ. Bot.* 1902, 93.  
 —Afr. austr.

Beckeri, *Schoenl. & Baker f. l. c.* 12.—Afr. austr.

chlorantha, *Halacsy, Consp. Fl. Graec.* i. 578 (= *Um-*  
*bilicus chloranthus*).—Eur. or.; As. Min.

Dinteri, *Baker f. in Bull. Herb. Boiss. Sér. II.* iii. 818.  
 —Afr. austr.

elegans, *N. E. Brown, in Bot. Mag.* t. 7993.—Mexico.

Flanaganii, *Schoenl. & Baker f. in Journ. Bot.* 1902,  
 22.—Afr. austr.

Galpini, *Schoenl. & Baker f. l. c.* 16.—Afr. austr.

glutinosa, *Schoenl. in Rec. Albany Mus.* i. 119.—  
 Afr. austr.

insignis, *N. E. Br. in Bot. Mag.* t. 8036.—Afr. trop.

intermedia, *Bornm. in Engl. Jahrb.* xxxiii. 427.—  
 Mader.

Iwarenge, *Mak. in Bot. Mag. Tokyo,* xv. 142.—  
 Japon.

minuta, *Kom. in Act. Hort. Petrop.* xviii. 436.—As. or.  
 nudicaule, *Abrams, in Bull. S. Calif. Acad.* ii. 42.—  
 Calif.

Plattiana, *Jepson, Fl. W. Mid. Calif.* 267.—Am. bor.

pulvinata, *Hook. f. Bot. Mag.* t. 7918.—Mexic.

tuberosa, *Halacsy, Consp. Fl. Graec.* i. 577 (= *Um-*  
*bilicus pendulinus*).—Graecia.

virescens, *Schoenl. & Baker f. in Journ. Bot.* 1902,  
 14.—Afr. austr.

Whitei, *Schoenl. & Baker f. l. c.* 19.—Afr. austr.

Woodii, *Schoenl. & Baker f. l. c.* 21.—Afr. austr.

**COUEPIA**, Aubl. (Rosac.).  
 Ulei, *Pilg. in Verh. Bot. Ver. Brand.* xlvii. (1905)  
 149.—Reg. Amaz.

**COULTEROPHYTUM**, Robins. (Umbell.).  
 Holwayi, *Rose, in U. S. Dept. Agric. Contrib. Nat.*  
*Herb.* viii. 336.—Mexic.

**COUROUPITA**, Aubl. (Myrtac.).  
 subsessilis, *Pilg. in Verh. Bot. Ver. Brand.* xlvii.  
 (1905) 163.—Reg. Amaz.

**COURSETIA**, DC. (Legum.).  
 guaranítica, *Chod. & Hassl. in Bull. Herb. Boiss. Sér.*  
 II. iv. 880.—Parag.

Hassleri, *Chod. l. c.*—Parag.

madrensis, *Micheli, in Mém. Soc. Phys. Hist. Nat.*  
*Genève*, xxxiv. 253.—Mexic.

planipetiolata, *Micheli, l. c.*—Mexic.

**COUSSAPOA**, Aubl. (Urtic.).  
 oligocephala, *Donn. Sm. in Coult. Bot. Gaz.* xl. 11.—  
 Am. cent.

**COUSSAREA**, Aubl. (Rubiace.).  
 impetiolaris, *Donn. Sm. in Coult. Bot. Gaz.* xxxvii. 418.  
 —Am. cent.

paraguariensis, *Chod. in Bull. Herb. Boiss. Sér. II.* iv.  
 180.—Parag.

**COUTAREA**, Aubl. (Rubiace.).  
 acamptoclada, *Robinson & Millsp. in Engl. Jahrb.*  
 xxxvi. Beibl. lxxx. 28.—Am. cent.

**COWANIA**, D. Don (Rosac.).  
 alba, *Good. in Coult. Bot. Gaz.* xxxvii. 55.—Am. bor.

**CRABBEA**, Harv. (Acanth.).  
 Galpinii, *C. B. Clarke, in Dyer, Fl. Cap.* v. 40.—  
 Afr. austr.

pedunculata, *N. E. Br. in Dyer, l. c.*—Afr. austr.

robusta, *N. E. Br. l. c.* 39.—Afr. austr.

**CRACCA**, Linn. = **Tephrosia**, Pers. (Legum.).  
*Chapmanii*, Small, *Fl. S. E. U. S.* 612.—Am. bor.

holosericea, Small, l. c. 610 = *T. holosericea*.

latidens, Small, l. c. 609.—Am. bor.

macrantha, *Rose, in Coult. Bot. Gaz.* xl. 143 = *T.*  
*macrantha*.

Pringlei, *Rose, l. c.*—Mexic.

submontana, *Rose, in U. S. Dept. Agric. Contrib. Nat.*  
*Herb.* viii. 46.—Mexic.

talpa, *Rose, in Coult. Bot. Gaz.* xl. 143 = *T. talpa*.

**CRANICHIS**, Sw. (Orchid.).  
 cylindrica, *Ames, in Donn. Sm. Enum. Pl. Guatem.*  
 vii. 49, nomen.—Am. cent.

microphylla, *Porsch, in Oesterr. Bot. Zeitschr.* 1905,  
 153.—Bras.

**CRANIOSPERMUM**, Lehm. (Borag.).  
 subfloccosum, *Krylov, in Act. Hort. Petrop.* xxi. 10.—  
 As. cent.

**CRASPEDORHACHIS**, Benth. (Gramin.).  
 Menyharthii, *Hack. in Bull. Herb. Boiss. Sér. II.* i.  
 770.—Afr. trop.

**CRASSOCEPHALUM**, Moench = **Gynura**, Cass.  
 (Compos.).

auriforme, *S. Moore, in Journ. Linn. Soc.* xxxvii. 171.  
 —Afr. trop.

latifolium, *S. Moore, in Journ. Bot.* 1905, 141.—Ins.  
 Philipp.

notonioides, *S. Moore, l. c.* 1902, 341.—Afr. trop.

ruwenzoriense, *S. Moore, in Journ. Linn. Soc.* xxxv.  
 352.—Afr. trop.

**CRASSOPETALUM**, Northrop, in *Mem. Torr. Bot. Club,*  
 xii. 48 sphalm. = **CROSSOPETALUM**, P. Br. =  
**Myginda**, Linn. (Celastr.).

**CRASSULA**, Dill. (Crassul.).

albanensis, *Schoenl. in Rec. Albany Mus.* i. 55.—Afr.  
 austr.

argyrophylla, *Diels, ex Schoenl. & Baker f. in Journ.*  
*Bot.* 1902, 290.—Afr. austr.

Bolusii, *Schoenl. in Rec. Albany Mus.* i. 59.—Afr. austr.

brevistyla, *Baker f. in Bull. Herb. Boiss. Sér. II.* iii.  
 813.—Afr. austr.

congesta, *N. E. Br. in Gard. Chron.* 1902, II. 171.—Afr.  
 austr.

conjuncta, *N. E. Br. l. c.* i. 106.—Afr. austr.

cornuta, *Schoenl. & Baker f. in Journ. Bot.* 1902,  
 285.—Afr. austr.

deceptor, *Schoenl. & Baker f. l. c.*—Afr. austr.

decipiens, *N. E. Br. in Gard. Chron.* 1903, i. 3.—Afr.  
 austr.

Dielsii, *Schoenl. in Rec. Albany Mus.* i. 117.—Afr. austr.

elegans, *Schoenl. & Baker f. in Journ. Bot.* 1902, 286.  
 —Afr. austr.

enantiophylla, *Baker f. in Bull. Herb. Boiss. Sér. II.*  
 iii. 816.—Afr. austr.

Ernesti, *Schoenl. & Baker f. in Journ. Bot.* 1902, 283.  
 —Afr. austr.

Kuhnii, *Schoenl. in Rec. Albany Mus.* i. 114.—Afr.  
 austr.

Leipoldtii, *Schoenl. & Baker f. in Journ. Bot.* 1902,  
 288.—Afr. austr.

limosa, *Schoenl. in Rec. Albany Mus.* i. 58.—Afr. austr.

loriformis, *Schoenl. & Baker f. in Journ. Bot.* 1902,  
 289.—Afr. austr.

magellanica, *Macl. in Rep. Princeton Univ. Exped.*  
*Patag.* viii. 456 (= *Tillaea magellanica*).—Reg.  
 Magell.

Marlothii, *Schoenl. in Rec. Albany Mus.* i. 59.—Afr.  
 austr.

mesembrianthoides, *Schoenl. & Baker f. in Journ. Bot.*  
 1902, 284.—Afr. austr.

minutiflora, *Schoenl. & Baker f. l. c.* 288.—Afr. austr.

mucronata, *Keissl. in Zahlbr. in Ann. Nat. Hofmus.*  
*Wien*, xv. 38.—Afr. austr.

nitida, *Schoenl. in Rec. Albany Mus.* i. 54.—Afr. austr.

nodulosa, *Schoenl. l. c.* 56.—Afr. austr.

H

**CRASSULA:—**

- pachyphylla, Schoenl. in *Rec. Albany Mus.* i. 58.—  
Afr. austr.  
paludosa, P. Dusen, in *Rep. Princeton Univ. Exped. Patag.* viii. 22.—Patag.  
quadrangularis, Schoenl. in *Rec. Albany Mus.* i. 57.—  
Afr. austr.  
Rattrayi, Diels, ex Schoenl. & Baker f. in *Journ. Bot.* 1902, 290.—Afr. austr.  
Rehmanni, Baker f. in *Bull. Herb. Boiss. Sér. II.* iii. 817.—Afr. austr.  
remota, Schoenl. in *Rec. Albany Mus.* i. 118.—Afr. austr.  
rudis, Schoenl. & Baker f. in *Journ. Bot.* 1902, 283.—  
Afr. austr.  
sedifolia, N. E. Br. in *Gard. Chron.* 1902, 429.—  
Afr. austr.  
sessilifolia, Baker f. in *Bull. Herb. Boiss. Sér. II.* iii. 815.—Afr. austr.  
similis, Baker f. l. c. 814.—Afr. austr.  
tenuipedicellata, Schoenl. & Baker f. in *Journ. Bot.* 1902, 288.—Afr. austr.  
tenuis, Dod, in *Journ. Bot.* 1901, 399.—Afr. austr.  
Tillaea, MacL. in *Rep. Princeton Univ. Exped. Patag.* viii. 456 (= *Tillaea minima*).—Calif.; Am. austr.  
Tysoni, Schoenl. & Baker f. in *Journ. Bot.* 1902, 289.—Afr. austr.  
variabilis, N. E. Br. in *Kew Bull.* 1901, 122.—Afr. austr.

**CRATAEGUS, Tourn. (Rosac.).**

- abdita, Beadle, in *Biltm. Bot. Studies*, i. 75.—Am. bor.  
abjecta, Sargent, in *Proc. Acad. Philad.* lvii. (1905) 636.—Am. bor.  
aboriginum, Sargent, in *Rhodora*, v. 163.—Am. bor.  
abstrusa, Beadle, in *Biltm. Bot. Studies*, i. 66.—Am. bor.  
acutifolia, Sargent, in *Coult. Bot. Gaz.* 1901, 217.—  
Am. bor.  
acutiloba, Sargent, in *Rhodora*, iii. 23.—Am. bor.  
adunca, Beadle, in *Biltm. Bot. Studies*, i. 87.—Am. bor.  
adusta, Beadle, l. c. 110.—Am. bor.  
aemula, Beadle, l. c. 53.—Am. bor.  
agrestina, Beadle, l. c. 72.—Am. bor.  
alacris, Sargent, in *Proc. Acad. Philad.* lvii. (1905) 601.—Am. bor.  
albamarlensis, Ashe, in *Journ. E. Mitchell Sci. Soc.* xvii. II. 10.—Am. bor.  
albicans, Ashe, l. c. 20.—Am. bor.  
albicera, Beadle, in *Biltm. Bot. Studies*, i. 132.—Am. bor.  
algens, Beadle, l. c. 135.—Am. bor.  
alma, Beadle, l. c. 64.—Am. bor.  
alnorum, Sargent, in *Rhodora*, v. 153.—Am. bor.  
altrix, Ashe, in *Coult. Bot. Gaz.* xxxiii. 232.—Am. bor.  
amara, Ashe, in *Journ. E. Mitchell Sci. Soc.* xviii. I. 22.—Am. bor.  
amica, Beadle, in *Biltm. Bot. Studies*, i. 97.—Am. bor.  
amicta, Ashe, in *Journ. E. Mitchell Sci. Soc.* xviii. I. 26.—Am. bor.  
amnicola, Beadle, in *Biltm. Bot. Studies*, i. 55.—Am. bor.  
ampla, Sargent, in *Proc. Acad. Philad.* lvii. 615 (Sept. 1905).—Am. bor.  
ampla, Sargent, in *Rhodora*, vii. 208 (Nov. 1905) = *praec.*?  
ancisa, Beadle, in *Biltm. Bot. Studies*, i. 63.—Am. bor.  
anisophylla, Beadle, l. c. 99.—Am. bor.  
annosa, Beadle, l. c. 83.—Am. bor.  
anomala, Sargent, in *Rhodora*, iii. 74.—Am. bor.  
apiomorpha, Sargent, in *Coult. Bot. Gaz.* xxxv. 386.—  
Am. bor.  
apposita, Sargent, l. c. 103.—Am. bor.  
aquilonaris, Sargent, in *Rhodora*, v. 185.—Am. bor.  
arborea, Beadle, in *Biltm. Bot. Studies*, i. 137.—  
Am. bor.  
arcana, Beadle, l. c. 122.—Am. bor.  
arcuata, Ashe, in *Ann. Carneg. Mus.* i. (1902) 387.—  
Am. bor.  
Arduennae, Sargent, in *Coult. Bot. Gaz.* xxxv. 377.—  
Am. bor.  
arguta, Beadle, in *Biltm. Bot. Studies*, i. 102.—Am. bor.  
arkansana, Sargent, in *Coult. Bot. Gaz.* xxxi. 223.—  
Am. bor.  
armata, Beadle, in *Biltm. Bot. Studies*, i. 136.—  
Am. bor.  
armentalis, Beadle, l. c. 117.—Am. bor.

**CRATAEGUS:—**

- Arnoldiana, Sargent, in *Coult. Bot. Gaz.* xxxi. 221.—  
Am. bor.  
arrogans, Beadle, in *Biltm. Bot. Studies*, i. 81.—  
Am. bor.  
arta, Beadle, l. c. 130.—Am. bor.  
ascendens, Sargent, in *Rhodora*, v. 141.—Am. bor.  
asperifolia, Sargent, l. c. iii. 31.—Am. bor.  
assimilis, Beadle, in *Biltm. Bot. Studies*, i. 68.—Am. bor.  
assurgens, Sargent, in *Coult. Bot. Gaz.* xxxv. 382.—  
Am. bor.  
atropurpurea, Ashe, in *Journ. E. Mitchell Sci. Soc.* xvii. II. 12.—Am. bor.  
attrita, Beadle, in *Biltm. Bot. Studies*, i. 98.—Am. bor.  
audens, Beadle, l. c. 114.—Am. bor.  
augusta, Sargent, in *Proc. Acad. Philad.* lvii. (1905) 597.—Am. bor.  
austera, Sargent, l. c. 586.—Am. bor.  
austrina, Beadle, in *Biltm. Bot. Studies*, i. 59.—Am. bor.  
baccata, Sargent, in *Rhodora*, vii. 176.—Am. bor.  
Bartoniana, Sargent, in *Proc. Acad. Philad.* lvii. (1905) 637.—Am. bor.  
Bartramiana, Sargent, l. c. 582.—Am. bor.  
basilica, Beadle, in *Biltm. Bot. Studies*, i. 125.—Am. bor.  
Beadlei, Ashe, in *N. Carolina Coll. Bull.* clxxv. 113.—  
Am. bor.  
bellula, Sargent, *Trees & Shrubs*, 111.—Am. bor.  
Berlandieri, Sargent, in *Coult. Bot. Gaz.* 1901, 230.—  
Am. bor.  
bicolor, Ashe, in *Journ. E. Mitchell Sci. Soc.* xvii. II. 12.—Am. bor.  
Bissellii, Sargent, in *Rhodora*, v. 65.—Am. bor.  
bisulcata, Ashe, in *N. Carolina Coll. Bull.* clxxv. 112.—  
Am. bor.  
Blanchardi, Sargent, in *Rhodora*, vii. 218.—Am. bor.  
blanda, Sargent, in *Coult. Bot. Gaz.* xxxiii. 121.—  
Am. bor.  
blandita, Sargent, in *Rhodora*, v. 147.—Am. bor.  
bona, Sargent, in *Proc. Acad. Philad.* lvii. (1905) 587.—Am. bor.  
borealis, Ashe, in *N. Carolina Coll. Bull.* clxxv. 111.—  
Am. bor.  
Brainerdi, Sargent, in *Rhodora*, iii. 27.—Am. bor.  
Brazoria, Sargent, in *Coult. Bot. Gaz.* xxxi. 233.—  
Am. bor.  
bristolensis, Sargent, in *Rhodora*, vii. 175.—Am. bor.  
Brownii, Britton, *Man. Fl. N. U. S.* 519.—Am. bor.  
brumalis, Ashe, in *Ann. Carneg. Mus.* i. 393.—  
Am. bor.  
Brunetiana, Sargent, in *Rhodora*, v. 164.—Am. bor.  
Buckleyi, Beadle, in *Biltm. Bot. Studies*, i. 25.—  
Am. bor.  
Bushii, Sargent, in *Coult. Bot. Gaz.* xxxiii. 109.—  
Am. bor.  
caesa, Ashe, in *Journ. E. Mitchell Sci. Soc.* xviii. I. 24.—Am. bor.  
caliciglabra, Schuette, in *Proc. Biol. Soc. Washington*, xvi. 96.—Am. bor.  
callida, Beadle, in *Biltm. Bot. Studies*, i. 123.—  
Am. bor.  
callosa, Sargent, in *Proc. Acad. Philad.* lvii. (1905) 595.—Am. bor.  
calva, Beadle, in *Biltm. Bot. Studies*, i. 83.—Am. bor.  
canadensis, Sargent, in *Rhodora*, iii. 73.—Am. bor.  
Canbyi, Sargent, in *Coult. Bot. Gaz.* xxxi. 3.—Am. bor.  
carnosa, Ashe, in *Journ. E. Mitchell Sci. Soc.* xvii. II. 14.—Am. bor.  
cernua, Ashe, l. c. I. 25.—Am. bor.  
Cerronis, A. Nelson, in *Coult. Bot. Gaz.* xxxiv. 370.—  
Am. bor.  
cestrica, Sargent, in *Proc. Acad. Philad.* lvii. (1905) 596.—Am. bor.  
Chadsfordiana, Sargent, l. c. 660.—Am. bor.  
champlainensis, Sargent, in *Rhodora*, iii. 20.—Am. bor.  
chrysocarpa, Ashe, in *N. Carolina Coll. Bull.* clxxv. 110.—Am. bor.  
cibaria, Beadle, in *Biltm. Bot. Studies*, i. 120.—  
Am. bor.  
cibilis, Ashe, in *Coult. Bot. Gaz.* xxxiii. 232.—Am. bor.  
cicur, Ashe, in *Ann. Carneg. Mus.* i. 397.—Am. bor.  
cirrata, Beadle, in *Biltm. Bot. Studies*, i. 101.—Am. bor.  
clara, Beadle, l. c. 95.—Am. bor.  
cognata, Sargent, in *Rhodora*, v. 58.—Am. bor.  
Coleae, Sargent, *Trees & Shrubs*, 7.—Am. bor.  
Collinsiana, Sargent, in *Proc. Acad. Philad.* lvii. (1905) 611.—Am. bor.

**CRATAEGUS:—**

- colonica, Beadle, in *Biltm. Bot. Studies*, i. 104.—  
Am. bor.  
coloradensis, A. Nelson, in *Proc. Biol. Soc. Washington*, xvii. 175.—Am. bor.  
Colorado, Ashe, in *N. Carolina Coll. Bull.* clxxv. 110.—  
Am. bor.  
columbiana, Sargent, in *Coult. Bot. Gaz.* xxxi. 229.—  
Am. bor.  
comata, Sargent, in *Proc. Acad. Philad.* lvii. (1905) 592.—Am. bor.  
communis, Beadle, in *Biltm. Bot. Studies*, i. 58.—  
Am. bor.  
compitalis, Beadle, l. c. 93.—Am. bor.  
concinna, Beadle, l. c. 70.—Am. bor.  
condensa, Sargent, in *Proc. Acad. Philad.* lvii. (1905) 617.—Am. bor.  
condigna, Beadle, in *Biltm. Bot. Studies*, i. 35.—Am. bor.  
conjuncta, Sargent, in *Rhodora*, v. 57.—Am. bor.  
consanguinea, Beadle, in *Biltm. Bot. Studies*, i. 34.—  
Am. bor.  
constans, Beadle, l. c. 88.—Am. bor.  
contigua, Sargent, in *Rhodora*, v. 115.—Am. bor.  
contrita, Beadle, in *Biltm. Bot. Studies*, i. 61.—Am. bor.  
corporea, Sargent, in *Coult. Bot. Gaz.* xxxv. 403.—  
Am. bor.  
corusca, Sargent, l. c. xxxiii. 117.—Am. bor.  
crassa, Ashe, in *Journ. E. Mitchell Sci. Soc.* xvii. II. 18.—Am. bor.  
Craytoni, Beadle, in *Biltm. Bot. Studies*, i. 121.—  
Am. bor.  
cristata, Ashe, in *Ann. Carneg. Mus.* i. 392.—Am. bor.  
crocata, Ashe, l. c. 389.—Am. bor.  
crocea, Beadle, in *Biltm. Bot. Studies*, i. 113.—Am. bor.  
crocina, Beadle, l. c. 132.—Am. bor.  
crudelis, Sargent, in *Rhodora*, v. 143.—Am. bor.  
cruenta, Ashe, in *Journ. E. Mitchell Sci. Soc.* xvii. II. 16.—Am. bor.  
crux, Ashe, l. c. xviii. I. 17.—Am. bor.  
culta, Sargent, in *Rhodora*, vii. 199.—Am. bor.  
cuprea, Sargent, in *Coult. Bot. Gaz.* xxxv. 105.—  
Am. bor.  
Curtisi, Ashe, in *N. Carolina Coll. Bull.* clxxv. 109.—  
Am. bor.  
curva, Beadle, in *Biltm. Bot. Studies*, i. 109.—Am. bor.  
cyanophylla, Sargent, in *Coult. Bot. Gaz.* xxxv. 387.—  
Am. bor.  
cyclophylla, Sargent, in *Rhodora*, vii. 210.—Am. bor.  
Cydonia, Gruber, in *Bull. Torr. Bot. Club*, 1905, 390.—  
Am. bor.  
Dallasiana, Sargent, *Trees & Shrubs*, 59.—Am. bor.  
Damei, Sargent, in *Rhodora*, vii. 200.—Am. bor.  
dapsilis, Beadle, in *Biltm. Bot. Studies*, i. 89.—Am. bor.  
darlingtoniana, Sargent, in *Proc. Acad. Philad.* lvii. (1905) 653.—Am. bor.  
decora, Ashe, in *Journ. E. Mitchell Sci. Soc.* xviii. I. 17.—Am. bor.  
deducta, Sargent, in *Proc. Acad. Philad.* lvii. (1905) 602.—Am. bor.  
definita, Sargent, l. c. 647.—Am. bor.  
delawarensis, Sargent, in *Coult. Bot. Gaz.* xxxv. 102.—  
Am. bor.  
delecta, Sargent, *Man. Trees N. Amer.* 451.—Am. bor.  
delicata, Sargent, in *Proc. Acad. Philad.* lvii. (1905) 606.—Am. bor.  
deltoides, Ashe, in *Journ. E. Mitchell Sci. Soc.* xvii. II. 19.—Am. bor.  
delucida, Sargent, in *Rhodora*, v. 139.—Am. bor.  
demissa, Sargent, l. c.—Am. bor.  
denaria, Beadle, in *Biltm. Bot. Studies*, i. 131.—  
Am. bor.  
densiflora, Sargent, in *Rhodora*, iii. 75.—Am. bor.  
depilis, Sargent, *Man. Trees N. Amer.* 419.—Am. bor.  
depressa, Ashe, in *Journ. E. Mitchell Sci. Soc.* xvii. II. 8.—Am. bor.  
digna, Sargent, in *Proc. Acad. Philad.* lvii. (1905) 628.—Am. bor.  
dilatata, Sargent, in *Coult. Bot. Gaz.* xxxi. 9.—Am. bor.  
disjuncta, Sargent, *Trees & Shrubs*, 109.—Am. bor.  
dispar, Beadle, in *Biltm. Bot. Studies*, i. 28.—Am. bor.  
dissimilis, Sargent, in *Rhodora*, v. 149.—Am. bor.  
dissona, Sargent, l. c. 60.—Am. bor.  
divida, Sargent, in *Coult. Bot. Gaz.* xxxv. 401.—Am. bor.  
dolosa, Beadle, in *Biltm. Bot. Studies*, i. 90.—Am. bor.  
dumicola, Sargent, in *Rhodora*, v. 183.—Am. bor.

## CRATAEGUS:—

- durobrivensis, *Sargent, Trees & Shrubs*, 3.—Am. bor.  
 Eamesi, *Sargent, Man. Trees N. Amer.* 454.—Am. bor.  
 Earlei, *Ashe, in N. Carolina Coll. Bull.* clxxv. 112.—Am. bor.  
 ebracteata, *Ashe, l. c.* 109.—Am. bor.  
 eburnea, *Ashe, in Ann. Carneg. Mus.* i. 395.—Am. bor.  
 edita, *Sargent, in Coult. Bot. Gaz.* xxxiii. 110.—Am. bor.  
 Edsoni, *Sargent, in Rhodora*, vii. 205.—Am. bor.  
 edura, *Beadle, in Biltm. Bot. Studies*, i. 128.—Am. bor.  
 egens, *Beadle, l. c.* 85.—Am. bor.  
 Egglestoni, *Sargent, in Rhodora*, iii. 30.—Am. bor.  
 egregia, *Beadle, in Biltm. Bot. Studies*, i. 82.—Am. bor.  
 Ellwangeriana, *Sargent, in Coult. Bot. Gaz.* xxxiii. 118.—Am. bor.  
 elongata, *Sargent, l. c.* xxxv. 380.—Am. bor.  
 Emersoniana, *Sargent, in Rhodora*, vii. 181.—Am. bor.  
 Engelmanni, *Sargent, in Coult. Bot. Gaz.* xxxi. 2.—Am. bor.  
 erecta, *Sargent, l. c.* 218.—Am. bor.  
 erythrocarpa, *Ashe, in N. Carolina Coll. Bull.* clxxv. 109.—Am. bor.  
 erythropoda, *Ashe, l. c.* 113.—Am. bor.  
 Evansiana, *Sargent, in Proc. Acad. Philad.* lvii. (1905) 633.—Am. bor.  
 exclusa, *Sargent, in Rhodora*, v. 108.—Am. bor.  
 exigua, *Sargent, l. c.* 52.—Am. bor.  
 exilis, *Beadle, in Biltm. Bot. Studies*, i. 76.—Am. bor.  
 eximia, *Beadle, l. c.* 62.—Am. bor.  
 extraria, *Beadle, l. c.* 73.—Am. bor.  
 fastosa, *Sargent, Trees & Shrubs*, 61.—Am. bor.  
 Faxoni, *Sargent, in Rhodora*, v. 161.—Am. bor.  
 fecunda, *Sargent, in Coult. Bot. Gaz.* xxxiii. 111.—Am. bor.  
 felix, *Sargent, in Proc. Acad. Philad.* lvii. (1905) 589.—Am. bor.  
 fera, *Beadle, in Biltm. Bot. Studies*, i. 128.—Am. bor.  
 Ferrii, *Ashe, in Journ. E. Mitchell Sci. Soc.* xvii. 11.—Am. bor.  
 Fernaldi, *Sargent, in Rhodora*, v. 166.—Am. bor.  
 fertilis, *Sargent, l. c.* 182.—Am. bor.  
 festiva, *Sargent, l. c.* 54.—Am. bor.  
 firma, *Sargent, in Proc. Acad. Philad.* lvii. (1905) 612.—Am. bor.  
 florea, *Sargent, in Rhodora*, v. 145.—Am. bor.  
 florens, *Beadle, in Biltm. Bot. Studies*, i. 94.—Am. bor.  
 floridana, *Sargent, in Coult. Bot. Gaz.* xxxiii. 124.—Am. bor.  
 fluviatilis, *Sargent, in Rhodora*, v. 117.—Am. bor.  
 foetida, *Ashe, in Ann. Carneg. Mus.* i. 389.—Am. bor.  
 Forbesae, *Sargent, in Rhodora*, v. 151.—Am. bor.  
 fortis, *Beadle, in Biltm. Bot. Studies*, i. 92.—Am. bor.  
 fretalis, *Sargent, in Rhodora*, v. 112.—Am. bor.  
 Fretzii, *Sargent, in Proc. Acad. Philad.* lvii. (1905) 604.—Am. bor.  
 frugalis, *Beadle, in Biltm. Bot. Studies*, i. 100.—Am. bor.  
 frugiferens, *Beadle, l. c.* 30.—Am. bor.  
 fruticosa, *Sargent, Trees & Shrubs*, 13.—Am. bor.  
 fucosa, *Sargent, in Rhodora*, v. 137.—Am. bor.  
 fulgens, *Sargent, l. c.* vii. 182.—Am. bor.  
 fulva, *Sargent, in Proc. Acad. Philad.* lvii. (1905) 649.—Am. bor.  
 furtiva, *Beadle, in Biltm. Bot. Studies*, i. 81.—Am. bor.  
 fusca, *Sargent, in Rhodora*, vii. 193.—Am. bor.  
 galbana, *Beadle, in Biltm. Bot. Studies*, i. 74.—Am. bor.  
 Gaultii, *Sargent, in Coult. Bot. Gaz.* xxxv. 397.—Am. bor.  
 Gaylussacia, *A. A. Heller, in Bull. S. Calif. Acad.* ii. 69.—Calif.  
 gemmosa, *Sargent, in Coult. Bot. Gaz.* xxxiii. 119.—Am. bor.  
 genialis, *Sargent, in Rhodora*, v. 148.—Am. bor.  
 Georgiana, *Sargent, in Coult. Bot. Gaz.* xxxiii. 113.—Am. bor.  
 gilva, *Beadle, in Biltm. Bot. Studies*, i. 60.—Am. bor.  
 glabruscula, *Sargent, in Coult. Bot. Gaz.* xxxi. 235.—Am. bor.  
 glareosa, *Ashe, in Journ. E. Mitchell Sci. Soc.* xviii. 1. 21.—Am. bor.  
 glaucophylla, *Sargent, in Rhodora*, v. 140.—Am. bor.  
 grandis, *Ashe, in Journ. E. Mitchell Sci. Soc.* xvii. 11. 9.—Am. bor.

## CRATAEGUS:—

- Gravesii, *Sargent, in Rhodora*, v. 159.—Am. bor.  
 gravida, *Beadle, in Biltm. Bot. Studies*, i. 119.—Am. bor.  
 gravis, *Ashe, in Journ. E. Mitchell Sci. Soc.* xx. 49.—Am. bor.  
 gregalis, *Beadle, in Biltm. Bot. Studies*, i. 118.—Am. bor.  
 grossiserrata, *Ashe, in N. Carolina Coll. Bull.* clxxv. 112.—Am. bor.  
 Gruberi, *Ashe, in Ann. Carneg. Mus.* i. 388.—Am. bor.  
 habilis, *Ashe, in Coult. Bot. Gaz.* xxxv. 435.—Am. bor.  
 Handysae, *Sargent, in Rhodora*, vii. 177.—Am. bor.  
 Harger, *Sargent, l. c.* v. 66.—Am. bor.  
 Helenae, *Sargent, l. c.* vii. 162.—Am. bor.  
 Henryi, *Dunn, in Journ. Linn. Soc.* xxxv. 494.—China.  
 Hillii, *Sargent, in Coult. Bot. Gaz.* xxxv. 384.—Am. bor.  
 hudsonica, *Sargent, Man. Trees N. Amer.* 457.—Am. bor.  
 hystricina, *Ashe, in Coult. Bot. Gaz.* xxxv. 433.—Am. bor.  
 Ideae, *Sargent, in Rhodora*, vii. 211.—Am. bor.  
 ignava, *Beadle, in Biltm. Bot. Studies*, i. 31.—Am. bor.  
 illudens, *Beadle, l. c.* 111.—Am. bor.  
 illustris, *Beadle, l. c.* 68.—Am. bor.  
 impar, *Beadle, l. c.* 72.—Am. bor.  
 inanis, *Beadle, l. c.* 62.—Am. bor.  
 incana, *Beadle, l. c.* 113.—Am. bor.  
 incilis, *Beadle, l. c.* 41.—Am. bor.  
 incisa, *Sargent, in Rhodora*, vii. 196.—Am. bor.  
 induta, *Sargent, Trees & Shrubs*, 115.—Am. bor.  
 infera, *Sargent, in Proc. Acad. Philad.* lvii. (1905) 651.—Am. bor.  
 ingens, *Beadle, in Biltm. Bot. Studies*, i. 56.—Am. bor.  
 ingrata, *Ashe, in Journ. E. Mitchell Sci. Soc.* xx. 54.—Am. bor.  
 inopina, *Beadle, in Biltm. Bot. Studies*, i. 107.—Am. bor.  
 inops, *Beadle, l. c.* 96.—Am. bor.  
 insidiosa, *Beadle, l. c.* 94.—Am. bor.  
 insignis, *Sargent, Trees & Shrubs*, 107.—Am. bor.  
 insolens, *Sargent, in Rhodora*, vii. 217.—Am. bor.  
 insolita, *Sargent, in Proc. Acad. Philad.* lvii. (1905) 622.—Am. bor.  
 insueta, *Sargent, l. c.* 599.—Am. bor.  
 integra, *Beadle, in Biltm. Bot. Studies*, i. 87.—Am. bor.  
 integriloba, *Sargent, in Rhodora*, iii. 78.—Am. bor.  
 interior, *Beadle, in Biltm. Bot. Studies*, i. 52.—Am. bor.  
 invicta, *Beadle, l. c.* 37.—Am. bor.  
 iracunda, *Beadle, l. c.* 124.—Am. bor.  
 irrita, *Sargent, in Rhodora*, v. 116.—Am. bor.  
 Jackii, *Sargent, l. c.* 162.—Am. bor.  
 jejuna, *Sargent, in Proc. Acad. Philad.* lvii. (1905) 593.—Am. bor.  
 Jesupi, *Sargent, in Rhodora*, v. 61.—Am. bor.  
 Jonesae, *Sargent, in Coult. Bot. Gaz.* xxxi. 14.—Am. bor.  
 Keepii, *Sargent, in Rhodora*, v. 165.—Am. bor.  
 Kelloggii, *Sargent, Trees & Shrubs*, 117.—Am. bor.  
 lacera, *Sargent, in Coult. Bot. Gaz.* xxxiii. 123.—Am. bor.  
 lacrimata, *Small, in Torreya*, i. 97.—Am. bor.  
 lanata, *Beadle, in Biltm. Bot. Studies*, i. 86.—Am. bor.  
 Laneyi, *Sargent, Trees & Shrubs*, 5.—Am. bor.  
 lanuginosa, *Sargent, Trees & Shrubs*, 113.—Am. bor.  
 lassa, *Beadle, in Biltm. Bot. Studies*, i. 29.—Am. bor.  
 lata, *Sargent, in Proc. Acad. Philad.* lvii. (1905) 610.—Am. bor.  
 latisejala, *Ashe, in N. Carolina Coll. Bull.* clxxv. 109.—Am. bor.  
 lauta, *Sargent, in Rhodora*, vii. 206.—Am. bor.  
 Laurentiana, *Sargent, l. c.* iii. 77.—Am. bor.  
 laxa, *Beadle, in Biltm. Bot. Studies*, i. 103.—Am. bor.  
 laxiflora, *Sargent, in Coult. Bot. Gaz.* xxxv. 400.—Am. bor.  
 lemingtonensis, *Sargent, in Rhodora*, vii. 216.—Am. bor.  
 lenis, *Beadle, in Biltm. Bot. Studies*, i. 67.—Am. bor.  
 lenta, *Ashe, in Journ. E. Mitchell Sci. Soc.* xviii. 1. 18.—Am. bor.  
 lepida, *Beadle, in Biltm. Bot. Studies*, i. 36.—Am. bor.  
 Lettermani, *Sargent, in Coult. Bot. Gaz.* 1901, 220.—Am. bor.  
 levis, *Sargent, in Rhodora*, vii. 198.—Am. bor.  
 limata, *Beadle, in Biltm. Bot. Studies*, i. 77.—Am. bor.  
 littoralis, *Sargent, in Rhodora*, v. 59.—Am. bor.  
 lobulata, *Sargent, l. c.* iii. 22.—Am. bor.  
 longipetiolata, *Sargent, in Proc. Acad. Philad.* lvii. (1905) 621.—Am. bor.

## CRATAEGUS:—

- longispina, *Sargent, in Coult. Bot. Gaz.* xxxv. 398.—Am. bor.  
 lucorum, *Sargent, l. c.* xxxi. 227.—Am. bor.  
 ludenta, *Sargent, Trees & Shrubs*, 11.—Am. bor.  
 macilenta, *Beadle, in Biltm. Bot. Studies*, i. 64.—Am. bor.  
 Mackenzii, *Sargent, in Mackenzie, Fl. Jackson County*, 108.—Am. bor.  
 macra, *Beadle, in Biltm. Bot. Studies*, i. 134.—Am. bor.  
 magniflora, *Sargent, in Coult. Bot. Gaz.* xxxv. 383.—Am. bor.  
 maloides, *Sargent, Trees & Shrubs*, 9.—Am. bor.  
 marcida, *Ashe, in Journ. E. Mitchell Sci. Soc.* xx. 53.—Am. bor.  
 matura, *Sargent, in Rhodora*, iii. 24.—Am. bor.  
 Mcgeeeae, *Ashe, in Journ. E. Mitchell Sci. Soc.* xviii. 1. 20.—Am. bor.  
 media, *Sargent, in Rhodora*, v. 150.—Am. bor.  
 membranacea, *Sargent, l. c.* 186.—Am. bor.  
 mendosa, *Beadle, in Biltm. Bot. Studies*, i. 65.—Am. bor.  
 meridiana, *Beadle, l. c.* 115.—Am. bor.  
 michiganensis, *Ashe, in N. Carolina Coll. Bull.* clxxv. 111.—Am. bor.  
 micracantha, *Sargent, Trees & Shrubs*, 69.—Am. bor.  
 micrantha, *Sargent, in Proc. Acad. Philad.* lvii. (1905) 658.—Am. bor.  
 miniata, *Ashe, in Journ. E. Mitchell Sci. Soc.* xx. 51.—Am. bor.  
 mira, *Beadle, in Biltm. Bot. Studies*, i. 78.—Am. bor.  
 missouriensis, *Ashe, in N. Carolina Coll. Bull.* clxxv. 110.—Am. bor.  
 mitis, *Sargent, Man. Trees N. Amer.* 407.—Am. bor.  
 modesta, *Sargent, in Rhodora*, iii. 28.—Am. bor.  
 modica, *Sargent, in Proc. Acad. Philad.* lvii. (1905) 624.—Am. bor.  
 monstrata, *Sargent, in Rhodora*, v. 146.—Am. bor.  
 moselemensis, *Gruber, in Bull. Torr. Bot. Club*, 1905. 391.—Am. bor.  
 Moyeriana, *Sargent, in Proc. Acad. Philad.* lvii. (1905) 618.—Am. bor.  
 multifida, *Ashe, in Journ. E. Mitchell Sci. Soc.* xx. 52.—Am. bor.  
 multipes, *Ashe, in N. Carolina Coll. Bull.* clxxv. 111.—Am. bor.  
 munda, *Beadle, in Biltm. Bot. Studies*, i. 38.—Am. bor.  
 Napaea, *Sargent, in Rhodora*, vii. 203.—Am. bor.  
 nemoralis, *Sargent, in Coult. Bot. Gaz.* xxxv. 104.—Am. bor.  
 neo-canbyi, *Sargent, in Proc. Acad. Philad.* lvii. (1905) 638.—Am. bor.  
 neo-londonensis, *Sargent, Man. Trees N. Amer.* 443.—Am. bor.  
 nitida, *Sargent, in Coult. Bot. Gaz.* xxxi. 231.—Am. bor.  
 nubicola, *Beadle, in Biltm. Bot. Studies*, i. 126.—Am. bor.  
 obesa, *Ashe, in Journ. E. Mitchell Sci. Soc.* xx. 47.—Am. bor.  
 oblecta, *Ashe, in Coult. Bot. Gaz.* xxxiii. 233.—Am. bor.  
 olida, *Ashe, in Journ. E. Mitchell Sci. Soc.* xx. 56.—Am. bor.  
 opima, *Beadle, in Biltm. Bot. Studies*, i. 40.—Am. bor.  
 otiosa, *Ashe, in Journ. E. Mitchell Sci. Soc.* xx. 48.—Am. bor.  
 ovata, *Sargent, Man. Trees N. Amer.* 402.—Am. bor.  
 Paddockeae, *Sargent, in Rhodora*, vii. 202.—Am. bor.  
 Painteriana, *Sargent, in Proc. Acad. Philad.* lvii. (1905) 647.—Am. bor.  
 pallens, *Beadle, in Biltm. Bot. Studies*, i. 27.—Am. bor.  
 paludosa, *Sargent, Trees & Shrubs*, 15.—Am. bor.  
 Palmeri, *Sargent, l. c.* 57.—Am. bor.  
 panda, *Beadle, in Biltm. Bot. Studies*, i. 89.—Am. bor.  
 pascens, *Ashe, in Journ. E. Mitchell Sci. Soc.* xviii. 1. 23.—Am. bor.  
 pastorum, *Sargent, in Rhodora*, iii. 24.—Am. bor.  
 paucispina, *Sargent, in Coult. Bot. Gaz.* xxxv. 391.—Am. bor.  
 pausiaca, *Ashe, in Ann. Carneg. Mus.* i. 390.—Am. bor.  
 Peckietta, *Sargent, in Rhodora*, vii. 174.—Am. bor.  
 Peckii, *Sargent, l. c.* v. 63.—Am. bor.  
 pedicellata, *Sargent, in Coult. Bot. Gaz.* xxxi. 226.—Am. bor.  
 pellucidula, *Sargent, in Rhodora*, vii. 179.—Am. bor.  
 penita, *Beadle, in Biltm. Bot. Studies*, i. 57.—Am. bor.  
 Pennypackeri, *Sargent, in Coult. Bot. Gaz.* xxxv. 100.—Am. bor.  
 pennsylvanica, *Ashe, in Ann. Carneg. Mus.* i. 394.—Am. bor.



**CRATAEGUS:—**

- pentandra, *Sargent, in Rhodora*, iii. 25.—Am. bor.  
 pentasperma, *Ashe, in Coult. Bot. Gaz.* xxxv. 436.—Am. bor.  
 peoriensis, *Sargent, in Coult. Bot. Gaz.* xxxi. 5.—Am. bor.  
 Pequotorum, *Sargent, in Rhodora*, v. 55.—Am. bor.  
 perlevis, *Ashe, in Journ. E. Mitchell Sci. Soc.* xx. 48.—Am. bor.  
 pexa, *Beadle, in Biltm. Bot. Studies*, i. 116.—Am. bor.  
 philadelphica, *Sargent, in Proc. Acad. Philad.* lvii. (1905) 588.—Am. bor.  
 pilosa, *Sargent, in Rhodora*, v. 56.—Am. bor.  
 Piperi, *Britton, in Torreyia*, i. 55.—Am. bor.  
 pisifera, *Sargent, in Rhodora*, vii. 163.—Am. bor.  
 polita, *Sargent, l. c.* v. 112.—Am. bor.  
 populnea, *Ashe, in Ann. Carneg. Mus.* i. 395.—Am. bor.  
 porracea, *Ashe, in Journ. E. Mitchell Sci. Soc.* xvii. ii. 19.—Am. bor.  
 porrecta, *Ashe, in Ann. Carneg. Mus.* i. 391.—Am. bor.  
 praecox, *Sargent, in Rhodora*, iii. 25.—Am. bor.  
 praetermissa, *Sargent, l. c.* vii. 213.—Am. bor.  
 pratensis, *Sargent, in Coult. Bot. Gaz.* xxxi. 6.—Am. bor.  
 premora, *Ashe, in Ann. Carneg. Mus.* i. 391.—Am. bor.  
 Pringlei, *Sargent, in Rhodora*, iii. 21.—Am. bor.  
 prismatica, *Ashe, in Journ. E. Mitchell Sci. Soc.* xvii. ii. 15.—Am. bor.  
 propinqua, *Ashe, in Journ. E. Mitchell Sci. Soc.* xx. 53.—Am. bor.  
 propria, *Sargent, in Rhodora*, vii. 214.—Am. bor.  
 pubifolia, *Ashe, in N. Carolina Coll. Bull.* clxxv. 114.—Am. bor.  
 pubipes, *Ashe, l. c.*—Am. bor.  
 pulla, *Beadle, in Biltm. Bot. Studies*, i. 96.—Am. bor.  
 pumila, *Sargent, in Proc. Acad. Philad.* lvii. (1905) 612.—Am. bor.  
 pygmaea, *Sargent, l. c.* 650.—Am. bor.  
 pyracanthoides, *Beadle, in Biltm. Bot. Studies*, i. 136.—Am. bor.  
 quaesita, *Beadle, in Biltm. Bot. Studies* i. 33.—Am. bor.  
 quinebaugensis, *Sargent, in Rhodora*, vii. 194.—Am. bor.  
 radiosa, *Sargent, in Proc. Acad. Philad.* lvii. (1905) 657.—Am. bor.  
 raleighensis, *Ashe, in N. Carolina Coll. Bull.* clxxv. 112.—Am. bor.  
 Randiana, *Sargent, in Rhodora*, v. 142.—Am. bor.  
 rava, *Beadle, in Biltm. Bot. Studies*, i. 91.—Am. bor.  
 Ravenelii, *Sargent, in Coult. Bot. Gaz.* xxxiii. 122.—Am. bor.  
 ravida, *Ashe, in Journ. E. Mitchell Sci. Soc.* xvii. ii. 6.—Am. bor.  
 recurva, *Beadle, in Biltm. Bot. Studies*, i. 106.—Am. bor.  
 regalis, *Beadle, l. c.* 134.—Am. bor.  
 reses, *Ashe, in Journ. E. Mitchell Sci. Soc.* xx. 55.—Am. bor.  
 resima, *Beadle, in Biltm. Bot. Studies*, i. 110.—Am. bor.  
 retrusa, *Ashe, in Journ. E. Mitchell Sci. Soc.* xx. 49.—Am. bor.  
 Reverchoni, *Sargent, Trees & Shrubs*, 55.—Am. bor.  
 Rhodella, *Ashe, in Journ. E. Mitchell Sci. Soc.* xviii. i. 19.—Am. bor.  
 rhombifolia, *Sargent, in Rhodora*, v. 183.—Am. bor.  
 rigens, *Beadle, in Biltm. Bot. Studies*, i. 54.—Am. bor.  
 rimosa, *Beadle, l. c.* 107.—Am. bor.  
 rivalis, *Sargent, in Proc. Acad. Philad.* lvii. (1905) 580.—Am. bor.  
 roanensis, *Ashe, in N. Carolina Coll. Bull.* clxxv. 114.—Am. bor.  
 Robbinsiana, *Sargent, in Rhodora*, vii. 197.—Am. bor.  
 Robesoniana, *Sargent, l. c.* v. 110.—Am. bor.  
 Robinsoni, *Sargent, l. c.* 184.—Am. bor.  
 robur, *Beadle, in Biltm. Bot. Studies*, i. 69.—Am. bor.  
 rubescens, *Ashe, in N. Carolina Coll. Bull.* clxxv. 111.—Am. bor.  
 rufipes, *Ashe, in Journ. E. Mitchell Sci. Soc.* xx. 51.—Am. bor.  
 rustica, *Beadle, in Biltm. Bot. Studies*, i. 122.—Am. bor.  
 Ruthiana, *Sargent, in Proc. Acad. Philad.* lvii. (1905) 591.—Am. bor.  
 rutia, *Sargent, in Coult. Bot. Gaz.* xxxv. 399.—Am. bor.

**CRATAEGUS:—**

- saturata, *Sargent, in Proc. Acad. Philad.* lvii. (1905) 619.—Am. bor.  
 saxatilis, *Sargent, l. c.* 640.—Am. bor.  
 scabrida, *Sargent, in Rhodora*, iii. 29.—Am. bor.  
 scabriuscula, *Sargent, in Proc. Acad. Philad.* lvii. (1905) 605.—Am. bor.  
 Schuettei, *Ashe, in Journ. E. Mitchell Sci. Soc.* xvii. ii. 7.—Am. bor.  
 Schweinitziana, *Sargent, in Proc. Acad. Philad.* lvii. (1905) 652.—Am. bor.  
 Searsi, *Sargent, in Rhodora*, vii. 183.—Am. bor.  
 Seelyana, *Sargent, l. c.* 209.—Am. bor.  
 segnis, *Beadle, in Biltm. Bot. Studies*, i. 32.—Am. bor.  
 sequax, *Ashe, in Journ. E. Mitchell Sci. Soc.* xx. 50.—Am. bor.  
 sera, *Sargent, in Coult. Bot. Gaz.* xxxiii. 115.—Am. bor.  
 serena, *Sargent, in Rhodora*, vii. 201.—Am. bor.  
 sertata, *Sargent, in Coult. Bot. Gaz.* xxxv. 381.—Am. bor.  
 sextilis, *Sargent, l. c.* 390.—Am. bor.  
 Shaferi, *Ashe, in Ann. Carneg. Mus.* i. 397.—Am. bor.  
 Shallotte, *Ashe, in N. Carolina Coll. Bull.* clxxv. 113.—Am. bor.  
 Sheridan, *A. Nelson, in Coult. Bot. Gaz.* xxxiv. 370.—Am. bor.  
 signata, *Beadle, in Biltm. Bot. Studies*, i. 42.—Am. bor.  
 sinistra, *Beadle, l. c.* 44.—Am. bor.  
 sitiens, *Ashe, in Journ. E. Mitchell Sci. Soc.* xx. 54.—Am. bor.  
 Smithii, *Sargent, Trees & Shrubs*, 67.—Am. bor.  
 sodalis, *Beadle, in Biltm. Bot. Studies*, i. 80.—Am. bor.  
 sordida, *Sargent, in Coult. Bot. Gaz.* xxxiii. 114.—Am. bor.  
 spatiosa, *Sargent, in Rhodora*, vii. 180.—Am. bor.  
 speciosa, *Sargent, Trees & Shrubs*, 65.—Am. bor.  
 stolonifera, *Sargent, in Coult. Bot. Gaz.* xxxv. 109.—Am. bor.  
 Stonei, *Sargent, in Rhodora*, v. 62.—Am. bor.  
 stratfordensis, *Sargent, l. c.* vii. 178.—Am. bor.  
 submollis, *Sargent, in Coult. Bot. Gaz.* xxxi. 7.—Am. bor.  
 subrotundifolia, *Sargent, l. c.* xxxv. 394.—Am. bor.  
 subviridis, *Beadle, in Biltm. Bot. Studies*, i. 51.—Am. bor.  
 sylvestris, *Auct. in Proc. Biol. Soc. Washington*, xvi. 184.—Am. bor.  
 tarda, *Sargent, in Coult. Bot. Gaz.* xxxv. 392.—Am. bor.  
 Tatnalliana, *Sargent, l. c.* 106.—Am. bor.  
 tecta, *Beadle, in Biltm. Bot. Studies*, i. 26.—Am. bor.  
 tenax, *Ashe, in Journ. E. Mitchell Sci. Soc.* xviii. i. 21.—Am. bor.  
 tenella, *Ashe, in Ann. Carneg. Mus.* i. 388.—Am. bor.  
 tenera, *Ashe, in Journ. E. Mitchell Sci. Soc.* xx. 52.—Am. bor.  
 tenuifolia, *Kom. in Act. Hort. Petrop.* xviii. 435.—Corea.  
 teres, *Beadle, in Biltm. Bot. Studies*, i. 43.—Am. bor.  
 tersa, *Beadle, l. c.* 129.—Am. bor.  
 tetrica, *Beadle, l. c.* 46.—Am. bor.  
 Thayeri, *Sargent, in Rhodora*, v. 113.—Am. bor.  
 tinctoria, *Ashe, in Journ. E. Mitchell Sci. Soc.* xviii. i. 27.—Am. bor.  
 tortilis, *Ashe, l. c.* 19.—Am. bor.  
 torva, *Beadle, in Biltm. Bot. Studies*, i. 130.—Am. bor.  
 trachyphylla, *Sargent, in Coult. Bot. Gaz.* xxxv. 388.—Am. bor.  
 Treleasei, *Sargent, Trees and Shrubs*, 63.—Am. bor.  
 Triosteum, *Gruber, in Bull. Torr. Bot. Club*, 1905, 392.—Am. bor.  
 trisperma, *Ashe, in Journ. E. Mitchell Sci. Soc.* xvii. ii. 17.—Am. bor.  
 tristis, *Beadle, in Biltm. Bot. Studies*, i. 84.—Am. bor.  
 uber, *Ashe, in Journ. E. Mitchell Sci. Soc.* xx. 47.—Am. bor.  
 umbratilis, *Sargent, in Rhodora*, vii. 192.—Am. bor.  
 uplandia, *Sargent, in Proc. Acad. Philad.* lvii. (1905) 594.—Am. bor.  
 valida, *Beadle, in Biltm. Bot. Studies*, i. 77.—Am. bor.  
 vegeta, *Sargent, in Coult. Bot. Gaz.* xxxv. 396.—Am. bor.  
 verruculosa, *Sargent, Man. Trees N. Amer.* 394.—Am. bor.  
 versuta, *Beadle, in Biltm. Bot. Studies*, i. 112.—Am. bor.  
 viaria, *Beadle, l. c.* 101.—Am. bor.  
 viatica, *Ashe, in Ann. Carneg. Mus.* i. 398.—Am. bor.

**CRATAEGUS:—**

- vicana, *Beadle, in Biltm. Bot. Studies*, i. 104.—Am. bor.  
 vicinalis, *Beadle, l. c.* 124.—Am. bor.  
 villaris, *Beadle, l. c.* 108.—Am. bor.  
 viminea, *Ashe, in Journ. E. Mitchell Sci. Soc.* xviii. i. 23.—Am. bor.  
 virella, *Ashe, in Ann. Carneg. Mus.* i. 396.—Am. bor.  
 viridimontana, *Sargent, in Rhodora*, vii. 204.—Am. bor.  
 visenda, *Beadle, in Biltm. Bot. Studies*, i. 79.—Am. bor.  
 vitellina, *Ashe, in Journ. E. Mitchell Sci. Soc.* xviii. i. 267.—Am. bor.  
 vittata, *Ashe, l. c.* xx. 50.—Am. bor.  
 vulsa, *Beadle, in Biltm. Bot. Studies*, i. 39.—Am. bor.  
 Websteri, *Sargent, in Rhodora*, vii. 215.—Am. bor.  
 Wheeleri, *A. Nelson, in Coult. Bot. Gaz.* xxxiv. 369.—Am. bor.  
 Wilkinsoni, *Ashe, l. c.* xxxv. 435.—Am. bor.

**CRATAEVA**, Linn. (Capparid.).

- speciosa, *Volk. in Engl. Jahrb.* xxxi. 463.—Ins. Carol.

**CRATERISPERMUM**, Benth. (Rubiace.).

- grumileoides, *K. Schum. in Engl. Jahrb.* xxxii. 145.—Afr. trop.  
 reticulatum, *Wildem. in Ann. Mus. Congo*, Sér. IV. 158.—Afr. trop.

**CRATYSTYLIS**, S. Moore, in Journ. Bot. 1905, 138.**COMPOSITAE.**

- conocephala, *S. Moore, l. c.* (= *Olearia conocephala*).—Austral.  
 microphylla, *S. Moore, l. c.* 139.—Austral.  
 subspinescens, *S. Moore, l. c.*—Austral.

**CRAWFURDIA**, Wall. (Gentian.).

- trinervis, *Makino, in Bot. Mag. Tokyo*, xvi. 171 (= *Convolvulus trinervis*).—Japon.  
 Tripterospermum, *Makino, l. c.* 172 (= *Tripterospermum trinerve*).—Java.

**CREMANTHODIUM**, Benth. (Compos.).

- calotum, *Diels, in Engl. Jahrb.* xxxvi. Beibl. lxxxii. 105.—China.  
 Deasyi, *Hemsl. in Journ. Linn. Soc.* xxxv. 184.—As. cent.  
 Fletcheri, *Hemsl. l. c.* 185.—As. cent.  
 goringense, *Hemsl. l. c.*—As. cent.

**CREMASTRA**, Lindl. (Orchid.).

- appendiculata, *Makino, in Bot. Mag. Tokyo*, xviii. 24.—Wallichiana.

**CREMASTUS**, Miers (Bignon.).

- [**BIGNONIA**, Linn. I. K.]  
 Sanctae-Annae, *S. Moore, in Journ. Bot.* 1904, 106.—Bras.

**CREMNOPHILA**, Rose, in N. Am. Fl. xxii. 56

- (1905). **CRASSULACEAE.**  
 nutans, *Rose, l. c.* (= *Sedum nutans*).—Mexic.

**CREOCHITON**, Blume (Melast.).

- rosea, *Merrill, in Philipp. Gov. Lab. Bur. Bull.* xxix. 32.—Ins. Philipp.

**CREPIS**, Vaill. (Compos.).

- alpicola, *A. Nelson, in Coult. Bot. Gaz.* xl. 65.—Am. bor.  
 angustata, *Rydb. in Bull. Torr. Bot. Club*, 1905, 135.—Am. bor.  
 Barberi, *Greenm. in Proc. Amer. Acad.* xl. 52.—Mexic.  
 Bockiana, *Diels, in Engl. Jahrb.* xxix. 633.—China.  
 Cusickii, *Eastw. in Bull. Torr. Bot. Club*, 1903, 502.—Am. bor.  
 denticulata, *Rydb. in Bull. Torr. Bot. Club*, 1905, 135.—Am. bor.  
 glauca, *Rydb. l. c.* 1901, 512.—Am. bor.  
 Henryi, *Diels, in Engl. Jahrb.* xxix. 633.—China.  
 kikitatensis, *Suksd. ex Piper, in Bull. Torr. Bot. Club*, 1901, 43.—Am. bor.  
 perplexans, *Rydb. in Bull. Torr. Bot. Club*, 1905, 134.—Am. bor.  
 petiolata, *Rydb. l. c.*—Am. bor.  
 Phoenix, *Dunn, in Journ. Linn. Soc.* xxxv. 511.—China.  
 rapunculoides, *Dunn, l. c.* 512.—China.  
 Rosthornii, *Diels, in Engl. Jahrb.* xxix. 632.—China.  
 tomentulosa, *Rydb. in Bull. Torr. Bot. Club*, 1905, 134.—Am. bor.  
 tubaeformis, *Halacsy, Consp. Fl. Graec.* ii. 230.—Eur.



**CREPIS:**—

- Vandasii, Rohl. in Sitz. Böhm. Ges. Wiss. 1904, no. 38, 66.—Montenegr.  
Velenovskiy, Domin, in Sitz. Böhm. Ges. Wiss. 1904, no. 18, 37.—Austria.

**CRESCENTIA**, Linn. (Bignon.).

- Donnell-Smithii, Sprague, ex Donn. Sm. Enum. Pl. Guatem. vii. 25, nomen.—Am. cent.

**CRESSA**, Linn. (Convolv.).

- depressa, Goodd. in Coult. Bot. Gaz. xxxvii. 58.—Am. bor.

**CRINUM**, Linn. (Amaryll.).

- amboense, Baker, in Bull. Herb. Boiss. Sér. II. iii. 666.—Afr. trop.  
Baumii, Harms, in Warb. Kunene-Sambesi Exped. 199.—Afr. trop.  
Boehmii, Baker, in Bull. Herb. Boiss. Sér. II. iii. 666.—Afr. trop.  
Johnstoni, Baker, in Bot. Mag. t. 7812.—Afr. trop.  
Lugardae, N. E. Br. in Gard. Chron. 1903, ii. 49.—Afr. trop.  
Menyharthii, Baker, in Wildem. & Th. Dur. in Bull. Herb. Boiss. Sér. II. i. 859.—Afr. austr.  
nerinoides, Baker, in Bull. Herb. Boiss. Sér. II. iii. 666.—Afr. trop.  
ondongense, Baker, l. c.—Afr. trop.  
polyphyllum, Baker, l. c. 667.—Afr. trop.  
Rattrayii, Hort. in Gard. Chron. 1905, ii. 11.—Afr. trop.  
Samueli, Worsley, in Gard. Chron. 1902, ii. 304.—Afr. trop.  
Wimbushii, Worsley, l. c. 303.—Afr. trop.

**CRIOSANTHES**, Rafin. = **Cypripedium**, Linn. (Orchid.).

- arietina, House, in Bull. Torr. Bot. Club, 1905, 374 = *Cypripedium arietinum*.

**CRISTARIA**, Heist. (Malvac.).

- Kuntzei, Speg. in Anal. Mus. Buenos Aires, vii. 245.—Patag.  
linoides, Speg. Nov. Add. Fl. Patag. i. (1901), repr. 20 (= *Malvastrum linoides*); MacL. in Rep. Princeton Univ. Exped. Patag. viii. 576.—Patag.

**CROCODILOIDES**, Adans. = **Berkheya**, Ehrh. (Compos.).

- Chamaepeuce, S. Moore, in Bull. Herb. Boiss. Sér. II. iv. 1024.—Afr. trop.

**CROCUS**, Tourn. (Irid.).

- sylvestris, Bub. Fl. Pyren. iv. 151 = vernus.

**CROFTIA**, Small, Fl. S. E. U. S. 1088 (1903).

- ACANTHACEAE.  
parvifolia, Small, l. c. (= *Schaueria parvifolia*).—Am. bor.

**CROCKEA**, Small, Fl. S. E. U. S. 786 (1903).

- HYPERICACEAE.  
microsepala, Small, l. c. (= *Ascyrum microsepalum*).—Am. bor.

**CROOMIA**, Torr. (Roxburgh.).

- kiusiana, Makino, in Bot. Mag. Tokyo, xviii. 156.—Japan.

**CROSSANDRA**, Salisb. (Acanth.).

- fruticulosa, Lindau, in Engl. Jahrb. xxx. 112.—Afr. trop.  
Jashi, Lindau, l. c. xxxviii. 70.—Afr. trop.

**CROSSOPETALUM**, P. Br. = **Myginda**, Linn. (Celastr.).

- austrinum, J. R. Gardn. in Small, Fl. S. E. U. S. 736.—Am. bor.  
coriaceum, Northrop, in Mem. Torr. Bot. Club, xii. 48.—Ind. occ.  
floridanum, J. R. Gardn. in Small, Fl. S. E. U. S. 736.—Am. bor.

**CROTALARIA**, Dill. (Legum.).

- abdal-kuriensis, Vierh. in Oesterr. Bot. Zeitschr. 1904, 32.—Socotra.  
aculeata, Wildem. in Ann. Mus. Congo, Sér. IV. 185.—Afr. trop.  
angulicaulis, Harms, in Warb. Kunene-Sambesi Exped. 253.—Afr. trop.

**CROTALARIA:**—

- Baumii, Harms, in Warb. Kunene-Sambesi Exped. 253.—Afr. trop.  
Benthiana, Pritz. in Engl. Jahrb. xxxv. 267.—Austral.  
Catati, Drake, Hist. Pl. Madag. i. 201.—Madag.  
Dinteri, Schinz, in Bull. Herb. Boiss. Sér. II. i. 875.—Afr. trop.  
Dinteri, Schinz, l. c. iii. 819.—Afr. trop.  
dubia, Wildem. in Ann. Mus. Congo, Sér. IV. 185.—Afr. trop.  
erecta, Pilg. in Engl. Jahrb. xxx. 159.—Bras.  
gracilentia, Rose, in U. S. Dept. Agric. Contrib. Nat. Herb. viii. 313.—Mexic.  
Grevei, Drake, Hist. Pl. Madag. i. 201.—Madag.  
hirsutissima, Schinz, in Bull. Herb. Boiss. Sér. II. iii. 819.—Afr. trop.  
hispidia, Schinz, l. c. 820.—Afr. trop.  
lachnoclada, Harms, in Warb. Kunene-Sambesi Exped. 254.—Afr. trop.  
leptocarpa, Balf. f. Bot. Socotra, 66.—Ins. Socotra.  
leptoclada, Harms, in Warb. Kunene-Sambesi Exped. 255.—Afr. trop.  
Lindenii, Schinz, in Bull. Herb. Boiss. Sér. II. iii. 819.—Afr. trop.  
longifoliolata, Wildem. in Ann. Mus. Congo, Sér. IV. 187.—Afr. trop.  
lukafuensis, Wildem. l. c. 184.—Afr. trop.  
minor, C. H. Wright, in Kew Bull. 1901, 121.—Afr. trop.  
mutabilis, Schinz, in Bull. Herb. Boiss. Sér. II. iii. 820.—Afr. trop.  
psammophila, Harms, in Warb. Kunene-Sambesi Exped. 255.—Afr. trop.  
Seemeniana, Harms, in Engl. Jahrb. xxx. 322.—Afr. trop.  
sericifolia, Harms, in Warb. Kunene-Sambesi Exped. 255.—Afr. trop.  
siamica, F. N. Williams, in Bull. Herb. Boiss. Sér. II. v. 20.—Siam.  
subcapitata, Wildem. in Ann. Mus. Congo, Sér. IV. 186.—Afr. trop.  
subsessilis, Harms, in Warb. Kunene-Sambesi Exped. 256.—Afr. trop.  
tenuissima, Rose, in U. S. Dept. Agric. Contrib. Nat. Herb. viii. 46.—Mexic.  
ukingensis, Harms, in Engl. Jahrb. xxx. 323.—Afr. trop.  
viminalis, Rose, in U. S. Dept. Agric. Contrib. Nat. Herb. viii. 47.—Mexic.

**CROTON**, Linn. (Euphorb.).

- angustatus, Urb. Symb. Antill. iii. 296.—Ind. occ.  
arenicola, Small, in Bull. N. York Bot. Gard. iii. 428.—Am. bor.  
aureo-marginatus, Chod. & Hassl. in Bull. Herb. Boiss. Sér. II. v. 496.—Parag.  
brachytrichus, Urb. Symb. Antill. iii. 298.—Ind. occ.  
brevipes, Pax, in Engl. Jahrb. xxxiii. 290.—Am. cent.  
choristadenia, K. Schum. in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee, 295.—N. Guin.  
cuyabensis, Pilg. in Engl. Jahrb. xxx. 166.—Bras.  
dispar, N. E. Brown, in Journ. Linn. Soc. xxxvii. 113.—Afr. trop.  
Elliottianus, Engl. & Pax, ex Pax, in Engl. Jahrb. xxxiii. 289.—Afr. trop.  
Engelmanni, Ferg. in Missouri Bot. Gard. Rep. xii. 54 = Lindheimeri.  
enantiophyllus, K. Schum. in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee, 296.—Ins. Bismarck.  
flavescens, Greenm. in Proc. Amer. Acad. xxxix. 81.—Mexic.  
floridanus, Ferg. in Missouri Bot. Gard. Rep. xii. 50.—Am. bor.  
glomeratus, Aug. DC. in Bull. Herb. Boiss. Sér. II. i. 566.—Madag.  
Gonzalezii, Greenm. in Proc. Amer. Acad. xxxix. 81.—Mexic.  
Grosseri, Pax, in Engl. Jahrb. xxxiii. 290.—Am. cent.  
guaraniticus, Chod. & Hassl. in Bull. Herb. Boiss. Sér. II. v. 496.—Parag.  
Hasslerianus, Chod. l. c. i. 396.—Parag.  
heteranthus, Aug. DC. in Bull. Herb. Boiss. Sér. II. i. 566.—Madag.  
jucundus, T. S. Brandegee, in Zoe, v. 205 (1905).—Mexic.  
lepidotus, Aug. DC. in Bull. Herb. Boiss. Sér. II. i. 565.—Madag.  
litoralis, Urb. Symb. Antill. iii. 294.—Ind. occ.

**CROTON:**—

- macrostigma, Chod. in Bull. Herb. Boiss. Sér. II. i. 396.—Parag.  
maracayuensis, Chod. & Hassl. in Bull. Herb. Boiss. Sér. II. v. 492.—Parag.  
margaritensis, J. R. Johnston, in Proc. Amer. Acad. xl. 689.—Venez.  
martinicensis, Urb. Symb. Antill. iii. 295.—Ind. occ.  
megaladenus, Urb. l. c. 278.—Ind. occ.  
Milleri, J. R. Johnston, in Proc. Amer. Acad. xl. 690.—Venez.  
miquelensis, Ferg. in Missouri Bot. Gard. Rep. xii. 49 = chamaedrifolius.  
microtiglium, Burkill, in Journ. Linn. Soc. xxxv. 4.—Ins. Tonga.  
Mocquersyi, Aug. DC. in Bull. Herb. Boiss. Sér. II. i. 565.—Madag.  
paraguayensis, Chod. in Bull. Herb. Boiss. Sér. II. i. 396.—Parag.  
Picardae, Urb. Symb. Antill. iii. 297.—Ind. occ.  
Poitaei, Urb. l. c. 300.—Ind. occ.  
polytomus, Urb. l. c. 293.—Ind. occ.  
Priorianus, Urb. l. c. 295.—Ind. occ.  
pseudopulchellus, Pax, in Engl. Jahrb. xxxiv. 371.—Afr. trop.  
pyramidalis, Donn. Sm. in Coult. Bot. Gaz. xxxv. 7.—Am. cent.  
rivinoides, Chod. in Bull. Herb. Boiss. Sér. II. i. 395.—Parag.  
rumicifolius, Chod. & Hassl. in Bull. Herb. Boiss. Sér. II. v. 496.—Parag.  
subglaber, Urb. Symb. Antill. iii. 301.—Ind. occ.  
waltherioides, Urb. l. c. 292.—Ind. occ.  
yerbalium, Chod. & Hassl. in Bull. Herb. Boiss. Sér. II. v. 493.—Parag.

**CROTONOGYNE**, Muell. Arg. (Euphorb.).

- argentea, Pax, in Engl. Jahrb. xxxiii. 283.—Afr. trop.  
caterviflora, N. E. Br. in Journ. Linn. Soc. xxxvii. 114.—Afr. trop.

**CRUCIANELLA**, Linn. (Rubiace.).

- Sintenisii, Bornm. in Mitth. Thüring. Bot. Ver. n. s. xviii. 49.—Reg. Casp.

**CRUCKSHANKSIA**, Hook. & Arn. (Rubiace.).

- patagonica, MacL. in Rep. Princeton Univ. Exped. Patag. viii. 740 (= *Oreopolus patagonicus*).—Patag.

**CRUDIA**, Schreb. (Legum.).

- Havilandii, Prain, in Journ. As. Soc. Beng. lxxiii. 199.—Borneo.  
Laurentii, Wildem. Enum. Pl. Laurent, 97.—Afr. trop.  
Mansonii, Prain, in Journ. As. Soc. Beng. lxxiii. 199.—Burma.  
monophylla, Harms, in Engl. Jahrb. xxx. 80.—Afr. trop.

**CRYPTANDRA**, Sm. (Rhamn.).

- myriantha, Diels, in Engl. Jahrb. xxxv. 357.—Austral.  
polyclada, Diels, l. c. 358.—Austral.

**CRYPTANTHE**, Benth. & Hook. f. = **Krynitzkia**, Fisch. & Mey. (Borag.).

- depressa, A. Nelson, in Coult. Bot. Gaz. xxxiv. 29.—Am. bor.  
dicarpa, A. Nelson, in Proc. Biol. Soc. Washington, xvi. 30.—Am. bor.  
fallax, Greene, Pittonia, v. 54.—Calif.  
gracilis, Osterh. in Bull. Torr. Bot. Club, 1903, 236.—Am. bor.  
grisea, Greene, Pittonia, v. 53.—Calif.  
horridula, Greene, l. c. 55.—Calif.  
Howellii, A. Nelson, in Coult. Bot. Gaz. xxxiv. 30 (= *C. multicaulis*, Howell).—Am. bor.  
incana, Greene, Leaflets Bot. Obs. i. 79.—Calif.  
minima, Rydb. in Bull. Torr. Bot. Club, 1901, 31.—Am. bor.  
monosperma, Greene, Pittonia, v. 53.—Am. bor.  
multicaulis, Howell, Fl. N. W. Am. i. 487 (non A. Nelson).—Am. bor.  
simulans, Greene, Pittonia, v. 54.—Calif.  
trifurca, Eastw. in Bull. Torr. Bot. Club, 1905, 203.—Calif.  
vitrea, Eastw. in Proc. Calif. Acad. Ser. III. ii. 292.—Am. bor.

**CRYPTOCARYA**, R. Br. (Laurac.).

- foetida, R. T. Baker, in Proc. Linn. Soc. N. S. Wales, xxx. (1905) 517.—Austral.  
grandifolia, Engl. ex Stapf, in Journ. Linn. Soc. xxxvii. 111 = *Afrodaphne grandifolia*.

**CRYPTOCARYA** :—

- Gregsoni, *Maiden, in Journ. Linn. Soc. N. S. Wales*, xxvii. 347.—Austral.  
 minutiflora, *Mez, in Engl. Jahrb. xxx. Beibl. lxvii. 11.*—Bras.  
 nitens, *Koord. & Valet, in Meded. 'S Lands Plantent.* lxviii. 220.—Java.  
 Weinlandii, *K. Schum. in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 270.—N. Guin.

**CRYPTOCHILUS**, Wall. (Orchid.).

- bicolor, *J. J. Sm. in Ic. Bogor. t. 112 A (=Mediocalcar bicolor)*.—Ins. Malay.

**CRYPTOCORYNE**, Fisch. (Arac.).

- purpurea, *Ridley, in Journ. As. Soc. Straits*, xli. 44.—Penins. Mal.

**CRYPTOLEPIS**, R. Br. (Asclep.).

- Baumii, *N. E. Br. in Dyer, Fl. Trop. Afr. iv. I. 247* (1902).—Afr. trop.  
 Baumii, *Schlechter, in Warb. Kunene-Sambesi Exped.* 340 (1903).—Afr. trop.  
 Debeerstii, *Wildem. in Ann. Mus. Congo, Sér. V. i. 180.*—Afr. trop.  
 decidua, *N. E. Br. in Dyer, Fl. Trop. Afr. iv. I. 243* (= *Curroria decidua*).—Afr. trop.  
 delagoensis, *Schlechter, in Engl. Jahrb. xxxviii. 26.*—Afr. austr.  
 Hensii, *N. E. Br. in Dyer, Fl. Trop. Afr. iv. I. 246.*—Afr. trop.  
 nigritana, *N. E. Br. in Dyer, l. c. 251* (= *Ectadiopsis nigritana*).—Afr. trop.  
 producta, *N. E. Br. in Dyer, l. c. 247.*—Afr. trop.  
 suffruticosa, *N. E. Br. in Dyer, l. c. 251* (= *Ectadiopsis suffruticosa*).—Afr. trop.

**CRYPTOPHORANTHUS**, Rodr. (Orchid.).

- Lehmanni, *Rolfe, in Orch. Rev. xi. 303.*—N. Granat.  
 Moorei, *Rolfe, l. c. 304.*—Hab. ?

**CRYPTOSEPALUM**, Benth. (Legum.).

- Boehmii, *Harms, in Engl. Jahrb. xxxiii. 156.*—Afr. trop.  
 Busseanum, *Harms, l. c.*—Afr. trop.  
 dasycladum, *Harms, l. c. xxx. 319.*—Afr. trop.  
 Debeerstii, *Wildem. in Ann. Mus. Congo, Sér. IV. 40.*—Afr. trop.  
 exfoliatum, *Wildem. l. c. 41.*—Afr. trop.  
 pulchellum, *Harms, in Engl. Jahrb. xxx. 321.*—Afr. trop.  
 Verdickii, *Wildem. in Ann. Mus. Congo, Sér. IV. 39.*—Afr. trop.

**CRYPTOSPORA**, Kar. & Kir. (Crucif.).

- dentata, *Frey & Sint. ex Frey, in Bull. Herb. Boiss. Sér. II. iii. 693.*—As. cent.

**CRYPTOSTYLIS**, R. Br. (Orchid.).

- papuana, *Schlechter, in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 82.—N. Guin.

**CRYPTOTAENIOPSIS**, Dunn, in Hook. Ic. Pl. t. 2737 (1902). **UMBELLIFERAE**.

- asplenoides, *Boissieu, in Bull. Herb. Boiss. Sér. II. ii. 807.*—China.  
 botrychioides, *Dunn, in Journ. Linn. Soc. xxxv. 494.*—China.  
 cardiocarpa, *Dunn, l. c. 495* (= *Carum cardiocarpum*).—China.  
 Delavayi, *Dunn, l. c.* (= *Carum Delavayi*).—China.  
 filicina, *Boissieu, in Bull. Herb. Boiss. Sér. II. ii. 806* (= *Carum filicinum*).—China.  
 leptophylla, *Dunn, in Journ. Linn. Soc. xxxv. 495.*—China.  
 mollis, *Dunn, l. c. 496* (= *Carum molle*).—China.  
 Tanakae, *Boissieu, in Bull. Herb. Boiss. Sér. II. ii. 806* (= *Carum Tanakae*).—China.  
 trichomanifolia, *Boissieu, l. c.* (= *Carum trichomanifolium*).—China.  
 vulgaris, *Dunn, in Hook. Ic. Pl. t. 2737.*—As. or.

**CTENANTHE**, Eichl. (Scitamin.).

- dasycarpa, *K. Schum. in Engl. Pflanzenreich, Marant.* 153 (= *Calathea dasycarpa*).—Am. cent.  
 Oppenheimiana, *K. Schum. l. c.* (= *Calathea Oppenheimiana*).—Bras.

**CTENOPHYNIUM**, K. Schum. in Engl. Pflanzenreich, Marant. 68 (1902). **SCITAMINEAE**.

- unilaterale, *K. Schum. l. c. 69* (= *Phrynium unilaterale*).—Madag.

**CTENOPHYLLUM**, Rydb. in Bull. Torr. Bot. Club, 1905, 663. **LEGUMINOSAE**.

- pectinatum, *Rydb. l. c.* (= *Phaca pectinata*).—Am. bor.

**CUCUMIS**, Tourn. (Cucurb.).

- asper, *Cogn. in Wildem. & Th. Dur. in Bull. Herb. Boiss. Sér. II. i. 882.*—Afr. trop.

**CULCASIA**, Beauv. (Arac.).

- barombensis, *N. E. Br. in Dyer, Fl. Trop. Afr. viii. 177.*—Afr. trop.  
 gracilis, *N. E. Br. l. c.*—Afr. trop.  
 insulana, *N. E. Br. l. c. 175.*—Afr. trop.  
 lancifolia, *N. E. Br. l. c.*—Afr. trop.  
 liberica, *N. E. Br. in Journ. Linn. Soc. xxxvii. 115.*—Afr. trop.  
 longevaginata, *Engl. Pflanzenreich, Arac.-Poth. 297.*—Afr. trop.  
 parviflora, *N. E. Br. in Dyer, Fl. Trop. Afr. viii. 176.*—Afr. trop.  
 tubulifera, *Engl. Pflanzenreich, Arac.-Poth. 301.*—Afr. trop.

**CULCITIUM**, Humb. & Bonpl. (Compos.).

- Gilliesi, *Spag. Nov. Add. Fl. Patag. ii. (1902), repr. 3.*—Patag.  
 Panizae, *Duse, in Nuov. Giorn. Bot. Ital. Ser. II. xii. 285.*—N. Granat.

**CUMBIA**, Buch.-Ham. (Myrtac.).

- australis, *Britten, in Journ. Bot. 1901, 68* = *Barringtonia Carey*.

**CUPANIA**, Radlk. (Sapind.).

- largifolia, *Plumk. in Bull. Herb. Boiss. Sér. II. v. 327.*—Am. cent.

**CUPANIOPSIS**, Radlk. (Sapind.).

- stenopetala, *Radlk. in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 309.—N. Guin.

**CUPHEA**, P. Br. (Lythrac.).

- axilliflora, *Koehne, in Engl. Pflanzenreich, Lythrac.* 170.—Am. cent.  
 Bilimekii, *Koehne, l. c. 155.*—Mexic.  
 Bombonaeae, *Sprague, in Ann. Bot. xvii. 161.*—Am. trop.  
 brachyantha, *Koehne, in Engl. Pflanzenreich, Lythrac.* 132.—Bras.  
 Burchellii, *Koehne, l. c. 131.*—Bras.  
 Chodatiana, *Koehne, in Bull. Herb. Boiss. Sér. II. iii. 254, 343.*—Parag.  
 decipiens, *Koehne, in Engl. Pflanzenreich, Lythrac.* 130.—Bras.  
 delicatula, *T. S. Brandegee, in Zoe, v. 213* (1905).—Mexic.  
 Hassleri, *Koehne, in Bull. Herb. Boiss. Sér. II. ii. 401.*—Parag.  
 Humayana, *T. S. Brandegee, in Zoe, v. 214* (1905).—Mexic.  
 impexa, *Koehne, in Engl. Pflanzenreich, Lythrac.* 143.—Bras.  
 ovalifolia, *Koehne, in Bull. Herb. Boiss. Sér. II. ii. 401.*—Parag.  
 pauciflora, *Koehne, in Engl. Pflanzenreich, Lythrac.* 132.—Venez.  
 tarapotensis, *Sprague, in Ann. Bot. xvii. 160.*—Peruv.  
 urens, *Koehne, in Urb. Symb. Antill. iii. 329.*—Ind. occ.

**CUPRESSUS**, Tourn. (Conif.).

- pygmaea, *Sargent, in Coult. Bot. Gaz. xxxi. 239.*—Am. bor.

**CURATELLA**, Linn. (Dillen.).

- Glazioviana, *Gilg, in Bull. Soc. Bot. Fr. lii. Mém. III. 9, nomen.*—Bras.

**CURCULIGO**, Gaertn. (Amaryll.).

- megacarpa, *Ridley, in Journ. As. Soc. Straits*, xli. 33.—Penins. Mal.

**CURCUMA**, Linn. (Scitamin.).

- alismaticifolia, *Gagnep. in Bull. Soc. Bot. Fr. xlix. (1903) 259.*—Cochinch.  
 coerulea, *K. Schum, in Engl. Pflanzenreich, Zingib.* 106.—Burma.  
 gracillima, *Gagnep. in Bull. Soc. Bot. Fr. l. 161.*—Cochinch.  
 parvula, *Gage, in Rec. Bot. Surv. India, iii. 106.*—Burma.  
 Ranadei, *Prain, in Journ. Bombay Nat. Hist. Soc. xi. 463* (1898).—Ind. or.

**CURCUMA** :—

- sessilis, *Gage, in Rec. Bot. Surv. India, iii. 106.*—Burma.  
 sparganifolia, *Gagnep. in Bull. Soc. Bot. Fr. xlix. (1903) 260.*—Cambodia.  
 stenochila, *Gagnep. l. c. lii. 543.*—Cochinch.

**CURIMA**, O. F. Cook, in Bull. Torr. Bot. Club, 1901, 561. **PALMAE**.

- colophylla, *O. F. Cook, l. c.*—Ind. occ.  
 corallina, *O. F. Cook, l. c. 563* (= *Martinezia coralina*).—Ind. occ.

**CUSCUTA**, Tourn. (Convolv.).

- Anthemii, *A. Nelson, in Coult. Bot. Gaz. xxxvii. 277.*—Am. bor.  
 epitribulum, *Schinz, in Wildem. & Th. Dur. in Bull. Herb. Boiss. Sér. II. i. 880.*—Afr. trop.  
 Gerrardii, *Baker, in Dyer, Fl. Cap. iv. II. 84.*—Afr. austr.  
 glandulosa, *Small, Fl. S. E. U. S. 969.*—Am. bor.  
 gracilis, *Rydb. in Bull. Torr. Bot. Club, 1901, 501.*—Am. bor.  
 Hygrophilae, *H. H. W. Pearson, in Hook. Ic. Pl. t. 2704.*—Ind. or.  
 laxiflora, *Asnav. in Magyar Bot. Lap. iv. 137.*—Turcia.  
 Medicaginis, *C. H. Wright, in Dyer, Fl. Cap. iv. II. 86.*—Afr. austr.  
 megalocarpa, *Rydb. in Bull. Torr. Bot. Club, 1901, 501.*—Am. bor.  
 natalensis, *Baker, in Dyer, Fl. Cap. iv. II. 85.*—Afr. austr.

**CUSPARIA**, Humb. (Rutac.).

- acuminata, *Pilg. in Verh. Bot. Ver. Brand. xlvii. (1905) 154.*—Reg. Amaz.

**CUTHBERTIA**, Small, Fl. S. E. U. S. 237 (1903). **COMMELINACEAE**.

- graminea, *Small, l. c.*—Am. bor.  
 rosea, *Small, l. c.* (= *Tradescantia rosea*).—Am. bor.

**CUVIERA**, DC. (Rubiace.).

- aspera, *Sink. in Magyar Bot. Lap. iii. 86.*—Eur.  
 macroura, *K. Schum. in Engl. Jahrb. xxxiii. 352.*—Afr. trop.  
 plagiophylla, *K. Schum. l. c. 353.*—Afr. trop.

**CYANASTRUM**, Oliver (Haemodor.).

- Bussei, *Engl. Jahrb. xxxviii. 88.*—Afr. trop.  
 Verdickii, *Wildem. in Ann. Mus. Congo, Sér. IV. 5.*—Afr. trop.

**CYANELLA**, Linn. (Haemodor.).

- amboensis, *Schinz, in Bull. Herb. Boiss. Sér. II. ii. 943.*—Afr. austr. or.  
 Pentheri, *Zahlbr. in Ann. Nat. Hofmus. Wien, xv. 26.*—Afr. austr.

**CYANOSTEGIA**, Turcz. (Verben.).

- microphylla, *S. Moore, in Journ. Bot. 1903, 100.*—Austral.

**CYANOTIS**, D. Don (Commelin.).

- flexuosa, *C. B. Clarke, in Dyer, Fl. Trop. Afr. viii. 84.*—Afr. trop.

**CYATHOCALYX**, Cham. (Anonac.).

- globosus, *Merrill, in Philipp. Gov. Lab. Bur. Bull. xvii. 17.*—Ins. Philipp.

**CYATHOCHAETA**, Nees (Cyperac.).

- teretifolia, *Fitzger. in Proc. Linn. Soc. N. S. Wales, xxviii. 109.*—Austral.

**CYATHOGYNE**, Muell. Arg. (Euphorb.).

- Bussei, *Pax, in Engl. Jahrb. xxxiii. 280.*—Afr. trop.  
 spathulifolia, *Pax, l. c. 281.*—Afr. trop.

**CYATHULA**, Lour. (Amarant.).

- albida, *Lopr. in Malpighia, xiv. (1901) 446.*—Afr. trop.  
 Merkeri, *Gilg, in Notizbl. Bot. Gart. Berl. iii. 196, nomen; Engl. Jahrb. xxxvi. 207.*—Afr. trop.  
 spathulifolia, *Lopr. in Malpighia, xiv. (1901) 444.*—Afr. austr.

**CYBIANTHUS**, Mart. (Myrsin.).

- alpestris, *Mez, in Engl. Pflanzenreich, Myrsin. 224.*—Bras.  
 comatus, *Mez, l. c. 219.*—Guiana.  
 Cruereri, *Mez, in Urb. Symb. Antill. ii. 424.*—Ind. occ.  
 cuyabensis, *Mez, in Engl. Pflanzenreich, Myrsin. 221.*—Bras.

**CYBIANTHUS** :—

- cyclopetalus, *Mez, in Bull. Herb. Boiss. Sér. II. v. 533.*—Bras.  
 egensis, *Mez, in Engl. Pflanzenreich, Myrsin. 222.*—Reg. Amaz.  
 Fendleri, *Mez, l. c. 218.*—Venez.  
 Froelichii, *Mez, l. c. 225.*—Bras.  
 Glaziovii, *Mez, l. c. 227.*—Bras.  
 goyazensis, *Mez, l. c. 222.*—Bras.  
 gracillimus, *Mez, l. c. 224.*—Bras.  
 indecorus, *Mez, l. c. 226.*—Bras.  
 Klotzschii, *Mez, l. c. 218.*—Venez.  
 lagoensis, *Mez, l. c. 223.*—Bras.  
 Poeppigii, *Mez, l. c. 218.*—Peruv.  
 Regnellii, *Mez, l. c. 222.*—Bras.  
 resinosus, *Mez, l. c. 219.*—Peruv.  
 Schwackeanus, *Mez, l. c. 224.*—Bras.  
 Sellowianus, *Mez, l. c.*—Bras.  
 venezuelensis, *Mez, l. c. 221.*—Venez.

**CYCAS**, Linn. (Cycad.).

- Micholitzii, *Dyer, in Gard. Chron. 1905, II. 142.*—Cochinch.

**CYCLADENIA**, Benth. (Apocyn.).

- venusta, *Eastw. in Bull. Torr. Bot. Club, 1902, 77.*—Am. bor.

**CYCLAMEN**, Tourn. (Primul.).

- aedirhizum, *Ford. in Ford. & Fourr. Ic. Fl. Eur. iii. 21.*—Hab. ?  
 albidum, *Ford. l. c. 23.*—Hab. ?  
 albiflorum, *Ford. l. c. 20.*—Hab. ?  
 algeriense, *Ford. l. c. 22.*—Alger.  
 angulare, *Ford. l. c. 19.*—Reg. Caucas. ?  
 apiculatum, *Ford. l. c. 15.*—Hab. ?  
 breviflorum, *Ford. l. c. 18.*—Hab. ?  
 brevifrons, *Ford. l. c. 15.*—Hab. ?  
 cyclophyllum, *Ford. l. c. 18.*—Ital.  
 eucardium, *Ford. l. c. 16.*—Hab. ?  
 hiemale, *Hildebr. in Gartenfl. 1904, 70.*—As. Min.  
 holochlorum, *Ford. in Ford. & Fourr. Ic. Fl. Eur. iii. 19.*—Gallia.  
 ilicetorum, *Ford. l. c. 17.*—Gallia.  
 insulare, *Ford. l. c. 20.*—Corsica.  
 lilacinum, *Ford. l. c. 19.*—Ital.  
 lobospilum, *Ford. l. c. 17.*—Corsica.  
 pachybolbum, *Ford. l. c. 22.*—Alger.  
 pseud-ibericum, *Hildebr. in Beih. Bot. Centralbl. x. 532.*—Eur.  
 rarinaevum, *Ford. in Ford. & Fourr. Ic. Fl. Eur. iii. 17.*—Gallia.  
 repandum, *Auct. ex Knuth, in Engl. Pflanzenreich, Primul. 251.*—balearicum.  
 sabaudum, *Ford. in Ford. & Fourr. Ic. Fl. Eur. iii. 20.*—Gallia.  
 spectabile, *Ford. l. c. 16.*—Hab. ?  
 stenopetalum, *Ford. l. c.*—Graecia ?  
 subrotundum, *Ford. l. c. 21.*—Afr. bor.  
 tunetanum, *Ford. l. c. 23.*—Tunis.  
 umbratile, *Ford. l. c. 18.*—Ital.  
 velutinum, *Ford. l. c. 22.*—Hab. ?  
 venustum, *Ford. l. c. 21.*—Alger.  
 zonale, *Ford. l. c. 15.*—Hab. ?

**CYCLAMINOS**, Heldr. = **Cyclamen**, Tourn. (Primul.).

- Miliarakesii, *Heldr. ex Knuth, in Engl. Pflanzenreich, Primul. 254.* = *C. graecum*.

**CYCLEA**, Arn. (Menisperm.).

- polypetala, *Dunn, in Journ. Linn. Soc. xxxv. 485.*—China.

**CYCLODISCUS**, K. Schum. in Just, Jahresb. xxvii. i. (1901) 490, sphalm. = **Cylicodiscus**, Harms (Legum.).**CYCLOSPATHE**, O. F. Cook, in Mem. Torr. Bot. Club, xii. 25 (1902). **PALMAE**.

- Northropi, *O. F. Cook, l. c.*—Ind. occ.

**CYCLOSTEMON**, Blume (Euphorb.).

- bipindensis, *Pax, in Engl. Jahrb. xxxiii. 279.*—Afr. trop.  
 Bordenii, *Merrill, in Philipp. Gov. Lab. Bur. Bull. xvii. 26.*—Ins. Philipp.  
 Gilgians, *Pax, in Engl. Jahrb. xxxiii. 278.*—Afr. trop.  
 laciniatus, *Pax, l. c. 278.*—Afr. trop.  
 leonensis, *Pax, l. c. 280.*—Afr. trop.  
 major, *Pax, l. c. xxxiv. 369.*—Afr. trop.

**CYCLOSTEMON** :—

- microphyllus, *Merrill, in Philipp. Gov. Lab. Bur. Bull. xvii. 27.*—Ins. Philipp.  
 ugandensis, *Rendle, in Journ. Linn. Soc. xxxvii. 211.*—Afr. trop.  
 usambaricus, *Pax, in Engl. Jahrb. xxxiii. 279.*—Afr. trop.

**CYCNIOPSIS**, Engl. in Engl. Jahrb. xxxvi. (1905) 233. **SCROPHULARIACEAE**.

- humifusa, *Engl. l. c. (= Bromallia humifusa).*—Afr. trop.  
 minima, *Engl. l. c.*—Afr. trop.

**CYCNIMUM**, E. Mey. (Scrophul.).

- Albersii, *Engl. Jahrb. xxxvi. 231.*—Afr. trop.  
 asperillum, *Engl. l. c.*—Afr. trop.  
 Ellenbeckii, *Engl. l. c.*—Afr. trop.  
 fruticans, *Engl. l. c. 230.*—erectum.  
 hamatum, *Engl. & Gilg, in Warb. Kunene-Sambesi Exped. 368.*—Afr. trop.  
 Huttoniae, *Hiern, in Dyer, Fl. Cap. iv. II. 397.*—Afr. austr.  
 Questieauxianum, *Wildem. in Ann. Mus. Congo, Sér. IV. 124.*—Afr. trop.  
 rubriflorum, *Engl. Jahrb. xxx. 405.*—Afr. trop.  
 spicatum, *Engl. l. c. xxxvi. 232.*—Afr. trop.  
 Verdickii, *Wildem. in Ann. Mus. Congo, Sér. IV. 125.*—Afr. trop.

**CYDONIA**, Tourn. (Rosac.).

- chinensis, *Lindl. Bot. Reg. xi. (1825) t. 905.* = *sinensis*.  
 Sargentii, *Hort. Lemoine ex K. Schum. in Just, Jahresb. xxvii. I. 508.*—Japon.  
 sinensis, *Thouin, in Ann. Mus. Hist. Nat. Par. xix. (1812) 144.*—China.

**CYLICODISCUS**, Harms, in Engl. & Prantl, Pflanzenf. Nachtr. i. (1897) 192. **LEGUMINOSAE**.

- gabunensis, *Harms, l. c. (= Erythrophloeum gabunense).*—Afr. trop.

**CYLICOMORPHA**, Urb. in Engl. Jahrb. xxx. 115 (1901). **PASSIFLORACEAE**.

- parviflora, *Urb. l. c. 116.*—Afr. trop.  
 Solmsii, *Urb. l. c. 115.* (= *Jacaratia Solmsii*).—Afr. trop.

**CYLISTA**, Ait. (Legum.).

- Balfourii, *Vierh. in Oesterr. Bot. Zeitschr. 1904, 34.*—Socotra.  
 Schweinfurthii, *Wagn. & Vierh. ex Vierh. in Oesterr. Bot. Zeitschr. 1904, 33.*—Socotra.

**CYMBALARIELLA**, Nappi, in Bull. Ort. Bot. Napoli, i. (1908) 399. **SAXIFRAGACEAE**.

- arachnoidea, *Nappi, l. c. (= Saxifraga arachnoidea).*—Helvet.  
 baborensis, *Nappi, l. c. (= Saxifraga baborensis).*—Algeria.  
 hederacea, *Nappi, l. c. (= Saxifraga hederacea).*—Eur. austr.; As. Min.  
 hederæfolia, *Nappi, l. c. (= Saxifraga hederæfolia).*—Abyss.  
 Huetiana, *Nappi, l. c. (= Saxifraga Huetiana).*—Kurdistan.  
 mollis, *Nappi, l. c. (= Saxifraga mollis).*—Oriens.  
 paradoxa, *Nappi, l. c. (= Saxifraga paradoxa).*—Carinth.  
 parviflora, *Nappi, l. c. (= Saxifraga parviflora).*—Sicil.  
 pumila, *Nappi, l. c. (= Saxifraga pumila).*—Quid ?  
 reticulata, *Nappi, l. c. (= Saxifraga reticulata).*—Sibir.  
 scotophila, *Nappi, l. c. (= Saxifraga scotophila).*—Oriens.  
 sibirica, *Nappi, l. c. (= Saxifraga sibirica).*—As. bor.  
 Sibthorpii, *Nappi, l. c. (= Saxifraga Sibthorpii).*—Graecia.

**CYMBIDIUM**, Sw. (Orchid.).

- alborubens, *Makino, in Bot. Mag. Tokyo, xvi. 11.*—Japon.  
 atropurpureum, *Rolfe, in Orch. Rev. 1903, 190.*—Java.  
 erythrostylum, *Rolfe, in Gard. Chron. 1905, II. 427.*—Anam.  
 Hoosai, *Makino, in Bot. Mag. Tokyo, xvi. 27.*—Japon.  
 insigne, *Rolfe, in Gard. Chron. 1904, I. 387.*—Anam.  
 Kanran, *Makino, in Bot. Mag. Tokyo, xvi. 10.*—Japon.  
 Mackinnoni, *Duthie, in Journ. As. Soc. Beng. lxxi. 40.*—Ind. or.  
 pulcherrimum, *Hort. Sand. in Gard. Chron. 1891, II. 712.* = *Dayanum*.

**CYMBIDIUM** :—

- roseum, *J. F. Sm. Orchid. Java, 475.*—Java.  
 Sanderæ, *Hort. Sand. ex Rolfe, in Orch. Rev. 1904, 163.*—Parishii.  
 Sanderi, *Hort. Sand. in Gard. Chron. 1905, I. 115.* = *insigne*.  
 scabroserrulatum, *Makino, in Bot. Mag. Tokyo, xvi. 154.*—Japon.  
 Schroederi, *Rolfe, in Gard. Chron. 1905, I. 243.*—Anam.  
 Zaleskianum, *L. Linden, Lindenia, t. dclxxviii.*—Ind. or.

**CYMBOPETALUM**, Benth. (Anonac.).

- longipes, *Diels, in Verh. Bot. Ver. Brand. xlvii. (1905) 132.*—Peruv.

**CYMOPOGON**, Spreng. (Gramin.).

- [**ANDROPOGON**, Linn. I. K. DT. & H.]  
 stypticus, *Fritsch, in Bull. Herb. Boiss. Sér. II. i. 1099.* (= *Andropogon stypticus*).—Afr. trop.

**CYMODECEA**, Kon. (Naiad.).

- australis, *Trimen, Cat. Ceyl. Pl. 99.*—Zeylan.; Siam.

**CYNANCHUM**, Linn. (Asclep.).

- congolense, *Wildem. in Ann. Mus. Congo, Sér. V. i. 190.*—Afr. trop.  
 ecuadorensis, *Schlechter, in Engl. Jahrb. xxxiv. Beibl. lxxviii. 15.*—Ecuador.  
 Giraldii, *Schlechter, l. c. xxxvi. Beibl. lxxxii. 92.*—China.  
 inamoenum, *Loes. ex Gilg. & Loes. in Engl. Jahrb. xxxiv. Beibl. lxxv. 60.* (= *Vincetoxicum inamoenum*).—China.  
 Loheri, *Schlecht. in Perkins, Frag. Fl. Philipp. i. 120.*—Ins. Philipp.  
 Mannii, *N. E. Br. in Dyer, Fl. Trop. Afr. iv. I. 394.* (= *Vincetoxicum Mannii*).—Afr. trop.  
 physocarpum, *Schlecht. in Perkins, Frag. Fl. Philipp. i. 121.*—Ins. Philipp.  
 praecox, *Schlechter, ex S. Moore, in Journ. Bot. 1902, 256.*—Afr. trop.  
 Schlechterianum, *Wagn. in Perkins, Frag. Fl. Philipp. i. 121.*—Ins. Philipp.  
 somaliense, *N. E. Br. in Dyer, Fl. Trop. Afr. iv. I. 398.* (= *Schizostephanus somaliensis*).—Afr. trop.  
 validum, *N. E. Br. l. c. (= Schizostephanus alatus).*—Afr. trop.

**CYNOGLOSSUM**, Tourn. (Borag.).

- Austinae, *Eastw. in Bull. Torr. Bot. Club, 1905, 203.*—Calif.  
 boreale, *Fernald, in Rhodora, 1905, 250.*—Am. bor.  
 geometricum, *Baker & C. H. Wright, in Dyer, Fl. Trop. Afr. iv. II. 52.*—Afr. trop.  
 Mannii, *Baker & C. H. Wright, l. c.*—Afr. trop.  
 Pringlei, *Greenm. in Proc. Amer. Acad. xl. 30.*—Mexic.

**CYNOMETRA**, Linn. (Legum.).

- Alexandri, *C. H. Wright, in Johnston, Uganda Prot. i. 325.*—Afr. trop.  
 Cloisellii, *Drake, Hist. Pl. Madag. i. 75.*—Madag.  
 congensis, *Wildem. in Ann. Mus. Congo, Sér. V. i. 127.*—Afr. trop.  
 djumaensis, *Wildem. l. c. 128.*—Afr. trop.  
 Engleri, *Harms, in Engl. Jahrb. xxxviii. 77.*—Afr. trop.  
 Gilletii, *Wildem. in Ann. Mus. Congo, Sér. V. i. 128.*—Afr. trop.  
 Laurentii, *Wildem. Enum. Pl. Laurent, 96.*—Afr. trop.  
 Schlechteri, *Harms, in Engl. Jahrb. xxx. 77.*—Afr. trop.  
 Schumanniana, *Harms, in Notizbl. Bot. Gart. Berlin, iii. 186.*—N. Guin.  
 simplicifolia, *Harms, l. c. 187.*—Ins. Philipp.  
 Warburgii, *Harms, l. c.*—Ins. Philipp.

**CYNORCHIS**, Thou. (Orchid.).

- uncata, *Kraenzl. in Engl. Jahrb. xxxiii. 53.*—Afr. trop.  
 villosa, *Rolfe, ex Hook. f. in Bot. Mag. t. 7845.*—Madag.

**CYPELLA**, Herb. (Irid.).

- coriifolia, *Baker, in Bull. Herb. Boiss. Sér. II. iii. 1103.*—Parag.

**CYPERUS**, Mich. (Cyperac.).

- Ajax, *C. B. Clarke, in Dyer, Fl. Trop. Afr. viii. 343.*—Afr. trop.  
 aureobrunneus, *C. B. Clarke, l. c. 346.*—Afr. trop.  
 Bushii, *Britton, Man. Fl. N. U. S. 1044.*—Am. bor.  
 congensis, *C. B. Clarke, in Dyer, Fl. Trop. Afr. viii. 364.*—Afr. trop.

**CYPERUS:**—

- erectus*, Roxb. ex C. B. Clarke, in Journ. Linn. Soc. xxxvi. 205 = *Pycreus globosus*.  
*floridanus*, Britton, in *Small, Fl. S. E. U. S.* 170.—Am. bor.  
*grandibulbosus*, C. B. Clarke, in *Dyer, Fl. Trop. Afr.* viii. 353.—Afr. trop.  
*Heudelotii*, C. B. Clarke, l. c. 364.—Afr. trop.  
*incompressus*, C. B. Clarke, l. c. 348.—Afr. trop.  
*japonicus*, Makino, in *Bot. Mag. Tokyo*, 1904, 53.—Japan.  
*Kirkii*, C. B. Clarke, in *Dyer, Fl. Trop. Afr.* viii. 318.—Afr. trop.  
*Korshinskii*, Meinsh. in *Act. Hort. Petrop.* xviii. 235.—As. cent.  
*latispicatus*, Boeckl. ex C. B. Clarke, in Journ. Linn. Soc. xxxvi. 202 = *angulatus*.  
*lentiginosus*, Millsp. & Chase, in *Field Columb. Mus. Bot.* iii. 74.—Am. cent.  
*leptophyes*, C. B. Clarke, in *Engl. Jahrb. Beibl.* lxviii. 14.—Chili.  
*Litwinowi*, Meinsh. in *Act. Hort. Petrop.* xviii. 233.—Turkestan.  
*longispicatus*, Norton, in *Trans. Acad. Sci. St. Louis*, xii. 37.—Am. bor.  
*microbolbos*, C. B. Clarke, in *Dyer, Fl. Trop. Afr.* viii. 354.—Afr. trop.  
*Nashii*, Britton, in *Small, Fl. S. E. U. S.* 1321.—Am. bor.  
*nubicus*, C. B. Clarke, in *Dyer, Fl. Trop. Afr.* viii. 360.—Afr. trop.  
*Plankii*, Britton, in *Small, Fl. S. E. U. S.* 172.—Am. bor.  
*poecilus*, C. B. Clarke, in *Dyer, Fl. Trop. Afr.* viii. 323.—Afr. trop.  
*Pollardi*, Britton, in *Small, Fl. S. E. U. S.* 1321.—Am. bor.  
*pterygorrhachis*, Léveillé, in *Bull. Acad. Géogr. Bot.* xiv. (1904) 202.—Japan.  
*rubromarginatus*, Meinsh. in *Act. Hort. Petrop.* xviii. 236.—As. cent.  
*Schlechteri*, C. B. Clarke, in *Bull. Herb. Boiss. Sér. II.* iii. 663.—Afr. austr.  
*spiculosus*, F. N. Williams, in *Bull. Herb. Boiss. Sér. II.* iv. 224 = *monocephalus*, Baker.  
*subuniflorus*, Britton, in *Small, Fl. S. E. U. S.* 173.—Am. bor.  
*Volkensii*, K. Schum. ex C. B. Clarke, in *Dyer, Fl. Trop. Afr.* viii. 366 = *longus*.

**CYPHIA**, Berg (Campan.).

- Antunesii*, Engl. *Jahrb.* xxxii. 147.—Afr. trop.  
*erecta*, Wildem. in *Ann. Mus. Congo*, Sér. IV. 162.—Afr. trop.  
*scandens*, Wildem. l. c. 163.—Afr. trop.  
*ubenensis*, Engl. *Jahrb.* xxx. 419.—Afr. trop.

**CYPHOCARPA**, Lopr. (Amarant.).

- Petersii*, Lopr. in *Malpighia*, xiv. (1901) 439.—Afr. trop.  
*resedoides*, Lopr. l. c. 437.—Afr. austr.  
*Wilmsii*, Lopr. l. c. 438.—Afr. austr.

**CYPHOCHLAENA**, Hack. in Oesterr. Bot. Zeitschr.

- 1901, 465. GRAMINEAE.  
*madagascariensis*, Hack. l. c.—Madag.

**CYPHOLOPHUS**, Wedd. (Urtic.).

- Warburgianus*, Lauterb. in *K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 255.—N. Guin.

**CYPHOSTIGMA**, Benth. (Scitam.).

- Curtisii*, K. Schum. in *Engl. Pflanzenreich*, Zingib. 272 (= *Elettariopsis Curtisii*).—Penins. Mal.  
*diphyllum*, K. Schum. l. c. 272.—Borneo.  
*latiflorum*, K. Schum. l. c. 274 (= *Elettariopsis latiflora*).—Penins. Mal.  
*longitubum*, K. Schum. l. c. (= *Elettariopsis longituba*).—Penins. Mal.  
*pedicellatum*, K. Schum. l. c. 271.—Zeylan.  
*pubescens*, K. Schum. l. c. 274 (= *Elettariopsis pubescens*).—Penins. Mal.  
*Schmidtii*, K. Schum. l. c. (= *Elettariopsis Schmidtii*).—Siam.  
*serpentinum*, K. Schum. l. c. 272 (= *Elettariopsis serpentina*).—Penins. Mal.

**CYPRIPEDIUM**, Linn. (Orchid.).

- Boccardianum*, Cogn. in *Chron. Orchid.* i. 401.—Hybr.  
*glaucophyllum*, Mast. in *Gard. Chron.* 1903, ii. 405 (= *Paphiopedilum glaucophyllum*).—Java.

**CYPRIPEDIUM:**—

- Gratrixianum*, Hort. ex Mast. in *Gard. Chron.* 1905, i. 76.—Cochinch.  
*Haywoodianum*, Hort. l. c. 1905, i. 195.—Hybr.  
*Memoria-Fournieri*, Cogn. *Dict. Ic. Orch. Cypr. Hybr.* t. 60.—Hybr.  
*veganum*, Cockerell & Barker, in *Proc. Biol. Soc. Washington*, xiv. 178.—Am. bor.

**CYRILLA**, Garden (Cyrill.).

- brevifolia*, N. E. Br. in *Trans. Linn. Soc. Ser. II.* vi. 22.—Guiana.

**CYRTANDRA**, Forst. (Gesner.).

- axillantha*, K. Schum. in *K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 380.—N. Guin.  
*Brownii*, K. Schum. l. c. 376.—N. Guin.  
*ceratocalyx*, K. Schum. l. c. 383.—N. Guin.  
*chrysalastrum*, K. Schum. l. c. 384.—N. Guin.  
*exserta*, K. Schum. l. c. 382.—N. Guin.  
*floribunda*, K. Schum. l. c. 377.—N. Guin.  
*fusco-vellea*, K. Schum. l. c. 379.—N. Guin.  
*lasiantha*, K. Schum. l. c.—N. Guin.  
*monticola*, K. Schum. l. c. 381.—N. Guin.  
*oreogiton*, K. Schum. l. c.—N. Guin.  
*pilosula*, K. Schum. l. c. 378.—N. Guin.  
*polycarpa*, K. Schum. l. c. 377.—N. Guin.  
*rarotongensis*, Cheesem. in *Trans. Linn. Soc. Ser. II.* Bot. vi. 290.—Ins. Cook.  
*sphaerocalyx*, K. Schum. in *K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 383.—N. Guin.  
*trachycaulis*, K. Schum. l. c. 380.—N. Guin.

**CYRTANTHUS**, Ait. (Amaryll.).

- inaequalis*, O'Brien, in *Gard. Chron.* 1905, i. 261.—Afr. austr.

**CYRTOPERA**, Lindl. = **Eulophia**, R. Br. (Orchid.).

- Stolziana*, Kraenzl. in *Engl. Jahrb.* xxxiii. 69.—Afr. trop.

**CYRTOPODIUM**, R. Br. (Orchid.).

- lineatum*, Barb. Rodr. in *Contrib. Jard. Bot. Rio de Janeiro*, i. 52.—Bras.

**CYRTORHYNCHA**, Nutt. = **Ranunculus**, Tourn.

- (*Ranunc.*).  
*rupestris*, Greene, Pl. Baker. iii. 3.—Am. bor.

**CYRTOSTACHYS**, Blume (Palm.).

- Loriae*, Becc. in *Martelli, Webbia*, 303.—N. Guin.

**CYSTIUM**, Stev. = **Astragalus**, Tourn. (Legum.).

- diphysum*, Rydb. in *Bull. Torr. Bot. Club*, 1905, 659 = *A. diphysum*.  
*ineptum*, Rydb. l. c. = *A. lentiginosus*.

**CYSTOPUS**, Blume = **Odontochilus**, Blume (Orchid.).

- muricatus*, J. J. Sm. *Orch. Ambon.* 13.—Ins. Ambon.

**CYTHEREA**, Salisb. = **Calypso**, Salisb. (Orchid.).

- bulbosa*, House, in *Bull. Torr. Bot. Club*, 1905, 382 = *Calypso borealis*.

**CYTISUS**, Linn. (Legum.).

- Beanii*, Nichols. in *Kew Hand-List Trees & Shrubs*, ed. II. 173.—Hybr.  
*Georgievi*, Davidoff, in *Oesterr. Bot. Zeitschr.* 1902, 493.—Eur.  
*kewensis*, Bean, in *Kew Hand-List Trees & Shrubs*, ed. II. 177.—Hybr.  
*Kovacevi*, Velen. in *Sitz. Böhm. Ges. Wiss.* 1903, no. 28, 3.—Bulgar.  
*Nejceffii*, Urum. ex Velen. l. c. no. 28, 2.—Bulgar.  
*pseudopygmaeus*, Davidoff, in *Oesterr. Bot. Zeitschr.* 1902, 492.—Eur.

## D

**DACRYDIUM**, Soland. (Conif.).

- biforme*, Pilg. in *Engl. Pflanzenreich, Taxac.* 45 (= *Podocarpus biformis*).—N. Zel.  
*falciforme*, Pilg. l. c. (= *Podocarpus falciformis*).—Borneo.

**DACTYLIS**, Linn. (Gramin.).

- lobata*, Ostenfeld, in *Bot. Tidsskr.* xxiv. 394.—Eur.

**DACTYLOCTENIUM**, Willd. = **Eleusine**, Gaertn.

- (Gramin.).  
*Hackelii*, Wagn. & Vierh. ex Vierh. in *Oesterr. Bot. Zeitschr.* 1903, 434.—Socotra.

**DAEDALACANTHUS**, T. Anders. (Acanth.).

- parvus*, C. B. Clarke, in *Kew Hand-List Dicot.* 225 = *Wattii*.  
*Wattii*, Beddome, in *Gard. Mag.* 1901, 644.—Ind. or.

**DAEMIA**, R. Br. (Asclep.).

- caudata*, Vierh. in *Oesterr. Bot. Zeitschr.* 1905, 90.—Socotra.

**DAEMONOROPS**, Blume (Palm.).

- acantholobus*, Becc. in *Rec. Bot. Surv. Ind.* ii. 228.—Borneo.  
*annulatus*, Becc. l. c. 227.—Borneo.  
*collariferus*, Becc. l. c.—Borneo.  
*cristatus*, Becc. *Nelle Foreste di Borneo*, 608.—Borneo.  
*dissitophyllus*, Becc. l. c.—Borneo.  
*diversispinus*, Becc. in *Rec. Bot. Surv. Ind.* ii. 229.—Borneo.  
*Draconcellus*, Becc. *Nelle Foreste di Borneo*, 608.—Borneo.  
*erinaceus*, Becc. in *Rec. Bot. Surv. Ind.* ii. 225.—Borneo.  
*Forbesii*, Becc. l. c. 227.—Sumatra.  
*formicarius*, Becc. *Nelle Foreste di Borneo*, 608.—Borneo.  
*imbellis*, Becc. in *Rec. Bot. Surv. Ind.* ii. 220.—Penins. Mal.  
*intumescens*, Becc. l. c. 222.—Penins. Mal.  
*lamprolepis*, Becc. l. c. 223.—Celebes.  
*longispathus*, Becc. l. c. 230.—Borneo.  
*mattanensis*, Becc. *Nelle Foreste di Borneo*, 608.—Borneo.  
*microstachys*, Becc. in *Rec. Bot. Surv. Ind.* ii. 225.—Borneo.  
*microthamnus*, Becc. l. c. 221.—Penins. Mal.  
*Motleyi*, Becc. l. c. 224.—Borneo.  
*ochrolepis*, Becc. in *Perkins, Frag. Fl. Philipp.* 47.—Ins. Philipp.  
*oxycarpus*, Becc. *Nelle Foreste di Borneo*, 607.—Borneo.  
*Pierreanus*, Becc. in *Rec. Bot. Surv. Ind.* ii. 220.—Cochinch.  
*pseudomirabilis*, Becc. l. c. 226.—Sumatra.  
*ruptilis*, Becc. l. c. 230.—Borneo.  
*scapigerus*, Becc. l. c. 228.—Borneo.  
*singalanus*, Becc. l. c. 219.—Sumatra.  
*sparsiflorus*, Becc. l. c. 224.—Borneo.  
*stenophyllus*, Becc. l. c. 220.—Sumatra.  
*ursinus*, Becc. l. c. 222.—Borneo.  
*virescens*, Becc. in *Perkins, Frag. Fl. Philipp.* 47.—Ins. Philipp.

**DAHLIA**, Cav. (Compos.).

- Chisholmi*, Rose, in *Proc. U. S. Nat. Mus.* xxix. (1905) 439.—Mexic.

**DAHLSTEDTIA**, Malme, in *Arkiv Bot. Stockh.* iv.

- no. 9 (1905) 1. LEGUMINOSAE.  
*pinnata*, Malme, l. c. 4 (= *Camptosema pinnatum*).—Bras.

**DALBERGIA**, Linn. f. (Legum.).

- aestivalis*, Pierre, ex Prain, in *Ann. Bot. Gard. Calc.* x. 107.—Cochinch.  
*Albertisii*, Prain, in *Journ. As. Soc. Beng.* lxx. 62.—N. Guin.  
*anomala*, Pierre, ex Prain, in *Ann. Bot. Gard. Calc.* x. 87 = *paniculata*.  
*Balansae*, Prain, in *Journ. As. Soc. Beng.* lxx. 54.—As. or. austr.  
*bariensis*, Pierre, ex Prain, in *Ann. Bot. Gard. Calc.* x. 96.—Cochinch.  
*Beccarii*, Prain, in *Journ. As. Soc. Beng.* lxx. 64.—Borneo.  
*boinensis*, Fumelle, in *Comp. Rend. Acad. Sci. Par.* cxl. 452.—Madag.  
*Bojeri*, Drake, *Hist. Pl. Madag.* i. 177.—Madag.  
*borneensis*, Prain, in *Journ. As. Soc. Beng.* lxx. 44.—Borneo.  
*cambodiana*, Pierre, ex Prain, in *Ann. Bot. Gard. Calc.* x. 79.—Cochinch.  
*Campanoni*, Drake, *Hist. Pl. Madag.* i. 181.—Madag.  
*canadanensis*, Prain, in *Journ. As. Soc. Beng.* lxx. 49 (= *Cassia canadensis*).—As. or.; Australas.  
*Cloisellii*, Drake, *Hist. Pl. Madag.* i. 177.—Madag.  
*coromandeliana*, Prain, in *Journ. As. Soc. Beng.* lxx. 60.—Ind. or.



**DALBERGIA:**—

- Curtisii, *Prain, in Journ. As. Soc. Beng.* lxx. 58.—Malaya.  
 dongnaiensis, *Pierre, ex Prain, in Ann. Bot. Gard. Calc.* x. 97.—Cochinch.  
 Duperreana, *Pierre, ex Prain, l. c.*—Cochinch.  
 Dyeriana, *Prain, in Journ. As. Soc. Beng.* lxx. 44.—China.  
 entadioides, *Pierre, ex Prain, in Ann. Bot. Gard. Calc.* x. 54, 107.—Cochinch.  
 eurybothrya, *Drake, Hist. Pl. Madag.* i. 180.—Madag.  
 falcata, *Prain, in Journ. As. Soc. Beng.* lxx. 65.—Borneo.  
 florifera, *Wildem. in Ann. Mus. Congo, Sér. V. i.* 146.—Afr. trop.  
 Forbesii, *Prain, in Journ. As. Soc. Beng.* lxx. 61.—Malaya.  
 fusca, *Pierre, ex Prain, in Ann. Bot. Gard. Calc.* x. 56.—As. or. austr.  
 Gentilii, *Wildem. in Ann. Mus. Congo, Sér. V. i.* 147.—Afr. trop.  
 glaucescens, *Wildem, l. c.*—Afr. trop.  
 Godefroyi, *Prain, in Journ. As. Soc. Beng.* lxx. 63.—Siam.  
 Harmsiana, *Wildem. in Ann. Mus. Congo, Sér. IV.* 194.—Afr. trop.  
 Havilandii, *Prain, in Journ. As. Soc. Beng.* lxx. 45.—Borneo.  
 Henryana, *Prain, l. c.* 46.—China.  
 Heudelotii, *Stapf, in Journ. Linn. Soc.* xxxvii. 95.—Afr. trop.  
 Hoseana, *Prain, in Ann. Bot. Gard. Calc.* x. 67.—Borneo.  
 isangiensis, *Wildem. Enum. Pl. Laurent, 116.*—Afr. trop.  
 Jaherii, *Buerck, ex Prain, in Journ. As. Soc. Beng.* lxx. 47.—Ins. Mal.  
 kisanuensis, *Wildem. & Th. Dur. in Bull. Herb. Boiss. Sér. II. i.* 748.—Afr. trop.  
 Laurentii, *Wildem. Enum. Pl. Laurent, 116.*—Afr. trop.  
 malabarica, *Prain, in Journ. As. Soc. Beng.* lxx. 48.—Ind. or.  
 mammosa, *Pierre, ex Prain, in Ann. Bot. Gard. Calc.* x. 96.—Cochinch.  
 medicinalis, *Wildem. in Ann. Mus. Congo, Sér. IV.* 194.—Afr. trop.  
 megalocarpa, *Harms, in Engl. Jahrb.* xxxiii. 171.—Afr. trop.  
 Micheliana, *Wildem. in Ann. Mus. Congo, Sér. V. i.* 148.—Afr. trop.  
 Mimosella, *Prain, in Ann. Bot. Gard. Calc.* x. 42. (= *Amerimnon Mimosella*).—Ins. Philipp.  
 obtusifolia, *Prain, in Journ. As. Soc. Beng.* lxx. 42.—Burma; China.  
 parciflora, *Benth. Pl. Jungh. i.* 255 = *parviflora*.  
 Pierreana, *Prain, in Ann. Bot. Gard. Calc.* x. 72.—Cochinch.  
 Perrieri, *Drake, Hist. Pl. Madag.* i. 186 (1902).—Madag.  
 Perrieri, *Fumelle, in Compt. Rend. Acad. Sci. Par. cxl.* (1905) 453.—Madag.  
 pinnata, *Prain, in Ann. Bot. Gard. Calc.* x. 48 (= *Derris pinnata*).—Cochinch.  
 polyadelphia, *Prain, l. c.* 84.—China.  
 Poolii, *Baker, ex Drake, Hist. Pl. Madag.* i. 177.—Madag.  
 sacerdotum, *Prain, in Journ. As. Soc. Beng.* lxx. 42.—China.  
 saigonensis, *Pierre, ex Prain, in Ann. Bot. Gard. Calc.* x. 88, 108.—Cochinch.  
 sambesiaca, *Schinz, in Bull. Herb. Boiss. Sér. II. ii.* 998.—Afr. trop.  
 stenophylla, *Prain, in Journ. As. Soc. Beng.* lxx. 56.—China.  
 stercoracea, *Maing. ex Prain, in Journ. As. Soc. Beng.* lxx. 58.—Malaya.  
 szemaensis, *Prain, in Ann. Bot. Gard. Calc.* x. 91.—China.  
 tonkinensis, *Prain, in Journ. As. Soc. Beng.* lxx. 42.—As. or. austr.  
 tricolor, *Drake, Hist. Pl. Madag.* i. 184.—Madag.  
 ugandensis, *Baker f. in Journ. Linn. Soc.* xxxvii. 147.—Afr. trop.

**DALEA**, Linn. (Legum.).

- arizonica, *K. Schum. in Fast's Jahresb.* xxvii. i. 493 (= *Parosela arizonica*).—Am. bor.  
 erythrorhiza, *Greenm. in Zoe, v.* 185 (1904).—Mexic.  
 glandulosa, *Merrill, in Philipp. Gov. Lab. Bur. Bull.* xxvii. 37.—Ins. Philipp.

VOL. IV.

**DALEA:**—

- Hofstenii, *R. Fries, in Nov. Act. Soc. Sci. Upsal. Ser. IV. i. no. 1.* 132.—Reg. Argent.  
 minor, *T. S. Brandege, in Zoe, v.* 201 (1905) (= *Parosela minor*).—Mexic.  
 Saundersii, *Parish, in Bull. S. Calif. Acad.* ii. 83.—Calif.

**DALECHAMPIA**, Plum. (Euphorb.).

- guaranitica, *Chod. & Hassl. in Bull. Herb. Boiss. Sér. II. v.* 608.—Parag.  
 Hassleriana, *Chod. l. c.* 609.—Parag.  
 Passiflora, *Chod. & Hassl. l. c.*—Parag.  
 ulmifolia, *Chod. & Hassl. l. c.* 608.—Parag.

**DALUCUM**, Adans. = **Melica**, Linn. (Gramin.).

- Bauhini, *Bub. Fl. Pyren. iv.* 351 = *M. Bauhini*.  
 ciliatum, *Bub. l. c.* 350 = *M. ciliata*.  
 Lobelianum, *Bub. l. c.* 353 = *M. uniflora*.  
 majus, *Bub. l. c.* 352 = *M. minuta*.  
 nutans, *Bub. l. c.* = *M. nutans*.  
 ramosum, *Bub. l. c.* 351 = *M. minuta*.

**DAMPIERA**, R. Br. (Gooden.).

- Dielsii, *E. Pritz. in Engl. Jahrb.* xxxv. 581.—Austral.  
 dura, *E. Pritz. l. c.* 579.—Austral.  
 humilis, *E. Pritz. l. c.* 582.—Austral.  
 Mooreana, *E. Pritz. l. c.* 579.—Austral.  
 plumosa, *S. Moore, in Journ. Bot.* 1903, 99.—Austral.  
 restiacea, *E. Pritz. in Engl. Jahrb.* xxxv. 580.—Austral.  
 stenostachya, *E. Pritz. l. c.* 577.—Austral.  
 tenuicaulis, *E. Pritz. l. c.* 580.—Austral.

**DANAIS**, Comm. (Rubiace.).

- Chapelieri, *Drake, Hist. Pl. Madag. Atlas, t.* 451 A.—Madag.

**DANTHONIA**, DC. (Gramin.).

- americana, *Scribn. in U. S. Dept. Agric. Circ. Agrost.* xxx. 5.—Am. bor.  
 breviseta, *Hack. in Oesterr. Bot. Zeitschr.* 1902, 192.—Bras.  
 epilis, *Scribn. in U. S. Dept. Agric. Circ. Agrost.* xxx. 7.—Am. bor.  
 macrophylla, *Hack. in Oesterr. Bot. Zeitschr.* 1902, 192.—Bras.  
 planifolia, *Petrie, in Trans. & Proc. N. Zeal. Inst.* xxxiii. 328.—N. Zel.  
 thermalis, *Scribn. in U. S. Dept. Agric. Circ. Agrost.* xxx. 5.—Am. bor.

**DAPHNANDRA**, Benth. (Monimiac.).

- tenuipes, *Perkins, in Engl. Pflanzenreich, Monim.* 75.—Austral.

**DAPHNE**, Tourn. (Thymel.).

- Dauphni, *Hort. ex Rambault, in Le Jardin, xvii.* 73.—Hybr.

**DAPHNOPSIS**, Mart. & Zucc. (Thymel.).

- Helleriana, *Urb. Symb. Antill.* ii. 453.—Ind. occ.

**DARWINIA**, Rudge (Myrtac.).

- acerosa, *Fitzg. in Journ. W. Austral. Nat. Hist. Soc.* i. 17.—Austral.

**DASISTOMA**, Rafn. = **Gerardia**, Linn. (Scrophul.).

- brachycarpa, *Small, in Bull. Torr. Bot. Club, 1901,* 452.—Am. bor.  
 calycosa, *Mackenzie & Bush, in Rep. Miss. Bot. Gard.* 1905, 105.—Am. bor.  
 dispersa, *Small, in Bull. Torr. Bot. Club, 1901,* 452.—Am. bor.  
 serrata, *Small, l. c.* 451; et in *Britton, Man. Fl. N. U.* S. 836 = *G. serrata*.  
 virginica, *Britton, in Mem. Torr. Bot. Club, v.* (1894) 295 = *G. quercifolia, Benth.*

**DASOURATEA**, Van Tiegh. in Bull. Mus. Hist. Nat. Par.

- viii. (1902) 545 = **Ouratea**, Aubl. (Ochnac.).  
 Balansae, *Van Tiegh. in Ann. Sci. Nat. Par. Sér. VIII.* xvi. 240 (1902) = *O. Hassleriana*.  
 Hassleriana, *Van Tiegh. l. c.* 241 = *O. Hassleriana*.

**DASYCOLEUM**, Turcz. (Meliac.).

- Sayeri, *C. DC. in Bull. Herb. Boiss. Sér. II. iii.* 170.—N. Guin.

**DASYSTACHYS**, Baker (Liliac.).

- senegalensis, *Baker, in Bull. Herb. Boiss. Sér. II. i.* 782.—Afr. trop.  
 Verdickii, *Wildem. in Ann. Mus. Congo, Sér. IV.* 10.—Afr. trop.

**DASYSTEPHANA**, Adans. = **Gentiana**, Tourn.

- (Gentian.).  
 Andrewsii, *Small, Fl. S. E. U. S.* 930 = *G. Andrewsii*.  
 decora, *Small, l. c.* = *G. decora*.  
 latifolia, *Small, l. c.*—Am. bor.  
 parvifolia, *Small, l. c.*—Am. bor.  
 Porphyrio, *Small, l. c.* 931 = *G. Porphyrio*.  
 puberula, *Small, l. c.* 930 = *G. puberula*.  
 Saponaria, *Small, l. c.* = *G. Saponaria*.  
 villosa, *Small, l. c.* 931 = *G. villosa*.

**DAUCUS**, Tourn. (Umbell.).

- brevicauleatus, *Calest. in Martelli, Webbia, 261.*—Ital.  
 Martellii, *Gand. ex Calest. l. c.* 263.—Ital.

**DAVIESIA**, Sm. (Legum.).

- Dielsii, *E. Pritz. in Engl. Jahrb.* xxxv. 249.—Austral.

**DAVILLA**, Vand. (Dillen.).

- cearensis, *Huber, in Bull. Herb. Boiss. Sér. II. i.* 312.—Bras.  
 goyazensis, *Glaz. in Bull. Soc. Bot. Fr. lii. Mém. III.* 9, nomen.—Bras.  
 pseudo-rugosa, *Glaz. l. c.* 8, nomen.—Bras.  
 suaveolens, *Glaz. l. c.*—Bras.

**DECASPERMUM**, Forst. (Myrtac.).

- nitidum, *Lauterb. in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee, 325.*—N. Guin.

**DEGUELIA**, Aubl. = **Derris**, Lour. (Legum.).

- Grevei, *Drake, Hist. Pl. Madag.* i. 189.—Madag.  
 microphylla, *Valet. in Ic. Bogor. t.* 129 = *D. dalbergioides*.

**DEHAASIA**, Blume (Laurac.).

- acuminata, *Koord. & Valet. in Meded. 'S. Lands Plantent. lxxviii.* 207.—Java.  
 pugerensis, *Koord. & Valet. l. c.* 204.—Java.

**DEHERAINIA**, Decne. (Myrsin.).

- cubensis, *Mez, in Urb. Symb. Antill.* ii. 437 (= *Theophrasta cubensis*).—Ind. occ.

**DEIANIRA**, Cham. & Schlecht. (Gentian.).

- cordifolia, *Malme, in Arkiv Bot. Stockh.* iii. no. 12, 15.—Bras.

**DEINANDRA**, Greene = **Hemizonia**, DC. (Compos.).

- simplex, *Elmer, in Coult. Bot. Gaz.* xxxix. 48.—Calif.

**DEINBOLLIA**, Schum. & Thonn. (Sapind.).

- fulvo-tomentella, *Baker f. in Journ. Linn. Soc.* xxxvii. 137.—Afr. trop.  
 Laurentii, *Wildem. Enum. Pl. Laurent, 145.*—Afr. trop.  
 polypus, *Stapf, in Journ. Linn. Soc.* xxxvii. 91.—Afr. trop.

**DEKINDTIA**, Gilg, in Engl. Jahrb. xxxii. 139 (1902).**OLEACEAE.**

- africana, *Gilg, l. c.*—Afr. trop.

**DELPHINIUM**, Tourn. (Ranunc.).

- batangense, *Finet & Gagnep. in Bull. Soc. Bot. Fr. li.* 478.—China.  
 Blaisdellii, *Eastw. in Coult. Bot. Gaz.* xxxiii. 142.—Am. bor.  
 Brownii, *Rydb. in Bull. Torr. Bot. Club, 1902,* 148.—Am. bor.  
 Cavaleriense, *Léveillé & Vaniot, in Bull. Acad. Géog. Bot. xi.* (1902) 49.—China.  
 Cerefolium, *Léveillé & Vaniot, l. c.* 49.—China.  
 Chilliaceae, *Greene, in Ottawa Natural.* xvi. 36.—Am. bor.  
 chrysotrichum, *Finet & Gagnep. in Bull. Soc. Bot. Fr. li.* 488 (*errore chrysotrichum*).—China.  
 commutatum, *Jord. in Jord. & Fourr. Ic. Fl. Eur.* ii. 36.—Eur.  
 Cuyamaca, *Abrams, in Bull. Torr. Bot. Club, 1905,* 538.—Calif.  
 diversicolor, *Rydb. in Bull. Torr. Bot. Club, 1902,* 149.—Am. bor.  
 dumetorum, *Greene, Pl. Baker. 4.*—Am. bor.  
 elongatum, *Rydb. in Bull. Torr. Bot. Club, 1902,* 148.—Am. bor.  
 floribundum, *Freyn & Sint. ex Freyn in Bull. Herb. Boiss. Sér. II. iii.* 561.—As. cent.  
 Gilgianum, *Pilg. ex Gilg & Loes. in Engl. Jahrb.* xxxiv. Beibl. lxxv. 33.—China.  
 Giraldii, *Diels, in Engl. Jahrb.* xxxvi. Beibl. lxxxii. 39.—China.

I



**DELPHINIUM:**—

- Goetzeanum, *Engl. Jahrb.* xxx. 308.—Afr. trop.  
 Greenei, *Eastw. in Bull. Torr. Bot. Club*, 1901, 674.—  
 Am. bor.  
 luporum, *Greene, Leaflets Bot. Obs.* i. 76.—Calif.  
 luteum, *A. A. Heller, in Bull. S. Calif. Acad.* ii. 68.—  
 Calif.  
 Mariae, *Busch, in Trav. Soc. Nat. Pétersb. Bot.* xxxiii.  
 (1903) (*Fl. Cauc. Crit.* iii. III. 230).—Reg. Caucas.  
 micropetalum, *Finet & Gagnep. in Bull. Soc. Bot. Fr.*  
 li. 479.—China.  
 multiflorum, *Rydb. in Bull. Torr. Bot. Club*, 1902, 147.  
 —Am. bor.  
 Nortonianum, *Mackenzie & Bush, in Trans. Acad. St.*  
*Louis*, xii. 82.—Am. bor.  
 pallidiflorum, *Frey, in Bull. Herb. Boiss. Sér. II.* i.  
 254.—Oriens.  
 pellucidum, *Busch, in Bull. Jard. Bot. Pétersb.* v. 134.  
 —Tibet.  
 polycladon, *Eastw. in Bull. Torr. Bot. Club*, 1901, 669.  
 —Am. bor.  
 pratense, *Eastw. l. c.*—Am. bor.  
 Quercetorum, *Greene, Pl. Baker.* 4.—Am. bor.  
 ramosum, *Rydb. in Bull. Torr. Bot. Club*, 1901, 276.—  
 Am. bor.  
 Robertianum, *Léveillé & Vaniot, in Bull. Acad. Géog.*  
*Bot.* xi. (1902) 49.—China.  
 robustum, *Rydb. in Bull. Torr. Bot. Club*, 1901, 276.  
 —Am. bor.  
 roseum, *A. A. Heller, Muhlenbergia*, ii. 35.—Calif.  
 subnudum, *Eastw. in Bull. Torr. Bot. Club*, 1901, 670.  
 —Am. bor.  
 thibeticum, *Finet & Gagnep. in Bull. Soc. Bot. Fr.* li.  
 489.—China.  
 trifoliolatum, *Finet & Gagnep. l. c.* 481.—China.

DELPHINOELLA, *Speg. in Anal. Mus. Buenos Aires*, vii.  
 (1902) 227 = *Delpinophytum*, *Speg. (Crucif.)*.  
*patagonica*, *Speg. l. c.* = *Delpinophytum patagonicum*.

**DELPINOPHYTUM**, *Speg. in Anal. Mus. Buenos*  
*Aires*, ix. (1903) 9. **CRUCIFERAE**.  
*patagonicum*, *Speg. l. c.*—Patag.

**DENDRIUM**, *Desv. = Leiophyllum*, *Hedw. f. (Ericac.)*.  
*Huger, Small, in Bull. Torr. Bot. Club*, 1901, 360.—  
 Am. bor.  
*prostratum*, *Small, Fl. S. E. U. S.* 882 = *L. buxifolium*.

**DENDROBIUM**, *Sw. (Orchid.)*.

- acuminatum, *Rolfe, in Ames, Orchid.* i. 86.—Ins.  
 Philipp.  
 aemulans, *Schlechter, in K. Schum. & Lauterb. Nachtr.*  
*Fl. Deutsch. Südsee*, 176.—N. Guin.  
 Andersonianum, *F. M. Bailey, in Queensl. Agric. Journ.*  
 ix. 412.—N. Guin.  
 angraecifolium, *Schlechter, in K. Schum. & Lauterb.*  
*Nachtr. Fl. Deutsch. Südsee*, 169.—N. Guin.  
 angustipetalum, *J. J. Sm. Orch. Ambon*, 59.—Ins.  
 Ambon.  
 Annae, *J. J. Sm. Orchid. Java*, 354.—Sumatra; Java?  
 arcuatum, *J. J. Sm. l. c.* 357.—Java.  
 Atavus, *J. J. Sm. l. c.* 353.—Java.  
 atrorubens, *Schlechter, in K. Schum. & Lauterb.*  
*Nachtr. Fl. Deutsch. Südsee*, 150.—N. Guin.  
 bellatulum, *Rolfe, in Journ. Linn. Soc. xxxvi.* 10.—  
 China.  
 bifidum, *Ridley, in Journ. As. Soc. Straits*, xxxix. 73.  
 —Penins. Mal.  
 biloculare, *J. J. Sm. in Rec. Trav. Bot. Néerl.* i. 148.  
 —N. Guin.  
 bismarckense, *Schlechter, in K. Schum. & Lauterb.*  
*Nachtr. Fl. Deutsch. Südsee*, 167.—N. Guin.  
 borneense, *Finet, in Bull. Soc. Bot. Fr.* i. 373.—  
 Borneo.  
 brevicolle, *J. J. Sm. in Ic. Bogor.* t. 115 B.—Hab.?  
 Calicopsis, *Ridley, in Journ. As. Soc. Straits*, xxxix.  
 72.—Penins. Mal.  
 capituliflorum, *Rolfe, in Kew Bull.* 1901, 146.—  
 N. Guin.  
 chamaephytum, *Schlechter, in K. Schum. & Lauterb.*  
*Nachtr. Fl. Deutsch. Südsee*, 156.—N. Guin.  
 chionanthum, *Schlechter, l. c.* 157.—N. Guin.  
 chrysocephalum, *Kraenzl. in Gard. Chron.* 1892, II.  
 122.—Hab.?  
 chrysotropis, *Schlechter, in K. Schum. & Lauterb.*  
*Nachtr. Fl. Deutsch. Südsee*, 159.—N. Guin.  
 concavum, *J. J. Sm. Orch. Ambon*, 50.—Ins. Ambon.

**DENDROBIUM:**—

- cyanocentrum, *Schlechter, in K. Schum. & Lauterb.*  
*Nachtr. Fl. Deutsch. Südsee*, 160.—N. Guin.  
 cyrtosepalum, *Schlechter, l. c.* 169.—Ins. Bismarck.  
 dactyliferum, *Reichb. f. in Gard. Chron.* 1884, I.  
 638.—Hab.?  
 Dendrocolla, *J. J. Sm. in Ic. Bogor.* t. 114 B.—Ins.  
 Malay.  
 dilatocolle, *J. J. Sm. l. c.* 116 A.—Hab.?  
 durum, *J. J. Sm. Orchid. Java*, 320.—Java.  
 ecolle, *J. J. Sm. in Ic. Bogor.* t. 115 A.—Ins. Malay.  
 elephantinum, *Finet, in Bull. Soc. Bot. Fr.* i. 373.—  
 Borneo.  
 eriopexis, *Schlechter, in K. Schum. & Lauterb. Nachtr.*  
*Fl. Deutsch. Südsee*, 170.—Ins. Bismarck.  
 euryanthum, *Schlechter, l. c.* 162.—N. Guin.  
 eximium, *Schlechter, l. c.*—N. Guin.  
 Fargesii, *Finet, in Bull. Soc. Bot. Fr.* i. 374.—China.  
 fasciculatum, *F. M. Bailey, in The Garden*, 1905, 201,  
 nomen.—N. Guin.  
 filiforme, *J. J. Sm. in Ic. Bogor.* t. 118 D.—Hab.?  
 fractiflexum, *Finet, in Bull. Soc. Bot. Fr.* i. 377.—  
 N. Caled.  
 frutex, *Schlechter, in K. Schum. & Lauterb. Nachtr.*  
*Fl. Deutsch. Südsee*, 175.—N. Guin.  
 glomeriflorum, *Kraenzl. in Gard. Chron.* 1895, II. 206.  
 —Hab.?  
 glossorrhynchoides, *Schlechter, in K. Schum. &*  
*Lauterb. Nachtr. Fl. Deutsch. Südsee*, 172.—  
 N. Guin.  
 gracilentum, *Schlechter, l. c.* 153.—N. Guin.  
 Hancockii, *Rolfe, in Journ. Linn. Soc. xxxvi.* 11.—  
 China.  
 herpetophytum, *Schlechter, in K. Schum. & Lauterb.*  
*Nachtr. Fl. Deutsch. Südsee*, 172.—N. Guin.  
 inaequale, *Rolfe, in Kew Bull.* 1901, 147.—N. Guin.  
 inaequale, *Finet, in Bull. Soc. Bot. Fr.* i. 375 (1903).  
 —N. Caled.  
 integrilabium, *J. J. Sm. in Ic. Bogor.* t. 117 B.—Java.  
 ischnopetalum, *Schlechter, in K. Schum. & Lauterb.*  
*Nachtr. Fl. Deutsch. Südsee*, 153.—Ins. Bismarck.  
 Joffii, *Ind. Kew. Suppl.* i. 130, sphalm. = *Toffii*.  
 Jonesii, *Rendle, in Journ. Bot.* 1901, 197.—Austral.  
 karoesii, *Schlechter, in K. Schum. & Lauterb.*  
*Nachtr. Fl. Deutsch. Südsee*, 157.—Ins. Bismarck.  
 Koordersii, *J. J. Sm. Orch. Ambon*, 67.—Ins. Ambon.  
 lageniforme, *J. J. Sm. in Ic. Bogor.* t. 116 B.—  
 N. Guin.  
 lamprocaulon, *Schlechter, in K. Schum. & Lauterb.*  
*Nachtr. Fl. Deutsch. Südsee*, 166.—Ins. Bismarck.  
 lobulatum, *Rolfe & J. J. Sm. in J. J. Sm. Orchid.*  
*Java*, 336.—Java.  
 Mabelae, *Gammie f. in Journ. Bomb. Nat. Hist. Soc.*  
 xvi. 567.—Ind. or.  
 macrum, *Schlechter, in K. Schum. & Lauterb. Nachtr.*  
*Fl. Deutsch. Südsee*, 174.—N. Guin.  
 Madonnae, *Rolfe, in Hook. f. Bot. Mag.* t. 7900.—  
 N. Guin.  
 margaritaceum, *Finet, in Bull. Soc. Bot. Fr.* i. 379.—  
 Anam.  
 mekynosepalum, *Schlechter, in K. Schum. & Lauterb.*  
*Nachtr. Fl. Deutsch. Südsee*, 154.—N. Guin.  
 melanostictum, *Schlechter, l. c.* 167.—N. Guin.  
 mellitum, *Ridley, in Journ. As. Soc. Straits*, xli. 32.  
 —Penins. Mal.  
 Micholitzii, *Rolfe, ex Ames, in Proc. Biol. Soc.*  
*Washington*, xvii. 119.—N. Guin.  
 monodon, *Kraenzl. in K. Schum. & Lauterb. Nachtr.*  
*Fl. Deutsch. Südsee*, 178, nomen.—N. Guin.  
 montanum, *J. J. Sm. Orchid. Java*, 363.—Java.  
 montedeakinense, *F. M. Bailey, in Proc. Roy. Soc.*  
*Queensl.* xviii. 4.—N. Guin.  
 muricatum, *Finet, in Bull. Soc. Bot. Fr.* i. 377.—  
 N. Caled.  
 neuroglossum, *Schlechter, in K. Schum. & Lauterb.*  
*Nachtr. Fl. Deutsch. Südsee*, 170.—N. Guin.  
 obtusum, *Schlechter, l. c.* 177.—N. Guin.  
 ochranthum, *Schlechter, l. c.* 171.—Ins. Bismarck.  
 odiosum, *Finet, in Bull. Soc. Bot. Fr.* i. 373.—China.  
 oreogenum, *Schlechter, in K. Schum. & Lauterb.*  
*Nachtr. Fl. Deutsch. Südsee*, 177.—N. Guin.  
 orientale, *J. J. Sm. Orch. Ambon*, 70.—Ins. Ambon.  
 paludicola, *Schlechter, in K. Schum. & Lauterb.*  
*Nachtr. Fl. Deutsch. Südsee*, 173.—N. Guin.  
 papilioniferum, *J. J. Sm. Orch. Ambon*, 42.—  
 Ins. Ambon.  
 parietiforme, *J. J. Sm. in Ic. Bogor.* t. 117 C.—  
 Celebes.

**DENDROBIUM:**—

- paucilacinatum, *J. J. Sm. in Ic. Bogor.* t. 117 A.—  
 Ins. Philipp.  
 pectinatum, *Finet, in Bull. Soc. Bot. Fr.* i. 379.—  
 N. Caled.  
 pentanema, *Schlechter, in K. Schum. & Lauterb.*  
*Nachtr. Fl. Deutsch. Südsee*, 155.—Ins. Bismarck.  
 pentapterum, *Schlechter, l. c.* 161.—N. Guin.  
 phalangium, *Schlechter, l. c.* 154.—N. Guin.  
 piestocaulon, *Schlechter, l. c.* 173.—Ins. Bismarck.  
 planum, *J. J. Sm. Orchid. Java*, 352.—Java.  
 polysema, *Schlechter, in K. Schum. & Lauterb.*  
*Nachtr. Fl. Deutsch. Südsee*, 163.—N. Guin.  
 pseudo-mohlium, *Kraenzl. in K. Schum. & Lauterb.*  
*Nachtr. Fl. Deutsch. Südsee*, 178.—N. Guin.  
 punamense, *Schlechter, in K. Schum. & Lauterb.*  
*Nachtr. Fl. Deutsch. Südsee*, 163.—Ins. Bismarck.  
 puniceum, *Rolfe, in Kew Bull.* 1901, 146.—N.  
 Guin.  
 quinarium, *Rolfe, l. c.* 147.—N. Guin.  
 ramificans, *J. J. Sm. in Rec. Trav. Bot. Néerl.* i. 147.  
 —Celebes.  
 regium, *Prain, in Journ. As. Soc. Beng.* lxxi. 80.—  
 Ind. or.  
 rhpidolobum, *Schlechter, in K. Schum. & Lauterb.*  
*Nachtr. Fl. Deutsch. Südsee*, 151.—N. Guin.  
 roseo-nervatum, *Schlechter, in Notizbl. Bot. Gart.*  
*Berlin*, iv. 131.—Sumatra.  
 rotundatum, *Hook. f. Fl. Brit. Ind.* v. 712 (= *Bulbo-*  
*phyllum rotundatum*).—Reg. Himal.  
 sagittatum, *J. J. Sm. Orchid. Java*, 338.—Java;  
 Sumatra.  
 salmoneum, *Schlechter, in K. Schum. & Lauterb.*  
*Nachtr. Fl. Deutsch. Südsee*, 178.—N. Guin.  
 Sarcophilus, *Finet, in Bull. Soc. Bot. Fr.* i. 376.—  
 N. Caled.  
 simile, *Schlechter, in K. Schum. & Lauterb. Nachtr.*  
*Fl. Deutsch. Südsee*, 175.—N. Guin.  
 spurium, *J. J. Sm. Orchid. Java*, 343 (= *Sarcophilus*  
*spurius*).—Malaya.  
 stenocentrum, *Schlechter, in K. Schum. & Lauterb.*  
*Nachtr. Fl. Deutsch. Südsee*, 158.—N. Guin.  
 striatum, *Hort. ex Gard. Chron.* 1905, II. 382; *Orch.*  
*Rev.* 1905, 366.—Ins. Philipp.  
 Taylori, *Fitzger. Austral. Orch.* ii. (= *Bulbophyllum*  
*Taylori*).—Austral.  
 tentaculatum, *Schlechter, in K. Schum. & Lauterb.*  
*Nachtr. Fl. Deutsch. Südsee*, 155.—N. Guin.  
 tenuicaule, *Ridley, in Journ. As. Soc. Straits*, xxxix.  
 73.—Penins. Mal.  
 thysanochilum, *Schlechter, in K. Schum. & Lauterb.*  
*Nachtr. Fl. Deutsch. Südsee*, 152.—Ins. Bismarck.  
 Toffii, *F. M. Bailey, Syn. Queensl. Fl. Suppl.* iii. 71.  
 —Austral.  
 torricellense, *Schlechter, in K. Schum. & Lauterb.*  
*Nachtr. Fl. Deutsch. Südsee*, 164.—N. Guin.  
 trachychilum, *Kraenzl. in K. Schum. & Lauterb.*  
*Nachtr. Fl. Deutsch. Südsee*, 179.—N. Guin.  
 Treubii, *J. J. Sm. Orch. Ambon*, 65.—Ins. Ambon.  
 trigonocarpum, *Schlechter, in K. Schum. & Lauterb.*  
*Nachtr. Fl. Deutsch. Südsee*, 159.—N. Guin.  
 Urvilley, *Finet, in Bull. Soc. Bot. Fr.* i. 372.—Ins.  
 Timor.  
 utile, *J. J. Sm. in Ic. Bogor.* t. 114 A.—Ins. Molucc.  
 validum, *Schlechter, in K. Schum. & Lauterb. Nachtr.*  
*Fl. Deutsch. Südsee*, 165.—Ins. Bismarck.  
 vandaefolium, *Finet, in Bull. Soc. Bot. Fr.* i. 375.—N.  
 Caled.  
 viridicatum, *Ridley, in Journ. As. Soc. Straits*, xxxix.  
 72.—Penins. Mal.  
 xanthomeson, *Schlechter, in K. Schum. & Lauterb.*  
*Nachtr. Fl. Deutsch. Südsee*, 168.—N. Guin.  
 zebrinum, *J. J. Sm. in Ic. Bogor.* t. 113 C.—  
 Borneo.  
 Zippelii, *J. J. Sm. in Rec. Trav. Bot. Néerl.* i. 150.  
 —N. Guin.  
 zonatum, *Rolfe, in Journ. Linn. Soc.* xxxvi. 13.—  
 China.

**DENDROCALAMUS**, *Nees (Gramin.)*.

- affinis, *Rendle, in Journ. Linn. Soc.* xxxvi. 447.—  
 China.

**DENDROCHILUM**, *Blume (Orchid.)*.

- acuminatum, *J. J. Sm. in Rec. Trav. Bot. Néerl.* i.  
 61.—Sumatra.  
 angustifolium, *Ridley, in Journ. As. Soc. Straits*,  
 xxxix. 77.—Penins. Mal.

**DENDROCHILUM**—

- Beccarii, *J. J. Sm. in Rec. Trav. Bot. Néerl.* i. 62.—Sumatra.  
 bistortum, *J. J. Sm. l. c. 64* (= *Platylinis bistorta*).—Arch. Mal.  
 corrugatum, *J. J. Sm. l. c. 65* (= *Platylinis corrugata*).—Borneo.  
 ellipticum, *Ridley, in Journ. As. Soc. Straits*, xxxix. 77.—Penins. Mal.  
 exalatum, *J. J. Sm. in Rec. Trav. Bot. Néerl.* i. 77.—Sumatra.  
 globigerum, *J. J. Sm. l. c. 64* (= *Platylinis globigera*).—Borneo.  
 gracile, *J. J. Sm. l. c. 69* (= *Platylinis gracilis*).—Java.  
 grandiflorum, *J. J. Sm. l. c. 66* (= *Platylinis grandiflora*).—Borneo.  
 Kingii, *J. J. Sm. l. c. 76* (= *Platylinis Kingii*).—Penins. Mal.  
 odoratum, *J. J. Sm. l. c. 80* (= *Platylinis odorata*).—Penins. Mal.  
 rufum, *J. J. Sm. l. c. 76* (= *Platylinis rufa*).—As. trop.  
 sarawakense, *J. J. Sm. l. c. 66* (= *Platylinis sarawakensis*).—Borneo.  
 stachyodes, *J. J. Sm. l. c. 77* (= *Platylinis stachyodes*).—Borneo.  
 sumatranum, *J. J. Sm. l. c. 69*.—Sumatra.  
 vaginatum, *J. J. Sm. l. c. 61*.—Java.

**DENDROMECON**, Benth. (Papav.).

- agnina, *Greene, Pittonia*, v. 299.—Calif.  
 arborea, *Greene, l. c. 305*.—Calif.  
 caesia, *Greene, l. c. 303*.—Calif.  
 caudata, *Greene, l. c. 298*.—Calif.  
 densifolia, *Greene, l. c. 304*.—Calif.  
 elliptica, *Greene, l. c. 300*.—Calif.  
 fastigiata, *Greene, l. c. 298*.—Calif.  
 herbacea, *Greene, l. c. 303*.—Calif.  
 leiophylla, *Greene, l. c. 302*.—Calif.  
 pallida, *Greene, l. c. 301*.—Calif.  
 pumila, *Greene, l. c. 302*.—Calif.  
 quercetorum, *Greene, l. c. 301*.—Calif.  
 rhamnoides, *Greene, l. c. 305*.—Calif.  
 saligna, *Greene, l. c. 300*.—Calif.

**DENTARIA**, Tourn. = **Cardamine**, Linn. (Crucif.).

- anomala, *Eames, in Rhodora*, v. 217.—Am. bor.  
 furcata, *Small, Fl. S. E. U. S.* 480.—Am. bor.  
 incisa, *Eames, in Rhodora*, v. 216; *Small, Fl. S. E. U. S.* 480.—Am. bor.

**DEPPEA**, Cham. & Schlecht. (Rubiace.).

- microphylla, *Greenm. in Proc. Amer. Acad.* xli. 249.—Mexico.

**DERINGA**, Adans. = **Cryptotaenia**, DC. (Umbell.).

- canadensis, *Shafer, in Ann. Carneg. Mus.* i. 54 = *C. canadensis*.

**DERRIS**, Lour. (Legum.).

- alborubra, *Hemsl. in Bot. Mag.* t. 8008.—China.  
 congolensis, *Wildem. in Ann. Mus. Congo*, Sér. V. i. 149.—Afr. trop.  
 Goetzei, *Harms, in Engl. Jahrb.* xxx. 330.—Afr. trop.  
 Hancei, *Hemsl. in Bot. Mag.* sub t. 8008.—China.  
 involuta, *Sprague, in Gard. Chron.* 1905, II. 3.—Austral.  
 micans, *Perkins, Frag. Fl. Philipp.* i. 82.—Ins. Philipp.  
 mindorensis, *Perkins, l. c.*—Ins. Philipp.  
 polyantha, *Perkins, l. c. 83*.—Ins. Philipp.  
 pulchra, *Gage, in Rec. Bot. Surv. India*, iii. 49.—Burma.  
 violacea, *Harms, in Engl. Jahrb.* xxxiii. 174 (= *Lonchocarpus violaceus*, Oliver).—Afr. trop.

**DESBORDESIA**, Pierre, ex Van Tiegh. in Ann. Sci. Nat. Sér. IX. i. (1905) 289. **SIMARUBACEAE**.

- glaucescens, *Van Tiegh, l. c. 290* (= *Irvingia glaucescens*).—Afr. trop.  
 insignis, *Pierre, ex Van Tiegh, l. c.*—Afr. trop.  
 pallida, *Van Tiegh, l. c. 291*.—Afr. trop.  
 Pierreana, *Van Tiegh, l. c. 290*.—Afr. trop.  
 Soyauxi, *Van Tiegh, l. c.*—Afr. trop.  
 Spirei, *Van Tiegh, l. c. 291*.—Afr. trop.

**DESCHAMPSIA**, P. Beauv. (Gramin.).

- alpicola, *Rydb. in Bull. Torr. Bot. Club*, 1905, 601.—Am. bor.  
 arctica, *Merrill, in Rhodora*, iv. 143 (= *Aira acctica*).—Am. bor.

**DESCURAINIA**, Webb & Berth. = **Sisymbrium**, Linn. (Crucif.).

- deserticola, *Speg. in Anal. Mus. Buenos Aires*, vii. 220 = *S. deserticola*.  
 glabrescens, *Speg. l. c. 223* = *S. glabrescens*.  
 heterotricha, *Speg. l. c. 221*.—Patag.  
 myriophylla, *R. Fries, in Nov. Act. Soc. Sci. Upsal.* Sér. IV. i. no. 1, 143 = *S. myriophyllum*.

**DESMANTHODIUM**, Benth. (Compos.).

- fruticosum, *Greenm. in Proc. Amer. Acad.* xl. 37.—Mexic.

**DESMANTHUS**, Willd. (Legum.).

- Scottianus, *Drake, Hist. Pl. Madag.* i. 56.—Madag.  
 tenuifolius, *Drake, l. c. 54* (= *Dichrostachys tenuifolia*).—Madag.

**DESMODIUM**, Desv. (Legum.).

- amethystinum, *Dunn, in Gard. Chron.* 1902, II. 210.—China.  
 Campenoni, *Drake, Hist. Pl. Madag.* i. 172.—Madag.  
 chartaceum, *T. S. Brandegee, in Zoe*, v. 202 (1905).—Mexic.  
 galapagense, *Robinson, in Proc. Amer. Acad.* xxxviii. (1902) 150.—Ins. Galap.  
 huillensis, *K. Schum. in Just's Jahresb.* xxvii. 1. 494 (= *Meibomia huillensis*).—Afr. trop.  
 indigotinum, *Harms & K. Schum. in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 276.—N. Guin.  
 madrense, *Micheli, in Mém. Soc. Phys. Hist. Nat. Genève*, xxxiv. 258.—Mexic.  
 polygaloides, *Chod. & Hassl. in Bull. Herb. Boiss.* Sér. II. iv. 889.—Parag.  
 pseudo-amplifolium, *Micheli, in Mém. Soc. Phys. Hist. Nat. Genève*, xxxiv. 259.—Mexic.  
 quinquepetalum, *Merrill, in Philipp. Gov. Lab. Bur. Bull.* xxxv. 20 (= *Cytisus quinquepetalus*).—Ins. Philipp.  
 ramosissimum, *Arech. in Anal. Mus. Montevide.* iii. 362.—Urug.  
 remotum, *Drake, Hist. Pl. Madag.* i. 171 (= *Aeschynomene remota*).—Madag.  
 Seatonii, *Greenm. in Proc. Amer. Acad.* xxxix. 80.—Mexic.  
 tastense, *T. S. Brandegee, in Zoe*, v. 157 (1903).—Calif.  
 xylopodium, *Greenm. in Proc. Amer. Acad.* xxxix. 80.—Mexic.

**DESMONCUS**, Mart. (Palm.).

- inermis, *Barb. Rodr. Contrib. Jard. Bot. Rio de Janeiro*, i. 17.—Bras.  
 paraensis, *Barb. Rodr. Sert. Palm. Bras.* ii. 57 (= *Attara paraensis*).—Bras.

**DESMONEMA**, Miers (Menisperm.).

- pallido-aurantiaca, *Engl. & Gilg, in Warb. Kunene-Sambesi Exped.* 237.—Afr. trop.

**DETARIUM**, Juss. (Legum.).

- macrocarpum, *Harms, in Engl. Jahrb.* xxx. 78.—Afr. trop.

**DETRIS**, Adans. = **Felicia**, Cass. (Compos.).

- abyssinica, *Chiov. in Ann. Ist. Bot. Roma*, viii. 166 = *F. abyssinica*.  
 Dinteri, *S. Moore, in Bull. Herb. Boiss.* Sér. II. iv. 1013.—Afr. trop.  
 Richardi, *Chiov. in Ann. Ist. Bot. Roma*, viii. 166 = *F. Richardi*.

**DEUTZIA**, Thunb. (Saxifrag.).

- glaberrima, *Koehne, in Gilg & Loes. in Engl. Jahrb.* xxxiv. Beibl. lxxv. 38.—China.  
 glabrata, *Kom. in Act. Hort. Petrop.* xxii. 433.—China.  
 hamata, *Koehne, in Gilg & Loes. in Engl. Jahrb.* xxxiv. Beibl. lxxv. 37.—China.  
 Lemoinei, *Hort. ex Desjardin, in Le Jardin*, 1904, 329.—Hybr.  
 micrantha, *Engl. Jahrb.* xxxvi. Beibl. lxxxii. 51.—China.  
 myriantha, *Hort. ex Desjardin, in Le Jardin*, 1904, 329.—Hybr.  
 Pringlei, *Schneider, in Mitth. Deutsch. Dendrol. Ges.* 1904, 186.—Mexic.  
 taiwanensis, *Schneider, l. c. 177*.—Formosa.  
 Vilmorinae, *Lemoine & Bois, ex Vilm. & Bois, Frut. Vilm. Cat.* i. 125.—China.

**DEVERRA**, DC. = **Pituranthos**, Viv. (Umbell.).

- intermedia, *L. Chevall. in Bull. Herb. Boiss.* Sér. II. iii. 770.—Alger.

**DEWILDEMANIA**, O. Hoffm. ex Wildem. in Ann. Mus. Congo, Sér. IV. p. x. (1903). **COMPOSITAE**.

- filifolia, *O. Hoffm. l. c.*—Afr. trop.

**DEWINDTIA**, Wildem. in Ann. Mus. Congo, Sér. IV. 42 (1902). **LEGUMINOSAE**.

- katangensis, *Wildem. l. c. 43*.—Afr. trop.

**DEYEUXIA**, Clar. (Gramin.).

- Ameghinoi, *Speg. in Anal. Mus. Buenos Aires*, vii. 190.—Patag.  
 effusiflora, *Rendle, in Journ. Linn. Soc.* xxxvi. 392.—China.  
 Henryi, *Rendle, l. c. 393*.—China.  
 Hugoniana, *Rendle, l. c.*—China.  
 hupehensis, *Rendle, l. c. 394*.—China.  
 javanica, *Boerl. ex Koord. in Natuurk. Tijdschr. Ned. Ind.* lxii. 238 (= *Calamagrostis javanica*).—Java.  
 patagonica, *Speg. in Anal. Mus. Buenos Aires*, vii. 191.—Patag.  
 sachalinensis, *Rendle, in Journ. Linn. Soc.* xxxvi. 395 (= *Calamagrostis sachalinensis*).—As. bor.

**DIALIUM**, Linn. (Legum.).

- Laurentii, *Wildem. Enum. Pl. Laurent*, 100.—Afr. trop.  
 madagascariense, *Baill. ex Drake, Hist. Pl. Madag.* i. 95.—Madag.  
 travancoricum, *Bourd. in Ind. Forester*, xxx. 243.—Ind. or.  
 Zenkeri, *Harms, in Engl. Jahrb.* xxx. 86.—Afr. trop.

**DIAMORPHA**, Nutt. (Crassul.).

- Smallii, *Britton, in N. Am. Fl.* xxii. 56.—Am. bor.

**DIANTHERA**, Gronov. (Acanth.).

- angusta, *Small, Fl. S. E. U. S.* 1088.—Am. bor.  
 guianensis, *N. E. Br. in Trans. Linn. Soc.* Sér. II. vi. 57.—Guian.  
 lanceolata, *Small, in Britton, Man. Fl. N. U. S.* 855.—Am. bor.  
 sulfurea, *Donn. Sm. in Coult. Bot. Gaz.* xxxv. 6.—Am. cent.  
 sylvatica, *Burchell, ex C. B. Clarke, in Dyer, Fl. Cap.* v. 80 = *Isoglossa sylvatica*.

**DIANTHUS**, Linn. (Caryophyll.).

- albaceteanus, *Huter, in Oesterr. Bot. Zeitschr.* 1904, 339.—Eur.  
 callichrous, *Ford. in Ford. & Fourr. Ic. Fl. Eur.* iii. 30.—Gallia.  
 carneus, *Ford. l. c. 25*.—Eur.  
 chlorostomus, *Ford. l. c. 31*.—Gallia.  
 egregius, *Ford. l. c. 23*.—Gallia.  
 flabellatus, *Ford. l. c. 29*.—Gallia.  
 flexicaulis, *Ford. l. c. 26*.—Gallia.  
 Gyspergerae, *Rouy, in Rev. Bot. Syst. Géogr. Bot.* i. 132.—Corsica.  
 hazaricus, *F. N. Williams, in Bull. Herb. Boiss.* Sér. II. i. 892.—Ind. or.  
 hypoleucus, *Ford. in Ford. & Fourr. Ic. Fl. Eur.* iii. 31.—Eur.  
 impunctatus, *Ford. l. c. 29*.—Gallia.  
 juratensis, *Ford. l. c. 32*.—Gallia.  
 kladoanus, *Degen, in Magyar Bot. Lap.* iv. 122.—Servia.  
 laciniatus, *Hort. ex Makino, in Bot. Mag. Tokyo*, xvii. 60 = *chinensis*.  
 Laucheanus, *Bolle, in Gartenfl.* 1904, 393.—Hybr.  
 longifolius, *Ford. in Ford. & Fourr. Ic. Fl. Eur.* iii. 32.—Eur.  
 macrophyllus, *Ford. l. c. 30*.—Gallia.  
 maritimus, *Ford. l. c. 25*.—Gallia.  
 massiliensis, *Ford. l. c.*—Gallia.  
 minutiflorus, *Ford. l. c. 26*.—Gallia.  
 nicaeensis, *Ford. l. c. 30*.—Gallia.  
 nipponicus, *Makino, in Bot. Mag. Tokyo*, xvii. 58.—Japan.  
 paradoxus, *Keller, ex Schroet. in Ber. Schweiz. Bot. Ges.* xiv. 117.—Hybr.  
 parviflorus, *Ford. in Ford. & Fourr. Ic. Fl. Eur.* iii. 28.—Gallia.  
 Portae, *Kerner, ex Huter, in Oesterr. Bot. Zeitschr.* 1904, 339.—Eur.  
 puberulus, *Ford. in Ford. & Fourr. Ic. Fl. Eur.* iii. 31.—Gallia.  
 ramiger, *Ford. l. c. 28*.—Gallia.  
 rigidulus, *Ford. l. c. 27*.—Gallia.  
 rubicundus, *Ford. l. c. 24*.—Gallia.

**DIANTHUS**—

- shinanensis, *Makino*, in *Bot. Mag. Tokyo*, xvii. 58.—Japon.  
 singuliflorus, *Jord.* in *Jord. & Fourr. Ic. Fl. Eur.* iii. 26.—Gallia.  
 subalbidus, *Jord.* l. c. 24.—Gallia.  
 Suskalovicii, *Adam.* in *Oesterr. Bot. Zeitschr.* 1905, 179.—Turcia.  
 tenuidens, *Jord.* in *Jord. & Fourr. Ic. Fl. Eur.* iii. 28.—Gallia.  
 variegatus, *Jord.* l. c. 27.—Gallia.  
 vesulanus, *Jord.* l. c.—Eur.

**DIAPEDIUM**, Koen. = **Dioliptera**, Juss. (Acanth.).

- albicaule, *S. Moore*, in *Journ. Bot.* 1903, 156.—Afr. trop.  
 attenuatum, *A. A. Heller*, *Muhlenbergia*, i. 5.—Am. bor.

**DIAPHYCARPUS**, Calest. in Martelli, Webbia, 277 (1905). **UMBELLIFERAE**.

- incrassatus, *Calest.* l. c. (= *Carum incrassatum*).—Reg. Medit.

**DIASCIA**, Link & Otto (Scrophul.).

- Aliciae, *Hiern*, in *Dyer, Fl. Cap.* iv. ii. 155.—Afr. austr.  
 Bergiana, *Ecklon*, ex *Hiern*, l. c. 147 = elongata.  
 cardiosepala, *Hiern*, l. c. 149.—Afr. austr.  
 Dielsiana, *Schlechter*, ex *Hiern*, l. c. 155.—Afr. austr.  
 dissecta, *Hiern*, l. c. 153.—Afr. austr.  
 elegans, *Hiern*, l. c. 159 (= *Hemimeris elegans*).—Afr. austr.  
 expolita, *Hiern*, l. c. 156.—Afr. austr.  
 Flanaganii, *Hiern*, l. c. 161.—Afr. austr.  
 Macowani, *Hiern*, l. c. 162.—Afr. austr.  
 minutiflora, *Hiern*, l. c. 143.—Afr. austr.  
 moltenensis, *Hiern*, l. c. 158.—Afr. austr.  
 monasca, *Hiern*, l. c. 142.—Afr. austr.  
 namaquensis, *Hiern*, l. c. 144.—Afr. austr.  
 rotundifolia, *Hiern*, l. c. 152.—Afr. austr.  
 Rudolphi, *Hiern*, l. c. 150.—Afr. austr.  
 Scullyi, *Hiern*, l. c. 144.—Afr. austr.  
 stachyoides, *Schlechter*, ex *Hiern*, l. c. 160.—Afr. austr.  
 Tysoni, *Hiern*, l. c. 143.—Afr. austr.

**DIATEINACANTHUS**, Lindau, in *Bull. Herb. Boiss.* Sér. II. v. (1905) 369. **ACANTHACEAE**.

- hondurensis, *Lindau*, l. c.—Am. cent.

**DICERANDRA**, Benth. = **Ceranthra**, Ell. (Labiata).

- odoratissima, *Harper*, in *Bull. Torr. Bot. Club*, 1901, 479.—Am. bor.  
 Erangeriana, *Engl. Jahrb.* xxxii. 99.—Afr. trop.  
 Ruspoliana, *Engl.* in *Ann. Ist. Bot. Roma*, ix. 248.—Afr. trop.  
 umbrosa, *Engl. Jahrb.* xxxii. 98.—Afr. trop.

**DICHAEA**, Lindl. (Orchid.).

- pendula, *Cogn.* in *Urb. Symb. Antill.* iv. 182 (= *Limodorum pendulum*).—Ind. occ.

**DICHAELIA**, Harv. (Asclep.).

- [BRACHYSTELMA, R. Br. I. K.]  
 brachylepis, *Schlechter*, in *Engl. Jahrb.* xxxviii. 42.—Afr. austr.  
 cinerea, *Schlechter*, l. c.—Afr. austr.  
 macra, *Schlechter*, l. c. 43.—Afr. austr.  
 microphylla, *S. Moore*, in *Journ. Bot.* 1903, 312.—Afr. austr.  
 Zeyheri, *Schlechter*, in *Engl. Jahrb.* xxxviii. 43.—Afr. austr.

**DICHAETANTHERA**, Endl. (Melast.).

- heterostemona, *Aug. DC.* in *Bull. Herb. Boiss.* Sér. II. i. 573.—Madag.

**DICHAPETALUM**, Thou. (Chaillat.).

- [CHAILLETIA, DC. I. K.]  
 altescandens, *Engl. Jahrb.* xxxiii. 80.—Afr. trop.  
 angustisquamulosum, *Engl. & Ruhl.* l. c. 86.—Afr. trop.  
 argenteum, *Engl.* l. c. 82.—Afr. trop.  
 batanganum, *Engl. & Ruhl.* l. c. 79.—Afr. trop.  
 buvumense, *Baker f.* in *Journ. Linn. Soc.* xxxvii. 133.—Afr. trop.  
 cinereum, *Engl. Jahrb.* xxxiii. 85.—Afr. trop.  
 congoense, *Engl. & Ruhl.* l. c. 78.—Afr. trop.  
 Conrauanum, *Engl. & Ruhl.* l. c. 88.—Afr. trop.

**DICHAPETALUM**—

- Dewevrei, *Wildem. & Th. Dur.* in *Ann. Mus. Congo*, Sér. III. i. 41.—Afr. trop.  
 Eickii, *Ruhl.* in *Engl. Jahrb.* xxxiii. 80.—Afr. trop.  
 fallax, *Ruhl.* l. c. 78.—Afr. trop.  
 griseo-viride, *Ruhl.* l. c. 84.—Afr. trop.  
 holopetalum, *Ruhl.* l. c. 77.—Afr. trop.  
 integripetalum, *Engl.* l. c. 89.—Afr. trop.  
 leucosepalum, *Ruhl.* l. c. 81.—Afr. trop.  
 Liberiae, *Engl. & Dinkl.* l. c. 84.—Afr. trop.  
 Lolo, *Wildem. & Th. Dur.* in *Ann. Mus. Congo*, Sér. III. i. 42.—Afr. trop.  
 longitubulosum, *Engl. Jahrb.* xxxiii. 90.—Afr. trop.  
 minutiflorum, *Engl. & Ruhl.* l. c. 88.—Afr. trop.  
 monospermum, *Merrill*, in *Philipp. Gov. Lab. Bur. Bull.* xxxv. 84.—Ins. Philipp.  
 nitidulum, *Engl. & Ruhl.* in *Engl. Jahrb.* xxxiii. 77.—Afr. trop.  
 obliquifolium, *Engl.* l. c. 87.—Afr. trop.  
 patenti-hirsutum, *Ruhl.* l. c. 86.—Afr. trop.  
 reticulatum, *Engl.* l. c. 82.—Afr. trop.  
 Ruhländii, *Engl.* l. c. xxxiv. 152.—Afr. trop.  
 salicifolium, *Engl. & Ruhl.* l. c. xxxiii. 89.—Afr. trop.  
 scabrum, *Engl.* l. c. 86.—Afr. trop.  
 sulcatum, *Engl.* l. c. 81.—Afr. trop.  
 tessellatum, *F. N. Williams*, in *Bull. Herb. Boiss.* Sér. II. v. 219 (= *Chaillatia tessellata*).—Penins. Mal.  
 tricapsulare, *Merrill*, in *Philipp. Gov. Lab. Bur. Bull.* xxxv. 35 (= *Riana tricapsularis*).—Ins. Philipp.  
 venenatum, *Engl. & Gilg*, in *Warb. Kunene-Sambesi Exped.* 280.—Afr. trop.  
 Warneckei, *Engl. Jahrb.* xxxiii. 83.—Afr. trop.

**DICHELOSTEMMA**, Kunth = **Brodiaea**, Sw. (Liliac.).

- multiflorum, *A. A. Heller*, *Muhlenbergia*, ii. 15 = B. multiflora.  
 volubilis, *A. A. Heller*, in *Bull. S. Calif. Acad.* ii. 65 = *Stropholirion californicum*.

**DICHROCEPHALA**, L'Hérit. (Compos.).

- Bodinieri, *Vaniot*, in *Bull. Acad. Géog. Bot.* xii. (1903) 242.—China.  
 Leveillei, *Vaniot*, l. c. 241.—China.  
 minutifolia, *Vaniot*, l. c. 243.—China.

**DICHROTRICHUM**, Reinw. (Gesner.).

- elegans, *K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 375.—N. Guin.  
 Filarskyi, *K. Schum.* l. c. 374.—N. Guin.  
 glabrum, *Copeland*, ex *Merrill*, in *Philipp. Gov. Lab. Bur. Bull.* xvii. 46.—Ins. Philipp.  
 minus, *K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 375.—N. Guin.

**DICLIPTERA**, Juss. (Acanth.).

- betschuanica, *Lindau*, in *Engl. Jahrb.* xxx. 112.—Afr. trop.  
 inaequalis, *Greenm.* in *Proc. Amer. Acad.* xxxix. 90 (errore inequalis).—Mexic.  
 japonica, *Makino*, in *Bot. Mag. Tokyo*, xvii. 90 (= *Dianthera japonica*).—Japon.  
 jujuyensis, *Lindau*, ex *R. Fries*, in *Arkiv Bot. Stockh.* i. 398.—Reg. Argent.  
 katangensis, *Wildem.* in *Ann. Mus. Congo*, Sér. IV. 151.—Afr. trop.  
 laxispica, *Lindau*, in *Engl. Jahrb.* xxx. 113.—Afr. trop.  
 minor, *C. B. Clarke*, in *Dyer, Fl. Cap.* v. 92.—Afr. austr.  
 montana, *Lindau*, in *Fedde, Repert. Nov. Sp.* i. 157.—Peruv.  
 nervata, *Greenm.* in *Proc. Amer. Acad.* xxxix. 90.—Mexic.  
 porphyrea, *Lindau*, in *Bull. Herb. Boiss.* Sér. II. v. 368.—Peruv.  
 transvaalensis, *C. B. Clarke*, in *Dyer, Fl. Cap.* v. 92.—Afr. austr.

**DICLIS**, Benth. (Scrophul.).

- stellarioides, *Hiern*, in *Dyer, Fl. Cap.* iv. ii. 202.—Afr. austr.  
 umbonata, *Hiern*, in *Journ. Bot.* 1901, 104.—Afr. austr.

**DICOMA**, Cass. (Compos.).

- Antunesii, *O. Hoffm.* in *Warb. Kunene-Sambesi Exped.* 425.—Afr. trop.  
 Dinteri, *S. Moore*, in *Bull. Herb. Boiss.* Sér. II. iv. 1024.—Afr. trop.

**DICOMA**—

- incana, *Drake*, in *Bull. Mus. Hist. Nat. Par.* 1903, 96.—Madag.  
 membranacea, *S. Moore*, in *Bull. Herb. Boiss.* Sér. II. iv. 1025.—Afr. trop.  
 vaginata, *O. Hoffm.* in *Engl. Jahrb.* xxx. 442.—Afr. trop.

**DICRAEANTHUS**, *Engl. Jahrb.* xxxviii. (1905) 94. **PODOSTEMACEAE**.

- africanus, *Engl.* l. c. 96.—Afr. trop.

**DICRAEIA**, Thou. (Podost.).

- [PODOSTEMON, Michx. I. K.]  
 violascens, *Engl. Jahrb.* xxx. 312.—Afr. trop.

**DICRAEOPETALUM**, Harms, in *Engl. Jahrb.* xxxiii. (1902) 161. **LEGUMINOSAE**.

- stipulare, *Harms*, l. c.—Afr. trop.

**DICRANOSTIGMA**, Hook. f. & Thoms. (Papav.).

- [STYLOPHORUM, Nutt. I. K.]  
 leptopodum, *Fedde*, in *Engl. Jahrb.* xxxvi. Beibl. lxxxii. 45 (= *Glaucium leptopodum*).—China.

**DIDELOTIA**, Baill. (Legum.).

- Engleri, *Dinkl. & Harms*, in *Engl. Jahrb.* xxx. 80.—Afr. trop.

**DIDIREEA**, Baill. (Sapind.).

- ascendens, *Drake*, in *Compt. Rend. Acad. Sci. Par.* cxxxiii. 241.—Madag.  
 comosa, *Drake*, l. c.—Madag.  
 dumosa, *Drake*, l. c.—Madag.  
 procera, *Drake*, l. c.—Madag.

**DIDISSANDRA**, C. B. Clarke (Cyrtandr.).

- Giraldii, *Diels*, in *Engl. Jahrb.* xxxvi. Beibl. lxxxii. 98.—China.  
 ophiorrhizoides, *K. Schum.* in *K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 373.—N. Guin.

**DIDYMOCARPUS**, Wall. (Gesner.).

- mollissima, *F. N. Williams*, in *Bull. Herb. Boiss.* Sér. II. v. 433 (= *Chirita mollissima*).—Penins. Mal.  
 Viola, *F. N. Williams*, l. c. 434 (= *Chirita Viola*).—Penins. Mal.

**DIDYMOCHLAMYS**, Hook. f. (Rubiace.).

- Connellii, *N. E. Br.* in *Trans. Linn. Soc. Ser. II.* vi. 34.—Guiana.

**DIDYMOPANAX**, Decne. (Aral.).

- rugosum, *N. E. Br.* in *Trans. Linn. Soc. Ser. II.* vi. 31.—Guiana.

**DIDYMOPLEXIS**, Griff. (Orchid.).

- cornuta, *J. J. Sm.* in *Bull. Inst. Buitenz.* vii. 1.—Java.  
 minor, *J. J. Sm.* l. c.—Java.  
 striata, *J. J. Sm.* in *Ic. Bogor.* t. 104 B.—Java.

**DIEFFENBACHIA**, Schott (Arac.).

- cordata, *Engl. Jahrb.* xxxvii. 135.—Peruv.  
 Weberbaueri, *Engl.* l. c.—Peruv.

**DIELSIA**, Gilg, ex Diels & Pritz. in *Engl. Jahrb.* xxxv.

- (1904) 88. **RESTIACEAE**.  
 cygnorum, *Gilg*, l. c.—Austral.

**DIGITALIS**, Tourn. (Scrophul.).

- comosa, *R. Br.* ex *Britten*, in *Journ. Bot.* 1904, 178 = *Isoplexis Sceptum*.  
 Gyspergerae, *Rouy*, in *Rev. Bot. Syst. Géogr. Bot.* i. 137.—Corsica.

**DIGITARIA**, Heist. (Gramin.).

- [Panicum, Linn. I. K.]  
 exilis, *Stapp*, in *Bull. Mus. Hist. Nat. Par.* 1905, 344 (= *Paspalum exile*).—Afr. trop.  
 formosana, *Rendle*, in *Journ. Linn. Soc.* xxxvi. 323.—China.  
 Henryi, *Rendle*, l. c.—China.  
 pedicellaris, *Prain*, *Bengal Pl.* 1182 (= *Paspalum pedicellare*).—Ind. or.  
 Royleana, *Prain*, l. c. (= *Paspalum Royleanum*).—Ind. or.  
 tenuispica, *Rendle*, in *Journ. Linn. Soc.* xxxvi. 326.—China.

- DIHOLCOS**, Rydb. in Bull. Torr. Bot. Club, 1905, 664. *LEGUMINOSAE*.  
bisulcatus, Rydb. l. c. (= *Astragalus bisulcatus*).—Am. bor.  
decalvans, Rydb. l. c.—Am. bor.  
Haydenianus, Rydb. l. c. (= *Astragalus Haydenianus*).—Am. bor.
- DIMERIA**, R. Br. (Gramin.).  
sinensis, Rendle, in Journ. Linn. Soc. xxxvi. 359.—China.
- DIMEROCOSTUS**, Kuntze (Scitamin.).  
uniflorus, K. Schum. in Engl. Pflanzenreich, Zingib. 427 (= *Costus uniflorus*).—Ecuador; Peruv.
- DIMORPHANTHERA**, F. Muell. (Vaccin.).  
elegantissima, K. Schum. in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee, 338.—N. Guin.
- DIMORPHOSTACHYS**, Fourn. = *Panicum*, Linn. (Gramin.).  
ciliifera, Nash, in Small, Fl. S. E. U. S. 78.—Am. bor.
- DIMORPHOTHECA**, Vaill. (Compos.).  
Dekindtii, O. Hoffm. in Engl. Jahrb. xxxii. 152.—Afr. trop.
- DINOCHLOA**, Buese (Gramin.).  
Dielsiana, Pilger, in Perkins, Frag. Fl. Philipp. i. 148.—Ins. Philipp.  
diffusa, Merrill, in Philipp. Gov. Lab. Bur. Bull. xxvii. 93 (= *Bambusa diffusa*).—Ins. Philipp.  
major, Pilger, in Perkins, Frag. Fl. Philipp. i. 149.—Ins. Philipp.
- DIOCLEA**, H. B. & K. (Compos.).  
megacarpa, Rolfe, in Kew Bull. 1901, 139.—Am. trop.  
multiflora, Mohr, in U. S. Dept. Agric. Contrib. Nat. Herb. vi. 580 (= *Dolichus multiflorus*).—Am. bor.
- DIODIA**, Gronov. (Rubiace.).  
Barbeyana, Huber, in Bull. Herb. Boiss. Sér. II. i. 325.—Bras.
- DIOLENA**, Naud. (Melast.).  
amazonica, Pilg. in Verh. Bot. Ver. Brand. xlvii. (1905) 168.—Reg. Amaz.
- DIONYSIA**, Fenzl (Primul.).  
bachtiarica, Bornm. & Alexeenko, ex Bornm. in Bull. Herb. Boiss. Sér. II. iv. 515.—Persia.  
Haussknechtii, Bornm. & Strauss, ex Bornm. l. c. 514.—Persia.  
leucotricha, Bornm. ex Knuth, in Engl. Pflanzenreich, Primul. 165 = aretioides.  
peduncularis, Bornm. in Bull. Herb. Boiss. Sér. II. v. 261.—Persia.  
Straussii, Bornm. l. c. iii. 591.—Persia.
- DIOSANTHOS**, St. Lag. = *Dianthus*, Linn. (Caryophyll.).  
Fuchsii, Bub. Fl. Pyren. iii. 93 = *Dianthus chinensis*.  
variabile, Bub. l. c. 101 = *Dianthus monspessulanus*.
- DIOSCOREA**, Plum. (Dioscor.).  
angustifolia, Rusby, in Bull. Torr. Bot. Club, 1902, 701.—Bolivia.  
apensis, Chod. & Hassl. in Bull. Herb. Boiss. Sér. II. iii. 1112.—Parag.  
apiculata, Wildem. in Ann. Mus. Congo, Sér. IV. 14.—Afr. trop.  
birmanica, Prain & Burkill, in Journ. As. Soc. Beng. lxxiii. 185.—Burma.  
Concepcionis, Chod. & Hassl. in Bull. Herb. Boiss. Sér. II. iii. 1111.—Parag.  
Demeusii, Wildem. & Th. Dur. in Ann. Mus. Congo, Sér. III. i. 238.—Afr. trop.  
enneaneura, Prain & Burkill, in Journ. As. Soc. Beng. lxxiii. Suppl. 11.—China.  
guaranitica, Chod. & Hassl. in Bull. Herb. Boiss. Sér. II. iii. 1112.—Parag.  
Hassleriana, Chod. l. c. 1111.—Parag.  
Lecardi, Wildem. in Ann. Mus. Congo, Sér. V. i. 19.—Afr. trop.  
Mandoni, Rusby, in Bull. Torr. Bot. Club, 1902, 701.—Bolivia.  
panthaica, Prain & Burkill, in Journ. As. Soc. Beng. lxxiii. Suppl. 6.—China.  
platycolpota, Uline, in Proc. Amer. Acad. xxxvi. 471.—Mexic.  
Prazeri, Prain & Burkill, in Journ. As. Soc. Beng. lxxiii. Suppl. 2.—Burma.  
sikkimensis, Prain & Burkill, l. c. 3.—Reg. Himal.
- DIOSCOREA** :—  
tamifolia, Chod. & Hassl. in Bull. Herb. Boiss. Sér. II. iii. 1110.—Parag.  
tenuifolia, Ridley, in Journ. As. Soc. Straits, xli. 34.—Penins. Mal.  
Tysonii, Schoenl. in Rec. Albany Mus. i. 49.—Afr. austr.  
Verdickii, Wildem. in Ann. Mus. Congo, Sér. IV. 15.—Afr. trop.  
Yokusai, Prain & Burkill, in Journ. As. Soc. Beng. lxxiii. Suppl. 10.—Japon.  
yunnanensis, Prain & Burkill, l. c. lxxiii. 186.—China.  
zingiberensis, C. H. Wright, in Journ. Linn. Soc. xxxvi. 93.—China.
- DIOSPYROS**, Linn. (Ebenac.).  
Baumii, Guerke, in Warb. Kunene-Sambesi Exped. 328.—Afr. trop.  
Copelandi, Merrill, in Philipp. Gov. Lab. Bur. Bull. xvii. 45.—Ins. Philipp.  
Curtisii, King & Gamble, in Bull. Herb. Boiss. Sér. II. v. 428.—Penins. Mal.  
dumosa, King & Gamble, in Bull. Herb. Boiss. Sér. II. v. 428.—Penins. Mal.  
Kanjilali, Duthie, in Indian Forester, xxxi. 307.—Ind. or.  
mangabensis, Aug. DC. in Bull. Herb. Boiss. Sér. II. i. 578.—Madag.  
nitida, Merrill, in Philipp. Gov. Lab. Bur. Bull. xxxv. 57.—Ins. Philipp.  
siamensis, Hochr. Pl. Bogor. Exsicc. 36.—Siam.  
subgrida, Hochr. in Bull. Inst. Buitenz. xix. 24; Pl. Bogor. Exsicc. 14.—Borneo.  
subtruncata, Hochr. l. c. 17; l. c. 15.—Sumatra.  
Treubii, Hochr. l. c. 26; l. c. 14.—Malaya.  
Wallichii, King & Gamble, in Bull. Herb. Boiss. Sér. II. v. 429.—Penins. Mal.  
xanthocarpa, Guerke, in Warb. Kunene-Sambesi Exped. 328.—Afr. trop.
- DIORATEA**, Van Tiegh. in Bull. Mus. Hist. Nat. Par. viii. (1902) 372 = *Ouratea*, Aubl. (Ochnac.).  
cardiosperma, Van Tiegh. in Journ. de Bot. xvi. (1902) 188 = *O. cardiosperma*.  
sculpta, Van Tiegh. l. c. 189.—Bras.  
surinamensis, Van Tiegh. l. c. = *O. subscandens*.
- DIPCADI**, Medic. (Liliac.).  
anthericoides, Engl. & Gilg, in Warb. Kunene-Sambesi Exped. 193.—Afr. trop.  
Baumii, Engl. & Gilg, l. c. 194.—Afr. trop.  
brevipes, Baker, in Kew Bull. 1901, 136.—Afr. trop.  
Bussei, Damm, in Engl. Jahrb. xxxviii. 63.—Afr. trop.  
Conrathii, Baker, in Bull. Herb. Boiss. Sér. II. iv. 1000.—Afr. austr.  
Dekindianum, Engl. Jahrb. xxxii. 94.—Afr. trop.  
Dinteri, Baker, in Bull. Herb. Boiss. Sér. II. i. 788.—Afr. trop.  
Erlangeri, Damm, in Engl. Jahrb. xxxviii. 63.—Afr. trop.  
Hildebrandtii, Damm, l. c. 64.—Madag.  
Kelleri, Baker, in Bull. Herb. Boiss. Sér. II. i. 788.—Afr. trop.  
Kerstringii, Damm, in Engl. Jahrb. xxxviii. 63.—Afr. trop.  
lividescens, Engl. & Gilg, in Warb. Kunene-Sambesi Exped. 194.—Afr. trop.  
Mehowii, Engl. Jahrb. xxxii. 94.—Afr. trop.  
megalanthum, Zahlbr. in Ann. Nat. Hofmus. Wien, xv. 21.—Afr. austr.  
oligotrichum, Baker, in Bull. Herb. Boiss. Sér. II. iv. 1000.—Afr. austr.  
palustre, Baker, l. c.—Afr. austr.  
polyphyllum, Baker, l. c. 1001.—Afr. austr.  
Rautanenii, Baker, l. c. 1000.—Afr. trop.
- DIPHOLIS**, A. DC. (Sapot.).  
Bellonis, Urb. Symb. Antill. v. 137.—Ind. occ.  
cubensis, Pierre, in Urb. Symb. Antill. v. 140 (= *Bumelia cubensis*).—Ind. occ.  
domingensis, Pierre & Urb. l. c.—Ind. occ.  
lanceolata, Pierre, l. c. 136.—Ind. occ.  
pallens, Pierre & Urb. l. c.—Ind. occ.  
Sintenisiana, Pierre, l. c. 139.—Ind. occ.
- DIPHYLLANTHUS**, Van Tiegh. in Bull. Mus. Hist. Nat. Par. viii. (1902) 216 = *Ouratea*, Aubl. (Ochnac.).  
corymbosus, Van Tiegh. in Journ. de Bot. xvi. 199 = *O. corymbosa*.  
Duparquetianus, Van Tiegh. l. c. 200 = *O. Duparquetiana*.
- DIPHYLLOPODIUM**, Van Tiegh. in Bull. Mus. Hist. Nat. Par. viii. (1902) 376 = *Ouratea*, Aubl. (Ochnac.).  
Klainei, Van Tiegh. in Journ. de Bot. xvi. (1902) 200.—Afr. trop.  
Zenkeri, Van Tiegh. l. c. = *O. Zenkeri*.
- DIPLACHNE**, Beauv. (Gramin.).  
acuminata, Nash, in Britton, Man. Fl. N. U. S. 128.—Am. bor.  
barbata, Hack. in Oesterr. Bot. Zeitschr. 1902, 240.—Bras.  
guatemalensis, Hack. l. c. 275.—Am. cent.  
Menyharthii, Hack. in Bull. Herb. Boiss. Sér. II. i. 772.—Afr. trop.  
Peacocki, Maiden & Betche, in Agric. Gaz. N. S. Wales, xv. 925.—Austral.  
procumbens, Nash, in Britton, Man. Fl. N. U. S. 128.—Am. bor.
- DIPLACUS**, Nutt. = *Mimulus*, Linn. (Scrophul.).  
aridus, Abrams, in Bull. Torr. Bot. Club, 1905, 540.—Calif.
- DIPLADENIA**, A. DC. (Apocyn.).  
angustifolia, Malme, in Bull. Herb. Boiss. Sér. II. iv. 258.—Parag.
- DIPLANTHERA**, Thou. = *Cymodocea*, Koen. (Naiad.).  
uninervis, F. N. Williams, in Bull. Herb. Boiss. Sér. II. iv. 221 = *C. australis*.
- DIPLOPELTIS**, Endl. (Sapind.).  
eriocarpa, Hemsl. in Hook. Ic. Pl. t. 2730.—Austral.
- DIPLORHYNCHUS**, Welw. (Apocyn.).  
angustifolia, Stapf, in Dyer, Fl. Trop. Afr. iv. i. 107.—Afr. trop.
- DIPLOSIPHON**, Decne. = *Blyxa*, Thou. (Hydrocharid.).  
caulescens, Maxim. in Matsum. Ind. Pl. Jap. ii. 31 = *B. caulescens*.  
leiocarpa, Maxim. l. c. 32 = *B. leiocarpa*.
- DIPLOSPORA**, DC. (Rubiace.).  
Beccariana, King & Gamble, in Journ. As. Soc. Beng. lxxii. 225.—Penins. Mal.  
Kunstleri, King & Gamble, l. c. 226.—Penins. Mal.  
Minahassae, Koord. in Natuurk. Tijdschr. Ned. Ind. lxxiii. 77.—Celebes.  
polysperma, Valet. in Ic. Bogor. t. 142.—Hab.?  
velutina, King & Gamble, in Journ. As. Soc. Beng. lxxii. 226.—Penins. Mal.  
Wrayi, King & Gamble, l. c. 225.—Penins. Mal.
- DIPLOSTEPHIUM**, H. B. & K. (Compos.).  
Jelskii, Hieron, in Engl. Jahrb. xxxvi. 476.—Peruv.
- DIPLOSYPHON**, Matsum. Ind. Pl. Jap. ii. 31 = *DIPLOSIPHON*, Decne. = *Blyxa*, Thou. (Hydrocharid.).
- DIPLOTAXIS**, DC. (Crucif.).  
versicolor, Porta, in Nuov. Giorn. Bot. Ital. xi. (1879) 249.—Ital.
- DIPLOTHEMIUM**, Mart. (Palm.).  
Hasslerianum, Barb. Rodr. Palm. Hassl. Nov. 10.—Parag.
- DIPLOTROPIS**, Benth. (Legum.).  
Taubertiana, Harms, in Engl. Jahrb. xxxiii. Beibl. lxxii. 26.—Bras.
- DIPLUSODON**, Pohl (Lythrac.).  
Burchellii, Koehne, in Engl. Pflanzenreich Lythrac. 208.—Bras.  
velutinus, Koehne, l. c. 202.—Bras.
- DIPODIUM**, R. Br. (Orchid.).  
scandens, J. J. Sm. Orchid. Java, 488 (= *Leopardanthus scandens*).—Java.
- DIPORIDIUM**, Wendl. f. = *Ochna*, Linn. (Ochnac.).  
acutifolium, Van Tiegh. in Ann. Sci. Nat. Sér. VIII. xvi. 356 = *O. acutifolia*.  
Bailloni, Van Tiegh. l. c. 357.—Madag.  
Baroni, Van Tiegh. l. c. 359.—Madag.  
cinnabarinum, Van Tiegh. l. c. xviii. 52 = *O. cinnabarina*.



**DIPORIDIUM** :—

- cordatum*, Van Tiegh. in Journ. de Bot. 1902, 127 = O. squarrosa.  
*Decaisnei*, Van Tiegh. l. c. = O. Decaisnei.  
*emarginatum*, Van Tiegh. l. c. —Madag.  
*Goetzei*, Van Tiegh. in Ann. Sci. Nat. Sér. VIII. xvi. 359. —Afr. trop.  
*Greveanum*, Van Tiegh. l. c. 357. —Madag.  
*Hoepfneri*, Van Tiegh. l. c. 358 = O. Hoepfneri.  
*Holstii*, Van Tiegh. l. c. 356 = O. Holstii.  
*Holtzii*, Van Tiegh. l. c. 52 = O. Holtzii.  
*inermis*, Van Tiegh. in Journ. de Bot. 1902, 127 = O. inermis.  
*Jallae*, Van Tiegh. in Ann. Sci. Nat. Sér. VIII. xvi. 359. —Afr. trop.  
*leiocladum*, Van Tiegh. l. c. 360. —Hort.  
*leucophloeos*, Van Tiegh. in Journ. de Bot. 1902, 126 = O. leucophloeos.  
*Macowani*, Van Tiegh. in Ann. Sci. Nat. Sér. VIII. xvi. 357. —Afr. austr.  
*poulocondorensis*, Van Tiegh. l. c. 360. —Cochinch.  
*prunifolium*, Van Tiegh. l. c. 356 = O. prunifolia.  
*purpureocostatum*, Van Tiegh. l. c. = O. purpureocostata.  
*purpureum*, Van Tiegh. l. c. 360. —Hort.  
*rovumense*, Van Tiegh. l. c. xviii. 52 = O. rovimensis.  
*rubrum*, Van Tiegh. l. c. xvi. 356. —Madag.  
*rufescens*, Van Tiegh. in Journ. de Bot. 1902, 127 = O. squarrosa.  
*Sacleuxi*, Van Tiegh. in Ann. Sci. Nat. Sér. VIII. xvi. 354. —Afr. trop.  
*Schimperi*, Van Tiegh. in Journ. de Bot. 1902, 127. —Afr. trop.  
*Schweinfurthianum*, Van Tiegh. in Ann. Sci. Nat. Sér. VIII. xvi. 356 = O. Schweinfurthiana.  
*Staudtii*, Van Tiegh. l. c. xviii. 52 = O. Staudtii.  
*Stuhlmannii*, Van Tiegh. l. c. xvi. 356 = O. Stuhlmannii.  
*uniflorum*, Van Tiegh. in Journ. de Bot. 1902, 126. —Afr. austr.  
*Vahl*, Van Tiegh. in Ann. Sci. Nat. Sér. VIII. xvi. 358. —Afr. trop.  
*Walkerii*, Van Tiegh. l. c. xviii. 52 = O. Wightiana.  
*zanguebaricum*, Van Tiegh. l. c. xvi. 359. —Afr. trop.

- DIPOROCHNA**, Van Tiegh. in Bull. Mus. Hist. Nat. Par. viii. (1902) 377 = **Ochna**, Linn. (Ochnac.).  
*Brassae*, Van Tiegh. in Ann. Sci. Nat. Sér. VIII. xvi. 391. —Afr. trop.  
*Duparqueti*, Van Tiegh. l. c. —Afr. trop.  
*Gilgiana*, Van Tiegh. l. c. xviii. 58 = O. Gilgiana.  
*Gilgii*, Van Tiegh. l. c. xvi. 391 = O. Gilgiana.  
*Hierni*, Van Tiegh. l. c. 390. —Afr. trop.  
*latisejala*, Van Tiegh. l. c. 391. —Afr. trop.  
*membranacea*, Van Tiegh. l. c. 390 = O. membranacea.  
*Oliveri*, Van Tiegh. l. c. —Afr. trop.  
*paniculata*, Van Tiegh. l. c. 391. —Afr. trop.  
*Quintasi*, Van Tiegh. l. c. —Afr. trop.  
*rubescens*, Van Tiegh. l. c. 390. —Afr. trop.

- DIPTERANTHUS**, Barb. Rodr. (Orchid.).  
*corniger*, Cogn. in Mart. Fl. Bras. iii. vi. 215. —Bras.  
*pellucidus*, Cogn. l. c. 214 (= *Zygostates pellucida*). —Bras.

- DIPTEROCARPUS**, Gaertn. f. (Dipterocarp.).  
*angustialatus*, Heim, in Bot. Tidsskr. xxv. 43. —Siam.  
*exilis*, Aresch. in Svensk. Vet. Akad. Handl. xxxix. no. 2, 42, nomen. —Hab. ?  
*lasipodus*, Perkins, Frag. Fl. Philipp. 22. —Ins. Philipp.  
*parvifolius*, Heim, in Bot. Tidsskr. xxv. 43. —Siam.  
*Schmidtii*, Heim, l. c. 42. —Siam.

- DIPTERONIA**, Oliver (Sapind.).  
*Dyeriana*, Henry, in Gard. Chron. 1903, I. 22. —China.

- DIRICHLETIA**, Klotzsch (Rubiace.).  
*Ellenbeckii*, K. Schum. in Engl. Jahrb. xxxiii. 336. —Afr. trop.

- DISA**, Berg (Orchid.).  
*calophylla*, Kraenzl. in Engl. Jahrb. xxxiii. 58. —Afr. trop.  
*coccinea*, Kraenzl. l. c. 59. —Afr. trop.  
*comosa*, Schlechter, in Engl. Jahrb. xxxi. 206 (= *Monadenia comosa*). —Afr. austr.  
*Engleriana*, Kraenzl. in Engl. Jahrb. xxxiii. 58. —Afr. trop.  
*huillensis*, Fritsch. in Bull. Herb. Boiss. Sér. II. i. 1116. —Afr. trop.

**DISA** :—

- igneae*, Kraenzl. in Engl. Jahrb. xxxiii. 57. —Afr. trop.  
*katangensis*, Wildem. in Ann. Mus. Congo, Sér. IV. 25. —Afr. trop.  
*leucostachys*, Kraenzl. in Engl. Jahrb. xxx. 285. —Afr. trop.  
*Marlothii*, Bolus, in Trans. S. Afr. Phil. Soc. xvi. 148. —Afr. austr.  
*praestans*, Kraenzl. in Engl. Jahrb. xxxiii. 59. —Afr. trop.  
*Schlechteriana*, Bolus, in Trans. S. Afr. Phil. Soc. xvi. 149. —Afr. austr.  
*stolonifera*, Rendle, in Journ. Linn. Soc. xxxvii. 222. —Afr. trop.  
*uliginosa*, Kraenzl. in Engl. Jahrb. xxx. 285. —Afr. trop.  
*Verdickii*, Wildem. in Ann. Mus. Congo, Sér. IV. 26. —Afr. trop.

**DISCARIA**, Hook. (Rhamn.).

- andina*, Speg. Nov. Add. Fl. Patag. i. (1901) repr. 25. —Patag.  
*cognata*, Speg. Nov. Add. Fl. Patag. i. (1901) repr. 26; MacL. in Rep. Princeton Univ. Exped. Patag. viii. 564 (= *Notophaena cognata*). —Am. austr.  
*discolor*, P. Dusén, in Rep. Princeton Univ. Exped. Patag. viii. 21. —Patag.  
*foliosa*, Speg. Nov. Add. Fl. Patag. i. (1901) repr. 26. —Patag.  
*magellanica*, MacL. in Rep. Princeton Univ. Exped. Patag. viii. 566 (= *Notophaena magellanica*). —Reg. Magell.  
*trinervis*, Chod. & Wilcz. in Bull. Herb. Boiss. Sér. II. ii. 529. —Reg. Argent.

**DISCHIDIA**, R. Br. (Asclep.).

- beiningiana*, Schlechter, in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee, 356. —Ins. Bismarck.  
*dirhiza*, Schlechter, l. c. 357. —N. Guin.  
*euryloma*, Schlechter, l. c. 358. —Ins. Bismarck.  
*galactantha*, K. Schum. in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee, 358. —N. Guin.  
*Hahliana*, Volk. in Engl. Jahrb. xxxi. 473. —Ins. Carol.  
*listerophora*, Schlechter, in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee, 359. —Ins. Bismarck.  
*litoralis*, Schlechter, l. c. —Ins. Bismarck.  
*oiantha*, Schlechter, in Perkins, Frag. Fl. Philipp. i. 127. —Ins. Philipp.  
*pectenoides*, H. H. W. Pearson, in Journ. Linn. Soc. xxxv. 377. —Ins. Philipp.  
*purpurea*, Merrill, in Philipp. Gov. Lab. Bur. Bull. xvii. 39. —Ins. Philipp.  
*saccata*, Warb. in Perkins, Frag. Fl. Philipp. i. 127. —Ins. Philipp.  
*Schumanniana*, Schlechter, in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee, 360. —N. Guin.  
*Shelfordii*, H. H. W. Pearson, in Ann. Bot. xvii. 617. —Borneo.  
*subpeltigera*, Schlechter, in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee, 360. —N. Guin.

- DISCHIDIOPSIS**, Schlechter, in Perkins, Frag. Fl. Philipp. i. (1904) 128. **ASCLEPIADACEAE**.  
*papuaana*, Schlechter, l. c. (= *Dischidia papuaana*). —N. Guin.  
*philippinensis*, Schlechter, l. c. —Ins. Philipp.

**DISCHISMA**, Choisy (Selag.).

- crassum*, Rolfe, in Dyer, Fl. Cap. v. 116. —Afr. austr.  
**DISCHISTOCALYX**, Lindau = **Distichocalyx**, T. Anders. (Acanth.).  
*togoensis*, Lindau, in Engl. Jahrb. xxxiii. 188. —Afr. trop.

**DISCIPHANIA**, Eichl. (Menisperm.).

- Glaziovii*, Taub. ex Glaz. in Bull. Soc. Bot. Fr. lii. Mém. III. 15, nomen. —Bras.

- DISCLADIUM**, Van Tiegh. in Bull. Mus. Hist. Nat. Par. viii. (1902) 214 = **Ochna**, Linn. (Ochnac.).  
*Bernieri*, Van Tiegh. in Journ. de Bot. 1902, 125 = O. Bernieri.  
*Chapelieri*, Van Tiegh. in Ann. Sci. Nat. Sér. VIII. xvi. 352. —Madag.  
*comorensis*, Van Tiegh. in Journ. de Bot. 1902, 125 = O. comorensis.  
*Dalszelli*, Van Tiegh. in Bull. Mus. Hist. Nat. Par. 1903, 161. —Ind. or.

**DISCLADIUM** :—

- Gaudichaudii*, Van Tiegh. in Bull. Mus. Hist. Nat. Par. 1903, 163. —Ind. or.  
*Harmandi*, Van Tiegh. in Ann. Sci. Nat. Sér. VIII. xvi. 351. —Cochinch.  
*Humboldtii*, Van Tiegh. l. c. 352. —Madag.  
*Koenigi*, Van Tiegh. in Bull. Mus. Hist. Nat. Par. 1903, 162. —Ind. or.  
*Leschenaultii*, Van Tiegh. l. c. —Ind. or.  
*lucidum*, Van Tiegh. in Journ. de Bot. 1902, 125 = O. squarrosa.  
*microphyllum*, Van Tiegh. in Bull. Mus. Hist. Nat. Par. 1903, 161 = O. microphylla.  
*mossambicensis*, Van Tiegh. in Journ. de Bot. 1902, 125 = O. mossambicensis.  
*nitidum*, Van Tiegh. l. c. = O. squarrosa.  
*obtusatum*, Van Tiegh. l. c. = O. squarrosa.  
*Planchoni*, Van Tiegh. in Ann. Sci. Nat. Sér. VIII. xvi. 351. —Ind. or.  
*squarrosam*, Van Tiegh. in Journ. de Bot. 1902, 125 = O. squarrosa.  
*Wallichii*, Van Tiegh. in Ann. Sci. Nat. Sér. VIII. xvi. 241, 351 = O. Wallichii.

**DISCOCALYX**, Mez, in Engl. Pflanzenreich, Myrsin.

- (1902) 211. **MYRSINACEAE**.  
*angustifolia*, Mez, l. c. 214. —Ins. Philipp.  
*cybianthoides*, Mez, l. c. 213 (= *Cybianthus philippinensis*). —Ins. Philipp.  
*effusa*, Mez, l. c. 213. —Ins. Philipp.  
*ladronica*, Mez, l. c. 214. —Ins. Marianne.  
*Listeri*, Mez & Stapf, ex Mez, l. c. 212. —Ins. Tonga.  
*minor*, Mez, l. c. 213. —Ins. Philipp.  
*orthoneurus*, K. Schum. in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee, 344. —N. Guin.  
*philippinensis*, Mez, in Engl. Pflanzenreich, Myrsin. 212 (= *Badula philippinensis*). —Ins. Philipp.  
*Schlechteri*, K. Schum. in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee, 345. —Ins. Bismarck.  
*Vidalii*, Mez, in Engl. Pflanzenreich, Myrsin. 213. —Ins. Philipp.

**DISPERIS**, Sw. (Orchid.).

- rhodoneura*, Schlechter, in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee, 81. —N. Guin.  
*togoensis*, Schlechter, in Engl. Jahrb. xxxviii. 2. —Afr. trop.

**DISPORUM**, Salisb. (Liliac.).

- canadense*, Shafer, in Ann. Carneg. Mus. i. 109. —Am. bor.

**DISSOTHRIX**, A. Gray (Compos.).

- Hassleriana*, Chod. in Bull. Herb. Boiss. Sér. II. i. 411. —Parag.

**DISSOTIS**, Benth. (Melast.).

- aquatica*, Wildem. in Ann. Mus. Congo, Sér. IV. 217. —Afr. trop.  
*Gilgiana*, Wildem. l. c. —Afr. trop.  
*Mahoni*, Hook. f. Bot. Mag. t. 7896. —Afr. trop.  
*paucistellata*, Stapf, in Journ. Linn. Soc. xxxvii. 99. —Afr. trop.  
*Proschii*, Briq. in Ann. Conserv. & Jard. Bot. Genève, 1902, 5. —Afr. trop.  
*rubroviolacea*, Gilg, in Engl. Jahrb. xxx. 365. —Afr. trop.  
*spectabilis*, Gilg, l. c. 366. —Afr. trop.  
*Verdickii*, Wildem. in Ann. Mus. Congo, Sér. IV. 218. —Afr. trop.

**DISTICHLIS**, Rafin. (Gramin.).

- multinervosa*, Piper, in Proc. Biol. Soc. Washington, xviii. 147 (= *Melica multinervosa*). —Am. bor.  
*stricta*, Rydb. in Bull. Torr. Bot. Club, 1905, 602 (= *Uniola stricta*). —Am. bor.

**DITASSA**, R. Br. (Asclep.).

- subulata*, J. R. Johnston, in Proc. Amer. Acad. xl. 694. —Venez.

**DIURANTHERA**, Hemsl. in Hook. Ic. Pl. t. 2734

- (1902). **LILIACEAE**.  
*major*, Hemsl. l. c. —China.  
*minor*, C. H. Wright, ex Hemsl. l. c. (= *Paradisea minor*). —China.

**DIURIS**, Sm. (Orchid.).

- Purdiei*, Diels, in Journ. Muell. Soc. W. Austral. i. no. 11, 79. —Austral.



**DIZYGOTHECA**, N. E. Br. (Aral.).

plerandroides, *Viguiér*, in *Journ. de Bot.* xix. 24.—N. Caled.

**DODECATHEON**, Linn. (Primul.).

*bernalinum*, Greene, ex Knuth, in *Engl. Pflanzenreich*, Primul. 245 = *patulum*.  
*brachycarpum*, *Small*, *Fl. S. E. U. S.* 906.—Am. bor.  
*campestre*, *Howell*, *Fl. N. W. Am.* i. 432.—Am. bor.  
*Hugeri*, *Small*, *Fl. S. E. U. S.* 906.—Am. bor.  
*laetiflorum*, *Greene*, *Pittonia*, v. 112.—Calif.  
*latilobum*, *Elmer*, ex *Knuth*, in *Engl. Pflanzenreich*, Primul. 239.—Am. bor.  
*macrocarpum*, *Knuth*, l. c. 241.—Am. bor.  
*multiflorum*, *Rydb.* in *Bull. Torr. Bot. Club*, 1904, 631.—Am. bor.  
*philoscia*, *A. Nelson*, in *Bull. Torr. Bot. Club*, 1901, 227.—Am. bor.  
*sanctarum*, *Greene*, *Pittonia*, v. 113.—Calif.  
*Stanfieldii*, *Small*, *Fl. S. E. U. S.* 906.—Am. bor.

**DODONAEA**, Linn. (Sapind.).

*amblyophylla*, *Diels*, in *Engl. Jahrb.* xxxv. 345.—Austral.  
*caespitosa*, *Diels*, l. c. 347.—Austral.  
*cryptandroides*, *Diels*, l. c.—Austral.  
*Hackettiana*, *Fitzger.* in *Journ. W. Austral. Nat. Hist. Soc.* ii. 21.—Austral.

**DOLICHOMETRA**, K. Schum. in *Engl. Jahrb.* xxxiv. (1904) 331. RUBIACEAE.

*leucantha*, *K. Schum.* l. c.—Afr. trop.

**DOLICHOS**, Linn. (Legum.).

*adenophorus*, *Harms*, in *Engl. Jahrb.* xxx. 333.—Afr. trop.  
*argyrophyllus*, *Harms*, l. c. xxxiii. 178.—Afr. trop.  
*bellus*, *Harms*, l. c. xxx. 334.—Afr. trop.  
*Boivini*, *Drake*, *Hist. Pl. Madag.* i. 103.—Madag.  
*dubius*, *Wildem.* in *Ann. Mus. Congo*, Sér. IV. 64.—Afr. trop.  
*Ellenbeckii*, *Harms*, in *Engl. Jahrb.* xxxiii. 177.—Afr. trop.  
*esculentus*, *Wildem.* in *Ann. Mus. Congo*, Sér. IV. 61.—Afr. trop.  
*formosoides*, *Harms*, in *Engl. Jahrb.* xxxiii. 177.—Afr. trop.  
*Gululu*, *Wildem.* in *Ann. Mus. Congo*, Sér. IV. 65.—Afr. trop.  
*Hendrickxii*, *Wildem.* l. c. Sér. V. i. 156.—Afr. trop.  
*Katali*, *Wildem.* l. c. 157.—Afr. trop.  
*Lagopus*, *Dunn*, in *Journ. Linn. Soc.* xxxv. 490.—China.  
*serpens*, *Wildem.* in *Ann. Mus. Congo*, Sér. IV. 63.—Afr. trop.  
*Stolzii*, *Harms*, in *Engl. Jahrb.* xxxiii. 178.—Afr. trop.  
*trinervis*, *Wildem.* in *Ann. Mus. Congo*, Sér. IV. 66.—Afr. trop.  
*ungoniensis*, *Harms*, in *Engl. Jahrb.* xxxiii. 179.—Afr. trop.  
*Verdickii*, *Wildem.* in *Ann. Mus. Congo*, Sér. IV. 63.—Afr. trop.

**DOLIOCARPUS**, Roland. (Dillen.).

*platystigma*, *Pilg.* in *Engl. Jahrb.* xxx. 173.—Bras.

**DOMBEYA**, Cav. (Stercul.).

*albiflora*, *K. Schum.* in *Engl. Jahrb.* xxxiii. 308.—Afr. trop.  
*auriculata*, *K. Schum.* l. c. xxx. 352.—Afr. trop.  
*Bagshawei*, *Baker f.* in *Journ. Linn. Soc.* xxxvii. 127.—Afr. trop.  
*Dinteri*, *Schinz*, in *Bull. Herb. Boiss.* Sér. II. ii. 1005.—Afr. austr.  
*erythroleuca*, *K. Schum.* in *Engl. Jahrb.* xxx. 353.—Afr. trop.  
*faucicola*, *K. Schum.* l. c. xxxiv. 323.—Afr. trop.  
*katangensis*, *Wildem. & Th. Dur.* in *Bull. Soc. Bot. Belg.* xl. 13.—Afr. trop.  
*Kindtiana*, *Wildem. ex Wildem. & Th. Dur.* l. c. 14.—Afr. trop.  
*leucorrhoea*, *K. Schum.* in *Engl. Jahrb.* xxx. 353.—Afr. trop.  
*macrotyis*, *K. Schum.* l. c. xxxiii. 309.—Afr. trop.  
*malacoxylon*, *K. Schum.* l. c.—Afr. trop.  
*monticola*, *K. Schum.* l. c. xxxiv. 324.—Afr. trop.  
*schoenodoter*, *K. Schum.* l. c. xxxiii. 310.—Afr. trop.  
*Taylori*, *Baker f.* in *Journ. Bot.* 1901, 125.—Afr. trop.

**DOMBEYA**—

*viscosa*, *Lignier & Bey*, in *Bull. Soc. Linn. Norm.* Sér. V. viii. 258. nomen.—Hab.?  
*vitifolia*, *Lignier & Bey*, l. c. nomen.—Bourbon.

**DONAX**, Lour. (Scitamin.).

[CLINOGYNE, Salisb. I. K.]  
*virgata*, *K. Schum.* in *Engl. Pflanzenreich*, *Marant.* 33 (= *Clinogyne virgata*).—Ind. or.

**DONDIA**, Adans. = **Suaeda**, Forsk. (Chenopod.).

*erecta*, *A. Nelson*, in *Coult. Bot. Gaz.* xxxiv. 364 = *S. depressa*.  
*Moquini*, *A. Nelson*, l. c. 363 = *S. Torreyana*.  
*multiflora*, *A. Nelson*, l. c. 364 = *S. suffrutescens*.

**DONELLA**, Pierre = **Chrysophyllum**, Linn. (Sapot.).

*Klainii*, *Pierre*, in *Engl. Monogr. Afr. Pfl.* viii. 42 = *C. Klainii*.  
*pruniformis*, *Pierre*, l. c. = *C. pruniforme*.  
*Welwitschii*, *Pierre*, l. c. 41 = *C. Welwitschii*.

**DONNELIA**, C. B. Clarke, ex Donn. Sm. in *Coult.*

*Bot. Gaz.* xxxiii. (1902) 261. COMMELINACEAE.  
*grandiflora*, *C. B. Clarke*, l. c. (= *Callisia grandiflora*).—Am. cent.

**DOPATRIUM**, Buch.-Ham. (Scrophul.).

*Dortmannia*, *S. Moore*, in *Journ. Linn. Soc.* xxxvii. 189.—Afr. trop.  
*stachytarphetoides*, *Engl. & Gilg*, in *Warb. Kunene-Sambesi Exped.* 362.—Afr. trop.

**DORELLA**, Bub. Fl. Pyren. iii. (1901) 231 = **Camelina**,

*Crantz* (Crucif.).  
*oleifera*, *Bub.* l. c. 232 = *C. sativa*.

**DORONICUM**, Tourn. (Compos.).

*argenteum*, *Dalz.* ex *Cooke*, *Fl. Bombay*, ii. 52 = *Senecio Edgeworthii*.  
*longicaule*, *Gand.* in *Bull. Soc. Bot. Fr.* xlviii. 414.—Hispan.

**DORSTENIA**, Plum. (Urtic.).

*ciliata*, *Engl. Jahrb.* xxxiii. 114.—Afr. trop.  
*Ellenbeckiana*, *Engl.* l. c. 116.—Afr. trop.  
*Gilletii*, *Wildem.* in *Bull. Herb. Boiss.* Sér. II. i. 838.—Afr. trop.  
*Harmsiana*, *Engl. Jahrb.* xxxiii. 115.—Afr. trop.  
*Laurentii*, *Wildem. Enum. Pl. Laurent*, 69.—Afr. trop.  
*lukafuensis*, *Wildem.* in *Ann. Mus. Congo*, Sér. IV. 28.—Afr. trop.  
*mundamensis*, *Engl. Jahrb.* xxxiii. 115.—Afr. trop.  
*tenuifolia*, *Engl.* l. c. 116.—Afr. trop.  
*turbinata*, *Engl.* l. c. 115.—Afr. trop.  
*Unyikae*, *Engl.* l. c. xxx. 291.—Afr. trop.  
*usambarensis*, *Engl.* l. c. xxxiii. 114.—Afr. trop.  
*Verdickii*, *Wildem. ex Wildem. & Th. Dur.* in *Bull. Soc. Bot. Belg.* xl. 26.—Afr. trop.

**DORYALIS**, E. Mey. (Bixac.).

[DOVYALIS, E. Mey. I. K.]  
*Antunesii*, *Gilg.* in *Engl. Jahrb.* xxxii. 136.—Afr. trop.

**DORSTEPHANIA**, Warb. in *Perkins*, *Frag. Fl.*

*Philipp.* i. 123 (1904). ASCLEPIADACEAE.  
*luzonensis*, *Warb.* in *Perkins*, l. c.—Ins. Philipp.

**DOWNINGIA**, Torr. (Campan.).

*pusilla*, *Speg. Nov. Add. Fl. Patag.* ii. (1902), repr. 28 (= *Clintonia pusilla*).—Patag.

**DOYEREA**, Grosourdy, *Medic. Bot. Criollo*, i. I. (1864)

201; et ex *Bello* in *Anal. Soc. Esp. Hisp. Nat.* x. (1881) 273. CUCURBITACEAE.  
*angosturensis*, *Grosourdy*, l. c. i. II. 339; ii. I. 289.—Venez.  
*emetocathartica*, *Grosourdy*, l. c. i. II. 338; ii. I. 289.—Ind. occ.

**DRABA**, Dill. (Crucif.).

*alajica*, *Litw. in Trav. Mus. Bot. Acad. Pétersb.* i. 14.—Turkestan.  
*albertina*, *Greene*, *Pittonia*, iv. (1901) 312.—Am. bor.  
*argyrea*, *Rydb.* in *Bull. Torr. Bot. Club*, 1903, 251.—Am. bor.  
*atuelica*, *Chod. & Wilcz.* in *Bull. Herb. Boiss.* Sér. II. ii. 289.—Reg. Argent.  
*aureiformis*, *Rydb.* in *Bull. Torr. Bot. Club*, 1901, 278.—Am. bor.  
*Bakeri*, *Greene*, *Pl. Baker.* iii. 6.—Am. bor.  
*Benthiana*, *Gilg.* in *Engl. Jahrb.* xxxiv. Beibl. lxxviii. 10, nomen.—Ecuador.

**DRABA**—

*brachystylis*, *Rydb.* in *Bull. Torr. Bot. Club*, 1902, 240.—Am. bor.  
*cachemirica*, *Gandoger*, in *Bull. Soc. Bot. Fr.* xlv. 418.—Ind. or.  
*cana*, *Rydb.* in *Bull. Torr. Bot. Club*, 1902, 241.—Am. bor.  
*chubutensis*, *Speg. in Anal. Mus. Buenos Aires*, vii. 214.—Patag.  
*coloradensis*, *Rydb.* in *Bull. Torr. Bot. Club*, 1904, 555.—Am. bor.  
*columbiana*, *Rydb.* l. c. 1902, 242.—Am. bor.  
*confusa*, *Rose*, in *U. S. Dept. Agric. Contrib. Nat. Herb.* viii. 29.—Mexic.  
*darwasica*, *Lipsky*, in *Act. Hort. Petrop.* xxiii. 60.—As. cent.  
*decumbens*, *Rydb.* in *Bull. Torr. Bot. Club*, 1902, 240.—Am. bor.  
*dictyota*, *Greene*, *Pittonia*, iv. 313.—Am. bor.  
*graminea*, *Greene*, *Pl. Baker.* iii. 5.—Am. bor.  
*graminifolia*, *Speg. Nov. Add. Fl. Patag.* i. (1901), repr. 5.—Patag.  
*Hatcheriana*, *Gilg.* ex *Macl.* in *Rep. Princeton Univ. Exped. Patag.* viii. 444.—Patag.  
*Helleri*, *Small*, *Fl. S. E. U. S.* 479.—Am. bor.  
*hissarica*, *Lipsky*, in *Act. Hort. Petrop.* xxiii. 59.—As. cent.  
*karr-aikensis*, *Speg. Nov. Add. Fl. Patag.* i. (1901), repr. 6.—Patag.  
*McCallae*, *Rydb.* in *Bull. Torr. Bot. Club*, 1902, 241.—Am. bor.  
*Macouniana*, *Rydb.* l. c. 240.—Am. bor.  
*media*, *Litw. in Trav. Mus. Bot. Acad. Pétersb.* i. 12.—Turkestan.  
*megasperma*, *Fernald & Knowlton*, in *Rhodora*, vii. 65.—Am. bor.  
*mexicana*, *Rose*, in *U. S. Dept. Agric. Contrib. Nat. Herb.* viii. 29.—Mexic.  
*nipponica*, *Makino*, in *Bot. Mag. Tokyo*, xvii. 41.—Japon.  
*nitida*, *Greene*, *Pl. Baker.* iii. 7.—Am. bor.  
*nivicola*, *Rose*, in *U. S. Dept. Agric. Contrib. Nat. Herb.* viii. 29.—Mexic.  
*odudiana*, *Lipsky*, in *Act. Hort. Petrop.* xxiii. 62.—As. cent.  
*oligantha*, *Greene*, *Pittonia*, iv. 313.—Am. bor.  
*ondakensis*, *Makino*, in *Bot. Mag. Tokyo*, xvii. 42.—Japon.  
*orbiculata*, *Rose*, in *U. S. Dept. Agric. Contrib. Nat. Herb.* viii. 29.—Mexic.  
*oxyloba*, *Greene*, *Pl. Baker.* iii. 6.—Am. bor.  
*Parryi*, *Rydb.* in *Bull. Torr. Bot. Club*, 1902, 241.—Am. bor.  
*Pringlei*, *Rose*, in *U. S. Dept. Agric. Contrib. Nat. Herb.* viii. 30.—Mexic.  
*pycnosperma*, *Fernald & Knowlton*, in *Rhodora*, vii. 67.—Am. bor.  
*rosularis*, *Chod. & Wilcz.* in *Bull. Herb. Boiss.* Sér. II. ii. 290.—Reg. Argent.  
*Sakuraii*, *Makino*, in *Bot. Mag. Tokyo*, xvii. 40.—Japon.  
*shiroumana*, *Makino*, l. c. xviii. 75.—Japon.  
*sinanensis*, *Makino*, l. c. xvii. 40.—Japon.  
*sobolifera*, *Rydb.* in *Bull. Torr. Bot. Club*, 1903, 251.—Am. bor.  
*Tranzschelii*, *Litw. in Trav. Mus. Bot. Acad. Pétersb.* i. 14.—Turkestan.  
*uber*, *A. Nelson*, in *Coult. Bot. Gaz.* xxxiv. 366.—Am. bor.  
*uncinalis*, *Rydb.* in *Bull. Torr. Bot. Club*, 1903, 251.—Am. bor.  
*valida*, *Goodd.* in *Coult. Bot. Gaz.* xxxvii. 55.—Am. bor.  
*viridis*, *A. A. Heller*, *Muhlenbergia*, i. 27.—Am. bor.

**DRABELLA**, Fourr. = **Draba**, Dill. (Crucif.).

*ciliaris*, *Bub.* Fl. Pyren. iii. 197 = *Draba aizoides*.  
*Columnae*, *Bub.* l. c. 200 = *D. muralis*.  
*Dedeana*, *Bub.* l. c. 198 = *D. Dedeana*.  
*frigida*, *Bub.* l. c. 199 = *D. tomentosa*.  
*incana*, *Bub.* l. c. 200 = *D. incana*.  
*memoralis*, *Bub.* l. c. = *D. nemorosa*.  
*variabilis*, *Bub.* l. c. 199 = *D. fladnizensis*.  
*verna*, *Bub.* l. c. 201 = *Erophila vulgaris*.

**DRACAENA**, Vand. (Liliac.).

*americana*, *Donn. Sm.* in *Sarg. Trees & Shrubs*, 207, t. 98.—Am. cent.  
*Butayei*, *Wildem.* in *Ann. Mus. Congo*, Sér. V. i. 16.—Afr. trop.

**DRACAENA** :—

- conferta, Ridley, in *Journ. As. Soc. Straits*, xli. 35.—Penins. Mal.  
 congensis, Engl. in *Wildem. Enum. Pl. Laurent*, 42, nomen.—Afr. trop.  
 cuspidibracteata, Engl. *Jahrb.* xxxii. 96.—Afr. trop.  
 Deisteliana, Engl. l. c.—Afr. trop.  
 deremensis, Engl. l. c. 95.—Afr. trop.  
 Ellenbeckiana, Engl. l. c.—Afr. trop.  
 kewensis, Hort. Sand. in *Gard. Chron.* 1903, I. *Suppl.* Apr. 25. t. 109.—N. Caled.  
 Laurentii, *Wildem. Enum. Pl. Laurent*, 42.—Afr. trop.  
 penangensis, Ridley, in *Journ. As. Soc. Straits*, xli. 36.—Penins. Mal.  
 pendula, Ridley, l. c.—Penins. Mal.  
 prolata, C. H. Wright, in *Journ. Linn. Soc.* xxxvii. 115.—Afr. trop.  
 Soyauxiana, Baker, in *Bull. Herb. Boiss. Sér. II. i.* 857.—Afr. trop.  
 transvaalensis, Baker, l. c. iv. 1001.—Afr. austr.

**DRACOCEPHALUM**, Linn. (Labiata).

- Biondianum, Diels, in *Engl. Jahrb.* xxxvi. *Beibl.* lxxxii. 94.—China.  
 Komarovi, Lipsky, in *Act. Hort. Petrop.* xxiii. 207.—As. cent.  
 Krylovi, Lipsky, l. c. xxiv. 121.—Altai.  
 radicans, Vaniot, in *Bull. Acad. Géogr. Bot.* xiv. (1904) 180.—China.  
 simplex, Vaniot, l. c. 179.—China.

**DRACONTIUM**, Linn. (Arac.).

- longipes, Engl. *Jahrb.* xxxvii. 122.—Reg. Amaz.  
 Pittieri, Engl. l. c.—Am. cent.

**DRACONTOMELON**, Blume (Anacard.).

- papuanum, Lauterb. in *K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 301.—N. Guin.

**DRACOPHYLLUM**, Labill. (Epacrid.).

- arboreum, Cockayne, in *Trans. N. Z. Inst.* xxxiv. 318.—Ins. Chatham.  
 paludosum, Cockayne, l. c.—Ins. Chatham.

**DRIMIA**, Jacq. (Liliac.).

- confertiflora, Damm, in *Engl. Jahrb.* xxxviii. 62.—Afr. trop.

**DRIMIOPSIS**, Lindl. & Paxt. (Liliac.).

- Bussei, Damm, in *Engl. Jahrb.* xxxviii. 62.—Afr. trop.  
 Erlangeri, Damm, l. c. 63.—Afr. trop.

**DRIMYS**, Forst. (Magnol.).

- rivularis, Vieill. ex Van Tiegh. in *Journ. de Bot.* 1900, 331.—N. Caled.

**DROOGMANSIA**, Wildem. in *Ann. Mus. Congo*, Sér. IV. (1902) 53. **LEGUMINOSAE.**

- huillensis, Wildem. l. c. 57 (= *Meibomia huillensis*).—Afr. trop.  
 megalantha, Wildem. l. c. 56 (= *Desmodium megalanthum*).—Afr. trop.  
 pteropus, Wildem. l. c. 54 (= *Dolichos pteropus*).—Afr. trop.  
 Stuhlmannii, Wildem. l. c. 55 (= *Desmodium Stuhlmannii*).—Afr. trop.

**DROSERA**, Linn. (Droser.).

- Aliciae, Hamet, in *Journ. de Bot.* 1905, [114].—Austral.  
 androsacea, Diels, in *Engl. Jahrb.* xxxv. 205.—Austral.  
 bulbigena, A. Morrison, in *Trans. Proc. Bot. Soc. Edinb.* xxii. 417.—Austral.  
 Hamiltoni, C. R. P. Andrews, in *Journ. Muell. Soc. W. Austral.* i. no. 11, 81.—Austral.  
 miniata, Diels, in *Engl. Jahrb.* xxxv. 206.—Austral.  
 modesta, Diels, l. c. 209.—Austral.  
 pycnoblata, Diels, l. c. 207.—Austral.  
 Sewelliae, Diels, l. c. 206.—Austral.

**DRYANDRA**, R. Br. (Proteac.).

- Purdieana, Diels, in *Engl. Jahrb.* xxxv. 174.—Austral.

**DRYMARIA**, Willd. (Caryophyll.).

- depressa, Greene, *Leaflets Bot. Obs.* i. 153.—Am. bor.

**DRYMOCALLIS**, Fourr. = **Potentilla**, Linn. (Rosac.).

- gracilis, Rydb. in *Bull. Torr. Bot. Club*, 1901, 177.—Am. bor.  
 viscida, Parish, in *Coult. Bot. Gaz.* xxxviii. 460.—Calif.

**DRYMOPHLOEUS**, Zipp. (Palm.).

- Mooreanus, Hort. ex *Gard. Chron.* 1903, I. 266.—Hab. ?

**DRYOBALANOPS**, Gaertn. f. (Dipterocar.).

- kayanensis, Becc. *Nelle Foreste di Borneo*, 572.—Borneo.  
 Rappa, Becc. l. c.—Borneo.

**DUDLEYA**, Britton & Rose, in *Bull. N. York Bot. Gard.* iii. (1903) 12. **CRASSULACEAE.**

- Abramsi, Rose, ex Britton & Rose, l. c. 14.—Calif.  
 acuminata, Rose, ex Britton & Rose, l. c. 26.—Calif.  
 albiflora, Rose, ex Britton & Rose, l. c. 13.—Calif.  
 aloides, Rose, ex Britton & Rose, l. c. 15.—Calif.  
 angustiflora, Rose, ex Britton & Rose, l. c. 14.—Calif.  
 Anthonyi, Rose, ex Britton & Rose, l. c. 13.—Calif.  
 bernardina, Britton, ex Britton & Rose, l. c. 19.—Calif.  
 Brandegei, Rose, ex Britton & Rose, l. c. 21.—Calif.  
 Brauntoni, Rose, ex Britton & Rose, l. c. 24.—Calif.  
 brevipes, Rose, ex Britton & Rose, l. c.—Calif.  
 Bryceae, Britton, ex Britton & Rose, l. c. 17.—Calif.  
 caespitosa, Britton & Rose, l. c. 27 (= *Cotyledon caespitosa*).—Calif.  
 Candelabrum, Rose, ex Britton & Rose, l. c. 17.—Calif.  
 candida, Britton, ex Britton & Rose, l. c. 18.—Calif.  
 compacta, Rose, ex Britton & Rose, l. c. 25.—Calif.  
 congesta, Britton, ex Britton & Rose, l. c.—Calif.  
 Cotyledon, Britton & Rose, l. c. 28 (= *Sedum Cotyledon*).—Calif.  
 cultrata, Rose, ex Britton & Rose, l. c. 16.—Calif.  
 cymosa, Britton & Rose, l. c. 21 (= *Cotyledon cymosa*).—Calif.  
 delicata, Rose, ex Britton & Rose, l. c. 24.—Calif.  
 Eastwoodiae, Rose, ex Britton & Rose, l. c. 25.—Calif.  
 elongata, Rose, ex Britton & Rose, l. c. 28.—Calif.  
 farinosa, Britton & Rose, l. c. 15 (= *Echeveria farinosa*).—Calif.  
 gigantea, Rose, ex Britton & Rose, l. c. 23.—Calif.  
 Goldmani, Rose, ex Britton & Rose, l. c. 19.—Calif.  
 grandiflora, Rose, ex Britton & Rose, l. c. 16.—Calif.  
 Greenei, Rose, ex Britton & Rose, l. c. 17.—Calif.  
 Hallii, Rose, ex Britton & Rose, l. c.—Calif.  
 Helleri, Rose, ex Britton & Rose, l. c. 27.—Calif.  
 humilis, Rose, ex Britton & Rose, l. c.—Calif.  
 ingens, Rose, ex Britton & Rose, l. c. 18.—Calif.  
 lanceolata, Britton & Rose, l. c. 23 (= *Echeveria lanceolata*).—Calif.  
 laxa, Britton & Rose, l. c. 18 (= *Cotyledon laxa*).—Calif.  
 linearis, Britton & Rose, l. c. 16 (= *Cotyledon linearis*).—Calif.  
 Lingula, Britton & Rose, l. c. 26 (= *Cotyledon Lingula*).—Calif.  
 lurida, Rose, ex Britton & Rose, l. c. 22.—Calif.  
 minor, Rose, ex Britton & Rose, l. c. 19.—Calif.  
 nevadensis, Britton & Rose, l. c. 20 (= *Cotyledon nevadensis*).—Calif.  
 nubigena, Britton & Rose, l. c. 22 (= *Cotyledon nubigena*).—Calif.  
 ovatifolia, Britton, ex Britton & Rose, l. c. 20.—Calif.  
 Palmeri, Britton & Rose, l. c. 24 (= *Cotyledon Palmeri*).—Calif.  
 paniculata, Britton & Rose, l. c. 27.—Calif.  
 Parishii, Rose, ex Britton & Rose, l. c. 21.—Calif.  
 pauciflora, Rose, ex Britton & Rose, l. c. 22.—Calif.  
 Plattiana, Rose, ex Britton & Rose, l. c. 20 (= *Cotyledon Plattiana*).—Calif.  
 pulverulenta, Britton & Rose, l. c. 13 (= *Echeveria pulverulenta*).—Calif.  
 pumila, Rose, ex Britton & Rose, l. c. 14.—Calif.  
 Purpusi, Rose, ex Britton & Rose, l. c. 20 (= *Cotyledon Purpusi*).—Calif.  
 reflexa, Britton, in *N. Am. Fl.* xxii. 36.—Calif.  
 rigida, Rose, ex Britton & Rose, in *Bull. N. York Bot. Gard.* iii. 23.—Calif.  
 rigidiflora, Rose, ex Britton & Rose, l. c. 18.—Calif.  
 robusta, Britton, ex Britton & Rose, l. c. 21.—Calif.  
 rubens, Britton & Rose, l. c. 23 (= *Cotyledon rubens*).—Calif.  
 Rusbyi, Britton & Rose, l. c. 13 (= *Cotyledon Rusbyi*).—Am. bor.  
 saxosa, Britton & Rose, l. c. 15 (= *Cotyledon saxosum*).—Calif.  
 septentrionalis, Rose, ex Britton & Rose, l. c. 26.—Calif.

**DUDLEYA** :—

- Setchellii, Britton & Rose, in *Bull. N. York Bot. Gard.* iii. 15.—Calif.  
 Sheldoni, Rose, ex Britton & Rose, l. c. 20.—Calif.  
 tenuis, Rose, ex Britton & Rose, l. c. 14.—Calif.  
 Xanti, Rose, ex Britton & Rose, l. c. 23.—Calif.

**DUGEZIA**, Montrouz. ex Beauvis. Gen. Montrouz. 82 (1901) = **Lysimachia**, Tourn. (Primul.).

- glandulosa, Montrouz. l. c. = *L. decurrens*.

**DUGUETIA**, A. St. Hil. (Anonac.).

- riparia, Huber, in *Bol. Mus. Para.* iii. 416.—Bras.

**DUNALIA**, H. B. & K. (Solan.).

- ferruginea, Sod. & Damm, in *Engl. Jahrb.* xxxvi. 384.—Ecuador.

**DUNBARIA**, Wight & Arn. (Legum.).

- villosa, Makino, in *Bot. Mag. Tokyo*, xvi. 35 (= *Glycine villosa*).—Japon.

**DUNNIA**, Tutch. in *Journ. Linn. Soc.* xxxvii. (1905) 69. **RUBIACEAE.**

- sinensis, Tutch. l. c. 70.—China.

**DURANDEA**, Planch. (Linac.).

- pentagyna, K. Schum. in *K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 278 (= *Ancistrocladus pentagynus*).—N. Guin.  
 rotundata, Warb. in *K. Schum. & Lauterb. l. c.*—N. Guin.

**DURAVIA**, Greene, *Leaflets*, Bot. Obs. i. (1904) 23. **POLYGONACEAE.**

- Bidwelliae, Greene, l. c. (= *Polygonum Bidwelliae*).—Calif.  
 Bolanderi, Greene, l. c. (= *Polygonum Bolanderi*).—Calif.  
 californica, Greene, l. c. (= *Polygonum californicum*).—Calif.  
 Greenei, Greene, l. c. (= *Polygonum Greenei*).—Calif.

**DUSENIELLA**, K. Schum. in *Just, Jahresb.* xxviii. I. (1902) 475. **COMPOSITAE.**

- patagonica, K. Schum. l. c. (= *Dusenella patagonica*).—Patag.

**DUVALIA**, Haw. (Asclep.).

- propinqua, Berger, in *Monatsschr. Kakt.* 1904, 24.—Afr. austr.

**DUVALJOUVEA**, Palla, in Koch, *Syn. Deutsch.*

- Schweiz. Fl. ed. III. iii. 2555 (1905). **CYPERACEAE.**  
 pilosa, Palla, l. c. (= *Cyperus pilosus*).—As. trop.  
 serotina, Palla, l. c. 2556 (= *Cyperus serotinus*).—Eur.

**DUVERNOYA**, E. Mey. (Acanth.).

- [ADHATODA, Nees. I. K.]  
 americana, Lindau, in *Bull. Herb. Boiss. Sér. II. iv.* 405.—Bras.  
 asystasioides, Lindau, in *Engl. Jahrb.* xxxviii. 72.—Afr. trop.  
 Verdickii, Wildem. in *Ann. Mus. Congo*, Sér. IV. 152.—Afr. trop.

**DYCKIA**, Schult. f. (Bromel.).

- eminens, Mez, in *Engl. Jahrb.* xxx. *Beibl.* lxvii. 5.—Bras.  
 Hassleri, Mez, in *Bull. Herb. Boiss. Sér. II. ii.* 824 ; iii. 134.—Parag.  
 horridula, Mez, in *Engl. Jahrb.* xxx. *Beibl.* lxvii. 5.—Bras.

**DYSCHORISTE**, Nees (Acanth.).

- [CALOPHANES, D. Don. I. K.]  
 erecta, C. B. Clarke, in *Dyer, Fl. Cap.* v. 17.—Afr. austr.  
 humilis, Lindau, in *Bull. Herb. Boiss. Sér. II. iii.* 628.—Parag.  
 Pringlei, Greenm. in *Proc. Amer. Acad.* xl. 32.—Mexic.  
 transvaalensis, C. B. Clarke, in *Dyer, Fl. Cap.* v. 17.—Afr. austr.  
 Verdickii, Wildem. in *Ann. Mus. Congo*, Sér. IV. 144.—Afr. trop.

**DYSODIA**, Cav. (Compos.).

- Jelskii, Hieron, in *Engl. Jahrb.* xxxvi. 498.—Peruv.  
 littoralis, T. S. Brandege, in *Zoe*, v. 163 (1903).—Calif.

**DYSOPHYLLA**, Blume (Labiata).

- Martini, Vaniot, in *Bull. Acad. Géogr. Bot.* xiv. (1904) 178.—China.

**DYSOXYLUM**, Blume (Meliac.).

- altissimum, *Merrill, in Philipp. Gov. Lab. Bur. Bull.* xvii. 25.—Ins. Philipp.  
*Bailloni*, Pierre, *Fl. Cochinch.* sub t. 352 A, expl. fig. = *Loureiri*.  
*Betchei*, C. DC. in *Bull. Herb. Boiss.* Sér. II. iii. 178.—Ins. Samoa.  
*grandifolium*, *Merrill, in Philipp. Gov. Lab. Bur. Bull.* xxix. 23.—Ins. Philipp.  
*longicalicium*, C. DC. in *Bull. Herb. Boiss.* Sér. II. iii. 165.—N. Guin.  
*longipetalum*, C. DC. l. c.—N. Guin.  
*Macgregorii*, C. DC. l. c. 164.—N. Guin.  
*magnifolium*, C. DC. l. c. 166.—N. Guin.  
*Nymanianum*, *Harms, in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 282.—N. Guin.  
*pauciflorum*, *Merrill, in Philipp. Gov. Lab. Bur. Bull.* xxxv. 32.—Ins. Philipp.  
*Robertii*, C. DC. in *Bull. Herb. Boiss.* Sér. II. iii. 178.—N. Caled.  
*rubrum*, *Merrill, in Philipp. Gov. Lab. Bur. Bull.* xxxv. 32.—Ins. Philipp.  
*stellato-puberulum*, C. DC. in *Bull. Herb. Boiss.* Sér. II. iii. 167.—N. Guin.  
*variabile*, *Harms, in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 282.—N. Guin.

**E****EATONIA**, Rafin. (Gramin.).

- glabra*, *Nash, in Britton, Man. Fl. N. U. S.* 1013.—Am. bor.  
*intermedia*, *Rydb. in Bull. Torr. Bot. Club*, 1905, 602.—Am. bor.  
*pennsylvanica*, *Shafer, in Ann. Carneg. Mus.* i. 120.—Am. bor.  
*robusta*, *Rydb. in Bull. Torr. Bot. Club*, 1905, 602.—Am. bor.

**EBERMAIERA**, Nees (Acanth.).

- subcapitata*, C. B. Clarke, in *Bot. Tidsskr.* xxiv. 348.—Malaya.

**EBUROPHYTON**, A. A. Heller, *Muhlenbergia*, i. (1904) 48. **ORCHIDACEAE**.

- Austinae*, A. A. Heller, l. c. 49 (= *Chloraea Austinae*).—Calif.

**ECASTAPHYLLUM**, P. Br. (Legum.).

- pachycarpum*, *Wildem. & Th. Dur. in Bull. Herb. Boiss.* Sér. II. i. 749.—Afr. trop.

**ECBOLIUM**, Kurz (Acanth.).

- Flanaganii*, C. B. Clarke, in *Dyer, Fl. Cap.* v. 78.—Afr. austr.  
*Schlechteri*, *Lindau, in Engl. Jahrb.* xxxviii. 72.—Afr. trop.

**ECDYSANThERA**, Hook. & Arn. (Apocyn.).

- annamensis*, *Vernet, in Bull. Econom. Indo-Chine*, vii. 1189.—Cochinch.  
*cambodiensis*, *Pierre, in Rev. Cult. Colon.* xi. 228.—Cochinch.  
*Godefroyana*, *Pierre, l. c.*—Cochinch.  
*Langbiani*, *Vernet, in Bull. Econom. Indo-Chine*, vii. 1185.—Siam.  
*linearicarpa*, *Pierre, in Rev. Cult. Colon.* xi. 228.—Cochinch.  
*napeensis*, *Pierre, l. c.* (= *Microchites napeensis*).—Cochinch.  
*Quintareti*, *Pierre, l. c.*, nomen.—Cochinch.  
*Tournieri*, *Pierre, l. c.*, nomen.—Cochinch.

**ECHEANDIA**, Orteg. (Liliac.).

- flexuosa*, *Greenm. in Proc. Amer. Acad.* xxxix. 73.—Mexic.  
*macrocarpa*, *Greenm. l. c.*—Mexic.  
*Pringlei*, *Greenm. l. c.* xl. 28.—Mexic.

**ECHEVERIA**, DC. = **Cotyledon**, Linn. (Crassul.).

- australis*, Rose, ex Britton & Rose, in *Bull. N. York Bot. Gard.* iii. 6.—Am. cent.  
*Byrnesi*, Rose, in *N. Am. Fl.* xxii. 20.—Mexic.  
*clavifolia*, *Berger, in Gartenfl.* 1904, 201.—Hort.

VOL. IV.

**ECHEVERIA** :—

- cuspidata*, Rose, ex Britton & Rose, in *Bull. N. York Bot. Gard.* iii. 9.—Mexic.  
*elegans*, Rose, in *N. Am. Fl.* xxii. 22.—Mexic.  
*expatriata*, Rose, l. c. 26.—Hab.?  
*Goldmani*, Rose, l. c. 17.—Mexic.  
*guatemalensis*, Rose, ex Donn. Sm. Enum. Pl. Guatem. vii. 68, nomen.—Am. cent.  
*heterosepala*, Rose, ex Britton & Rose, in *Bull. N. York Bot. Gard.* iii. 8.—Mexic.  
*humilis*, Rose, ex Britton & Rose, l. c.—Mexic.  
*Lozani*, Rose, in *N. Am. Fl.* xxii. 23.—Mexic.  
*maculata*, Rose, ex Britton & Rose, in *Bull. N. York Bot. Gard.* iii. 7.—Mexic.  
*minutiflora*, Rose, ex Britton & Rose, l. c. 9.—Mexic.  
*montana*, Rose, ex Britton & Rose, l. c. 6.—Mexic.  
*multicaulis*, Rose, in U. S. Dept. Agric. Contrib. Nat. Herb. viii. 294.—Mexic.  
*obtusifolia*, Rose, ex Britton & Rose, in *Bull. N. York Bot. Gard.* iii. 8.—Mexic.  
*Palmeri*, Rose, ex Britton & Rose, l. c. 10.—Mexic.  
*pinetorum*, Rose, in *N. Am. Fl.* xxii. 20.—Mexic.  
*platyphylla*, Rose, ex Britton & Rose, in *Bull. N. York Bot. Gard.* iii. 7.—Mexic.  
*Pringlei*, Rose, ex Britton & Rose, l. c. 6 = C. *Pringlei*.  
*pulchella*, *Berger, in Gartenfl.* 1904, 204.—Hort.  
*pulvinata*, Rose, ex Hook. f. Bot. Mag. t. 7918 = C. *pulvinata*.  
*Purpusi*, Britton, in *N. Am. Fl.* xxii. 26.—Mexic.  
*pusilla*, *Berger, in Gartenfl.* 1904, 203.—Hort.  
*rubromarginata*, Rose, in *N. Am. Fl.* xxii. 23.—Mexic.  
*scaphophylla*, *Hort. ex Berger, in Gartenfl.* 1904, 201.—Hybr.?  
*Schaffneri*, Rose, ex Britton & Rose, in *Bull. N. York Bot. Gard.* iii. 9 = C. *Schaffneri*.  
*scopolorum*, Rose, in *N. Am. Fl.* xxii. 25.—Mexic.  
*sessiliflora*, Rose, l. c. 15.—Mexic.  
*simulans*, Rose, l. c. 22.—Mexic.  
*sobrina*, *Berger, in Gartenfl.* 1904, 206.—Hort.  
*sodalis*, *Berger, l. c.* 202.—Hort.  
*subrigida*, Rose, ex Britton & Rose, in *Bull. N. York Bot. Gard.* iii. 10 = C. *subrigida*.  
*subsessilis*, Rose, in *N. Am. Fl.* xxii. 19.—Mexic.  
*tenuis*, Rose, ex Britton & Rose, in *Bull. N. York Bot. Gard.* iii. 7.—Mexic.  
*tolucensis*, Rose, in *N. Am. Fl.* xxii. 22.—Mexic.  
*turgida*, Rose, l. c. 21.—Mexic.  
*Walpoleana*, Rose, in U. S. Dept. Agric. Contrib. Nat. Herb. viii. 295.—Mexic.

**ECHIDNOPSIS**, Hook. f. (Asclep.).

- Bentii*, N. E. Br. ex Hook. f. in *Bot. Mag.* t. 7760.—Arab.  
*somalensis*, N. E. Br. in *Dyer, Fl. Trop. Afr.* iv. i. 477.—Afr. trop.

**ECHINOCACTUS**, Link & Otto (Cact.).

- amazonicus*, *Witt, in Monatsschr. Kakt.* 1902, 29.—Bras.  
*apricus*, *Arech. in Anal. Mus. Montevid.* v. 205.—Urug.  
*Archavaletai*, *Speg. ex Arech. in Anal. Mus. Montevid.* v. 208, t. 11.—Urug.  
*Archavaletai*, K. Schum. ex *Arech. l. c.* 242, t. 24.—Urug.  
*Baldianus*, *Speg. in Anal. Mus. Buenos Aires*, xi. 505.—Reg. Argent.  
*cachensis*, *Speg. l. c.* 493 (= *Echinopsis cachensis*).—Reg. Argent.  
*caespitosus*, *Speg. l. c.* 495.—Reg. Argent.  
*catamarcensis*, *Speg. l. c.* 500.—Reg. Argent.  
*cataphractus*, *Dams, in Monatsschr. Kakt.* 1904, 172.—Parag.?  
*chionanthus*, *Speg. in Anal. Mus. Buenos Aires*, xi. 499.—Reg. Argent.  
*Damsii*, K. Schum. *Gesamtb. Kakt. Nachtr.* i. 119.—Parag.  
*Delaetii*, K. Schum. in *Monatsschr. Kakt.* 1901, 186.—Hort.  
*elachisanthus*, *Weber, in Bull. Mus. Hist. Nat. Par.* 1904, 387.—Urug.  
*Falconeri*, *Orcutt, Seed Pl. Co. Cat. Cact.* 1903, 13; et in *W. Amer. Sci.* xiii. 31.—Mexic.  
*Fiebrigii*, *Guerke, in Notizbl. Bot. Gart. Berlin*, iv. 188.—Bolivia.  
*Fiedlerianus*, K. Schum. *Gesamtb. Kakt. Nachtr.* i. 121.—Chili.

**ECHINOCACTUS** :—

- floricomus*, *Arech. in Anal. Mus. Montevid.* v. 188.—Urug.  
*Fordii*, *Orcutt, Seed Pl. Co. Cat. Cact.* 1903, 13; et in *W. Amer. Sci.* xiii. 31.—Calif.  
*Fricii*, *Arech. in Anal. Mus. Montevid.* v. 244.—Urug.  
*Froehlichianus*, K. Schum. *Gesamtb. Kakt. Nachtr.* i. 124.—Chili.  
*Graessneri*, K. Schum. in *Monatsschr. Kakt.* 1903, 130.—Bras.  
*haematanthus*, *Speg. in Anal. Mus. Buenos Aires*, xi. 498.—Reg. Argent.  
*Knippelianus*, *Quehl, in Monatsschr. Kakt.* 1902, 9.—Parag.  
*leucocarpus*, *Arech. in Anal. Mus. Montevid.* v. 239.—Urug.  
*loricatus*, *Speg. n Anal. Mus. Buenos Aires*, xi. 502.—Reg. Argent.  
*melanocarpus*, *Arech. in Anal. Mus. Montevid.* v. 220.—Urug.  
*Mihanovichii*, *Fric & Guerke, in Monatsschr. Kakt.* 1905, 142.—Parag.  
*pauciareolatus*, *Arech. in Anal. Mus. Montevid.* v. 246.—Urug.  
*peruvianus*, K. Schum. *Gesamtb. Kakt. Nachtr.* i. 113.—Peruv.  
*pseudominusculus*, *Speg. in Anal. Mus. Buenos Aires*, xi. 488 (= *Echinopsis pseudominuscula*).—Urug.  
*pulcherrimus*, *Arech. in Anal. Mus. Montevid.* v. 222.—Urug.  
*pygmaeus*, *Speg. in Anal. Mus. Buenos Aires*, xi. 497.—Reg. Argent.  
*Reichel*, K. Schum. *Gesamtb. Kakt. Nachtr.* i. 110.—Chili.  
*saltensis*, *Speg. in Anal. Mus. Buenos Aires*, xi. 487 (= *Echinopsis saltensis*).—Reg. Argent.  
*sanjuanensis*, *Speg. l. c.* 501.—Reg. Argent.  
*Schottii*, *Small, Fl. S. E. U. S.* 814.—Am. bor.  
*Soebrensi*, K. Schum. in *Monatsschr. Kakt.* 1901, 75.—Chili.  
*spiniflorus*, K. Schum. *Gesamtb. Kakt. Nachtr.* i. 88.—Reg. Argent.  
*stellatus*, *Speg. in Anal. Mus. Buenos Aires*, xi. 505.—Reg. Argent.  
*Stuckertii*, *Speg. l. c.* 502.—Reg. Argent.  
*thionanthus*, *Speg. l. c.* 499.—Reg. Argent.  
*uruguayensis*, *Arech. in Anal. Mus. Montevid.* v. 218.—Urug.  
*Wrightii*, *Small, Fl. S. E. U. S.* 815.—Am. bor.

**ECHINOCEREUS**, Engelm. = **Cereus**, Haw. (Cact.).

- Berlandieri*, *Small, Fl. S. E. U. S.* 813 = C. *Berlandieri*.  
*dubius*, *Small, l. c.* = C. *dubius*.  
*Fendleri*, *Small, l. c.* = C. *Fendleri*.  
*monacanthus*, *Heese, in Gartenfl.* 1904, 215.—Mexic.  
*Poselgeri*, *Small, Fl. S. E. U. S.* 813 = C. *Poselgeri*.  
*procumbens*, *Small, l. c.* = C. *procumbens*, A. Gray.  
*rubescens*, *Dams, in Monatsschr. Kakt.* 1905, 92.—Hab.?

**ECHINOCHLOA**, Beauv. = **Panicum**, Linn. (Gramin.).

- longearistata*, *Nash, in Small, Fl. S. E. U. S.* 84.—Am. bor.  
*Walteri*, *Nash, in Britton, Man. Fl. N. U. S.* 78 = P. *Crus-Galli*.

**ECHINOCYSTIS**, Torr. & Gray (Cucurb.).

- inermis*, *Congd. in Zoe*, v. 134 (1901).—Calif.  
*scabrida*, *Eastw. in Bull. Torr. Bot. Club*, 1903, 500.—Calif.

**ECHINODORUS**, Rich. (Alismac.).

- brevipedicellatus*, *Buchen. in Engl. Pflanzenreich, Alismat.* 29 (= *Sagittaria brevipedicellata*).—Bras.  
*longiscapus*, *Arech. in Anal. Mus. Montevid.* iv. i. 67.—Urug.  
*longistylis*, *Buchen. in Engl. Pflanzenreich, Alismat.* 34.—Bras.  
*natans*, *Bub. Fl. Pyren.* iv. 8 = *Elisma natans*.  
*patagonicus*, *Speg. in Anal. Mus. Buenos Aires*, vii. 174.—Patag.  
*Sellowianus*, *Buchen. in Engl. Pflanzenreich, Alismat.* 30.—Bras.  
*uruguayensis*, *Arech. in Anal. Mus. Montevid.* iv. i. 66.—Urug.  
*vulgaris*, *Bub. Fl. Pyren.* iv. 5 = *Alisma Plantago*.

K

**ECHINOPS**, Linn. (Compos.).

- angustilobus, S. Moore, in *Journ. Linn. Soc.* xxxv. 363.—Afr. trop.  
 brevisetus, S. Moore, l. c. xxxvii. 174.—Afr. trop.  
 velutinus, O. Hoffm. in *Engl. Jahrb.* xxx. 440.—Afr. trop.

**ECHINOPSIS**, Zucc. = **Cereus**, Haw. (Cact.).

- albispinosus, K. Schum. in *Monatsschr. Kakt.* 1903, 154.—Hab. ?  
 ancistrophora, Speg. in *Anal. Mus. Buenos Aires*, xi. 492.—Reg. Argent.  
 Baldiana, Speg. l. c. 490.—Reg. Argent.  
 cachensis, Speg. l. c. 493.—Reg. Argent.  
 cordobensis, Speg. l. c. 489.—Reg. Argent.  
 deminuta, Weber, in *Bull. Mus. Hist. Nat. Par.* 1904, 386.—Reg. Argent.  
 Fiebrigii, Guérke, in *Notizbl. Bot. Gart. Berlin*, iv. 184.—Bolivia.  
 intricatissima, Speg. in *Anal. Mus. Buenos Aires*, xi. 491.—Reg. Argent.  
 melanopotamica, Speg. l. c. 492.—Reg. Argent.  
 minuana, Speg. l. c. 488.—Reg. Argent.  
 mirabilis, Speg. l. c. 489.—Reg. Argent.  
 molesta, Speg. l. c. 490.—Reg. Argent.  
 pseudominuscula, Speg. l. c. 488.—Reg. Argent.  
 pygmaea, R. Fries, in *Nov. Act. Soc. Sci. Upsal. Ser.* IV. i. no. 1, 120.—Reg. Argent.  
 saltensis, Speg. in *Anal. Mus. Buenos Aires*, xi. 487.—Reg. Argent.  
 Silvestrii, Speg. l. c. 486.—Reg. Argent.  
 Spegazzinii, K. Schum. ex Speg. in *Anal. Mus. Buenos Aires*, xi. 488.—rhodotricha.  
 tacuarembense, Arech. in *Anal. Mus. Montevide.* v. 254.—Urug.

**ECHINOSPERMUM**, Sw. (Borag.).

- cenchroides, K. Schum. in *Fust. Jahresb.* xxvii. i. 522 (= *Lappula cenchrusoides*).—Am. bor.  
 collinum, K. Schum. l. c. (= *Lappula collina*).—Am. bor.  
 coronatum, K. Schum. l. c. (= *Lappula coronata*).—Am. bor.  
 desertorum, K. Schum. l. c. (= *Lappula desertorum*).—Am. bor.  
 heterospermum, K. Schum. l. c. (errore heteropesmum) (= *Lappula heterosperma*).—Am. bor.  
 Matsudairai, Makino, in *Bot. Mag. Tokyo*, xvii. 52.—Japon.  
 montanum, K. Schum. in *Fust. Jahresb.* xxvii. i. 522 (= *Lappula montana*).—Am. bor.  
 occidentale, K. Schum. l. c. (= *Lappula occidentalis*).—Am. bor.  
 patagonicum, Speg. Nov. Add. Fl. Patag. ii. (1902), repr. 37.—Patag.

**ECHITES**, P. Br. (Apocyn.).

- cobanensis, Donn. Sm. in *Coult. Bot. Gaz.* xl. 6.—Am. cent.  
 Riedelii, Malme, in *Bull. Herb. Boiss. Sér. II.* iv. 196 (= *Haemadictyon Riedelii*).—Parag.  
 Rosana, Donn. Sm. in *Coult. Bot. Gaz.* xl. 6.—Am. cent.  
 Smithii, Greenm. in *Proc. Amer. Acad.* xl. 29.—Mexic.

**ECHIUM**, Tourn. (Borag.).

- aequale, Coincy, in *Journ. de Bot.* xvi. 232.—Afr. bot.  
 Barrattei, Coincy, l. c. 228.—Afr. bor.  
 Bonnetii, Coincy, in *Bull. Herb. Boiss. Sér. II.* ii. 748.—Ins. Canar.  
 confusum, Coincy, in *Journ. de Bot.* 1900, 298.—Eur.; Afr. bor.  
 dumosum, Coincy, l. c. xvi. 231.—Afr. bor.  
 exasperatum, Webb, ex Coincy, in *Bull. Herb. Boiss. Sér. II.* iii. 491.—Ins. Cap. Verd.  
 gentianoides, Webb, ex Coincy, l. c. 498.—Ins. Canar.  
 granatense, Coincy, in *Journ. de Bot.* 1900, 300.—Hispan.  
 petiolatum, Barratte & Coincy, in *Bull. Herb. Boiss. Sér. II.* i. 1306.—Afr. bor.  
 velutinum, Coincy, in *Journ. de Bot.* 1900, 260.—Afr. bor.  
 vulnerans, Merino, in *Bol. Soc. Arag.* iii. 189.—Hispan.  
 Webbii, Coincy, in *Bull. Herb. Boiss. Sér. II.* iii. 270.—Ins. Canar.  
 Wildpretii, H. H. W. Pearson, ex Hook. f. in *Bot. Mag.* t. 7847.—Ins. Canar.

**ECTOZOMA**, Miers = **Juanulloa**, Ruiz & Pav. (Solan.).

- Ulei, Damm, in *Engl. Jahrb.* xxxvii. 170.—Reg. Amaz.

**EDWINIA**, A. A. Heller (Saxifr.).

- californica, Small, in *N. Am. Fl.* xxii. 176.—Calif.  
 macrocalyx, Small, l. c.—Am. bor.

**EGASSEA**, Pierre, ex Wildem. in *Ann. Mus. Congo*, Sér. V. i. (1903) 31. **OLACACEAE**.

- laurifolia, Pierre, ex Wildem. l. c.—Afr. trop.  
 Pierreana, Wildem, in *Ann. Mus. Congo*, Sér. V. i. 32.—Afr. trop.

**EHRETIA**, Linn. (Borag.).

- Guineana, Wildem. in *Ann. Mus. Congo. Sér. IV.* 223.—Afr. trop.  
 mollis, Merrill, in *Philipp. Gov. Lab. Bur. Bull.* vi. 5 (= *Menais mollis*).—Ins. Philipp.  
 viscosa, Fernald, in *Sargent, Trees & Shrubs*, 25.—Mexic.  
 Zenkeri, Guérke, in *Dyer, Fl. Trop. Afr.* iv. ii. 25.—Afr. trop.

**EICHHORNIA**, Kunth (Ponteder.).

- diversifolia, Urb. Symb. Antill. iv. 147 (= *Heteranthera diversifolia*).—Ind. occ.

**EKEBERGIA**, Sparrm. (Meliac.).

- complanata, Baker f. in *Journ. Linn. Soc.* xxxvii. 132.—Afr. trop.

**ELAEAGNUS**, Tourn. (Elaeagn.).

- mollis, Diels, in *Engl. Jahrb.* xxxvi. Beibl. lxxxi. 78.—China.  
 Yoshinoi, Makino, in *Bot. Mag. Tokyo*, xvi. 155.—Japon.

**ELAEOCARPUS**, Burm. (Tiliac.).

- argenteus, Merrill, in *Philipp. Gov. Lab. Bur. Bull.* xxix. 26.—Ins. Philipp.  
 Balansae, Aug. DC. in *Bull. Herb. Boiss. Sér. II.* iii. 366.—Tonkin.  
 Beccarii, Aug. DC. l. c. 367.—Borneo.  
 dubius, Aug. DC. l. c. 366.—Tonkin.  
 ellipticus, Makino, in *Bot. Mag. Tokyo*, xviii. 67 = decipiens.  
 macranthus, Merrill, in *Philipp. Gov. Lab. Bur. Bull.* xxxv. 38.—Ins. Philipp.  
 Miquelii, Hochr. Pl. Bogor. Exsicc. 27 (= *Monoceras robusta*).—Sumatra.  
 novo-guineensis, Warb. in *K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 314.—N. Guin.  
 octantherus, Aug. DC. in *Bull. Herb. Boiss. Sér. II.* iii. 367.—Borneo.  
 pendulus, Merrill, in *Philipp. Gov. Lab. Bur. Bull.* xxix. 27.—Ins. Philipp.  
 philippinensis, Warb. in *Perkins, Frag. Fl. Philipp.* i. 101.—Ins. Philipp.  
 Teysmannii, Koord. & Valet. in *Ic. Bogor.* t. 128, descr.—Celebes.  
 tonganus, Burkill, in *Journ. Linn. Soc.* xxxv. 29.—Ins. Tonga.  
 tonkinensis, Aug. DC. in *Bull. Herb. Boiss. Sér. II.* iii. 365.—Tonkin.  
 Treubii, Hochr. Pl. Bogor. Exsicc. 29.—Ins. Amboin.  
 Valettonii, Hochr. l. c.—Ins. Bangka.  
 villosusculus, Warb. in *Perkins, Frag. Fl. Philipp.* i. 101.—Ins. Philipp.

**ELAEODENDRON**, Jacq. f. (Celastr.).

- Ehrenbergii, Urb. Symb. Antill. v. 92.—Ind. occ.

**ELASMOCARPUS**, Hochst. ex Chiov. in *Ann. Ist. Bot.*

- Roma, viii. (1903) 87 = **Indigofera**, Linn. (Legum.).  
 ervoides, Hochst. l. c. 89 = I. ervoides.  
 ornithopodioides, Hochst. l. c. 87 = I. anabaptista.

**ELATINE**, Linn. (Elatin.).

- nivalis, Speg. in *Com. Mus. Buenos Aires*, i. 321.—Am. austr.

**ELATOSTEMA**, Forst. (Urtic.).

- angusticuneatum, *Engl. Jahrb.* xxxiii. 126.—Afr. trop.  
 fruticosum, K. Schum. in *K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 254.—N. Guin.  
 Henriquesii, *Engl. Jahrb.* xxxiii. 125.—Afr. trop.  
 Novae-Britanniae, Lauterb. in *K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 253.—Ins. Bismarck.  
 parvulum, *Engl. Jahrb.* xxxiii. 127.—Afr. trop.

**ELATOSTEMMA** :—

- peltatum, Hemsl. in *Kew Bull.* 1901, 143.—Ins. Fiji.  
 Preussii, *Engl. Jahrb.* xxxiii. 126.—Afr. trop.  
 trichanthum, Lauterb. in *K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 255.—N. Guin.  
 velutinum, K. Schum. in *K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 253 (= *Procris velutina*).—N. Guin.  
 Weinlandii, K. Schum. l. c. 254.—N. Guin.  
 Welwitschii, *Engl. Jahrb.* xxxiii. 124.—Afr. trop.

**ELEIOTIS**, DC. (Legum.).

- trifoliolata, Cooke, *Fl. Bombay*, 342.—Ind. or.

**ELEOCHARIS**, R. Br. (Cyper.).

- appendiculata, C. B. Clarke, in *Engl. Jahrb.* xxx. Beibl. lxxviii. 20.—Chili.  
 Boissieri, Podp. in *Verh. Zool.-bot. Ges. Wien*, lii. 677.—Eur.  
 flavescens, Urb. Symb. Antill. iv. 116 (= *Scirpus flavescens*).—Ind. occ.  
 fennica, Kneuck. in *Allg. Bot. Zeitschr.* 1901, 212.—Eur.  
 funebris, Speg. in *Anal. Mus. Buenos Aires*, vii. 177.—Patag.  
 Kirkii, C. B. Clarke, in *Dyer, Fl. Trop. Afr.* viii. 410.—Afr. trop.  
 Lechleri, C. B. Clarke, in *Engl. Jahrb.* xxx. Beibl. lxxviii. 24.—Chili.  
 liukiensis, Makino, in *Bot. Mag. Tokyo*, xviii. 111.—Ins. Liukiu.  
 Macounii, Fernald, in *Britton, Man. Fl. N. U. S.* 1044.—Am. bor.  
 macrostachya, Britton, in *Small, Fl. S. E. U. S.* 184.—Am. bor.  
 melanomphala, C. B. Clarke, in *Engl. Jahrb.* xxx. Beibl. lxxviii. 24.—Chili.  
 melanostachys, C. B. Clarke, l. c. 20.—Chili.  
 nipponica, Makino, in *Bot. Mag. Tokyo*, xviii. 110.—Japon.  
 pachycarpa, C. B. Clarke, in *Engl. Jahrb.* xxx. Beibl. lxxviii. 22.—Chili.  
 plantaginoides, W. F. Wight, in *U. S. Dept. Agric. Contrib. Nat. Herb.* ix. 267 (= *Scirpus plantaginoides*).—Ind. or.; Madag.  
 platypus, C. B. Clarke, in *Engl. Jahrb.* xxxiv. Beibl. lxxviii. 3.—Ecuador.  
 praticola, Britton, in *Small, Fl. S. E. U. S.* 182.—Am. bor.  
 Ravenelii, Britton, l. c. 184.—Am. bor.  
 Reichei, C. B. Clarke, in *Engl. Jahrb.* xxx. Beibl. lxxviii. 25.—Chili.  
 Savaterii, C. B. Clarke, ex Léveillé, in *Bull. Acad. Géogr. Bot.* xiv. (1904) 203.—Japon.  
 simulans, C. B. Clarke, in *Engl. Jahrb.* xxx. Beibl. lxxviii. 20.—Chili.  
 Smallii, Britton, in *Torreya*, iii. (1903) 23.—Am. bor.  
 Vincentina, C. B. Clarke, in *Engl. Jahrb.* xxx. Beibl. lxxviii. 18.—Chili.

**ELEPHANTELLA**, Rydb. (Scrophul.).

- attollens, A. A. Heller, *Muhlenbergia*, i. 4 (= *Pedicularis attollens*).—Am. bor.

**ELETTARIOPSIS**, Baker (Scitamin.).

- cyanescens, Ridley, in *Journ. As. Soc. Straits*, xli. 31.—Penins. Mal.  
 Schmidtii, K. Schum. in *Bot. Tidsskr.* xxiv. 269.—Malaya.

**ELIONURUS**, Humb. & Bonpl. (Gramin.).

- Pobeguinii, Stapf, in *Journ. de Bot.* 1905, 99.—Afr. trop.

**ELLEANTHUS**, Presl (Orchid.).

- attenuatus, J. R. Johnston, in *Proc. Amer. Acad.* xl. 684.—Venez.  
 puber, Cogn. in *Mart. Fl. Bras.* iii. v. 333.—Bras.  
 spruceanus, Cogn. l. c. 332.—Bras.

**ELLERTONIA**, Wight (Apocyn.).

- Mcgregori, Merrill, in *Philipp. Gov. Lab. Bur. Bull.* xxxv. 59.—Ins. Philipp.

**ELMERA**, Rydb. in *N. Am. Fl.* xxii. 97 (1905).

- SAXIFRAGACEAE**.  
 racemosa, Rydb. l. c. (= *Heuchera racemosa*).—Am. bor.



**ELSHOLTZIA**, Willd. (Labiata).

Bodinieri, *Vaniot*, in *Bull. Acad. Géogr. Bot.* xiv. (1904) 176.—China.  
 kachinensis, *Prain*, in *Journ. As. Soc. Beng.* lxxiii. 206.—Burma.  
 Labordei, *Vaniot*, in *Bull. Acad. Géogr. Bot.* xiv. (1904) 177.—China.

**ELVASIA**, DC. (Ochnac.).

canescens, *Van Tiegh.* in *Journ. de Bot.* 1902, 205.—Am. trop.  
 Schomburgki, *Van Tiegh.* in *Ann. Sci. Nat. Par. Sér.* VIII. xvi. 409.—Guian.  
 Sprucei, *Van Tiegh.* l. c.—Bras.

**ELVIRA**, Cass. (Compos.).

inelegans, *Robinson*, in *Proc. Amer. Acad.* xxxviii. 212 (= *Desmocephalum inelegans*).—Ins. Galap.  
 repens, *Robinson*, l. c. (= *Microcoecia repens*).—Ins. Galap.

**ELYMUS**, Linn. (Gramin.).

angustifolius, *Davy*, in *Jepson, Fl. W. Mid. Calif.* 80.—Calif.  
 barbatus, *F. Kurtz*, in *Bol. Acad. Ci. Cordoba*, xv. 522, nomen.—Reg. Argent.  
 cinereus, *Scribn. & Merrill*, in *Bull. Torr. Bot. Club*, 1902, 467.—Am. bor.  
 curvatus, *Piper*, in *Bull. Torr. Bot. Club*, 1903, 233.—Am. bor.  
 divergens, *Davy*, in *Jepson, Fl. W. Mid. Calif.* 80.—Calif.  
 dagestanicus, *Alex.* in *Act. Hort. Tiflis*, vi. i. 97.—Reg. Caucas.  
 glaber, *Davy*, in *Univ. Calif. Publ. Bot.* i. 57 (= *Sitanion glabrum*).—Am. bor.  
 hirsutiglumis, *Scribn. & Sm.* in *Britton, Man. Fl. N. U. S.* 157.—Am. bor.  
 hispidulus, *Davy*, in *Jepson, Fl. W. Mid. Calif.* 79.—Calif.  
 multisetus, *Davy*, in *Univ. Calif. Publ. Bot.* i. 57 (= *Sitanion multisetum*).—Am. bor.  
 Parishii, *Davy & Merrill*, l. c. 58.—Am. bor.  
 pubescens, *Davy*, in *Jepson, Fl. W. Mid. Calif.* 78.—Am. bor.  
 pubiflorus, *Davy & Merrill*, in *Univ. Calif. Publ. Bot.* i. 58 (= *Sitanion pubiflorum*).—Am. bor.  
 strigosus, *Rydb.* in *Bull. Torr. Bot. Club*, 1905, 609.—Am. bor.  
 velutinus, *Scribn. & Merrill*, in *Bull. Torr. Bot. Club*, 1902, 466.—Am. bor.  
 villiflorus, *Rydb.* in *Bull. Torr. Bot. Club*, 1905, 609.—Am. bor.

**ELYNANTHUS**, Nees (Cyper.).

antarcticus, *Macl.* in *Rep. Princeton Univ. Exped. Patag.* viii. 267 (= *Chaetospira antarctica*).—Reg. Magell.  
 laxus, *Macl.* l. c. (= *Chaetospira laxa*).—Chili.

**ELYTROPHORUS**, Beauv. (Gramin.).

globularis, *Hack.* in *Bull. Herb. Boiss.* Sér. II. ii. 935.—Afr. austr. or.  
 interruptus, *Pilg.* in *Warb. Kunene-Sambesi Exped.* 176.—Afr. trop.

**EMBELIA**, Burm. f. (Myrsin.).

australiana, *Mez*, in *Engl. Pflanzenreich, Myrsin.* 331 (= *Samara australiana*).—Austral.  
 Barbeyana, *Mez*, l. c. 308 (= *Ribesiodos villosum*).—Madag.  
 Baronii, *Mez*, l. c.—Madag.  
 bataanensis, *Merrill*, in *Philipp. Gov. Lab. Bur. Bull.* xxix. 44.—Ins. Philipp.  
 biflora, *Mez*, in *Engl. Pflanzenreich, Myrsin.* 323.—Borneo.  
 Boivinii, *Mez*, l. c. 309.—Madag.  
 Clarkei, *Bedd. & Mez*, ex *Mez*, l. c. 323.—Ind. or.  
 comorensis, *Mez*, l. c. 308.—Ins. Comor.  
 corymbifera, *Mez*, l. c. 312.—Borneo.  
 effusa, *Mez*, l. c. 311.—Borneo.  
 erythrocarpa, *Gilg*, in *Engl. Jahrb.* xxx. 96.—Afr. trop.  
 Fordii, *Mez*, in *Engl. Pflanzenreich, Myrsin.* 326 (= *Ardisia Fordii*).—China.  
 frangulifolia, *Mez*, l. c. 321 (= *Ardisia frangulifolia*).—Arch. Mal.  
 fulva, *Mez*, l. c. 312.—Borneo.  
 Gilgii, *Mez*, l. c. 330.—Afr. trop.  
 Hillebrandii, *Mez*, l. c. 331.—Ins. Sandwic.  
 incumbens, *Mez*, l. c. 307.—Madag.

**EMBELIA** :—

laeta, *Mez*, in *Engl. Pflanzenreich, Myrsin.* 326 (= *Myrsine laeta*).—China.  
 myriantha, *Mez*, l. c. 304.—Borneo.  
 myrtifolia, *Mez*, in *Notizbl. Bot. Gart. Berlin*, iii. 107.—China.  
 nitida, *Mez*, in *Engl. Pflanzenreich, Myrsin.* 309.—Ins. Maurit.  
 nyassana, *Gilg*, in *Engl. Jahrb.* xxx. 96.—Afr. trop.  
 obovata, *Mez*, in *Engl. Pflanzenreich, Myrsin.* 308.—Madag.  
 penangiana, *Mez*, l. c. 311.—Penins. Mal.  
 polypodioides, *Mez*, in *Notizbl. Bot. Gart. Berlin*, iii. 108.—China.  
 Porteana, *Mez*, in *Engl. Pflanzenreich, Myrsin.* 302.—Ins. Philipp.  
 procumbens, *Hemsl.* in *Hook. Ic. Pl.* t. 2724.—China.  
 prunifolia, *Mez*, in *Engl. Pflanzenreich, Myrsin.* 316.—China.  
 pulchella, *Mez*, l. c. 324.—Ind. or.  
 pyrifolia, *Mez*, l. c. 306 (= *Ardisia pyrifolia*).—Madag.  
 retata, *Mez*, l. c. 322.—Java.  
 retusa, *Gilg*, in *Engl. Jahrb.* xxx. 95.—Afr. trop.  
 rigida, *Mez*, in *Engl. Pflanzenreich, Myrsin.* 311.—Sumatra.  
 Rowlandii, *Gilg*, in *Engl. Jahrb.* xxx. 96.—Afr. trop.  
 ruminata, *Mez*, in *Engl. Pflanzenreich, Myrsin.* 331 (= *Myrsine ruminata*).—Afr. austr.  
 Sarasinorum, *Mez*, l. c. 313.—Celebes.  
 saxatilis, *Hemsl.* in *Hook. Ic. Pl.* t. 2724.—China.  
 scandens, *Mez*, in *Engl. Pflanzenreich, Myrsin.* 317 (= *Calispermum scandens*).—Cochinch.  
 subcoriacea, *Mez*, l. c. 329.—Ind. or.  
 tenuis, *Mez*, l. c. 314.—Borneo.  
 undulata, *Mez*, l. c. 327 (= *Samara undulata*).—Ind. or.  
 Zollingeri, *Mez*, l. c. 310.—Java.

**EMILIA**, Cass. (Compos.).

debilis, *S. Moore*, in *Journ. Linn. Soc.* xxxvii. 172.—Afr. trop.  
 protracta, *S. Moore*, in *Journ. Bot.* 1905, 48.—Afr. trop.

**EMINIA**, Taub. (Legum.).

[RHYNCHOSIA, Lour. I. K. S. I.]  
 Harmsiana, *Wildem.* in *Ann. Mus. Congo, Sér.* IV. 198.—Afr. trop.  
 major, *Harms*, in *Engl. Jahrb.* xxx. 331.—Afr. trop.

**ENANTIA**, Oliv. (Anonac.).

polycarpa, *Engl. & Diels*, in *Engl. Monogr. Afr. Pfl.* vi. 69 (= *Xylopia polycarpa*).—Afr. trop.

**ENCELIA**, Adans. (Compos.).

Actoni, *Elmer*, in *Coult. Bot. Gaz.* xxxix. 47.—Calif.  
 adenophora, *Greenm.* in *Proc. Amer. Acad.* xxxix. 109.—Mexic.  
 angustifolia, *Greenm.* l. c. 110.—Mexic.  
 Chaseae, *Mills. ex Mills. & Chase*, in *Field Columb. Mus. Bot.* iii. 125.—Mexic.  
 collodes, *Greenm.* in *Proc. Amer. Acad.* xxxix. 110.—Mexic.  
 Conzattii, *Greenm.* l. c. 111.—Mexic.  
 pilosa, *Greenm.* l. c.—Mexic.  
 squarrosa, *Greenm.* l. c. 112.—Mexic.  
 suffrutescens, *R. Fries*, in *Nov. Act. Soc. Sci. Upsal.* Sér. IV. i. no. 1, 83.—Reg. Argent.  
 virginensis, *A. Nelson*, in *Coult. Bot. Gaz.* xxxvii. 272.—Am. bor.

**ENCEPHALARTOS**, Lehm. (Cycad.).

Laurentianus, *Wildem.* in *Ann. Mus. Congo, Sér.* V. i. 10.—Afr. trop.  
 Vromii, *Matte, Recherches App. Lib. Lign. Cycad.* 70, nomen.—Hab. ?

**ENCEPHALOSPHERA**, Lindau, in *Bull. Herb. Boiss.* Sér. II. iv. 322 (1904). **ACANTHACEAE.**

vitellina, *Lindau*, l. c. 323.—N. Granat.

**ENDIANDRA**, R. Br. (Laurac.).

coriacea, *Merrill*, in *Philipp. Gov. Lab. Bur. Bull.* xxxv. 14.—Ins. Philipp.  
 micrantha, *Koord. & Valet.* in *Meded. 'S Lands Plantent.* lxxviii. 228.—Java.

**ENDLICHERIA**, Nees (Laurac.).

[AYDENDRON, Nees. I. K.]  
 glaberrima, *Mez*, in *Bull. Herb. Boiss.* Sér. II. v. 236.—Peruv.  
 verticillata, *Mez*, l. c. 235.—Bras.

**ENDOLEPIS**, Torr. = **Atriplex**, Linn. (Chenop.).

ovata, *Rydb.* in *Bull. Torr. Bot. Club*, 1903, 248.—Am. bor.

**ENDORIMA**, Rafn. = **Baldwinia**, Nutt. (Compos.).

atropurpurea, *Small*, Fl. S. E. U. S. 1283 = *B. atropurpurea*.  
 uniflora, *Barnhart*, in *Small*, l. c. = *B. uniflora*.

**ENDOSPERMUM**, Benth. (Euphorb.).

peltatum, *Merrill*, in *Philipp. Gov. Lab. Bur. Bull.* xxxv. 35.—Ins. Philipp.

**ENGELHARDTIA**, Leschen. (Jugland.).

subsimplicifolia, *Merrill*, in *Philipp. Gov. Lab. Bur. Bull.* xxxv. 6.—Ins. Philipp.

**ENGLEROPHOENIX**, Kuntze = **Maximiliana**, Mart. (Palm.).

attaleoides, *Barb. Rodr. Sert. Palm. Bras.* i. 76 (= *Attalea spectabilis*).—Bras.  
 longirostrata, *Barb. Rodr.* l. c. 77 = *M. longirostrata*.

**ENICOSTEMA**, Blume (Gentian.).

latiloba, *N. E. Br.* in *Dyer, Fl. Trop. Afr.* iv. i. 564.—Afr. trop.

**ENKIANTHUS**, Lour. (Ericac.).

cernuus, *Makino*, in *Bot. Mag. Tokyo*, viii. (214) (= *Meisteria cernua*).—Japan.  
 Meisteria, *Maxim. Mém. Biol.* xii. 742 (= *Meisteria cernua*).—Japan.

**ENNEADYNAMIS**, Bub. Fl. Pyren. iii. 109 = **Par-nassia**, Tourn. (Saxifr.).

Polonorum, *Bub.* l. c. 110 = *P. palustris*.

**ENOMEGRA**, A. Nelson, *Analyt. Key Fl. Pl. Rocky Mts.* 27 (1902). **PAPAVERACEAE.**

bipinnatifida, *A. Nelson*, in *Coult. Bot. Gaz.* xxxiv. 366 (= *Argemone bipinnatifida*).—Am. bor.  
 hispida, *A. Nelson*, *Analyt. Key Fl. Pl. Rocky Mts.* 27 (= *Argemone hispida*).—Am. bor.

**ENTADA**, Adans. (Legum.).

Boiviniana, *Drake, Hist. Pl. Madag.* i. 51 (= *Piptadenia Boiviniana*).—Madag.  
 chrysostachys, *Drake*, l. c. (= *Acacia chrysostachys*).—Madag.  
 Grandidieri, *Drake*, l. c. (= *Piptadenia Grandidieri*).—Madag.  
 nana, *Harms*, in *Warb. Kunene-Sambesi Exped.* 244.—Afr. trop.  
 rotundifolia, *Harms*, in *Engl. Jahrb.* xxxiii. 153.—Afr. trop.

**ENTEROPOGON**, Nees (Gramin.).

gracilior, *Rendle*, in *Journ. Linn. Soc.* xxxvi. 403.—China.

**EPERUA**, Aubl. (Legum.).

Schomburgkiana, *Benth.* in *Mart. Fl. Bras.* xv. ii. 226.—Guiana.

**EPHEDRA**, Tourn. (Gnetac.).

Fedtschenkoi, *Paulsen*, in *Bot. Tidsskr.* xxvi. 254.—As. cent.

**EPIBLASTUS**, Schlechter, in *K. Schum. & Lauterb.*

Nachtr. Fl. Deutsch Südsee (1905) 136. **ORCHIDACEAE.**  
 ornithidioides, *Schlechter*, l. c. 137.—N. Guin.  
 sciadanthus, *Schlechter*, l. c. (= *Dendrobium sciadanthum*).—Austral.

**EPIBLEPHARIS**, Van Tiegh. in *Journ. de Bot.* xv.

(1901) 392 = **Luxemburgia**, A. St. Hil. (Ochnac.).  
 Gardneri, *Van Tiegh.* l. c.—Bras.  
 Glazioviana, *Van Tiegh.* l. c.—Bras.  
 major, *Van Tiegh.* l. c. 393.—Bras.

**EPICAMPES**, J. & C. Presl (Gramin.).

arundinacea, *Hack. ex Stuck.* in *Anal. Mus. Buenos Aires*, xi. 107 (= *Diachyrium arundinaceum*).—Reg. Argent.  
 crassiculmis, *Piper*, in *Proc. Biol. Soc. Washington*, xviii. 144.—Mexic.  
 leptoura, *Piper*, l. c. 143.—Mexic.  
 macrotis, *Piper*, l. c. 144.—Mexic.



**EPIDENDRUM**, Linn. (Orchid.).

- biflorum, *Cogn. in Bull. Herb. Boiss. Sér. II. ii. 337.*  
—Am. cent.  
Claesianum, *Cogn. in Gard. Chron. 1901, i. 70.*—  
N. Granat.  
crassinervium, *Kraenzl. in Fedde, Repert. Nov. Sp. i. 182.*—Bolivia.  
densifolium, *Kraenzl. l. c. 186.*—Peruv.  
dermatanthum, *Kraenzl. l. c. 184.*—Peruv.  
erythronioides, *Small, Fl. S. E. U. S. 328.*—Am. bor.  
euspathum, *Kraenzl. in Fedde, Repert. Nov. Sp. i. 182.*—Peruv.  
Feddeanum, *Kraenzl. l. c. 188.*—Peruv.  
Frons-bovis, *Kraenzl. l. c. 181.*—Peruv.  
Huacapistanae, *Kraenzl. l. c. 183.*—Peruv.  
Johnstoni, *Ames, in J. R. Johnston, in Proc. Amer. Acad. xl. 684.*—Venez.  
Lambeaunum, *Wildem. in Chron. Orch. ii. (1904) 29; Dict. Ic. Orch. Epidendr. t. 24.*—N. Granat.  
macrocyphum, *Kraenzl. in Fedde, Repert. Nov. Sp. i. 185.*—Peruv.  
macrogastrum, *Kraenzl. l. c. 187.*—Peruv.  
monzonense, *Kraenzl. l. c. 88.*—Peruv.  
Moyobambae, *Kraenzl. l. c. 185.*—Peruv.  
oaxacanum, *Rolfe, in Ames, in Proc. Biol. Soc. Washington, xvii. 120.*—Mexic.  
pachychilum, *Kraenzl. in Fedde, Repert. Nov. Sp. i. 184.*—Peruv.  
pachygastrium, *Kraenzl. l. c. 183.*—Peruv.  
physopus, *Kraenzl. l. c. 87.*—Peruv.  
Pringlei, *Rolfe, in Ames, in Proc. Biol. Soc. Washington, xvii. 120.*—Mexic.  
rhopalorhachis, *Kraenzl. in Fedde, Repert. Nov. Sp. i. 180.*—Peruv.  
saxicola, *Kraenzl. l. c. 187.*—Peruv.  
sessiliflorum, *Edwall, in Revista Centr. Sci. Campinas, ii. 194.*—Bras.  
viridifuscatum, *Wildem. in Chron. Orch. ii. 35.*—Am. cent.  
Weberbauerianum, *Kraenzl. in Fedde, Repert. Nov. Sp. i. 87.*—Peruv.

**EPILOBIUM**, Dill. (Onagrac.).

- angulatum, *Kom. in Act. Hort. Petrop. xviii. 432.*—  
As. or.  
apricum, *Suksd. in W. Amer. Sci. xi. 77.*—Am. bor.  
canescens, *Thell. ex Nacg. & Thell. in Vierteljahrsschr. Nat. Ges. Zürich, l. 282.*—Eur. cent.  
cylindrostigma, *Kom. in Act. Hort. Petrop. xxv. (1905) 95.*—Manchuria.  
erectum, *Petrie, in Trans. N. Z. Inst. xxxiv. 390.*—  
N. Zel.  
fasciculatum, *Suksd. in W. Amer. Sci. xi. 77.*—Am. bor.  
hakkodense, *Léveillé, in Bull. Acad. Géogr. Bot. x. (1901) 34.*—Japon.  
Makinoense, *Léveillé, in Bull. Soc. Agric. Sci. Arts Sarthe, 1905, 73.*—Japon.  
Mouillefarinei, *Léveillé, in Bull. Acad. Géogr. Bot. xii. (1903) 554.*—Hybr.  
Ninckii, *Corbière, ex Ninck, in Bull. Acad. Géogr. Bot. xii. (1903) 555.*—Hybr.  
nudicarpum, *Kom. in Act. Hort. Petrop. xviii. 432.*—  
As. or.  
numidicum, *Batt. in Batt. & Trab. Fl. Algér. Tunis, 127.*—Afr. bor.  
ovatifolium, *Rydb. in Bull. Torr. Bot. Club, 1904, 567.*—  
Am. bor.  
Palmeri, *Rydb. l. c. 569.*—Am. bor.  
patagonicum, *Rendle, in Journ. Bot. 1904, 367.*—  
Patag.  
quadrangulum, *Léveillé, in Bull. Soc. Agric. Sci. Arts Sarthe, 1905, 72.*—Japon.  
rubescens, *Rydb. in Bull. Torr. Bot. Club, 1904, 568.*—  
Am. bor.  
stramineum, *Rydb. l. c.*—Am. bor.  
tenue, *Kom. in Act. Hort. Petrop. xxv. (1905) 95.*—As. bor. or.  
Yabei, *Léveillé, in Bull. Soc. Agric. Sci. Arts Sarthe, 1905, 72.*—Japon.

**EPIPACTIS**, Adans. (Orchid.).

- atroviridis, *Linton, Fl. Derby. 270.*—Anglia.

**EPIPHYLLANTHUS**, Berger, in Rep. Missouri

- Bot. Gard. 1905, 84. **CACTACEAE.**  
obtusangulus, *Berger, l. c. (= Cereus obtusangulus).*—  
Bras.

**EPIPHYLLUM**, Haw. (Cact.).

- delicatum, *N. E. Br. in Gard. Chron. 1902, ii. 411.*—  
Bras.

**EPIPOGUM**, S. G. Gmel. (Orchid.).

- japonicum, *Makino, in Bot. Mag. Tokyo, xviii. 131.*—  
Japon.

**EPIPREMNUM**, Schott (Arac.).

- carolinense, *Volk. in Engl. Jahrb. xxxi. 459.*—Ins. Carol.

**EPITABERNA**, K. Schum. in Engl. Jahrb. xxxiii.

- (1903) 316. **APOCYNACEAE.**  
myrmoecea, *K. Schum. l. c. 317.*—Afr. trop.

**ERAGROSTIS**, Host (Gramin.).

- andicola, *R. Fries, in Nov. Act. Soc. Sci. Upsal. Sér. IV. i. no. 1, 180.*—Reg. Argent.  
angolensis, *Hack. in Oesterr. Bot. Zeitschr. 1903, 199.*—  
Afr. trop.  
angusta, *Hack. in Bull. Herb. Boiss. Sér. II. i. 772.*—  
Afr. trop.  
annulata, *Chiov. in Ann. Ist. Bot. Roma, viii. (1903) 63.*—Afr. or. trop.  
auriculata, *Hack. in Bull. Herb. Boiss. Sér. II. i. 773.*—  
Afr. trop.  
Boehmii, *Hack. in Oesterr. Bot. Zeitschr. 1902, 303.*—  
Afr. trop.  
brachyphylla, *Hack. l. c. 305.*—Afr. trop.  
capitata, *Nash, in Britton, Man. Fl. N. U. S. 1042.*—  
Am. bor.  
costata, *Turner, in Proc. Linn. Soc. N. S. Wales, xxx. 91.*—Austral.  
crassinervis, *Hack. in Bull. Herb. Boiss. Sér. II. i. 774.*—  
Afr. austr.  
densissima, *Hack. in Oesterr. Bot. Zeitschr. 1902, 304.*—  
Ecuad.  
Dielsii, *Pilg. ex Diels & Pritz. in Engl. Jahrb. xxxv. 76.*—Austral.  
distant, *Hack. in Philipp. Gov. Lab. Bur. Bull. xxxv. 81.*—Ins. Philipp.  
gracillima, *Hack. in Bull. Herb. Boiss. Sér. II. i. 775.*—  
Afr. trop.  
harpachnoides, *Hack. in Oesterr. Bot. Zeitschr. 1902, 306.*—China.  
hereroensis, *Hack. in Bull. Herb. Boiss. Sér. II. i. 775.*—  
Afr. trop.  
hirsuta, *Nash, in Britton, Man. Fl. N. U. S. 1042.*—  
Am. bor.  
Hugoniana, *Rendle, in Journ. Linn. Soc. xxxvi. 414.*—  
China.  
invalida, *Pilg. in Engl. Jahrb. xxxiv. 129.*—Afr. trop.  
macropoda, *Pilg. in Urb. Symb. Antill. iv. 106.*—Ind. occ.  
matogrossensis, *Pilg. in Engl. Jahrb. xxx. 140.*—Bras.  
orthoclada, *Hack. in Bull. Herb. Boiss. Sér. II. iv. 281.*—Parag.  
ramosa, *Hack. l. c. i. 776.*—Afr. trop.  
serpula, *Chiov. in Ann. Ist. Bot. Roma, viii. 66.*—Afr. or. trop.  
trachyphylla, *Pilg. in Engl. Jahrb. xxx. 269.*—Afr. trop.  
Warmingii, *Hack. in Oesterr. Bot. Zeitschr. 1902, 305.*—  
Venez.

**ERANTHEMUM**, Linn. (Acanth.).

- curtatum, *C. B. Clarke, in Philipp. Gov. Lab. Bur. Bull. xxxv. 89.*—Ins. Philipp.  
pratense, *Panch. ex Beauvis. Gen. Montrouz. 89.*—  
variable.  
Pumilio, *C. B. Clarke, in Bot. Tidsskr. xxiv. 350.*—  
Malaya.

**ERANTHIS**, Salisb. (Ranunc.).

- Vaniotiana, *Léveillé, in Bull. Acad. Géogr. Bot. xi. (1902) 299.*—As. bor.

**EREMANTHUS**, Less. (Compos.).

- Jelskii, *Hieron, in Engl. Jahrb. xxxvi. 462.*—Peruv.

**EREMOBIUM**, Boiss. = **Malcomia**, R. Br. (Crucif.).

- aegyptiacum, *Hochr. in Ann. Conserv. & Jard. Bot. Genève. vii-viii. 159.*—M. aegyptiaca.

**EREMOPHILA**, R. Br. (Myopor.).

- caerulea, *Diels, in Engl. Jahrb. xxxv. 542 (= Pholidia caerulea).*—Austral.  
calorhabdos, *Diels, l. c. 545.*—Austral.  
calycina, *S. Moore, in Journ. Bot. 1902, 28.*—Austral.  
chamaephila, *Diels, in Engl. Jahrb. xxxv. 543.*—  
Austral.

**EREMOPHILA** :—

- dichroantha, *Diels, l. c. 541.*—Austral.  
elachantha, *Diels, in Engl. Jahrb. xxxv. 542.*—  
Austral.  
Georgei, *Diels, l. c. 543.*—Austral.  
Hastieana, *Fitzg. in Journ. W. Austral. Nat. Hist. Soc. i. 27.*—Austral.  
interstans, *Diels, in Engl. Jahrb. xxxv. 540 (= Pholidia interstans).*—Austral.  
ionantha, *Diels, l. c.*—Austral.  
pachyphylla, *Diels, l. c. 539.*—Austral.  
platythamnus, *Diels, l. c.*—Austral.  
pterocarpa, *Fitzg. in Journ. W. Austral. Nat. Hist. Soc. i. 28.*—Austral.  
pustulata, *S. Moore, in Journ. Bot. 1905, 145.*—Austral.  
scaberula, *Fitzg. in Journ. W. Austral. Nat. Hist. Soc. ii. 29.*—Austral.  
spathulata, *Fitzg. l. c. i. 28.*—Austral.  
virgata, *Fitzg. in Proc. Linn. Soc. N. S. Wales, xxvii. 242.*—Austral.  
Websteri, *S. Moore, in Journ. Bot. 1903, 100.*—  
Austral.  
xanthotricha, *Diels, in Engl. Jahrb. xxxv. 537.*—  
Austral.

**EREMOSPATHA**, Mann & H. Wendl. (Palm.).

- Cabrae, *Wildem. in Ann. Mus. Congo, Sér. V. i. 95*  
(= *Calamus Cabrae*).—Afr. trop.  
Haullevilleana, *Wildem, l. c. 96.*—Afr. trop.

**EREMURUS**, Bieb. (Liliac.).

- comosus, *O. Fedtsch. in Bull. Herb. Boiss. Sér. II. iv. 772.*—Turkestan.  
Isabellinus, *Vilm. in Bull. Soc. Bot. Fr. lii. (1905) 419.*—Hybr.  
Korshinskii, *O. Fedtsch. in Bull. Herb. Boiss. Sér. II. iv. 771.*—Turkestan.  
lactiflorus, *O. Fedtsch. l. c. 773.*—Turkestan.

**ERIA**, Lindl. (Orchid.).

- cristata, *Ridley, in Journ. As. Soc. Straits, xxxix. 78.*—  
Penins. Mal.  
cymbiformis, *J. F. Sm. in Rec. Trav. Bot. Néerl. i. 152.*—Sumatra.  
Elmeri, *Ames, Orchid. i. 93.*—Ins. Philipp.  
falcata, *J. F. Sm. Orchid. Java, 404.*—Java.  
globifera, *Rolfe, in Gard. Chron. 1905, ii. 449.*—Anam.  
graciliscapa, *Rolfe, in Ames, Orchid. i. 93.*—Ins. Philipp.  
hainanense, *Rolfe, in Journ. Linn. Soc. xxxvi. 16.*—  
China.  
Hosei, *Rendle, in Journ. Bot. 1901, 174.*—Borneo.  
Jungbuhnii, *J. F. Sm. Orchid. Java, 405.*—Java.  
leucotricha, *Schlechter, in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee, 180.*—N. Guin.  
moluccana, *Schlechter & J. F. Sm. in J. F. Sm. Orch. Ambon, 74.*—Ins. Malay.  
oligotricha, *Schlechter, in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee, 181.*—N. Guin.  
pendula, *Ridley, in Journ. As. Soc. Straits, xxxix. 78.*—Malaya.  
phaeotricha, *Schlechter, in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee, 181.*—N. Guin.  
philippinensis, *Ames, Orchid. i. 94.*—Ins. Philipp.  
podochiloides, *Schlechter, in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee, 182.*—N. Guin.  
pseudo-stellata, *Schlechter, l. c.*—Ins. Bismarck.  
quinquangularis, *J. F. Sm. Orch. Ambon, 76.*—Ins. Ambon.  
ramuana, *Schlechter, in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee, 183.*—N. Guin.  
rotundifolia, *Ridley, in Journ. As. Soc. Straits, xxxix. 78.*—Penins. Mal.  
torricellensis, *Schlechter, in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee, 183.*—N. Guin.  
unifolia, *J. F. Sm. Orchid. Java, 402.*—Java.  
xanthotricha, *Schlechter, in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee, 184.*—N. Guin.

**ERIANTHUS**, R. Br. (Gramin.).

- inermis, *Pilg. ex Diels & Pritz. in Engl. Jahrb. xxxv. 75.*—Austral.  
nana, *Pilg. ex Diels & Pritz. l. c.*—Austral.

**ERIANTHUS**, Michx. (Gramin.).

- pollinoides, *Rendle, in Journ. Linn. Soc. xxxvi. 350.*—  
China.  
scriptorius, *Bub. Fl. Pyren. iv. 252.*—E. Ravennae.

**ERICA**, Tourn. (Ericac.).

- aemula, *Guthrie & Bolus*, in *Dyer, Fl. Cap.* iv. i. 118.—Afr. austr.
- aghillana, *Guthrie & Bolus*, l. c. 160.—Afr. austr.
- Alexandri, *Guthrie & Bolus*, l. c. 195.—Afr. austr.
- Alfredii, *Guthrie & Bolus*, l. c. 254.—Afr. austr.
- alticola, *Guthrie & Bolus*, l. c. 217.—Afr. austr.
- amphigena, *Guthrie & Bolus*, l. c. 241.—Afr. austr.
- annectens, *Guthrie & Bolus*, l. c. 61.—Afr. austr.
- argyræa, *Guthrie & Bolus*, l. c. 140.—Afr. austr.
- astroites, *Guthrie & Bolus*, l. c. 108.—Afr. austr.
- Atherstonei, *Diels, ex Guthrie & Bolus*, l. c. 120.—Afr. austr.
- auriculata, *Guthrie & Bolus*, l. c. 119.—Afr. austr.
- berzelioides, *Guthrie & Bolus*, l. c. 78.—Afr. austr.
- Bodkinii, *Guthrie & Bolus*, l. c. 265.—Afr. austr.
- brachysepalæ, *Guthrie & Bolus*, l. c. 171.—Afr. austr.
- brevicaulis, *Guthrie & Bolus*, l. c. 291.—Afr. austr.
- Burnettii, *Hort. in Fl. des Serres*, t. 845.—Hybr.
- casta, *Guthrie & Bolus*, in *Dyer, Fl. Cap.* iv. i. 62.—Afr. austr.
- chartacea, *Guthrie & Bolus*, l. c. 243.—Afr. austr.
- chionophila, *Guthrie & Bolus*, l. c. 181.—Afr. austr.
- chrysocodon, *Guthrie & Bolus*, l. c. 122.—Afr. austr.
- clavispala, *Guthrie & Bolus*, l. c. 231.—Afr. austr.
- collina, *Guthrie & Bolus*, l. c. 213.—Afr. austr.
- comata, *Guthrie & Bolus*, l. c. 294.—Afr. austr.
- confusa, *Guthrie & Bolus*, l. c. 153.—Afr. austr.
- consohrina, *Guthrie & Bolus*, l. c. 287.—Afr. austr.
- crateriformis, *Guthrie & Bolus*, l. c. 224.—Afr. austr.
- cryptanthera, *Guthrie & Bolus*, l. c. 143.—Afr. austr.
- curtophylla, *Guthrie & Bolus*, l. c. 216.—Afr. austr.
- debilis, *Guthrie & Bolus*, l. c. 148.—Afr. austr.
- Dodii, *Guthrie & Bolus*, l. c. 207.—Afr. austr.
- drakensbergensis, *Guthrie & Bolus*, l. c. 166.—Afr. austr.
- eriphoros, *Guthrie & Bolus*, l. c. 234.—Afr. austr.
- flavispala, *Guthrie & Bolus*, l. c. 209.—Afr. austr.
- floccifera, *Zahlbr. in Ann. Nat. Hofmus. Wien*, xx. (1905) 41.—Afr. austr.
- georgica, *Guthrie & Bolus*, in *Dyer, Fl. Cap.* iv. i. 109.—Afr. austr.
- gracilipes, *Guthrie & Bolus*, l. c. 280.—Afr. austr.
- grata, *Guthrie & Bolus*, l. c. 153.—Afr. austr.
- Greyii, *Guthrie & Bolus*, l. c. 231.—Afr. austr.
- Grisbrookii, *Guthrie & Bolus*, l. c. 271.—Afr. austr.
- Gysbertii, *Guthrie & Bolus*, l. c. 90.—Afr. austr.
- haematosiphon, *Guthrie & Bolus*, l. c. 83.—Afr. austr.
- Harveiana, *Guthrie & Bolus*, l. c. 170.—Afr. austr.
- heliophila, *Guthrie & Bolus*, l. c. 110.—Afr. austr.
- heterophylla, *Guthrie & Bolus*, l. c. 142.—Afr. austr.
- inconstans, *Zahlbr. in Ann. Nat. Hofmus. Wien*, xx. (1905) 41.—Afr. austr.
- irrorata, *Guthrie & Bolus*, in *Dyer, Fl. Cap.* iv. i. 111.—Afr. austr.
- kingaensis, *Engl. Jahrb.* xxx. 370.—Afr. trop.
- lanipes, *Guthrie & Bolus*, in *Dyer, Fl. Cap.* iv. i. 269.—Afr. austr.
- lasiocarpa, *Guthrie & Bolus*, l. c. 284.—Afr. austr.
- leptostachya, *Guthrie & Bolus*, l. c. 217.—Afr. austr.
- longispala, *Guthrie & Bolus*, l. c. 57.—Afr. austr.
- macilentæ, *Guthrie & Bolus*, l. c. 109.—Afr. austr.
- Macowanii, *Cufino, in Bull. Soc. Bot. Ital.* 1903, 290.—Afr. austr.
- macra, *Guthrie & Bolus*, in *Dyer, Fl. Cap.* iv. i. 194.—Afr. austr.
- macropus, *Guthrie & Bolus*, l. c. 72.—Afr. austr.
- macrostema, *Guthrie & Bolus*, l. c. 289.—Afr. austr.
- Maderi, *Guthrie & Bolus*, l. c. 228.—Afr. austr.
- Mariae, *Guthrie & Bolus*, l. c. 63.—Afr. austr.
- maritima, *Guthrie & Bolus*, l. c. 221.—Afr. austr.
- melanacme, *Guthrie & Bolus*, l. c. 264.—Afr. austr.
- micrandra, *Guthrie & Bolus*, l. c. 189.—Afr. austr.
- microcodon, *Guthrie & Bolus*, l. c. 226.—Afr. austr.
- milanjiana, *Bolus, in Trans. S. Afr. Phil. Soc.* xvi. 141.—Afr. trop.
- Mundii, *Guthrie & Bolus*, in *Dyer, Fl. Cap.* iv. i. 151.—Afr. austr.
- myriocodon, *Guthrie & Bolus*, l. c. 145.—Afr. austr.
- Nabea, *Guthrie & Bolus*, l. c. 271 (= *Nabea montana*).—Afr. austr.
- nematophylla, *Guthrie & Bolus*, l. c. 64.—Afr. austr.
- nervata, *Guthrie & Bolus*, l. c. 303.—Afr. austr.
- nigrimontana, *Guthrie & Bolus*, l. c. 264.—Afr. austr.

**ERICA** :—

- nobilis, *Guthrie & Bolus*, in *Dyer, Fl. Cap.* iv. i. 267.—Afr. austr.
- occidentalis, *Merino, in Bol. Soc. Esp. Hist. Nat.* ii. 67; et in *Mem. Soc. Esp. Hist. Nat.* ii. 483.—Hispan.
- ocellata, *Guthrie & Bolus*, in *Dyer, Fl. Cap.* iv. i. 157.—Afr. austr.
- oligantha, *Guthrie & Bolus*, l. c. 148.—Afr. austr.
- onusta, *Guthrie & Bolus*, l. c. 226.—Afr. austr.
- oreophila, *Guthrie & Bolus*, l. c. 141.—Afr. austr.
- oxyandra, *Guthrie & Bolus*, l. c. 116.—Afr. austr.
- oxysepala, *Guthrie & Bolus*, l. c. 230.—Afr. austr.
- papyracea, *Guthrie & Bolus*, l. c. 269.—Afr. austr.
- parvula, *Guthrie & Bolus*, l. c. 170.—Afr. austr.
- primulina, *Bolus, ex Guthrie & Bolus*, l. c. 51.—Afr. austr.
- Priori, *Guthrie & Bolus*, l. c. 216.—Afr. austr.
- propinqua, *Guthrie & Bolus*, l. c. 276.—Afr. austr.
- pulvinata, *Guthrie & Bolus*, l. c. 212.—Afr. austr.
- reenensis, *Zahlbr. in Ann. Nat. Hofmus. Wien*, xx. (1905) 37.—Afr. austr.
- rhodantha, *Guthrie & Bolus*, in *Dyer, Fl. Cap.* iv. i. 288.—Afr. austr.
- rhodopsis, *Bolus, ex Guthrie & Bolus*, l. c. 97 (= *Eremia rhodopsis*).—Afr. austr.
- ribisaria, *Guthrie & Bolus*, l. c. 132.—Afr. austr.
- saxicola, *Guthrie & Bolus*, l. c. 295.—Afr. austr.
- scytopylla, *Guthrie & Bolus*, l. c. 162.—Afr. austr.
- Sonderiana, *Guthrie & Bolus*, l. c. 244.—Afr. austr.
- straminea, *Wendl. Eric. iii. fasc. xxvii.* 19.—Afr. austr.
- subverticillaris, *Diels, ex Guthrie & Bolus*, in *Dyer, Fl. Cap.* iv. i. 224.—Afr. austr.
- tenuipes, *Guthrie & Bolus*, l. c. 143.—Afr. austr.
- Thodei, *Guthrie & Bolus*, l. c. 284.—Afr. austr.
- trichoclada, *Guthrie & Bolus*, l. c. 147.—Afr. austr.
- ustulescens, *Guthrie & Bolus*, l. c. 233.—Afr. austr.
- Vallis-Gratiæ, *Guthrie & Bolus*, l. c. 103.—Afr. austr.
- xanthina, *Guthrie & Bolus*, l. c. 69.—Afr. austr.
- xerophila, *Bolus, ex Guthrie & Bolus*, l. c. 74.—Afr. austr.

**ERICHSENIA**, Hemsl. in *Hook. Ic. Pl.* t. 2777 (1905). **LEGUMINOSAE.**  
 uncinata, *Hemsl. l. c.*—Austral.

**ERIGERON**, Linn. (Compos.).

- acutatus, *Greene, in Ottawa Natural.* xvi. 38.—Am. bor.
- adenophorus, *Greenm. in Proc. Amer. Acad.* xxxix. 94.—Mexic.
- albicornutus, *Greenm. l. c.* xli. 255.—Mexic.
- Aliciae, *Howell, Fl. N. W. Am.* i. 317.—Am. bor.
- amplifolius, *Howell, l. c.*—Am. bor.
- araneosus, *Urb. Symb. Antill.* iii. 404.—Ind. occ.
- Baumii, *O. Hoffm. in Warb. Kunene-Sambesi Exped.* 407.—Afr. trop.
- calicicola, *Greenm. in Proc. Amer. Acad.* xli. 256.—Mexic.
- casadensis, *A. A. Heller, Muhlenbergia*, i. 6.—Am. bor.
- commixtus, *Greene, Pittonia*, v. 58.—Am. bor.
- domingensis, *Urb. Symb. Antill.* iii. 403.—Ind. occ.
- dubius, *Makino, in Bot. Mag. Tokyo*, xviii. 18 (= *Inula dubia*).—Japon.
- Earlei, *Rydb. in Bull. Torr. Bot. Club*, 1905, 126.—Am. bor.
- fragilis, *Greene, in Bull. S. Calif. Acad. Sci.* i. (1902) 39.—Calif.
- glacialis, *A. Nelson, in Coult. Bot. Gaz.* xxxvii. 270 (= *Aster glacialis*).—Am. bor.
- incanescens, *Rydb. in Bull. Torr. Bot. Club*, 1901, 23.—Am. bor.
- irazuensis, *Greenm. in Proc. Amer. Acad.* xl. 36.—Am. cent.
- jacintus, *Hall, in Univ. Calif. Publ. Bot.* i. 127.—Am. bor.
- laetevirens, *Rydb. in Bull. Torr. Bot. Club*, 1901, 506.—Am. bor.
- Leibergii, *Piper, in Bull. Torr. Bot. Club*, 1901, 41.—Am. bor.
- leucotrichus, *Rydb. in Bull. Torr. Bot. Club*, 1901, 23.—Am. bor.
- mirus, *Auct. in Proc. Biol. Soc. Washington*, xvii. 182.—Am. bor.
- morelensis, *Greenm. in Proc. Amer. Acad.* xli. 256.—Mexic.
- myrionactis, *Small, Fl. S. E. U. S.* 1229.—Am. bor.

**ERIGERON** :—

- nauseosus, *A. Nelson, in Coult. Bot. Gaz.* xxxvii. 270.—Am. bor.
- nematophyllus, *Rydb. in Bull. Torr. Bot. Club*, 1905, 124.—Am. bor.
- oaxacanus, *Greenm. in Proc. Amer. Acad.* xli. 257.—Mexic.
- obtusatus, *Greene, in Ottawa Natural.* xvi. 38.—Am. bor.
- oreophilus, *Greenm. in Proc. Amer. Acad.* xli. 257.—Mexic.
- pacificus, *Howell, Fl. N. W. Am.* i. 319.—Am. bor.
- Peasei, *Rydb. in Bull. Torr. Bot. Club*, 1905, 126.—Am. bor.
- platyphyllus, *Greene, Leaflets Bot. Obs.* i. 145.—Am. bor.
- polycladus, *Urb. Symb. Antill.* iii. 403.—Ind. occ.
- popayanensis, *Hieron. in Engl. Jahrb.* xxviii. 586.—N. Granat.
- Remyanus, *Spieg. Nov. Add. Fl. Patag.* i. (1901) repr. 88.—Patag.
- salicinus, *Rydb. in Bull. Torr. Bot. Club*, 1905, 125.—Am. bor.
- Setchellii, *Jepson, Fl. W. Mid. Calif.* 568.—Calif.
- setulosus, *Greene, in Pittonia*, iv. (1901) 319.—Am. bor.
- simulans, *Greene, Pl. Baker.* iii. 31.—Am. bor.
- Smithii, *Rydb. in Bull. Torr. Bot. Club*, 1905, 125.—Am. bor.
- spathulifolius, *Howell, Fl. N. W. Am.* i. 317.—Am. bor.
- striatus, *Greene, in Bull. S. Calif. Acad.* i. 39.—Am. bor.
- Tracyi, *Greene, Pittonia*, v. 59.—Am. bor.
- vetensis, *Rydb. in Bull. Torr. Bot. Club*, 1905, 126.—Am. bor.
- viscidus, *Rydb. l. c.* 1901, 24.—Am. bor.
- Vreelandii, *Rydb. l. c.* 1905, 125.—Am. bor.
- yukonensis, *Rydb. in Bull. N. York Bot. Gard.* ii. 185.—Am. bor.
- ERIOBOTRYA**, Lindl. (Rosac.).  
 ambigua, *Merrill, in Philipp. Gov. Lab. Bur. Bull.* xxxv. 19.—Ins. Philipp.
- ERIOCAULON**, Linn. (Eriocaul.).  
 aequinoctiale, *Ruhl. in Engl. Pflanzenreich, Eriocaul.* 47.—Venez.
- altogibbosum, *Ruhl. ex Pilg. in Engl. Bot. Jahrb.* xxx. 146.—Bras.
- Barbeyanum, *Ruhl. in Engl. Pflanzenreich, Eriocaul.* 73.—Ind. or.
- bombayanum, *Ruhl. l. c.* 104.—Ind. or.
- Burchellii, *Ruhl. l. c.* 50.—Bras.
- decipiens, *N. E. Br. in Dyer, Fl. Trop. Afr.* viii. 245.—Afr. trop.
- epapillosum, *Ruhl. in Engl. Pflanzenreich, Eriocaul.* 57.—Bras.
- Faberi, *Ruhl. l. c.* 95.—China.
- fulvum, *N. E. Br. in Dyer, Fl. Trop. Afr.* viii. 248.—Afr. trop.
- Glaziovii, *Ruhl. l. c.* 51.—Bras.
- guadalajarensis, *Ruhl. l. c.* 60.—Mexic.
- Hanningtonii, *N. E. Br. in Dyer, Fl. Trop. Afr.* viii. 253.—Afr. trop.
- Heudelotii, *N. E. Br. l. c.* 258.—Afr. trop.
- Henryanum, *Ruhl. in Engl. Pflanzenreich, Eriocaul.* 86.—China.
- infaustum, *N. E. Br. in Dyer, Fl. Trop. Afr.* viii. 253.—Afr. trop.
- Koernickei, *Britton, in Journ. Bot.* 1900, 482.—Bras.
- Lasiolopsis, *Ruhl. in Engl. Pflanzenreich, Eriocaul.* 86 (= *Lasiolopsis brevifolia*).—Ind. or.
- latifolium, *Arech. in Anal. Mus. Montevid.* iv. i. (1902) 21.—Urug.
- lineare, *Small, Fl. S. E. U. S.* 236.—Am. bor.
- longirostrum, *Silv. & Ruhl. ex Ruhl. in Engl. Pflanzenreich, Eriocaul.* 113.—Bras.
- macrophyllum, *Ruhl. l. c.* 77.—Java.
- magnificum, *Ruhl. l. c.* 48.—Bras.
- majusculum, *Ruhl. l. c.* 45.—Bras.
- Mannii, *N. E. Br. in Dyer, Fl. Trop. Afr.* viii. 241.—Afr. trop.
- Merrillii, *Ruhl. ex Perkins, Frag. Fl. Philipp.* i. 136.—Ins. Philipp.
- mutatum, *N. E. Br. in Dyer, Fl. Trop. Afr.* viii. 256.—Afr. trop.
- neglectum, *Ruhl. in Engl. Pflanzenreich, Eriocaul.* 59.—Bras.
- obtusum, *Ruhl. l. c.* 46.—Bras.
- Palmeri, *Ruhl. l. c.* 48.—Mexic.
- Parkeri, *Robinson, in Rhodora*, v. 175.—Am. bor.

**ERIOCAULON** :—

- pectinatum, *Ruhl. in Engl. Pflanzenreich, Eriocaul.* 85.—Ind. or.  
 peruvianum, *Ruhl. l. c.* 58.—Peruv.  
 pictum, *Fritsch. in Bull. Herb. Boiss. Sér. II. i.* 1102.—Afr. trop.  
 Pilgeri, *Ruhl. in Engl. Bot. Jahrb.* xxx. 147.—Bras.  
 plumale, *N. E. Br. in Dyer, Fl. Trop. Afr.* viii. 251.—Afr. trop.  
 pseudoquingulare, *Ruhl. in Engl. Pflanzenreich, Eriocaul.* 73.—Ind. or.  
 redactum, *Ruhl. l. c.* 113.—Ind. or.  
 Ritchieanum, *Ruhl. l. c.* 73.—Ind. or.  
 robusto-brownianum, *Ruhl. l. c.* 77.—Ind. or.  
 senegalense, *N. E. Br. in Dyer, Fl. Trop. Afr.* viii. 251.—Afr. trop.  
 subglaucum, *Ruhl. in Engl. Pflanzenreich, Eriocaul.* 68.—Zeylan.  
 subulatum, *N. E. Br. in Dyer, Fl. Trop. Afr.* viii. 255.—Afr. trop.  
 Stuhlmanni, *N. E. Br. l. c.* 259.—Afr. trop.  
 sumatranum, *Ruhl. in Engl. Pflanzenreich, Eriocaul.* 88.—Sumatra.  
 Tanakae, *Ruhl. l. c.* 84.—Japon.  
 Tatei, *Ruhl. l. c.* 117.—Austral.  
 tofieldifolium, *Schinz, in Bull. Herb. Boiss. Sér. II. i.* 779.—Afr. trop.  
 tonkinense, *Ruhl. in Engl. Pflanzenreich, Eriocaul.* 72.—Tonkin.  
 Ulaei, *Ruhl. l. c.* 47.—Bras.  
 Vauthieri, *Ruhl. l. c.* 37.—Bras.

**ERIOCEPHALUS**, Linn. (Compos.).

- Dinteri, *S. Moore, in Bull. Herb. Boiss. Sér. II. iv.* 1018.—Afr. trop.  
 Eenii, *S. Moore, in Journ. Linn. Soc.* xxxv. 351.—Afr. trop.  
 scariosissimus, *S. Moore, in Bull. Herb. Boiss. Sér. II. iv.* 1019.—Afr. trop.

**ERIOCHLOA**, H. B. & K. (Gramin.).

- acrotricha, *Hack. ex Schinz, in Denkschr. Akad. Wien, Math.-Nat.* lxxviii. 399 (= *Panicum acrotrichum*).—Afr. trop.  
 borumensis, *Hack. in Bull. Herb. Boiss. Sér. II. i.* 165.—Afr. trop.

**ERIOCOELUM**, Hook. f. (Sapind.).

- pendulum, *Stapf, in Journ. Linn. Soc.* xxxvii. 91.—Afr. trop.

**ERIODENDRON**, DC. (Malv.).

- grandiflorum, *Consatti, Gdn. Veget. Mexic.* 125 (= *Ceiba grandiflora*).—Mexic.

**ERIODICTYON**, Benth. (Hydrophyll.).

- trichocalyx, *A. A. Heller, Muhlenbergia, i.* 108.—Calif.

**ERIOGONUM**, Michx. (Polygon.).

- Ameghinii, *Speg. in Anal. Mus. Buenos Aires, vii.* 156.—Patag.  
 anserinum, *Greene, in Pittonia, iv.* (1901) 320.—Am. bor.  
 arcuatum, *Greene, l. c.* 319.—Am. bor.  
 azaleastrum, *Greene, l. c. v.* 67.—Am. bor.  
 Bakeri, *Greene, Pl. Baker. iii.* 15.—Am. bor.  
 baratum, *Elmer, in Coult. Bot. Gaz.* xxxix. 52.—Calif.  
 capitatum, *A. A. Heller, Muhlenbergia, ii.* 27.—Calif.  
 chloranthum, *Greene, Pl. Baker. iii.* 15.—Am. bor.  
 deductum, *Greene, Pittonia, v.* 71.—Calif.  
 floridanum, *Small, Fl. S. E. U. S.* 367.—Am. bor.  
 fruticosum, *A. Nelson, in Coult. Bot. Gaz.* xxxiv. 23.—Am. bor.  
 junceum, *Greene, Leaflets Bot. Obs. i.* 77.—Calif.  
 laxifolium, *A. Nelson, in Coult. Bot. Gaz.* xxxiv. 23.—Am. bor.  
 longulum, *Greene, Pittonia, v.* 70.—Calif.  
 modocense, *Greene, l. c.* 68.—Calif.  
 montanum, *Howell, Fl. N. W. Amer. i.* 570.—Am. bor.  
 neglectum, *Greene, Pittonia, v.* 69.—Am. bor.  
 oblanceolatum, *Greene, l. c.* 71.—Calif.  
 orendense, *A. Nelson, in Coult. Bot. Gaz.* xxxiv. 21.—Am. bor.  
 ovatum, *Greene, Pittonia, v.* 69.—Calif.  
 reclinatum, *Greene, l. c.* 67.—Am. bor.  
 revolutum, *Goodd. in Coult. Bot. Gaz.* xxxvii. 54.—Am. bor.  
 Rydbergii, *Greene, Pittonia, v.* 68.—Am. bor.  
 salicinum, *Greene, Pl. Baker. iii.* 16.—Am. bor.  
 salinum, *A. Nelson, in Bull. Torr. Bot. Club, 1904,* 240.—Am. bor.

**ERIOGONUM** :—

- scapigerum, *Eastw. in Proc. Calif. Acad. Ser. III. ii.* 286.—Am. bor.  
 Smallianum, *A. A. Heller, in Bull. S. Calif. Acad. ii.* 68.—Calif.  
 sulphureum, *Greene, Pittonia, v.* 70.—Calif.  
 ternatum, *Howell, Fl. N. W. Amer. i.* 570.—Am. bor.  
 variable, *A. A. Heller, Muhlenbergia, ii.* 24.—Calif.  
 vegetius, *A. Nelson, in Bull. Torr. Bot. Club, 1904,* 289.—Am. bor.  
 viridescens, *A. A. Heller, Muhlenbergia, ii.* 25.—Calif.

**ERIOLEAENA**, DC. (Stercul.).

- glabrescens, *Aug. DC. in Bull. Herb. Boiss. Sér. II. iii.* 370.—Tonkin.

**ERIOLOBUS**, M. Roem. = **Pyrus**, Tourn. (Rosac.).

- Tschonoskii*, *Rehder, in Sargent, Trees & Shrubs, 73* = *P. Tschonoskii*.

**ERIONEURON**, Nash, in Small, Fl. S. E. U. S. 143 (1903). **GRAMINEAE**.

- pilosum*, *Nash, l. c.* 144 (= *Uralespis pilosa*).—Am. bor.

**ERIOPHORUM**, Linn. (Cyper.).

- altaicum, *Meinsh. in Act. Hort. Petrop.* xviii. 267.—As. cent.  
 mandshuricum, *Meinsh. l. c.* 268.—As. cent.  
 ocreatum, *A. Nelson, in Bull. Torr. Bot. Club, 1902,* 401.—Am. bor.  
 opacum, *Fernald, in Rhodora, vii.* 85.—Reg. bor.  
 paucivervium, *Eaton, in Britton, Man. Fl. N. U. S.* 182.—Am. bor.  
 viridi-carinatum, *Fernald, in Rhodora, vii.* 89.—Am. bor.

**ERIOPHYLLUM**, Lag. (Compos.).

- idereum, *Fepson, Fl. W. Mid. Calif.* 524.—Calif.  
 lanceolatum, *Howell, Fl. N. W. Am. i.* 355.—Am. bor.  
 leucophyllum, *Howell, l. c.* (= *Bahia leucophylla*).—Am. bor.

**ERIOSEMA**, DC. (Legum.).

- affinis, *Wildem. in Ann. Mus. Congo, Sér. IV.* 200.—Afr. trop.  
 brachyrhachis, *Harms, in Engl. Jahrb. xxxiii. Beibl.* lxxii. 30.—Bras.  
 cupreum, *Harms, l. c.* 32.—Bras.  
 erythrophilum, *Harms, l. c.*—Bras.  
 Glaziovii, *Harms, l. c.* 31.—Bras.  
 Hasslerianum, *Chod. in Bull. Herb. Boiss. Sér. II. iv.* 907.—Parag.  
 Laurentii, *Wildem. Enum. Pl. Laurent, 120.*—Afr. trop.  
 laxiflorum, *Harms, in Engl. Jahrb. xxxiii. Beibl.* lxxii. 30.—Bras.  
 Proschii, *Briq. in Ann. Conserv. & Jard. Bot. Genève, vi.* 4.—Afr. trop.  
 stenophyllum, *Harms, in Engl. Jahrb. xxxiii. Beibl.* lxxii. 31.—Bras.  
 tacuarembense, *Arech. in Anal. Mus. Montevide, iii.* 397.—Urug.  
 ukingense, *Harms, in Engl. Jahrb. xxx.* 332.—Afr. trop.  
 Verdickii, *Wildem. in Ann. Mus. Congo, Sér. IV.* 201.—Afr. trop.  
 yerbalium, *Chod. & Hassl. in Bull. Herb. Boiss. Sér. II. iv.* 906.—Parag.

**ERIOSPERMUM**, Jacq. (Liliac.).

- brevipes, *Baker, in Vierteljahrsschr. Nat. Ges. Zürich, xlix.* 175.—Afr. trop.  
 Bussei, *Damm, in Engl. Jahrb. xxxviii.* 64.—Afr. trop.  
 dissitiflorum, *Baker, in Bull. Herb. Boiss. Sér. II. iv.* 997.—Afr. austr.  
 hygrophilum, *Baker, l. c.* 998.—Afr. austr.  
 Junodi, *Baker, in Vierteljahrsschr. Naturf. Ges. Zürich, xlix.* 175; et in *Bull. Herb. Boiss. Sér. II. i.* 783.—Afr. austr.  
 longepetiolatum, *Damm, in Engl. Jahrb. xxxviii.* 64.—Afr. trop.  
 platyphyllum, *Baker, in Bull. Herb. Boiss. Sér. II. iv.* 998.—Afr. austr.  
 reflexum, *Schinz, in Bull. Herb. Boiss. Sér. II. i.* 858.—Afr. trop.  
 Schinzii, *Baker, in Bull. Herb. Boiss. Sér. II. iv.* 997.—Afr. austr.  
 togoense, *Damm, in Engl. Jahrb. xxxviii.* 65.—Afr. trop.  
 tortuosum, *Damm, l. c.*—Afr. trop.

**ERIOSTEMON**, Sm. (Rutac.).

- affinis, *Sprague, in Gard. Chron. 1903, i.* 307.—Austral.  
 apricus, *Diels, ex Diels & Pritz. in Engl. Jahrb.* xxxv. 321.—Austral.  
 deserti, *Pritz. ex Diels & Pritz. l. c.* 320.—Austral.  
 fabianoides, *Diels, ex Diels & Pritz. l. c.* 322.—Austral.  
 Fitzgeraldi, *C. R. P. Andrews, in Journ. W. Austral. Nat. Hist. Soc. i.* 37.—Austral.  
 tomentellus, *Diels, ex Diels & Pritz. in Engl. Jahrb.* xxxv. 320.—Austral.

**ERITHALIS**, P. Br. (Rubiace.).

- revoluta, *Urb. Symb. Antill. iii.* 379.—Ind. occ.

**ERITRICHIMUM**, Schrad. (Borag.).

- argenteum, *W. F. Wight, in Bull. Torr. Bot. Club, 1902,* 411.—Am. bor.  
 dubium, *O. Fedtsch. Fl. Pamir, 153.*—As. cent.  
 elongatum, *W. F. Wight, in Bull. Torr. Bot. Club, 1902,* 408.—Am. bor.  
 mesembryanthemoides, *Speg. Nov. Add. Fl. Patag. ii.* (1902) repr. 38.—Patag.  
 nipponicum, *Makino, in Bot. Mag. Tokyo, xvii.* 51.—Japon.  
 pamiricum, *B. Fedtsch. ex O. Fedtsch. Pl. Pamir, 53.*—As. cent.  
 Ruprechtianum, *Rouy, Illustr. Pl. Eur. t.* 393.—Reg. arct.  
 splendens, *Kearney, ex W. F. Wight, in Bull. Torr. Bot. Club, 1902,* 410.—Am. bor.

**ERLANGAEA**, Sch. Bip. (Compos.).

- alternifolia, *S. Moore, in Journ. Linn. Soc.* xxxv. 313 (= *Bothriocline alternifolia*).—Afr. trop.  
 Bagshawei, *S. Moore, l. c.* xxxvii. 164.—Afr. trop.  
 boranensis, *S. Moore, l. c.* xxxv. 310.—Afr. trop.  
 brachycalyx, *S. Moore, l. c.* 308.—Afr. trop.  
 calycina, *S. Moore, l. c.* 311.—Afr. trop.  
 centauroioides, *S. Moore, l. c.* 313 (= *Stephanolepis centauroioides*).—Afr. trop.  
 cordifolia, *S. Moore, l. c.* (= *Gutenbergia cordifolia*).—Afr. trop.  
 Gregorii, *S. Moore, l. c.* 309.—Afr. trop.  
 laxa, *S. Moore, l. c.* 313 (= *Bothriocline laxa*).—Afr. trop.  
 longipes, *S. Moore, l. c.* (= *Bothriocline longipes*).—Afr. trop.  
 marginata, *S. Moore, l. c.* 310 (= *Vernonia marginata*).—Afr. trop.  
 misera, *S. Moore, l. c.* (= *Vernonia misera*).—Afr. trop.  
 Moramballae, *S. Moore, l. c.* 313 (= *Vernonia Moramballae*).—Afr. trop.  
 pauciseta, *S. Moore, l. c.* (= *Bothriocline pauciseta*).—Afr. trop.  
 ruwenzoriensis, *S. Moore, l. c.* 309.—Afr. trop.  
 Schimperii, *S. Moore, l. c.* 313 (= *Bothriocline Schimperii*).—Afr. trop.  
 Smithii, *S. Moore, l. c.* 307.—Afr. trop.  
 spissa, *S. Moore, l. c.*—Afr. trop.  
 ugandensis, *S. Moore, l. c.* xxxvii. 165.—Afr. trop.

**ERNODEA**, Sw. (Rubiace.).

- angusta, *Small, in Bull. N. York Bot. Gard.* iii. 438.—Am. bor.  
 Cokeri, *Britton, ex Coker, in Shattuck, Bahama Is.* 264.—Ins. Baham.

**ERODIUM**, L'Hérit. (Geran.).

- longipes, *Bub. Fl. Pyren. iii.* 321.—Eur.

**EROPHILA**, DC. (Crucif.).

- acrocampa, *Brenner, in Meddel. Soc. Faun. Fl. Fenn.* xxix. 131.—Fennia.  
 angustata, *Brenner, l. c.*—Fennia.  
 ovalis, *Brenner, l. c.* 129.—Fennia.  
 radiosa, *Brenner, l. c.* 128.—Fennia.  
 rhomboidea, *Brenner, l. c.* 130.—Fennia.

**ERUCA**, Tourn. (Crucif.).

- sylvestris*, *Bub. Fl. Pyren. iii.* 194 = sativa.

**ERVATAMIA**, Stapf, in Dyer, Fl. Trop. Afr. iv. i. 126 (1902). **APOCYNACEAE**.

- coronaria, *Stapf, l. c.* 127.—Afr. trop.  
 Heyneana, *Cooke, Fl. Bombay, ii.* 134 (= *Tabernaemontana Heyneana*).—Ind. or.

**ERYCIBE**, Roxb. (Convolv.).

- Forbesii, *Prain, in Journ. As. Soc. Beng.* lxxiii. 15.—Sumatra.  
 Henryi, *Prain, l. c.*—China.  
 leucoxyloides, *King, ex Prain, l. c.* 16.—Penins. Mal.  
 magnifica, *Prain, l. c.* 18.—Penins. Mal.  
 peguensis, *Prain, Bengal Pl.* 724.—Ind. or.  
 sapotacea, *Hallier f. & Prain, ex Prain, in Journ. As. Soc. Beng.* lxxiii. 16.—Penins. Mal.

**ERYNGIOPHYLLUM**, Greenm. in *Proc. Amer. Acad.* xxxix. (1903) 113. **COMPOSITAE**.  
 Rosei, *Greenm. l. c.*—Mexic.**ERYNGIUM**, Tourn. (Umbell.).

- californicum, *Jepson, Fl. W. Mid. Calif.* 343.—Calif.  
 compactum, *Small, Fl. S. E. U. S.* 863.—Am. bor.  
 crasssquamosum, *Hemsl. in Hook. Ic. Pl. t.* 2765.—Mexic.  
 eurycephalum, *Malme, in Arkiv Bot. Stockh.* iii. no. 13, 12.—Bras.  
 globosum, *Hemsl. in Hook. Ic. Pl. sub t.* 2765.—Mexic.  
 grande, *Hemsl. & Rose, in U. S. Dept. Agric. Contrib. Nat. Herb.* viii. 332.—Mexic.  
 guatemalense, *Hemsl. in Hook. Ic. Pl. sub t.* 2766.—Am. cent.  
 horridum, *Malme, in Arkiv Bot. Stockh.* iii. no. 13, 15.—Bras.  
 longispinum, *Coult. & Rose, ex Hemsl. in Hook. Ic. Pl. sub t.* 2766.—Mexic.  
 medium, *Hemsl. in Hook. Ic. Pl. t.* 2767.—Mexic.  
 megapotaemicum, *Malme, in Arkiv Bot. Stockh.* iii. no. 13, 13.—Bras.  
 Painteri, *Hemsl. & Rose, in U. S. Dept. Agric. Contrib. Nat. Herb.* viii. 333.—Mexic.  
 Palmeri, *Hemsl. in Hook. Ic. Pl. sub t.* 2765.—Mexic.  
 paraguariense, *Urb. in Bull. Herb. Boiss. Sér. II.* iii. 1123.—Parag.  
 pilularioides, *Hemsl. & Rose, in U. S. Dept. Agric. Contrib. Nat. Herb.* viii. 333.—Mexic.  
 Pringlei, *Hemsl. & Rose, l. c.*—Mexic.  
 puberulentum, *Hemsl. & Rose, l. c.* 334.—Mexic.  
 Regnellii, *Malme, in Arkiv Bot. Stockh.* iii. no. 13, 9.—Bras.  
 stenolobum, *Hemsl. in Hook. Ic. Pl. sub t.* 2766.—Mexic.  
 Watsoni, *Coult. & Rose, in U. S. Dept. Agric. Contrib. Nat. Herb.* viii. 334.—Mexic.  
 Wiegandii, *Adam, in Oesterr. Bot. Zeitschr.* 1905, 178.—Turcia.

**ERYSIMUM**, Tourn. (Crucif.).

- alpestre, *Rydb. in Bull. Torr. Bot. Club,* 1901, 277.—Am. bor.  
 Amasianum, *Hauskn. & Bornm. in Mitth. Thüring. Bot. Ver. n. s. xx.* 2.—As. Min.  
 ammophilum, *A. A. Heller, Muhlenbergia, i.* 51.—Calif.  
 angustatum, *Rydb. in Bull. N. York, Bot. Gard.* ii. 171.—Am. bor.  
 concinnum, *Eastw. in Zoe, v.* 103 (1901).—Calif.  
 gaudanense, *Litw. in Trav. Mus. Bot. Acad. Pétersb.* i. 33.—Turkestan.  
 ischnostylum, *Freyn & Sint, ex Freyn, in Bull. Herb. Boiss. Sér. II.* iii. 570.—As. cent.  
 leucanthemum, *B. Fedtsch. in Act. Hort. Petrop.* xxiii. 413 (= *Cheiranthus leucanthemus*).—Turkestan.  
 nevadense, *A. A. Heller, Muhlenbergia, i.* 52.—Am. bor.  
 nivale, *Rydb. in Bull. Torr. Bot. Club,* 1904, 558 (= *Cheiranthus nivalis*).—Am. bor.  
 oblanceolatum, *Rydb. in Bull. Torr. Bot. Club,* 1904, 557.—Am. bor.  
 ponticum, *Hauskn. & Bornm. in Mitth. Thüring. Bot. Ver. n. s. xx.* 1.—As. Min.  
 radicum, *Rydb. in Bull. Torr. Bot. Club,* 1904, 558.—Am. bor.

**ERYTHEA**, S. Wats. (Palm.).

- aculeata, *T. S. Brandegee, in Zoe, v.* 196 (1905).—Mexic.  
 Brandegeei, *Purpus, in Gartenfl.* 1903, 11.—Calif.

**ERYTHRAEA**, Renealm. (Gentian.).

- Ameghinoi, *Speg. Nov. Add. Fl. Patag.* ii. (1902), repr. 31.—Patag.  
 micrantha, *Greenm. in Proc. Amer. Acad.* xxxix. 83.—Mexic.  
 minima, *Howell, Fl. N. W. Amer. i.* 443.—Am. bor.

**ERYTHRINA**, Linn. (Legum.).

- arborea, *Small, Fl. S. E. U. S.* 647.—Am. bor.  
 Bagshawei, *Baker f. in Journ. Linn. Soc.* xxxvii. 145.—Afr. trop.  
 Baumii, *Harms, in Warb. Kunene-Sambesi Exped.* 263.—Afr. trop.  
 Droogmansiana, *Wildem. & Th. Dur. in Bull. Soc. Bot. Belg.* xl. 19.—Afr. trop.  
 edulis, *Triana, ex Sprague, in Bull. Herb. Boiss. Sér. II.* v. 1169, descr. ampl.—N. Granat.  
 esculenta, *Sprague, l. c.* 1167.—Ecuador.  
 Gilletii, *Wildem. in Ann. Mus. Congo, Sér. V. i.* 151.—Afr. trop.  
 Purpusi, *T. S. Brandegee, in Zoe, v.* 158 (1903).—Calif.

**ERYTHROCHITON**, Nees & Mart. (Rutac.).

- trifoliatum, *Pilg. in Verh. Bot. Ver. Brand.* xlvii. (1905) 153.—Peruv.

**ERYTHROCHLAMYS**, Guerke (Labiata.).

- Kelleri, *Briq. in Bull. Herb. Boiss. Sér. II.* iii. 978.—Afr. trop.  
 leucosphaera, *Briq. l. c.* 976.—Afr. trop.

**ERYTHROCOCCA**, Benth. (Euphorb.).

- Paxii, *Rendle, in Journ. Linn. Soc.* xxxvii. 212.—Afr. trop.

**ERYTHRODES**, Blume = **Physurus**, Rich. (Orchid.).

- Blumei, *Schlechter, in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee,* 87 = P. Blumei.  
 bracteata, *Schlechter, l. c.* = P. bracteatus.  
 Henryi, *Schlechter, l. c.* = P. chinensis.  
 papuana, *Schlechter, l. c.*—N. Guin.  
 purpurascens, *Schlechter, l. c.* 88.—N. Guin.  
 viridiflora, *Schlechter, l. c.* 87 = P. viridiflorus.

**ERYTHRONIUM**, Linn. (Liliac.).

- Bolanderi, *Baker, in Gard. Chron.* 1897, i. 299.—Calif.  
 obtusatum, *Goodd. in Coult. Bot. Gaz.* xxxiii. 67.—Am. bor.  
 parviflorum, *Goodd. l. c.*—Am. bor.

**ERYTHROPYXIS**, Engl. *Jahrb.* xxxii. (1902) 102 = **Erytropyxis**, Pierre (Styrac.).**ERYTHROXYLUM**, P. Br. (Linac.).

- calothamnus, *Lignier & Bey, in Bull. Soc. Linn. Norm. Sér. V.* viii. 276, nomen.—Hab.?  
 comorense, *Engl. in Engl. Jahrb.* xxxiv. 149.—Ins. Comor.  
 compactum, *Rose, in U. S. Dept. Agric. Contrib. Nat. Herb.* viii. 313.—Mexic.  
 cymosum, *Lignier & Bey, in Bull. Soc. Linn. Norm. Sér. V.* viii. 277, nomen.—Madag.  
 delagoense, *Schinz, in Bull. Herb. Boiss. Sér. II.* i. 876.—Afr. austr.  
 ecarinatum, *Hochr. Pl. Bogor. Exsicc.* 39.—Ins. Amboin.  
 excelsum, *Glaz. in Bull. Soc. Bot. Fr. lii. Mém.* III. 63, nomen.—Bras.  
 marginatum, *Lignier & Bey, in Bull. Soc. Linn. Norm. Sér. V.* viii. 277, nomen.—Hab.?  
 Mocquerysi, *Aug. DC. in Bull. Herb. Boiss. Sér. II.* i. 562.—Madag.  
 Moonii, *Hochr. in Bull. Inst. Bot. Buitenz.* xxii. (1905) 54.—Zeylan.  
 pallidum, *Rose, in U. S. Dept. Agric. Contrib. Nat. Herb.* viii. 314.—Mexic.  
 Pringlei, *Rose, l. c.*—Mexic.  
 pulchellum, *Engl. in Engl. Jahrb.* xxxiv. 149.—Afr. trop.  
 reticulatum, *Northrop, in Mem. Torr. Bot. Club,* xii. 43.—Ind. occ.  
 Urbanii, *O. E. Schulz, in Urb. Symb. Antill.* iv. 314.—Ind. occ.

**ERYTROPYXIS**, Pierre (Styrac.).

- Eetveldeana, *Engl. Jahrb.* xxxii. 103 (= *Rhaptopetalum Eetveldeanum*).—Afr. trop.  
 Soyauxii, *Engl. l. c.* (= *Rhaptopetalum Soyauxii*).—Afr. trop.

**ESCALLONIA**, Mutis (Saxifr.).

- Britteniana, *Rendle, in Journ. Bot.* 1904, 330.—Patag.  
 langleyensis, *Vilm. & Bois, Frut. Vilm. Cat. i.* 131.—Hybr.

**ESCHSCHOLZIA**, Cham. (Papav.).

- absinthifolia, *Greene, Pittonia, v.* 239.—Calif.  
 alcornis, *Greene, l. c.* 273.—Calif.

**ESCHSCHOLZIA** :—

- aliena, *Greene, Pittonia, v.* 260.—Am. bor.  
 angularis, *Greene, l. c.* 238.—Calif.  
 apiculata, *Greene, l. c.* 235.—Calif.  
 arizonica, *Greene, l. c.* 261.—Am. bor.  
 arvensis, *Greene, l. c.* 253.—Calif.  
 asprella, *Greene, l. c.* 272.—Calif.  
 australis, *Greene, l. c.* 249.—Calif.  
 Bakeri, *Greene, l. c.* 284.—Calif.  
 benedicta, *Greene, l. c.* 228.—Calif.  
 Bernardina, *Greene, l. c.* 255.—Calif.  
 bicornuta, *Greene, l. c.* 249.—Calif.  
 Biolettii, *Greene, l. c.* 232.—Calif.  
 biternata, *Greene, l. c.* 271.—Calif.  
 Brandegei, *Greene, l. c.* 248.—Calif.  
 calosperma, *Greene, l. c.* 246.—Calif.  
 carnifolia, *Greene, l. c.* 281.—Calif.  
 Clevelandi, *Greene, l. c.* 248.—Calif.  
 cognata, *Greene, l. c.* 252.—Calif.  
 columbiana, *Greene, l. c.* 231.—Am. bor.  
 confinis, *Greene, l. c.* 237.—Calif.  
 Covillei, *Greene, l. c.* 275.—Calif.  
 crassula, *Greene, l. c.* 266.—Ins. San Benito.  
 crossophylla, *Greene, l. c.* 268.—Calif.  
 cruciata, *Greene, l. c.* 279.—Calif.  
 cyathifera, *Greene, l. c.* 263.—Calif.  
 debilis, *Greene, l. c.* 227.—Calif.  
 diversiloba, *Greene, l. c.* 256.—Calif.  
 dolichocarpa, *Eastw. in Bull. Torr. Bot. Club,* 1903, 487.—Calif.  
 dumetorum, *Greene, Pittonia, v.* 283.—Calif.  
 Eastwoodiae, *Greene, l. c.* 227.—Calif.  
 Elmeri, *Greene, l. c.* 286.—Calif.  
 exilis, *Greene, l. c.* 265.—Calif.  
 eximia, *Greene, l. c.* 273.—Calif.  
 flaccida, *Fedde, in Notizbl. Bot. Gart. Berlin,* iv. 153.—Calif.  
 floribunda, *Greene, Pittonia, v.* 247.—Calif.  
 foeniculacea, *Greene, l. c.* 224.—Calif.  
 formosa, *Greene, l. c.* 288.—Calif.  
 granulata, *Greene, l. c.* 235.—Calif.  
 Helleriana, *Greene, l. c.* 229.—Calif.  
 humilis, *Greene, l. c.* 265.—Calif.  
 incisa, *Greene, l. c.* 287.—Calif.  
 inflata, *Greene, l. c.* 264.—Calif.  
 isostigma, *Greene, l. c.* 254.—Calif.  
 Jonesii, *Greene, l. c.* 261.—Am. bor.  
 juncea, *Greene, l. c.* 228.—Calif.  
 lacera, *Greene, l. c.* 250.—Calif.  
 leptomitra, *Greene, l. c.* 265.—Calif.  
 leucosticta, *Greene, l. c.* 229.—Calif.  
 Lobbii, *Greene, l. c.* 290.—Calif.  
 ludens, *Greene, l. c.* 272.—Am. bor.  
 macrantha, *Greene, l. c.* 242.—Calif.  
 marcida, *Greene, l. c.* 233.—Calif.  
 Menziesiana, *Greene, l. c.* 223.—Calif.  
 micrantha, *Greene, l. c.* 277.—Calif.  
 microloba, *Greene, l. c.* 250.—Calif.  
 minuscula, *Greene, l. c.* 270.—Am. bor.  
 nitrophila, *Greene, l. c.* 240.—Calif.  
 Orcuttiana, *Greene, l. c.* 254.—Calif.  
 oregana, *Greene, l. c.* 282.—Am. bor.  
 paupercula, *Greene, l. c.* 262.—Calif.  
 petrophila, *Greene, l. c.* 283.—Calif.  
 physodes, *Greene, l. c.* 259.—Calif.  
 picta, *Greene, l. c.* 255.—Calif.  
 procera, *Greene, l. c.* 241.—Calif.  
 pseudopraecox, *Fedde, in Notizbl. Bot. Gart. Berlin,* iv. 153.—Calif.  
 ptarmicoides, *Greene, Pittonia, v.* 270.—Calif.  
 pulchella, *Greene, l. c.* 291.—Calif.  
 pusilla, *Greene, l. c.* 281.—Calif.  
 quadrangularis, *Greene, l. c.* 264.—Calif.  
 recta, *Greene, l. c.* 245.—Calif.  
 revoluta, *Greene, l. c.* 247.—Calif.  
 rigida, *Greene, l. c.* 244.—Calif.  
 robusta, *Greene, l. c.* 263.—Calif.  
 rostellata, *Greene, l. c.* 282.—Calif.  
 rutaefolia, *Greene, l. c.* 271.—Calif.  
 sanctarum, *Greene, l. c.* 243.—Calif.  
 scapifera, *Fedde, in Notizbl. Bot. Gart. Berlin,* iv. 153.—Am. bor.  
 scariosa, *Greene, Pittonia, v.* 243.—Calif.  
 shastensis, *Greene, l. c.* 234.—Calif.  
 straminea, *Greene, l. c.* 257.—Calif.  
 stricta, *Greene, l. c.* 236.—Calif.  
 tenuissima, *Greene, l. c.* 285.—Am. bor.  
 thermophila, *Greene, l. c.* 256.—Calif.



**ESCHSCHOLZIA** :—

- tortuosa, *Greene, Pittonia*, v. 278.—Calif.  
 trichophylla, *Greene, l. c.* 268.—Calif.  
 unguiculata, *Greene, l. c.* 292.—Calif.  
 urceolata, *Eastw. in Bull. Torr. Bot. Club*, 1903, 488.—Calif.  
 vaccarum, *Greene, Pittonia*, v. 282.—Am. bor.  
 vernalis, *Greene, l. c.* 258.—Calif.  
 xylorrhiza, *Greene, l. c.* 238.—Calif.  
 yainacensis, *Greene, l. c.* 234.—Calif.

**EUCALYPTUS**, L'Herit. (Myrtac.).

- accedens, *Fitzg. in Journ. W. Austral. Nat. Hist. Soc. i.* 21.—Austral.  
 alpina, *R. Br. ex Maiden, in Rep. Australas. Assoc. ix.* 365 = coccifera.  
 amplifolia, *Naud. Descr. Emploi Eucalypt.* 28.—Hab. ?  
 Andrewsii, *Maiden, in Proc. Linn. Soc. N. S. Wales*, xxix. 472.—Austral.  
 angophoroides, *R. T. Baker, in Proc. Linn. Soc. N. S. Wales*, xxv. 676.—Austral.  
 angustifolia, *R. Br. ex Maiden, Crit. Rev. Eucalypt.* 152 = amygdalina.  
 apiculata, *R. T. Baker & H. G. Sm. Research on Eucalypts*, 198.—Austral.  
 Banksii, *Maiden, in Proc. Linn. Soc. N. S. Wales*, xxix. 774.—Austral.  
 caerulea, *Naud. Descr. Emploi Eucalypt.* 47.—Hab. ?  
 calyculata, *Herb. Link, ex Maiden, Crit. Rev. Eucalypt.* 156 = amygdalina.  
 Consideniana, *Maiden, in Proc. Linn. Soc. N. S. Wales*, xxix. 475.—Austral.  
 corrugata, *Luehm, ex Diels, in Engl. Jahrb.* xxxv. 443, nomen = goniantha ?  
 cultrifolia, *Naud. Descr. Emploi Eucalypt.* 64.—Hab. ?  
 Deanei, *Maiden, in Proc. Linn. Soc. N. S. Wales*, xxix. 471.—Austral.  
 desertorum, *Naud. Descr. Emploi Eucalypt.* 56.—Austral.  
 diptera, *C. R. P. Andrews, in Journ. W. Austral. Nat. Hist. Soc. i.* 42.—Austral.  
 Dunnii, *Maiden, in Proc. Linn. Soc. N. S. Wales*, xxx. 336.—Austral.  
 Fletcheri, *R. T. Baker, in Proc. Soc. N. S. Wales*, xxv. 682.—Austral.  
 Forrestiana, *Diels, in Engl. Jahrb.* xxxv. 439.—Austral.  
 gracilipes, *Naud. Descr. Emploi Eucalypt.* 37.—Hab. ?  
 Huberiana, *Naud. l. c.* 42.—Hab. ?  
 insignis, *Naud. l. c.* 30.—Hab. ?  
 intermedia, *R. T. Baker, in Proc. Linn. Soc. N. S. Wales*, xxv. 674.—Austral.  
 jugalis, *Naud. Descr. Emploi Eucalypt.* 37.—Hab. ?  
 Kitsoni, *Luehm. ex Maiden, in Vict. Nat.* xxi. 112.—Austral.  
 lactea, *R. T. Baker, in Proc. Linn. Soc. N. S. Wales*, xxv. 691.—Austral.  
 longicornis, *F. Muell. Phyt. Austral.* xi. 14.—Austral.  
 Mazeliana, *Naud. Descr. Emploi Eucalypt.* 41.—Hab. ?  
 melliodora, *A. Cunn. ex R. T. Baker & H. G. Sm. Research on Eucalypts*, 122.—Austral.  
 Moorei, *Maiden & Cambage, in Proc. Linn. Soc. N. S. Wales*, xxx. 191.—Austral.  
 Mulleri, *Naud. Descr. Emploi Eucalypt.* 45.—Hab. ?  
 myrtiformis, *Naud. l. c.* 50.—Hab. ?  
 neglecta, *Maiden, in Vict. Nat.* xxi. 114.—Austral.  
 nigra, *R. T. Baker, in Proc. Linn. Soc. N. S. Wales*, xxv. 689.—Austral.  
 numerosa, *Maiden, Crit. Rev. Eucalypt.* 155 = amygdalina ?  
 ovalifolia, *R. T. Baker, in Proc. Linn. Soc. N. S. Wales*, xxv. 680.—Austral.  
 pastoralis, *S. Moore, in Journ. Bot.* 1902, 27.—Austral.  
 Perriniana, *Herb. Perrin, ex Maiden, in Rep. Austr. Ass. Adv. Sci.* ix. (1903), 377 = Gunnii.  
 polybractea, *R. T. Baker, in Proc. Linn. Soc. N. S. Wales*, xxv. 692.—Austral.  
 resinifera, *Hort. Arg. ex Maiden, Crit. Rev. Eucalypt.* 18.—Hab. ?  
 Rossei, *R. T. Baker & H. G. Sm. Research on the Eucalypts*, 70 = micrantha.  
 Rudderi, *Maiden, in Proc. Linn. Soc. N. S. Wales*, xxix. 779.—Austral.  
 saligna, *Hort. Berol. ex Maiden, Crit. Rev. Eucalypt.* 18.—Hab. ?  
 Seeana, *Maiden, in Proc. Linn. Soc. N. S. Wales*, xxix. 469.—Austral.  
 scoparia, *Maiden, l. c.* 777.—Austral.

**EUCALYPTUS** :—

- striatilyx, *Fitzg. in Journ. W. Austral. Nat. Hist. Soc. i.* 20.—Austral.  
 translucens, *A. Cunn. ex Maiden, Crit. Rev. Eucalypt.* 157 = amygdalina.  
 umbra, *R. T. Baker, in Proc. Linn. Soc. N. S. Wales*, xxv. 687.—Austral.  
 undulata, *Hort. ex Maiden, Crit. Rev. Eucalypt.* 17.—Hab. ?  
 vitellina, *Naud. Descr. Emploi Eucalypt.* 65.—Hab. ?  
 Wilkinsoniana, *R. T. Baker, in Proc. Linn. Soc. N. S. Wales*, xxv. 678.—Austral.  
 Woolliana, *R. T. Baker, l. c.* 684.—Austral.

**EUCHRESTA**, Benn. (Legum.).

- tubulosa, *Dunn, in Journ. Linn. Soc.* xxxv. 492.—China.

**EUCLEA**, Murr. (Eben.).

- angolensis, *Guerke, in Engl. Jahrb.* xxxii. 138.—Afr. trop.  
 Antunesii, *Guerke, l. c.*—Afr. trop.  
 Baumii, *Guerke, in Warb. Kunene-Sambesi Exped.* 327.—Afr. trop.  
 Dekintii, *Guerke, in Engl. Jahrb.* xxxii. 138.—Afr. trop.  
 huillensis, *Guerke, in Warb. Kunene-Sambesi Exped.* 326.—Afr. trop.  
 katangensis, *Wildem. in Ann. Mus. Congo, Sér. IV.* 222.—Afr. trop.

**EUCLIDIUM**, R. Br. (Crucif.).

- tenuissimum, *B. Fedtsch. in Bull. Herb. Boiss. Sér. II.* iv. 915 (= *Vella tenuissima*).—Turkestan.

**EUCLISIA**, Greene, Leaflets Bot. Obs. i. (1904) 82. **CRUCIFERAE**.

- albida, *Greene, l. c.* 83 (= *Streptanthus albidus*).—Calif.  
 amplexicaulis, *Greene, l. c.* 84 (= *Caulanthus amplexicaulis*).—Calif.  
 aspera, *Greene, l. c.* 83 (= *Streptanthus asper*).—Calif.  
 Bakeri, *Greene, l. c.* 84.—Calif.  
 Biolettii, *Greene, l. c.* 83 (= *Streptanthus Biolettii*).—Calif.  
 elatior, *Greene, l. c.* 84.—Calif.  
 glandulosa, *Greene, l. c.* 82 (= *Streptanthus glandulosus*).—Calif.  
 hispida, *Greene, l. c.* 83 (= *Streptanthus hispidus*).—Calif.  
 Mildredae, *Greene, l. c.* (= *Streptanthus Mildredae*).—Calif.  
 nigra, *Greene, l. c.* (= *Streptanthus niger*).—Calif.  
 pulchella, *l. c.* (= *Streptanthus pulchellus*).—Calif.  
 secunda, *Greene, l. c.* (= *Streptanthus secundus*).—Calif.  
 versicolor, *Greene, l. c.* (= *Streptanthus versicolor*).—Calif.  
 violacea, *Greene, l. c.*—Calif.

**EUCOMIS**, L'Hérit. (Liliac.).

- Jacquini, *C. H. Wright, in Gard. Chron.* 1903, II. 1.—Afr. austr.

**EUCORYMBIA**, Stapf, in Hook. Ic. Pl. t. 2764 (1903). **APOCYNACEAE**.

- alba, *Stapf, l. c.*—Borneo.

**EUCRYPHIA**, Cav. (Rosac.).

- Patagonica, *Speg. in Anal. Mus. Buenos Aires*, vii. 281.—Patag.

**EUGENIA**, Mich. (Myrtac.).

- andamanica, *King, in Journ. As. Soc. Beng.* lxx. 106.—Ins. Andaman.  
 Banksii, *Britten & S. Moore, in Journ. Bot.* 1902, 26.—Austral.  
 Bartonii, *F. M. Bailey, in Proc. Roy. Soc. Queensl.* xviii. 2.—N. Guin.  
 Benjamina, *King, in Journ. As. Soc. Beng.* lxx. 106.—Malaya.  
 Bernardi, *King, l. c.* 115.—Penins. Mal.  
 Bordenii, *Merrill, in Philipp. Gov. Lab. Bur. Bull.* xxxv. 47.—Ins. Philipp.  
 Burkilliana, *King, in Journ. As. Soc. Beng.* lxx. 94.—Penins. Mal.  
 caudata, *King, l. c.* 105 (= *Myrtus caudata*).—Penins. Mal.  
 chloroleuca, *King, l. c.* 113.—Penins. Mal.

**EUGENIA** :—

- cisplatina, *Arech. in Anal. Mus. Montevid.* v. 62 (= *Myrcianthes cisplatina*).—Urug.  
 Clarkeana, *King, in Journ. As. Soc. Beng.* lxx. 93.—Penins. Mal.  
 congesta, *Merrill, in Philipp. Gov. Lab. Bur. Bull.* xxxv. 49.—Ins. Philipp.  
 corrientina, *Barb. Rodr. Myrt. Parag.* 5.—Parag.  
 corrugata, *King, in Journ. As. Soc. Beng.* lxx. 93.—Penins. Mal.  
 Crosbyi, *Burkill, in Journ. Linn. Soc.* xxxv. 38.—Ins. Tonga.  
 Curtisii, *King, in Journ. As. Soc. Beng.* lxx. 129.—Penins. Mal.  
 dasyblastia, *Arech. in Anal. Mus. Montevid.* v. 60 (= *Stenocalyx dasyblastus*).—Urug.  
 dealbata, *Burkill, in Journ. Linn. Soc.* xxxv. 37.—Ins. Tonga.  
 dumicola, *Barb. Rodr. Myrt. Parag.* 7.—Parag.  
 Duthieana, *King, in Journ. As. Soc. Beng.* lxx. 103.—Penins. Mal.  
 Dyeriana, *King, l. c.* 88.—Penins. Mal.  
 Gageana, *King, l. c.* 96.—Penins. Mal.  
 garcinifolia, *King, l. c.* 90.—Malaya.  
 glauca, *King, l. c.* 102.—Penins. Mal.  
 glaucalyx, *Merrill, in Philipp. Gov. Lab. Bur. Bull.* xxxv. 50.—Ins. Philipp.  
 Goodenovii, *King, in Journ. As. Soc. Beng.* lxx. 117.—Malaya.  
 Hassleriana, *Barb. Rodr. Myrt. Parag.* 4.—Parag.  
 Hemsleyana, *King, in Journ. As. Soc. Beng.* lxx. 88.—Penins. Mal.  
 Hoseana, *King, l. c.* 106.—Penins. Mal.  
 Hulletiana, *King, l. c.* 97.—Malaya.  
 ibitensis, *Drake, in Bull. Mus. Hist. Nat. Par.* 1903, 42.—Madag.  
 inasensis, *King, in Journ. As. Soc. Beng.* lxx. 120.—Penins. Mal.  
 Koordersiana, *King, l. c.* 128.—Penins. Mal.  
 Kunstleri, *King, l. c.* 127.—Penins. Mal.  
 Lehutii, *F. M. Bailey, in Queensl. Agric. Journ.* ix. 411.—N. Guin.  
 leptophylla, *Barb. Rodr. Myrt. Parag.* 6.—Parag.  
 linocierioidea, *King, in Journ. As. Soc. Beng.* lxx. 118.—Penins. Mal.  
 longissima, *Merrill, in Philipp. Gov. Lab. Bur. Bull.* xxxv. 50.—Ins. Philipp.  
 Manii, *King, in Journ. As. Soc. Beng.* lxx. 104.—Ins. Andaman.  
 maracayuensis, *Barb. Rodr. Myrt. Parag.* 3.—Parag.  
 maroana, *Aug. DC. in Bull. Herb. Boiss. Sér. II. i.* 573.—Madag.  
 mollis, *King, in Journ. As. Soc. Beng.* lxx. 86.—Malaya.  
 montigena, *Barb. Rodr. Myrt. Parag.* 5.—Parag.  
 myriantha, *King, in Journ. As. Soc. Beng.* lxx. 125.—Penins. Mal.  
 nicobarica, *King, l. c.* 130.—Ins. Nicobar.  
 nigricans, *King, l. c.* 114.—Penins. Mal.  
 oblongifolia, *Arech. in Anal. Mus. Montevid.* v. 62 (= *Stenocalyx oblongifolius*).—Urug.  
 occidentalis, *Bourd. in Indian Forester*, xxx. 195.—Ind. or.  
 Pearsoniana, *King, in Journ. As. Soc. Beng.* lxx. 116.—Penins. Mal.  
 perakensis, *King, l. c.* 81.—Penins. Mal.  
 pergamentacea, *King, l. c.* 87.—Penins. Mal.  
 pitanga, *Arech. in Anal. Mus. Montevid.* v. 61 (= *Stenocalyx pitanga*).—Urug.  
 plumbea, *King, in Journ. As. Soc. Beng.* lxx. 85.—Penins. Mal.  
 polita, *King, l. c.* 110 (= *Syzygium politum*).—Penins. Mal.  
 Prainiana, *King, l. c.* 116.—Penins. Mal.  
 pseudo-formosa, *King, l. c.* 83.—Penins. Mal.  
 pseudo-subtilis, *King, l. c.* 123.—Penins. Mal.  
 pseudo-tetraptera, *King, l. c.* 109.—Penins. Mal.  
 punctulata, *King, l. c.* 122 (= *Syzygium punctulatum*).—Malaya.  
 quadrata, *King, l. c.* 86.—Penins. Mal.  
 Rama-Varma, *Bourd. in Indian Forester*, xxx. 147.—Ind. or.  
 retusa, *Arech. in Anal. Mus. Montevid.* v. 59 (= *Phyllocalyx retusus*).—Urug.  
 Ridleyi, *King, in Journ. As. Soc. Beng.* lxx. 98.—Penins. Mal.  
 samoensis, *Burkill, in Journ. Linn. Soc.* xxxv. 38.—Ins. Tonga.



**EUGENIA:**—

- scalarinervis, *King, in Journ. As. Soc. Beng.* lxx. 87.—Penins. Mal.  
 Scortechinii, *King, l. c.* 85.—Penins. Mal.  
 setosa, *King, l. c.* 120.—Penins. Mal.  
 simulans, *King, l. c.* 128.—Penins. Mal.  
 Stapfiana, *King, l. c.* 119.—Penins. Mal.  
 strigosa, *Arech. in Anal. Mus. Montevid.* v. 60 (= *Stenocalyx strigosus*).—Urug.  
 subhorizontalis, *King, in Journ. As. Soc. Beng.* lxx. 112.—Malaya.  
 subopposita, *F. M. Bailey, Queensl. Fl.* 2004.—Austral.  
 subrufa, *King, in Journ. As. Soc. Beng.* lxx. 102.—Penins. Mal.  
 Swettenhamiana, *King, l. c.* 126.—Penins. Mal.  
 tecta, *King, l. c.* 109.—Penins. Mal.  
 urceolata, *King, l. c.* 101 (= *Jambosa urceolata*).—Malaya.  
 Valettoniana, *King, l. c.* 112.—Penins. Mal.  
 variolosa, *King, l. c.* 107.—Penins. Mal.  
 Whytei, *Sprague, in Journ. Linn. Soc.* xxxvii. 98.—Afr. trop.  
 Whitfordii, *Merrill, in Philipp. Gov. Lab. Bur. Bull.* xxxv. 49.—Ins. Philipp.  
 Wrayi, *King, in Journ. As. Soc. Beng.* lxx. 119.—Penins. Mal.

**EUKLISIA**, Rydb. in *Small, Fl. S. E. U. S.* 486 (1903). **CRUCIFERAE.**  
 hyacinthoides, *Small, l. c.* (= *Streptanthus hyacinthoides*).—Am. bor.

**EULOPHIA**, R. Br. (Orchid.).

- albobrunnea, *Kraenzl. in Engl. Jahrb.* xxxiii. 69.—Afr. trop.  
 arenicola, *Schlechter, in Warb. Kunene-Sambesi Exped.* 217.—Afr. trop.  
 Baumiana, *Kraenzl. in Warb. l. c.* 213.—Afr. trop.  
 Bieleri, *Wildem. Notices Pl. Utiles Congo* 311.—Afr. trop.  
 bisaccata, *Kraenzl. in Engl. Jahrb.* xxxiii. 68.—Afr. trop.  
 calantha, *Schlechter, in Warb. Kunene-Sambesi Exped.* 215.—Afr. trop.  
 campanulata, *Duthie, in Journ. As. Soc. Beng.* lxxi. 39.—Ind. or.  
 Campbellii, *Prain, in Journ. As. Soc. Beng.* lxxiii. 190.—Ind. or.  
 coeloglossa, *Schlechter, in Warb. Kunene-Sambesi Exped.* 216.—Afr. trop.  
 corymbosa, *Schlechter, l. c.*—Afr. trop.  
 cyrtosoides, *Schlechter, in Engl. Jahrb.* xxxviii. 10.—Afr. trop.  
 divergens, *Fritsch, in Bull. Herb. Boiss. Sér. II. i.* 1110.—Afr. trop.  
 Flanaganii, *Bolus, in Trans. S. Afr. Phil. Soc.* xvi. 143.—Afr. austr.  
 florulenta, *Kraenzl. in Engl. Jahrb.* xxxiii. 66.—Afr. trop.  
 formosana, *Rolfe, in Journ. Linn. Soc.* xxxvi. 28.—Formosa.  
 gonychila, *Schlechter, in Warb. Kunene-Sambesi Exped.* 217.—Afr. trop.  
 imperatifolia, *Schlechter, in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee* 148.—N. Guin.  
 Lujac, *Wildem. in Pl. Nov. Hort. Thén.* t. 17.—Afr. trop.  
 Mackinnoni, *Duthie, in Journ. As. Soc. Beng.* lxxi. 40.—Ind. or.  
 macra, *Schlechter, in Warb. Kunene-Sambesi Exped.* 217.—Afr. trop.  
 paniculata, *Rolfe, in Gard. Chron.* 1905, II. 197.—Madag.  
 paradoxa, *Kraenzl. in Engl. Jahrb.* xxxiii. 68.—Afr. trop.  
 Rolfeana, *Kraenzl. in Warb. Kunene-Sambesi Exped.* 213.—Afr. trop.  
 sordida, *Kraenzl. in Engl. Jahrb.* xxxiii. 67.—Afr. trop.  
 tricristata, *Schlechter, in Warb. Kunene-Sambesi Exped.* 218.—Afr. trop.  
 undulata, *Rolfe, in Gard. Chron.* 1905, II. 198.—Afr. trop.  
 Warburgii, *Schlechter, in Warb. Kunene-Sambesi Exped.* 214.—Afr. trop.  
 Warneckea, *Kraenzl. in Engl. Jahrb.* xxxiii. 67.—Afr. trop.  
 yunnanensis, *Rolfe, in Journ. Linn. Soc.* xxxvi. 29.—China.

VOL. IV.

**EULOPHIA:**—

Zollingeri, *J. F. Sm. Orchid. Java*, 228 (= *Cyrtopora Zollingeri*).—Java, Sumatra.

**EULOPHIDIUM**, Pfitz. = **Eulophia**, R. Br. (Orchid.).  
*Ledieni*, Wildem. in *Ann. Mus. Congo, Sér. V. i.* 115 = *E. maculata*.

*Warneckeanum*, Kraenzl. in *Engl. Jahrb.* xxxiii. 70.—Afr. trop.

**EUNANUS**, Benth. = **Mimulus**, Linn. (Scrophul.).  
*clivicola*, A. A. Heller, *Muhlebergia*, i. 60 = *M. clivicola*.

**EUONYMUS**, Linn. (Celastr.).

- actinocarpa, *Loes. in Engl. Jahrb.* xxx. 459.—China.  
 benguetensis, *Merrill, in Philipp. Gov. Lab. Bur. Bull.* xxix. 26.—Ins. Philipp.  
 Forbesiana, *Loes. in Engl. Jahrb.* xxx. 457.—China.  
 Hemsleyana, *Loes. l. c.* 460.—China.  
 hians, *Koehne, in Gartenfl.* 1904, 33.—Hab. ?  
 hupehensis, *Loes. in Engl. Jahrb.* xxx. 454.—China.  
 kachinensis, *Prain, in Journ. As. Soc. Beng.* lxxiii. 193.—Burma.  
 kiautschovica, *Loes. in Engl. Jahrb.* xxx. 453.—China.  
 lanceifolia, *Loes. l. c.* 462.—China.  
 Lawsonii, *C. B. Clarke, ex Prain, in Journ. As. Soc. Beng.* lxxiii. 195.—Reg. Himal.  
 patens, *Rehder, in Sargent, Trees & Shrubs*, 127.—China ?  
 salicifolia, *Loes. in Engl. Jahrb.* xxx. 458.—China.  
 striata, *Loes. ex Gilg & Loes. in Engl. Jahrb.* xxxiv. Beibl. lxxv. 49.—China.  
 subsulcatus, *Prain, in Journ. As. Soc. Beng.* lxxiii. 194.—Burma.  
 tonkinensis, *Loes. in Engl. Jahrb.* xxx. 453.—Tonkin.  
 uniflorus, *Léveillé & Vaniot, in Bull. Soc. Agric. Sci. Arts Sarthe*, 1904, repr. 5.—China.  
 verrucosoides, *Loes. in Engl. Jahrb.* xxx. 462.—China.  
 viburnoides, *Prain, in Journ. As. Soc. Beng.* lxxiii. 194.—Reg. Himal.  
 yedoensis, *Koehne, in Gartenfl.* 1904, 31.—Hort.

**EUPATORIASTRUM**, Greenm. in *Proc. Amer. Acad.* xxxix. (1903) 93. **COMPOSITAE.**  
 Nelsonii, *Greenm. l. c.*—Mexic.

**EUPATORIUM**, Tourn. (Compos.).

- aboriginum, *Greene, Pittonia*, iv. 277.—Am. bor.  
 Achillea, *Chod. in Bull. Herb. Boiss. Sér. II. i.* 411.—Parag.  
 angustatum, *Greene, Pittonia*, iv. 277.—Am. bor.  
 anisopodium, *Robinson, in Proc. Amer. Acad.* xxxvi. 477.—Am. cent.  
 apense, *Chod. in Bull. Herb. Boiss. Sér. II. iii.* 708.—Parag.  
 arizonicum, *Greene, Pittonia*, iv. 280.—Am. bor.  
 atromontanum, *A. Nelson, in Coult. Bot. Gaz.* xxxi. 400.—Am. bor.  
 aureoviride, *Chod. in Bull. Herb. Boiss. Sér. II. ii.* 309.—Parag.  
 bahamense, *Northr. in Mem. Torr. Bot. Club*, xii. 70 ; *Urb. Symb. Antill.* iii. 391.—Ind. occ.  
 barranquillense, *Hieron, in Engl. Jahrb.* xxviii. 564.—N. Granat.  
 boreale, *Greene, in Rhodora*, iii. 83.—Am. bor.  
 callacatense, *Hieron, in Engl. Jahrb.* xxxvi. 468.—Peruv.  
 campylocladum, *Robinson, in Proc. Bost. Soc. Nat. Hist.* xxxi. 247.—Mexic.  
 Chapmanii, *Small, Fl. S. E. U. S.* 1168.—Am. bor.  
 chotense, *Hieron, in Engl. Jahrb.* xxxvi. 466.—Peruv.  
 chrysostylum, *Robinson, in Proc. Amer. Acad.* xli. 274.—Mexic.  
 Coulteri, *Robinson, l. c.* xxxvi. 478.—Am. cent.  
 denudatum, *Chod. in Bull. Herb. Boiss. Sér. II. i.* 413.—Parag.  
 dictyonereum, *Urb. Symb. Antill.* iii. 402.—Ind. occ.  
 dryophilum, *Robinson, in Proc. Amer. Acad.* xxxvi. 478.—Mexic.  
 Eggersii, *Hieron, in Engl. Jahrb.* xxviii. 566.—Ecuador.  
 erythropappum, *Robinson, in Proc. Bost. Soc. Nat. Hist.* xxxi. 248.—Mexic.  
 Eugenei, *Small, Fl. S. E. U. S.* 1165.—Am. bor.  
 eurybiaefolium, *Greene, Pittonia*, iv. 275.—Am. bor.  
 fistulosum, *Robinson, in Proc. Bost. Soc. Nat. Hist.* xxxi. 249.—Am. cent.

**EUPATORIUM:**—

- fuscum, *N. E. Br. in Trans. Linn. Soc. Ser. II. vi.* 39.—Guian.  
 Gonzalezii, *Robinson, in Proc. Amer. Acad.* xxxvi. 479.—Mexic.  
 graminifolium, *Chod. in Bull. Herb. Boiss. Sér. II. i.* 411.—Parag.  
 Gundlachii, *Urb. Symb. Antill.* iii. 399.—Ind. occ.  
 Hartii, *Urb. l. c.* 395.—Ind. occ.  
 Hasslerianum, *Chod. in Bull. Herb. Boiss. Sér. II. iii.* 711.—Parag.  
 herbaceum, *Greene, Pittonia*, iv. 279.—Am. bor.  
 Humboldtii, *Hieron, in Engl. Jahrb.* xxviii. 571.—Amer.  
 hylobium, *Robinson, in Proc. Bost. Soc. Nat. Hist.* xxxi. 249.—Mexic.  
 hylonomum, *Robinson, l. c.* 250.—Am. cent.  
 hypodictyon, *Robinson, l. c.*—Am. cent.  
 hypomalacum, *Robinson, ex Donn. Sm. in Coult. Bot. Gaz.* xxxv. (1903) 4.—Am. cent.  
 illitum, *Urb. Symb. Antill.* iii. 401.—Ind. occ.  
 Jaegerianum, *Urb. l. c.* 394.—Ind. occ.  
 Jelskii, *Hieron, in Engl. Jahrb.* xxxvi. 464.—Peruv.  
 Klattianum, *Hieron, in Engl. Jahrb.* xxviii. 573.—N. Granat.  
 Kunthianum, *Sch. Bip. ex Hieron. l. c.* 569.—N. Granat.  
 lancifolium, *Small, Fl. S. E. U. S.* 1167.—Am. bor.  
 laurifolium, *Robinson, in Proc. Bost. Soc. Nat. Hist.* xxxi. 251.—Am. cent.  
 leonense, *Robinson, in Proc. Amer. Acad.* xxxvi. 479.—Mexic.  
 leucoderme, *Robinson, l. c.* xli. 274.—Mexic.  
 longifolium, *Robinson, l. c.* xxxvi. 480.—Mexic.  
 Lozanoanum, *Robinson, l. c.* xli. 275.—Mexic.  
 luquense, *Chod. in Bull. Herb. Boiss. Sér. II. i.* 413.—Parag.  
 Luxii, *Robinson, in Proc. Amer. Acad.* xxxvi. 480.—Am. cent.  
 lysimachioide, *Chod. in Bull. Herb. Boiss. Sér. II. ii.* 310.—Parag.  
 maestrense, *Urb. Symb. Antill.* iii. 397.—Ind. occ.  
 maracayuense, *Chod. in Bull. Herb. Boiss. Sér. II. iii.* 710.—Parag.  
 Mariarum, *Robinson, in Proc. Amer. Acad.* xxxvi. 481.—Mexic.  
 marrubiifolium, *Hieron, in Engl. Jahrb.* xxxvi. 466.—Peruv.  
 medullosum, *Urb. Symb. Antill.* iii. 393.—Ind. occ.  
 Meyeri, *Pilg. in Engl. Bot. Jahrb.* xxx. 203.—Bras.  
 Michelianum, *Robinson, in Proc. Amer. Acad.* xli. 276.—Mexic.  
 Mohrii, *Greene, in U. S. Dept. Agric. Contrib. Nat. Herb.* vi. 762.—Am. bor.  
 mononeurum, *Urb. Symb. Antill.* iii. 392.—Ind. occ.  
 Moritzianum, *Sch. Bip. ex Hieron. in Engl. Jahrb.* xxviii. 565.—Venez.  
 nemorale, *Greene, Pittonia*, iv. 278.—Am. bor.  
 pachypodium, *Robinson, in Proc. Amer. Acad.* xxxvi. 481.—Mexic.  
 paezense, *Hieron, in Engl. Jahrb.* xxviii. 574.—N. Granat.  
 pansamalense, *Robinson, in Proc. Amer. Acad.* xxxvi. 482.—Am. cent.  
 pasadenense, *Parish, in Zoe*, v. 75 (1900).—Calif.  
 pectinatum, *Small, Fl. S. E. U. S.* 1165.—Am. bor.  
 petiolare, *André, Rev. Hort.* lxxv. (1903) 77.—Mexic.  
 petraeum, *Robinson, in Proc. Amer. Acad.* xli. 275.—Mexic.  
 pinabetense, *Robinson, l. c.* xxxvi. 482.—Mexic.  
 pleianthum, *Robinson, l. c.* 483.—Mexic.  
 polystictum, *Urb. Symb. Antill.* iii. 400.—Ind. occ.  
 prionobium, *Robinson, in Proc. Amer. Acad.* xxxvi. 483.—Mexic.  
 prionophyllum, *Robinson, l. c.* 484.—Am. cent.  
 pseudarboreum, *Hieron, in Engl. Jahrb.* xxxvi. 469.—Peruv.  
 pseudofastigiatum, *Hieron, l. c.* 467.—Peruv.  
 psoraleum, *Robinson, in Proc. Bost. Soc. Nat. Hist.* xxxi. 253.—Am. cent.  
 Radula, *Chod. in Bull. Herb. Boiss. Sér. II. ii.* 311.—Parag.  
 recurvans, *Small, Fl. S. E. U. S.* 1167.—Am. bor.  
 rhodolepis, *Chod. in Bull. Herb. Boiss. Sér. II. iii.* 705.—Parag.  
 rivale, *Greenm. in Zoe*, v. 186 (1904).—Mexic.  
 roaimense, *N. E. Br. in Trans. Linn. Soc. Ser. II. vi.* 38.—Guian.

L

**EUPATORIUM:**

Rydbergi, Britton, *Man. Fl. N. U. S.* 921.—Am. bor.  
 semicrenatum, Urb. *Symb. Antill.* iii. 398.—Ind. occ.  
 silvicola, Robinson, in *Proc. Bost. Soc. Nat. Hist.*  
 xxxi. 254.—Am. cent.  
 Sladenianum, S. Moore, in *Journ. Bot.* 1904, 36.—Bras.  
 Smithii, Greene & Mohr, in *U. S. Dept. Agric.*  
*Contrib. Nat. Herb.* vi. 761.—Am. bor.  
 sotarense, Hieron. in *Engl. Jahrb.* xxviii. 574.—  
 N. Granat.  
 stigmatosum, Chod. in *Bull. Herb. Boiss. Sér. II.* i.  
 413.—Parag.  
 tacuarembense, Hieron. & Arech. ex Arech. in *Anal.*  
*Mus. Montevid.* Sér. II. i. 8.—Urug.  
 Tashiroi, Hayata, in *Journ. Coll. Sci. Tokyo*, xviii.  
 no. 8, 9.—Formosa.  
 tenuicapitulatum, Hieron. in *Engl. Jahrb.* xxxvi. 465.—  
 Peruv.  
 thyrigerum, Hieron. l. c. xxviii. 570.—N. Granat.  
 trachyphyllum, Hieron. l. c. xxxvi. 467.—Peruv.  
 Tracyi, Greene, Pittonia, iv. 278.—Am. bor.  
 triradiatum, Urb. *Symb. Antill.* iii. 396.—Ind. occ.  
 urticoides, Sch. Bip. ex Hieron. in *Engl. Jahrb.*  
 xxviii. 568.—Venez.  
 vernicosum, Greenm. in *Zoe*, v. 186 (1904).—Mexic.  
 viburnifolium, Greene, Pittonia, iv. 276.—Am. bor.  
 viscidipes, Robinson, in *Proc. Amer. Acad.* xxxvi. 484.  
 —Am. cent.

**EUPHORBIA**, Linn. (Euphorb.).

Abdelkuri, Balf. f. in *Rep. Brit. Ass. Glasgow* (1901)  
 854.—Socotra.  
 albicaulis, Rydb. in *Britton, Man. Fl. N. U. S.* 592.—  
 Am. bor.  
 albavillosa, Pax, in *Engl. Jahrb.* xxxiv. 373.—Afr.  
 austr.  
 Alluaudi, Drake, in *Bull. Mus. Hist. Nat. Par.* 1903,  
 43.—Madag.  
 angustiflora, Pax, in *Engl. Jahrb.* xxxiv. 82.—Afr. trop.  
 Antunesii, Pax, l. c. 79.—Afr. trop.  
 argillosa, Chod. & Hassl. in *Bull. Herb. Boiss. Sér. II.*  
 v. 679.—Parag.  
 arsenariensis, Batt. in *Batt. & Trab. Fl. Algér. Tunis*,  
 301.—Afr. bor.  
 breviaristulata, Pax, in *Engl. Jahrb.* xxxiv. 84.—  
 Afr. trop.  
 buruana, Pax, l. c. 85.—Afr. trop.  
 Bussei, Pax, l. c. xxxiii. 286.—Afr. trop.  
 calabarica, Burkill, in *Kew Bull.* 1901, 133.—Afr. trop.  
 calcicola, Fern. in *Proc. Amer. Acad.* xxxvi. 496.—  
 Mexic.  
 cayensis, Millsp. in *Torreya*, iv. 172.—Ind. occ.  
 cirsioides, Costant. & Gall. in *Bull. Mus. Hist. Nat.*  
*Par.* 1905, 348.—Madag.  
 cofradiana, T. S. Brandegee, in *Zoe*, v. 207 (1905).—  
 Mexic.  
 cynanchoides, Drake, in *Bull. Mus. Hist. Nat. Par.*  
 1903, 45.—Madag.  
 Decorsei, Drake, l. c. 44.—Madag.  
 Dekindtii, Pax, in *Engl. Jahrb.* xxxiv. 73.—Afr. trop.  
 Dominii, Rohl. in *Sitzb. Böhm. Ges. Wiss.* 1904, no.  
 38, 83; et in *Magyar Bot. Lap.* iii. 233.—Montenegr.  
 ebracteolata, Hayata, in *Journ. Coll. Sci. Tokyo*, xx.  
 no. 3, 71.—Japon.  
 Edmondii, Hochr. in *Ann. Conserv. & Jard. Bot.*  
*Genève*, vii—viii. 180.—Afr. bor.  
 elastica, Fumelle, in *Compt. Rend. Acad. Sci. Par.*  
 cxl. 1048.—Madag.  
 elastica, Altamirano & Rose, in *Altamirano, El Palo*  
*Amarillo*, l.—Mexic.  
 Ellenbeckii, Pax, in *Engl. Jahrb.* xxxiii. 285.—Afr. trop.  
 emetica, Padilla, in *Anal. Mus. San Salvador*, i. 561.  
 —Am. cent.  
 ericifolia, Pax, in *Engl. Jahrb.* xxxiii. 288.—Afr. trop.  
 Erlangeri, Pax, l. c. 286.—Afr. trop.  
 euboca, Halacsy, *Consp. Fl. Graec.* iii. 107.—Graecia.  
 evonymicarpa, Chod. & Wilcz. in *Bull. Herb. Boiss.*  
*Sér. II.* ii. 532.—Reg. Argent.  
 Eylesii, Rendle, in *Journ. Bot.* 1905, 52.—Afr. trop.  
 Geayi, Costant. & Gall. in *Bull. Mus. Hist. Nat. Par.*  
 1905, 347.—Madag.  
 graciliramea, Pax, in *Engl. Jahrb.* xxxiv. 78.—Afr.  
 trop.  
 griseola, Pax, l. c. 375.—Afr. austr.  
 Grosseri, Pax, l. c. xxxiii. 288.—Afr. trop.  
 gynophora, Pax, l. c. xxxiv. 374.—Afr. trop.  
 Hassleriana, Chod. in *Bull. Herb. Boiss. Sér. II.* i. 399.  
 —Parag.

**EUPHORBIA:**

heteracantha, Pax, in *Engl. Jahrb.* xxxiv. 83.—Afr.  
 trop.  
 heteropoda, Pax, l. c. 374.—Afr. trop.  
 humayensis, T. S. Brandegee, in *Zoe*, v. 208 (1905).—  
 Mexic.  
 infesta, Pax, in *Engl. Jahrb.* xxxiv. 80.—Afr. trop.  
 interaxillaris, Fern. in *Proc. Amer. Acad.* xxxvi. 495.  
 —Mexic.  
 intercedens, Pax, in *Engl. Jahrb.* xxxiv. 75.—Afr. trop.  
 isacantha, Pax, l. c. 82.—Afr. trop.  
 jatrophioides, Pax, l. c. xxxiii. 287.—Afr. trop.  
 kamerunica, Pax, l. c. xxxiv. 75.—Afr. trop.  
 Kerstingii, Pax, l. c. xxxiii. 285.—Afr. trop.  
 Knuthii, Pax, l. c. xxxiv. 83.—Afr. austr.  
 kuriensis, Vierh. in *Oesterr. Bot. Zeitschr.* 1905, 88.  
 —Socotra.  
 lepidocarpa, Pax, in *Engl. Jahrb.* xxxiii. 287.—Afr.  
 trop.  
 Leucodendron, Drake, in *Bull. Mus. Hist. Nat. Par.*  
 1903, 46.—Madag.  
 matabelensis, Pax, ex A. Zahlbr. in *Ann. Nat. Hofmus.*  
*Wien*, xv. 51.—Afr. austr.  
 mbaluensis, Pax, in *Engl. Jahrb.* xxxiv. 85.—Afr. trop.  
 melanacantha, Drake, in *Bull. Mus. Hist. Nat. Par.*  
 1903, 45.—Madag.  
 missouriensis, Small, in *Britton, Man. Fl. N. U. S.*  
 595.—Am. bor.  
 mitis, Pax, in *Engl. Jahrb.* xxxiv. 70.—Afr. trop.  
 monacantha, Pax, l. c. xxxiii. 285.—Afr. trop.  
 Mulemae, Rendle, in *Journ. Linn. Soc.* xxxvii. 209.—  
 Afr. trop.  
 multiceps, A. Berger, in *Monatsschr. Kakt.* 1905, 182.  
 —Afr. austr.  
 muscicola, Fern. in *Proc. Amer. Acad.* xxxvi. 495.—  
 Mexic.  
 Neovolkensii, Pax, in *Engl. Jahrb.* xxxiv. 74.—Afr.  
 trop.  
 nesiotica, Robinson, in *Proc. Amer. Acad.* xxxviii.  
 (1902) 167.—Ins. Galap.  
 obesa, Hook. f. in *Bot. Mag.* t. 7888.—Afr. austr.  
 onocladia, Drake, in *Bull. Mus. Hist. Nat. Par.* 1903,  
 44.—Madag.  
 pampeana, Speng. in *Rev. Jard. Zool. Buenos Aires*, i.  
 30.—Reg. Argent.  
 penduliflora, Kraenzl. in *Engl. Jahrb.* xxx. 288.—  
 Afr. trop.  
 Phillipsiae, N. E. Br. in *Gard. Chron.* 1903, i. 370.—  
 Afr. trop.  
 plagiantha, Drake, in *Bull. Mus. Hist. Nat. Par.*  
 1903, 44.—Madag.  
 platyacantha, Drake, l. c. 45.—Madag.  
 platyacantha, Pax, in *Engl. Jahrb.* xxxiv. 84 (1904).  
 —Afr. trop.  
 Poissoni, Pax, in *Bull. Mus. Hist. Nat. Par.* 1902, 62.  
 —Afr. trop.  
 potosina, Fern. in *Proc. Amer. Acad.* xxxvi. 495.—Mexic.  
 pseudo-Grantii, Pax, in *Engl. Jahrb.* xxx. 342.—Afr.  
 trop.  
 pseudo-Holstii, Pax, l. c. xxxiii. 287.—Afr. trop.  
 pseudopeplus, Speng. in *Anal. Mus. Buenos Aires*, vii.  
 164.—Patag.  
 puberula, Fern. in *Proc. Amer. Acad.* xxxvi. 494.—  
 Mexic.  
 quadrialata, Pax, in *Engl. Jahrb.* xxxiii. 286.—Afr.  
 trop.  
 Renouardi, Pax, in *Bull. Mus. Hist. Nat. Par.* 1902,  
 61.—Afr. trop.  
 rubella, Pax, in *Engl. Jahrb.* xxxiii. 287.—Afr. trop.  
 rubida, Greenm. in *Proc. Amer. Acad.* xxxix. 83.—  
 Mexic.  
 rubro-striata, Drake, in *Bull. Mus. Hist. Nat. Par.*  
 1903, 44.—Madag.  
 Schubert, Pax, in *Engl. Jahrb.* xxxiv. 373.—Afr. trop.  
 semiverticillata, Halacsy, *Consp. Fl. Graec.* iii. 103.—  
 Graecia.  
 septemsulcata, Vierh. in *Oesterr. Bot. Zeitschr.* 1904,  
 61.—Socotra.  
 sinaloensis, T. S. Brandegee, in *Zoe*, v. 208 (1905).—  
 Mexic.  
 taitensis, Pax, in *Engl. Jahrb.* xxxiv. 83.—Afr. trop.  
 tetraacantha, Pax, l. c. xxx. 341.—Afr. trop.  
 tetraacanthoides, Pax, l. c. 342.—Afr. trop.  
 togakusensis, Hayata, in *Journ. Coll. Sci. Tokyo*, xx.  
 no. 3, 69.—Japon.  
 trachycarpa, Pax, in *Engl. Jahrb.* xxxiii. 288.—Afr.  
 trop.  
 Valliniana, Belli, in *Ann. di Bot. Roma*, i. 9.—Ital.

**EUPHORBIA:**

vepretorum, Drake, in *Bull. Mus. Hist. Nat. Par.*  
 1903, 45.—Madag.  
 viperina, A. Berger, in *Monatsschr. Kakt.* xii. 39.—  
 Afr. austr.  
 Winkleri, Pax, in *Engl. Jahrb.* xxx. 342.—Afr. trop.  
 xylacantha, Pax, l. c. xxxiv. 79.—Afr. trop.  
 Zahnii, Heldr. ex Halacsy, *Consp. Fl. Graec.* iii. 100.  
 —Graecia.

**EUPHRASIA**, Linn. (Scrophul.).

Alboffii, Chab. in *Bull. Herb. Boiss. Sér. II.* ii. 517.—  
 Eur.  
 alpigena, Vollman, in *Oesterr. Bot. Zeitschr.* 1905,  
 457.—Eur.  
 Heribaudi, Chab. in *Bull. Herb. Boiss. Sér. II.* ii. 497  
 = stricta.  
 pecorina, Chab. l. c. 504.—Eur.  
 Perrieri, Chab. l. c. 508.—Eur.  
 praecox, Vollman, in *Oesterr. Bot. Zeitschr.* 1905,  
 456.—Eur.  
 praecurta, Chitr. in *Sched. Herb. Fl. Ross.* v. 146.—  
 Rossia.  
 Randii, Robinson, in *Rhodora*, 1901, 273.—Am. bor.  
 Songeonii, Chab. in *Bull. Herb. Boiss. Sér. II.* ii. 517.  
 —Eur.  
 Williamsii, Robinson, in *Rhodora*, 1901, 272.—Am.  
 bor.

**EUPLASSA**, Salisb. (Proteac.).

goyazensis, K. Schum. in *Engl. Jahrb.* xxx. Beibl.  
 lxvii. 28.—Bras.  
 Taubertiana, K. Schum. l. c.—Bras.

**EURYA**, Thunb. (Ternstroem.).

emarginata, Makino, in *Bot. Mag. Tokyo*, xviii. 19  
 (= *Ilex emarginata*).—Japon.  
 Henryi, Hemsl. in *Hook. Ic. Pl.* sub t. 2761.—China.  
 obliquifolia, Hemsl. l. c.—China.

**EURYCENTRUM**, Schlechter, in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee, 89. ORCHIDACEAE.

obscurum, Schlechter, l. c. (= *Cystorchis obscura*).—  
 N. Guin.  
 salomonense, Schlechter, l. c. 90.—Ins. Salomon.

**EURYOPS**, Cass. (Compos.).

Antinorii, S. Moore, in *Journ. Linn. Soc.* xxxv. 362.—  
 Afr. trop.  
 floribundus, N. E. Br. in *Kew Bull.* 1901, 125.—Afr.  
 austr.  
 Jacksoni, S. Moore, in *Journ. Linn. Soc.* xxxv. 361.—  
 Afr. trop.  
 multinervis, N. E. Br. ex S. Moore, in *Journ. Bot.* 1903,  
 135.—Afr. austr.  
 Osteospermum, S. Moore, in *Journ. Linn. Soc.* xxxv.  
 362.—Afr. trop.  
 somalensis, S. Moore, l. c.—Afr. trop.  
 sparsiflorus, S. Moore, in *Bull. Herb. Boiss. Sér. II.* iv.  
 1023.—Afr. trop.

**EUSTEPHIOPSIS**, R. Fries, in Nov. Act. Soc. Sci. Upsal. Ser. IV. i. no 1 (1905) 162. AMARYLLIDACEAE.

latifolia, R. Fries, l. c. 164.—Reg. Argent.  
 speciosa, R. Fries, l. c. 163.—Reg. Argent.

**EUSTOMA**, Salisb. (Gentian.).

Andrewsii, A. Nelson, in *Proc. Biol. Soc. Washington*,  
 xvii. 177.—Am. bor.

**EUTERPE**, Gaertn. (Palm.).

badiocarpa, Barb. Rodr. *Contrib. Jard. Bot. Rio de*  
*Janeiro*, i. 12.—Bras.  
 jatapuensis, Barb. Rodr. l. c.—Bras.

**EUTETRAS**, A. Gray (Compos.).

Pringlei, Greenm. in *Proc. Amer. Acad.* xli. 266.—  
 Mexic.

**EUTHAMIA**, Ell. = **Solidago**, Vaill. (Compos.).

camporum, Greene, Pittonia, v. 74.—Am. bor.  
 chrysothamnoides, Greene, l. c. 76.—Am. bor.  
 floribunda, Greene, l. c. 74.—Am. bor.  
 gymnospermoides, Greene, l. c. 75.—Am. bor.  
 media, Greene, l. c. 74.—Am. bor.  
 microcephala, Greene, l. c. 79.—Am. bor.  
 microphylla, Greene, l. c.—Am. bor.  
 minor, Greene, l. c. 78.—Am. bor.

## EUTHAMIA:—

*Nuttallii*, Greene, Pittonia, v. 73.—Am. bor.  
*pulverulenta*, Greene, l. c. 75.—Am. bor.  
*remota*, Greene, l. c. 78.—Am. bor.  
*scabra*, Greene, l. c. 80.—Am. bor.

## EVELYNA, Poepp. &amp; Endl. (Orchid.).

[ELLEANTHUS, Presl. I. K.]  
*graminifolia*, Poepp. & Endl. Nov. Gen. et Sp. 33.—Peruv.

## EVERARDIA, Ridl. (Cyper.).

*angusta*, N. E. Br. in Trans. Linn. Soc. Ser. II. vi. 73.—Guiana.

## EVERSMANNIA, Bunge (Legum.).

*subspinosa*, B. Fedtsch. in Act. Hort. Petrop. xxiv. 173 (= *Hedysarum subspinosa*).—Reg. Casp.

## EVODIA, Forst. (Rutac.).

*batjanica*, Valet. in Hochr. Pl. Bogor. Exsicc. 52.—Celebes.  
*dubia*, Merrill, in Philipp. Gov. Lab. Bur. Bull. xxxv. 23.—Ins. Philipp.  
*durifolia*, K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee, 279.—N. Guin.  
*lamprocarpa*, K. Schum. l. c. 280.—N. Guin.  
*Maidenii*, K. Schum. l. c. 279.—Ins. Bismarck.  
*mindanaensis*, Merrill, in Forest. Bur. Philipp. Bull. i. 25.—Ins. Philipp.  
*Radlkofariana*, Lauterb. in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee, 281.—N. Guin.  
*Ridleyi*, Hochr. in Ic. Bogor. t. 151.—Hab.?  
*semecarpifolia*, Merrill, in Philipp. Gov. Lab. Bur. Bull. xxxv. 23.—Ins. Philipp.

## EVLVULUS, Linn. (Convolv.).

*arenicola*, J. R. Johnston, in Proc. Amer. Acad. xl. 694.—Venez.  
*guaraniticus*, Chod. & Hassl. in Bull. Herb. Boiss. Sér. II. v. 685.—Parag.  
*Hasslerianus*, Chod. l. c.—Parag.  
*Lavae*, Schweinf. ex Capua, in Ann. Ist. Bot. Roma, viii. 224.—Afr. trop.  
*oreophilus*, Greene, Leaflets Bot. Obs. i. 151.—Am. bor.  
*paraguariensis*, Chod. & Hassl. in Bull. Herb. Boiss. Sér. II. v. 685.—Parag.  
*Seleriana*, Fern. in Proc. Amer. Acad. xxxvi. 498.—Mexic.  
*squamosus*, Britton, in Bull. N. York. Bot. Gard. iii. 449.—Ind. occ.

## EXACUM, Linn. (Gentian.).

*socotranum*, Vierh. in Oesterr. Bot. Zeitschr. 1904, 286.—Socotra.  
*zombense*, N. E. Br. in Dyer, Fl. Trop. Afr. iv. 1. 46.—Afr. trop.

## EXCOECARIA, Linn. (Euphorb.).

*Benthamiana*, Hemsl. in Hook. Ic. Pl. t. 2741.—Ins. Seychell.

## EXOCARPUS, Labill. (Santal.).

*Lauterbachianus*, Pilg. in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee, 257.—N. Guin.

## EXOCHOGYNE, C. B. Clarke, in Verb. Bot. Ver.

Brand. xlvii. (1905) 101. CYPERACEAE.  
*amazonica*, C. B. Clarke, l. c.—Reg. Amaz.

## EXOMICRUM, Van Tiegh. in Bull. Mus. Hist. Nat.

Par. viii. (1902) 547 = *Ouratea*, Aubl. (Ochnac.).  
*axillare*, Van Tiegh. in Ann. Sci. Nat. Sér. VIII. xvi. 341 (= *Gomphia axillaris*).—Afr. trop.  
*Brazzae*, Van Tiegh. l. c. 339.—Afr. trop.  
*Cabrae*, Van Tiegh. l. c. xviii. 38 = O. *Cabrae*.  
*congestum*, Van Tiegh. l. c. xvi. 338 = O. *congesta*.  
*Conrauanum*, Van Tiegh. l. c. xviii. 38 = O. *Conraua*.  
*coriaceum*, Van Tiegh. l. c. xvi. 338 = O. *coriacea*.  
*densiflorum*, Van Tiegh. l. c. 339 = O. *densiflora*.  
*Dewevrei*, Van Tiegh. l. c. 338 = O. *Dewevrei*.  
*djallonense*, Van Tiegh. l. c. 340.—Afr. trop.  
*Dusenii*, Van Tiegh. l. c. xviii. 38 = O. *Dusenii*.  
*excavatum*, Van Tiegh. l. c. xvi. 340.—Afr. trop.  
*foliosum*, Van Tiegh. l. c.—Afr. trop.  
*glaberrimum*, Van Tiegh. l. c. 338 = O. *glaberrima*.  
*glaucum*, Van Tiegh. l. c. 340.—Afr. trop.  
*insculptum*, Van Tiegh. l. c. xviii. 38 = O. *insculpta*.  
*Kouilou*, Van Tiegh. l. c. xvi. 339.—Afr. trop.  
*lolodorfense*, Van Tiegh. l. c. 340.—Afr. trop.

## EXOMICRUM:—

*membranaceum*, Van Tiegh. in Ann. Sci. Nat. Sér. VIII. xvi. 340 = O. *membranacea*.  
*Oliveri*, Van Tiegh. l. c. 338.—Afr. trop.  
*pellucidum*, Van Tiegh. l. c. = O. *pellucida*.  
*pseudospicatum*, Van Tiegh. l. c. xviii. 38 = O. *pseudospicata*.  
*Scheffleri*, Van Tiegh. l. c. = O. *Scheffleri*.  
*sulcatum*, Van Tiegh. l. c. xvi. 340.—Afr. trop.  
*triangulare*, Van Tiegh. l. c. 339.—Afr. trop.

## EXOSPERMUM, Van Tiegh. in Journ. de Bot. xiv. 279,

333 (1900) = *Zygogynum*, Baill. (Magnol.).  
*Lecarti*, Van Tiegh. l. c. 334 = Z. *Viellardi*.

## EXOSTEMMA, Rich. (Rubiace.).

*acuminatum*, Urb. Symb. Antill. iii. 378.—Ind. occ.

## F

## FABIANA, Ruiz &amp; Pav. (Solan.).

*Clareni*, Damm. in Engl. Jahrb. xxxvii. 167.—Reg. Argent.  
*Friesii*, Damm. l. c.—Reg. Argent.  
*Kurtziana*, Damm. l. c. 168.—Reg. Argent.

## FADOGIA, Schweinf. (Rubiace.).

*Butayi*, Wildem. in Ann. Mus. Congo, Sér. V. i. 204.—Afr. trop.  
*chlorantha*, K. Schum. in Warb. Kunene-Sambesi Exped. 388.—Afr. trop.  
*chrysantha*, K. Schum. l. c. 389.—Afr. trop.  
*psammophila*, K. Schum. in Engl. Jahrb. xxxii. 147.—Afr. trop.  
*stigmatoloba*, K. Schum. l. c. xxx. 414.—Afr. trop.  
*Thamius*, K. Schum. in Warb. Kunene-Sambesi Exped. 390.—Afr. trop.  
*Verdikii*, Wildem. & Th. Dur. in Bull. Soc. Bot. Belg. xl. 21.—Afr. trop.

## FAGARA, Linn. (Rutac.).

[ZANTHOXYLUM, Linn. I. K.]  
*Afzelii*, Engl. Jahrb. xxxii. 119.—Afr. trop.  
*chiloperone*, Engl. ex Chod. & Hassl. in Bull. Herb. Boiss. Sér. II. iv. 1282 (= *Zanthoxylum chiloperone*).—Parag.  
*Clava-Herculis*, Small, Fl. S. E. U. S. 675 (= *Zanthoxylum Clava-Herculis*).—Am. bor.  
*deremensis*, Engl. Jahrb. xxxvi. 241.—Afr. trop.  
*Fagara*, Small, Fl. S. E. U. S. 675 (= *Schinus Fagara*).—Am. bor.  
*Fischeri*, Engl. Jahrb. xxxvi. 242.—Afr. trop.  
*fruticosa*, Small, Fl. S. E. U. S. 675.—Am. bor.  
*Harmsiana*, Loes. in Bull. Herb. Boiss. Sér. II. iii. 96.—Am. cent.  
*Hassleriana*, Chod. in Bull. Herb. Boiss. Sér. II. iv. 1284.—Parag.  
*Holtziana*, Engl. Jahrb. xxxvi. 242.—Afr. trop.  
*Laurentii*, Wildem. Enum. Pl. Laurent, 124.—Afr. trop.  
*Merkeri*, Engl. Jahrb. xxxvi. 242.—Afr. trop.  
*paraguariensis*, Chod. & Hassl. in Bull. Herb. Boiss. Sér. II. iv. 1282.—Parag.  
*Regnelliana*, Chod. & Hassl. l. c. 1283 (= *Zanthoxylum Regnellianum*).—Parag.  
*usambarensis*, Engl. Jahrb. xxxvi. 242.—Afr. trop.  
*Warburgii*, Perkins, Frag. Fl. Philipp. 160.—Ins. Philipp.

## FAGELIA, Schwencke = Calceolaria, Linn. (Scrophul.).

*Prichardi*, Rendle, in Journ. Bot. 1904, 371.—Patag.

## FAGONIA, Tourn. (Zygophyll.).

*glabra*, Krause, in Engl. Jahrb. xxxv. 719.—Arabia.  
*Paulayana*, Wagn. & Vierh. ex Vierh. in Oesterr. Bot. Zeitschr. 1904, 34.—Socotra.

## FAGOPYRUM, Tourn. (Polygon.).

*Fagopyrum*, Shafer, in Ann. Carneg. Mus. i. 95.—Am. bor.  
*Polygonum*, Macl. in Torreya, 1905, 198 (= *Polygonum Fagopyrum*).—Patag.

## FAGRAEA, Thunb. (Logan.).

*pachyclados*, K. Schum. in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee, 349.—N. Guin.

## FALCATA, J. F. Gmel. = Amphicarpaea, Ell. (Legum.).

*japonica*, Kom. in Act. Hort. Petrop. xxii. 630.—Manchuria.

## FALKIA, Linn. f. (Convolv.).

*dichondroides*, Baker, in Dyer, Fl. Cap. iv. ii. 82.—Afr. austr.

## FARADAYA, F. Muell. (Verben.).

*chrysoclada*, K. Schum. in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee, 370.—N. Guin.

## FARAMEA, Aubl. (Rubiace.).

*chapidensis*, S. Moore, in Journ. Bot. 1904, 100.—Bras.  
*Hassleriana*, Chod. in Bull. Herb. Boiss. Sér. II. iv. 181.—Parag.  
*trinervia*, K. Schum. & Donn. Sm. in Coult. Bot. Gaz. xxxi. 115.—Am. cent.

## FARMERIA, Willis (Podost.).

*indica*, Willis, in Ann. Bot. Gard. Perad. i. 248.—Ind. or.

## FAROA, Welw. (Gentian.).

*affinis*, Wildem. in Ann. Mus. Congo, Sér. IV. 99.—Afr. trop.  
*amara*, Gilg, ex Baker, in Dyer, Fl. Trop. Afr. iv. 1. 567.—Afr. trop.  
*nyasica*, N. E. Br. in Dyer, l. c. 568.—Afr. trop.

## FARSETIA, Turra (Crucif.).

*Ellenbeckii*, Engl. Jahrb. xxxii. 99.—Afr. trop.  
*fruticosa*, Engl. in Ann. Ist. Bot. Roma, ix. 249.—Afr. trop.  
*Robecchiana*, Engl. l. c. 248.—Afr. trop.

## FAUREA, Harv. (Proteac.).

*intermedia*, Engl. & Gilg, in Warb. Kunene-Sambesi Exped. 227.—Afr. trop.  
*Wentzeliana*, Engl. Jahrb. xxx. 300.—Afr. trop.

## FAURIA, Franch. (Gentian.).

[NEPHROPHYLLIDIUM, Gilg. I. K. S. I.]  
*Crista-galli*, Makino, in Bot. Mag. Tokyo, xviii. 15 (= *Menyanthes Crista-galli*).—Japon.

## FAXONANTHUS, Greenm. in Sargent, Trees &amp; Shrubs, i. 23, t. 12 (1902).

SCROPHULARIACEAE.  
*Pringlei*, Greenm. l. c.—Mexic.

## FEGIMANRA, Pierre (Anacard.).

*Afzelii*, Engl. Jahrb. xxxvi. 214.—Afr. rop.

## FELICIA, Cass. (Compos.).

*amelloides*, O. Hoffm. ex A. Zahlbr. n Ann. Nat. Hofmus. Wien, xx. (1905) 53 (= *Cineraria amelloides*).—Afr. austr.  
*Bergeriana*, O. Hoffm. ex A. Zahlbr. l. c. (= *Aster Bergerianus*).—Afr. austr.  
*elongata*, O. Hoffm. ex A. Zahlbr. l. c. (= *Aster elongatus*).—Afr. austr.  
*Flanaganii*, Bolus, in Trans. S. Afr. Phil. Soc. xvi. 137.—Afr. austr.  
*lutea*, N. E. Br. in Kew Bull. 1901, 123.—Afr. austr.  
*maritima*, Bolus, in Trans. S. Afr. Phil. Soc. xvi. 137.—Afr. austr.  
*serrulata*, O. Hoffm. ex A. Zahlbr. in Ann. Nat. Hofmus. Wien, xx. (1905) 52 (= *Aster serrulatus*).—Afr. austr.

## FERDINANDIA, Welw. (Bignon.).

[HETEROPHRAGMA, DC. I. K.]

## FERETIA, Delile (Rubiace.).

*virgata*, K. Schum. in Engl. Jahrb. xxxiii. 344.—Afr. trop.

## FERNANDIA, Baill. = Ferdinandia, Welw. (Bignon.).

*Ferdinandi*, K. Schum. in Engl. Jahrb. xxxiii. 332 = *Ferdinandia magnifica* et *F. superba*.

## FERONIA, Correa (Rutac.).

*gabonensis*, Hochr. in Bull. Inst. Buitens. xix. 42, nomen.—Hab.?

## FERRARIA, Linn. (Irid.).

*Randii*, Rendle, in Journ. Bot. 1905, 54 (= *Morea Randii*).—Afr. trop.

**FERRIERA**, Bub. Fl. Pyren. iii. (1901) 6 = **Paronychia**, Tourn. (Illecebr.).  
*echinata*, Bub. l. c. 7 = *P. echinata*.  
*mediterranea*, Bub. l. c. = *P. argentea*.  
*nivea*, Bub. l. c. 9 = *P. capitata*.  
*polygonifolia*, Bub. l. c. 7 = *P. polygonifolia*.  
*serpyllifolia*, Bub. l. c. 9 = *P. serpyllifolia*.

**FERULA**, Tourn. (Umbell.).  
*gigantea*, B. Fedtsch. in Trav. Mus. Bot. Acad. Petersb. i. 135.—As. cent.  
*Grigoriewi*, B. Fedtsch. l. c. 137.—As. cent.  
*schugnanica*, B. Fedtsch. l. c. 136.—As. cent.

**FESTUCA**, Tourn. (Gramin.).  
*affinis*, Boiss. & Heldr. ex Halacsy, Consp. Fl. Graec. iii. 406.—Graecia.  
*arida*, Elmer, in Coult. Bot. Gaz. xxxvi. 52.—Am. bor.  
*dalmatica*, Hand.-Mazz. & Fanch. in Oesterr. Bot. Zeitschr. 1905, 382; Beck, in Wiss. Mitth. Bosn. Herzegow. ix. 448.—Eur. austr.  
*Danthonii*, Aschers. & Graebn. Mitteleurop. Fl. ii. 550.—Eur.  
*dertonensis*, Aschers. & Graebn. l. c. 559 (= *Bromus dertonensis*).—Reg. Medit.; Afr. austr.  
*Earlei*, Rydb. in Bull. Torr. Bot. Club, 1905, 608.—Am. bor.  
*Elmeri*, Scribn. & Merrill, in Bull. Torr. Bot. Club, 1902, 468.—Am. bor.  
*eriotoma*, Hack. in Oesterr. Bot. Zeitschr. 1903, 32.—Reg. Argent.  
*exigua*, Litw. in Trav. Mus. Bot. Acad. Petersb. i. 20.—Turkestan.  
*Hieronimi*, Hack. in Oesterr. Bot. Zeitschr. 1903, 33.—Reg. Argent.  
*idahoensis*, Elmer, in Coult. Bot. Gaz. xxxvi. 53.—Am. bor.  
*ingrata*, Rydb. in Bull. Torr. Bot. Club, 1905, 608.—Am. bor.  
*Kronenburgii*, Hack. in Allg. Bot. Zeitschr. 1905, 132.—Turkestan.  
*Merinoi*, Pau, in Bol. Soc. Arag. i. 51; et ex Merino, in Mem. Soc. Esp. Hist. Nat. ii. 464.—Hispan.  
*minutiflora*, Rydb. in Bull. Torr. Bot. Club, 1905, 608.—Am. bor.  
*Panciciana*, Hand.-Mazz. & Fanch. in Oesterr. Bot. Zeitschr. 1905, 382; Beck, in Wiss. Mitth. Bosn. Herzegow. ix. 449.—Eur. austr.  
*Pietrosii*, Zapal. in Bull. Acad. Cracov. 1904, 304.—Galic.  
*polesica*, Zapal. l. c. 303.—Galic.  
*polonica*, Zapal. l. c. 302.—Galic.  
*proxima*, R. Fries, in Nov. Act. Soc. Sci. Upsal. Ser. IV. i. no. 1, 184.—Reg. Argent.  
*pseudovina*, Beck, in Wiss. Mitth. Bosn. Herzegow. ix. 448.—Austria.  
*Reverchonii*, Hack. in Oesterr. Bot. Zeitschr. 1903, 30.—Eur.  
*stenantha*, Beck, in Wiss. Mitth. Bosn. Herzegow. ix. 449.—Austria.  
*sterilis*, Fessen, Deutsch. Graeser, 171.—Eur.  
*sulcata*, Beck, in Wiss. Mitth. Bosn. Herzegow. ix. 449.—Austria.  
*tectorum*, Fessen, Deutsch. Graeser, 171.—Eur.  
*Teneriffae*, Hack. in Oesterr. Bot. Zeitschr. 1903, 35.—Ins. Teneriff.  
*trinervis*, Hack. l. c. 34.—N. Guin.  
*Watsoni*, Nash, in Britton, Man. Fl. N. U. S. 148.—Am. bor.

**FIBICHIA**, Koel. = **Cynodon**, Pers. (Gramin.).  
*Dactylon*, Beck, in Wiss. Mitth. Bosn. Herzegow. ix. 436 = *C. Dactylon*.

**FICARIA**, Dill. = **Ranunculus**, Linn. (Ranunc.).  
*Degeni*, Herv. in Bull. Acad. Géogr. Bot. xv. (1905) 27.—Hispan.

**FICINIA**, Schrad. (Cyper.).  
*distans*, C. B. Clarke, in Wildem. Pl. Nov. Hort. Thén. i. 30, t. 7.—Afr. austr.  
*mucronata*, C. B. Clarke, in Wildem. l. c. 29.—Afr. austr.

**FICUS**, Tourn. (Urtic.).  
*afghanistanica*, Warb. in Urb. & Graebn. Festschr. Aschers. 369.—Afghan.  
*angustissima*, Merrill, in Philipp. Gov. Lab. Bur. Bull. xxix. 11.—Ins. Philipp.

# FICUS :—

*aphanoneura*, Warb. in Fedde, Repert. Nov. Sp. i. 80.—N. Caled.  
*arayatensis*, Warb. in Perkins, Frag. Fl. Philipp. 196.—Ins. Philipp.  
*artocarpoides*, Warb. in Ann. Mus. Congo, Sér. VI. 23.—Afr. trop.  
*Awkeotsang*, Makino, in Bot. Mag. Tokyo, xviii. 151.—Formosa.  
*Barnesii*, Merrill, in Philipp. Gov. Lab. Bur. Bull. xvii. 12.—Ins. Philipp.  
*Barteri*, Sprague, in Gard. Chron. 1903, i. 354.—Afr. trop.  
*benguensis*, Merrill, in Philipp. Gov. Lab. Bur. Bull. xxix. 10.—Ins. Philipp.  
*Berteroi*, Warb. in Urb. Symb. Antill. iii. 468.—Ind. occ.  
*blepharosepala*, Warb. in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee, 246.—N. Guin.  
*blepharostoma*, Warb. in Perkins, Frag. Fl. Philipp. 197.—Ins. Philipp.  
*Bordeni*, Merrill, in Philipp. Gov. Lab. Bur. Bull. xxix. 11.—Ins. Philipp.  
*Bubu*, Warb. in Ann. Mus. Congo, Sér. VI. 3.—Afr. trop.  
*Cabrae*, Warb. l. c. 9.—Afr. trop.  
*Cairnsii*, Warb. in Fedde, Repert. Nov. Sp. i. 73.—Austral.  
*callabatensis*, Warb. in Engl. Jahrb. xxxvi. 210.—Afr. trop.  
*carolinensis*, Warb. in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee, 242.—Polynes.  
*caudatifolia*, Warb. in Perkins, Frag. Fl. Philipp. 194.—Ins. Philipp.  
*chaetophora*, Warb. in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee, 246.—N. Guin.  
*cnestrophylla*, Warb. in Ann. Mus. Congo, Sér. VI. 34.—Afr. trop.  
*colpophylla*, Warb. l. c. 31.—Afr. trop.  
*Combsii*, Warb. in Urb. Symb. Antill. iii. 456.—Ind. occ.  
*Conraui*, Warb. in Ann. Mus. Congo, Sér. VI. 25.—Afr. trop.  
*corylifolia*, Warb. ex Wildem. & Th. Dur. in Ann. Mus. Congo, Sér. III. i. 215; Sér. VI. 27.—Afr. trop.  
*crassica*, Warb. in Ann. Mus. Congo, Sér. VI. 11.—Afr. trop.  
*crassipes*, F. M. Bailey, Queensl. Fl. 1480.—Austral.  
*cylindrica*, Warb. in Fedde, Repert. Nov. Sp. i. 72.—Austral.  
*decussata*, Warb. in Perkins, Frag. Fl. Philipp. 198.—Ins. Philipp.  
*Demeusei*, Warb. in Ann. Mus. Congo, Sér. VI. 20.—Afr. trop.  
*Dewevrei*, Warb. ex Wildem. & Th. Dur. in Ann. Mus. Congo, Sér. III. i. 215; Sér. VI. 18.—Afr. trop.  
*didymophylla*, Warb. in Perkins, Frag. Fl. Philipp. 200.—Ins. Philipp.  
*Dielsii*, Warb. in Fedde, Repert. Nov. Sp. i. 75.—Austral.  
*discifera*, Warb. in Engl. Jahrb. xxxvi. 210.—Afr. trop.  
*Durandiana*, Warb. in Ann. Mus. Congo, Sér. VI. 18.—Afr. trop.  
*Eggersii*, Warb. in Urb. Symb. Antill. iii. 469.—Ind. occ.  
*Elmeri*, Merrill, in Philipp. Gov. Lab. Bur. Bull. xxix. 9.—Ins. Philipp.  
*endothrix*, Warb. in Perkins, Frag. Fl. Philipp. 200.—Ins. Philipp.  
*eriocarpa*, Warb. in Engl. Jahrb. xxx. 294.—Afr. trop.  
*erubescens*, Warb. in Ann. Mus. Congo, Sér. VI. 29.—Afr. trop.  
*erythroparcia*, K. Schum. & Warb. in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee, 244.—N. Guin.  
*Finlayana*, Warb. in Urb. Symb. Antill. iii. 487.—Ind. occ.  
*fuscipes*, Warb. in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee, 245.—N. Guin.  
*gerontocarpa*, Warb. in Perkins, Frag. Fl. Philipp. 201.—Ins. Philipp.  
*gigantifolia*, Merrill, in Philipp. Gov. Lab. Bur. Bull. xxix. 9.—Ins. Philipp.  
*Gilletii*, Warb. in Ann. Mus. Congo, Sér. VI. 19.—Afr. trop.  
*grenadensis*, Warb. in Urb. Symb. Antill. iii. 481.—Ind. occ.  
*Haenkei*, Warb. in Perkins, Frag. Fl. Philipp. 195.—Ins. Philipp.

# FICUS :—

*hararensis*, Warb. in Engl. Jahrb. xxxvi. 212.—Afr. trop.  
*Harrisii*, Warb. in Urb. Symb. Antill. iii. 457.—Ind. occ.  
*Hartii*, Warb. in Urb. l. c. 458.—Ind. occ.  
*Hemprichii*, Ehrenb. ex Warb. in Engl. Jahrb. xxxvi. 212 = *populifolia*.  
*hystricarpa*, Warb. in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee, 244.—N. Guin.  
*inaequibractea*, Warb. in Fedde, Repert. Nov. Sp. i. 80.—N. Caled.  
*inkasuensis*, Warb. in Ann. Mus. Congo, Sér. VI. 22.—Afr. trop.  
*kimuensis*, Warb. l. c. 23.—Afr. trop.  
*kisantuensis*, Warb. l. c. 22.—Afr. trop.  
*kondeensis*, Warb. in Engl. Jahrb. xxx. 292.—Afr. trop.  
*Krugiana*, Warb. in Urb. Symb. Antill. iii. 487.—Ind. occ.  
*lachnocarpa*, Warb. in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee, 243.—N. Guin.  
*Langenburgii*, Warb. in Engl. Jahrb. xxx. 293.—Afr. trop.  
*lateralis*, Warb. in Ann. Mus. Congo, Sér. VI. 5.—Afr. trop.  
*Laurentii*, Warb. l. c. 21.—Afr. trop.  
*Lecardii*, Warb. l. c. 24.—Afr. trop.  
*leiocarpa*, Warb. in Fedde, Repert. Nov. Sp. i. 81.—N. Caled.  
*Lingua*, Warb. ex Wildem. & Th. Dur. in Ann. Mus. Congo, Sér. III. i. 216; Sér. VI. 24.—Afr. trop.  
*longipes*, Warb. in Fedde, Repert. Nov. Sp. i. 78.—N. Caled.  
*luzonensis*, Merrill, in Philipp. Gov. Lab. Bur. Bull. vi. 8.—Ins. Philipp.  
*malunensis*, Warb. in Perkins, Frag. Fl. Philipp. 196.—Ins. Philipp.  
*malvastrifolia*, Warb. in Urb. & Graebn. Festschr. Aschers. 369.—Persia.  
*mamillifera*, Warb. in Urb. Symb. Antill. iii. 470.—Ind. occ.  
*manilensis*, Warb. in Perkins, Frag. Fl. Philipp. 199.—Ins. Philipp.  
*megacarpa*, Merrill, in Philipp. Gov. Lab. Bur. Bull. xvii. 14.—Ins. Philipp.  
*megalodisica*, Warb. in Ann. Mus. Congo, Sér. VI. 2.—Afr. trop.  
*megaphylla*, Warb. l. c. 1.—Afr. trop.  
*microsphaera*, Warb. in Perkins, Frag. Fl. Philipp. 199.—Ins. Philipp.  
*mindanaensis*, Warb. l. c. 195.—Ins. Philipp.  
*mindoroensis*, Merrill, in Philipp. Gov. Lab. Bur. Bull. xvii. 12.—Ins. Philipp.  
*mitrophora*, Warb. in Urb. Symb. Antill. iii. 457.—Ind. occ.  
*mittuensis*, Warb. in Ann. Mus. Congo, Sér. VI. 3.—Afr. trop.  
*monbuttuensis*, Warb. l. c. 11.—Afr. trop.  
*Munsae*, Warb. l. c. 29.—Afr. trop.  
*myrmecophila*, Warb. in Karst. & Schenck, Vegetationsbilder, iii. (1905), t. 2, et sub tt. 3-4.—Reg. Amaz.  
*Nekbudu*, Warb. in Ann. Mus. Congo, Sér. VI. 6.—Afr. trop.  
*niamniensis*, Warb. l. c. 14.—Afr. trop.  
*nota*, Merrill, in Philipp. Gov. Lab. Bur. Bull. xvii. 10.—Ins. Philipp.  
*nuruensis*, Warb. in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee, 249.—N. Guin.  
*octomelifolia*, Warb. in Ann. Mus. Congo, Sér. VI. 1.—Afr. trop.  
*odorata*, Merrill, in Philipp. Gov. Lab. Bur. Bull. xvii. 15.—Ins. Philipp.  
*omphalophora*, Warb. in Urb. Symb. Antill. iii. 466.—Ind. occ.  
*pachypleura*, Warb. in Ann. Mus. Congo, Sér. VI. 4.—Afr. trop.  
*pachystemon*, Warb. in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee, 242.—Ins. Bismarck.  
*palauanense*, Merrill, in Philipp. Gov. Lab. Bur. Bull. xxix. 11.—Ins. Philipp.  
*pallidinervis*, Warb. in Fedde, Repert. Nov. Sp. i. 79.—N. Caled.  
*paludicola*, Warb. in Ann. Mus. Congo, Sér. VI. 32.—Afr. trop.  
*pandurata*, Hort. Sand. in Gard. Chron. 1903, i. 245.—Hab.?  
*Parkinsoni*, Hiern, in Journ. Bot. 1901, 1.—Austral.  
*patellifera*, Warb. in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee, 241.—N. Guin.



**FICUS:—**

- Picardae, Warb. in Urb. Symb. Antill. iii. 484.—Ind. occ.  
plateiocarpa, Warb. in Engl. Jahrb. xxx. 292.—Afr. trop.  
polyantha, Warb. in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee, 250.—Ins. Bismarck.  
polybractea, Warb. ex Wildem. & Th. Dur. in Ann. Mus. Congo, Sér. III. i. 216; Sér. VI. 7.—Afr. trop.  
populoides, Warb. in Urb. Symb. Antill. iii. 479.—Ind. occ.  
portus-Finschii, Warb. in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee, 250.—N. Guin.  
Pritzellii, Warb. in Fedde, Repert. Nov. Sp. i. 74.—Austral.  
prolixoides, Warb. l. c. 79.—N. Caled.  
propinqua, Merrill, in Philipp. Gov. Lab. Bur. Bull. xxix. 8.—Ins. Philipp.  
pseudopalma, Blanco, Fl. Filip. ed. I. 680; ed. II. 473.—Ins. Philipp.  
pseudo-vogelii, Cheval. in Compt. Rend. Acad. Sci. Par. cxxxv. 443.—Afr. trop.  
pubicosta, Warb. ex Wildem. & Th. Dur. in Ann. Mus. Congo, Sér. III. i. 216; Sér. VI. 16.—Afr. trop.  
punctifera, Warb. in Ann. Mus. Congo, Sér. VI. 35.—Afr. trop.  
punctulosa, Warb. in Fedde, Repert. Nov. Sp. i. 81.—N. Caled.  
Rivae, Warb. in Engl. Jahrb. xxxvi. 211.—Afr. trop.  
rubricosta, Warb. in Urb. Symb. Antill. iii. 486.—Ind. occ.  
ruficaulis, Merrill, in Philipp. Gov. Lab. Bur. Bull. xvii. 13.—Ins. Philipp.  
ruficeps, Warb. in Engl. Jahrb. xxx. 294.—Afr. trop.  
rukwaensis, Warb. l. c. 295.—Afr. trop.  
Ruspolii, Warb. l. c. xxxvi. 211.—Afr. trop.  
Schlechteri, Warb. in Tropenpfl. vii. 582.—As. or. austr.; N. Caled.  
Schumanniana, Warb. in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee, 243.—N. Guin.  
sciarophylla, Warb. in Ann. Mus. Congo, Sér. VI. 31.—Afr. trop.  
scolopophora, Warb. l. c. 33.—Afr. trop.  
semecarpifolia, Warb. in Fedde, Repert. Nov. Sp. i. 81.—N. Caled.  
Senftiana, Warb. in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee, 247.—Polynes.  
setistyla, Warb. l. c. 248.—N. Guin.  
setistyla, Warb. in Fedde, Repert. Nov. Sp. i. 77, non praec.—Austral.  
Sintenisii, Warb. in Urb. Symb. Antill. iii. 464.—Ind. occ.  
Stahlit, Warb. l. c. 470.—Ind. occ.  
stenorrhynchus, Warb. in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee, 245.—Ins. Bismarck.  
stephanocarpa, Warb. in Fedde, Repert. Nov. Sp. i. 75.—Austral.  
storthophylla, Warb. in Ann. Mus. Congo, Sér. VI. 32.—Afr. trop.  
subinflata, Warb. in Fedde, Repert. Nov. Sp. i. 76.—Austral.  
subrotundifolia, Greenm. in Proc. Amer. Acad. xli. 237.—Mexic.  
subscabrata, Warb. in Urb. Symb. Antill. iii. 485.—Ind. occ.  
thelostoma, Warb. in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee, 246.—Ins. Bismarck.  
trichantha, Warb. in Perkins, Frag. Fl. Philipp. 201.—Ins. Philipp.  
trichostyla, Warb. in Fedde, Repert. Nov. Sp. i. 77.—Austral.  
tristipula, Warb. in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee, 249.—N. Guin.  
umbonigera, Warb. in Urb. Symb. Antill. iii. 480.—Ind. occ.  
Urbaniana, Warb. l. c. 459.—Ind. occ.  
variifolia, Warb. in Ann. Mus. Congo, Sér. VI. 30.—Afr. trop.  
verrucocarpa, Warb. in Engl. Jahrb. xxx. 294.—Afr. trop.  
Vidaliana, Warb. in Perkins, Frag. Fl. Philipp. 197.—Ins. Philipp.  
villosipes, Warb. in Ann. Mus. Congo, Sér. VI. 28.—Afr. trop.  
virginica, Banks & Soland, ex Hiern, in Journ. Bot. 1901, 2.—Austral.  
vitifolia, Warb. in Urb. & Graebn. Festschr. Aschers. 370.—Persia.

**FICUS:—**

- Weinlandii, K. Schum. in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee, 248.—N. Guin.  
Wildemaniana, Warb. ex Wildem. & Th. Dur. in Ann. Mus. Congo, Sér. III. i. 217; Sér. VI. 7.—Afr. trop.  
Wilsoni, Warb. in Urb. Symb. Antill. iii. 467.—Ind. occ.  
Wrightii, Warb. l. c. 461.—Ind. occ.  
xiphophora, Warb. in Ann. Mus. Congo, Sér. VI. 34.—Afr. trop.

**FILAGO, Linn. (Compos.).**

- cosyrensis, Tin. in Lojac. Fl. Sic. ii. i. 110 (non Lojac.).—Sicil.  
cuneata, Lojac. l. c. 107.—Sicil.  
Gussonei, Lojac. l. c. 110.—Sicil.

**FILIPENDULA, Tourn. = Spiraea, Linn. (Rosac.).**

- Filipendula, Aschers. & Graebn. Mitteleur. Fl. vi. 439 = S. Filipendula.

**FIMBRISTYLIS, Vahl (Cyper.).**

- alamosana, Fern. in Proc. Amer. Acad. xxxvi. 491.—Mexic.  
Drummondii, Britton, in Small, Fl. S. E. U. S. 187 (= Isolepis Drummondii).—Am. bor.  
Fordii, C. B. Clarke, in Journ. Linn. Soc. xxxvi. 236.—China.  
fuscoide, C. B. Clarke, in Bull. Herb. Boiss. Sér. II. v. 719.—Malaya.  
Henryi, C. B. Clarke, in Journ. Linn. Soc. xxxvi. 237.—China.  
Hensli, C. B. Clarke, in Dyer, Fl. Trop. Afr. viii. 419.—Afr. trop.  
Holwayana, Fern. in Proc. Amer. Acad. xxxvi. 492.—Mexic.  
korensis, Léveillé, in Bull. Acad. Géogr. Bot. xiv. (1904) 199.—China.  
kwantungensis, C. B. Clarke, in Journ. Linn. Soc. xxxvi. 238.—China.  
melanospora, Fern. in Proc. Amer. Acad. xxxvi. 491.—Mexic.  
obscura, Fern. l. c. 492.—Mexic.  
perpusilla, Harper, in Small, Fl. S. E. U. S. 188.—Am. bor.  
splendida, C. B. Clarke, in Dyer, Fl. Trop. Afr. viii. 527.—Afr. trop.  
transiens, K. Schum. ex C. B. Clarke, l. c. 444 (= Bulbostylis transiens).—Afr. trop.  
yunnanensis, C. B. Clarke, in Journ. Linn. Soc. xxxvi. 247.—China.

**FIRMIANA, Marsigli (Stercul.).**

- [STERCULIA, Linn. I. K.]  
bracteata, Aug. DC. in Bull. Herb. Boiss. Sér. II. iii. 369.—Tonkin.

**FISSIPES, Small, Fl. S. E. U. S. 311 (1903). ORCHIDACEAE.**

- acaulis, Small, l. c. (= Cyrtopodium acaule).—Am. bor.

**FITCHIA, Hook. f. (Compos.).**

- speciosa, Cheesem. in Trans. Linn. Soc. Ser. II. vi. 284.—Ins. Cook.

**FLACOURTIA, Comm. (Bixac.).**

- Kelampagine, Eeden, Hout. Ned. Oost. Ind. ed. II. 6, nomen.—Java.  
latifolia, T. Cooke, Fl. Bombay, 56.—Ind. or.

**FLAVERIA, Juss. (Compos.).**

- campestris, Johnston, in Proc. Amer. Acad. xxxix. 287.—Am. bor.  
floridana, Johnston, l. c. 291.—Am. bor.  
intermedia, Johnston, l. c. 288.—Mexic.  
Palmeri, Johnston, l. c. 290.—Mexic.  
trinervia, Mohr, in U. S. Dept. Agric. Contrib. Nat. Herb. vi. 810 (= Oedera trinervia).—Am. trop.

**FLEISCHMANNIA, Sch. Bip. (Compos.).**

- Langlassei, Robinson, in Proc. Amer. Acad. xli. 273.—Mexic.

**FLEMINGIA, Roxb. (Legum.).**

- nilgiriensis, Wight, ex Cooke, Fl. Bombay, 393.—Ind. or.

**FLEURYA, Gaudich. (Urtic.).**

- urticoides, Engl. Jahrb. xxxiii. 122.—Afr. trop.

**FLOSCOPA, Lour. (Commelin.).**

- Elliottii, C. B. Clarke, in Dyer, Fl. Trop. Afr. viii. 88.—Afr. trop.  
pauciflora, C. B. Clarke, l. c.—Afr. trop.  
pusilla, K. Schum. in Warb. Kunene-Sambesi Exped. 185.—Afr. trop.  
tuberculata, C. B. Clarke, in Dyer, Fl. Trop. Afr. viii. 87.—Afr. trop.

**FLOURENSIA, DC. (Compos.).**

- atacamensis, Reiche, Fl. Chile, iv. 95 (= Helianthus atacamensis).—Chili.  
Gayana, Reiche, l. c. 94 (= Helianthus Gayanus).—Chili.  
Navarri, Reiche, l. c. (= Helianthus Navarri).—Chili.

**FLUECKIGERA, Kuntze (Phytolacc.).**

- [LEDENBERGIA, Klotzsch. I. K. S. I.]  
roseo-aenea, Wildem. in Ic. Hort. Thén. t. 179 (= Ledenbergia roseo-aenea).—Bras.

**FLUEGGEOPSIS, K. Schum. in K. Schum. & Lauterb.**

- Nachtr. Fl. Deutsch. Südsee, (1905) 289. **EUPHORBIACEAE.**  
keyensis, K. Schum. l. c. 290 (= Phyllanthus keyensis).—Ins. Malay.  
microspemus, K. Schum. l. c. 289.—N. Guin.  
pelas, K. Schum. l. c. 290.—N. Guin.

**FOCKEA, Endl. (Asclep.).**

- dammarana, Schlechter, in Engl. Jahrb. xxxviii. 56.—Afr. trop.  
Lugardi, N. E. Br. in Dyer, Fl. Trop. Afr. iv. i. 429.—Afr. trop.

**FOENICULUM, Tourn. (Umbell.).**

- graecum, Calest. in Martelli, Webbia, 205 (= Sium graecum).—Eur.  
salsum, Calest. l. c. (= Sium salsum).—Russia.

**FORASACCUS, Bub. Fl. Pyren. iv. 379 = Bromus, Dill. (Gramin.).**

- arenaceus, Bub. l. c. 383 = B. tectorum.  
arvensis, Bub. l. c. 385 = B. arvensis.  
asper, Bub. l. c. 383 = B. asper.  
commutatus, Bub. l. c. 387 = B. racemosus.  
diandrus, Bub. l. c. 380 = B. madritensis.  
distichus, Bub. l. c. = B. sterilis.  
erectus, Bub. l. c. 384 = B. erectus.  
giganteus, Bub. l. c. 383 = B. giganteus.  
lanceolatus, Bub. l. c. 384 = B. macrostachys.  
maximus, Bub. l. c. 382 = B. rigidus.  
mollis, Bub. l. c. 386 = B. mollis.  
patulus, Bub. l. c. 387 = B. patulus.  
racemosus, Bub. l. c. = B. racemosus.  
secalinus, Bub. l. c. 388 = B. secalinus.  
squarrosus, Bub. l. c. 385 = B. squarrosus.

**FORRESTIA, A. Rich. (Commelin.).**

- africana, K. Schum. ex C. B. Clarke, in Dyer, Fl. Trop. Afr. viii. 77.—Afr. trop.  
chinensis, N. E. Br. in Journ. Linn. Soc. xxxvi. 158.—China.  
gracilis, Ridley, in Journ. As. Soc. Straits, xli. 37.—Penins. Mal.  
irritans, Ridley, l. c. 38.—Penins. Mal.  
philippinensis, Merrill, in Philipp. Gov. Lab. Bur. Bull. xxxv. 5.—Ins. Philipp.

**FOTHERGILLA, Murr. (Hamamel.).**

- parvifolia, Kearney, in Small, Fl. S. E. U. S. 509.—Am. bor.

**FOUQUIERIA, H. B. & K. (Tamaric.).**

- campanulata, Nash, in Bull. Torr. Bot. Club, 1903, 457.—Mexic.  
fasciculata, Nash, l. c. 452 (= Cantua fasciculata).—Mexic.  
Macdougallii, Nash, l. c. 454.—Mexic.  
peninsularis, Nash, l. c. 455.—Calif.

**FOURNIERIA, Van Tiegh. in Ann. Sci. Nat. Sér.**

- VIII. xix. (1904) 59. **OCHNACEAE.**  
scandens, Van Tiegh. l. c. (= Godoya scandens).—Am. cent.

**FRAGARIA, Tourn. (Rosac.).**

- latiuscula, Greene, in Ottawa Naturalist, xviii. 216.—Am. bor.  
retrorsa, Greene, l. c.—Am. bor.  
Terraenovae, Rydb. in Britton, Man. Fl. N. U. S. 501.—Am. bor.

**FRANKENIA**, Linn. (Franken.).

- auriculata, *Pau*, in *Bull. Acad. Géogr. Bot.* xiv. (1904) 212.—Hybr.  
 chubutensis, *Speg.* in *Anal. Mus. Buenos Aires*, vii. 238.—Patag.  
 Clarenii, *R. Fries*, in *Nov. Act. Soc. Sci. Upsal*. Ser. IV. i. no. 1, 126.—Reg. Argent.  
 conferta, *Diels*, in *Engl. Jahrb.* xxxv. 389.—Austral.  
 florida, *L. Chevall.* in *Bull. Herb. Boiss.* Sér. II. iii. 768.—Alger.  
 Georgei, *Diels*, in *Engl. Jahrb.* xxxv. 389.—Austral.  
 setosa, *Fitzg.* in *Journ. W. Austral. Nat. Hist. Soc.* i. 3.—Austral.  
 Suardii, *Petit.* in *Monde des Pl.* Sér. II. vi. 47.—Hybr.

**FRANSERIA**, Cav. (Compos.).

- arborescens, *T. S. Brandege*, in *Zoe*, v. 162 (1903).—Calif.

**FRASERA**, Walt. (Gentian.).

- neglecta, *H. M. Hall*, in *Coult. Bot. Gaz.* xxxi. 388.—Am. bor.

**FRAXINUS**, Tourn. (Oleac.).

- Baroniana, *Diels*, in *Engl. Jahrb.* xxxvi. Beibl. lxxxii. 86.—China.  
 cataubiensis, *Ashe*, in *Coult. Bot. Gaz.* xxxiii. 230.—Am. bor.  
 Darlingtonii, *Britton*, *Man. Fl. N. U. S.* 725.—Am. bor.  
 macropetala, *Eastw.* in *Bull. Torr. Bot. Club*, 1903, 494.—Am. bor.  
 philippinensis, *Merrill*, in *Philipp. Gov. Lab. Bur. Bull.* xxxv. 57.—Ins. Philipp.

**FREESIA**, Klatt (Irid.).

- rubella, *Baker*, in *Bull. Herb. Boiss.* Sér. II. i. 863.—Afr. austr.

**FREMYA**, Brongn. & Gris = **Xanthostemon**, F. Muell. (Myrtac.).

- glauca, *Vieill.* ex *Pampan. & Pampal.* in *Nuov. Giorn. Bot. Ital.* n. s. xii. 682 = *X. glaucum*.  
 laurina, *Vieill.* ex *Pampan. & Pampal.* l. c. 678 = *X. multiflorum*.

**FREYCINETIA**, Gaudich. (Pand.).

- Biroi, *Warb.* in *K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 52.—N. Guin.  
 ensifolia, *Merrill*, in *Philipp. Gov. Lab. Bur. Bull.* xvii. 5.—Ins. Philipp.  
 lagenicarpa, *Warb.* in *K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 52.—N. Guin.  
 stenophylla, *Warb.* l. c. 53.—N. Guin.  
 streptopifolia, *Warb.* l. c.—N. Guin.

**FRITILLARIA**, Tourn. (Liliac.).

- askabadensis, *Micheli*, in *Journ. Soc. Hort. Fr.* 1902, 145.—Reg. Caucas.  
 Brandegei, *Eastw.* in *Bull. Torr. Bot. Club*, 1903, 484.—Calif.  
 chlorantha, *Hauskn. & Bornm.* in *Mitth. Thüring. Bot. Ver.* n. s. xx. 44.—Persia.  
 cilicico-taurica, *Hauskn. & Bornm.* l. c. 46.—As. Min.  
 ionica, *Halacsy*, *Consp. Fl. Graec.* iii. 219.—Graecia.  
 Michailovskyi, *Fomine*, in *Monit. Jard. Bot. Tiflis*, i. 18.—Reg. Caucas.  
 Purdyi, *Eastw.* in *Bull. Torr. Bot. Club*, 1902, 75.—Am. bor.  
 Straussii, *Bornm.* in *Mitth. Thüring. Bot. Ver.* n. s. xx. 45.—Persia.  
 Tuntasia, *Heldr.* ex *Halacsy*, *Consp. Fl. Graec.* iii. 222.—Graecia.  
 wanensis, *Frey*, in *Bull. Herb. Boiss.* Sér. II. i. 287.—Oriens.

**FROELICHIA**, Moench (Amaryll.).

- campestris, *Small*, *Fl. S. E. U. S.* 397.—Am. bor.  
 scoparia, *Robinson*, in *Proc. Amer. Acad.* xxxviii. (1902) 136.—Ins. Galap.

**FUCHSIA**, Plum. (Onagr.).

- asperifolia, *Krause*, in *Fedde, Repert. Nov. Sp.* i. 169.—Peruv.  
 dolichantha, *Krause*, l. c. 172.—Peruv.  
 leptopoda, *Krause*, l. c. 171.—Peruv.  
 scandens, *Krause*, l. c.—Peruv.  
 siphonantha, *Krause*, l. c. 173.—Peruv.

**FUCHSIA** :—

- tacsoniiflora, *Krause*, in *Fedde, Repert. Nov. Sp.* i. 172.—Peruv.  
 tuberosa, *Krause*, l. c. 170.—Peruv.  
 Weberbaueri, *Krause*, l. c.—Peruv.

**FUIRENA**, Rottb. (Cyper.).

- abnormalis, *C. B. Clarke*, in *Dyer, Fl. Trop. Afr.* viii. 462.—Afr. trop.  
 ciliata, *Bush*, in *Rep. Missouri Bot. Gard.* 1905, 97.—Am. bor.  
 cylindrica, *Bush*, l. c. 91.—Am. bor.

**FUMARIA**, Tourn. (Papav.).

- Burnati, *Verguin*, in *Rev. Bot. Syst. Géogr. Bot.* ii. 121.—Hybr.  
 Camerarii, *Bub.* Fl. Pyren. iii. 281 = *Vaillantii*.  
 Gasparinii, *Bub.* l. c. 276 = *flabellata*.  
 occidentalis, *Pugsley*, in *Journ. Bot.* 1904, 218.—Anglia.  
 Pia, *Nicotra*, in *Atti Rendic. Acc. Dafnica, Acireale*, Ser. 2 a, i. (1905); ex *Bot. Centralbl.* cii. (1906) 507.—Ital.  
 purpurea, *Pugsley*, in *Journ. Bot.* 1902, 135.—Eur.

**FUNKIA**, Spreng. (Liliac.).

- latifolia, *Miq. Bijdr. Fl. Jap.* 302; ex *Matsum. Ind. Pl. Jap.* ii. 200.—Japon.

**FUNTUMIA**, Stapf, in *Hook. Ic. Pl.* t. 2694 (1901).**APOCYNACEAE.**

- africana, *Stapf*, l. c. tt. 2696–7 (= *Kickxia africana*).—Afr. trop.  
 elastica, *Stapf*, l. c. 2694–5 (= *Kickxia elastica*).—Afr. trop.  
 latifolia, *Stapf*, l. c. (= *Kickxia latifolia*).—Afr. trop.

**FURCRAEA**, Vent. (Amaryll.).

- Deledevanti, *Rivière* in *Rev. Cult. Colon.* xi. (1902) 68.—Peruv.  
 Delevanti, *Rivière*, l. c. 69 = *praec.*  
 hexapetala, *Urb. Symb. Antill.* iv. 152 (= *Agave hexapetala*).—Ind. occ.  
 Watsoniana, *Hort. Sand. ex Gard. Chron.* 1898, i. 242.—Hab. ?

**FURERA**, Bub. Fl. Pyren. iii. 16 = **Corrigiola**, Linn. (Illecebr.).

- annua, *Bub.* l. c. = *C. littoralis*.  
 perennis, *Bub.* l. c. = *C. littoralis*.

## G

**GABUNIA**, K. Schum. in *Engl. Jahrb.* xxiii. (1896) 224. **APOCYNACEAE.**

- brachypoda, *Stapf*, in *Dyer, Fl. Trop. Afr.* iv. i. 137 (= *Tabernaemontana brachypoda*).—Afr. trop.  
 crispiflora, *Stapf*, l. c. 139 (= *Tabernaemontana crispiflora*).—Afr. trop.  
 eglandulosa, *Stapf*, l. c. 138.—Afr. trop.  
 Gentilii, *Wildem.* in *Ann. Mus. Congo*, Sér. V. i. 68.—Afr. trop.  
 glandulosa, *Stapf*, in *Dyer, Fl. Trop. Afr.* iv. i. 138.—Afr. trop.  
 latifolia, *Stapf*, l. c. 137.—Afr. trop.  
 longiflora, *Stapf*, l. c. 138.—Afr. trop.  
 psorocarpa, *Pierre*, ex *Stapf*, l. c. 137.—Afr. trop.

**GAERTNERA**, Lam. (Logan.).

- Drakeana, *Aug. DC.* in *Bull. Herb. Boiss.* Sér. II. i. 586.—Madag.  
 hispida, *Aug. DC.* l. c. 585.—Madag.  
 rhodantha, *Baker*, in *Dyer, Fl. Trop. Afr.* iv. i. 543.—Afr. trop.  
 salicifolia, *C. H. Wright*, ex *Baker*, l. c.—Afr. trop.  
 spicata, *K. Schum.* in *Engl. Jahrb.* xxxiii. 372.—Afr. trop.

**GAERTNERIA**, Medic. = **Franseria**, Cav. (Compos.).

- Grayi, *A. Nelson*, in *Coult. Bot. Gaz.* xxxiv. 35 = *F. tomentosa*.  
 linearis, *Rydb.* in *Bull. Torr. Bot. Club*, 1905, 133.—Am. bor.  
 tomentosa, *A. Nelson*, in *Coult. Bot. Gaz.* xxxiv. 34 = *F. discolor*.

**GAGEA**, Salisb. (Liliac.).

- afghanica, *Terracc.* in *Boll. Soc. Ort. Palermo*, ii. (Sept. 1904) repr. 3.—As. cent.  
 Aitchisoniana, *Terracc.* l. c. (Dec. 1904) repr. 5.—Afghan.  
 assyria, *Terracc.* in *Bull. Herb. Boiss.* Sér. II. v. 1122.—Assyria.  
 bithynica, *Pasch. Ueber Gagea*, 12.—Eur.  
 Boissieri, *Pasch.* l. c. 13.—Oriens.  
 Bornmuelleriana, *Pasch.* in *Fedde, Repert. Nov. Sp.* i. 194.—Persia.  
 Burnati, *Terracc.* in *Boll. Soc. Ort. Palermo*, ii. (Sept. 1904) repr. 4.—Eur. cent.  
 Capusii, *Terracc.* in *Bull. Herb. Boiss.* Sér. II. v. 1115.—Turkestan.  
 Chaberti, *Terracc.* in *Boll. Soc. Ort. Palermo*, ii. (Sept. 1904) repr. 5.—Afr. bor.  
 colchica, *Albow*, ex *Terracc.* in *Bull. Herb. Boiss.* Sér. II. v. 1121 = *glacialis*.  
 confusa, *Terracc.* in *Boll. Soc. Ort. Palermo*, ii. (Sept. 1904) repr. 5.—Rossia.  
 Cossoniana, *Pasch. Ueber Gagea*, 11.—Afr. bor.  
 distans, *Pasch.* l. c. 10.—Hispan.  
 dubia, *Terracc.* in *Boll. Soc. Ort. Palermo*, ii. (Sept. 1904) repr. 6.—Turcia.  
 Durieui, *Pasch. Ueber Gagea*, 11, descr.—Afr. bor.  
 elliptica (sph. elliptica), *Terracc.* in *Bol. Soc. Arag.* iv. 238.—Hispan.  
 Fedtschenkoana, *Pasch.* in *Fedde, Repert. Nov. Sp.* i. 190.—Sibir.  
 Gussonii, *Terracc.* in *Bol. Soc. Arag.* iv. 231; *Rev. Monogr. Gagea Fl. Spagn.* 45.—Hispan.  
 hiensis, *Pasch. Ueber Gagea*, 16.—Turkestan.  
 hissarica, *Lipsky*, in *Act. Hort. Petrop.* xxiii. 241.—As. cent.  
 iberica, *Terracc.* in *Boll. Soc. Ort. Palermo*, ii. (Sept. 1904) repr. 6.—Hispan.  
 intercedens, *Pasch.* in *Fedde, Repert. Nov. Sp.* i. 192.—Persia.  
 Jaeschkei, *Pasch. Ueber Gagea*, 20.—Reg. Himal.  
 Juliae, *Pasch.* l. c. 15.—Cyprus.  
 Lacaitae, *Terracc.* in *Boll. Soc. Ort. Palermo*, ii. (Dec. 1904) repr. 6.—Sicil.  
 linearifolia, *Terracc.* l. c. (Sept. 1904) repr. 7.—As. Min.  
 lusitana, *Terracc.* l. c. repr. 8; et in *Bol. Soc. Broter*. xx. (1905) 203.—Lusit.  
 micrantha, *Pasch. Ueber Gagea*, 14.—Syria.  
 minimoides, *Pasch.* l. c. 16.—Persia.  
 perpusilla, *Pasch.* l. c. 17.—Persia.  
 Pinardi, *Terracc.* in *Boll. Soc. Ort. Palermo*, ii. (Sept. 1904) repr. 8.—Lusit.  
 provisa, *Pasch.* in *Fedde, Repert. Nov. Sp.* i. 195.—Sibir.  
 ramulosa, *Terracc.* in *Boll. Soc. Ort. Palermo*, ii. (Sept. 1904) repr. 9.—Sicil.  
 rhodiaca, *Terracc.* l. c. (Dec. 1904) repr. 7.—Ins. Rhodes.  
 Sintenisi, *Pasch. Ueber Gagea*, 17.—As. Min.  
 Soleimani, *Bornm.* in *Mitth. Thüring. Bot. Ver.* n. s. xviii. 46, nomen.—Persia.  
 syriaca, *Terracc.* in *Boll. Soc. Ort. Palermo*, ii. (Sept. 1904) repr. 9.—Syria.  
 tenera, *Pasch. Ueber Gagea*, 20.—Turkestan?  
 tenuis, *Terracc.* in *Bol. Soc. Broter*. xx. (1905) 205.—Lusit.  
 uliginosa, *Siehe & Pasch.* in *Pasch. Ueber Gagea*, 19.—Cilicia.

**GAGNEPAINIA**, K. Schum. in *Engl. Pflanzenreich*,

- Zingib. 129 (1904). **ZINGIBERACEAE.**  
 Godefroyi, *K. Schum.* l. c. 130 (= *Hemiorchis Godefroyi*).—Cambodia.  
 Harmandii, *K. Schum.* l. c. 129 (= *Hemiorchis Harmandii*).—Cambodia.  
 Thoreliana, *K. Schum.* l. c. 130 (= *Hemiorchis Thoreliana*).—Cochinch.

**GAHNIA**, Forst. (Cyper.).

- Fitzgeraldi, *Rodw. Tasman.* Fl. 249.—Austral.  
 graminifolia, *Rodw.* l. c. 250.—Austral.

**GAILLARDIA**, Fouger. (Compos.).

- chrysantha, *Small*, *Fl. S. E. U. S.* 1293.—Am. bor.  
 fastigiata, *Greene*, *Pittonia*, v. 57.—Am. bor.  
 gracilis, *A. Nelson*, in *Coult. Bot. Gaz.* xxxvii. 276.—Am. bor.  
 lutea, *Greene*, *Pittonia*, v. 57.—Am. bor.  
 trinervata, *Small*, *Fl. S. E. U. S.* 1293.—Am. bor.

**GAIMARDIA**, Gaudich. (Centrolepid.).

Fitzgeraldi, *F. Muell. & Rodw. in Rodw. Tasman. Fl.* 233.—Austral.

**GALACTIA**, P. Br. (Legum.).

brevipes, *Small, Fl. S. E. U. S.* 649.—Am. bor.  
camporum, *Sprague, in Trans. Proc. Bot. Soc. Edinb.* xxii. 430.—N. Granat.  
Curtissii, *Britton, in Torrey, v.* 33.—Ind. occ.  
decumbens, *Chod. & Hassl. in Bull. Herb. Boiss. Sér.* II. iv. 900 (= *Collaea decumbens*).—Parag.  
eriosematoides, *Harms, in Engl. Jahrb. xxxiii. Beibl.* lxxii. 27.—Bras.  
Glaziovii, *Harms, l. c.* 28.—Bras.  
Hassleriana, *Chod. in Bull. Herb. Boiss. Sér. II.* iv. 899.—Parag.  
lamprophylla, *Harms, in Engl. Jahrb. xxxiii. Beibl.* lxxii. 28.—Bras.  
paraguayensis, *Chod. & Hassl. in Bull. Herb. Boiss. Sér. II.* iv. 900.—Parag.  
rugosa, *Chod. & Hassl. l. c.* 901 (= *Collaea rugosa*).—Parag.  
virgata, *Chod. & Hassl. l. c.* 900 (= *Collaea virgata*).—Parag.

**GALATELLA**, Cass. = **Aster**, Tourn. (Compos.).

arrigens, *Jord. in Jord. & Fourr. Ic. Fl. Eur. ii.* 50.—Gallia.  
caerulescens, *Jord. l. c.*—Gallia.  
conferta, *Jord. l. c.* 48.—Gallia.  
deflexa, *Jord. l. c.* 49.—Gallia.  
grandiflora, *Jord. l. c.*—Gallia.  
modesta, *Jord. l. c.*—Gallia.  
oigoclada, *Jord. l. c.* 50.—Eur.  
oxyantha, *Jord. l. c.* 48.—Gallia.  
platyglossa, *Jord. l. c.* 49.—Gallia.  
rosella, *Jord. l. c.* 48.—Gallia.

**GALE**, Tourn. = **Myrica**, Linn. (Myricac.).

Hartwegi, *Cheval. in Mém. Soc. Nat. Cherbourg, xxxii.* 191 (= *M. Hartwegi*).—Am. sept.; Mexic.  
japonica, *Cheval. l. c.* 189.—Japon.  
palustris, *Cheval. l. c.* 177 = *M. Gale*.  
portugalis, *Cheval. l. c.* 187.—Lusit.

**GALEORCHIS**, Rydb. in Britton, Man. Fl. N. U. S. 292 (1901). **ORCHIDACEAE**.

spectabilis, *Rydb. l. c.* (= *Orchis spectabilis*).—Am. bor.

**GALINSOGA**, Ruiz & Pav. (Compos.).

Humboldtii, *Hieron. in Engl. Jahrb. xxviii.* 618.—Amer.

**GALIUM**, Linn. (Rubiace.).

Alberti, *Rouy, Fl. Fr. viii.* 10.—Hybr.  
ambiguum, *W. F. Wight, in Zoe, v.* 53 (1900).—Calif.  
amorganum, *Halacsy, Consp. Fl. Graec. i.* 712.—Eur.  
Bornmuelleri, *Hauskn. in Mitth. Thüring. Bot. Ver.* n. s. xx. 14.—As. Min.  
chartaceum, *W. F. Wight, in Zoe, v.* 56 (1900).—Calif.  
chloroionanthum, *K. Schum. in Engl. Jahrb. xxx.* 417.—Afr. trop.  
coloradoense, *W. F. Wight, in Zoe, v.* 54 (1900).—Am. bor.  
Culbertsonii, *Greene, Leaflets Bot. Obs. i.* 80.—Calif.  
Debeauxii, *Degen. & Herv. in Bull. Acad. Géogr. Bot.* xv. (1905) 96.—Eur.  
gracile, *Makino, in Bot. Mag. Tokyo, xvii.* 74.—Japon.  
incrassatum, *Halacsy, Consp. Fl. Graec. i.* 724.—Eur.  
labradoricum, *Wiegand, in Rhodora, vi.* 21.—Am. bor.  
messanense, *Tin. ex Lojac. Fl. Sic. ii.* 1. 23.—Sicil.  
muricatum, *W. F. Wight, in Zoe, v.* 56 (1900).—Calif.  
ossaeum, *Halacsy, Consp. Fl. Graec. i.* 717.—Eur.  
pendulum, *Greenm. in Proc. Amer. Acad. xli.* 249.—Mexic.  
querceticola, *Wolosz. Fl. Polon. Exsicc. no.* 952.—Galic.  
Schmidelyi, *Chenev. & Wolf, in Bull. Trav. Soc. Bot. Genève, ix.* 130.—Hybr.  
setuliflorum, *Makino, in Bot. Mag. Tokyo, xvii.* 75.—Japon.  
siccatum, *W. F. Wight, in Zoe, v.* 54 (1900).—Calif.  
sparsiflorum, *W. F. Wight, l. c.* 55 (1900).—Calif.  
subscabridum, *W. F. Wight, l. c.* 56 (1900).—Calif.  
Terracciani, *Lojac. Fl. Sic. ii.* 1. 16.—Sicil.  
texanum, *Small, Fl. S. E. U. S.* 1118.—Am. bor.  
trifloriforme, *Kom. in Act. Hort. Petrop. xviii.* 428.—Corea.

**GALPINSIA**, Britton = **Oenothera**, Linn. (Onagr.).  
interior, *Small, Fl. S. E. U. S.* 845.—Am. bor.  
lavandulaefolia, *Small, l. c.* = *O. Hartwegii*.

**GALVEZIA**, Domb. (Scrophul.).

glabrata, *T. S. Brandegee, in Zoe, v.* 167 (1903).—Calif.

**GAMOCARPHA**, DC. = **Boopis**, Juss. (Calycer.).

Ameghinii, *Speg. in Anal. Mus. Buenos Aires, vii.* 302 = *B. Ameghinii*.  
caleofuensis, *Speg. l. c.* 303.—Patag.  
patagonica, *Speg. l. c.*—Patag.  
subandina, *Speg. l. c.* 305.—Patag.

**GANOPHYLLUM**, Blume (Burser.).

obliquum, *Merrill, in Philipp. Gov. Lab. Bur. Bull.* xxvii. 30 (= *Boswellia obliqua*).—Ins. Philipp.

**GARCINIA**, Linn. (Guttif.).

Awahia, *Hort. ex Boerl. Cat. Hort. Bogor.* 76 = *ceramica*.  
Broewas, *Hort. ex Boerl. l. c.* 70 = *celebica*.  
caloneura, *Boerl. l. c.* 68.—Sumatra.  
Cambogia, *Hort. ex Boerl. l. c.* 77 = *Hanburyi*.  
ceramica, *Boerl. l. c.* 76.—Ins. Ceram.  
epunctata, *Staff, in Journ. Linn. Soc. xxxvii.* 86.—Afr. trop.  
Gillettii, *Wildem. in Ann. Mus. Congo, Sér. V. i.* 61.—Afr. trop.  
kingaensis, *Engl. Jahrb. xxx.* 356.—Afr. trop.  
merguensis, *Hort. ex Boerl. Cat. Hort. Bogor.* 66 = *balica*.  
montana, *Ridley, in Journ. As. Soc. Straits, xxxv.* 8.—Penins. Mal.  
Morella, *Hort. ex Boerl. Cat. Hort. Bogor.* 72 = *echinocarpa*.  
parvifolia, *Hort. ex Boerl. l. c.* 67 = *balica*.  
Pierreana, *Wildem. in Ann. Mus. Congo, Sér. IV.* 212.—Afr. trop.  
Protomelon, *Burck, ex Boerl. Cat. Hort. Bogor.* 71 = *latissima*.  
purpurea, *Hort. ex Boerl. l. c.* = *indica*.  
rostrata, *Hort. ex Boerl. l. c.* 78 = *lateriflora*.  
rubriflora, *Boerl. l. c.* 73.—Ins. Molucc.  
Sintang, *Hort. ex Boerl. l. c.* 70 = *celebica*.  
Tetangies, *Hort. ex Boerl. l. c.* 77 = *parvifolia*.

**GARDENIA**, Ellis (Rubiace.).

Barnesii, *Merrill, in Philipp. Gov. Lab. Bur. Bull.* xvii. 47.—Ins. Philipp.  
Merikin, *F. M. Bailey, Queensl. Fl.* 2005.—Austral.  
pinnata, *Merrill, in Philipp. Gov. Lab. Bur. Bull.* xxvii. 53 (= *Serissa pinnata*).—Ins. Philipp.  
stenopetala, *King & Gamble, in Journ. As. Soc. Beng.* lxxii. 218.—Penins. Mal.  
viscidissima, *S. Moore, in Journ. Linn. Soc. xxxvii.* 158.—Afr. trop.  
Volkensii, *K. Schum. in Engl. Jahrb. xxxiv.* 332.—Afr. trop.

**GARNOTIA**, Brongn. (Gramin.).

Cheesemani, *Hack. ex Cheesem. in Trans. Linn. Soc. Ser. II. vi.* 303.—Ins. Cook.  
japonica, *Hack. in Oesterr. Bot. Zeitschr.* 1902, 55.—Japon.

**GARRYA**, Dougl. (Cornac.).

Congdoni, *Eastw. in Coult. Bot. Gaz. xxxvi.* 459.—Calif.  
longifolia, *Rose, in U. S. Dept. Agric. Contrib. Nat. Herb. viii.* 55.—Mexic.  
pallida, *Eastw. in Proc. Calif. Acad. Ser. III. ii.* 287.—Am. bor.  
rigida, *Eastw. in Coult. Bot. Gaz. xxxvi.* 461.—Calif.  
salicifolia, *Eastw. l. c.* 463.—Calif.

**GARUGA**, Roxb. (Burser.).

abilo, *Merrill, in Philipp. Gov. Lab. Bur. Bull.* xxxv. 73 (= *Guaiacum abilo*).—Ins. Philipp.  
pacificia, *Burkill, in Journ. Linn. Soc. xxxv.* 30.—Ins. Tonga.

**GASTROCHILUS**, Wall. (Scitamin.).

anomalum, *K. Schum. in Engl. Pflanzenreich, Zingib.* 92 (= *Kaempferia anomala*).—Borneo.  
javanum, *K. Schum. l. c.* 95.—Java.

**GASTRODIA**, R. Br. (Orchid.).

abscondita, *J. J. Sm. in Ic. Bogor. t.* 103.—Java.  
viridis, *Makino, in Bot. Mag. Tokyo, xvi.* 178.—Japon.

**GAUDICHAUDIA**, H. B. & K. (Malpigh.).

subverticillata, *Rose, in U. S. Dept. Agric. Contrib. Nat. Herb. viii.* 49.—Mexic.

**GAULTHERIA**, Kalm (Ericac.).

domingensis, *Urb. Symb. Antill. iii.* 329.—Ind. occ.  
Hartwegiana, *Klotzsch, ex Loesen. in Bull. Herb. Boiss. Sér. II. iii.* (1903) 217.—Am. cent.  
setulosa, *N. E. Br. in Trans. Linn. Soc. Ser. II. vi.* 44.—Guiana.

**GAURA**, Linn. (Onagr.).

brachycarpa, *Small, Fl. S. E. U. S.* 848.—Am. bor.  
coloradensis, *Rydb. in Bull. Torr. Bot. Club, 1904,* 572.—Am. bor.  
Pitcheri, *Small, Fl. S. E. U. S.* 847.—Am. bor.  
simulans, *Small, in Bull. N. York. Bot. Gard. iii.* 432.—Am. bor.

**GAYA**, H. B. & K. (Malv.).

grandiflora, *Baker f. in Journ. Bot.* 1892, 136.—Bras.  
Lyallii, *Baker f. l. c.* 137 (= *Plagianthus Lyallii*).—N. Zel.

**GAYOIDES**, Small, Fl. S. E. U. S. 764 (1903). **MALVACEAE**.

crispum, *Small, l. c.* (= *Sida crispa*).—Am. bor.  
imberbe, *Small, l. c.* (= *Sida imberbis*).—Am. bor.

**GAYOPHYTUM**, A. Juss. (Onagr.).

intermedium, *Rydb. in Bull. Torr. Bot. Club, 1904,* 569.—Am. bor.

**GAZANIA**, Gaertn. (Compos.).

angustifolia, *O. Hoffm. in Engl. Jahrb. xxx.* 439.—Afr. trop.  
montana, *Spreng. in Gartenfl.* 1899, 442; *et in Bull. Soc. Tosc. Ort.* 1902, 44.—Afr. austr.

**GEIGERIA**, Griessel. (Compos.).

intermedia, *S. Moore, in Journ. Bot.* 1902, 381.—Afr. austr.  
natalensis, *Wood & Evans, ex Wood, in Natal Colon. Herb. Rep.* 1900 (1901) 11; *et in Journ. Bot.* 1901, 172.—Afr. austr.  
rivularis, *Wood & Evans, l. c.* 10; *l. c.* 171.—Afr. austr.

**GEISSANTHERA**, Schlechter, in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee (1905) 231. **ORCHIDACEAE**.

papuana, *Schlechter, l. c.* 232.—N. Guin.

**GEISSANTHUS**, Hook. f. (Myrsin.).

andinus, *Mez, in Engl. Pflanzenreich, Myrsin.* 240.—Ecuador.  
argutus, *Mez, l. c.* 238 (= *Ardisia arguta*).—N. Granat.  
bogotensis, *Mez, l. c.* 239.—N. Granat.  
cestrifolius, *Mez, l. c.* 241 (= *Ardisia cestrifolia*).—N. Granat.  
durifolius, *Mez, l. c.* 240 (= *Ardisia durifolia*).—N. Granat.  
ecuadorensis, *Mez, l. c.* 239.—Ecuador.  
floccosus, *Mez, l. c.* 240.—N. Granat.  
floribundus, *Mez, l. c.* 235.—Venez.  
fragrans, *Mez, l. c.*—Venez.  
furfuraceus, *Mez, l. c.* 240.—N. Granat.  
glaber, *Mez, l. c.* 234.—N. Granat.  
Goudotianus, *Mez, l. c.* 237.—N. Granat.  
Haenkeanus, *Mez, l. c.* 236.—Am. trop.  
Kalbreyeri, *Mez, l. c.* 237.—N. Granat.  
Lehmannii, *Mez, l. c.* 234.—N. Granat.  
lepidotus, *Mez, l. c.* (= *Ardisia lepidota*).—N. Granat.  
Mameicillo, *Mez, l. c.* 241 (= *Badula Mameicillo*).—Venez.  
multiflorus, *Mez, l. c.* 239.—Bolivia.  
Pentlandii, *Mez, l. c.* 236.—Bolivia.  
peruvianus, *Mez, l. c.* 238 (= *Ardisia peruviana*).—Peruv.  
Pichinchae, *Mez, l. c.* 239.—Ecuador.  
quindiensis, *Mez, l. c.* 234.—Ecuador; N. Granat.  
serrulatus, *Mez, l. c.* 238 (= *Dicaryum serrulatum*).—N. Granat.  
Sodioreanus, *Mez, in Bull. Herb. Boiss. Sér. II. v.* 534.—Ecuador.  
submembranaceus, *Mez, in Engl. Pflanzenreich, Myrsin.* 237.—N. Granat.

**GEISSOIS**, Labill. (Saxifr.).

intermedia, *Viell. ex Pampan. in Ann. di Bot. Roma, ii.* 57.—N. Caled.

**GEISSORHIZA**, Ker-Gawl. (Irid.).

- Briartii, Wildem. & Th. Dur. in *Compt. Rend. Soc. Bot. Belg.* xxxix. 105.—Afr. trop.  
 macra, Baker, in *Bull. Herb. Boiss. Sér. II.* iv. 1004.—Afr. trop.  
 pauciflora, Baker, l. c.—Afr. trop.  
 Schlechteri, Baker, l. c. i. 863.—Afr. austr.

**GENIOSPORUM**, Wall. (Labiata).

- Baumii, Guérke, in *Warb. Kunene-Sambesi Exped.* 359.—Afr. trop.  
 fissum, S. Moore, in *Journ. Bot.* 1901, 263.—Afr. trop.

**GENIOSTOMA**, Forst. (Logan.).

- avene, Valet, in *Bull. Inst. Buitenz.* xii. 23.—Arch. Mal.  
 caulocarpum, K. Schum. in K. Schum. & Lauterb. *Nachtr. Fl. Deutsch. Südsee*, 348.—N. Guin.  
 celebicum, Valet, in *Bull. Inst. Buitenz.* xii. 19.—Celebes.  
 glabrum, Matsum. in *Bot. Mag. Tokyo*, xv. 41.—Japon.  
 Miquelianum, Koord. & Valet, ex Valet, in *Bull. Inst. Buitenz.* xii. 22.—Java.  
 moluccanum, Valet, l. c. 19.—Amboina.  
 oblongifolium, Koord. & Valet, ex Valet, l. c. 20.—Java.  
 Weinlandii, K. Schum. in K. Schum. & Lauterb. *Nachtr. Fl. Deutsch. Südsee*, 349.—N. Guin.

**GENIPA**, Tourn. (Rubiace.).

- madagascariensis, Drake, *Hist. Pl. Madag. Atlas*, t. 442 A.—Madag.

**GENISTA**, Linn. (Legum.).

- Cazorlana, Debeaux & Reverch. in *Bull. Acad. Géogr. Bot.* xv. (1905) 65.—Hispan.  
 Jimenezii, Pau, ex Munuera, in *Mem. Soc. Esp. Hist. Nat.* ii. 82; et in *Bot. Soc. Arag.* i. 28.—Hispan.

**GENLISEA**, A. St. Hil. (Lentib.).

- hispidula, Stapf, in *Dyer, Fl. Cap.* iv. ii. 437.—Afr. trop. et austr.  
 roraimensis, N. E. Br. in *Trans. Linn. Soc. Ser. II.* vi. 56.—Guiana.

**GENTIANA**, Tourn. (Gentian.).

- albescens, Franch. ex Kusn. in *Act. Hort. Petrop.* xv. 409.—China.  
 arenaria, Maxim. ex Hemsl. in *Journ. Linn. Soc.* xxxv. 191.—Thomsoni.  
 bisetata, Howell, *Fl. N. W. Amer.* i. 445.—Am. bor.  
 callistantha, Diels & Gilg, in *Futterer, Durch Asien, Bot. repr.* 14.—Tibet.  
 Clarkei, Kusn. in *Act. Hort. Petrop.* xv. 419.—Ind. or.  
 Copelandi, Greene, *Leaflets Bot. Obs.* i. 53.—Calif.  
 dolichantha, Gilg, in *Torreya*, v. 109.—Bolivia.  
 Franchetiana, Kusn. in *Act. Hort. Petrop.* xv. 385.—China.  
 Futtereri, Diels & Gilg, in *Futterer, Durch Asien, Bot. repr.* 14.—Tibet.  
 Gormanii, Howell, *Fl. N. W. Amer.* i. 446.—Am. bor.  
 Holdereriana, Diels & Gilg, in *Futterer, Durch Asien, Bot. repr.* 17.—Tibet.  
 Kawakamii, Makino, in *Bot. Mag. Tokyo*, xviii. 67.—Japon.  
 Lawrencei, Burkill, in *Gard. Chron.* 1905, ii. 307.—Davuria.  
 Melvillei, S. Moore, in *Journ. Bot.* 1905, 143.—Burma.  
 monantha, A. Nelson, in *Bull. Torr. Bot. Club*, 1904, 244.—Am. bor.  
 Moseleyi, A. Nelson, in *Coult. Bot. Gaz.* 1901, 396.—Am. bor.  
 nevadensis, Solt. in *Oesterr. Bot. Zeitschr.* 1901, 170.—Hispan.  
 occidentalis, Greene, *Leaflets Bot. Obs.* i. 53.—Am. bor.  
 Orfordii, Howell, *Fl. N. W. Amer.* i. 446.—Am. bor.  
 perpusilla, T. S. Brandegee, in *Zoe*, v. 181 (1904).—Mexic.  
 polyclada, Diels & Gilg, in *Futterer, Durch Asien, Bot. repr.* 16.—Tibet.  
 pontica, Solt. in *Oesterr. Bot. Zeitschr.* 1901, 169.—As. Min.  
 pseudohumilis, Makino, in *Bot. Mag. Tokyo*, xviii. 16.—Japon.  
 Rostani, Reuter, ex Kusn. in *Act. Hort. Petrop.* xv. 475.—Eur.  
 stricta, Howell, *Fl. N. W. Amer.* i. 445.—Am. bor.  
 strictiflora, A. Nelson, in *Coult. Bot. Gaz.* xxxiv. 26.—Am. bor.

**GENTIANA** :—

- tirolensis, Mazzetti, in *Zeitschr. Ferdin. Tirol.* xlv. 289.—Hybr.  
 tricolor, Diels & Gilg, in *Futterer, Durch Asien, Bot. repr.* 15.—Tibet.  
 viridula, Parish, in *Coult. Bot. Gaz.* xxxviii. 461.—Calif.  
 vulgaris, Keller, in *Verh. Zool. Bot. Ges. Wien*, 1905, 316.—Eur.

**GENTIANELLA**, Moench = **Gentiana**, Tourn. (Gentian.).

- Clementis*, Rydb. in *Bull. Torr. Bot. Club*, 1904, 631.—Am. bor.  
*quinquefolia*, Small, *Fl. S. E. U. S.* 929 = *G. quinqueflora*.

**GENYORCHIS**, Schlechter, in *Engl. Jahrb.* xxxviii. (1905) 11, descr. **ORCHIDACEAE**.

- micropetala, Schlechter, l. c. 13 (= *Bulbophyllum micropetalum*).—Afr. trop.  
 pumila, Schlechter, l. c. 12 (= *Bulbophyllum pumilum*).—Afr. trop.

**GEONOMA**, Willd. (Palm.).

- Dammeri, Huber, in *Bot. Mus. Para.* iii. 409.—Bras.  
 Donnell-Smithii, Damm. in *Engl. Jahrb.* xxxvi. Beibl. lxxx. 32.—Am. cent.  
 yauaperyensis, Barb. Rodr. *Contrib. Jard. Bot. Rio de Janeiro*, 1902, 88.—Bras.

**GEOPHILA**, D. Don (Rubiace.).

- humifusa, King & Gamble, in *Journ. As. Soc. Beng.* lxxiii. 102.—Penins. Mal.  
 pilosa, H. H. W. Pearson, in *Hook. Ic. Pl.* t. 2691.—Malaya.  
 Scortechinii, King, in *Journ. As. Soc. Beng.* lxxiii. 104.—Penins. Mal.

**GEOPRUMNON**, Rydb. in Small, *Fl. S. E. U. S.* 615 (1903). **LEGUMINOSAE**.

- crassicaupum, Rydb. l. c. 616 (= *Astragalus crassicaupus*).—Am. bor.  
 mexicanum, Rydb. l. c. (= *Astragalus mexicanus*).—Am. bor.  
 pachycarpum, Rydb. l. c. (= *Astragalus pachycarpus*).—Am. bor.  
 plattense, Rydb. l. c. (= *Astragalus plattensis*).—Am. bor.  
 succulentum, Rydb. in *Bull. Torr. Bot. Club*, 1905, 658 (= *Astragalus succulentus*).—Am. bor.  
 tennesseense, Rydb. in Small, *Fl. S. E. U. S.* 615 (= *Astragalus tennesseensis*).—Am. bor.

**GERANIUM**, Tourn. (Geraniac.).

- alpicola, Loesen. in *Bull. Herb. Boiss. Sér. II.* iii. 92.—Am. cent.  
 andicola, Loesen. l. c. 93.—Am. cent.  
 batrachoides, Bub. Fl. Pyren. iii. 309 = pratense.  
 Brycei, N. E. Br. in *Kew Bull.* 1901, 120.—Afr. trop.  
 eginense, Knuth, in *Engl. Jahrb.* xxxii. 217.—Armen.  
 eriophorum, Léveillé, in *Bull. Soc. Agric. Sci. Arts Sarthe*, 1904, repr. 4.—China.  
 hakusanense, Matsum. in *Bot. Mag. Tokyo*, xv. 123.—Japon.  
 humifusum, Knuth, in *Engl. Jahrb.* xxxii. 211, nomen.—Afghan.  
 koreanum, Kom. in *Act. Hort. Petrop.* xviii. 433.—Corea.  
 Lavergeanum, Léveillé, in *Bull. Soc. Agric. Sci. Arts Sarthe*, 1904, repr. 4.—China.  
 linearilobum, Knuth, in *Engl. Jahrb.* xxxii. 214, nomen.—Afr. trop.  
 longipes, Goodd. in *Coult. Bot. Gaz.* xxxvii. 56.—Am. bor.  
 luganense, Chenev. ex Schroet. in *Ber. Schweiz. Bot. Ges.* xiv. 121.—Hybr.  
 melanopotamicum, Speg. in *Anal. Mus. Buenos Aires*, vii. 254.—Patag.  
 multisectum, N. E. Br. in *Kew Bull.* 1901, 120.—Afr. trop.  
 nervosum, Rydb. in *Bull. Torr. Bot. Club*, 1901, 34.—Am. bor.  
 orientale, Freyn, in *Oesterr. Bot. Zeitschr.* 1902, 18.—As. bor.  
 Pattersonii, Rydb. in *Bull. Torr. Bot. Club*, 1902, 242.—Am. bor.  
 Shikokianum, Matsum. in *Bot. Mag. Tokyo*, xv. 123.—Japon.

**GERANIUM** :—

- soboliferum, Kom. in *Act. Hort. Petrop.* xviii. 433.—As. or.  
 strigosum, Rydb. in *Bull. Torr. Bot. Club*, 1902, 243.—Am. bor.

**GERARDIA**, Linn. (Scrophul.).

- asperula, Small, *Fl. S. E. U. S.* 1078.—Am. bor.  
 galvesiana, Greene, *Pittonia*, v. 138.—Am. bor.  
 Gattereri, Small, *Fl. S. E. U. S.* 1078.—Am. bor.  
 georgiana, Boynton, in *Biltm. Bot. Studies*, i. 148.—Am. bor.  
 microphylla, Small, *Fl. S. E. U. S.* 1077.—Am. bor.  
 viridis, Small, in *Britton, Man. Fl. N. U. S.* 838.—Am. bor.

**GERBERA**, Gronov. (Compos.).

- Henryi, Dunn, in *Journ. Linn. Soc.* xxxv. 511.—China.

**GERMANEA**, Lam. = **Plectranthus**, L'H rit. (Labiata).

- australis, J. Britten, *Bot. Cook Voy.* 75 = *P. parviflorus*.  
*elegantula*, Briq. in *Bull. Herb. Boiss. Sér. II.* iii. 1005 = *P. elegantulus*.  
*grallata*, Briq. l. c. 1004 = *P. grallatus*.  
*myriantha*, Briq. l. c. 1001 = *P. myrianthus*.  
*pachystachya*, Briq. l. c. 1003 = *P. pachystachyus*.  
*transvaalensis*, Briq. l. c. 1005 = *P. transvaalensis*.

**GESNERIA**, Linn. (Gesner.).

- [**PENTARHAPHIA**, Lindl. I. K.]  
*celsioides*, Urb. *Symb. Antill.* ii. 377 (= *Pentarhaphia celsioides*).—Ind. occ.  
*clandestina*, Urb. l. c. (= *Pentarhaphia clandestina*).—Ind. occ.  
*cymosa*, Urb. l. c. 372.—Ind. occ.  
*depressa*, Urb. l. c. 378 (= *Pentarhaphia depressa*).—Ind. occ.  
*duchartreoides*, Urb. l. c. 375 (= *Pentarhaphia duchartreoides*).—Ind. occ.  
*ferruginea*, Urb. l. c. 373 (= *Pentarhaphia ferruginea*).—Ind. occ.  
*glandulosa*, Urb. l. c. (= *Pentarhaphia glandulosa*).—Ind. occ.  
*gloxinioides*, Urb. l. c. 377 (= *Pentarhaphia gloxinoides*).—Ind. occ.  
*incurva*, Urb. l. c. 374 (= *Pentarhaphia incurva*).—Ind. occ.  
*mimuloides*, Urb. l. c. 377 (= *Pentarhaphia mimuloides*).—Ind. occ.  
*purpurascens*, Urb. l. c. 380.—Ind. occ.  
*rupincola*, Urb. l. c. 382 (= *Heppiella rupincola*).—Ind. occ.  
*Sintenisii*, Urb. l. c. 375.—Ind. occ.  
*Wrightii*, Urb. l. c. 373 (= *Pentarhaphia triflora*).—Ind. occ.

**GEUM**, Linn. (Rosac.).

- albarracense, Pau, ex Merino, in *Mem. Soc. Esp. Hist. Nat.* ii. 500.—Hispan.  
 sikkimense, Prain, in *Journ. As. Soc. Beng.* lxxiii. 200.—Reg. Himal.

**GHINIA**, Bub. Fl. Pyren. iii. (1901) 158 = **Cardamine**, Tourn. (Crucif.).

- alpina, Bub. l. c. 159 = *C. alpina*.  
 amara, Bub. l. c. 163 = *C. amara*.  
 hirsuta, Bub. l. c. 162 = *C. hirsuta*.  
 impatiens, Bub. l. c. 160 = *C. impatiens*.  
 pratensis, Bub. l. c. 163 = *C. pratensis*.  
 raphanifolia, Bub. l. c. 165 = *C. latifolia*.  
 resedifolia, Bub. l. c. 160 = *C. resedifolia*.  
 sylvatica, Bub. l. c. 161 = *C. hirsuta*.

**GIGASIPHON**, Drake, *Hist. Pl. Madag.* i. (1902) 88. **LEGUMINOSAE**.

- Humboldtianum, Drake, l. c. (= *Bauhinia Humboldtiana*).—Madag.

**GILIA**, Ruiz & Pav. (Polemon.).

- acerosa, Britton, *Man. Fl. N. U. S.* 761.—Am. bor.  
 candida, Rydb. in *Bull. Torr. Bot. Club*, 1901, 29.—Am. bor.  
 caruifolia, Abrams, in *Bull. Torr. Bot. Club*, 1905, 540.—Calif.  
 collina, Eastw. in *Coult. Bot. Gaz.* xxxvii. 445.—Calif.  
 Crandallii, Rydb. in *Bull. Torr. Bot. Club*, 1904, 634.—Am. bor.  
 Davyi, Millik. in *Univ. Calif. Publ. Bot.* ii. 30.—Calif.



**GILIA** :—

- Eastwoodae, A. A. Heller, *Muhlenbergia*, i. 126.—Calif.  
 exserta, A. Nelson, in *Coult. Bot. Gaz.* xl. 65.—Am. bor.  
 Jaredii, K. Schum. in *Fust. Jahresb.* xxviii. i. 489 (= *Navarretia Jaredii*).—Am. bor.  
 leptantha, Parish, in *Zoe*, v. 74 (1900).—Calif.  
 linearifolia, Howell, *Fl. N. W. Am.* i. 461.—Am. bor.  
 Merrillii, A. Nelson, in *Coult. Bot. Gaz.* xxxiv. 27.—Am. bor.  
 modesta, H. M. Hall, in *Coult. Bot. Gaz.* xxxi. 389.—Am. bor.  
 ocellata, K. Schum. in *Fust. Jahresb.* xxviii. i. 489 (= *Navarretia ocellata*).—Am. bor.  
 pallida, A. A. Heller, *Muhlenbergia*, i. 43.—Calif.  
 patagonica, Speg. Nov. Add. *Fl. Patag.* ii. (1902), repr. 34.—Patag.  
 peduncularis, Eastw. ex Millik. in *Univ. Calif. Publ. Bot.* ii. 84.—Calif.  
 pedunculata, Eastw. in *Coult. Bot. Gaz.* xxxvii. 446.—Calif.  
 polyantha, Rydb. in *Bull. Torr. Bot. Club*, 1904, 634.—Am. bor.  
 Purpusi, T. S. Brandege, in *Zoe*, v. 181 (1904).—Mexic.  
 roseata, Rydb. in *Bull. Torr. Bot. Club*, 1904, 633.—Am. bor.  
 saphirina, Eastw. in *Coult. Bot. Gaz.* xxxviii. 71.—Calif.  
 scabra, T. S. Brandege, in *Zoe*, v. 166 (1903).—Calif.  
 scariosa, Rydb. in *Bull. Torr. Bot. Club*, 1904, 632.—Am. bor.  
 sparsiflora, Eastw. in *Proc. Calif. Acad. Ser.* III. ii. 291.—Am. bor.  
 spargulifolia, Rydb. in *Bull. Torr. Bot. Club*, 1904, 633.—Am. bor.  
 subcaulis, Rydb. l. c. 1903, 261.—Am. bor.  
 Traskiae, Eastw. ex Millik. in *Univ. Calif. Publ. Bot.* ii. 26.—Calif.  
 Tweedyi, Rydb. in *Bull. Torr. Bot. Club*, 1904, 634.—Am. bor.  
 uncialis, T. S. Brandege, in *Zoe*, v. 107 (1901).—Calif.  
 violacea, A. A. Heller, *Muhlenbergia*, i. 56.—Calif.  
 Wilcoxii, A. Nelson, in *Coult. Bot. Gaz.* xxxiv. 27.—Am. bor.

**GILBERTIA**, Ruiz & Pav. (Aral.).

- trifida, Makino, in *Bot. Mag. Tokyo*, xv. 91 (= *Acer trifidum*).—Japan.

- GINANNIA**, Bub. Fl. Pyren. iv. (1901) 321 = *Holcus*, Linn. (Gramin.).  
 mollis, Bub. l. c. 322 = *H. mollis*.  
 pubescens, Bub. l. c. 321 = *H. lanatus*.

- GIRALDIELLA**, Damm. in *Engl. Jahrb.* xxxvi. Beibl. lxxxii. (1905) 20. **LILIACEAE**.  
 montana, Damm. l. c. 21.—China.

**GIRARDINIA**, Gaudich. (Urtic.).

- marginata, *Engl. Jahrb.* xxxiii. 123.—Afr. trop.

**GLADIOLUS**, Tourn. (Irid.).

- affinis, Wildem. Pl. Nov. Hort. Then. t. 35.—Afr. trop.  
 Arnoldianus, Wildem. & Th. Dur. in *Bull. Soc. Bot. Belg.* xl. 27.—Afr. trop.  
 arvaticus, Ford. in *Ford. & Fourn. Ic. Fl. Eur.* ii. 32.—Gallia.  
 Baumii, Harms, in *Warb. Kunene-Sambesi Exped.* 200.—Afr. trop.  
 brachylimbus, Baker, in *Vierteljahrsschr. Nat. Ges. Zürich*, xlix. 178.—Afr. austr.  
 Conrathii, Baker, in *Bull. Herb. Boiss. Sér. II.* v. 1005.—Afr. austr.  
 cyclocarpus, Ford. in *Ford. & Fourn. Ic. Fl. Eur.* ii. 32.—Gallia.  
 cymbarius, Baker, in *Bull. Herb. Boiss. Sér. II.* i. 866.—Afr. austr.  
 densiflorus, Baker, in *Vierteljahrsschr. Nat. Ges. Zürich*, xlix. 178.—Afr. austr.  
 Gawleri, Ford. in *Ford. & Fourn. Ic. Fl. Eur.* ii. 36.—Oriens?  
 germanicus, Ford. l. c. 35.—Germania.  
 glaucus, Heldr. ex Halacsy, *Consp. Fl. Graec.* iii. 186.—Graecia.  
 Hanru, Ford. in *Ford. & Fourn. Ic. Fl. Eur.* ii. 34.—Gallia.

VOL. IV.

**GLADIOLUS** :—

- inconspicuus, Baker, in *Bull. Herb. Boiss. Sér. II.* iv. 1005.—Afr. austr.  
 Junodi, Baker, l. c. i. 866.—Afr. austr.  
 karendensis, Baker, l. c. 867.—Afr. austr.  
 kubangensis, Harms, in *Warb. Kunene-Sambesi Exped.* 200.—Afr. trop.  
 Lannesii, Ford. in *Ford. & Fourn. Ic. Fl. Eur.* ii. 35.—Gallia.  
 littoralis, Ford. l. c. 34.—Gallia.  
 longanus, Harms, in *Warb. Kunene-Sambesi Exped.* 201.—Afr. trop.  
 Mackinderi, Hook. f. Bot. Mag. t. 7860.—Afr. trop.  
 malangensis, Baker, in *Bull. Herb. Boiss. Sér. II.* i. 867.—Afr. austr.  
 micranthus, Baker, l. c. iv. 1005.—Afr. austr.  
 microsiphon, Baker, l. c. 1006.—Afr. austr.  
 morumbalaensis, Wildem. Pl. Nov. Hort. Then. i. 17.—Afr. trop.  
 narbonensis, Bub. Fl. Pyren. iv. 147 = *illyricus*.  
 numidicus, Ford. in *Ford. & Fourn. Ic. Fl. Eur.* ii. 35.—Afr. bor.  
 porrigens, Ford. l. c. 33.—Gallia.  
 reductus, Baker, in *Bull. Herb. Boiss. Sér. II.* iv. 1006.—Afr. austr.  
 remotifolius, Baker, l. c. i. 867.—Afr. austr.  
 rigescens, Ford. in *Ford. & Fourn. Ic. Fl. Eur.* ii. 33.—Eur.  
 rigidifolius, Baker, in *Bull. Herb. Boiss. Sér. II.* iv. 1006.—Afr. austr.  
 ruricola, Ford. in *Ford. & Fourn. Ic. Fl. Eur.* ii. 33.—Gallia.  
 Schlechteri, Baker, in *Bull. Herb. Boiss. Sér. II.* iv. 1006.—Afr. austr.  
 spectabilis, Baker, l. c.—Afr. austr.  
 trichostachys, Baker, l. c. 1007.—Afr. austr.  
 Verdickii, Wildem. & Th. Dur. in *Bull. Soc. Bot. Belg.* xl. 29.—Afr. trop.

**GLAUCIDIUM**, Sieb. & Zucc. (Ranunc.).

- pinnatum, Finet & Gagnep. in *Bull. Soc. Bot. Fr.* li. 392.—China.

**GLAUCIUM**, Tourn. (Papav.).

- fimbrilliferum, B. Fedtsch. in *Act. Hort. Petrop.* xxiii. 366 = *fimbrilligerum*.  
 paucilobatum, Freyn, in *Bull. Herb. Boiss. Sér. II.* iii. 566.—As. cent.

**GLAUX**, Tourn. (Primul.).

- spicata, Phil. ex Knuth, in *Engl. Pflanzenreich*, *Primul.* 320.—Quid?

- GLAZIOCHARIS**, Taub. ex Warm. in *Overs. Dansk. Vid. Selsk. Forh.* 1901, 175. **BURMANNIACEAE**.  
 macahensis, Taub. l. c.—Bras.

- GLEADOVIA**, Gamble & Prain, in *Journ. As. Soc. Beng.* lxxix. II. (1901) 488. **OROBANCHACEAE**.  
 ruborum, Gamble & Prain, l. c. 489.—Ind. or.

**GLEDITSCHIA**, Clayton (Legum.).

- texana, Sargent, in *Coult. Bot. Gaz.* xxxi. 1.—Am. bor.

**GLINUS**, Linn. = **Mollugo**, Linn. (Ficoid.).

- oppositifolius, Aug. DC. in *Bull. Herb. Boiss. Sér. II.* i. 559 = *M. oppositifolia*.

**GLIRICIDIA**, H. B. & K. (Legum.).

- lutea, J. R. Johnston, in *Proc. Amer. Acad.* xl. 687.—Venez.

**GLOBBA**, Linn. (Scitam.).

- adhaerens, Gagnep. in *Bull. Soc. Bot. Fr.* xlix. 269.—Cochinch.  
 affinis, Rendle, in *Journ. Bot.* 1901, 176.—Borneo.  
 albo-bracteata, K. Schum. in *Engl. Pflanzenreich*, *Zingib.* 152.—Sumatra.  
 Barthei, Gagnep. in *Bull. Soc. Bot. Fr.* xlviii. 208.—Ins. Philipp.  
 bicolor, Gagnep. l. c. 210.—Cochinch.  
 brevifolia, K. Schum. in *Engl. Pflanzenreich*, *Zingib.* 145.—Ins. Philipp.  
 bulbosa, Gagnep. in *Bull. Soc. Bot. Fr.* xlviii. 202.—China.  
 cambodgensis, Gagnep. l. c. 210.—Cochinch.  
 campophylla, K. Schum. in *Engl. Pflanzenreich*, *Zingib.* 145.—Ins. Philipp.  
 chinensis, K. Schum. l. c. 153.—China.

**GLOBBA** :—

- colpicola, K. Schum. in *Engl. Pflanzenreich*, *Zingib.* 149.—Siam.  
 ectobolos, K. Schum. l. c. 156.—Ins. Philipp.  
 globulifera, Gagnep. in *Bull. Soc. Bot. Fr.* xlviii. 209.—Cochinch.  
 gracilis, K. Schum. in *Engl. Pflanzenreich*, *Zingib.* 145.—Ins. Philipp.  
 graminifolia, Gagnep. in *Bull. Soc. Bot. Fr.* xlviii. p. lxxii.—Cochinch.  
 heterobracteata, K. Schum. in *Engl. Pflanzenreich*, *Zingib.* 159.—Ins. Philipp.  
 macranthera, K. Schum. l. c. 134 = *macroclada*.  
 macrocarpa, Gagnep. in *Bull. Soc. Bot. Fr.* xlviii. 205.—Cochinch.  
 macroclada, Gagnep. l. c. i. 257.—Reg. Himal.  
 Merrilli, Ridley, in *Philipp. Gov. Lab. Bur. Bull.* xxxv. 83.—Ins. Philipp.  
 parva, Gagnep. in *Bull. Soc. Bot. Fr.* xlviii. 211.—Cochinch.  
 polyphylla, K. Schum. in *Engl. Pflanzenreich*, *Zingib.* 140.—Borneo.  
 pyramidata, Gagnep. in *Bull. Soc. Bot. Fr.* xlviii. 204.—Cochinch.  
 rosea, Gagnep. l. c. 211.—Cochinch.  
 strigulosa, K. Schum. in *Engl. Pflanzenreich*, *Zingib.* 137.—China.  
 timorensis, K. Schum. l. c. 160.—Timor.  
 urophylla, K. Schum. l. c. 140.—Ins. Molucc.  
 ustulata, Gagnep. in *Bull. Soc. Bot. Fr.* xlviii. 208.—Ins. Philipp.  
 villosula, Gagnep. l. c. i. 160.—Cochinch.  
 violacea, Gagnep. l. c. xlviii. 205 = *adhaerens*.  
 Zollingeri, Gagnep. l. c. 209.—Arch. Mal.

**GLOBULARIA**, Tourn. (Selag.).

- lippiaefolia, Pau, in *Bol. Soc. Arag.* ii. 16, nomen.—Hispan.

**GLOCHIDION**, Forst. (Euphorb.).

- bicolor, Hayata, in *Journ. Coll. Sci. Tokyo*, xx. no. 3, 18 (= *Phyllanthus bicolor*).—Ind. or.; China.  
 diversifolium, Merrill, in *Forest. Bur. Philipp. Bull.* i. 29 (= *Phyllanthus diversifolius*).—Malaya.  
 formosanum, Hayata, in *Journ. Coll. Sci. Tokyo*, xx. no. 3, 20.—Formosa.  
 lanceolatum, Hayata, l. c. 16.—Formosa.  
 magnificum, K. Schum. in *K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 288.—N. Guin.  
 novo-guineense, K. Schum. l. c. 287.—N. Guin.  
 umbratile, Maiden & Betche, in *Proc. Linn. Soc. N. S. Wales*, xxx. 370.—Austral.

**GLOMERA**, Blume (Orchid.).

- neo-hibernica, Schlechter, in *K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 135.—Ins. Bismarck.  
 torricellensis, Schlechter, l. c. 136.—N. Guin.

**GLOMEROPITCAIRNIA**, Mez, in *Bull. Herb.*

- Boiss. Sér. II. v. (1905) 232. **BROMELIACEAE**.  
 erectiflora, Mez, l. c. 233.—Venez.  
 penduliflora, Mez, l. c. 232 (= *Tillandsia penduliflora*).—Ind. occ.

**GLORIOSA**, Linn. (Liliac.).

- Rothschildiana, O'Brien, in *Gard. Chron.* 1903, i. 322.—Afr. trop.

**GLOSSONEMA**, Decne. (Asclep.).

- echinatum, Hochst. ex Capua, in *Ann. Ist. Bot. Roma*, viii. 214.—Afr. trop.  
 Erlangeri, K. Schum. in *Engl. Jahrb.* xxxiii. 322.—Afr. trop.  
 Rivaei, K. Schum. l. c. 323.—Afr. trop.  
 torricellense, Schlechter, in *K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 132.—N. Guin.

**GLOSSORRHYNCHA**, Ridl. (Orchid.).

- elegantula, Schlechter, in *K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 130.—N. Guin.  
 hamadryas, Schlechter, l. c.—N. Guin.  
 pilifera, Schlechter, l. c. 131.—N. Guin.  
 squamulosa, Schlechter, l. c. 132.—N. Guin.

**GLOTTIDIUM**, Desv. = **Sesbania**, Pers. (Legum.).

- vesicarium, Harper, in *Bull. Torr. Bot. Club*, 1901, 472 = *S. platycarpa*.

**GLUMICALYX**, Hiern, in *Hook. Ic. Pl.* t. 2769

- (1903). **SCROPHULARIACEAE**.  
 montanus, Hiern, l. c.—Afr. austr.

**GLYCERIA**, R. Br. (Gramin.).

- latifolia, *♀. S. Cotton*, in *Bull. Torr. Bot. Club*, 1902, 573.—Am. bor.  
 leptorrhiza, *Kom.* in *Act. Hort. Petrop.* xx. 307.—As. bor.  
 Novae-Zelandiae, *Petrie*, in *Trans. & Proc. N. Zeal. Inst.* xxxiii. 329.—N. Zel.

**GLYCINE**, Linn. (Legum.).

- Gilletii, *Wildem.* in *Ann. Mus. Congo*, Sér. V. i. 150.—Afr. trop.  
 kisantuensis, *Wildem.* l. c.—Afr. trop.  
 longipes, *Harms*, in *Engl. Jahrb.* xxxiii. 175.—Afr. trop.

**GNAPHALIUM**, Linn. (Compos.).

- Altamiranum, *Greenm.* in *Proc. Amer. Acad.* xxxix. 95.—Mexic.  
 chartaceum, *Greenm.* l. c.—Mexic.  
 crenatum, *Greenm.* l. c. 96.—Mexic.  
 Eggersii, *Urb. Symb. Antill.* iii. 410.—Ind. occ.  
 exilifolium, *A. Nelson*, in *Bull. Torr. Bot. Club*, 1902, 406.—Am. bor.  
 jaliscense, *Greenm.* in *Proc. Amer. Acad.* xxxix. 96.—Mexic.  
 Jelskii, *Hieron.* in *Engl. Jahrb.* xxxvi. 483.—Peruv.  
 krasense, *Derganc*, in *Allg. Bot. Zeitschr.* 1904, 112.—Eur.  
 leptolepis, *Kuntze*, *Rev. Gen.* iii. II. 152 (= *Helichrysium leptolepis*).—Afr. austr.  
 Macounii, *Greene*, in *Ottawa Naturalist*, xv. 278.—Am. bor.  
 monticola, *Phil.* ex *Reiche*, *Fl. Chile*, iv. 66.—Chili.  
 oaxacanum, *Greenm.* in *Proc. Amer. Acad.* xxxix. 96.—Mexic.  
 oblanceolatum, *Greenm.* l. c. 97.—Mexic.  
 portoricense, *Urb. Symb. Antill.* iii. 409.—Ind. occ.  
 proximum, *Greene*, in *Ottawa Naturalist*, xv. 279.—Am. bor.  
 pseudo-helichrysium, *Reiche*, *Fl. Chile*, iv. 61.—Chili.  
 sericeo-albidum, *Vaniot*, in *Bull. Acad. Géogr. Bot.* xii. (1903) 501.—China.  
 stenolepis, *S. Moore*, in *Bull. Herb. Boiss.* Sér. II. iv. 1015.—Afr. trop.

**GNEPHOSIS**, Cass. (Compos.).

- exilis, *Fitzger.* in *Journ. W. Austral. Nat. Hist. Soc.* ii. 24.—Austral.  
 gynotricha, *Diels*, in *Engl. Jahrb.* xxxv. 613.—Austral.  
 rotundifolia, *Diels*, l. c. 614.—Austral.

**GNETUM**, Linn. (Gnetac.).

- oblifolium, *Huber*, in *Bol. Mus. Para.* iii. 404.—Bras.  
 paraense, *Huber*, l. c. 403.—Bras.

**GNIDIA**, Linn. (Thymel.).

- Baumiana, *Gilg*, in *Warb. Kunene-Sambesi Exped.* 311.—Afr. trop.  
 Butayei, *Wildem.* in *Ann. Mus. Congo*, Sér. V. i. 170.—Afr. trop.  
 Goetzeana, *Gilg*, in *Engl. Jahrb.* xxx. 363.—Afr. trop.  
 parvula, *Dod*, in *Journ. Bot.* 1901, 401.—Afr. austr.  
 pleurocephala, *Gilg*, in *Warb. Kunene-Sambesi Exped.* 310.—Afr. trop.  
 pulvinata, *Bolus*, in *Trans. S. Afr. Phil. Soc.* xvi. 142.—Afr. austr.  
 Usafuae, *Gilg*, in *Engl. Jahrb.* xxx. 363.—Afr. trop.

**GOCHNATIA**, H. B. & K. (Compos.).

- arborescens, *T. S. Brandegee*, in *Zoe*, v. 163 (1903).—Calif.

**GODETIA**, Spach = **Oenothera**, Linn. (Onagr.).

- delicata, *Abrams*, in *Bull. Torr. Bot. Club*, 1905, 539.—Calif.  
 Dudleyana, *Abrams*, *Fl. Los Angeles*, 267.—Calif.  
 rostrata, *Eastw.* ex *A. A. Heller*, *Muhlenbergia*, ii. 103, nomen.—Calif.

**GODOYA**, Ruiz & Pav. (Ochnac.).

- scandens, *Fourn.* ex *Van Tiegh.* in *Ann. Sci. Nat.* Sér. VIII. xix. 58 (= *Fournieria scandens*).—Am. cent.

**GOELDINIA**, Huber, in *Bol. Mus. Para.* iii. (1902)

438. **LECYTHIDACEAE.**  
 ovatifolia, *Huber*, l. c.—Bras.  
 riparia, *Huber*, l. c. 439.—Bras.

**GOLDMANIA**, Rose, ex Micheli, in *Mém. Soc. Phys.*

- Hist. Nat. Genève*, xxxiv. (1903) 274. **LEGUMINOSAE.**  
 constricta, *Micheli & Rose*, ex *Micheli*, l. c.—Mexic.  
 platycarpa, *Rose*, ex *Micheli*, l. c.—Mexic.

**GOMESA**, R. Br. (Orchid.).

- Glaziovii, *Cogn.* in *Mart. Fl. Bras.* iii. VI. 248.—Bras.  
 Theodorea, *Cogn.* l. c. 250 (= *Theodorea gomezoides*).—Bras.

**GOMPHIA**, Schreb. (Ochnac.).

- amplectens, *Stapf*, in *Journ. Linn. Soc.* xxxvii. 87.—Afr. trop.  
 Luschnathiana, *Steud.* ex *Van Tiegh.* in *Ann. Sci. Nat. Par.* Sér. VIII. xvi. 223.—Bras.  
 subcordata, *Stapf*, in *Journ. Linn. Soc.* xxxvii. 88.—Afr. trop.

**GOMPHOCARPUS**, R. Br. (Asclep.).

- Buchwaldii, *Schlechter & K. Schum.* ex *K. Schum.* in *Engl. Jahrb.* xxxiii. 325.—Afr. trop.  
 chlorojodina, *Gilg*, in *Engl. Jahrb.* xxx. 383.—Afr. trop.  
 longissimus, *Gilg*, l. c. 382.—Afr. trop.  
 Schlechteri, *K. Schum.* in *Engl. Jahrb.* xxxiii. 325.—Afr. austr.  
 Stolizianus, *K. Schum.* l. c. 324.—Afr. trop.

**GOMPHRENA**, Linn. (Amarant.).

- alba, *Farmer*, in *Bull. Herb. Boiss.* Sér. II. v. 1090.—Austral.  
 aurea, *Lopr.* ex *Urb.* in *Engl. Jahrb.* xxx. Beibl. lxvii. 37; et in *Malpighia*, xiv. 454.—Bras.  
 chloromalla, *Lopr.* l. c. 36; et l. c. 456.—Bras.  
 eriocalyx, *Lopr.* l. c. 37; et l. c. 455.—Bras.  
 grisea, *Lopr.* l. c. 36; et l. c. 454.—Bras.  
 guaranitica, *Chod.* in *Bull. Herb. Boiss.* Sér. II. iii. 387.—Parag.  
 Hassleri, *Chod.* in *Bull. Herb. Boiss.* Sér. II. i. 432.—Parag.  
 Michelli, *Farmer*, in *Bull. Herb. Boiss.* Sér. II. v. 1090.—Austral.  
 paraguayensis, *Chod.* in *Bull. Herb. Boiss.* Sér. II. i. 432.—Parag.  
 silenoides, *Chod.* l. c. iii. 388.—Parag.  
 sordida, *Farmer*, in *Bull. Herb. Boiss.* Sér. II. v. 1091.—Austral.

**GONATOPUS**, Engl. (Arac.).

- [**ZAMIACULCAS**, Schott. I. K.]  
 angustus, *N. E. Br.* in *Bull. Herb. Boiss.* Sér. II. i. 778.—Afr. trop.

**GONATOSTYLIS**, Schlechter, in *Engl. Jahrb.* xxxix. (1906) 56. **ORCHIDACEAE.**

- Vieillardii, *Schlechter*, l. c. xxxvi. (1905) 19; et l. c. 56 (= *Rhamphidia Vieillardii*).—N. Caled.

**GONGROTHAMNUS**, Steetz (Compos.).

- aurantiacus, *O. Hoffm.* in *Engl. Jahrb.* xxx. 433.—Afr. trop.

**GONIOSTACHYUM**, Small, *Fl. S. E. U. S.* 1012 (1903). **VERBENACEAE.**

- graveolens, *Small*, l. c. (= *Lippia graveolens*).—Am. bor.

**GONIOTHALAMUS**, Hook. f. & Thoms. (Anonac.).

- Dielsianus, *Lauterb.* in *K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 266.—N. Guin.  
 Elmeri, *Merrill*, in *Philipp. Gov. Lab. Bur. Bull.* xxix. 13.—Ins. Philipp.  
 obtusifolius, *Merrill*, l. c. xxxv. 9.—Ins. Philipp.  
 trunciflorus, *Merrill*, l. c. 10.—Ins. Philipp.

**GONOCARYUM**, Miq. (Icacin.).

- fusum, *Hochr. Pl. Bogor. Exsicc.* 42.—Ins. Amboin.  
 fusiforme, *Hochr.* l. c.—Hab.?  
 melanocarpum, *Hochr.* l. c.—Hab.?  
 obovatum, *Hochr.* l. c. 43.—Hab.?

**GONOLOBUS**, Michx. (Asclep.).

- calicicola, *Greenm.* in *Proc. Amer. Acad.* xl. 30.—Mexic.

**GONZALEA**, Pers. (Rubiace.).

- bracteosa, *Donn. Sm.* in *Coult. Bot. Gaz.* xxxiii. 252.—Am. cent.

**GOODENIA**, Sm. (Gooden.).

- calogynoides, *E. Pritz.* in *Engl. Jahrb.* xxxv. 560.—Austral.

**GOODENIA** :—

- decursiva, *Fitzger.* in *Journ. W. Austral. Nat. Hist. Soc.* ii. 25.—Austral.  
 dimorpha, *Maiden & Betche*, in *Proc. Linn. Soc. N. S. Wales*, xxviii. 907.—Austral.  
 eremophila, *E. Pritz.* in *Engl. Jahrb.* xxxv. 558.—Austral.  
 Maideniana, *Fitzger.* in *Journ. W. Austral. Nat. Hist. Soc.* i. 25.—Austral.  
 nuda, *E. Pritz.* in *Engl. Jahrb.* xxxv. 562.—Austral.  
 Stirlingi, *F. M. Bailey*, in *Queensl. Agric. Journ.* xv. 492.—Austral.

**GOODYERA**, R. Br. (Orchid.).

- angustifolia, *Schlechter*, in *K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 92.—N. Guin.  
 brachiorhynchus, *Schlechter*, l. c. 93.—N. Guin.  
 Erima, *Schlechter*, l. c.—N. Guin.  
 lanceolata, *Ridley*, in *Journ. As. Soc. Straits*, xxxix. 86.—Penins. Mal.  
 nebularium, *Rolfe*, in *Journ. Linn. Soc.* xxxvi. 45 (= *Cystorchis nebularium*).—China.  
 subregularis, *Schlechter*, in *Engl. Jahrb.* xxxvi. 25 (= *Georchis subregularis*).—N. Caled.

**GORMANIA**, Britton, ex Britton & Rose, in *Bull. N.*

- York Bot. Gard.* iii. (1903) 29. **CRASSULACEAE.**  
 anomala, *Britton*, ex *Britton & Rose*, l. c. 80.—Calif.  
 Burnhami, *Britton*, ex *Britton & Rose*, l. c.—Calif.  
 debilis, *Britton*, ex *Britton & Rose*, l. c. (= *Sedum debile*).—Am. bor.  
 Eastwoodiae, *Rose*, ex *Britton & Rose*, l. c. 31.—Calif.  
 Hallii, *Britton*, ex *Britton & Rose*, l. c. 29.—Am. bor.  
 laxa, *Britton*, ex *Britton & Rose*, l. c.—Am. bor.  
 obtusata, *Britton*, ex *Britton & Rose*, l. c. (= *Sedum obtusatum*).—Calif.  
 oregana, *Britton*, ex *Britton & Rose*, l. c. 30 (= *Sedum oreganum*).—Calif.  
 retusa, *Rose*, ex *Britton & Rose*, l. c. 31.—Calif.  
 Watsoni, *Britton*, ex *Britton & Rose*, l. c. 29 (= *Cotyledon oregonensis*).—Am. bor.

**GOSSYPIANTHUS**, Hook. (Amarant.).

- Sheldonii, *Small*, *Fl. S. E. U. S.* 395.—Am. bor.

**GOSSYPIUM**, Linn. (Malvac.).

- triphyllum, *Hochr.* in *Bull. Herb. Boiss.* Sér. II. ii. 1004 (= *Fugosia triphylla*).—Afr. trop.  
 versicolor, *Lignier & Bey*, in *Bull. Soc. Linn. Norm.* Sér. V. viii. 256, nomen.—Guiana.

**GOTHOFREDA**, Vent. = **Oxypetalum**, R. Br. (Asclep.).

- coccinea, *Kuntze*, *Rev. Gen.* iii. II. 199 = *O. coccineum*.

**GRABOWSKIA**, Schlecht. (Solan.).

- Ameghinoi, *Speg. Nov. Add. Fl. Patag.* ii. (1902), repr. 48 (= *Lycium Ameghinoi*).—Patag.  
 megalosperma, *Speg.* l. c. 46.—Patag.

**GRAMMADENIA**, Benth. (Myrsin.).

- alpina, *Mez*, in *Engl. Pflanzenreich*, Myrsin. 231.—Venez.  
 asymmetrica, *Mez*, in *Bull. Herb. Boiss.* Sér. II. v. 246.—Peruv.  
 costaricana, *Mez*, in *Engl. Pflanzenreich*, Myrsin. 230 (= *Cybianthus costaricanus*).—Am. cent.  
 Lehmannii, *Mez*, l. c. 231.—N. Granat.  
 magna, *Mez*, l. c. 232.—N. Granat.  
 nitida, *Mez*, l. c.—Peruv.  
 pastensis, *Mez*, l. c.—N. Granat.  
 Sintenisii, *Mez*, in *Urb. Symb. Antill.* ii. 425 (= *Ardisia Sintenisii*).—Ind. occ.

**GRAMMATOPHYLLUM**, Blume (Orchid.).

- stapeliaeiflorum, *♀. F. Sm. Orchid. Java*, 487 (= *Cymbidium stapeliaeiflorum*).—Malaya.

**GRAMMOSCIADIUM**, DC. = **Chaerophyllum**, Linn.

- (Umbell.).  
 coloratum, *Calest.* in *Martelli*, *Webbia*, 186 = *C. coloratum*.  
 creticum, *Calest.* l. c. = *C. creticum*.  
 Heldreichii, *Calest.* l. c. = *C. Heldreichii*.

**GRANGEA**, Adans. (Compos.).

- anthemoides, *O. Hoffm.* in *Warb. Kunene-Sambesi Exped.* 406.—Afr. trop.

**GRAPHEPHORUM**, Desv. (Gramin.).

Shearii, Rydb. in Bull. Torr. Bot. Club, 1905, 602 (= *Trisetum Shearii*).—Am. bor.

**GRATIOLA**, Rupp. (Scrophul.).

genuiflora, Sampaio, in Ann. Sci. Nat. Porto, vii. 8.—Lusitan.  
Torreyi, Small, Fl. S. E. U. S. 1066.—Am. bor.

**GRAVESIA**, Naud. (Melast.).

heterophylla, Aug. DC. in Bull. Herb. Boiss. Sér. II. i. 574.—Madag.

**GREENMANIA**, Hieron. in Engl. Jahrb. xxviii. 597 (1901). **COMPOSITAE**.

boladrensis, Hieron. l. c.—N. Granat.

**GREIGIA**, Regel (Bromel.).

Sodiroyana, Mez, in Bull. Herb. Boiss. Sér. II. iv. 619.—Ecuador.

**GRENACHERIA**, Mez, in Engl. Pflanzenreich, Myrsin. (1902) 292. **MYRSINACEAE**.

amentacea, Mez, l. c. 294 (= *Embelia amentacea*).—Penins. Mal.  
Beccariana, Mez, l. c. 293.—Borneo.  
bracteosa, Mez, l. c. 294 (= *Embelia bracteosa*).—Arch. Mal.  
cinerascens, Mez, l. c. 292.—Borneo.  
Lampani, Mez, l. c. 294 (= *Embelia Lampani*).—Sumatra.  
Wallichiana, Mez, l. c. 293.—Penins. Mal.

**GREVILLEA**, R. Br. (Proteac.).

asteriscosa, Diels, ex Diels & Pritz. in Engl. Jahrb. xxxv. 151.—Austral.  
brachyclada, Fitzger. in Journ. W. Austral. Nat. Hist. Soc. ii. 30.—Austral.  
ceratocarpa, Diels, ex Diels & Pritz. in Engl. Jahrb. xxxv. 157.—Austral.  
excelsior, Diels, l. c. 151.—Austral.  
inconspicua, Diels, l. c. 153.—Austral.  
incrassata, Diels, l. c. 156.—Austral.  
Jamesoniana, Fitzger. in Proc. Linn. Soc. N. S. Wales, xxvii. 243.—Austral.  
oncogyne, Diels, ex Diels & Pritz. in Engl. Jahrb. xxxv. 149.—Austral.  
phanerophlebia, Diels, l. c. 157.—Austral.  
pimeleoides, Fitzger. in Journ. Muell. Soc. W. Austral. i. 37.—Austral.  
Pritzelii, Diels, ex Diels & Pritz. in Engl. Jahrb. xxxv. 150.—Austral.  
Purdieana, Diels, l. c. 154.—Austral.  
stenophylla, Fitzger. in Journ. W. Austral. Nat. Hist. Soc. ii. 30.—Austral.  
uncinulata, Diels, ex Diels & Pritz. in Engl. Jahrb. xxxv. 152.—Austral.

**GREWIA**, Linn. (Tiliac.).

ancimenocladia, K. Schum. in Engl. Jahrb. xxxiii. 301.—Afr. trop.  
brevicaulis, K. Schum. in Warb. Kunene-Sambesi Exped. 295.—Afr. trop.  
brunnea, K. Schum. in Engl. Jahrb. xxxiii. 301.—Afr. trop.  
calymmatosepala, K. Schum. l. c. 302.—Afr. trop.  
ceramensis, Hochr. Pl. Bogor. Exsicc. 30.—Ins. Ceram.  
chaunothamnus, K. Schum. in Notisbl. Bot. Gart. Berlin, iii. 103.—Afr. trop.  
chloophila, K. Schum. in Engl. Jahrb. xxxiii. 303.—Afr. trop.  
corallocarpa, K. Schum. l. c. xxxiv. 320.—Afr. trop.  
crinita, K. Schum. l. c. xxxiii. 303.—Afr. trop.  
Dehnhardtii, K. Schum. l. c. 304.—Afr. trop.  
dependens, K. Schum. l. c.—Afr. trop.  
falcistipula, K. Schum. in Warb. Kunene-Sambesi Exped. 296.—Afr. trop.  
gigantiflora, K. Schum. in Engl. Jahrb. xxxiii. 305.—Afr. trop.  
hydrophila, K. Schum. in Warb. Kunene-Sambesi Exped. 297.—Afr. trop.  
kakothamnus, K. Schum. in Engl. Jahrb. xxxiv. 321.—Afr. trop.  
latiunguiculata, K. Schum. in Notisbl. Bot. Gart. Berlin, iii. 102.—Afr. trop.  
lasiodiscus, K. Schum. l. c. 100.—Afr. trop.  
leucodiscus, K. Schum. l. c. 101.—Afr. trop.  
lilacina, K. Schum. in Engl. Jahrb. xxxiv. 321.—Afr. trop.

**GREWIA** :—

maroana, Aug. DC. in Bull. Herb. Boiss. Sér. II. i. 568.—Madag.  
nematopus, K. Schum. in Engl. Jahrb. xxxiv. 319.—Afr. trop.  
perennans, K. Schum. in Warb. Kunene-Sambesi Exped. 298.—Afr. trop.  
philippinensis, Perkins, Frag. Fl. Philipp. i. 103.—Ins. Philipp.  
pinacostigma, K. Schum. in Warb. Kunene-Sambesi Exped. 298.—Afr. trop.  
polyantha, K. Schum. in Engl. Jahrb. xxxiii. 305.—Afr. trop.  
Rowlandii, K. Schum. l. c. 306.—Afr. trop.  
salicifolia, Lignier & Bey, in Bull. Soc. Linn. Norm. Sér. V. viii. 266, nomen.—Madag.  
stylocarpa, Warb. ex Perkins, Frag. Fl. Philipp. i. 104.—Ins. Philipp.  
suffruticosa, K. Schum. in Engl. Jahrb. xxxii. 135.—Afr. trop.  
tephrodermis, K. Schum. l. c. xxxiv. 320.—Afr. trop.  
Urbaniana, Lauterb. in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee, 315.—N. Guin.  
Woodiana, K. Schum. in Engl. Jahrb. xxxiii. 307.—Afr. trop.

**GREWIOPSIS**, Wildem. & Th. Dur. (Tiliac.).

Trillesiana, Pierre, ex Wildem. in Ann. Mus. Congo, Sér. V. i. 57.—Afr. trop.

**GRIELUM**, Linn. (Rosac.).

cuneifolium, Schinz, in Bull. Herb. Boiss. Sér. II. ii. 944.—Afr. austr.

**GRIFFITHIELLA**, Warm. in Danske Vid. Selsk. Skr. Sér. VI. xi. i. (1901) 12. **PODOSTEMACEAE**.

Hookeriana, Warm. l. c. 13 (= *Mniopsis Hookeriana*).—Ind. or.  
Willisiana, Warm. l. c.—Ind. or.

**GRINDELIA**, Willd. (Compos.).

aphanactis, Rydb. in Bull. Torr. Bot. Club, 1904, 647.—Am. bor.  
serrulata, Rydb. l. c. 646.—Am. bor.

**GRISEBACHIA**, Klotzsch (Ericac.).

Pentheri, A. Zahlbr. in Ann. Nat. Hofmus. Wien, xx. (1905) 42.—Afr. austr.

**GRISOLLEA**, Baill. (Olacac.).

Thomassetii, Hemsl. in Hook. Ic. Pl. t. 2789.—Ins. Seychell.

**GROSSERA**, Pax, in Engl. Jahrb. xxxiii. (1903) 281. **EUPHORBACEAE**.

major, Pax, l. c. 282.—Afr. trop.  
paniculata, Pax, l. c. 281.—Afr. trop.

**GRUMILEA**, Gaertn. (Rubiace.).

[**PSYCHOTRIA**, Linn. I. K.]  
chalconeura, K. Schum. in Engl. Jahrb. xxxiii. 371.—Afr. trop.  
dolichantha, K. Schum. in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee, 397.—N. Guin.  
orientalis, K. Schum. in Engl. Jahrb. xxxiv. 336.—Afr. trop.  
sycophylla, K. Schum. l. c. xxxiii. 370.—Afr. trop.  
Weinlandii, K. Schum. in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee, 397.—N. Guin.

**GRYPOCARPHA**, Greenm. in Sargent, Trees & Shrubs, 145 (1903). **COMPOSITAE**.

Nelsonii, Greenm. l. c.—Mexic.

**GUADUA**, Kunth (Gramin.).

superba, Huber, in Bol. Mus. Para. iv. 479.—Bras.  
Weberbaueri, Pilg. in Fedde, Repert. Nov. Sp. i. 152.—Peruv.

**GUADUELLA**, Franch. (Gramin.).

[**GUADUELLA**, Franch. I. K. S. I.]  
densiflora, Pilg. in Engl. Jahrb. xxx. 123.—Afr. trop.  
Zenkeri, Pilg. l. c.—Afr. trop.

**GUAREA**, Allem. (Meliac.).

angustifolia, C. DC. in Chod. & Hassl. in Bull. Herb. Boiss. Sér. II. iii. 408.—Parag.  
bullata, Radlk. in Bull. Herb. Boiss. Sér. II. v. 192.—Am. cent.  
Caoba, C. DC. in Bull. Herb. Boiss. Sér. II. v. 421.—Am. cent.

**GUAREA** :—

costulata, C. DC. in Bol. Mus. Para. iii. 237.—Bras.  
diversifolia, C. DC. in Chod. & Hassl. in Bull. Herb. Boiss. Sér. II. iii. 407.—Parag.  
Donnell-Smithii, C. DC. in Bull. Herb. Boiss. Sér. II. v. 419.—Am. cent.  
erythrocarpa, C. DC. l. c. 420.—Am. cent.  
Guedesii, C. DC. in Bol. Mus. Para. iii. 239.—Bras.  
Hassleri, C. DC. in Chod. & Hassl. in Bull. Herb. Boiss. Sér. II. iii. 408.—Parag.  
microcarpa, C. DC. in Bull. Herb. Boiss. Sér. II. v. 420.—Am. cent.  
odorata, C. DC. in Bol. Mus. Para. iii. 239.—Bras.  
rhopalocarpa, Radlk. in Bull. Herb. Boiss. Sér. II. v. 191.—Am. cent.  
ripicola, C. DC. in Chod. & Hassl. in Bull. Herb. Boiss. Sér. II. iii. 408.—Parag.  
rubescens, C. DC. l. c. 407.—Parag.  
silvicola, C. DC. l. c. 409.—Parag.  
subsessiliflora, C. DC. in Bol. Mus. Para. iii. 238.—Bras.  
Tuerckheimi, C. DC. in Donn. Sm. in Coult. Bot. Gaz. xxxiii. 250.—Am. cent.  
tuisana, C. DC. in Bull. Herb. Boiss. Sér. II. v. 421.—Am. cent.  
xiroresana, C. DC. l. c. 418.—Am. cent.

**GUATTERIA**, Ruiz & Pav. (Anonac.).

alutacea, Diels, in Verh. Bot. Ver. Brand. xlvii. (1905) 126.—Peruv.  
Blainii, Urb. Symb. Antill. iv. 239 (= *Asimina Blainii*).—Ind. occ.  
caribaea, Urb. l. c. 240.—Ind. occ.  
juruensis, Diels, in Verh. Bot. Ver. Brand. xlvii. (1905) 126.—Reg. Amaz.  
megalophylla, Diels, l. c. 127.—Reg. Amaz.  
pubescens, Glas. in Bull. Soc. Bot. Fr. lii. Mém. III. 10, nomen.—Bras.  
scytophylla, Diels, in Verh. Bot. Ver. Brand. xlvii. (1905) 127.—Reg. Amaz.

**GUELLENSTAEDTIA**, Fisch. (Legum.).

Harmsii, Ulbr. in Engl. Jahrb. xxxvi. Beibl. lxxxii. 58.—China.  
Henryi, Ulbr. l. c. 59.—China.

**GUETTARDA**, Linn. (Rubiace.).

glabrescens, Schlechter, in Engl. Jahrb. xxxvi. 19, nomen.—N. Caled.  
Loeseneriana, Lauterb. in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee, 395.—N. Guin.  
ngoyensis, Schlechter, in Engl. Jahrb. xxxvi. 19, nomen.—N. Caled.

**GUILANDINA**, Linn. = **Caesalpinia**, Linn. (Legum.).

Crista, Small, Fl. S. E. U. S. 591 = *C. Crista*.  
major, Small, l. c.—Am. bor.

**GUILIELMA**, Mart. = **Bactris**, Jacq. (Palm.).

microcarpa, Huber, in Bol. Mus. Para. iv. 476.—Bras.

**GUILLEMINIA**, H. B. & K. (Amarant.).

gracilis, R. Fries, in Nov. Act. Soc. Sci. Upsal. Ser. IV. i. no. 1, 153.—Reg. Argent.

**GUIOA**, Cav. (Sapind.).

[**CUPANIA**, Linn. I. K.]  
aptera, Radlk. in Perkins, Frag. Fl. Philipp. 62.—Ins. Philipp.  
lasiothyrsa, Radlk. l. c. 63.—Ins. Philipp.  
subapiculata, Radlk. l. c. 64.—Ins. Philipp.

**GUIZOTIA**, Cass. (Compos.).

scabra, Chiov. in Ann. Ist. Bot. Roma, viii. 184 (= *Veslingia scabra*).—Afr. trop.

**GUNNERA**, Linn. (Halorag.).

apiculata, Schindl. in Engl. Pflanzenreich, Halorrh. 121.—Bolivia.  
brasiliensis, Schindl. l. c. 125.—Bras.  
Meziana, Schindl. in Engl. Jahrb. xxxiv. Beibl. lxxxvii. 20 = strigosa.  
pyramidalis, Schindl. in Engl. Pflanzenreich, Halorrh. 119.—Ins. Juan Fernandez.  
Reichei, Schindl. l. c. 114.—Chili.  
rheifolia, Schindl. l. c. 121.—Peruv.  
vestita, Schindl. l. c. 125.—Chili.  
Wendlandii, Reinke, ex Schindl. l. c. 127, descr.—Am. cent.

**GUNNIOPSIS**, Pax (Ficoid.).

[AIZOON, Linn. I. K. S. I.]  
intermedia, *Diels*, in *Engl. Jahrb.* xxxv. 197.—Austral.

**GURANIA**, Cogn. (Cucurb.).

megistantha, *Donn. Sm.* in *Coult. Bot. Gaz.* xxxiii. 251.—Am. cent.  
pedata, *Sprague*, in *Trans. Proc. Bot. Soc. Edinb.* xxii. 433.—N. Granat.  
Tonduziana, *Donn. Sm.* in *Coult. Bot. Gaz.* xxxi. 112.—Am. cent.

**GUSTAVIA**, Linn. (Myrtac.).

microcarpa, *Pilg.* in *Verh. Bot. Ver. Brand.* xlvii. (1905) 164.—Reg. Amaz.  
Ulei, *Pilg.* l. c.—Reg. Amaz.

**GUTENBERGIA**, Sch. Bip. (Compos.).

pembensis, *S. Moore*, in *Journ. Bot.* 1902, 339.—Afr. trop.

**GUTIERREZIA**, Lag. (Compos.).

argyrocarpa, *Greenm.* in *Proc. Amer. Acad.* xl. 35.—Mexic.  
Brachyris, *Macl.* in *Rep. Princeton Univ. Exped. Patag.* viii. 780 (= *Brachyris paniculata*).—Bras.; Patag.  
linearis, *Rydb.* in *Bull. Torr. Bot. Club*, 1904, 647.—Am. bor.  
myriocephala, *A. Nelson*, in *Coult. Bot. Gaz.* xxxvii. 264.—Am. bor.  
scoparia, *Rydb.* in *Bull. Torr. Bot. Club*, 1904, 647.—Am. bor.

**GUZMANIA**, Ruiz & Pav. (Bromel.).

caulescens, *Mez & Sod. ex Mez*, in *Bull. Herb. Boiss.* Sér. II. v. 112.—Ecuador.  
columnaris, *Mez & Sod. ex Mez*, l. c. 113.—Ecuador.  
condensata, *Mez & Wercklé*, ex *Mez*, l. c. iii. 228.—Am. cent.  
crateriflora, *Mez & Wercklé*, ex *Mez*, l. c. v. 110.—Am. cent.  
densiflora, *Mez*, l. c. iii. 226.—N. Granat.  
Donnellsmithii, *Mez*, ex *Donn. Sm.* in *Coult. Bot. Gaz.* xxxv. (1903) 9.—Am. cent.  
elongata, *Mez & Sod. ex Mez*, in *Bull. Herb. Boiss.* Sér. II. v. 115.—Ecuador.  
fusispica, *Mez & Sod. ex Mez*, l. c. 112.—Ecuador.  
laxa, *Mez & Sod. ex Mez*, l. c. 111.—Ecuador.  
Michellii, *Mez*, l. c. iii. (1903) 226.—N. Granat.  
nicaraguensis, *Mez & C. F. Baker*, ex *Mez*, in *Bull. Torr. Bot. Club*, 1903, 436.—Am. cent.  
panniculata, *Mez*, in *Bull. Herb. Boiss.* Sér. II. v. 116.—Peruv.  
platysepala, *Mez & C. F. Baker*, ex *Mez*, in *Bull. Torr. Bot. Club*, 1903, 437.—Am. cent.  
Sodiroyana, *Mez*, in *Bull. Herb. Boiss.* Sér. II. v. 114.—Ecuador.  
strobilifera, *Mez & Wercklé*, ex *Mez*, l. c. 110.—Am. cent.  
Weberbaueri, *Mez*, l. c. 114.—Peruv.

**GYMINDA**, Sarg. (Celastr.).

[MYGINDA, Jacq. I. K. S. I.]  
latifolia, *Urb. Symb. Antill.* v. 80 (= *Myginda latifolia*).—Ind. occ.

**GYMNADENIA**, R. Br. (Orchid.).

Aschersonii, *Bruegg.* ex *M. Schulze*, in *Mitth. Thüring. Bot. Ver.* n. s. xix. 118.—Hybr.  
Chidori, *Makino*, in *Bot. Mag. Tokyo*, xv. 47 (= *Habenaria Chidori*).—Japon.  
Chodati, *Lendn.* ex *Schroet.* in *Ber. Schweiz. Bot. Ges.* xiv. 116.—Hybr.  
crassinervis, *Finet*, in *Rev. Gén. Bot.* xiii. 514.—China.  
Faberii, *Rolfe*, in *Journ. Linn. Soc.* xxxvi. 52 (= *Habenaria Faberii*).—China.  
hemipilioides, *Finet*, in *Rev. Gén. Bot.* xiii. 515.—China.  
Mitostigma, *Makino*, in *Bot. Mag. Tokyo*, xix. 70 (= *Mitostigma gracilis*).—Japon.  
pseudo-diphylax, *Kraenzl.* in *Engl. Jahrb.* xxxvi. Beibl. lxxxii. 25.—China.  
scabrilunguis, *Kraenzl.* l. c. 26.—China.  
secundiflora, *Kraenzl.* *Orchid. Gen. et Sp.* i. 936 (= *Habenaria secundiflora*).—Ind. or.

**GYMNADENIOPSIS**, Rydb. in Britton, Man. Fl. N. U. S. 293 (1901). ORCHIDACEAE.

clavellata, *Rydb.* l. c. (= *Habenaria clavellata*).—Am. bor.

**GYMNADENIOPSIS** :—

integra, *Rydb.* in *Britton, Man. Fl. N. U. S.* 293 (= *Habenaria integra*).—Am. bor.  
nivea, *Rydb.* l. c. (= *Habenaria nivea*).—Am. bor.

**GYMNANDRA**, Pall. = **Lagotis**, Gaertn. (Selag.).

Thomsoni, C. B. Clarke, ex Hemsl. in *Journ. Linn. Soc.* xxxv. 194 = *L. decumbens*.

**GYMNANTHES**, Sw. (Euphorb.).

albicans, *Urb. Symb. Antill.* iii. 312 (= *Sebastiania albicans*).—Ind. occ.  
recurva, *Urb.* l. c.—Ind. occ.

**GYMNEMA**, R. Br. (Asclep.).

melananthum, *K. Schum.* in *Warb. Kunene-Sambesi Exped.* 344.—Afr. trop.  
Schlechterianum, *Warb.* in *Perkins, Frag. Fl. Philipp.* i. 123.—Ins. Philipp.  
suborbiculare, *K. Schum.* in *K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 354.—N. Guin.

**GYMNOLOMIA**, H. B. & K. (Compos.).

auriculata, *T. S. Brandegee*, in *Zoe*, v. 223 (1905).—Mexic.  
Jelskii, *Hieron.* in *Engl. Jahrb.* xxxvi. 487.—Peruv.  
nevadensis, *A. Nelson*, in *Coult. Bot. Gaz.* xxxvii. 271.—Am. bor.  
Pittieri, *Greenm.* in *Proc. Amer. Acad.* xxxix. 101.—Am. cent.

**GYMNOPODIUM**, Rolfe, in Hook. Ic. Pl. t. 2699 (1901). POLYGONACEAE.

floribundum, *Rolfe*, l. c.—Am. cent.

**GYMNOPOGON**, Beauv. (Gramin.).

biflorus, *Pilg.* in *Engl. Jahrb.* xxx. 139.—Bras.

**GYMNOSIPHON**, Blume (Burm.).

capitatus, *Urb. Symb. Antill.* iii. 439 (= *Ptychomeria capitata*).—Bras.  
fimbriatus, *Urb.* l. c. 438 (= *Ptychomeria fimbriata*).—Bras.  
Germani, *Urb.* l. c. 444.—Ind. occ.  
Glaziovii, *Urb.* l. c. 438.—Bras.  
muticus, *Urb.* l. c. (= *Ptychomeria mutica*).—Bras.  
niveus, *Urb.* l. c. 444 (= *Ptychomeria nivea*).—Ind. occ.  
parviflorus, *Urb.* l. c. 443.—Ind. occ.  
portoricensis, *Urb.* l. c. 445.—Ind. occ.  
pusillus, *Urb.* l. c. 438.—Bras.  
sphaerocarpus, *Urb.* l. c. 442.—Ind. occ.  
suaveolens, *Urb.* l. c. 438 (= *Benitzia suaveolens*).—Venez.  
tenellus, *Urb.* l. c. (= *Ptychomeria tenella*).—Bras.

**GYMNOSPORIA**, Benth. & Hook. f. (Celastr.).

angustifolia, *Bolus & Wolley-Dod*, in *Trans. S. Afr. Phil. Soc.* xiv. 247 (= *Scytophyllum angustifolium*).—Afr. austr.  
Baumii, *Loes.* in *Warb. Kunene-Sambesi Exped.* 291.—Afr. trop.  
buxifolioides, *Loes.* in *Engl. Jahrb.* xxx. 344.—Afr. trop.  
Dinteri, *Loes.* in *Bull. Herb. Boiss.* Sér. II. iii. 823.—Afr. trop.  
glaucula, *Loes.* in *Engl. Jahrb.* xxviii. 154 (= *Elaeodendron glaucum*, *Szyszl.*).—Afr. austr.  
Goetzeana, *Loes.* l. c. xxx. 344.—Afr. trop.  
laurina, *Bolus & Wolley-Dod*, in *Trans. S. Afr. Phil. Soc.* xiv. 247 (= *Celastrus laurinus*).—Afr. austr.  
rhombifolia, *Bolus & Wolley-Dod*, l. c. (= *Celastrus rhombifolius*).—Afr. austr.  
sikkimensis, *Prain*, in *Journ. As. Soc. Beng.* lxxiii. 198.—Reg. Himal.

**GYMNOSTACHYUM**, Nees (Acanth.).

longifolium, *T. Anders.* ex *Cooke*, *Fl. Bomb.* ii. 377.—Ind. or.

**GYMNOSTEPHIUM**, Less. (Compos.).

leve, *Bolus*, in *Trans. S. Afr. Phil. Soc.* xvi. 138.—Afr. austr.

**GYMNOSTERIS**, Greene (Polemon.).

parvula, *A. A. Heller*, *Muhlenbergia*, i. 3 (= *Gilia parvula*).—Am. bor.

**GYMNOURATELLA**, Van Tiegh. in Bull. Mus. Hist. Nat. Par. viii. (1902) 375 = **Ouratea**, Aubl. (Ochnac.).

pendula, *Van Tiegh.* l. c. = *O. pendula*.

**GYNANDRIRIS**, Parl. = **Iris**, Tourn. (Irid.).

littorea, *Jord.* in *Jord. & Fourr. Ic. Fl. Eur.* ii. 27.—Corsica.  
monophylla, *Jord.* l. c.—Afr. bor.  
numidica, *Jord.* l. c.—Afr. bor.

**GYNERIUM**, Humb. & Bonpl. (Gramin.).

pilosum, *Macl.* in *Rep. Princeton Univ. Exped. Patag.* viii. 213.—Ins. Falkland.  
rudiusculum, *Kuntze*, ex *Stuck.* in *Anal. Mus. Buenos Aires*, xi. 125 (= *Cortaderia rudiuscula*).—Reg. Argent.

**GYNOGLOTTIS**, J. J. Sm. in Rec. Trav. Bot. Neerl. i. (1904) 49. ORCHIDACEAE.

cymbidioides, *J. J. Sm.* l. c. (= *Coelogyne cymbidioides*).—Sumatra.

**GYNOPOGON**, Forst. = **Alyxia**, Banks (Apocyn.).

flavescens, *Pierre*, in *L. Planch. Prod. Apocyn.* (1894) 261 = *A. flavescens*.  
monilifera, *Merrill*, in *Philipp. Gov. Lab. Bur. Bull.* xxvii. 58 = *A. monilifera*.  
parvifolia, *Merrill*, l. c. xxix. 46.—Ins. Philipp.  
pisiforme, *Pierre*, in *L. Planch. Prod. Apocyn.* (1894) 261 = *A. pisiformis*.  
spicatum, *J. Britten*, *Bot. Cook Voy.* 60 = *A. spicata*.

**GYNOSTEMMA**, Blume (Cucurb.).

pentaphylla, *Makino*, in *Bot. Mag. Tokyo*, xvi. 179 (= *Vitis pentaphylla*).—Japon.

**GYNOTROCHES**, Blume (Rhizoph.).

parvifolia, *Merrill*, in *Philipp. Gov. Lab. Bur. Bull.* xxxv. 46.—Ins. Philipp.

**GYNOXYS**, Cass. (Compos.).

calyculisolvens, *Hieron.* in *Engl. Jahrb.* xxxvi. 504.—Peruv.  
chagalensis, *Hieron.* l. c. xxviii. 630.—Ecuador.  
columbiana, *Hieron.* l. c. 631 (= *Liabum columbianum*).—N. Granat.  
cutervensis, *Hieron.* l. c. xxxvi. 506.—Peruv.  
Jelskii, *Hieron.* l. c. 507.—Peruv.  
Lehmannii, *Hieron.* l. c. xxviii. 629.—N. Granat.  
Szyszyłowiczii, *Hieron.* l. c. xxxvi. 505.—Peruv.

**GYNURA**, Cass. (Compos.).

elliptica, *Yabe & Hayata*, ex *Hayata*, in *Journ. Coll. Sci. Tokyo*, xviii. no. 8, 25.—Formosa.  
japonica, *Makino*, in *Bot. Mag. Tokyo*, 1904, 51 (= *Senecio japonicus*).—Japon.  
pinnatifida, *Vaniot*, in *Bull. Acad. Géogr. Bot.* xii. (1903) 489.—China.  
Proschii, *Brig.* in *Ann. Conserv. & Jard. Bot. Genève*, vi. 8.—Afr. trop.  
sinica, *Diels*, in *Engl. Jahrb.* xxix. 618.—China.

**GYPSOPHILA**, Linn. (Caryophyll.).

heteropoda, *Frey*, in *Bull. Herb. Boiss.* Sér. II. iii. 865.—As. cent.  
macedonica, *Vandas*, in *Magyar Bot. Lap.* iv. 111.—Turcia.  
modesta, *Bornm.* in *Bull. Herb. Boiss.* Sér. II. v. 62.—Persia.  
planifolia, *H. Winkl.* in *Kjoeb. Vidensk. Meddel.* (1901) 1902, 48.—As. cent.  
serbica, *Degen*, in *Magyar Bot. Lap.* iv. 122.—Serbia.  
Vaccaria, *Clarke*, ex *Towns. Fl. Hamp.* ed. II. 72 (= *Saponaria Vaccaria*).—Eur.; As. Min.; Sibir.

**GYROSTACHYS**, Pers. = **Spiranthes**, Rich. (Orchid.).

cernua, *Shafer*, in *Ann. Carneg. Mus.* i. 104.—Am. bor.  
gracilis, *Shafer*, l. c.—Am. bor.  
laciniata, *Small*, *Fl. S. E. U. S.* 318.—Am. bor.  
linearis, *Rydb.* in *Britton, Man. Fl. N. U. S.* 300.—Am. bor.  
ochroleuca, *Rydb.* l. c.—Am. bor.  
stricta, *Rydb.* l. c. 299.—Am. bor.  
xyridifolia, *Small*, *Fl. S. E. U. S.* 318.—Am. bor.

**GYROSTEMON**, Desf. (Phytolacc.).

oligogynus, *F. Muell.* ex *Diels & Pritz.* in *Engl. Jahrb.* xxxv. 195 = *ramulosus*.  
Sheathii, *Fitzg.* in *Journ. Muell. Soc. W. Austral.* i. no. 11, 81.—Austral.  
subnudus, *Diels*, in *Engl. Jahrb.* xxxv. 195 (= *Amperaea subnuda*).—Austral.  
vimineus, *Fitzg.* in *Journ. W. Austral. Nat. Hist. Soc.* i. 30.—Austral.



## H

**HABENARIA**, Willd. (Orchid.).

- aggregata, *Howell, Fl. N. W. Amer.* i. 628.—Am. bor.  
 amplifolia, *Cheesem. in Trans. Linn. Soc. Ser. II.* vi. 298.—Ins. Cook.  
 Andrewseii, *White, in Niles, Bog-Trott. Orch.* 258.—Hybr.  
 Busseana, *Kraenzl. in Engl. Jahrb.* xxxiii. 54.—Afr. trop.  
 celebica, *Kraenzl. Orchid. Gen. et Sp.* i. 902.—Celebes.  
 chloroceras, *Kraenzl. in Fedde, Repert. Nov. Sp.* i. 89.—Peruv.  
 chloroleuca, *Schlechter, in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 77.—N. Guin.  
 dactylostigma, *Kraenzl. in Engl. Jahrb.* xxx. 281.—Afr. trop.  
 Delavayi, *Finet, in Rev. Gén. Bot.* xiii. 527.—China.  
 dracaenifolia, *Schlechter, in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 77.—N. Guin.  
 Elisabethae, *Duthie, in Journ. As. Soc. Beng.* lxxi. 44; *et in Collett, Fl. Siml.* 505.—Reg. Himal.  
 epiphylla, *Schlechter, in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 78.—N. Guin.  
 Fargesii, *Finet, in Rev. Gén. Bot.* xiii. 528.—China.  
 fragrans, *Niles, Bog-Trott. Orch.* 253.—Am. bor.  
 galipanensis, *Kraenzl. in Fedde, Repert. Nov. Sp.* i. 88.—Venez.  
 Habenaria, *Small, Fl. S. E. U. S.* 316 (= *Orchis Habenaria*).—Am. bor.  
 Hassleriana, *Cogn. in Bull. Herb. Boiss. Sér. II.* iii. 929, nomen.—Parag.  
 Haullevilleana, *Wildem. in Ann. Mus. Congo, Sér. IV.* 172.—Afr. trop.  
 holothrix, *Schlechter, in Warb. Kunene-Sambesi Exped.* 204.—Afr. trop.  
 Kitondo, *Wildem. in Ann. Mus. Congo, Sér. IV.* 23.—Afr. trop.  
 kubangensis, *Schlechter, in Warb. Kunene-Sambesi Exped.* 205.—Afr. trop.  
 Laurentii, *Wildem. Notices Pl. Utiles Congo*, 325.—Afr. trop.  
 macroplectron, *Schlechter, in Warb. Kunene-Sambesi Exped.* 206.—Afr. trop.  
 magnifica, *Fritsch, in Bull. Herb. Boiss. Sér. II.* i. 1112.—Afr. trop.  
 media, *Niles, Bog-Trott. Orch.* 252.—Am. bor.  
 microgymnadenia, *Kraenzl. in Engl. Jahrb.* xxxvi. Beibl. lxxvii. 23.—China.  
 monophylla, *Schlechter, in Warb. Kunene-Sambesi Exped.* 206.—Afr. trop.  
 multiflora, *Blank, in Montana Agric. Coll. Sci. Studies, Bot.* i. 45 (= *Piperia multiflora*).—Am. bor.  
 myriantha, *Kraenzl. in Notizbl. Bot. Gart. Berl.* iii. (1903) 237.—Afr. or. trop.  
 narcissiflora, *Kraenzl. in Engl. Jahrb.* xxx. 282.—Afr. trop.  
 Novae-Hiberniae, *Schlechter, in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 79.—Ins. Bismarck.  
 Nuttallii, *Small, Fl. S. E. U. S.* 315.—Am. bor.  
 oblongifolia, *Niles, Bog-Trott. Orch.* 250.—Am. bor.  
 oreophila, *Greenm. in Proc. Amer. Acad.* xxxix. 76.—Mexic.  
 parvipetala, *J. J. Sm. Orchid. Java.* 41.—Java.  
 paulensis, *Porsch, in Oesterr. Bot. Zeitschr.* 1905, 150.—Bras.  
 pentaglossa, *Kraenzl. in Engl. Jahrb.* xxxiii. 55.—Afr. trop.  
 perfoliata, *Kraenzl. in Bull. Herb. Boiss. Sér. II.* ii. 942.—Afr. austr. or.  
 Pilgeri, *Schlechter, in Pilg. in Engl. Jahrb.* xxx. 149.—Bras.  
 polyschista, *Schlechter, in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 80.—N. Guin.  
 Rautaneni, *Kraenzl. in Bull. Herb. Boiss. Sér. II.* iv. 1008.—Afr. trop.  
 Rautaneniana, *Kraenzl. l. c.* ii. 941.—Afr. trop.  
 rhopaloceras, *Schlechter, in Warb. Kunene-Sambesi Exped.* 207.—Afr. trop.  
 roraimensis, *Rolfe, in Trans. Linn. Soc. Ser. II.* vi. 65.—Guian.  
 Sanbornei, *Ames, in Donn. Sm. Enum. Pl. Guatem.* vii. 51, sphalm. = seq.

**HABENARIA** :—

- Sanbornii, *Ames, in Proc. Biol. Soc. Washington*, xvi. 117.—Ind. occ.; Am. cent.  
 shensiana, *Kraenzl. in Engl. Jahrb.* xxxvi. Beibl. lxxvii. 24.—China.  
 Simpsonii, *Small, Fl. S. E. U. S.* 315.—Am. bor.  
 Spegazziniana, *Kraenzl. in Engl. Jahrb.* xxxvi. Beibl. lxxx. 10.—Reg. Argent.  
 stenoloba, *Schlechter, in Engl. Jahrb.* xxxviii. 1.—Afr. trop.  
 stenorhynchus, *Kraenzl. in Engl. Jahrb.* xxxiii. 55.—Afr. trop.  
 stereophylla, *Kraenzl. Orch. Gen. et Sp.* i. 950; *Engl. Jahrb.* xxx. 280.—Afr. trop.  
 torricellensis, *Schlechter, in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 80.—N. Guin.  
 tosariensis, *J. J. Sm. Orchid. Java*, 43.—Java.  
 trachychila, *Kraenzl. in Bull. Herb. Boiss. Sér. II.* iv. 1007.—Afr. austr.  
 trachypetala, *Kraenzl. in Engl. Jahrb.* xxx. 281.—Afr. trop.  
 turmerensis, *Kraenzl. in Fedde, Repert. Nov. Sp.* i. 89.—Venez.  
 Wacketii, *Porsch, in Oesterr. Bot. Zeitschr.* 1905, 150.—Bras.  
 yomensis, *Gage, in Rec. Bot. Surv. India*, iii. 105.—Burma.  
 yunnanensis, *Rolfe, in Journ. Linn. Soc.* xxxvi. 61.—China.

**HABENELLA**, *Small, Fl. S. E. U. S.* 316 (1903). ORCHIDACEAE.

Garberi, *Small, l. c.* (= *Habenaria Garberi*).—Am. bor.

**HABERLEA**, *Frivald. (Gesner.)*.

- Ferdinand-Coburgii, *Urumoff, in Period. Spisan.* lxi. (1902); *cf. Bot. Centralbl.* xcii. (1903) 207.—Eur.

**HAEMANTHUS**, *Tourn. (Amaryll.)*.

- Arnoldianus, *Wildem. & Th. Dur. in Bull. Soc. Bot. Belg.* xl. 30.—Afr. trop.  
 congolensis, *Wildem. in Journ. Soc. Nat. Hortic. Fr.* 1902, 292.—Afr. trop.  
 Demeusei, *Wildem. l. c.* 291.—Afr. trop.  
 diadema, *Linden, ex Wildem. l. c.* 294.—Afr. trop.  
 fascinator, *Linden, ex Wildem. l. c.* 288.—Afr. trop.  
 Goetzei, *Harms, in Engl. Jahrb.* xxx. 276.—Afr. trop.  
 Laurentii, *Wildem. in Journ. Soc. Nat. Hortic. Fr.* 1902, 289; *Ann. Soc. Sci. Brux.* xxvii. (1903) ii. 110.—Afr. trop.  
 Lescauwatii, *Wildem. in Gard. Chron.* 1904, i. 274.—Afr. trop.  
 longitubus, *C. H. Wright, in Journ. Linn. Soc.* xxxvii. 114.—Afr. trop.  
 Radcliffei, *Rendle, in Journ. Linn. Soc.* xxxvii. 223.—Afr. trop.

**HAEMATOSTAPHIS**, *Hook. f. (Anacard.)*.

Pierreana, *Engl. Jahrb.* xxxvi. 219.—Afr. trop.

**HAKEA**, *Schrad. (Proteac.)*.

- arida, *Diels, in Engl. Jahrb.* xxxv. 162.—Austral.  
 dolichostyla, *Diels, l. c.* 166.—Austral.  
 polyanthema, *Diels, l. c.* 161.—Austral.  
 Pritzellii, *Diels, l. c.* 163.—Austral.

**HALACSYA**, *Doerfl. Sched. Cent. xlv. vol. ii.* 103; *et in Allg. Bot. Zeitschr.* 1903, 47. BORAGINACEAE.

Sendtneri, *Doerfl. l. c.* (= *Zwackhia aurea*).—Eur.

**HALANTHIUM**, *C. Koch (Chenopod.)*.

- Lipskii, *Paulsen, in Kjoeb. Vidensk. Meddel.* 1903, 203.—As. cent.

**HALENIA**, *Borckh. (Gentian.)*.

- chlorantha, *Greenm. in Proc. Amer. Acad.* xli. 240.—Mexic.

**HALGANIA**, *Gaudich. (Borag.)*.

- argyrophylla, *Diels, in Engl. Jahrb.* xxxv. 491.—Austral.

**HALIMTIUM**, *Willk. (Cistac.)*.

[*HELIANTHEMUM*, *Tourn. I. K.*]

- alyssoides, *Gross, in Engl. Pflanzenreich, Cistac.* 37 (= *Hel. alyssoides*).—Eur.  
 arenicola, *Gross, l. c.* 49 (= *Hel. arenicola*).—Am. bor.  
 argenteum, *Gross, l. c.* 47 (= *Hel. argenteum*).—Mexic.

**HALIMIUM** :—

- brasiliense, *Gross, in Engl. Pflanzenreich, Cistac.* 45 (= *Hel. brasiliense*).—Am. austr.  
 canadense, *Gross, l. c.* 51 (= *Hel. canadense*).—Am. bor.  
 carolinianum, *Gross, l. c.* 44 (= *Hel. carolinianum*).—Am. bor.  
 chihuahuae, *Gross, l. c.* 45 (= *Hel. chihuahuae*).—Mexic.  
 corymbosum, *Gross, l. c.* 50 (= *Hel. corymbosum*).—Am. bor.  
 Coulteri, *Gross, l. c.* 46 (= *Hel. Coulteri*).—Mexic.  
 georgianum, *Gross, l. c.* 51 (= *Hel. georgianum*).—Am. bor.  
 glomeratum, *Gross, l. c.* 47 (= *Hel. glomeratum*).—Mexic.  
 majus, *Gross, l. c.* 50 (= *Hel. majus*).—Am. bor.  
 Nashii, *Gross, l. c.* 49 (= *Hel. Nashii*).—Am. bor.  
 patens, *Gross, l. c.* 46 (= *Hel. patens*).—Mexic.  
 Pringlei, *Gross, ex Loesen, in Bull. Herb. Boiss. Sér. II.* iii. (1903) 214; *Engl. Pflanzenreich, Cistac.* 46 (= *Hel. Pringlei*).—Mexic.  
 rosmarinifolium, *Gross, in Engl. Pflanzenreich, Cistac.* 49 (= *Hel. rosmarinifolium*).—Am. bor.  
 scoparium, *Gross, l. c.* 35 (= *Hel. scoparium*).—Calif.  
 spartioides, *Gross, l. c.* (= *Hel. spartioides*).—Chili.

**HALOPEGIA**, *K. Schum. in Engl. Pflanzenreich, Marant. (1902) 49. SCITAMINEAE.*

- azurea, *K. Schum. l. c.* 50 (= *Donax azurea*).—Afr. trop.  
 Blumei, *K. Schum. l. c.* 51 (= *Clinogyne Blumei*).—Java.  
 Cadelliana, *K. Schum. l. c.* (= *Phrynium Cadelliana*).—Ind. or.  
 macrostachya, *K. Schum. l. c.* 50 (= *Phrynium macrostachyum*).—Ind. or.

**HALOPHILA**, *Thou. (Hydroch.)*.

- Aschersonii, *Ostenf. in Bot. Tidsskr.* xxiv. 239.—Ind. occ.  
 decipiens, *Ostenf. l. c.* 260.—Malaya.

**HALOPHYTUM**, *Speg. in Anal. Mus. Buenos Aires, vii. (1902) 152. CHENOPODIACEAE.*

Ameghinoi, *Speg. l. c.* 153 (= *Tetragonia Ameghinoi*).—Patag.

**HALORAGIS**, *Forst. (Halorag.)*.

- aenea, *Schindl. in Engl. Pflanzenreich, Halorrh.* 34.—Austral.  
 breviloba, *Schindl. in Engl. Jahrb.* xxxiv. Beibl. lxxvii. 5, nomen; *et in Engl. Pflanzenreich, Halorrh.* 56.—Austral.  
 Brownii, *Schindl. in Engl. Jahrb.* xxxiv. Beibl. lxxvii. 5; *et in Engl. Pflanzenreich, Halorrh.* 54 (= *Meionectes Brownii*).—Austral.  
 coronopifolia, *Schindl. in Engl. Jahrb.* xxxiv. Beibl. lxxvii. 62, nomen; *et in Engl. Pflanzenreich, Halorrh.* 56.—Austral.  
 diffusa, *Diels, in Engl. Jahrb.* xxxv. 447.—Austral.  
 erecta, *Eichl. Blüthendiagr.* ii. (1878) 463 (= *Cercodia erecta*).—Am. austr.; N. Zel.  
 laevis, *Schindl. in Engl. Jahrb.* xxxiv. Beibl. lxxvii. 31, nomen; *et in Engl. Pflanzenreich, Halorrh.* 51.—Austral.  
 longifolia, *Schindl. l. c.* 57, nomen; *et l. c.* 35.—Austral.  
 Meziana, *Schindl. l. c.* 30, nomen; *et l. c.* 29.—Austral.  
 pedicellata, *Schindl. l. c.* 31, nomen; *et l. c.* 51.—Austral.  
 podantha, *Schindl. in Engl. Jahrb.* xxxiv. Beibl. lxxvii. 40, nomen.—Hab. ?  
 Roei, *Schindl. l. c.* 46, nomen.—Austral.  
 rubra, *Schindl. l. c.* 30, nomen; *et in Engl. Pflanzenreich, Halorrh.* 30.—Austral.  
 tenuis, *Schindl. in Engl. Pflanzenreich, Halorrh.* 27.—Austral.  
 veronicifolia, *Schindl. in Engl. Jahrb.* xxxiv. Beibl. lxxix. 44, nomen; *et in Engl. Pflanzenreich, Halorrh.* 35.—Austral.  
 villosa, *Schindl. in Engl. Pflanzenreich, Halorrh.* 31.—Austral.  
 viridis, *Schindl. in Engl. Jahrb.* xxxiv. Beibl. lxxix. 44, nomen; *et in Engl. Pflanzenreich, Halorrh.* 46.—Austral.

**HALOXYLON**, Bunge (Chenopod.).  
tamariscifolium, *Pau*, in *Bol. Soc. Arag.* ii. 71 (= *Anabasis tamariscifolius*).—Hispan.

**HAMADRYAS**, Comm. (Ranunc.).  
*Delphinium*, Maccl. in Rep. Princeton Univ. Exped. Patag. viii. 413, sphalm.= *Delfini*.  
sempervivoides, *Sprague*, in *Hook. Ic. Pl.* t. 2748.—Patag.

**HAMOSA**, Medic. = **Astragalus**, Tourn. (Legum.).  
*austrina*, Small, Fl. S. E. U. S. 618.—Am. bor.  
*leptocarpa*, Rydb. in Small, l. c. 617 = *A. leptocarpus*.  
*Lindheimeri*, Rydb. in Small, l. c. = *A. Lindheimeri*.  
*macilenta*, Small, l. c. 618.—Am. bor.  
*Nuttalliana*, Rydb. in Small, l. c. 617 = *A. Nuttallianus*.  
*scaposa*, Rydb. in Bull. Torr. Bot. Club, 1905, 659 = *A. scaposus*.

**HANCOCKIA**, Rolfe, in Journ. Linn. Soc. xxxvi. 20 (1903). **ORCHIDACEAE**.  
*uniflora*, Rolfe, l. c.—China.

**HANCORNIA**, Gomez (Apocyn.).  
*Amapa*, Huber, in *Bol. Mus. Para.* iii. 443; iv. 404.—Bras.

**HANNOA**, Planch. (Simarub.).  
*chlorantha*, Engl. & Gilg, in *Warb. Kunene-Sambesi Exped.* 270.—Afr. trop.  
*ferruginea*, Engl. *Jahrb.* xxxii. 122.—Afr. trop.

**HAPLOCHILUS**, Endl. = **Zeuxine**, Lindl. (Orchid.).  
*viridiflorum*, J. J. Sm. in *Ic. Bogor.* t. 105 B.—Celebes.

**HAPLOCHOREMA**, K. Schum. (Zingib.).  
*oligospermum*, K. Schum. in *Engl. Pflanzenreich, Zingib.* 90 (= *Kaempferia oligosperma*).—Borneo.  
*petiolatum*, K. Schum. l. c.—Borneo.

**HAPLOPHYLLUM**, Reichb. = **APLOPHYLLUM**, A. Juss. = **Ruta**, Linn. (Rutac.).  
*balcanicum*, Vandas, in *Magyar Bot. Lap.* iv. 264.—Turcia.  
*brevipilum*, Freyn, in Bull. Herb. Boiss. Sér. II. iv. 37.—Turkestan.  
*sublanatum*, Freyn, l. c. 36.—Turkestan.  
*wanense*, Freyn, l. c. i. 262.—Oriens.

**HARMALA**, Tourn. = **Peganum**, Linn. (Rutac.).  
*syriaca*, Bub. Fl. Pyren. iii. 354 = *P. Harmala*.

**HARMSIA**, K. Schum. (Stercul.).  
*emarginata*, Schinz. in Bull. Herb. Boiss. Sér. II. ii. 1006.—Afr. trop.  
*microblastos*, K. Schum. in *Engl. Jahrb.* xxxiii. 308.—Afr. trop.

**HARMSIELLA**, Briq. = **Chartocalyx**, Regel (Labiata.).  
*Olgae*, K. Schum. in Just, *Jahresb.* xxviii. i. 484 = *C. Olgae*.

**HARMSIOPANAX**, Warb. (Aral.).  
[*HORSFIELDIA*, Bl. I. K.]  
*aculeata*, K. Schum. in *Just, Jahresb.* xxviii. i. 430 (= *Horsfieldia aculeata*).—Java.  
*Harmsii*, K. Schum. in K. Schum. & Lauterb. *Nachtr. Fl. Deutsch. Südsee*, 329.—N. Guin.

**HARPALYCE**, Moc. & Sesse (Legum.).  
*Goldmani*, Rose, in U. S. Dept. Agric. *Contrib. Nat. Herb.* viii. 313.—Mexic.  
*mexicana*, Rose, l. c. 42.—Mexic.  
*Pringlei*, Rose, l. c.—Mexic.  
*retusa*, Rose, l. c. 43 (= *Brongniartia retusa*).—Mexic.

**HARPERIA**, Fitzg. in Journ. W. Austral. Nat. Hist. Soc. i. (1904) 34. **RESTIACEAE**.  
*lateriflora*, Fitzg. l. c. 35.—Austral.

**HARPERIA**, Rose, in Proc. U. S. Nat. Mus. xxix. (1905) 441. **UMBELLIFERAE**.  
*nodosa*, Rose, l. c.—Am. bor.

**HARPULLIA**, Roxb. (Sapind.).  
*Weinlandii*, K. Schum. in K. Schum. & Lauterb. *Nachtr. Fl. Deutsch. Südsee*, 310.—N. Guin.

**HARRIMANELLA**, Coville, in Proc. Wash. Acad. Sci. iii. (1901) 569. **ERICACEAE**.  
*hypnoides*, Coville, l. c. 575 (= *Cassiope hypnoides*).—Reg. arct. et subarct.  
*Stelleriana*, Coville, l. c. 570, 574 (= *Cassiope Stelleriana*).—Reg. arct. et subarct.

**HARTIA**, Dunn, in Hook. Ic. Pl. t. 2727 (1902). **TERNSTROEMACEAE**.  
*sinensis*, Dunn, l. c.—China.

**HARTMANNIA**, Spach = **Oenothera**, Linn. (Onagr.).  
*Berlandieri*, Rose, in U. S. Dept. Agric. *Contrib. Nat. Herb.* viii. 328 = *O. Delessertiana*.  
*cuprea*, Rose, l. c. = *O. cuprea*.  
*dissecta*, Rose, l. c. = *O. dissecta*.  
*Havardii*, Rose, l. c. = *O. Havardi*.  
*latiflora*, Rose, l. c. 329 = *O. latiflora*.  
*montana*, Rose, l. c.—Mexic.  
*Palmeri*, Rose, l. c.—Mexic.  
*Reverchoni*, Rose, l. c.—Am. bor.

**HARVEYA**, Hook. (Scrophul.).  
*Bodkini*, Hiern, in *Dyer, Fl. Cap.* iv. ii. 410.—Afr. austr.  
*Huttoni*, Hiern, l. c.—Afr. austr.  
*macrantha*, Engl. & Gilg, in *Warb. Kunene-Sambesi Exped.* 369.—Afr. trop.  
*pauciflora*, Hiern, in *Dyer, Fl. Cap.* iv. ii. 408 (= *Aulaya pauciflora*).—Afr. austr.  
*Randii*, Hiern, in *Journ. Bot.* 1903, 197.—Afr. austr.  
*stenosiphon*, Hiern, in *Dyer, Fl. Cap.* iv. ii. 406.—Afr. austr.  
*sulphurea*, Hiern, l. c. 405.—Afr. austr.  
*vestita*, Hiern, l. c. 406.—Afr. austr.

**HASSEANTHUS**, Rose, ex Britton & Rose, in Bull. N. York Bot. Gard. iii. (1903) 37. **CRASSULACEAE**.  
*Blochmanae*, Rose, l. c. (= *Sedum Blochmanae*).—Calif.  
*elongatus*, Rose, l. c.—Calif.  
*multicaulis*, Rose, l. c. 38.—Calif.  
*variegatus*, Rose, l. c. 37 (= *Sedum variegatum*).—Calif.

**HASSELLTIA**, H. B. & K. (Tiliac.).  
*peruviana*, Pilg. in *Verh. Bot. Ver. Brand.* xlvii. (1905) 160.—Peruv.

**HASSLEROPSIS**, Chod. in Bull. Herb. Boiss. Sér. II. iv. 285 (1904). **SCROPHULARIACEAE**.  
*spinosa*, Chod. l. c.—Parag.

**HAVARDIA**, Small, in Bull. N. York Bot. Gard. ii. (1901) 91. **LEGUMINOSAE**.  
*brevifolia*, Small, l. c. vi. 92 (= *Pithecolobium brevifolium*).—Am. bor.

**HAWORTHIA**, Duval (Liliac.).  
*subspicata*, Baker, in Bull. Herb. Boiss. Sér. II. iv. 998.—Afr. austr.

**HAYLOCKIA**, Herb. (Amaryll.).  
*andina*, R. Fries, in *Nov. Act. Soc. Sci. Upsal.* Ser. IV. i. no. 1, 160.—Reg. Argent.

**HEBENSTREITIA**, Linn. (Selag.).  
*Cooperi*, Rolfe, in *Dyer, Fl. Cap.* v. 100.—Afr. austr.  
*Dregei*, Rolfe, l. c. 109 (= *Polycenia fruticosa*).—Afr. austr.  
*elongata*, Bolus, ex Rolfe, l. c. 99.—Afr. austr.  
*fenestrata*, Rolfe, l. c. 109 (= *Polycenia fenestrata*).—Afr. austr.  
*lanceolata*, Rolfe, l. c. (= *Polycenia lanceolata*).—Afr. austr.  
*minutiflora*, Rolfe, l. c. 105.—Afr. austr.  
*polystachya*, Rolfe, l. c. 98.—Afr. austr.  
*pubescens*, Rolfe, l. c. 107.—Afr. austr.  
*Rehmanni*, Rolfe, l. c. 103.—Afr. austr.  
*sarcocarpa*, Bolus, ex Rolfe, l. c. 107.—Afr. austr.  
*Sutherlandi*, Rolfe, l. c. 99.—Afr. austr.  
*Watsoni*, Rolfe, l. c. 103.—Afr. austr.

**HEBERDENIA**, Banks (Myrsin.).  
[*MYRSINE*, Linn. I. K.]  
*penduliflora*, Mez, in *Engl. Pflanzenreich, Myrsin.* 159 (= *Myrsine penduliflora*).—Mexic.

**HECHTIA**, Klotzsch (Bromel.).  
*Liebmannii*, Mez, in *Engl. Jahrb.* xxx. Beibl. lxvii. 6.—Mexic.  
*myriantha*, Mez, l. c.—Mexic.  
*telhuacana*, Robinson, in *Proc. Bost. Soc. Nat. Hist.* xxxi. 265.—Mexic.

**HECKELIA**, K. Schum. in K. Schum. & Lauterb. *Nachtr. Fl. Deutsch. Südsee* (1905) 261. **MENISPERMACEAE**.  
*Nymanii*, K. Schum. l. c.—N. Guin.

**HEDEOMA**, Pers. (Labiata.).  
*lata*, Small, Fl. S. E. U. S. 1040.—Am. bor.  
*oblongifolia*, A. A. Heller, *Muhlenbergia*, i. 4.—Am. bor.  
*ovata*, A. Nelson, in Bull. Torr. Bot. Club, 1904, 245.—Am. bor.  
*scutellarioides*, Briq. in *Engl. & Prantl, Pflanzenf.* iv. III A. 294 (= *Keithia scutellarioides*).—Bras.

**HEDYCARYA**, Forst. (Monim.).  
*denticulata*, Perk. & Gilg, in *Engl. Pflanzenreich, Monim.* 19.—Ins. Pacif.

**HEDYCHIUM**, Koen. (Scitam.).  
*Bousigonianum*, Pierre, ex Gagnep. in Bull. Soc. Bot. Fr. ii. 457.—Cochinch.  
*erythrostemon*, K. Schum. in *Engl. Pflanzenreich, Zingib.* 47.—Celebes.  
*oblongum*, K. Schum. l. c. 48.—Java.  
*philippinense*, K. Schum. l. c. 47.—Ins. Philipp.  
*tenuiflorum*, K. Schum. l. c. 51.—Reg. Himal.

**HEDYOTIS**, Linn. (Rubiace.).  
*flexuosa*, Ridley, in *Journ. As. Soc. Straits*, xxxv. 15.—Penins. Mal.  
*Havilandi*, King, in *Journ. As. Soc. Beng.* lxxii. 164.—Malaya.  
*Kunstleri*, King, l. c. 162.—Penins. Mal.  
*peduncularis*, King, l. c. 161.—Penins. Mal.  
*Prainiana*, King, l. c. 158.—Penins. Mal.

**HEDYSARUM**, Tourn. (Legum.).  
*albiflorum*, B. Fedtsch. in *Act. Hort. Petrop.* xix. 252.—Am. bor.  
*ancyrense*, Freyn, in Bull. Herb. Boiss. Sér. II. i. 265.—Oriens.  
*auriculatum*, Eastw. in *Coult. Bot. Gaz.* xxxiii. 205.—Am. bor.  
*bucharicum*, B. Fedtsch. in *Act. Hort. Petrop.* xix. 322.—Oriens.  
*iomiticum*, B. Fedtsch. l. c. 246.—Oriens.  
*Krassnowi*, B. Fedtsch. in Bull. Herb. Boiss. Sér. II. iv. 916.—Turkestan.  
*minussinense*, B. Fedtsch. in *Act. Hort. Petrop.* xix. 292.—As. bor.  
*pabulare*, A. Nelson, in *Proc. Biol. Soc. Washington*, xv. 185.—Am. bor.  
*philoscia*, A. Nelson, l. c.—Am. bor.  
*pumilum*, B. Fedtsch. in *Act. Hort. Petrop.* xix. 309.—As. bor.  
*truncatum*, Eastw. in *Coult. Bot. Gaz.* xxxiii. 205.—Am. bor.  
*ucrainicum*, Kaschm. in Bull. Jard. Bot. Pétersb. v. 59.—Rossia.  
*utahense*, A. Nelson, in *Proc. Biol. Soc. Washington*, xv. 186.—Am. bor.  
*viciaefolium*, Freyn, in Bull. Herb. Boiss. Sér. II. i. 266.—Oriens.

**HEERIA**, Meissn. (Anacard.).  
[*ANAPHRENIUM*, E. Mey. I. K.]  
*argyrochrysea*, Engl. & Gilg, in *Warb. Kunene-Sambesi Exped.* 286.—Afr. trop.  
*Dekindtiana*, Engl. *Jahrb.* xxxii. 132.—Afr. trop.  
*Dinteri*, Schinz, in Bull. Herb. Boiss. Sér. II. iii. 822.—Afr. trop.  
*longipes*, Engl. & Gilg, in *Warb. Kunene-Sambesi Exped.* 287.—Afr. trop.  
*namaensis*, Schinz & Dinter, in Bull. Herb. Boiss. Sér. II. iii. 823.—Afr. austr.  
*stenophylla*, Engl. & Gilg, in *Warb. Kunene-Sambesi Exped.* 287.—Afr. trop.  
*xylophylla*, Engl. & Gilg, l. c. 285.—Afr. trop.

**HEINSENIA**, K. Schum. (Rubiace.).  
*Lujae*, Wildem. Pl. Nov. Hort. Then. i. 9.—Afr. trop.

**HEISTERIA**, Jacq. (Olac.).  
*lucida*, Glaz. in Bull. Soc. Bot. Fr. lii. Mém. III. 98, nomen.—Bras.  
*minor*, Glaz. l. c., nomen.—Bras.  
*stereoneura*, Pierre, ex Glaz. l. c., nomen.—Bras.

**HELENIUM**, Linn. (Compos.).  
*badium*, Greene, *Pittonia*, v. 55.—Am. bor.  
*campestre*, Small, Fl. S. E. U. S. 1291.—Am. bor.

**HELENIUM** :—

*Helenium*, Small, *Fl. S. E. U. S.* 1292 (= *Leptopoda Helenium*).—Am. bor.  
*incisum*, Small, l. c. (= *Leptopoda incisum*).—Am. bor.  
*integrifolium*, Mohr, in *U. S. Dept. Agric. Contrib. Nat. Herb.* vi. 811 (= *Leptopoda integrifolia*).—Am. bor.  
*polyphyllum*, Small, *Fl. S. E. U. S.* 1291.—Am. bor.

**HELIANTHELLA**, Torr. & Gray (Compos.).

*Cannonae*, Eastw. in *Zoe*, v. 82 (1900).—Calif.  
*Covillei*, A. Nelson, in *Coult. Bot. Gaz.* xxxvii. 273.—Am. bor.  
*iostephanoides*, Greenm. in *Proc. Amer. Acad.* xl. 41.—Mexic.  
*majuscula*, Greene, *Leaflets Bot. Obs.* i. 148.—Am. bor.

**HELIANTHEMUM**, Tourn. (Cistac.).

*alpestre*, Bub. *Fl. Pyren.* iii. 136 = *oelandicum*.  
*brachypodium*, L. Chevall, in *Bull. Herb. Boiss. Sér. II.* iii. 767.—Alger.  
*canum*, Gross, in *Engl. Pflanzenreich, Cistac.* 112 (= *Cistus canus*).—Reg. Medit.  
*erectum*, Bub. *Fl. Pyren.* iii. 139 = *lavandulaefolium*.  
*gracum*, Herb. Link, ex Gross, in *Engl. Pflanzenreich, Cistac.* 63 = *lavandulaefolium*.  
*mendocinense*, Eastw. ex Gross, l. c. 35 = *Halimium occidentale*.  
*nummularium*, Gross, in *Engl. Pflanzenreich, Cistac.* 109 (= *Cistus nummularius*).—Reg. Medit.  
*ruficomum*, Gross, l. c. 64 (= *Cistus ruficomus*).—Reg. Medit.  
*Schweinfurthii*, Gross, l. c. 95.—Arab.  
*Strickeri*, Gross, l. c. 92.—Cilicia.  
*thymifolium*, Bub. *Fl. Pyren.* iii. 135 = *glutinosum*.  
*thyrsoides*, Barnhart, in *Small, Fl. S. E. U. S.* 797.—Am. bor.  
*viscarioides*, Deb. & Reverch. in *Bull. Acad. Géogr. Bot.* xv. (1905) 31.—Hispan.

**HELIANTHUS**, Linn. (Compos.).

*ambiguus*, Britton, *Man. Fl. N. U. S.* 993.—Am. bor.  
*aridus*, Rydb. in *Bull. Torr. Bot. Club*, 1905, 127.—Am. bor.  
*carneus*, Small, in *Torreya*, ii. 75.—Am. bor.  
*Dalyi*, Britton, in *Journ. N. York Bot. Gard.* ii. 89.—Am. bor.  
*Eggertii*, Small, *Fl. S. E. U. S.* 1267.—Am. bor.  
*elongatus*, Small, l. c. 1266.—Am. bor.  
*fascicularis*, Greene, *Pl. Baker.* iii. 28.—Am. bor.  
*filiformis*, Small, *Fl. S. E. U. S.* 1265.—Am. bor.  
*illinoensis*, Gleason, in *Ohio Naturalist*, v. 214.—Am. bor.  
*Jelskii*, Hieron. in *Engl. Jahrb.* xxxvi. 490.—Peruv.  
*Kellermani*, Britton, *Man. Fl. N. U. S.* 994; et in *Ohio Nat.* ii. 181.—Am. bor.  
*oaxacanensis*, Greenm. in *Proc. Amer. Acad.* xxxix. 107.—Mexic.  
*resinosus*, Small, *Fl. S. E. U. S.* 1269.—Am. bor.  
*Rydbergi*, Britton, *Man. Fl. N. U. S.* 993.—Am. bor.  
*saxicola*, Small, *Fl. S. E. U. S.* 1268.—Am. bor.  
*scrophulariifolius*, Britton, *Man. Fl. N. U. S.* 995.—Am. bor.  
*subrhomboides*, Rydb. in *Britton, Man. Fl. N. U. S.* 992.—Am. bor.  
*Szyszyłowiczii*, Hieron. in *Engl. Jahrb.* xxxvi. 491.—Peruv.  
*utahensis*, A. Nelson, in *Bull. Torr. Bot. Club*, 1902, 405.—Am. bor.

**HELICHRYSUM**, Vaill. (Compos.).

*abietinum*, O. Hoffm. in *Engl. Jahrb.* xxx. 429.—Afr. trop.  
*achyroclinoides*, S. Moore, in *Journ. Linn. Soc.* xxxv. 332.—Afr. trop.  
*albo-brunneum*, S. Moore, l. c. 334.—Afr. trop.  
*Antunesii*, Volkens & O. Hoffm. in *Engl. Jahrb.* xxxii. 149.—Afr. trop.  
*Boormanii*, Maiden & Betcher, in *Proc. Linn. Soc. N. S. Wales*, xxx. 366.—Austral.  
*campanum*, S. Moore, in *Journ. Bot.* 1903, 399.—Afr. austr.  
*Ceres*, S. Moore, in *Journ. Linn. Soc.* xxxv. 337.—Afr. trop.  
*congolatum*, Schlechter & O. Hoffm. in *Warb. Kunene-Sambesi Exped.* 413.—Afr. trop.  
*Davyi*, S. Moore, in *Journ. Bot.* 1905, 169.—Afr. austr.  
*Dinteri*, S. Moore, in *Bull. Herb. Boiss. Sér. II.* iv. 1016.—Afr. trop.

**HELICHRYSUM** :—

*Elliotii*, S. Moore, in *Journ. Linn. Soc.* xxxv. 335.—Afr. trop.  
*Fleckii*, S. Moore, in *Bull. Herb. Boiss. Sér. II.* iv. 1017.—Afr. trop.  
*galbanum*, S. Moore, in *Journ. Linn. Soc.* xxxvii. 169.—Afr. trop.  
*Goetzeanum*, O. Hoffm. in *Engl. Jahrb.* xxx. 428.—Afr. trop.  
*Gregorii*, S. Moore, in *Journ. Linn. Soc.* xxxv. 335.—Afr. trop.  
*inodorum*, Fiori, in *Fiori & Paol. Fl. Ital.* iii. 280; *l. c.* *Fl. Ital.* 431.—Ital.  
*lepidissimum*, S. Moore, in *Journ. Bot.* 1903, 399.—Afr. austr.  
*nandense*, S. Moore, in *Journ. Linn. Soc.* xxxv. 333.—Afr. trop.  
*panduratum*, O. Hoffm. ex Wildem. & Th. Dur. in *Bull. Herb. Boiss. Sér. II.* i. 827.—Afr. trop.  
*plantaginifolium*, C. H. Wright, in *Kew Bull.* 1901, 123.—Afr. trop.  
*Randii*, S. Moore in *Journ. Bot.* 1903, 132.—Afr. austr.  
*ruwenzoriense*, S. Moore, in *Journ. Linn. Soc.* xxxv. 338.—Afr. trop.  
*Saweri*, S. Moore, in *Journ. Bot.* 1905, 170.—Afr. trop.  
*scleranthoides*, S. Moore, in *Bull. Herb. Boiss. Sér. II.* iv. 1016.—Afr. trop.  
*Taylorii*, S. Moore, in *Journ. Linn. Soc.* xxxv. 336.—Afr. trop.  
*tillandsiifolium*, O. Hoffm. in *Engl. Jahrb.* xxx. 429.—Afr. trop.  
*turbinatum*, Fitzg. in *Journ. W. Austral. Nat. Hist. Soc.* i. 23.—Austral.

**HELICIA**, Lour. (Proteac.).

*Cribbiana*, Bailey, *Queensl. Fl.* 1327.—Austral.  
*Heyana*, Bailey, l. c. 1329.—Austral.  
*Nortoniana*, Bailey, l. c. 1328.—Austral.  
*Schlechteri*, Lauterb. in *K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 256.—N. Guin.  
*torricellensis*, Lauterb. l. c. 257.—N. Guin.

**HELICONIA**, Linn. (Scitac.).

*borinquena*, Griggs, in *Bull. Torr. Bot. Club*, 1903, 658.—Am. cent.  
*Champneiana*, Griggs, l. c. 657.—Am. cent.  
*Collinsiana*, Griggs, l. c. 648.—Am. cent.  
*crassa*, Griggs, l. c. 646.—Am. cent.  
*distans*, Griggs, l. c. 657.—Ind. occ.?  
*Edwardus Rex*, Hort. Sand. in *Gard. Chron.* 1903, i. 245.—N. Guin.  
*elongata*, Griggs, in *Bull. Torr. Bot. Club*, 1903, 653.—Am. cent.  
*librata*, Griggs, l. c. 649.—Am. cent.  
*purpurea*, Griggs, l. c. 656.—Ind. occ.?  
*rutula*, Griggs, l. c. 657.—Ind. occ.?  
*spissa*, Griggs, l. c. 652.—Am. cent.  
*tortuosa*, Griggs, l. c. 650.—Am. cent.

**HELICTERES**, Pluk. (Stercul.).

*spiralis*, Northrop, in *Mem. Torr. Bot. Club*, xii. 50.—Ind. occ.

**HELIETTA**, Tul. (Rutac.).

*cuspidata*, Chod. & Hassl. in *Bull. Herb. Boiss. Sér. II.* iv. 1285 (= *Esenbeckia cuspidata*).—Parag.

**HELIOCARPUS**, Linn. (Tiliac.).

*Donnellsmithii*, Rose, ex Donn. Sm. in *Coult. Bot. Gaz.* xxxi. 110.—Am. cent.  
*glaber*, T. S. Brandegee, in *Zoe*, v. 209 (1905).—Mexic.  
*laevis*, Rose, in *U. S. Dept. Agric. Contrib. Nat. Herb.* viii. 317.—Mexic.  
*microcarpus*, Rose, l. c. 316.—Mexic.  
*velutinus*, Rose, l. c. 317.—Mexic.

**HELIOPHILA**, Burm. f. (Crucif.).

*odontopetala*, A. Zahlbr. in *Ann. Nat. Hofmus. Wien*, xviii. 383.—Afr. austr.  
*tabularis*, Dod, in *Journ. Bot.* 1901, 397.—Afr. austr.

**HELIOPSIS**, Pers. (Compos.).

*minor*, Mohr, in *U. S. Dept. Agric. Contrib. Nat. Herb.* vi. 796.—Am. bor.

**HELIOSPERMA**, Reichb. = **Silene** Linn. (Caryophyll.).  
*Retzdorffianum*, Maly, in *Oesterr. Bot. Zeitschr.* 1903, 357.—Eur.

**HELIOTROPIUM**, Tourn. (Borag.).

*adenense*, Guerke, in *Engl. Jahrb.* xxxv. 728.—Arabia.

**HELIOTROPIUM** :—

*Anderssonii*, Robinson, in *Proc. Amer. Acad.* xxxviii. 192.—Ins. Galap.  
*cimaliense*, Vierh. in *Oesterr. Bot. Zeitschr.* 1905, 439.—Socotra.  
*derafontense*, Vierh. l. c. 464.—Socotra.  
*dissimile*, N. E. Br. in *Dyer, Fl. Trop. Afr.* iv. ii. 42.—Afr. trop.  
*Hasslerianum*, Chod. in *Bull. Herb. Boiss. Sér. II.* ii. 817.—Parag.  
*horizontale*, Small, in *Bull. N. York Bot. Gard.* iii. 435.—Am. bor.  
*katangense*, Guerke, ex Wildem. in *Ann. Mus. Congo, Sér. IV.* 223.—Afr. trop.  
*kuriense*, Vierh. in *Oesterr. Bot. Zeitschr.* 1905, 463.—Socotra.  
*lineare*, C. H. Wright, in *Dyer, Fl. Cap.* iv. ii. 9 (= *Heliophyllum lineare*).—Afr. austr.  
*maximum*, Chod. & Hassl. in *Bull. Herb. Boiss. Sér. II.* v. 482.—Parag.  
*nanum*, Northrop, in *Mem. Torr. Bot. Club*, xii. 61.—Ind. occ.  
*Nelsoni*, C. H. Wright, in *Dyer, Fl. Cap.* iv. ii. 9.—Afr. austr.  
*oculatum*, A. A. Heller, *Muhlenbergia*, i. 58.—Calif.  
*Paulayanum*, Vierh. in *Oesterr. Bot. Zeitschr.* 1905, 463.—Socotra.  
*saxatile*, T. S. Brandegee, in *Zoe*, v. 218 (1905).—Mexic.  
*shoabense*, Vierh. in *Oesterr. Bot. Zeitschr.* 1905, 465.—Socotra.  
*sokotranum*, Vierh. l. c. 462.—Socotra.  
*spathulatum*, Rydb. in *Bull. Torr. Bot. Club*, 1903, 262.—Am. bor.  
*Vatkei*, Baker, in *Dyer, Fl. Trop. Afr.* iv. ii. 39.—Afr. trop.  
*Wagneri*, Vierh. in *Oesterr. Bot. Zeitschr.* 1905, 465.—Socotra.  
*xerophilum*, Cockerell, in *Coult. Bot. Gaz.* xxxiii. 379.—Am. bor.

**HELIPTERUM**, DC. (Compos.).

*adpressum*, Fitzg. in *Journ. W. Austral. Nat. Hist. Soc.* i. 23.—Austral.  
*craspedioides*, Fitzg. l. c. 24.—Austral.  
*pachychaetum*, Fitzg. l. c. ii. 25.—Austral.  
*propinquum*, Fitzg. l. c. i. 24.—Austral.  
*splendidum*, Hemsl. *Bot. Mag.* t. 7983.—Austral.

**HELLEBORUS**, Tourn. (Ranunc.).

*casta-diva*, Busch, in *Trav. Soc. Nat. Pétersb. Bot.* xxxiii. (1903) (*Fl. Cauc. Crit.* iii. III. 225).—Reg. Caucas.  
*macranthus*, Guerke, *Pl. Eur.* ii. 411.—Eur.

**HELLERANTHUS**, Small, *Fl. S. E. U. S.* 1011

(1903). **VERBENACEAE.**  
*quadrangulatus*, Small, l. c. (= *Verbena quadrangulata*).—Am. bor.

**HEMICARPHA**, Nees & Arn. = **Scirpus**, Tourn.

(Cyper.).  
*aristulata*, A. Nelson, in *Bull. Torr. Bot. Club*, 1902, 400.—Am. bor.

**HEMICYCLIA**, Wight & Arn. (Euphorb.).

*Porteri*, Gamble, in *Hook. Ic. Pl.* t. 2701.—Ind. or.

**HEMIGENIA**, R. Br. (Labiata).

*Clotteniana*, F. M. Bailey, in *Queensl. Agric. Journ.* xv. 493.—Austral.  
*eutaxioides*, C. R. P. Andrews, in *Journ. W. Austral. Nat. Hist. Soc.* i. 42.—Austral.  
*Macphersoni*, Diels, in *Engl. Jahrb.* xxxv. 528.—Austral.  
*pedunculata*, Diels, l. c. 529.—Austral.  
*Pritzelii*, S. Moore, in *Journ. Bot.* 1902, 28.—Austral.  
*saligna*, Diels, in *Engl. Jahrb.* xxxv. 528.—Austral.

**HEMIGLOCHIDION**, K. Schum. in K. Schum. &

*Lauterb. Nachtr. Fl. Deutsch. Südsee*, 289 (1905).  
**EUPHORBACEAE.**  
*cupuliformis*, K. Schum. l. c. (= *Phyllanthus cupuliformis*).—N. Guin.  
*Finschii*, K. Schum. l. c. (= *Phyllanthus Finschii*).—N. Guin.  
*hyloendron*, K. Schum. l. c.—N. Guin.  
*Warburgii*, K. Schum. l. c. (= *Phyllanthus Warburgii*).—N. Guin.

**HEMIGRAPHIS**, Nees (Acanth.).

- repanda, *Lindau, in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 385 (= *Ruellia repanda*).—Java; N. Guin.  
sordida, *K. Schum. in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 386.—N. Guin.  
Weinlandii, *K. Schum. l. c.* 385.—N. Guin.

**HEMIHABENARIA**, Finet, in Rev. Gén. de Bot. xiii.

- (1902) 532. **ORCHIDACEAE**.  
radiata, *Finet, l. c.* 533 (= *Habenaria radiata*).—Japon.  
stenantha, *Finet, l. c.* 532 (= *H. stenantha*).—Sikkim.  
Susannae, *Finet, l. c.* (= *H. Susannae*).—China.

**HEMIMERIS**, Pers. (Scrophul.).

- [ALONSOA, Ruiz & Pav. I. K.]  
centrodes, *Hiern, in Dyer, Fl. Cap. iv. ii.* 167.—Afr. austr.  
elegans, *Hiern, in Journ. Bot.* 1901, 102.—Afr. austr.  
latipes, *Backh. ex Hiern, in Dyer, Fl. Cap. iv. ii.* 165 = montana.

**HEMIORCHIS**, Kurz (Scitam.).

- rhodorrhachis, *K. Schum. in Engl. Pflanzenreich, Zingib.* 128.—Reg. Himal.

**HEMIOURATEA**, Van Tiegh. in Bull. Mus. Hist. Nat.

- Par. viii. (1902) 374 = **Ouratea**, Aubl. (Ochnac.).  
elegans, Van Tiegh. in Ann. Sci. Nat. Sér. VIII. xvi. 242.—Bras.  
pulchella, Van Tiegh. in Bull. Mus. Hist. Nat. Par. viii. (1902) 374 = *O. pulchella*.

**HEMIZONIA**, DC. (Compos.).

- grandiflora, *Abrams, in Torrey, ii.* 122.—Am. bor.  
speciosa, *Congd. in Zoe, v.* 135 (1901).—Calif.

**HEMIZYGIA**, Briq. (Labiata.).

- Cooperi, *Briq. in Bull. Herb. Boiss. Sér. II. iii.* 992.—Afr. austr.  
Dinteri, *Briq. l. c.* 995.—Afr. trop.  
foliosa, *S. Moore, in Journ. Bot.* 1905, 172.—Afr. austr.  
Galpiniana, *Briq. in Bull. Herb. Boiss. Sér. II. iii.* 993.—Afr. austr.  
Hoepfneri, *Briq. l. c.* 994.—Afr. trop.  
linearis, *Briq. l. c.* 997 (= *Orthosiphon linearis*).—Afr. trop.  
serrata, *Briq. l. c.* 996.—Afr. trop.

**HENRIETTEA**, DC. (Melast.).

- horridula, *Pilg. in Verh. Bot. Ver. Brand.* xlvii. (1905) 182.—Bras.  
lasiostylis, *Pilg. l. c.* 183.—Reg. Amaz.

**HENSMANIA**, Fitzger. in Proc. Linn. Soc. N. S.

- Wales, xxviii. (1903) 105. **LILIACEAE**.  
turbinata, *Fitzger. l. c.* 106 (= *Xerotes turbinata*).—Austral.

**HEPPIELLA**, Regel (Gesner.).

- corymbosa, *Urb. Symb. Antill.* ii. 368 (= *Gesneria corymbosa*).—Ind. occ.

**HEPTAPLEURUM**, Gaertn. (Aral.).

- Hoi, *Dunn, in Journ. Linn. Soc.* xxxv. 498.—China.  
macrophyllum, *Dunn, l. c.* 499.—China.  
productum, *Dunn, l. c.*—China.

**HERACLEUM**, Linn. (Umbell.).

- bivittatum, *Boissieu, in Bull. Herb. Boiss. Sér. II. iii.* 855.—China.  
coreanum, *Boissieu, l. c.* 854.—China.  
Fargesii, *Boissieu, l. c.* 853.—China.  
Souliei, *Boissieu, l. c.* 852.—China.  
vicinum, *Boissieu, l. c.* 853.—China.

**HERDERIA**, Cass. (Compos.).

- lanceifolia, *O. Hoffm. ex Th. Dur. & Wildem. in Bull. Soc. Bot. Belg.* xl. 22.—Afr. trop.

**HERMANNIA**, Linn. (Stercul.).

- angolensis, *K. Schum. in Warb. Kunene-Sambesi Exped.* 302.—Afr. trop.  
boranensis, *K. Schum. in Engl. Jahrb.* xxxiii. 311.—Afr. trop.  
damarana, *Baker f. in Journ. Bot.* 1901, 127.—Afr. trop.  
Donaldsoni, *Baker, l. c.*—Afr. trop.  
Eenii, *Baker, l. c.*—Afr. trop.  
Erlangeriana, *K. Schum. in Engl. Jahrb.* xxxiii. 311.—Afr. trop.

**HERMANNIA** :—

- Johansseni, *N. E. Br. in Hook. Ic. Pl. t.* 2709.—Afr. austr.  
oligosperma, *K. Schum. in Engl. Jahrb.* xxxiii. 312.—Afr. austr.  
rudis, *N. E. Br. in Journ. Bot.* 1901, 398.—Afr. austr.  
waltherioides, *K. Schum. in Engl. Jahrb.* xxxiii. 312.—Afr. trop.

**HERMBSTAEDTIA**, Reichb. (Amarant.).

- laxiflora, *Lopr. in Malpighia*, xiv. 430; et in *Engl. Jahrb.* xxx. 105.—Afr. trop.  
transvaalensis, *Lopr. l. c.* 429; et *l. c.* 105.—Afr. austr.

**HERMESIAS**, Loefl. = **Brownea**, Jacq. (Legum.).

- hybrida, *Hort. ex Knuth, Handb. Blütenb.* iii. 359.—Quid?

**HERMINIUM**, Linn. (Orchid.).

- Mackinnoni, *Duthie, in Journ. As. Soc. Beng.* lxxi. 44.—Ind. or.  
Souliei, *Rolfe, in Journ. Linn. Soc.* xxxvi. 51.—China.  
tanguticum, *Rolfe, l. c.*—China.

**HERNANDIA**, Plum. (Laurac.).

- didymantha, *Donn. Sm. in Coult. Bot. Gaz.* xxxi. 120.—Am. cent.

**HERPETICA**, Cook & Collins, in U. S. Dept. Agric.

- Contrib. Nat. Herb. viii. (1903) 159. **LEGUMINOSAE**.  
alata, *Cook & Collins, l. c.* (= *Cassia alata*).—Ind. occ.

**HERSCHELIA**, Lindl. (Orchid.).

- [DISA, Berg. I. K.]  
excelsa, *Kraenzl. in Bull. Herb. Boiss. Sér. II. iv.* 1009 (= *Disa excelsa*).—Afr. austr.  
Goetzeana, *Kraenzl. in Engl. Jahrb.* xxx. 286.—Afr. trop.

**HESPERALOE**, Engelm. (Liliac.).

- funifera, *Trel. in Missouri Bot. Gard. Rep.* 1902, 36 (= *Yucca funifera*).—Mexic.

**HESPERANTHA**, Ker-Gawl. (Irid.).

- Bachmanni, *Baker, in Bull. Herb. Boiss. Sér. II. i.* 863.—Afr. austr.  
bifolia, *Baker, l. c.* 865.—Afr. austr.  
fistulosa, *Baker, l. c.* iv. 1004.—Afr. austr.  
longicollis, *Baker, l. c.*—Afr. austr.  
subulata, *Baker, l. c.* i. 865.—Afr. austr.  
Widmeri, *Beauverd, in Bull. Herb. Boiss. Sér. II. v.* 990.—Afr. austr.

**HESPERASTER**, Cockerell, in Torrey, i. (1901)

142. **LOASACEAE**.  
chrysanthus, *Cockerell, l. c.* 143 (= *Mentzelia chrysanthus*).—Am. bor.  
decapetalus, *Cockerell, l. c.* 142 (= *Bartonia decapetala*).—Am. bor.  
densus, *Cockerell, l. c.* 143 (= *Mentzelia densa*).—Am. bor.  
laevicaulis, *Cockerell, l. c.* (= *Bartonia laevicaulis*).—Am. bor.  
multiflorus, *Cockerell, l. c.* (= *Bartonia multiflora*).—Am. bor.  
midus, *Cockerell, l. c.* (= *Bartonia mida*).—Am. bor.  
perennis, *Cockerell, l. c.* (= *Mentzelia perennis*).—Am. bor.  
pumila, *Cockerell, l. c.* (= *Mentzelia pumila*).—Am. bor.  
Rusbyi, *Cockerell, l. c.* (= *Mentzelia Rusbyi*).—Am. bor.  
speciosus, *Osterh. in Bull. Torr. Bot. Club*, 1902, 174 (= *Mentzelia speciosa*).—Am. bor.  
stictus, *Osterh. l. c.*—Am. bor.

**HESPERASTRAGALUS**, A. A. Heller, Muhlen-

- bergia, ii. 86 (1905). **LEGUMINOSAE**.  
didymocarpus, *A. A. Heller, l. c.* 87 (= *Astragalus didymocarpus*).—Calif.  
Gambellianus, *A. A. Heller, l. c.* (= *Astragalus Gambellianus*).—Calif.

**HESPERIS**, Linn. (Crucif.).

- adenosepala, *Borb. ex Murr, in Magyar Bot. Lap.* i. (1902) 379.—Rossia.  
macedonica, *Adam. in Denkschr. Akad. Wien, Math. Nat.* lxxiv. 124.—Turcia.  
oblongipetala, *Borb. ex Murr, in Magyar Bot. Lap.* i. 379.—Eur.

**HESPEROMECON**, Greene, Pittonia, v. (1903) 146.

- PAPAVERACEAE**.  
affine, *Greene, l. c.* 147.—Calif.  
angustum, *Greene, l. c.* 149.—Calif.  
lineare, *Greene, l. c.* 146 (= *Platystigma lineare*).—Calif.  
luteolum, *Greene, l. c.* 150.—Calif.  
Platystemon, *Greene, l. c.* 148 (= *Platystemon linearis*).—Calif.  
pulchellum, *Greene, l. c.* 150.—Calif.  
strictum, *Greene, l. c.* 149.—Calif.

**HETAERIA**, Blume (Orchid.).

- parvifolia, *Ridley, in Journ. As. Soc. Straits*, xxxix. 87.—Penins. Mal.

**HETERISIA**, Rafin. = **Saxifraga**, Tourn. (Saxifr.).

- Eastwoodiae, *Small, in N. Am. Fl.* xxii. 156.—Am. bor.  
Mertensiana, *Small, l. c.* = *S. Mertensiana*.

**HETEROCENTRON**, Hook. & Arn. (Melast.).

- [HEERIA, Schlecht. I. K.]  
occidentale, *Rose, in U. S. Dept. Agric. Contrib. Nat. Herb.* viii. 327.—Mexic.

**HETEROMERA**, Montrouz. ex Beauvis. Gen.

- Montrouz. 84 = **Leptostylis**, Benth. (Sapot.).  
rotundifolium, *Montrouz, l. c.* 88 = *L. micrantha*.

**HETEROPORIDIUM**, Van Tiegh. in Bull. Mus. Hist.

- Nat. Par. viii. (1902) 378 = **Ochna**, Linn. (Ochnac.).  
abyssinicum, Van Tiegh. in Ann. Sci. Nat. Par. Sér. VIII. xvi. 378.—Afr. trop.  
arabicum, Van Tiegh. *l. c.*—Afr. trop.

**HETEROPSIS**, Kunth (Arac.).

- longispathacea, *Engl. Pflanzenreich, Arac.-Poth.* 53.—Bras.  
rigidifolia, *Engl. l. c.* 51.—Bras.

**HETEROPTERIS**, H. B. & K. (Malpigh.).

- anceps, *Niedenau, in Arb. Inst. Braunsb.* ii. 19.—Bras.  
arborescens, *T. S. Brandegee, in Zoe, v.* 203 (1905).—Mexic.  
bahiensis, *Niedenau, in Arb. Inst. Braunsb.* ii. 26.—Am. austr.  
ciliata, *Niedenau, l. c.* 42.—Bras.  
Gardneriana, *Niedenau, l. c.* 18.—Bras.  
Glazioviana, *Niedenau, l. c.* 27.—Bras.  
Grisebachiana, *Niedenau, l. c.* 48.—Bras.  
Hassleriana, *Niedenau, l. c.* 25.—Parag.  
longifolia, *Niedenau, l. c.* 53 (= *Banisteria longifolia*).—Ind. occ.  
machaerophora, *Niedenau, l. c.* 14.—Bras.  
paraguariensis, *Niedenau, l. c.* 22.—Parag.  
praecox, *Niedenau, l. c.* 24.—Am. austr.  
procoriacea, *Niedenau, l. c.* 43.—Bras.  
reticulata, *Niedenau, l. c.* 54 (= *Malpighia reticulata*).—Am. austr. trop.  
Schenckiana, *Niedenau, l. c.* 33.—Bras.  
transiens, *Niedenau, l. c.* 39.—Bras.  
Warmingiana, *Niedenau, l. c.* 25.—Bras.

**HETEROSPERMUM**, Cav. (Compos.).

- involutratum, *Reiche, Fl. Chile*, iv. 99 (= *Bidens involutratum*).—Chili.

**HETEROSTECA**, Desv. = **Bouteloua**, Lag. (Gramin.).

- rhadina, *Nash, in Bull. Torr. Bot. Club*, 1903, 386.—Ind. occ.

**HETEROSTEMMA**, Wight & Arn. (Asclep.).

- papuanum, *Schlechter, in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 369.—N. Guin.

**HETEROTAENIA**, Boiss. = **Conopodium**, Koch

- (Umbell.).  
alpestris, *Gand. in Bull. Soc. Bot. Fr.* lii. 455.—Hispan.  
Pavi, *Merino, in Mem. Soc. Esp. Hist. Nat.* ii. (1904) 494.—Hispan.

**HETEROTHALAMUS**, Less. (Compos.).

- derisus, *N. E. Br. in Trans. Linn. Soc. Ser. II. vi.* 39.—Guiana.

**HETEROTOMA**, Zucc. (Campan.).

- Goldmanii, *Fernald, in Proc. Amer. Acad.* xxxvi. 504.—Mexic.  
stenodonta, *Fernald, l. c.*—Mexic.



**HEUCHERA**, Linn. (Saxifr.).

- Abramsii*, Rydb. in *N. Am. Fl.* xxii. 109.—Calif.  
*aceroides*, Rydb. in *Small, Fl. S. E. U. S.* 503.—  
 Am. bor.  
*acutifolia*, Rose, in *Proc. U. S. Nat. Mus.* xxix. 438  
 (1905).—Mexic.  
*alpina*, Blank. in *Montana Agric. Coll. Sci. Studies*,  
*Bot.* i. 62.—Am. bor.  
*arkansana*, Rydb. in *N. Am. Fl.* xxii. 101.—Am. bor.  
*calycosa*, Small, *Fl. S. E. U. S.* 504.—Am. bor.  
*columbiana*, Rydb. in *N. Am. Fl.* xxii. 116.—Am. bor.  
*crinita*, Rydb. in *Britton, Man. Fl. N. U. S.* 482.—  
 Am. bor.  
*diversifolia*, Rydb. in *N. Am. Fl.* xxii. 102.—Am. bor.  
*elegans*, Abrams, in *Bull. S. Calif. Acad.* i. 67.—  
 Am. bor.  
*flabellifolia*, Rydb. in *N. Am. Fl.* xxii. 115.—Am. bor.  
*flavescens*, Rydb. l. c. 114.—Am. bor.  
*glaberrima*, Rydb. l. c. 103.—Am. bor.  
*gracilis*, Rydb. l. c. 114.—Am. bor.  
*Halstedii*, Rydb. l. c. 104.—Mexic.  
*Hartwegii*, Rydb. l. c. 102.—Calif.  
*hemisphaerica*, Rydb. l. c. 112.—Calif.  
*hirsuta*, Rydb. l. c. 109.—Calif.  
*hirsuticaulis*, Rydb. in *Britton, Man. Fl. N. U. S.*  
 482.—Am. bor.  
*lanceolata*, Rydb. l. c.—Am. bor.  
*leptomeria*, Greene, *Leaflets Bot. Obs.* i. 112.—  
 Am. bor.  
*lithophila*, A. A. Heller, *Muhlenbergia*, i. 105.—Calif.  
*Lloydii*, Rydb. in *N. Am. Fl.* xxii. 113.—Am. bor.  
*longiflora*, Rydb. in *Britton, Man. Fl. N. U. S.* 482.  
 —Am. bor.  
*macrorhiza*, Small, in *Britton, l. c.* 1048.—Am. bor.  
*Merriami*, Eastw. in *Bull. Torr. Bot. Club*, 1905, 199.  
 —Calif.  
*mexicana*, Schaffn. in *N. Am. Fl.* xxii. 108.—Mexic.  
*nana*, Rydb. in *N. Am. Fl.* xxii. 111.—Am. bor.  
*Nuttallii*, Rydb. l. c. 103.—Am. bor.  
*pachypoda*, Greene, *Leaflets Bot. Obs.* i. 111.—Calif.  
*Parishii*, Rydb. in *N. Am. Fl.* xxii. 109.—Calif.  
*pilosella*, Rydb. l. c. 112.—Calif.  
*Pringlei*, Rydb. l. c. 111.—Calif.  
*puberula*, Mackenzie & Bush, in *Rep. Missouri Bot.*  
*Gard.* 1905, 103.—Am. bor.  
*pulchra*, Rydb. in *N. Am. Fl.* xxii. 117.—Am. bor.  
*reglensis*, Rydb. l. c. 108.—Mexic.  
*roseola*, Rydb. in *Britton, Man. Fl. N. U. S.* 481.—  
 Am. bor.  
*scabra*, Rydb. in *N. Am. Fl.* xxii. 106.—Am. bor.  
*Sitgreavesii*, Rydb. l. c. 110.—N. Mexic.  
*Suksdorfii*, Rydb. l. c. 116.—Am. bor.  
*tenuifolia*, Rydb. l. c.—Am. bor.  
*Townsendii*, Rydb. l. c. 117.—Mexic.  
*utahensis*, Rydb. l. c. 114.—Am. bor.  
*versicolor*, Greene, *Leaflets Bot. Obs.* i. 112.—Am. bor.  
*Wootonii*, Rydb. in *N. Am. Fl.* xxii. 113.—N. Mexic.

**HEVEA**, Aubl. (Euphorb.).

- Kunthiana*, Huber, in *Bbl. Mus. Para.* iii. 349.—  
 Reg. Amaz.  
*microphylla*, Ule, in *Engl. Jahrb.* xxxv. 669.—  
 Reg. Amaz.  
*nigra*, Ule, l. c. 667.—Reg. Amaz.  
*paludosa*, Ule, l. c. 666.—Reg. Amaz.  
*Sieberi*, Warb. *Kautschukpfl.* 33.—Bras.  
*viridis*, Huber, in *Bull. Soc. Bot. Fr.* xlix. 48; *et in*  
*Bol. Mus. Para.* iii. 358.—Bras.

**HEXALECTRIS**, Rafin. (Orchid.).

- mexicana*, Greenm. in *Proc. Amer. Acad.* xxxix. 77.—  
 Mexic.  
*spicata*, Barnhart, in *Torreyia*, 1904, 121 (= *Arethusa*  
*spicata*).—Am. bor.

**HEXALOBUS**, A. DC. (Anonac.).

- huillensis*, Engl. & Diels, in *Engl. Monogr. Afr. Pfl.*  
 vi. 56 (= *Uvaria huillensis*).—Afr. trop.  
*monopetalus*, Engl. & Diels, l. c. (= *Uvaria mono-*  
*petala*).—Afr. trop.  
*salicifolius*, Engl. l. c. 57.—Afr. trop.

**HEXAPTERA**, Hook. (Crucif.).

- purpurea*, Hastings, in *Bull. Torr. Bot. Club*, 1905,  
 622.—Chili.

**HEXAPTERELLA**, Urb. Symb. Antill. iii. 451  
 (1903). **BURMANNIACEAE.**  
*gentianoides*, Urb. l. c.—Bras.

VOL. IV.

**HEXASTYLIS**, Rafin. = **Asarum**, Tourn. (Aristoloch.).

- callifolia*, Small, *Fl. S. E. U. S.* 1131 = *A. callifolium*.  
*heterophylla*, Small, in *Britton, Man. Fl. N. U. S.*  
 347.—Am. bor.  
*Memmingeri*, Small, l. c. 348 = *A. Memmingeri*.  
*Ruthii*, Small, l. c. = *A. Ruthii*.  
*Shuttleworthii*, Small, l. c. 347.—Am. bor.  
*virginica*, Small, l. c. 348 = *A. virginicum*.

**HEXISEA**, Lindl. (Orchid.).

- reflexa*, Reichb. f. ex Griseb. *Fl. Brit. W. Ind.* 623.—  
 Ind. occ.

**HIBBERTIA**, Andr. (Dillen.).

- Andrewsiana*, Diels, in *Engl. Jahrb.* xxxv. 387.—  
 Austral.  
*concinna*, F. M. Bailey, in *Queensl. Agric. Journ.* xvi.  
 189.—Austral.  
*Eatoniae*, Diels, in *Engl. Jahrb.* xxxv. 387.—Austral.  
*Gilgiana*, Diels, l. c. 384.—Austral.  
*nymphaea*, Diels, l. c.—Austral.  
*polyclada*, Diels, l. c. 385.—Austral.  
*silvestris*, Diels, l. c. 386.—Austral.  
*triandra*, C. R. P. Andrews, in *Journ. Muell. Soc.*  
*W. Austral.* i. no. 11, 80.—Austral.  
*Vanieriei*, Beauvis. *Gen. Montrouz.* 6.—N. Caled.

**HIBISCUS**, Linn. (Malvac.).

- argentinus*, Speg. in *Bol. Agric. Buenos Aires*, i. 304.  
 —Reg. Argent.  
*Baumii*, Guérke, in *Warb. Kunene-Sambesi Exped.* 299.  
 —Afr. trop.  
*bicalyculatus*, Merrill, in *Philipp. Gov. Lab. Bur. Bull.*  
 xxxv. 39.—Ins. Philipp.  
*dominicus*, Hochr. in *Bull. Herb. Boiss. Sér. II.* v. 300.  
 —Parag.  
*Gilletii*, Wildem. in *Ann. Mus. Congo, Sér. V.* i. 166.  
 —Afr. trop.  
*Guerkeanus*, Hochr. in *Th. Dur. & Wildem. in Bull.*  
*Soc. Bot. Belg.* xl. 9.—Afr. trop.  
*Hasslerianus*, Hochr. in *Ann. Conserv. & Jard. Bot.*  
*Genève*, 1902, 51.—Parag.  
*macropodus*, Wagn. & Vierh. in *Oesterr. Bot. Zeitschr.*  
 1904, 61.—Socotra.  
*Negundo*, Lignier & Bey, in *Bull. Soc. Linn. Norm.*  
*Sér. V.* viii. 254, nomen.—Madag.  
*nodulosus*, Drake, in *Bull. Mus. Hist. Nat. Par.* 1903,  
 38.—Madag.  
*Schlechteri*, Lauterb. in *K. Schum. & Lauterb. Nachtr.*  
*Fl. Deutsch. Südsee*, 316.—Ins. Bismarck.  
*submonospermus*, Hochr. ex Th. Dur. & Wildem. in  
*Bull. Soc. Bot. Belg.* xl. 8.—Afr. trop.  
*violaceus*, T. S. Brandegee, in *Zoe*, v. 211 (1905).—  
 Mexic.  
*Whytei*, Stapf, in *Journ. Linn. Soc.* xxxvii. 87.—Afr.  
 trop.

**HIERACIUM**, Tourn. (Compos.).

- Pro speciebus, subspeciebus varietatibusque europaeis*  
*per plurimis criticis vide opera infra citata:—Adlers,*  
*in Bot. Notis.* 1903, 145–192, 201–217; *Arv.-Touv. &*  
*Briq. in Ann. Conserv. & Jard. Bot. Genève*, v. (1901)  
 147–168; *Arv.-Touv. & Gaut. in Bull. Soc. Bot. Fr.*  
 li. pp. xxiii–xci; *Belli, in Fiori & Paol. Fl. Ital.* iii.  
 442–505; *Benz, in Oesterr. Bot. Zeitschr.* 1904, 241;  
*Besse, in Bull. Murith.* xxxii. (1903) 173–180;  
*Brenner, in Act. Soc. Faun. et Fl. Fenn.* xxv. (1903)  
 no. 2, et 6; *Brenner, in Meddel. Soc. Faun. Fl. Fenn.*  
 xxx. 136–142; *Dahlst. ex Skotts. & Vestergren,*  
*in Bih. Svensk. Vet. Akad. Handl.* xxvii. no. 7, 13;  
*Dahlst. in Warm. Bot. Faeroes*, 629–658; *Dahlst.*  
*in Arkiv Bot. Stockh.* iii. no. 10, pp. 1–74; *Dahlst.*  
*in Bot. Notis.* 1903, 35–38, 221–227; *Dahlst. l. c.*  
 1904, 183–191; *Dahlst. in Bih. Svensk. Vet. Akad.*  
*Handl.* xxvii. no. 13; *Hochr. in Ann. Conserv. & Jard.*  
*Bot. Genève*, 1902, 162; *Johansson, in Bih. Svensk.*  
*Vet. Akad. Handl.* xxviii. Afd. III. no. 7, 1–156;  
*Johansson, in Bot. Notiser*, 1905, 97–128; *Käser,*  
*in Ber. Schweiz. Bot. Ges.* xiii. 138; *Käser, in Meddel.*  
*Soc. Faun. et Fl. Fenn.* xxix. 138; *Murr, in Oesterr.*  
*Bot. Zeitschr.* 1903, 377, 460; *Murr, in Allg. Bot.*  
*Zeitschr.* 1904, 97; *Norrlin, in Act. Soc. Faun. et Fl.*  
*Fenn.* xxvi. no. 7; *Omang, in Nyt Mag. Nat.*  
*Christiania*, xxxviii. 71–94; *Omang, l. c.* xxxix.  
 189–254; *Omang, l. c.* xli. 259–368; *Omang, l. c.*  
 xliii. 177–313; *Rouy, Fl. Fr.* ix. 232–453.  
*aetolicum*, Halacsy, *Consp. Fl. Graec.* ii. 238.—Eur.  
*alleganiense*, Britton, *Man. Fl. N. U. S.* 905.—Am.  
 bor.

**HIERACIUM** :—

- aphylloidioides*, F. N. Williams, *Prodr. Fl. Brit.* 160.  
 —Eur.  
*arachnotrichum*, Arv.-Touv. in *Ann. Conserv. & Jard.*  
*Bot. Genève*, vii–viii. 320.—Pyren.  
*Ausserdorferi*, Hausm. ex A. Kern. & Fritsch, *Sched.*  
*Fl. Austr.-Hung.* ix. 59.—Eur.  
*Baerianum*, Arv.-Touv. in *Vierteljahrsschr. Nat. Ges.*  
*Zürich*, xlix. (1904) 226.—Helv.  
*bosniaphilum*, Schneider, ex Maly, in *Verh. Zool.-Bot.*  
*Ges. Wien*, 1904, 288.—Eur.  
*Braunianum*, Zahn & Chen. in *Ann. Conserv. & Jard.*  
*Bot. Genève*, ix. (1905) 52.—Ital.  
*callimorphoides*, Zahn, in *Sched. Herb. Fl. Ross.* v. 21.  
 —Hybr.  
*Candelabrae*, Linton, *Brit. Hierac.* 43.—Anglia.  
*capillosum*, Pau, in *Bol. Soc. Arag.* ii. 286.—Hispan.  
*cinereum*, Howell, *Fl. N. W. Am.* i. 396.—Am. bor.  
*columbianum*, Rydb. in *Bull. Torr. Bot. Club*, 1901,  
 513.—Am. bor.  
*cophanense*, Lojac. *Fl. Sic.* ii. i. 218.—Sicil.  
*elbanum*, Belli ex Baroni, *Suppl. Gen. Fl. Tosc.*  
*Caruel*, 365.—Eur.  
*exuviatum*, Dahlst. ex Jonsson, in *Bot. Tidsskr.* xxvii.  
 80.—Island.  
*floridanum*, Britton, in *Torreyia*, i. 42.—Am. bor.  
*gredense*, Rouy, *Illustr. Pl. Eur.* t. 369.—Hispan.  
*Grinnellii*, Eastw. in *Bull. Torr. Bot. Club*, 1905, 217.  
 —Calif.  
*Hazslinszkyi*, Pax, in *Oesterr. Bot. Zeitschr.* 1901, 110.  
 —Eur.  
*insulare*, Rouy, *Illustr. Pl. Eur.* t. 465.—Corsica.  
*jaliscense*, Robinson & Greenm. in *Proc. Amer. Acad.*  
 xl. 23.—Mexic.  
*Jaquetianum*, Zahn, ex Jaquet, in *Mém. Soc. Fribourg.*  
*Sci. Nat.* i. (1901) 12; *ex Bot. Centralbl.* xcii.  
 (1903) 105.—Eur.  
*lasiophylloides*, Pau, in *Bol. Soc. Arag.* ii. 286.—  
 Hispan.  
*nebrodense*, Tin, in *Lojac. Fl. Sic.* ii. i. 222.—Sicil.  
*oaxacanum*, Robinson & Greenm. in *Proc. Amer. Acad.*  
 xl. 21.—Mexic.  
*oxyodus*, Linton, *Brit. Hierac.* 42.—Scotia.  
*Perrotii*, Arv.-Touv. in *Ann. Conserv. & Jard. Bot.*  
*Genève*, vii–viii. 321.—Pyren.  
*plumulosiforme*, Schneider, ex Maly, in *Verh. Zool.-*  
*Bot. Ges. Wien*, 1904, 291 = thapsiformoides.  
*pojoritense*, Woloszczak, in *Magyar Bot. Lap.* iii. 21.  
 —Graecia.  
*prassophaeum*, Cadevall, ex Pau, in *Bol. Soc. Arag.*  
 ii. 287.—Hispan.  
*primierense*, Benz & Zahn, in *Oesterr. Bot. Zeitschr.*  
 1902, 266.—Eur.  
*prionobium*, Robinson & Greenm. in *Proc. Amer.*  
*Acad.* xl. 17.—Mexic.  
*prionophilum*, Robinson & Greenm. l. c. 16.—Mexic.  
*pseuditalicum*, Zahn, in *Allg. Bot. Zeitschr.* 1902, 2.  
 —Eur.  
*reductum*, Dahlst. ex Jonsson, in *Bot. Tidsskr.* xxvii.  
 81.—Island.  
*Rigoanum*, Zahn, in *Allg. Bot. Zeitschr.* 1902, 2.—Eur.  
*Rosei*, Robinson & Greenm. in *Proc. Amer. Acad.* xl.  
 19.—Mexic.  
*scoticum*, Rouy, *Illustr. Pl. Eur.* t. 439.—Scotia.  
*Scullyi*, Linton, *Brit. Hierac.* 72.—Hibernia.  
*sinense*, Vaniot, in *Bull. Acad. Géogr. Bot.* xii. (1903)  
 502.—China.  
*Soleirolianum*, Arv.-Touv. & Briq. in *Ann. Conserv.*  
*& Jard. Bot. Genève*, v. 108.—Corsica.  
*succisellum*, Arv.-Touv. & Briq. l. c. 165.—Eur.  
*Svanlundii*, Dahlst. in *Bot. Notiser*, 1902, 105.—Eur.  
*thapsiformoides*, Schneider, ex Maly, in *Verh. Zool.-*  
*Bot. Ges. Wien*, 1904, 291.—Eur.  
*trebevicianum*, Maly, ex Gross & Kneuck. in *Allg. Bot.*  
*Zeitschr.* 1903, 181, nomen.—Eur.  
*Vagneri*, Pax, in *Oesterr. Bot. Zeitschr.* 1901, 111.—Eur.  
*valdefrondosum*, Zahn, ex Maly, in *Verh. Zool.-Bot.*  
*Ges. Wien*, 1904, 296.—Eur.  
*valentinum*, Pau, in *Bol. Soc. Arag.* ii. 286.—Hispan.  
*vitocense*, Zahn, in *Allg. Bot. Zeitschr.* 1901, 178.—Eur.  
*Wrightii*, Robinson & Greenm. in *Proc. Amer. Acad.*  
 xl. 19.—Mexic.  
*Zahnii*, Oborny, in *Oesterr. Bot. Zeitschr.* 1902, 257.  
 —Eur.

**HIEROCHLOË**, S. G. Gmel. (Gramin.).

- hirta*, Hayek, *Sched. Fl. Stir.* iii–iv. 18 (= *Savastana*  
*hirta*).—Reg. bor.

N

**HILAIRELLA**, Van Tiegh. in Ann. Sci. Nat. Sér. VIII. xix. (1904) 22. *OCHNACEAE*. neglecta, Van Tiegh. l. c. 24.—Bras. polyandra, Van Tiegh. l. c.—Bras.

**HILARIA**, H. B. & K. (Gramin.). texana, Nash, in Small, Fl. S. E. U. S. 68.—Am. bor.

**HILDEBRANDTIA**, Vatke (Convolv.). sepulosa, Rendle, in Dyer, Fl. Trop. Afr. iv. II. 70.—Afr. trop.

**HILLIA**, Jacq. (Rubiace.). Ulei, K. Schum. in Karst. & Schenck, Vegetationsbilder, ii. (1904) sub tt. 1-2.—Reg. Amaz.

**HIMERANTHUS**, Endl. (Solan.). Ameghinol, Speg. Nov. Add. Fl. Patag. ii. (1902), repr. 44.—Patag. patagonicus, Speg. l. c. 43.—Patag.

**HIPPEASTRUM**, Herb. (Amaryll.). flammigerum, Holmb. in Anal. Mus. Nac. Buenos Aires, Ser. III. i. (1902) 411.—Reg. Argent. granatiform, Holmb. l. c. ii. 79.—Reg. Argent. Holmbergii, Hicken, in Anal. Soc. Ci. Argent. iv. 232.—Reg. Argent. iguapense, Wagner, in Wien, Ill. Gart. Zeit. xxviii. 281.—Bras. marginatum, R. Fries, in Nov. Act. Soc. Sci. Upsal. Ser. IV. i. no 1, 161.—Reg. Argent. puniceum, Urb. Symb. Antill. iv. 151 (= *Amaryllis punicea*).—Ind. occ. teretifolium, C. H. Wright, in Kew Bull. 1901, 144.—Uruguay.

**HIPPEOPHYLLUM**, Schlechter, in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee (1905) 107. *ORCHIDACEAE*. hamadryas, Schlechter, l. c. 108 (= *Oberonia hamadryas*).—N. Guin. micranthum, Schlechter, l. c.—N. Guin.

**HIPPOCRATEA**, Linn. (Celastr.). bipindensis, Loes. ex Fritsch, in Bot. Centralbl. Beih. xi. 337; et in Engl. Jahrb. xxxiv. 103.—Afr. trop. Busseana, Loes. in Engl. Jahrb. xxxiv. 105.—Afr. trop. camerunica, Loes. l. c. 110.—Afr. trop. clematoides, Loes. l. c. 109.—Afr. trop. delagoensis, Loes. l. c. 119.—Afr. austr. Goetzei, Loes. l. c. xxx. 346.—Afr. trop. huanucana, Loes. in Fedde, Repert. Nov. Sp. i. 163.—Peruv. iotricha, Loes. ex Fritsch, in Bot. Centralbl. Beih. xi. 340; et in Engl. Jahrb. xxxiv. 108.—Afr. trop. Menyharthii, Schinz, in Denkschr. Akad. Wien, Math.-Nat. lxxviii. 426.—Afr. trop. pachnocarpa, Loes. ex Fritsch, in Bot. Centralbl. Beih. xi. 342.—Afr. trop. Preussii, Loes. in Engl. Jahrb. xxxiv. 112.—Afr. trop. Scheffleri, Loes. l. c. 115.—Afr. trop. Schlechteri, Loes. l. c. 114.—Afr. trop. et austr. Staudtii, Loes. l. c. 113.—Afr. trop. unguiculata, Loes. l. c. 118.—Afr. trop. Verdickii, Wildem. in Ann. Mus. Congo, Sér. IV. 208.—Afr. trop. Warmingii, Peyr. ex Fritsch, in Bot. Centralbl. Beih. xi. 343.—Bras. yaundina, Loes. in Engl. Jahrb. xxxiv. 117.—Afr. trop.

**HIPPOCREPIS**, Linn. (Legum.). commutata, Pau, in Bol. Soc. Arag. ii. 274.—Hispan.

**HIPTAGE**, Gaertn. (Malpigh.). luzonica, Merrill, in Philipp. Gov. Lab. Bur. Bull. xxxv. 33.—Ins. Philipp. minor, Dunn, in Journ. Linn. Soc. xxxv. 487.—China.

**HIRAEA**, Jacq. (Malpigh.). obovata, Huber, in Bol. Mus. Para. iii. 424.—Bras.

**HIRTELLA**, Linn. (Rosac.). myrmecophila, Pilg. in Verh. Bot. Ver. Brand. xlvii. (1905) 148.—Reg. Amaz. porosa, Drake, Hist. Pl. Madag. i. 30 (= *Grangeria porosa*).—Madag. Ulei, Pilg. in Verh. Bot. Ver. Brand. xlvii. (1905) 148.—Reg. Amaz.

**HOECKIA**, Engl. & Graebn. ex Diels, in Engl. Jahrb. xxix. 598 (1901). *VALERIANACEAE*. Aschersoniana, Engl. & Graebn. l. c.—China.

**HOFFMANNIA**, Sw. (Rubiace.). arborescens, Donn. Sm. in Coult. Bot. Gaz. xxxvii. 417.—Am. cent. calycosa, Donn. Sm. l. c. xl. 4.—Am. cent. lineolata, Donn. Sm. l. c. 5.—Am. cent.

**HOFFMANSEGGIA**, Cav. (Legum.). nana, Chod. & Wilcz. in Bull. Herb. Boiss. Sér. II. ii. 476.—Reg. Argent. patagonica, Speg. Nov. Add. Fl. Patag. i. (1901), repr. 44.—Patag.

**HOFMEISTERIA**, Walp. (Compos.). viscosa, A. Nelson, in Coult. Bot. Gaz. xxxvii. 263.—Am. bor.

**HOHENBERGIA**, Schult. f. (Bromel.). [AECHEA, Ruiz & Pav. I. K.] Fawcettiana, K. Schum. in Just, Jahresb. xxviii. i. 411, sphalm. = Fawcettii.

**HOLARRHENA**, R. Br. (Apocyn.). angustata Pierre, in L. Planch. Prod. Apocyn. (1894) 196, nomen.—Cochinch. crassifolia, Pierre, l. c., nomen.—Cochinch. microterantha, K. Schum. in Bull. Soc. Études Colon. x. 515.—Afr. trop. procumbens, Merrill, in Philipp. Gov. Lab. Bur. Bull. xxvii. 59 (= *Echites procumbens*).—Ins. Philipp. Wulfsbergii, Stapf, in Dyer, Fl. Trop. Afr. iv. i. 164.—Afr. trop.

**HOLCOPHACOS**, Rydb. in Small, Fl. S. E. U. S. 618 (1903). *LEGUMINOSAE*. distortus, Rydb. l. c. (= *Astragalus distortus*).—Am. bor. Engelmannii, Rydb. l. c. (= *Astragalus Engelmannii*).—Am. bor.

**HOLCUS**, Linn. (Gramin.). triflorus, Trab. in Batt. & Trab. Fl. Algér. Tunis. 367.—Afr. bor.

**HOLIGARNA**, Buch.-Ham. (Anacard.). nigra, Bourd. in Ind. Forester, xxx. 95.—Ind. or.

**HOLLANDAEA**, F. Muell. (Proteac.). Lamingtoniana, Bailey, Queensl. Fl. 1354.—Austral.

**HOLODISCUS**, Maxim. = *Spiraea*, Linn. (Rosac.). fissus, Schneider, Ill. Handb. Laubholz. i. (1905) 495 = S. discolor. glabrescens, A. A. Heller, Muhlenbergia, i. 40.—Am. bor. microphyllus, Rydb. in Bull. Torr. Bot. Club, 1904, 559.—Am. bor. saxicola, A. A. Heller, Muhlenbergia, i. 41.—Calif.

**HOLOTHRIX**, Rich. (Orchid.). Culveri, Bolus, in Trans. S. Afr. Phil. Soc. xvi. 147.—Afr. austr. triloba, Kraenzl. Orch. Gen. et Sp. i. 938 (= *Deroemia triloba*).—Afr. trop.

**HOMALIUM**, Jacq. (Samyd.). acuminatum, Cheesem. in Trans. Linn. Soc. Ser. II. vi. 280.—Ins. Cook. Gentilii, Wildem. in Ann. Mus. Congo, Sér. V. i. 46.—Afr. trop. Gilgianum, Lauterb. in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee, 320.—N. Guin. javanicum, Koord. & Valet. in Ic. Bogor. t. 100, descr. ampl.—Java. molle, Stapf, in Journ. Linn. Soc. xxxvii. 100.—Afr. trop.

**HOMALOBUS**, Nutt. = *Astragalus*, Tourn. (Legum.). aboriginum, Rydb. in Britton, Man. Fl. N. U. S. 554 = A. aboriginum. acerbus, Rydb. in Bull. Torr. Bot. Club, 1905, 666 = A. Dodgians. californicus, A. A. Heller, Muhlenbergia, i. 86 = A. californicus. camporum, Rydb. in Bull. Torr. Bot. Club, 1905, 666.—Am. bor. Clementis, Rydb. l. c. 1904, 563.—Am. bor. curvicaulus, A. A. Heller, Muhlenbergia, ii. 86.—Calif. decurrens, Rydb. in Bull. Torr. Bot. Club, 1904, 563.—Am. bor. Fendleri, Rydb. l. c. 1905, 667 = A. Fendleri. flexuosus, Rydb. l. c. 666 = A. flexuosus.

**HOMALOBUS** :—Grallator, Rydb. in Bull. Torr. Bot. Club, 1905, 666 = A. Grallator. Hallii, Rydb. l. c. 667 = A. Hallii. junciformis, Rydb. l. c. 666 = A. junciformis. macrocarpus, Rydb. l. c. 667 = A. lonchocarpus. proximus, Rydb. l. c.—Am. bor. Salidae, Rydb. l. c.—Am. bor. tegetarius, Rydb. l. c. 1904, 563 = A. tegetarius. wingatensis, Rydb. l. c. = A. wingatanus. Wolfii, Rydb. l. c. 562.—Am. bor.

**HOMALOMENA**, Schott (Arac.). argentea, Ridley, in Journ. Bot. 1902, 35.—Penins. Mal. brevispatha, Engl. in Bot. Tidsskr. xxiv. 274.—Malaya. crassa, Ridley, in Journ. Bot. 1902, 36.—Penins. Mal. crinipes, Engl. Jahrb. xxvii. 124.—Am. trop. ? Curtisii, Ridley, in Journ. Bot. 1902, 34.—Penins. Mal. falcata, Ridley, l. c. 35.—Penins. Mal. Lauterbachii, Engl. in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee, 61.—N. Guin. mixta, Ridley, in Journ. Bot. 1902, 36.—Penins. Mal. multinervia, Ridley, l. c.—Penins. Mal. propinqua, Ridley, l. c. 35.—Penins. Mal. Ridleyana, Engl. Jahrb. xxxvii. 123.—Hab. ?

**HOODIA**, Sweet (Asclep.). Lugardi, N. E. Br. in Dyer, Fl. Trop. Afr. iv. i. 491.—Afr. trop.

**HOOKERA**, Salisb. = *Brodiaea*, Sm. (Liliac.). congesta, Jepson, Fl. W. Mid. Calif. 116 = B. congesta. multipedunculata, Abrams, in Bull. Torr. Bot. Club, 1905, 537.—Calif. synandra, A. A. Heller, in Bull. S. Calif. Acad. ii. 65.—Calif. volubilis, Jepson, Fl. W. Mid. Calif. 116 = Stropholirion californicum.

**HOPEA**, Roxb. (Dipterocarp.). acuminata, Merrill, in Philipp. Gov. Lab. Bur. Bull. xxix. 30.—Ins. Philipp. avellanea, Heim, in Bot. Tidsskr. xxv. 46.—Siam. linggensis, Boerl. Cat. Hort. Bogor. 103.—Arch. Mal. ovalifolia, Boerl. l. c. 102.—Arch. Mal. Schmidtii, Heim, in Bot. Tidsskr. xxv. 46.—Siam. siamensis, Heim, l. c.—Siam.

**HOPKINSIA**, Fitzg. in Journ. W. Austral. Nat. Hist. Soc. i. (1904) 33. *RESTIACEAE*. scabrida, Fitzg. l. c. 34.—Austral.

**HORDEUM**, Tourn. (Gramin.). daghestanicum, Alex. in Sched. Herb. Fl. Ross. iv. 29.—Reg. Caucas. Kronenburgii, Hack. in Allg. Bot. Zeitschr. 1905, 133.—Turkestan. rupestre, Alex. in Act. Hort. Tiflis, vi. 96.—Reg. Caucas.

**HORKELIA**, Cham. & Schlecht. = *Potentilla*, Linn. (Rosac.). Chandleri, Rydb. in Bull. Torr. Bot. Club, 1901, 177.—Am. bor. glandulosa, Eastw. in Bull. Torr. Bot. Club, 1905, 195.—Calif. Rydbergii, Elmer, in Coult. Bot. Gaz. xxxix. 50.—Calif. Wilderae, Parish, in Coult. Bot. Gaz. xxxviii. 460.—Calif.

**HORNSTEDTIA**, Retz. (Scitam.). [AMOMUM, Linn. I. K.] araneosa, K. Schum. in Engl. Pflanzenreich, Zingib. 196 (= *Amomum araneosum*).—Burma. costata, K. Schum. l. c. 198 (= *Amomum costatum*).—Reg. Himal. elongata, K. Schum. l. c. 192 (= *Amomum elongatum*).—Java. Fenzlii, K. Schum. l. c. 195 (= *Amomum Fenzlii*).—Ins. Nicobar. foetens, K. Schum. l. c. 200 (= *Amomum foetens*).—Java. Havilandii, K. Schum. l. c. 193 (= *Amomum Havilandii*).—Borneo. linguiformis, K. Schum. l. c. 196 (= *Amomum linguiforme*).—Reg. Himal.

**HORNSTEDTIA** :—

- loroglossa, *K. Schum. in Engl. Pflanzenreich, Zingib.* 196 (= *Amomum loroglossum*).—Reg. Himal.  
 lycostoma, *K. Schum. l. c.* 194 (= *Amomum lycostomum*).—N. Guin.  
 macrodus, *K. Schum. l. c.* 191 (= *Amomum macrodus*).—Penins. Mal.  
 minor, *Valet. in Bull. Inst. Buitenz. xx.* 57; *K. Schum. in Engl. Pflanzenreich, Zingib.* 199 (= *Elettaria minor*).—Java.  
 minuta, *K. Schum. l. c.* 197 (= *Elettaria minuta*).—Java.  
 mollis, *Valet. in Bull. Inst. Buitenz. xx.* 59.—Java.  
 paludosa, *K. Schum. in Engl. Pflanzenreich, Zingib.* 200 (= *Amomum paludosum*).—Java.  
 paradoxa, *Ridley, in Philipp. Gov. Lab. Bur. Bull.* xxxv. 85.—Ins. Philipp.  
 penicillata, *K. Schum. in Engl. Pflanzenreich, Zingib.* 193 (= *Amomum penicillatum*).—Celebes.  
 phaeochoana, *K. Schum. l. c.* 191 (= *Amomum phaeochoanum*).—Borneo.  
 philippinensis, *Ridley, in Philipp. Gov. Lab. Bur. Bull.* xxxv. 86.—Ins. Philipp.  
 Piniuga, *Valet. in Bull. Inst. Buitenz. xx.* 93 (= *Donacodes Piniuga*).—Java.  
 punicea, *K. Schum. in Engl. Pflanzenreich, Zingib.* 197 (= *Alpinia punicea*).—Java.  
 reticulata, *K. Schum. l. c.* 193 (= *Amomum reticulatum*).—Borneo.  
 sarawacensis, *K. Schum. l. c.* 191 (= *Amomum sarawacense*).—Borneo.  
 Scottiana, *K. Schum. l. c.* 194 (= *Amomum Scottii*).—Austral.  
 sphaerocephala, *K. Schum. l. c.* 192 (= *Amomum sphaerocephalum*).—Penins. Mal.  
 villosa, *Valet. in Bull. Inst. Buitenz. xx.* 58 (= *Donacodes villosa*).—Java.

**HORSFIELDIA**, Willd. (Myristic.).

- [MYRISTICA, Linn. I. K. S. I.]  
 Merrillii, *Warb. in Perkins, Frag. Fl. Philipp.* 49.—Ins. Philipp.  
 ramuensis, *Warb. in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee, 266.*—N. Guin.  
 Schlechteri, *Warb. l. c.* 267.—N. Guin.

**HOSTA**, Tratt. = **Funkia**, Spreng. (Liliac.).

- latifolia, *Matsum. Ind. Pl. Jap. ii.* 200 = *F. latifolia*.

**HOSTMANNIA**, Planch. = **Elvasia**, DC. (Ochnac.).

- esquebensis, *Van Tiegh. in Ann. Sci. Nat. Sér. VIII.* xvi. 414 = *E. esquebensis*.  
 Sagoti, *Van Tiegh. l. c.*—Guiana.

**HOULLETIA**, Brongn. (Orchid.).

- roraimensis, *Rolfe, in Trans. Linn. Soc. Ser. II. vi.* 63.—Guiana.

**HOUSTONIA**, Gronov. (Rubiace.).

- calycosa, *Mohr, in U. S. Dept. Agric. Contrib. Nat. Herb. vi.* 739 (= *Hedyotis calycosa*).—Am. bor.  
 filifolia, *Small, Fl. S. E. U. S.* 1109.—Am. bor.  
 lanceolata, *Britton, Man. Fl. N. U. S.* 861.—Am. bor.  
 montana, *Small, Fl. S. E. U. S.* 1325.—Am. bor.  
 parvula, *T. S. Brandegee, in Zoe, v.* 221 (1905).—Mexic.  
 peninsularis, *T. S. Brandegee, l. c.* 160 (1903).—Calif.  
 prostrata, *T. S. Brandegee, l. c.* 105 (1901).—Calif.  
 tenuis, *Small, Fl. S. E. U. S.* 1109.—Am. bor.

**HOYA**, R. Br. (Asclep.).

- anulata, *Schlechter, in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee, 362.*—N. Guin.  
 camphorifolia, *Warb. in Perkins, Frag. Fl. Philipp.* i. 129.—Ins. Philipp.  
 dictyoneura, *K. Schum. in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee, 362.*—N. Guin.  
 Fischeriana, *Warb. in Perkins, Frag. Fl. Philipp.* i. 129.—Ins. Philipp.  
 gracilipes, *Schlechter, in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee, 363.*—N. Guin.  
 incrassata, *Warb. in Perkins, Frag. Fl. Philipp.* i. 130.—Ins. Philipp.  
 litoralis, *Schlechter, in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee, 363.*—N. Guin.  
 luzonica, *Schlechter, in Perkins, Frag. Fl. Philipp.* i. 130.—Ins. Philipp.  
 marginata, *Schlechter, in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee, 364.*—Ins. Bismarck.

**HOYA** :—

- Merrillii, *Schlechter, in Perkins, Frag. Fl. Philipp.* i. 131.—Ins. Philipp.  
 obreniformis, *King, in Ann. Bot. Gard. Calc. ix.* 51.—Ind. or.  
 quinquenervia, *Warb. in Perkins, Frag. Fl. Philipp.* i. 132.—Ins. Philipp.  
 rosea, *K. Schum. in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee, 365.*—N. Guin.  
 rubida, *Schlechter, in K. Schum. & Lauterb. l. c.* 366.—Ins. Bismarck.  
 subcalva, *Burkill, in Kew Bull.* 1901, 141.—N. Guin.  
 trigonolobos, *Schlechter, in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee, 366.*—Ins. Bismarck.

**HUEGELIA**, Benth. = **Gilia**, Ruiz & Pav. (Polemon.).

- floccosa, *Howell, Fl. N. W. Am. i.* 458 = *G. floccosa*.  
**HUERNIA**, R. Br. (Asclep.).  
 concinna, *N. E. Br. in Dyer, Fl. Trop. Afr. iv.* 1. 497.—Afr. trop.  
 macrocarpa, *N. E. Br. l. c.* 498 (= *Staflia macrocarpa*).—Abyss.  
 Pillansii, *N. E. Br. in Gard. Chron.* 1904, i. 50.—Afr. austr.

**HUFELANDIA**, Nees (Laurac.).

- [BEILSCHMIEDIA, Nees. I. K.]  
 costaricensis, *Mes & Pittier, ex Mez, in Bull. Herb. Boiss. Sér. II. iii.* (1903) 228.—Am. cent.

**HUGERIA**, Small, Fl. S. E. U. S. 896 (1903).

- VACCINIACEAE.**  
 erythrocarpa, *Small, l. c.* 897 (= *Vaccinium erythrocarpum*).—Am. bor.

**HUGONIA**, Linn. (Linac.).

- Baummannii, *Engl. Jahrb. xxxii.* 104.—Afr. trop.  
 Durandea, *Schlechter, in Engl. Jahrb. xxxvi.* 19, nomen.—N. Caled.  
 gabunensis, *Engl. Jahrb. xxxii.* 105.—Afr. trop.  
 micans, *Engl. l. c.* 104.—Afr. trop.  
 obtusifolia, *C. H. Wright, in Kew Bull.* 1901, 119.—Afr. trop.  
 villosa, *Engl. Jahrb. xxxii.* 105.—Afr. trop.

**HUMBOLDTIA**, Vahl (Legum.).

- Bourdillonii, *Prain, in Journ. As. Soc. Beng. lxxiii.* 200.—Ind. or.

**HUMULUS**, Linn. (Urtic.).

- neomexicanus, *in Proc. Biol. Soc. Washington, xvi.* 185 (errore pro *Humuli Lupuli, var. neomexicani*).

**HUNTERIA**, Roxb. (Apocyn.).

- Ballayi, *Hua, in Bull. Mus. Hist. Nat. Par.* 1902, 281.—Afr. trop.

**HUTTUM**, Adans. = **Barringtonia**, Forst. (Myrtac.).

- acutangulum, *Britten, in Journ. Bot.* 1901, 67 = *B. acutangula*.  
 calyptratum, *Britten, l. c.* = *B. calyptrata*.  
 edule, *Britten, l. c.* = *B. edulis*.  
 racemosum, *Britten, l. c.* = *B. racemosa*.  
 speciosum, *Britten, l. c.* = *B. Butonica*.

**HYBANTHUS**, Jacq. = **Ionidium**, Vent. (Violac.).

- parietariifolius, *Loesen, in Bull. Herb. Boiss. Sér. II.* iii. (1903) 214 = *I. oppositifolium*.  
 tarapotinus, *Ule, in Pilg. in Verh. Bot. Ver. Brand.* xlvii. (1905) 158.—Peruv.  
 verbenaceus, *Loesen, in Bull. Herb. Boiss. Sér. II.* iii. 215 = *I. verbenaceum*.

**HYBIDIUM**, Fourr. = **Centranthus**, DC. (Valerian.).

- asturiense, *Jord. in Jord. & Fourr. Ic. Fl. Eur. iii.* 13.—Hispan.  
 grandiflorum, *Jord. l. c.* 14.—Ins. Balear.  
 hebecarpum, *Jord. l. c.* 13.—Ins. Balear.  
 micranthum, *Jord. l. c.*—Eur.

**HYDATELLA**, Diels, ex Diels & Pritz. in Engl.

- Jahrb. xxxv. (1904) 93. **CENTROLEPIDACEAE.**  
 australis, *Diels, l. c.*—Austral.  
 leptogyne, *Diels, l. c.*—Austral.

**HYDNOPHYTUM**, Jack (Rubiace.).

- punamense, *Lauterb. in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee, 401.*—Ins. Bismarck.  
 subnormale, *K. Schum. in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee, 400.*—N. Guin.

**HYDRANGAEA**, Gronov. (Saxifr.).

- Arbostiana, *Léveillé, in Bull. Acad. Géogr. Bot. xii.* (1903) 115.—China.  
 cinerea, *Small, in Britton, Man. Fl. N. U. S.* 484.—Am. bor.  
 integerrima, *MacL. in Rep. Princeton Univ. Exped. Patag. viii.* 461 (= *Cornidia integerrima*).—Chili.  
 Kamienskii, *Léveillé, in Bull. Acad. Géogr. Bot. xii.* (1903) 115.—China.  
 Maximowiczii, *Léveillé, l. c.* 114.—China.

**HYDRANTHUS**, Kuhl & Van Hasselt, ex Reichb. f.

- Xen. Orch. ii. (1862) 20 = **Dipodium**, R. Br. (Orchid.).  
 scandens, *Kuhl & Van Hasselt, l. c.* = *D. pictum*.

**HYDROBRYUM**, Endl. (Podost.).

- Johnsonii, *Willis, in Ann. Bot. Gard. Perad. i.* 241 (= *Podostemon Johnsonii*).—Ind. or.  
 sessile, *Willis, l. c.* 239.—Ind. or.

**HYDROCOTYLE**, Tourn. (Umbell.).

- ceratocarpa, *Fitzg. in Journ. W. Austral. Nat. Hist. Soc. i.* 22.—Austral.  
 exigua, *Malmé, in Arkiv Bot. Stockh. iii.* no. 13, 5.—Bras.  
 galapagensis, *Robinson, in Proc. Amer. Acad. xxxviii.* (1902) 184.—Ins. Galap.  
 villosa, *Ecklon, ex Baker & Wright, in Dyer, Fl. Cap.* iv. ii. 83 = *Dichondra repens*.

**HYDROPHACE**, Hall. = **Lemna**, Linn. (Lemnac.).

- minor, *Bub. Fl. Pyren. iv.* 23 = *L. minor*.  
 trisulca, *Bub. l. c.* = *L. trisulca*.

**HYDROSME**, Schott (Arac.).

- [AMORPHOPHALLUS, Blume. I. K.]  
 aspera, *Engl. Jahrb. xxxvii.* 123.—Sumatra.  
 Forbesii, *Engl. l. c.*—Sumatra.  
 Gregoryana, *Engl. l. c.* xxxvi. 237.—Afr. trop.  
 longituberosa, *Engl. in Bot. Tijdschr. xxiv.* 273.—Malaya.  
 Stuhlmannii, *Engl. Jahrb. xxxiv.* 152.—Afr. trop.  
 Warneckei, *Engl. l. c.* xxxvi. 238.—Afr. trop.

**HYDROSTACHYS**, Thou. (Podost.).

- triaxialis, *Engl. & Gilg. in Warb. Kunene-Sambesi Exped. 241.*—Afr. trop.

**HYGROPHILA**, R. Br. (Acanth.).

- affinis, *Lindau, in Warb. Kunene-Sambesi Exped.* 376.—Afr. trop.  
 angusta, *Huber, in Bull. Herb. Boiss. Sér. II. i.* 324.—Bras.  
 brasiliensis, *Lindau, in Bull. Herb. Boiss. Sér. II. iii.* 628.—Parag.  
 corymbosa, *Lindau, in Perkins, Frag. Fl. Philipp.* 38.—Ins. Philipp.  
 Evae, *Brig. in Ann. Conserv. & Jard. Bot. Genève, 1902, 6.*—Afr. trop.  
 glutinifolia, *Lindau, in Warb. Kunene-Sambesi Exped.* 374.—Afr. trop.  
 katangensis, *Wildem. in Ann. Mus. Congo, Sér. IV.* 142.—Afr. trop.  
 microthamnia, *Lindau, in Engl. Jahrb. xxx.* 403.—Afr. trop.  
 Pringlei, *Greenm. in Proc. Amer. Acad. xli.* 248.—Mexic.  
 sessilifolia, *Lindau, in Warb. Kunene-Sambesi Exped.* 375.—Afr. trop.  
 Teusii, *Ind. Kew. Suppl. i.* 218, sphalm. = *Teuzzii*.

**HYMENOCALLIS**, Salisb. (Amaryll.).

- arenicola, *A. R. Northr. in Mem. Torr. Bot. Club. xii.* 29.—Ins. Baham.  
 graminifolia, *Greenm. in Proc. Amer. Acad. xxxix.* 74.—Mexic.  
 Pringlei, *Greenm. l. c.*—Mexic.  
 riparia, *Greenm. l. c.* xli. 235.—Mexic.

**HYMENOCLEA**, Torr. & Gray (Compos.).

- fasciculata, *A. Nelson, in Coult. Bot. Gaz. xxxvii.* 270.—Am. bor.

**HYMENODICTYON**, Wall. (Rubiace.).

- fimbriolatum, *K. Schum. ex Wildem. in Ann. Mus. Congo, Sér. IV.* 225.—Afr. trop.  
 Koordersii, *K. Schum. ex Koord. in Natuurk. Tijdschr. Ned. Ind. lxxiii.* 78.—Celebes.

**HYMENOPAPPUS**, L'Hérit. (Compos.).

- eripoda, *A. Nelson*, in *Coult. Bot. Gaz.* xxxvii. 274.—Am. bor.  
 ochroleucus, *Greene*, *Pl. Baker*. iii. 30.—Am. bor.  
 parvulus, *Greene*, *l. c.*—Am. bor.  
 sulphureus, *Rydb.* in *Britton*, *Man. Fl. N. U. S.* 1007.—Am. bor.

**HYMENOSTEGIA**, Harms (Legum.).

- Dinklagei, *Harms*, in *Engl. Jahrb.* xxx. 78.—Afr. trop.

**HYMENOXYS**, Cass. (Compos.).

- canescens, *Cock.* in *Bull. Torr. Bot. Club*, 1904, 484 (= *Picradenia canescens*).—Am. bor.  
 Cooperi, *Cock.* *l. c.* 494 (= *Picradenia Cooperi*).—Calif.  
 Davidsonii, *Cock.* *l. c.* 508 (= *Picradenia Davidsonii*).—Am. bor.  
 Earlei, *Cock.* *l. c.* 492 (= *Picradenia Earlei*).—Am. bor.  
 floribunda, *Cock.* *l. c.* 485 (= *Picradenia floribunda*).—Am. bor.  
 helenioides, *Cock.* *l. c.* 481 (= *Picradenia helenioides*).—Am. bor.  
 insignis, *Cock.* in *Torreya*, iv. 170 (= *Actinella insignis*).—Mexic.  
 latissima, *Cock.* in *Bull. Torr. Bot. Club*, 1904, 498.—Calif.  
 Lemmoni, *Cock.* *l. c.* 477 (= *Picradenia Lemmoni*).—Calif.  
 Metcalfei, *Cock.* *l. c.* 492.—Am. bor.  
 olivacea, *Cock.* *l. c.* 497.—Am. bor.  
 Richardsoni, *Cock.* *l. c.* 468 (= *Picradenia Richardsoni*).—Am. bor.  
 Rusbyi, *Cock.* *l. c.* 496 (= *Picradenia Rusbyi*).—Calif.  
 subintegra, *Cock.* *l. c.* 480.—Am. bor.  
 texana, *Cock.* *l. c.* 499 (= *Picradenia texana*).—Am. bor.  
 Vaseyi, *Cock.* *l. c.* 493 (= *Picradenia Vaseyi*).—Am. bor.

**HYOBANCHE**, Linn. (Scrophul.).

- glabrata, *Hiern*, in *Dyer*, *Fl. Cap.* iv. II. 417 (= *Hæmatobanche sanguinea*).—Afr. austr.  
 rubra, *N. E. Br.* in *Kew Bull.* 1901, 129.—Afr. austr.

**HYPECOUM**, Tourn. (Papav.).

- deuteroparviflorum, *Fedde*, in *Bull. Herb. Boiss. Sér.* II. v. 166.—Oriens.

**HYPERASPIS**, Briq. in *Bull. Herb. Boiss. Sér.* II. iii. (1903) 975. **LABIATAE**.

- Kelleri, *Briq.* *l. c.*—Afr. trop.

**HYPERBAENA**, Miers = **Pachygone**, Miers (Menisp.).

- oblongifolia, *Chod. & Hassl.* in *Bull. Herb. Boiss. Sér.* II. iii. 421 = *P. oblongifolia*.

**HYPERICOPHYLLUM**, Steetz (Compos.).

- [**JAUMEA**, Pers. I. K.]  
 angolense, *N. E. Br.* in *Journ. Linn. Soc.* xxxv. 122.—Afr. trop.  
 congoense, *N. E. Br.* *l. c.* 123.—Afr. trop.  
 elatum, *N. E. Br.* *l. c.* 122.—Afr. trop.  
 scabridum, *N. E. Br.* *l. c.*—Afr. trop.

**HYPERICUM**, Tourn. (Hyperic.).

- bacciforme, *Bub.* *Fl. Pyren.* iii. 343 = *H. androsaemum*.  
 Baumii, *Engl. & Gilg.* in *Warb. Kunene-Sambesi Exped.* 306.—Afr. trop.  
 Biondii, *Keller*, in *Engl. Jahrb.* xxxiii. 551.—China.  
 Bissellii, *Fern.* in *Rhodora*, iv. 136.—Am. bor.  
 Bodinieri, *Léveillé & Vaniot*, in *Bull. Soc. Agric. Sci. Arts Sarthe*, 1904, repr. 7.—China.  
 bryophyllum, *Elmer*, in *Coult. Bot. Gaz.* xxxvi. 60.—Am. bor.  
 Buschianum, *Woron.* ex *Busch*, in *Act. Hort. Petrop.* xxiv. (1905) 291, 561, nomen.—Reg. Caucas.  
 consimile, *Keller*, in *Engl. Jahrb.* xxxiii. 552.—Java.  
 elatoides, *Keller*, *l. c.* 549.—China.  
 ericoides, *Arech.* in *Anal. Mus. Montevid.* iv. I. (1902) 18.—Urug.  
 exiguum, *Bub.* *Fl. Pyren.* iii. 343 = *humifusum*.  
 Giraldii, *Keller*, in *Engl. Jahrb.* xxxiii. 548.—China.  
 interior, *Small*, in *Bull. Torr. Bot. Club*, 1901, 359.—Am. bor.  
 kouytchense, *Léveillé*, in *Bull. Soc. Agric. Sci. Arts Sarthe*, 1904, repr. 7.—China.  
 lateriflorum, *Léveillé*, *l. c.*—China.  
 lobocarpum, *Gatt.* *Fl. Tennessee*, 120.—Am. bor.

**HYPERICUM**—

- longifolium, *Léveillé*, in *Bull. Soc. Agric. Sci. Arts Sarthe*, 1904, repr. 7.—China.  
 nikkoense, *Makino*, in *Bot. Mag. Tokyo*, xviii. 103.—Japan.  
 nummulariaefolium, *Bub.* *Fl. Pyren.* iii. 348 = *nummularium*.  
 obtusifolium, *Keller*, in *Engl. Jahrb.* xxxiii. 551.—China.  
 obtusifolium, *Makino*, in *Bot. Mag. Tokyo*, xvii. (1903) 80.—Japan.  
 oliganthemum, *Keller*, in *Engl. Jahrb.* xxxiii. 553.—Japan.  
 pedunculatum, *Keller*, *l. c.* 549.—China.  
 pseudomaculatum, *Bush*, in *Trans. Acad. Sci. St. Louis*, xii. 83.—Am. bor.  
 pseudotenellum, *Vandas*, in *Magyar Bot. Lap.* iv. 263.—Turcia.  
 Scallanii, *Keller*, in *Engl. Jahrb.* xxxiii. 549.—China.  
 similans, *Keller*, *l. c.* 547.—Japan.  
 splendens, *Small*, in *Bull. Torr. Bot. Club*, 1901, 291.—Am. bor.  
 Thomsonii, *Keller*, in *Engl. Jahrb.* xxxiii. 552.—China.  
 tosaense, *Makino*, in *Bot. Mag. Tokyo*, xvii. 79.—Japan.  
 turgidum, *Small*, *Fl. S. E. U. S.* 788.—Am. bor.  
 uniglandulosum, *Hauskn.* ex *Bornm.* in *Bull. Herb. Boiss. Sér.* II. v. 130.—As. Min.  
 vulgare, *Bub.* *Fl. Pyren.* iii. 345 = *perforatum*.

**HYPHAENE**, Gaertn. (Palm.).

- aurantiaca, *Damm.* in *Engl. Jahrb.* xxx. 267.—Afr. trop.

**HYPOBATHRUM**, Blume (Rubiace.).

- brevipes, *Koord. & Valet.* in *Meded. S Lands Plantent.* lix. (1902) 112.—Java.

**HYPOCHOERIS**, Linn. (Compos.).

- chillensis, *Hieron.* in *Engl. Jahrb.* xxviii. 658 (= *Apargia chillensis*).—N. Granat.  
 palustris, *Wildem.* *Rés. Voy. Belgica, Bot.* 180 (= *Achyrophorus palustris*).—Reg. Magell.  
 Poeppigii, *P. Dusen.* in *Rep. Princeton Univ. Exped. Patag.* viii. 31.—Patag.

**HYPODISCUS**, Nees (Restiac.).

- capitatus, *Mast. ex Dod.* in *Journ. Bot.* 1901, 402.—Afr. austr.  
 Dodii, *Mast.* *l. c.*—Afr. austr.

**HYPOESTES**, Soland. (Acanth.).

- cinerea, *C. B. Clarke*, in *Philipp. Gov. Lab. Bur. Bull.* xxxv. 89.—Ins. Philipp.  
 Schmidtii, *C. B. Clarke*, in *Bot. Tidsskr.* xxiv. 351.—Malaya.  
 subcapitata, *C. B. Clarke*, in *Philipp. Gov. Lab. Bur. Bull.* xxxv. 90.—Ins. Philipp.  
 udangensis, *K. Schum.* in *Just, Jahresb.* xxviii. i. 466, sphalm. = *mlangensis*.  
 Vidalii, *C. B. Clarke*, in *Philipp. Gov. Lab. Bur. Bull.* xxxv. 90.—Ins. Philipp.

**HYPOLAENA**, R. Br. (Restiac.).

- fasciculata, *Fitzger.* in *Proc. Linn. Soc. N. S. Wales*, xxviii. 108.—Austral.  
 Mahoni, *N. E. Br.* in *Dyer*, *Fl. Trop. Afr.* viii. 265.—Afr. trop.  
 ramosissima, *Gilg.* ex *Diels & Pritz.* in *Engl. Jahrb.* xxxv. 89.—Austral.

**HYPOLYTRUM**, Rich. (Cyperac.).

- congenise, *C. B. Clarke*, in *Dyer*, *Fl. Trop. Afr.* viii. 487.—Afr. trop.  
 lancifolium, *C. B. Clarke*, *l. c.* 488.—Afr. trop.  
 longiscapusum, *C. B. Clarke*, *l. c.* 489.—Afr. trop.  
 senegalense, *C. B. Clarke*, *l. c.* 488.—Afr. trop.

**HYPOPITYS**, Dill. (Monotrop.).

- americana, *Small*, *Fl. S. E. U. S.* 880.—Am. bor.  
 fimbriata, *Howell*, *Fl. N. W. Am.* i. 429 (= *Monotropa fimbriata*).—Am. bor.

**HYPOXIS**, Linn. (Amaryll.).

- Curtissii, *Rose*, in *Small*, *Fl. S. E. U. S.* 287.—Am. bor.  
 Eckloni, *Baker*, in *Bull. Herb. Boiss. Sér.* II. i. 859.—Afr. austr.  
 caespitosa, *Baker*, *l. c.* 858.—Afr. austr.  
 Goetzei, *Harms*, in *Engl. Jahrb.* xxx. 276.—Afr. trop.

**HYPOXIS**—

- grandis, *Pollard*, in *Small*, *Fl. S. E. U. S.* 287.—Am. bor.  
 Junodi, *Baker*, in *Bull. Herb. Boiss. Sér.* II. i. 859.—Afr. austr.  
 leucotricha, *Fritsch*, in *Bull. Herb. Boiss. Sér.* II. i. 1109.—Afr. trop.  
 longifolia, *Baker*, in *Vierteljahrsschr. Naturf. Ges. Zürich*, xlix. 176.—Afr. austr.  
 longipes, *Baker*, in *Vierteljahrsschr. l. c.*—Afr. austr.  
 micrantha, *Pollard*, in *Small*, *Fl. S. E. U. S.* 287.—Am. bor.  
 mollis, *Baker*, in *Vierteljahrsschr. Naturf. Ges. Zürich*, xlix. 177.—Afr. austr.  
 nigricans, *Conrath*, in *Vierteljahrsschr. Naturf. Ges. Zürich*, xlix. 177.—Afr. austr.

**HYPSOPHILA**, F. Muell. (Celastr.).

- Dielsiana, *Loes.* in *Notizbl. Bot. Gart. Berlin*, iv. 62.—Austral.

**HYPTIADAPHNE**, Urb. Symb. Antill. ii. (1901) 453. **THYMELAEACEAE**.

- crassifolia, *Urb.* *l. c.* 454 (= *Daphne crassifolia*).—Ind. occ.

**HYPTIS**, Jacq. (Labiata.).

- Baumii, *Guerke*, in *Warb. Kunene-Sambesi Exped.* 354.—Afr. trop.  
 frondosa, *S. Moore*, in *Journ. Bot.* 1904, 108.—Bras.  
 helophila, *Pilg.* in *Engl. Jahrb.* xxx. 189.—Bras.  
 indivisa, *Pilg.* *l. c.* 190.—Bras.  
 juruana, *Loes. ex Pilg.* in *Verh. Bot. Ver. Brand.* xlvii. (1905) 187.—Reg. Amaz.  
 lasiocalyx, *Pilg.* in *Engl. Jahrb.* xxx. 190.—Bras.  
 Lindmaniana, *Briq.* in *Arkiv Bot. Stockh.* ii. no. 10, 4.—Bras.  
 Loeseneriana, *Pilg.* in *Engl. Jahrb.* xxx. 191.—Bras.  
 mattogrossensis, *Pilg.* *l. c.*—Bras.

**HYSSOPUS**, Tourn. (Labiata.).

- cretaceus, *Dub.* in *Sched. Herb. Fl. Ross.* v. 51.—Rossia.

**HYSTRIX**, Moench = **Asprella**, Humb. (Gramin.).

- elymoides, *Mackenzie & Bush*, in *Mackenzie, Fl. Jacks. County*, 39 = *A. Hystrix*.

## I

**IANTHE**, Salisb. = **Hypoxis**, Linn. (Amaryll.).

- aquatica, *F. N. Williams*, in *Journ. Bot.* 1901, 292 = *H. aquatica*.  
 curculigoides, *F. N. Williams*, *l. c.* = *H. curculigoides*, *Bolus non Wall.*  
 glabella, *F. N. Williams*, *l. c.* = *H. glabella*.  
 gracilipes, *F. N. Williams*, *l. c.* = *H. gracilipes*.  
 leptantha, *F. N. Williams*, *l. c.* = *H. occidentalis*.  
 Maximiliani, *F. N. Williams*, *l. c.* = *H. Maximiliani*.  
 minuta, *F. N. Williams*, *l. c.* = *H. minuta*.  
 monophylla, *F. N. Williams*, *l. c.* = *H. monophylla*.  
 occidentalis, *F. N. Williams*, *l. c.* = *H. occidentalis*.  
 pusilla, *F. N. Williams*, *l. c.* = *H. pusilla*.  
 Schlechteri, *F. N. Williams*, *l. c.* = *H. Schlechteri*.  
 serrata, *F. N. Williams*, *l. c.* = *H. serrata*.  
 stellata, *F. N. Williams*, *l. c.* = *H. stellata*.  
 umbraticola, *F. N. Williams*, *l. c.* = *H. umbraticola*.

**IBERIS**, Dill. (Crucif.).

- Cottiana, *Ford.* in *Ford. & Fourr. Ic. Fl. Eur.* iii. 11.—Gallia.  
 extensa, *Ford.* *l. c.*—Hab.?  
 humilis, *Ford.* *l. c.* 12.—Gallia.  
 montana, *Ford.* *l. c.*—Gallia.  
 praeruptorum, *Ford.* *l. c.*—Gallia.  
 roseo-purpurea, *Sagorski*, in *Mitth. Thüring. Bot. Ver.* n. s. xvi. 49.—Turcia.

**IBERVILLEA**, Greene = **Maximowiczia**, Cogn.

- (Cucurb.).  
 tenella, *Small*, *Fl. S. E. U. S.* 1136 = *M. tripartita*.  
 tenuisecta, *Small*, *l. c.* = *M. Lindheimeri*.

**IBIDIUM**, Salisb. = **Spiranthes**, Rich. (Orchid.).

- cernuum, *House*, in *Bull. Torr. Bot. Club*, 1905, 381 = *S. cernua*.



**IBIDIUM:**—

- gracile*, House, in Bull. Torr. Bot. Club, 1905, 381 = *S. gracilis*.  
*ochroleucum*, House, l. c. = *Gyrostachys ochroleuca*.  
*plantagineum*, House, l. c. = *S. latifolia*, Torr.  
*porrifolium*, Rydb. in Bull. Torr. Bot. Club, 1905, 610 = *S. porrifolia*.  
*strictum*, House, in Bull. Torr. Bot. Club, 1905, 381 = *Gyrostachys stricta*.  
*vernalis*, House, l. c. = *S. vernalis*.

**ICHNANTHUS**, Beauv. (Gramin.).

- apiculatus*, Scribn. in U. S. Dept. Agric. Circ. Agrost. no. 30, 1.—Am. bor.  
*sericans*, Hack. in Oesterr. Bot. Zeitschr. 1901, 458.—Bras.

**IGUANURA**, Blume (Palm.).

- ferruginea*, Ridley, in Journ. As. Soc. Straits, xli. 40.—Penins. Mal.  
*Sanderiana*, Ridley, in Gard. Chron. 1904, i. 50.—Borneo.  
*spectabilis*, Ridley, in Journ. As. Soc. Straits, xli. 40. —Penins. Mal.

**ILEX**, Tourn. (Ilicin.).

- alternifolia*, Loes. in Nov. Act. Nat. Cur. lxxviii. 81 (= *Viburnum alternifolium*).—Java.  
*amara*, Loes. l. c. 457.—Am. trop.  
*andicola*, Loes. l. c. 161.—Bolivia.  
*andorensis*, Loes. l. c. 394.—Peruv.  
*anonoides*, Loes. l. c. 164.—Peruv.  
*apicidens*, N. E. Br. in Trans. Linn. Soc. Ser. II. vi. 22.—Guiana.  
*ardisioides*, Loes. in Nov. Act. Nat. Cur. lxxviii. 359.—China.  
*Azevinho*, Sol. in Lowe, Man. Fl. Madeir. 12.—Ins. Mader.  
*Beccariana*, Loes. in Nov. Act. Nat. Cur. lxxviii. 96.—Borneo.  
*biserrulata*, Loes. l. c. 463.—Bras.  
*Blanchetii*, Loes. l. c. 415.—Bras.  
*bogorensis*, Loes. l. c. 82.—Sumatra.  
*borneensis*, Loes. l. c. 284.—Borneo.  
*Brandegeana*, Loes. l. c. 148.—Calif.  
*bronxensis*, Britton, Man. Fl. N. U. S. 604.—Am. bor.  
*buxifolioides*, Loes. in Nov. Act. Nat. Cur. lxxviii. 225.—Boliv.  
*casiquiarensis*, Loes. l. c. 437.—Bras.  
*celebesiaca*, Loes. l. c. 205.—Celebes.  
*Championii*, Loes. l. c. 349.—China.  
*cissoidea*, Loes. l. c. 430.—Borneo.  
*Clarkei*, Loes. l. c. 274.—Ind. or.  
*cochinchinensis*, Loes. l. c. 230 (= *Hexadica cochinchinensis*).—Cochinch.  
*crassifolia*, Loes. l. c. 160.—Peruv.  
*densiflora*, Zipp. ex Loes. l. c. 82 = *alternifolia*.  
*dictyoneura*, Loes. l. c. 88.—Tonkin.  
*Engleriana*, Loes. l. c. 428.—Sumatra.  
*ericoides*, Loes. l. c. 176.—Peruv.  
*friburgensis*, Loes. l. c. 371.—Bras.  
*Glazioviana*, Loes. l. c. 194.—Bras.  
*Goudotii*, Loes. l. c. 400.—N. Granat.  
*Guayusa*, Loes. l. c. 310.—Am. trop.  
*Harmsiana*, Loes. l. c. 433.—Borneo.  
*Havilandii*, Loes. l. c. 423.—Borneo.  
*Henryi*, Loes. l. c. 491.—China.  
*hypoglauca*, Loes. l. c. 80 (= *Prinos hypoglaucus*).—Ins. Banca.  
*hypopsile*, Loes. l. c. 213.—Bras.  
*hypotricha*, Loes. l. c. 103.—Ind. or.  
*intermedia*, Loes. l. c. 273.—China.  
*Jenmanii*, Loes. l. c. 412.—Guiana.  
*Karstenii*, Loes. l. c. 165.—N. Granat.  
*kelungensis*, Loes. l. c. 335.—China.  
*Lechleri*, Loes. l. c. 177.—Peruv.  
*leucoclada*, Makino, in Bot. Mag. Tokyo, xix. 148.—Japon.  
*liukiensis*, Loes. in Nov. Act. Nat. Cur. lxxviii. 336.—Ins. Liukiu.  
*longipetiolata*, Loes. l. c. 383.—Bras.  
*loretica*, Loes. in Fedde, Repert. Nov. Sp. i. 166.—Peruv.  
*Macrolaurus*, Loes. in Nov. Act. Nat. Cur. lxxviii. 438.—Ecuador.  
*malaccensis*, Loes. l. c. 432.—Ind. or.  
*Mandonii*, Loes. l. c. 226.—Boliv.  
*Martii*, Loes. l. c. 448.—Bras.

**ILEX:**—

- matangicola*, Loes. in Nov. Act. Nat. Cur. lxxviii. 115.—Borneo.  
*Matthewsii*, Loes. l. c. 176.—Peruv.  
*Maximowicziana*, Loes. l. c. 339.—China.  
*metabaptista*, Loes. l. c. 238.—China.  
*microsticta*, Loes. in Fedde, Repert. Nov. Sp. i. 164.—Peruv.  
*minimifolia*, Loes. in Nov. Act. Nat. Cur. lxxviii. 174.—Boliv.  
*naiguatina*, Loes. l. c. 169.—Venez.  
*oligoneura*, Loes. l. c. 464.—Bras.  
*Oliveriana*, Loes. l. c. 406.—Guiana.  
*organensis*, Loes. l. c. 219.—Bras.  
*Pierreana*, Loes. l. c. 382.—Bras.  
*pseudoebenacea*, Loes. l. c. 386.—Boliv.  
*pseudoembelioides*, Loes. l. c. 204.—Celebes.  
*pseudodorata*, Loes. l. c. 285.—Ind. or.  
*pseudotheezans*, Loes. l. c. 370.—Bras.  
*quitenis*, Loes. l. c. 222 (= *Rhamnus quitenis*).—Am. austr.  
*sarawaccensis*, Loes. l. c. 434.—Borneo.  
*sclerophylloides*, Loes. l. c. 77.—Malaya.  
*Schwackeana*, Loes. l. c. 416.—Bras.  
*Sellowii*, Loes. l. c. 122.—Bras.  
*Stapfiana*, Loes. l. c. 431.—Borneo.  
*sumatrana*, Loes. l. c. 233.—Sumatra.  
*szechwanensis*, Loes. l. c. 347.—China.  
*tarapotina*, Loes. l. c. 393.—Peruv.  
*Taubertiana*, Loes. l. c. 125.—Bras.  
*teratopsis*, Loes. l. c. 93.—Am. trop.  
*tonkiniana*, Loes. l. c. 332.—Tonkin.  
*trichoclada*, Loes. l. c. 178.—Boliv.  
*trichothyrsa*, Loes. l. c. 456.—Bras.  
*umbellulata*, Loes. l. c. 100 (= *Ehretia umbellulata*).—Ind. or.; Burma.  
*villosula*, Loes. l. c. 366.—Peruv.  
*virgata*, Loes. l. c. 191.—Bras.  
*Vitis-Idaea*, Loes. l. c. 183.—Bras.  
*Warburgii*, Loes. l. c. 326.—China.  
*Wattii*, Loes. l. c. 322.—Ind. or.  
*Weberbaueri*, Loes. in Fedde, Repert. Nov. Sp. i. 165.—Peruv.

**ILICIMUM**, Linn. (Magnol.).

- Dunnianum*, Tutch. in Journ. Linn. Soc. xxxvii. 62.—China.  
*micranthum*, Dunn, in Hook. Ic. Pl. t. 2714.—China.

**ILLIGERA**, Blume (Combret.).

- luzonensis*, Merrill, in Philipp. Gov. Lab. Bur. Bull. xvii. 18 (= *Henschelia luzonensis*).—Ins. Philipp.

**ILLIPE**, Koen. = **Bassia**, Koen. (Sapot.).

- Betis*, Merrill, in Forest. Bur. Philipp. Bull. i. 46 (= *Azaola Betis*).—Ins. Philipp.  
*coriacea*, Merrill, in Philipp. Gov. Lab. Bur. Bull. xvii. 41.—Ins. Philipp.  
*multiflora*, Merrill, l. c.—Ins. Philipp.  
*ramiflora*, Merrill, l. c. 42.—Ins. Philipp.

**ILYANTHES**, Rafin. (Scrophul.).

- Bolusii*, Hiern, in Dyer, Fl. Cap. iv. ii. 367.—Afr. austr.  
*conferta*, Hiern, l. c. 365.—Afr. austr.  
*Muddii*, Hiern, l. c. 366.—Afr. austr.  
*Plantaginella*, S. Moore, in Journ. Bot. 1905, 49.—Afr. trop.  
*Schlechteri*, Hiern, in Dyer, Fl. Cap. iv. ii. 365.—Afr. austr.

**IMPATIENS**, Riv. (Geran.).

- acmanthera*, Hook. f. in Rec. Bot. Surv. India, iv. 17.—Reg. Himal.  
*aganantha*, Hook. f. l. c. 16.—Reg. Himal.  
*Aitchisoni*, Hook. f. l. c. 9.—Ind. or.  
*Andersoni*, Hook. f. l. c. 27.—Burma.  
*annulifer*, Hook. f. l. c.—Ind. or.  
*aurella*, Rydb. in Bull. Torr. Bot. Club, 1901, 34.—Am. bor.  
*Bagshawei*, Baker f. in Journ. Linn. Soc. xxxvii. 129.—Afr. trop.  
*Balfourii*, Hook. f. Bot. Mag. t. 7878.—Reg. Himal.  
*bivittata*, Hook. f. in Rec. Bot. Surv. India, iv. 16.—Reg. Himal.  
*bracteolata*, Hook. f. l. c. 31.—Ind. or.  
*Brandisii*, Hook. f. l. c. 29.—Burma.  
*burmanica*, Hook. f. l. c. 27.—Burma.  
*chrysantha*, Hook. f. Bot. Mag. t. 7786.—Ind. or.

**IMPATIENS:**—

- citrina*, Hook. f. in Rec. Bot. Surv. India, iv. 17.—Reg. Himal.  
*Craddockii*, Hook. f. l. c. 29.—Burma.  
*curvipes*, Hook. f. l. c. 25.—Burma.  
*cuspidifera*, Hook. f. l. c. 27.—Ind. or.  
*Dahlil*, Warb. in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee, 313.—Ins. Bismarck.  
*decipiens*, Hook. f. in Rec. Bot. Surv. India, iv. 17.—Reg. Himal.  
*depauperata*, Hook. f. l. c. 31.—Ind. or.  
*drepanophora*, Hook. f. l. c. 17.—Reg. Himal.  
*Duthiei*, Hook. f. l. c. 11.—Reg. Himal.  
*ecalcarata*, Blank. in Montana Agric. Coll. Sci. Studies, Bot. i. 84.—Am. bor.  
*exilis*, Hook. f. in Rec. Bot. Surv. India, iv. 13.—Reg. Himal.  
*falcifer*, Hook. f. Bot. Mag. t. 7923; et in Rec. Bot. Surv. India, iv. 18.—Reg. Himal.  
*filicornu*, C. B. Clarke, ex Hook. f. in Rec. Bot. Surv. India, iv. 19 = *exilis*.  
*flammea*, Gilg, in Engl. Jahrb. xxx. 350.—Afr. trop.  
*Flemingii*, Hook. f. in Rec. Bot. Surv. India, iv. 9.—Ind. or.  
*florigera*, C. B. Clarke, ex Hook. f. l. c. 13.—Reg. Himal.  
*florulenta*, Hook. f. l. c. 25.—Burma.  
*formosa*, Hook. f. l. c. 28.—Ind. or.  
*Gamblei*, Hook. f. l. c. 15.—Reg. Himal.  
*Gammiei*, Hook. f. l. c. 16.—Reg. Himal.  
*graciliflora*, Hook. f. l. c. 15.—Reg. Himal.  
*gratioloides*, Gilg, in Engl. Jahrb. xxx. 350.—Afr. trop.  
*Helferi*, Hook. f. in Rec. Bot. Surv. India, iv. 28.—Burma.  
*Hobsoni*, Hook. f. l. c. 15.—Reg. Himal.  
*Inayatii*, Hook. f. l. c. 10.—Ind. or.  
*infundibularis*, Hook. f. l. c. 13.—Reg. Himal.  
*katangensis*, Wildem. in Ann. Mus. Congo, Sér. IV. 82.—Afr. trop.  
*khasiana*, Hook. f. in Rec. Bot. Surv. India, iv. 27.—Reg. Himal.  
*Kingii*, Hook. f. l. c. 14.—Reg. Himal.  
*Lauterbachii*, Warb. in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee, 312.—N. Guin.  
*leptocarpa*, Hook. f. in Rec. Bot. Surv. India, iv. 17.—Reg. Himal.  
*linearifolia*, Warb. in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee, 313.—N. Guin.  
*lutea*, Hook. f. in Rec. Bot. Surv. India, iv. 18.—Reg. Himal.  
*manipurensis*, Hook. f. l. c. 31.—Ind. or.  
*Mannii*, C. B. Clarke, ex Hook. f. l. c. 27.—Ind. or.  
*Marianae*, Reichb. f. ex Hook. f. l. c.—Ind. or.  
*Masoni*, Hook. f. l. c. 29.—Burma.  
*maxima*, Gilg, in Engl. Jahrb. xxx. 351.—Afr. trop.  
*micromeris*, Hook. f. in Rec. Bot. Surv. India, iv. 26.—Burma.  
*microsciadia*, Hook. f. l. c. 16.—Reg. Himal.  
*minimiflora*, Hook. f. l. c.—Reg. Himal.  
*Mokimi*, Hook. f. l. c. 26.—Burma.  
*nepalensis*, Hook. f. l. c. 14.—Reg. Himal.  
*nigrescens*, Hook. f. l. c. 28.—Ind. or.  
*nummularifolia*, Hook. f. l. c. 14.—Reg. Himal.  
*occultans*, Hook. f. l. c. 17.—Reg. Himal.  
*Pantlingii*, Hook. f. l. c. 16.—Reg. Himal.  
*peguana*, Hook. f. l. c. 29.—Burma.  
*polyphylla*, Warb. in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee, 311.—Ins. Bismarck.  
*praetermissa*, Hook. f. in Journ. Linn. Soc. xxxvii. 29; et in Rec. Bot. Surv. India, iv. 18.—Reg. Himal.  
*Prainii*, Hook. f. l. c. 14.—Reg. Himal.  
*prostrata*, Hook. f. l. c. 31.—Ind. or.  
*psittacina*, Hook. f. Bot. Mag. t. 7809.—Ind. or.  
*rangoonensis*, Hook. f. in Rec. Bot. Surv. India, iv. 29.—Burma.  
*refracta*, Wildem. in Ann. Mus. Congo, Sér. IV. 83.—Afr. trop.  
*Rodatzii*, Warb. in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee, 312.—N. Guin.  
*Schlechteri*, Warb. l. c. 311.—N. Guin.  
*scitula*, Hook. f. in Rec. Bot. Surv. India, iv. 14.—Reg. Himal.  
*Scullyi*, Hook. f. l. c. 15.—Reg. Himal.  
*serratifolia*, Hook. f. l. c. 18.—Reg. Himal.  
*serrulata*, Hook. f. l. c. 10.—Ind. or.  
*stricta*, C. B. Clarke, ex Hook. f. l. c. 28.—Ind. or.  
*striolata*, Hook. f. l. c.—Ind. or.

**IMPATIENS** :—

- trichoclodon, *Hook. f. in Rec. Bot. Surv. India*, iv. 16.—Reg. Himal.  
 trichura, *Warb. in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 312.—N. Guin.  
 uncipectala, *C. B. Clarke, ex Hook. f. in Rec. Bot. Surv. India*, iv. 18.—Reg. Himal.  
 Verdickii, *Wildem. in Ann. Mus. Congo*, Sér. IV. 84.—Afr. trop.  
 violoides, *Edgew. ex Hook. f. in Rec. Bot. Surv. India*, iv. 8.—Ind. or.  
 Wallichii, *Hook. f. l. c. 15*.—Reg. Himal.  
 Wattii, *Hook. f. l. c. 30*.—Ind. or.

**IMPERATA**, Cyrill. (Gramin.).

- angolensis, *Fritsch, in Bull. Herb. Boiss. Sér. II. i. 1096*.—Afr. trop.  
 Cheesemani, *Hack. in Trans. Proc. N. Z. Inst.* xxxv. 378.—Ins. Kermadec.  
 longifolia, *Pilg. in Engl. Jahrb.* xxx. 136.—Bras.

**INDIGOFEA**, Linn. (Legum.).

- acutispala, *Conrath, in Vierteljahrsschr. Naturf. Ges. Zürich*, xlix. 179.—Afr. austr.  
 adenoides, *Baker f. in Vierteljahrsschr. Naturf. Ges. Zürich*, xlix. 182.—Afr. austr.  
 angustiloba, *Baker f. l. c. 183*.—Afr. austr.  
 Bagshawei, *Baker f. in Journ. Linn. Soc.* xxxvii. 142.—Afr. trop.  
 Baumiana, *Harms, in Warb. Kunene-Sambesi Exped.* 257.—Afr. trop.  
 brevicalyx, *Baker f. in Journ. Bot.* 1903, 237.—Afr. trop.  
 Butayi, *Wildem. in Ann. Mus. Congo*, Sér. V. i. 132.—Afr. trop.  
 caudata, *Dunn, in Gard. Chron.* 1902, II. 210.—China.  
 Cloisellii, *Drake, Hist. Pl. Madag.* i. 146.—Madag.  
 Conzattii, *Rose, in U. S. Dept. Agric. Contrib. Nat. Herb.* viii. 310.—Mexic.  
 Dalzellii, *Cooke, Fl. Bombay*, 311.—Ind. or.  
 Deffersii, *Baker f. in Vierteljahrsschr. Naturf. Ges. Zürich*, xlix. 194.—Arabia.  
 depauperata, *Drake, in Bull. Mus. Hist. Nat. Par.* 1903, 40.—Madag.  
 desmodioides, *Baker, ex Drake, Hist. Pl. Madag.* i. 156.—pityophylla.  
 erythrogrammoides, *Wildem. in Ann. Mus. Congo*, Sér. V. i. 133.—Afr. trop.  
 Fleckii, *Baker f. in Vierteljahrsschr. Naturf. Ges. Zürich*, xlix. 185.—Afr. austr.  
 Georgei, *Pritz. in Engl. Jahrb.* xxxv. 268.—Austral.  
 griquana, *Schlechter, ex A. Zahlbr. in Ann. Nat. Hofmus. Wien*, xx. (1905) 23.—Afr. austr.  
 griseoides, *Harms, in Warb. Kunene-Sambesi Exped.* 257.—Afr. trop.  
 jaliscensis, *Rose, in U. S. Dept. Agric. Contrib. Nat. Herb.* viii. 310.—Mexic.  
 Kaessneri, *Baker f. in Journ. Bot.* 1903, 326.—Afr. trop.  
 Kelleri, *Baker f. in Vierteljahrsschr. Naturf. Ges. Zürich*, xlix. 187.—Afr. trop.  
 Krookii, *Schlechter, ex A. Zahlbr. in Ann. Nat. Hofmus. Wien*, xx. (1905) 24.—Afr. austr.  
 laxeracemosa, *Baker f. in Journ. Bot.* 1903, 241.—Afr. trop.  
 leptophylla, *K. Schum. in Just, Jahresb.* xxvii. i. 494, sphalm.=heptaphylla.  
 longemucronata, *Baker f. in Journ. Bot.* 1903, 330.—Afr. trop.  
 longipes, *N. E. Brown, in Vierteljahrsschr. Naturf. Ges. Zürich*, xlix. 180.—Afr. austr.  
 lotononoides, *Baker f. in Journ. Bot.* 1903, 187.—Afr. trop.  
 Micheliana, *Rose, in U. S. Dept. Agric. Contrib. Nat. Herb.* viii. 310.—Am. cent.  
 minbuensis, *Gage, in Rec. Bot. Surv. India*, iii. 40.—Burma.  
 minutiflora, *Hochst. ex Chiov. in Ann. Ist. Bot. Roma*, viii. (1903) 92=viscosa.  
 moeroensis, *Wildem. in Ann. Mus. Congo*, Sér. V. i. 133.—Afr. trop.  
 monantha, *Baker f. in Journ. Bot.* 1903, 193.—Afr. trop.  
 moniliformis, *Baker f. l. c. 323*.—Afr. trop.  
 montana, *Rose, in U. S. Dept. Agric. Contrib. Nat. Herb.* viii. 311.—Mexic.  
 nambalensis, *Harms, in Warb. Kunene-Sambesi Exped.* 258.—Afr. trop.

**INDIGOFEA** :—

- Phillipsiae, *Baker f. in Journ. Bot.* 1903, 265.—Afr. trop.  
 pityophylla, *Drake, Hist. Pl. Madag.* i. 156.—Madag.  
 platycarpa, *Rose, in U. S. Dept. Agric. Contrib. Nat. Herb.* viii. 47.—Mexic.  
 propinqua, *Hochst. ex Chiov. in Ann. Ist. Bot. Roma*, viii. (1903) 92=viscosa.  
 pseudosubulata, *Baker f. in Journ. Bot.* 1903, 264.—Afr. trop.  
 Rautanenii, *Baker f. in Vierteljahrsschr. Naturf. Ges. Zürich*, xlix. 189.—Afr. trop.  
 Rehmanni, *Baker f. l. c. 190*.—Afr. austr.  
 Ruspoli, *Baker f. l. c. 192*.—Afr. trop.  
 scabrida, *Dunn, in Journ. Linn. Soc.* xxxv. 487.—China.  
 Schlechteri, *Baker f. in Vierteljahrsschr. Naturf. Ges. Zürich*, xlix. 192.—Afr. austr.  
 scopa, *Wildem. & Th. Dur. in Ann. Mus. Congo*, Sér. III. i. 60.—Afr. trop.  
 sokotrana, *Vierh. in Oesterr. Bot. Zeitschr.* 1904, 32.—Socotra.  
 subquadriflora, *Hochst. ex Chiov. in Ann. Ist. Bot. Roma*, viii. (1903) 90.—Afr. trop.  
 Thomsoni, *Baker f. in Journ. Bot.* 1903, 189.—Afr. trop.  
 transvaalensis, *Baker f. in Vierteljahrsschr. Naturf. Ges. Zürich*, xlix. 193.—Afr. austr.  
 trifolioides, *Baker f. in Rec. Albany Mus.* i. 279.—Afr. austr.  
 tulearensis, *Baill. ex Drake, Hist. Pl. Madag.* i. 152.—Madag.  
 variabilis, *N. E. Br. ex Baker f. in Journ. Bot.* 1903, 192.—Afr. trop.  
 variabilis, *Wildem. in Ann. Mus. Congo*, Sér. V. i. 134.—Afr. trop.  
 wituensis, *Baker f. in Journ. Bot.* 1903, 243.—Afr. trop.  
 Zenkeri, *Harms, ex Baker f. l. c. 241*.—Afr. trop.

**INDOVETHIA**, Boerl. (Violac.).

- Beccariana, *Bartell. in Malpighia*, xv. 172.—Borneo.

**INGA**, Scop. (Legum.).

- gracilior, *Sprague, in Trans. Proc. Bot. Soc. Edinb.* xxii. 431.—N. Granat.  
 macrantha, *J. R. Johnston, in Proc. Amer. Acad.* xl. 687.—Venez.  
 olivacea, *Sprague, in Trans. Proc. Bot. Soc. Edinb.* xxii. 430.—N. Granat.

**INOSES**, O. F. Cook, in Bull. Torr. Bot. Club, 1901, 529. PALMAE.

- Blackburniana, *O. F. Cook, l. c. 531* (=Sabal Blackburnianum).—Ind. occ.  
 causiurum, *O. F. Cook, l. c.*—Ind. occ.  
 glauca, *Damm. in Urb. Symb. Antill.* iv. 127.—Ind. occ.  
 Palmetto, *O. F. Cook, in Bull. Torr. Bot. Club*, 1901, 532 (=Corypha Palmetto).—Am. bor.  
 Rosei, *O. F. Cook, l. c. 534*.—Mexic.  
 Schwarzii, *O. F. Cook, l. c. 532*.—Am. bor.  
 texana, *O. F. Cook, l. c. 534*.—Am. bor.  
 uresana, *O. F. Cook, l. c.* (=Sabal uresana).—Mexic.  
 vestita, *O. F. Cook, l. c. 533*.—Ind. occ.

**INTSIA**, Thou. (Legum.).

- [AFZELIA, Sm. I. K.]  
 acuminata, *Merrill, in Philipp. Gov. Lab. Bur. Bull.* xvii. 20.—Ins. Philipp.  
 Bakeri, *Prain, in Sc. Mem. Med. Off. India*, xii. 13 (=Afzelia Bakeri).—Penins. Mal.

**INULA**, Linn. (Compos.).

- acervata, *S. Moore, in Journ. Linn. Soc.* xxxv. 340.—Afr. trop.  
 arenaria, *K. Schum. in Just, Jahresb.* xxvii. i. 527, sphalm.=Isatis arenaria.  
 chrysantha, *Diels, in Engl. Jahrb.* xxix. 614.—China.  
 Giraldii, *Diels, l. c. 613*.—China.  
 limosa, *O. Hoffm. in Warb. Kunene-Sambesi Exped.* 414.—Afr. trop.  
 paludosa, *O. Hoffm. l. c.*—Afr. trop.  
 subscaposa, *S. Moore, in Journ. Linn. Soc.* xxxv. 341.—Afr. trop.  
 vulgaris, *Williams, Prodr. Fl. Brit.* 14=I. Conyza.

**IOCHROMA**, Benth. (Solan.).

- brevistamineum, *Damm. in Engl. Jahrb.* xxxvi. 387.—Ecuador.

**IOCHROMA** :—

- Sodirol, *Damm. in Engl. Jahrb.* xxxvi. 385.—Ecuador.  
 solanifolia, *Damm. l. c. 386*.—Ecuador.  
 suffruticosa, *Damm. l. c.*—Ecuador.

**IODES**, Blume (Olac.).

- reticulata, *Stapf, in Journ. Linn. Soc.* xxxvii. 90.—Afr. trop.

**IONIDIUM**, Vent. (Violac.).

- Bourdaisii, *Brongn. ex Beauvis. Gen. Montrouz.* 81=ilicifolium.  
 glaucum, *Chod. in Bull. Herb. Boiss. Sér. II. ii. 734*.—Parag.  
 Glaziovii, *Eichl. ex Glaz. in Bull. Soc. Bot. Fr.* lii. Mém. III. 21, nomen.—Bras.  
 graminifolium, *Chod. in Bull. Herb. Boiss. Sér. II. ii. 735*.—Parag.  
 guaraniticum, *Chod. & Hassl. l. c. v. 68*.—Parag.  
 paraguariense, *Chod. l. c. ii. 734*.—Parag.  
 rivalis, *Arech. in Anal. Mus. Montevide.* iv. i. (1902) 3.—Urug.  
 Thiemei, *Donn. Sm. in Coult. Bot. Gaz.* xl. 1.—Am. cent.

**IONOXALIS**, Small, Fl. S. E. U. S. 665 (1903).**OXALIDACEAE.**

- Martiana, *Small, l. c.* (=Oxalis Martiana).—Am. bor.  
 vespertilionis, *Small, l. c.* (=Oxalis vespertilionis).—Am. bor.  
 violacea, *Small, l. c.* (=Oxalis violacea).—Am. bor.

**IPHIGENIA**, Kunth (Liliac.).

- flexuosa, *Baker, in Bull. Herb. Boiss. Sér. II. iv. 996*.—Afr. trop.  
 Schlechteri, *Engl. Jahrb.* xxxii. 89.—Afr. austr.

**IPHIONA**, Cass. (Compos.).

- pinnatisecta, *S. Moore, in Bull. Herb. Boiss. Sér. II. iv. 1017*.—Afr. trop.

**IPOMOEAE**, Linn. (Convolv.).

- Atherstonei, *Baker, in Dyer, Fl. Cap.* iv. II. 53.—Afr. austr.  
 Barretti, *Rendle, in Journ. Bot.* 1902, 190.—Afr. austr.  
 bellecomans, *Rendle, l. c. 1901, 15*.—Afr. austr.  
 Bowieana, *Baker, in Dyer, Fl. Cap.* iv. II. 55 (=Merremia Bowieana).—Afr. austr.  
 Brasseuriana, *Wildem. in Ann. Mus. Congo*, Sér. IV. 115.—Afr. trop.  
 Buchii, *Urb. Symb. Antill.* iii. 356.—Ind. occ.  
 calcarata, *N. E. Br. in Dyer, Fl. Trop. Afr.* iv. II. 180.—Afr. trop.  
 caudata, *Fernald, in Proc. Amer. Acad.* xxxvi. 498.—Mexic.  
 Choisiana, *W. F. Wight, in U. S. Dept. Agric. Contrib. Nat. Herb.* ix. 298.—As. et Austral. trop.  
 cornucopia, *Chod. & Hassl. in Bull. Herb. Boiss. Sér. II. v. 688*.—Parag.  
 crinita, *T. S. Brandege, in Zoe*, v. 216 (1905).—Mexic.  
 curtipes, *Rendle, in Dyer, Fl. Trop. Afr.* iv. II. 140.—Afr. trop.  
 Dammeriana, *Wildem. in Ann. Mus. Congo*, Sér. IV. 115.—Afr. trop.  
 Debeersii, *Wildem. l. c. 114*.—Afr. trop.  
 Eenii, *Rendle, in Journ. Bot.* 1901, 21.—Afr. trop.  
 Edithae, *Gage, in Rec. Bot. Surv. India*, iii. 81.—Burma.  
 flavo-purpurea, *Urb. Symb. Antill.* iii. 345.—Ind. occ.  
 furcyensis, *Urb. l. c. 351*.—Ind. occ.  
 Gerrardiana, *Rendle, in Journ. Bot.* 1901, 21.—Afr. austr.  
 gracilispala, *Rendle, l. c. 12*.—Afr. austr.  
 granulosa, *Chod. & Hassl. in Bull. Herb. Boiss. Sér. II. v. 687*.—Parag.  
 Grisebachii, *Urb. Symb. Antill.* iii. 353.—Ind. occ.  
 guaranitica, *Chod. & Hassl. in Bull. Herb. Boiss. Sér. II. v. 688*.—Parag.  
 Hanningtoni, *Rendle, in Dyer, Fl. Trop. Afr.* iv. II. 182 (=Argyria Hanningtoni).—Afr. trop.  
 Hassleriana, *Chod. in Bull. Herb. Boiss. Sér. II. v. 693*.—Parag.  
 Hierniana, *Rendle, in Journ. Bot.* 1901, 58.—Afr. trop.  
 Hildeana, *Rendle, l. c. 13*.—Afr. trop.  
 Hovarium, *Rendle, l. c. 58*.—Madag.  
 illustris, *Prain, Bengal Pl.* 735.—Ind. or.  
 irengana, *N. E. Br. in Trans. Linn. Soc. Ser. II. vi. 51*.—Guiana.

**IPOMOEAE** :—

- Lambtoniana, Rendle, in *Journ. Bot.* 1901, 16.—Afr. austr.  
 leuconeura, Urb. Symb. Antill. iii. 350.—Ind. occ.  
 lineolata, Urb. l. c. 355.—Ind. occ.  
 Lugardi, N. E. Br. in Dyer, *Fl. Trop. Afr.* iv. II. 163.—Afr. trop.  
 lukafuensis, Wildem. in *Ann. Mus. Congo*, Sér. IV. 112.—Afr. trop.  
 macrosiphon, Hallier f. in *Engl. Jahrb.* xxx. 387.—Afr. trop.  
 Mahoni, C. H. Wright, in *Gard. Chron.* 1903, i. 257.—Afr. trop.  
 malvaefolia, Baker, in Dyer, *Fl. Cap.* iv. II. 65 (= *Merremia malvaefolia*).—Afr. austr.  
 megacarpa, T. S. Brandegee, in *Zoe*, v. 218 (1905).—Mexic.  
 minuta, R. Fries, in *Nov. Act. Soc. Sci. Upsal.* Ser. IV. i. no. 1, 113.—Reg. Argent.  
 nematoloba, Urb. Symb. Antill. iii. 349.—Ind. occ.  
 nitens, Chod. & Hassl. in *Bull. Herb. Boiss.* Sér. II. v. 689.—Parag.  
 Ommannei, Rendle, in *Journ. Bot.* 1902, 190.—Afr. austr.  
 peninsularis, T. S. Brandegee, in *Zoe*, v. 168 (1903).—Calif.  
 petunioides, Baker, in Dyer, *Fl. Cap.* iv. II. 63.—Afr. austr.  
 praetermissa, Rendle, in *Journ. Bot.* 1901, 56.—Afr. austr.  
 Pringsheimiana, Rendle, in Dyer, *Fl. Trop. Afr.* iv. II. 185 (= *Rivea Pringsheimiana*).—Afr. trop.  
 pseudo-malvaoides, Chod. & Hassl. in *Bull. Herb. Boiss.* Sér. II. v. 691.—Parag.  
 Randii, Rendle, in *Journ. Bot.* 1901, 18.—Afr. trop.  
 recta, Wildem. in *Ann. Mus. Congo*, Sér. IV. 114.—Afr. trop.  
 rhodesiana, Rendle, in *Journ. Bot.* 1901, 57.—Afr. trop.  
 Robertsiana, Rendle, l. c. 18.—Afr. austr.  
 rubrocincta, Urb. Symb. Antill. iii. 347.—Ind. occ.  
 sarmentacea, Rendle, in *Journ. Bot.* 1901, 15.—Afr. austr.  
 Saundersiana, Baker, in Dyer, *Fl. Cap.* iv. II. 60.—Afr. austr.  
 scopulorum, T. S. Brandegee, in *Zoe*, v. 169 (1903).—Calif.  
 Scotellii, Rendle, in *Journ. Bot.* 1901, 18.—Afr. trop.  
 Seleri, Millsp. in *Engl. Jahrb.* xxxvi. Beibl. lxxx. 23.—Am. cent.  
 sinaloensis, T. S. Brandegee, in *Zoe*, v. 217 (1905).—Mexic.  
 spinulosa, T. S. Brandegee, l. c. 169 (1903).—Calif.  
 subluces, Rendle, in *Journ. Bot.* 1901, 17.—Afr. austr.  
 tastensis, T. S. Brandegee, in *Zoe*, v. 168 (1903).—Calif.  
 tetraptera, Baker, in Dyer, *Fl. Cap.* iv. II. 65.—Afr. austr.  
 tomentosa, Urb. Symb. Antill. iii. 344 (= *Convolvulus tomentosus*).—Ind. occ.  
 trinitensis, Urb. l. c. 346.—Ind. occ.  
 Tuerckheimii, Donn. Sm. in *Coult. Bot. Gaz.* xl. 8.—Am. cent.  
 turneroides, Chod. & Hassl. in *Bull. Herb. Boiss.* Sér. II. v. 688.—Parag.  
 undulata, Baker, in Dyer, *Fl. Cap.* iv. II. 60.—Afr. austr.  
 valenzuelensis, Chod. & Hassl. in *Bull. Herb. Boiss.* Sér. II. v. 687.—Parag.  
 Verdickii, Wildem. in *Ann. Mus. Congo*, Sér. IV. 113.—Afr. trop.  
 viridiflora, Urb. Symb. Antill. iii. 348.—Ind. occ.  
 Walpersiana, Duchassaing, ex Urb. l. c. 345.—Ind. occ.  
 Whyteana, Rendle, in Dyer, *Fl. Trop. Afr.* iv. II. 158.—Afr. trop.  
 xiphosepala, Baker, in Dyer, *Fl. Cap.* iv. II. 58.—Afr. austr.

**IRÉSINE**, P. Br. (Amarant.).

- chenopodioides, Chod. in *Bull. Herb. Boiss.* Sér. II. iii. 390.—Parag.  
 Hassleriana, Chod. l. c.—Parag.  
 tomentosa, Chod. & Wilcz. in *Bull. Herb. Boiss.* Sér. II. ii. 540.—Reg. Argent.

**IRIS**, Tourn. (Irid.).

- amabilis, Eastw. in *Bull. Torr. Bot. Club*, 1903, 484.—Calif.

**IRIS** :—

- arctica, Eastw. in *Coult. Bot. Gaz.* xxxiii. 132.—Am. bor.  
 Aschersoni, Foster, in *Garden*, 1902, 288.—Cilicia.  
 Bolleana, Siehe, in *Allg. Bot. Zeitschr.* 1905, 115.—Cilicia.  
 bucharica, Foster, in *Gard. Chron.* 1902, i. 385.—Oriens.  
 chrysantha, Baker, in *Bot. Mag.* t. 7784.—Persia?  
 chrysophylla, Howell, *Fl. N. W. Amer.* i. 633.—Am. bor.  
 coerulea, B. Fedtsch. in *Bull. Herb. Boiss.* Sér. II. iv. 917.—Turkestan.  
 Collettii, Hook. f. *Bot. Mag.* t. 7889.—Burma.  
 Corygei, Hort. ex Lynch, *Book Iris*, 146.—Hab.?  
 dengerensis, B. Fedtsch. in *Bull. Jard. Bot. Pétersb.* v. 157.—Turkestan.  
 Elisabethae, Siehe, in *Allg. Bot. Zeitschr.* 1905, 115.—Hab.?  
 Ewbankiana, Foster, in *Gard. Chron.* 1901, i. 397.—Oriens.  
 foliosa, Mackenzie & Bush, *Fl. Jacks. County*, 63; et in *Trans. Acad. St. Louis*, xii. 80.—Am. bor.  
 galatica, Siehe, in *Allg. Bot. Zeitschr.* 1905, 115.—Cappadoc.  
 Haussknechti, Siehe, in *Gard. Chron.* 1901, i. 313.—Sieheana.  
 Haynei, Mallett, in *Gard. Chron.* 1904, i. 266.—Palaest.  
 Heldreichi, Siehe, in *Allg. Bot. Zeitschr.* 1905, 114.—Cilicia.  
 hissarica, O. Fedtsch. ex Kneuck. in *Allg. Bot. Zeitschr.* 1905, 157.—Turkestan.  
 issica, Siehe, in *Allg. Bot. Zeitschr.* 1905, 115.—Cilicia.  
 Kuschakewiczii, B. Fedtsch. in *Bull. Jard. Bot. Pétersb.* v. 158.—Turkestan.  
 Lamaneci, Hort. ex Lynch, *Book Iris*, 81.—Am. bor.  
 linifolia, O. Fedtsch. in *Bull. Jard. Bot. Pétersb.* v. 159.—Turkestan.  
 Masiae, Hort. ex Foster, in *Garden*, 1902, 288.—As. Min.  
 Narbuti, O. Fedtsch. in *Bull. Jard. Bot. Pétersb.* v. 158.—Turkestan.  
 narynensis, O. Fedtsch. l. c. 159.—Turkestan.  
 pelogonus, Goodd. in *Coult. Bot. Gaz.* xxxiii. 68.—Am. bor.  
 Sieheana, Lynch, *Book Iris*, 184.—As. Min.  
 Talischi, Forster, ex Sprenger, *Bull. Soc. Tosc. Ort.* 1901, 328.—Persia.  
 Tauri, Siehe in *Allg. Bot. Zeitschr.* 1905, 114.—Cilicia.  
 Urumovi, Vel. in *Oesterr. Bot. Zeitschr.* 1902, 155.—Eur.  
 warleyensis, Foster, in *Gard. Chron.* 1902, i. 386.—Oriens.

**IRVINGELLA**, Van Tiegh. in *Ann. Sci. Nat. Sér. IX.* i. (1905) 276. **SIMARUBACEAE**.

- Boto, Van Tiegh. l. c. 278.—Afr. trop.  
 Chevalieri, Van Tiegh. l. c. 277.—Afr. trop.  
 Harmandiana, Van Tiegh. l. c. 279.—Cochinch.  
 Klainci, Van Tiegh. l. c. 278.—Afr. trop.  
 malayana, Van Tiegh. l. c. 276 (= *Irvingia malayana*).—Penins. Mal.  
 Oliveri, Van Tiegh. l. c. (= *Irvingia Oliveri*).—Cochinch.  
 rubra, Van Tiegh. l. c. 277.—Afr. trop.  
 Smithii, Van Tiegh. l. c. 276 (= *Irvingia Smithii*).—Afr. trop.  
 Spirei, Van Tiegh. l. c. 277.—Afr. trop.  
 Tholloni, Van Tiegh. l. c.—Afr. trop.

**IRVINGIA**, Hook. f. (Simarub.).

- caerulea, Van Tiegh. in *Ann. Sci. Nat. Sér. IX.* i. 256.—Afr. trop.  
 Duparquetii, Van Tiegh. l. c. 255.—Afr. trop.  
 erecta, Van Tiegh. l. c. 257.—Afr. trop.  
 fusca, Van Tiegh. l. c. 256.—Afr. trop.  
 glaucescens, *Engl. Jahrb.* xxxii. 124.—Afr. trop.  
 Griffoni, Van Tiegh. in *Ann. Sci. Nat. Sér. IX.* i. 255.—Afr. trop.  
 Hookeriana, Van Tiegh. l. c. 254.—Afr. trop.  
 laeta, Van Tiegh. l. c. 256.—Afr. trop.  
 nodosa, Van Tiegh. l. c. 254.—Afr. trop.  
 pauciflora, Van Tiegh. l. c. 257.—Afr. trop.  
 platycarpa, Van Tiegh. l. c.—Afr. trop.  
 tenuinucleata, Van Tiegh. l. c. 256.—Afr. trop.  
 velutina, Van Tiegh. l. c. 254.—Afr. trop.

**IRYANTHERA**, Warb. (Myristic.).

- juruensis, Warb. in *Pilg. in Verh. Bot. Ver. Brand.* xlvii. (1905) 137.—Reg. Amaz.  
 Ulei, Warb. l. c.—Reg. Amaz.

**ISACHNE**, R. Br. (Gramin.).

- angustifolium, Nash, in *Bull. Torr. Bot. Club*, 1903, 377.—Ind. occ.  
 Beneckii, Hack. in *Oesterr. Bot. Zeitschr.* 1901, 459.—Java.  
 debilis, Rendle, in *Journ. Linn. Soc.* xxxvi. 322.—China.  
 grisea, K. Schum. in K. Schum. & Lauterb. *Nachtr. Fl. Deutsch. Südsee*, 57.—Ins. Bismarck.  
 pauciflora, Hack. in *Philipp. Gov. Lab. Bur. Bull.* xxxv. 80.—Ins. Philipp.  
 rigidifolia, Urb. Symb. Antill. iv. 85 (= *Agrostis rigidifolia*).—Ind. occ.

**ISCHAEMUM**, Linn. (Gramin.).

- Goebelii, Hack. in *Oesterr. Bot. Zeitschr.* 1901, 149.—Ind. or.  
 nilagiricum, Hack. l. c. 150.—Ind. or.

**ISCHNOSIPHON**, Koen. (Scitam.).

- longiflorus, K. Schum. in *Engl. Pflanzenreich*, Zingib. 160.—Bras.  
 simplex, Huber, in *Bol. Mus. Para.* iii. 411.—Bras.  
 sphenophyllus, K. Schum. in *Engl. Pflanzenreich*, Zingib. 161.—Bras.

**ISERTIA**, Schreb. (Rubiace.).

- alba, Sprague, in *Trans. Proc. Bot. Soc. Edinb.* xxii. 434.—N. Granat.  
 Purdiei, Sprague, l. c.—N. Granat.

**ISMENE**, Salisb. = **Hymenocallis**, Salisb. (Amaryll.).

- festalis, Worsley, in *Gard. Chron.* 1905, II. 322.—Hybr.

**ISOCOMA**, Nutt. = **Bigelovia**, Nutt. (Compos.).

- hirtella, A. A. Heller, *Muhlenbergia*, i. 6 = B. Wrightii.

**ISOGLOSSA**, Oerst. (Acanth.).

- Bolusii, C. B. Clarke, in Dyer, *Fl. Cap.* v. 82.—Afr. austr.  
 Candelabrum, Lindau, in *Engl. Jahrb.* xxx. 113.—Afr. trop.  
 Cooperi, C. B. Clarke, in Dyer, *Fl. Cap.* v. 84.—Afr. austr.  
 delicatula, C. B. Clarke, l. c. 83.—Afr. austr.  
 Grantii, C. B. Clarke, l. c. 82.—Afr. austr.  
 Macowanii, C. B. Clarke, l. c. 83.—Afr. austr.  
 stipitata, C. B. Clarke, l. c. 82.—Afr. austr.  
 sylvatica, C. B. Clarke, l. c. 80.—Afr. austr.  
 Woodii, C. B. Clarke, l. c. 81.—Afr. austr.

**ISOLONA**, Engl. (Anonac.).

- campanulata, Engl. & Diels, in *Monogr. Afr. Pfl.* vi. 83.—Afr. trop.  
 congolana, Engl. & Diels, l. c. 84 (= *Monodora congolana*).—Afr. trop.  
 Dewevrei, Engl. & Diels, l. c. 83 (= *Monodora Dewevrei*).—Afr. trop.  
 Heinsenii, Engl. & Diels, in *Notizbl. Bot. Gart. Berlin*, ii. 300, descr.—Afr. trop.  
 hexaloba, Engl. & Diels, in *Monogr. Afr. Pfl.* vi. 82.—Afr. trop.  
 Thonneri, Engl. & Diels, l. c. 83 (= *Monodora Thonneri*).—Afr. trop.  
 Zenkeri, Engl. & Diels, in *Notizbl. Bot. Gart. Berlin*, ii. 301, descr.—Afr. trop.

**ISOMERIS**, Nutt. (Cappar.).

- globosa, A. A. Heller, *Muhlenbergia*, ii. 50.—Calif.

**ISOPOGON**, R. Br. (Proteac.).

- albicornis, Diels, in *Engl. Jahrb.* xxxv. 134.—Austral.

**ISOPTERA**, Scheffer (Dipterocarp.).

- Burckii, Boerl. *Cat. Hort. Bogor.* 111.—Arch. Mal.

**ISOPYRUM**, Linn. (Ranunc.).

- Boissieu, Ulbr. in *Engl. Jahrb.* xxxvi. Beibl. lxxx. 6 (= *Anemone Boissieu*).—China.  
 Cavaleriei, Léveillé & Vaniot, in *Bull. Soc. Bot. Fr.* li. 289.—China.  
 Franchetii, Finet & Gagnep. in *Bull. Soc. Bot. Fr.* li. 405.—China.

**ISOSTIGMA**, Less. (Compos.).  
acaule, *Chod. in Bull. Herb. Boiss. Sér. II. ii. 394*  
(= *Biden acaulis*).—Parag.  
Riedelii, *Chod. l. c.*—Parag.

**ISOSTYLIS**, Spach = **Banksia**, Gaertn. (Proteac.).  
*dentata*, J. Britten, *Bot. Cook Voy. 84* = *B. dentata*.  
*ericifolia*, J. Britten, *l. c.* 83 = *B. ericaefolia*.  
*integrifolia*, J. Britten, *l. c.* = *B. integrifolia*.  
*serrata*, J. Britten, *l. c.* = *B. serrata*.

**ISOTRIA**, Rafin. = **Pogonia**, Juss. (Orchid.).  
*affinis*, Rydb. in Britton, *Man. Fl. N. U. S.* 297 = *P. affinis*.

**ISOURETEA**, Van Tiegh. in *Bull. Mus. Hist. Nat. Par. viii. (1902) 546* = **Ouratea**, Aubl. (Ochnac.).  
*humilis*, Van Tiegh. in *Ann. Sci. Nat. Par. Sér. VIII. xvi. 266* = *O. humilis*.  
*spectabilis*, Van Tiegh. *l. c.* 267 = *O. spectabilis*.

**ITERIA**, Hort. ex *Gartenfl. 1903, 649*, sphalm. = **Stevia**, Cav. (Compos.).  
*odorata*, Hort. *l. c.* = *Stevia odorata*.

**ITOA**, Hemsl. in *Hook. Ic. Pl. t. 2688 (1901)*. **BIXA-CEAE**.  
*orientalis*, Hemsl. *l. c.*—China.

**IXIOLAENA**, Benth. (Compos.).  
*Websteri*, S. Moore, in *Journ. Bot. 1903, 98*.—Austral.

**IXONANTHES**, Jack (Linac.).  
*grandiflora*, *Hochr. Pl. Bogor. Exsicc. 39*.—Ins. Bangka.

**IXORA**, Linn. (Rubiace.).  
*Albersii*, K. Schum. in *Engl. Jahrb. xxxiii. 355*.—Afr. trop.  
*atrata*, Stapf, in *Journ. Linn. Soc. xxxvii. 108*.—Afr. trop.  
*bracteata*, Cheesem. in *Trans. Linn. Soc. Ser. II. vi. 283*.—Ins. Cook.  
*collina*, Beauvis. *Gen. Montrouz. 60* (= *Panchezia collina*).—N. Caled.  
*congesta*, Stapf, in *Journ. Linn. Soc. xxxvii. 107*.—Afr. trop.  
*dolichophylla*, K. Schum. in *Bot. Tidsskr. xxiv. 337*.—Malaya.  
*euosmia*, K. Schum. in *Engl. Jahrb. xxxiii. 355*.—Afr. trop.  
*humilis*, King & Gamble, in *Journ. As. Soc. Beng. lxxiii. 79*.—Penins. Mal.  
*mangabensis*, Aug. DC. in *Bull. Herb. Boiss. Sér. II. i. 585*.—Madag.  
*Mocquerysi*, Aug. DC. *l. c.*—Madag.  
*multibracteata*, H. H. W. Pearson, ex King & Gamble, in *Journ. As. Soc. Beng. lxxiii. 74*.—Penins. Mal.  
*narcissodora*, K. Schum. in *Engl. Jahrb. xxxiii. 356*.—Afr. trop.  
*nematopoda*, K. Schum. *l. c.* 357. —Afr. trop.  
*odorata*, Koord. et Valet. in *Meded. 'S Lands Plantent. lix. (1902) 163* (= *Pavetta odorata*).—Java.  
*phellopus*, K. Schum. in *Engl. Jahrb. xxxiii. 357*.—Afr. trop.  
*pulcherrima*, Volk. in *Engl. Jahrb. xxxi. 476*.—Ins. Carol.  
*reginae*, Aresch. in *Svensk. Vet. Akad. Handl. xxxix. no. 2, 83*, nomen.—Hab. ?  
*rosea*, K. Schum. in *Engl. Jahrb. xxxiii. 358*.—Afr. trop.  
*Scortechini*, King & Gamble, in *Journ. As. Soc. Beng. lxxiii. 80*.—Penins. Mal.  
*triantha*, Volk. in *Engl. Jahrb. xxxi. 476*.—Ins. Carol.  
*umbellata*, Valet. ex Koord. & Valet. in *Meded. 'S Lands Plantent. lix. (1902) 162*.—Java.  
*Valetonii*, K. Schum. ex Koord. in *Natuurk. Tijdschr. Ned. Ind. lxxiii. 85*.—Celebes.  
*viridiflora*, K. Schum. in *Engl. Jahrb. xxxiii. 358*.—Afr. trop.

## J

**JABOROSA**, Juss. (Solan.).  
*andina*, F. Kurtz, in *Bol. Acad. Ci. Cordoba, xv. 515*, nomen.—Reg. Argent.  
*desiderata*, Speg. *Nov. Add. Fl. Patag. ii. (1902)*, repr. 41.—Patag.

**JACARANDA**, Juss. (Bignon.).  
*chapidensis*, Barb. *Rodr. Contrib. Jard. Bot. Rio de Janeiro, 63*.—Bras.

**JACARATIA**, DC. = **Jaracatia**, Marcg. (Passifl.).  
*Hassleriana*, Chod. in *Bull. Herb. Boiss. Sér. II. iii. 546*.—Parag.

**JACKSONIA**, R. Br. (Legum.).  
*decumbens*, E. Pritz. in *Engl. Jahrb. xxxv. 233*.—Austral.  
*eremodendron*, E. Pritz. *l. c.* 239. —Austral.  
*mollissima*, Fitzger. in *Journ. W. Austral. Nat. Hist. Soc. ii. 22*.—Austral.

**JACOBINIA**, Moric. (Acanth.).  
*boliviensis*, Woodr. *Gard. India, ed. V. 415* (= *Drejera boliviensis*).—Bolivia.  
*elegantissima*, Lindau, in *Bull. Herb. Boiss. Sér. II. iv. 417*.—Peruv.  
*mendax*, Lindau, *l. c.* 418. —Peruv.  
*mollis*, Greenm. in *Proc. Amer. Acad. xxxix. 91*.—Mexic.  
*oaxacana*, Greenm. *l. c.*—Mexic.  
*rigida*, Lindau, ex Pilg. in *Engl. Jahrb. xxx. 198* (= *Sericographis rigida*).—Bras.

**JACQUEMONTIA**, Choisy (Convolv.).  
*cearensis*, Huber, in *Bull. Herb. Boiss. Sér. II. i. 320*.—Bras.  
*havanensis*, Urb. *Symb. Antill. iii. 342* (= *Convolvulus havanensis*).—Ind. occ.  
*macrocephala*, T. S. Brandegee, in *Zoe, v. 219 (1905)*.—Mexic.  
*reclinata*, House, ex Small, in *Bull. N. York Bot. Gard. iii. 435*.—Am. bor.  
*serpyllifolia*, Urb. *Symb. Antill. iii. 341* (= *Convolvulus serpyllifolius*).—Ind. occ.  
*verticillata*, Urb. *l. c.* 339 (= *Ipomoea verticillata*).—Ind. occ.

**JACQUINIA**, Linn. (Myrsin.).  
*aciculata*, Mez, in *Urb. Symb. Antill. ii. 450*.—Ind. occ.  
*aculeata*, Mez, *l. c.* 444 = *ruscifolia*.  
*Barbasco*, Mez, in *Engl. Pflanzenreich, Theophrast. 32* (= *Chrysophyllum Barbasco*).—Ind. occ.  
*brasiliensis*, Mez, *l. c.* 35. —Bras.  
*Curtissii*, Britton, in *Torrey, v. 44*.—Ind. occ.  
*Donnell-Smithii*, Mez, in *Engl. Pflanzenreich, Theophrast. 39*.—Am. cent.  
*flammea*, Millsp. ex Mez, *l. c.* 40. —Am. cent.  
*geniculata*, Mez, *l. c.* 38. —Venez.  
*gracilis*, Mez, *l. c.* 39. —N. Granat.  
*keyensis*, Mez, in *Urb. Symb. Antill. ii. 444*.—Ind. occ.  
*Liebmannii*, Mez, in *Engl. Pflanzenreich, Theophrast. 38*.—Mexic.  
*ovalifolia*, Mez, *l. c.* 41. —Venez.  
*petiolata*, J. R. Johnston, in *Proc. Amer. Acad. xl. 693*.—Venez.  
*Schiedeana*, Mez, in *Engl. Pflanzenreich, Theophrast. 41*.—Mexic.  
*Sprucei*, Mez, *l. c.* 43. —Ecuador.  
*submembranacea*, Mez, *l. c.* 39. —Mexic.

**JAMBOSA**, DC. (Myrtac.).  
[**EUGENIA**, Mich. I. K.]  
*Barnesii*, Merrill, in *Philipp. Gov. Lab. Bur. Bull. xvii. 37*.—Ins. Philipp.  
*bataanensis*, Merrill, *l. c.* 36. —Ins. Philipp.  
*Garciae*, Merrill, *l. c.*—Ins. Philipp.  
*longipedicellata*, Merrill, *l. c.* 37. —Ins. Philipp.  
*luzonensis*, Merrill, *l. c.*—Ins. Philipp.  
*Weinlandii*, K. Schum. in *K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee, 326*.—N. Guin.

**JANUSIA**, A. Juss. (Malpigh.).  
*mexicana*, T. S. Brandegee, in *Zoe, v. 203 (1905)*.—Mexic.

**JAPARANDIBA**, Adans. = **Gustavia**, Linn. (Myrtac.).  
*Spruceana*, Ule, in Karst. & Schenck, *Vegetationsbilder, ii. (1904) sub tt. 1-2*.—Reg. Amaz.

**JASMINUM**, Tourn. (Oleac.).  
*aculeatum*, Merrill, in *Philipp. Gov. Lab. Bur. Bull. xxxv. 76* (= *Mogorium aculeatum*).—Ins. Philipp.  
*blandum*, S. Moore, in *Journ. Linn. Soc. xxxvii. 179*.—Afr. trop.  
*dichotomum*, Vahl, *Enum. Pl. i. 26*.—Afr. trop.

**JASMINUM** :—  
*gardenioidum*, Gilg, in *Dyer, Fl. Trop. Afr. iv. i. 8*.—Afr. trop.  
*Listeri*, King, ex Gage, in *Rec. Bot. Surv. Ind. i. 349*.—Ind. or.  
*Radcliffei*, S. Moore, in *Journ. Linn. Soc. xxxvii. 178*.—Afr. trop.  
*Steudneri*, Schweinf. ex Baker, in *Dyer, Fl. Trop. Afr. iv. i. 12*.—Afr. trop.

**JASONIA**, Cass. (Compos.).  
*obtusifolia*, Pau, in *Bol. Soc. Arag. i. 28*.—Hispan.

**JATROPHA**, Linn. (Euphorb.).  
*Baumii*, Pax, in *Warb. Kunene-Sambesi Exped. 283*.—Afr. trop.  
*Ellenbeckii*, Pax, in *Engl. Jahrb. xxxiii. 284*.—Afr. trop.  
*fallax*, Pax, *l. c.*—Afr. trop.  
*Loeflingii*, Aresch. in *Svensk. Vet. Akad. Handl. xxxix. no. 2, 43*, nomen.—Hab. ?  
*maracayensis*, Chod. & Hassl. in *Bull. Herb. Boiss. Sér. II. v. 613*.—Parag.  
*vernica*, T. S. Brandegee, in *Zoe, v. 206 (1905)*.—Calif.

**JEPSONIA**, Small (Saxifr.).  
*heterandra*, Eastw. in *Bull. Torr. Bot. Club, 1905, 201*.—Calif.

**JESSENIA**, Karst. (Palm.).  
*Glazioviana*, Damm. in *Engl. Jahrb. xxxi. Beibl. lxx. 21*.—Bras.

**JOHRENIA**, DC. (Umbell.).  
*longifolia*, Calest. in *Martelli, Webbia, 224* (= *Eriosynaphe longifolia*).—Rossia; As. cent.  
*nudiuscula*, Palibin, *Beitr. Fl. Transbaik. ex Bot. Centralbl. xcii. 588* (= *Phloioidicarpus nudiusculus*).—Dahuria.

**JOINVILLEA**, Gaudich. (Flagell.).  
*borneensis*, Becc. *Nelle Foreste di Borneo, 198*.—Borneo.

**JONESIELLA**, Rydb. in *Bull. Torr. Bot. Club, 1905, 661*. **LEGUMINOSAE**.  
*asclepiadoides*, Rydb. *l. c.* (= *Astragalus asclepiadoides*).—Am. bor.

**JUGLANS**, Linn. (Jugland.).  
*major*, A. A. Heller, *Muhlenbergia, i. 50*.—Am. bor.

**JULANIA**, Schlecht. (Julaniac.).  
*amplifolia*, Hemsl. & Rose, in *Ann. Bot. xvii. (1903) 444*.—Mexic.  
*glauca*, Hemsl. & Rose, *l. c.*—Mexic.  
*mollis*, Hemsl. in *Hook. Ic. Pl. t. 2722*.—Mexic.

**JULOCROTON**, Mart. (Euphorb.).  
*integer*, Chod. in *Bull. Herb. Boiss. Sér. II. i. 397*.—Parag.  
*phyllanthum*, Chod. & Hassl. *l. c.* v. 501. —Parag.  
*rupestris*, Chod. & Hassl. *l. c.* 498. —Parag.  
*rutilus*, Chod. & Hassl. *l. c.* 501. —Parag.  
*villosissimus*, Chod. & Hassl. *l. c.* 499. —Parag.

**JUNCAGO**, Tourn. = **Triglochin**, Linn. (Naiad.).  
*Chabraei*, Bub. *Fl. Pyren. iv. 8* = *Triglochin bulbosum maritima*, Bub. *l. c.* 9 = *Triglochin maritimum*.

**JUNCCELLUS**, Kunth (Cyper.).  
*nipponicus*, C. B. Clarke, ex Léveillé, in *Bull. Acad. Géogr. Bot. xiv. (1904) 202*, nomen.—China.

**JUNCOIDES**, Dill. = **Luzula**, DC. (Juncac.).  
*bulbosum*, Small, in *Torrey, i. 74* = *L. campestris*.  
*echinatum*, Small, *l. c.*—Am. bor.  
*erectum*, Boulger, in *Johns, Flowers of Field, ed. xxix. 755* = *L. campestris*.  
*intermedium*, Rydb. in *Bull. Torr. Bot. Club, 1905, 610* = *L. campestris*.  
*multiflorum*, Druce, in *Ann. Scott. Nat. Hist. 1904, 42*.—Scotia.  
*patagonicum*, Macl. in *Rep. Princeton Univ. Exped. Patag. viii. 302* = *L. patagonica*.  
*pumilum*, Macl. *l. c.* = *L. pumila*.  
*subcapitatum*, Rydb. in *Bull. Torr. Bot. Club, 1904, 401*.—Am. bor.  
*subcongestum*, Coville, ex A. A. Heller, *Muhlenbergia, i. 105*.—Calif.



**JUNCUS**, Tourn. (Juncac.).

- alpestris*, Bub. Fl. Pyren. iv. 181 = trifidus.  
*brevicaudatus*, Fernald, in *Rhodora*, vi. 35.—Am. bor.  
*brunnescens*, Rydb. in *Bull. Torr. Bot. Club*, 1904, 400.—Am. bor.  
*bufonum*, Bub. Fl. Pyren. iv. 187 = bufonius.  
*columbianus*, Coville, in *Proc. Biol. Soc. Washington*, xiv. 87.—Am. bor.  
*cupreus*, Léveillé & Vaniot, in *Bull. Soc. Bot. Fr.* li. 292.—Japon.  
*Dudleyi*, Wiegand, in *Britton, Man. Fl. N. U. S.* 1046.—Am. bor.  
*Fauriei*, Léveillé & Vaniot, in *Bull. Soc. Bot. Fr.* li. 292.—Japon.  
*Fauriensis*, Buchenau, in *Notizbl. Bot. Gart. Berlin*, iii. 127.—Japon.  
*filicaulis*, Buchenau, ex Maiden & Betsche, in *Proc. Linn. Soc. N. S. Wales*, xxviii. 912.—Austral.  
*interior*, Wiegand, in *Britton, Man. Fl. N. U. S.* 1045.—Am. bor.  
*macrophyllus*, Coville, in *Univ. Calif. Publ. Bot.* i. 65.—Am. bor.  
*Matthioli*, Bub. Fl. Pyren. iv. 177 = effusus.  
*modicus*, N. E. Br. in *Journ. Linn. Soc.* xxxvi. 165.—China.  
*monostichus*, Bartlett, in *Rhodora*, 1905, 50.—Am. bor.  
*Murbeckii*, Beck, in *Wiss. Mitth. Bosn. Herzegow.* ix. 478.—Hybr.  
*neo-mexicanus*, Wiegand, in *Bull. Torr. Bot. Club*, 1903, 447.—Am. bor.  
*oronensis*, Fernald, in *Rhodora*, vi. 36.—Am. bor.  
*parous*, Rydb. in *Bull. Torr. Bot. Club*, 1904, 401.—Am. bor.  
*saximontanus*, A. Nelson, in *Bull. Torr. Bot. Club*, 1902, 401.—Am. bor.  
*setchuensis*, Buchenau, in *Engl. Jahrb.* xxxvi. Beibl. lxxxii. 17, descr.—China.  
*textilis*, Buchenau, in *Abh. Nat. Ver. Brem.* xvii. 336.—Calif.  
*truncatus*, Rydb. in *Bull. Torr. Bot. Club*, 1904, 399.—Am. bor.  
*umbellifer*, Léveillé & Vaniot, in *Bull. Soc. Bot. Fr.* li. 292.—China.

**JUNGLIA**, Linn. f. (Compos.).

- bogotensis*, Hieron. in *Engl. Jahrb.* xxviii. 657.—N. Granat.  
*dentata*, Robinson, in *Proc. Amer. Acad.* xli. 278 (= *Pleocarpus dentatus*).—Chili.  
*Jelskii*, Hieron. in *Engl. Jahrb.* xxxvi. 512.—Peruv.  
*Lehmannii*, Hieron. l. c. xxviii. 655.—N. Granat.  
*revoluta*, Robinson, in *Proc. Amer. Acad.* xli. 278; Reiche, Fl. Chile, iv. 458 (= *Pleocarpus revolutus*).—Chili.  
*Trianae*, Hieron. in *Engl. Jahrb.* xxviii. 656.—N. Granat.

**JUNIPERUS**, Tourn. (Conif.).

- Tremolsii*, Pau, in *Bull. Acad. Géogr. Bot.* xiv. (1904) 212.—Hybr.  
*triangularis*, Hort. ex Mast. in *Journ. Linn. Soc.* xxvi. 543 = *taxifolia*.

**JURINEA**, Cass. (Compos.).

- bipinnata*, Adam. in *Denkschr. Akad. Wien, Math.-Nat.* lxxiv. 144.—Turcia.  
*Gouani*, Rouy, Fl. Fr. ix. 101.—Gallia.  
*Kirghisorum*, Janisch. in *Trav. Soc. Nat. Univ. Imp. Kasan*, xl. I. (1905), ex Fedde, *Repert. Nov. Sp.* iii. (1906) 30.—Rossia.  
*Paulsenii*, O. Hoffm. ex Paulsen, in *Kjoeb. Vidensk. Meddel.* 1903, 155.—As. cent.  
*Velenovskii*, Podp. in *Verh. Zool. Bot. Ges. Wien*, lii. 660.—Eur.

**JURUASIA**, Lindau, in *Bull. Herb. Boiss. Sér. II.* iv.

- (1904) 402. **ACANTHACEAE.**  
*acuminata*, Lindau, l. c. 403.—Bras.  
*rotundata*, Lindau, l. c.—Bras.

**JUSSIEUA**, Linn. (Onagr.).

- californica*, Jepson, Fl. W. Mid. Calif. 326.—Am. bor.  
*epilobioides*, Chod. & Hassl. in *Bull. Herb. Boiss. Sér. II.* iii. 909.—Parag.  
*pseudo-Narcissus*, Chod. & Hassl. l. c. 907.—Parag.

**JUSTICIA**, Houst. (Acanth.).

- alboreticulata*, Lindau, in *Bull. Herb. Boiss. Sér. II.* v. 370.—Bras.

**JUSTICIA**—

- alpina*, Lindau, in *Fedde, Repert. Nov. Sp.* i. 159.—Peruv.  
*axillaris*, Lindau, in *Bull. Herb. Boiss. Sér. II.* iii. 633 (= *Rhytiglossa axillaris*).—Parag.  
*Baumii*, S. Moore, in *Journ. Bot.* 1901, 304.—Afr. trop.  
*Bolusii*, C. B. Clarke, in *Dyer, Fl. Cap.* v. 65.—Afr. austr.  
*Bowiei*, C. B. Clarke, l. c. 59.—Afr. austr.  
*Brycei*, C. B. Clarke, l. c. 67.—Afr. austr.  
*Burchellii*, C. B. Clarke, l. c. 59.—Afr. austr.  
*campestris*, Lindau, in *Pilg. in Engl. Jahrb.* xxx. 197 (= *Dianthera campestris*).—Am. austr.  
*Canbyi*, Greenm. in *Proc. Amer. Acad.* xl. 32.—Mexic.  
*cheiranthifolia*, C. B. Clarke, in *Dyer, Fl. Cap.* v. 58 (= *Adhatoda cheiranthifolia*).—Afr. austr.  
*concavibracteata*, Lindau, in *Bull. Herb. Boiss. Sér. II.* iv. 407.—Bras.  
*cyanantha*, Lindau, l. c. 414.—Bras.  
*dasyclados*, Lindau, l. c. iii. 633 (= *Rhytiglossa dasyclados*).—Parag.  
*diamantina*, Lindau, l. c. v. 371.—Reg. Argent.  
*dubiosa*, Lindau, l. c. iv. 413.—Bras.  
*euosmia*, Lindau, in *Engl. Jahrb.* xxx. 113.—Afr. trop.  
*fittonioides*, Lindau, in *Bull. Herb. Boiss. Sér. II.* iv. 411.—Bras.  
*flavidiflora*, Lindau, l. c. 409.—Bras.  
*galapagana*, Lindau, ex Robinson, in *Proc. Amer. Acad.* xxxviii. (1902) 203.—Ins. Galap.  
*hylophila*, Lindau, in *Bull. Herb. Boiss. Sér. II.* iv. 408.—Bras.  
*incerta*, C. B. Clarke, in *Dyer, Fl. Cap.* v. 66.—Afr. austr.  
*Kaessneri*, S. Moore, in *Journ. Bot.* 1902, 345.—Afr. trop.  
*Kraussii*, C. B. Clarke, in *Dyer, Fl. Cap.* v. 62.—Afr. austr.  
*linarioides*, S. Moore, in *Journ. Bot.* 1902, 308.—Afr. trop.  
*Loheri*, C. B. Clarke, in *Philipp. Gov. Lab. Bur. Bull.* xxxv. 91.—Ins. Philipp.  
*loretensis*, Lindau, in *Bull. Herb. Boiss. Sér. II.* iv. 410.—Peruv.  
*luzonensis*, C. B. Clarke, in *Philipp. Gov. Lab. Bur. Bull.* xxxv. 91.—Ins. Philipp.  
*Matthewsii*, Rusby, ex Lindau, in *Bull. Herb. Boiss. Sér. II.* iii. 634 (= *Beloperone Matthewsii*).—Parag.  
*mutica*, C. B. Clarke, in *Dyer, Fl. Cap.* v. 61.—Afr. austr.  
*obtusifolia*, Lindau, in *Bull. Herb. Boiss. Sér. II.* iii. 633 (= *Rhytiglossa oblongifolia*).—Parag.  
*oreadam*, S. Moore, ex Kuntze, *Rev. Gen.* iii. II. 248.—Boliv.  
*pallidior*, C. B. Clarke, in *Dyer, Fl. Cap.* v. 58.—Afr. austr.  
*patentiflora*, Hemsl. in *Hook. Ic. Pl.* t. 2792.—China.  
*polygaloides*, Lindau, in *Bull. Herb. Boiss. Sér. II.* iii. 633 (= *Dianthera polygaloides*).—Parag.  
*potamogeton*, Lindau, l. c. iv. 412.—Bras.  
*potamophila*, Lindau, in *Engl. Jahrb.* xxxiii. 191.—Afr. trop.  
*praetervisa*, Lindau, l. c. 192.—Afr. trop.  
*pseudoamazonica*, Lindau, in *Bull. Herb. Boiss. Sér. II.* iv. 415.—Bras.  
*schoensis*, Lindau, in *Engl. Jahrb.* xxxiii. 193.—Afr. trop.  
*Smithii*, S. Moore, in *Journ. Bot.* 1901, 304.—Afr. trop.  
*tarapotensis*, Lindau, in *Bull. Herb. Boiss. Sér. II.* iv. 410.—Peruv.  
*Taylorii*, S. Moore, in *Journ. Bot.* 1901, 303.—Afr. trop.  
*thymifolia*, C. B. Clarke, in *Dyer, Fl. Cap.* v. 64 (= *Adhatoda thymifolia*).—Afr. austr.  
*tremulifolia*, Lindau, in *Bull. Herb. Boiss. Sér. II.* iv. 407.—Peruv.  
*viridiflavescens*, Lindau, l. c. 413.—Bras.  
*vitzliputzli*, Lindau, l. c. 409.—Mexic.  
*vixspicata*, Lindau, in *Engl. Jahrb.* xxxiii. 192.—Afr. trop.  
*Woodii*, C. B. Clarke, in *Dyer, Fl. Cap.* v. 64.—Afr. austr.  
*yurimaguensis*, Lindau, in *Bull. Herb. Boiss. Sér. II.* iv. 411.—Peruv.

**K****KAEMPFERIA**, Linn. (Scitamin.).

- biloba*, K. Schum. in *Engl. Pflanzenreich*, Zingib. 81 (= *Gastrochilus bilobum*).—Penins. Mal.  
*calophylla*, K. Schum. l. c. 80 (= *Gastrochilus calophyllum*).—Penins. Mal.  
*campanulata*, K. Schum. l. c. 85 (= *Stahlianthus campanulatus*).—Siam.  
*clivalis*, K. Schum. l. c. 81 (= *Gastrochilus clivale*).—Penins. Mal.  
*coenobialis*, C. H. Wright, in *Journ. Linn. Soc.* xxxvi. 68 (= *Monolophus coenobialis*).—China.  
*Cumingii*, K. Schum. in *Engl. Pflanzenreich*, Zingib. 80.—Penins. Mal.  
*cuneata*, Gagnep. in *Bull. Soc. Bot. Fr.* lii. 545.—Cochinch.  
*Evoe*, Brig. in *Ann. Conserv. & Jard. Bot. Genève*, 1902, 3.—Afr. trop.  
*fallax*, Gagnep. in *Bull. Soc. Bot. Fr.* l. 259.—Cochinch.  
*fissa*, Gagnep. l. c. 163.—Cochinch.  
*fongyuensis*, Gagnep. l. c. xlviii. p. lxxviii.—China.  
*gracillima*, K. Schum. in *Engl. Pflanzenreich*, Zingib. 74.—Borneo.  
*lancifolia*, K. Schum. l. c. 80 (= *Gastrochilus lancifolium*).—Penins. Mal.  
*longipes*, K. Schum. l. c. 79 (= *Gastrochilus longipes*).—Penins. Mal.  
*malaccana*, K. Schum. l. c. 81 (= *Scaphochlamys malaccana*).—Penins. Mal.  
*minor*, K. Schum. l. c. 86 (= *Gastrochilus minus*).—Penins. Mal.  
*natalensis*, Schlechter & K. Schum. ex K. Schum. l. c. 72.—Afr. austr.  
*ochroleuca*, K. Schum. l. c. 75 (= *Gastrochilus ochroleucum*).—Siam.  
*pallida*, Wildem. in *Ann. Mus. Congo*, Sér. IV. 20.—Afr. trop.  
*Philippiana*, K. Schum. in *Engl. Pflanzenreich*, Zingib. 85 (= *Monolophus Philippianus*).—Ind. or.  
*stenopetala*, K. Schum. l. c. 69.—Afr. austr.  
*tiliaefolia*, Gagnep. in *Bull. Soc. Bot. Fr.* xlviii. p. lxxix (= *Gastrochilus tiliaefolium*).—Ind. or.  
*yunnanensis*, Gagnep. l. c. p. lxxvii.—China.

**KALANCHOË**, Adans. (Crassul.).

- angolensis*, N. E. Br. in *Gard. Chron.* 1905, i. 370.—Afr. trop.  
*antanosiana*, Drake, in *Bull. Mus. Hist. Nat. Par.* 1903, 41.—Madag.  
*Baumii*, Engl. & Gilg, in *Warb. Kunene-Sambesi Exped.* 242.—Afr. trop.  
*beharensis*, Drake, in *Bull. Mus. Hist. Nat. Par.* 1903, 41.—Madag.  
*Bentii*, C. H. Wright, ex Hook f. *Bot. Mag.* t. 7765.—Arab.  
*Bhidei*, T. Cooke, Fl. Bombay, i. 467.—Ind. or.  
*diversa*, N. E. Br. in *Gard. Chron.* 1902, II. 210.—Afr. trop.  
*Dyeri*, N. E. Br. l. c. 1904, i. 354.—Afr. trop.  
*Elizae*, Berger, in *Monatsschr. Kakt.* 1903, 69.—Afr. trop.  
*Goetzei*, Engl. *Jahrb.* xxx. 312.—Afr. trop.  
*heterophylla*, Prain, Bengal Pl. (= *Cotyledon heterophylla*).—Ind. or.  
*Kirkii*, N. E. Br. in *Gard. Chron.* 1902, II. 110.—Afr. trop.  
*linearifolia*, Drake, in *Bull. Mus. Hist. Nat. Par.* 1903, 41.—Madag.  
*longiflora*, Schlechter, in *J. M. Wood, Natal Plants*, iv. t. 320.—Afr. austr.  
*magnidens*, N. E. Br. in *Gard. Chron.* 1905, i. 370.—Afr. trop.  
*olivacea*, Dals. in *Dals. & Gibs. Bombay Fl.* 313.—Ind. or.  
*prasina*, N. E. Br. in *Gard. Chron.* 1904, i. 211.—Afr. trop.  
*Rohlfii*, Engl. in *Ann. Ist. Bot. Roma*, ix. 252.—Afr. trop.  
*somaliensis*, [Baker] Hook. f. *Bot. Mag.* t. 7831, descr. ampl.—Afr. trop.

**KALLSTROEMIA**, Scop. = **Tribulus**, Linn. (Zygophyll.).  
*adscendens*, Robinson, in Proc. Amer. Acad. xxxviii. (1902) 156 = *T. adscendens*.  
*hirsutissima*, Vail, in Small, Fl. S. E. U. S. 670.—Am. bor.

**KALMIA**, Linn. (Ericac.).  
*carolina*, Small, Fl. S. E. U. S. 886.—Am. bor.

**KALMIELIA**, Small, Fl. S. E. U. S. 886 (1903).  
**ERICACEAE**.  
*hirsuta*, Small, l. c. (= *Kalmia hirsuta*).—Am. bor.

**KANAHIA**, R. Br. (Asclep.).  
*consimilis*, N. E. Br. in Dyer, Fl. Trop. Afr. iv. 1. 298.—Afr. trop.  
*glaberrima*, N. E. Br. l. c. 297 (= *Gomphocarpus glaberrimus*).—Afr. trop.

**KAUKENIA**, Kuntze = **KAUKEN**, Burm. = **Mimusops**, Linn. (Sapot.).  
*Commersonii*, Pierre, ex Engl. Monogr. Afr. Pfl. viii. 78 = *Mimusops Commersonii*.

**KAYEA**, Wall. (Guttif.).  
*assamica*, Prain, in Ind. Forest. xxvii. 62.—Ind. or.  
*paniculata*, Merrill, in Philipp. Gov. Lab. Bur. Bull. xvii. 29.—Ins. Philipp.

**KEDROSTIS**, Medic. (Cucurb.).  
*cinerea*, Cogn. in Bull. Herb. Boiss. Sér. II. i. 883.—Afr. trop.  
*Engleri*, Gilg, in Engl. Jahrb. xxxiv. 359.—Afr. trop.  
*minutiflora*, Cogn. in Bull. Herb. Boiss. Sér. II. i. 884.—Afr. trop.  
*spinosa*, Gilg, in Engl. Jahrb. xxxiv. 360.—Afr. trop.

**KENTROPHYTA**, Nutt. (Legum.).  
 [ASTRAGALUS, Linn. I. K.]  
*aculeata*, Rydb. in Bull. Torr. Bot. Club, 1905, 665 (= *Astragalus aculeatus*).—Am. bor.  
*impensa*, Rydb. l. c.—Am. bor.  
*Wolfii*, Rydb. l. c. (= *Homalobus Wolfii*).—Am. bor.

**KERACIA**, Calest. in Martelli, Webbia, 109, 134 (1905). **UMBELLIFERAE**.  
*polyodon*, Calest. l. c. (= *Hohenackeria polyodon*).—Hispan.; Afr. bor.

**KERSTINGIA**, K. Schum. in Engl. Jahrb. xxxiii. (1903) 348. **RUBIACEAE**.  
*lepidopoda*, K. Schum. l. c. 349.—Afr. trop.

**KETELEERIA**, Carr. (Conif.).  
*Evelyniana*, Mast. in Gard Chron. 1903, I. 194.—China.  
*Fabri*, Mast. in Journ. Linn. Soc. xxvi. 555.—China.

**KHAYA**, A. Juss. (Meliac.).  
*euryphylla*, Harms, in Notizbl. Bot. Gart. Berlin, iii. 169.—Afr. trop.

**KIBARA**, Endl. (Monim.).  
*depauperata*, Merrill, in Philipp. Gov. Lab. Bur. Bull. xxxv. 13.—Ins. Philipp.  
*grandifolia*, Merrill, l. c. xxix. 15.—Ins. Philipp.  
*microphylla*, Perkins, in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee, 268.—N. Guin.  
*Schlechteri*, Perkins, l. c.—N. Guin.

**KICKXIA**, Blume (Apocyn.).  
*borneensis*, Stapf, in Hook. Ic. Pl. t. 2693.—Borneo.

**KIGELIA**, DC. (Bignon.).  
*Ikbalia*, Wildem. Pl. Nov. Hort. Then. i. 1.—Afr. trop.

**KINETOSTIGMA**, Damm. in Notizbl. Bot. Gart. Berlin, iv. (1905) 171. **PALMAE**.  
*adscendens*, Damm. l. c. 172.—Am. cent.

**KIRKIA**, Oliver (Simarub.).  
*glauca*, Engl. & Gilg, in Warb. Kunene-Sambesi Exped. 270.—Afr. trop.  
*lenticoides*, Engl. Jahrb. xxxii. 124.—Afr. trop.  
*tenuifolia*, Engl. l. c. 123.—Afr. trop.

**KITAIBELIA**, Willd. (Malvac.).  
*Lindemuthi*, Hort. ex Le Jardin, 1905, 76.—Hybr.

**KLAINEDOXA**, Pierre (Simarub.).  
*cuprea*, Van Tiegh. in Ann. Sci. Nat. Sér. IX. i. 300.—Afr. trop.  
*Dybowskii*, Van Tiegh. l. c. 302.—Afr. trop.  
*lanceolata*, Van Tiegh. l. c. 304.—Afr. trop.  
*latifolia*, Pierre, ex Van Tiegh. l. c. 301.—Afr. trop.  
*Lecomtei*, Van Tiegh. l. c. 302.—Afr. trop.  
*longifolia*, Pierre, ex Van Tiegh. l. c. 300.—Afr. trop.  
*macrocarpa*, Van Tiegh. l. c. 303.—Afr. trop.  
*macrophylla*, Pierre, ex Van Tiegh. l. c. 301.—Afr. trop.  
*sphaerocarpa*, Van Tiegh. l. c. 303.—Afr. trop.  
*spinosa*, Van Tiegh. l. c. 300.—Afr. trop.  
*Tholloni*, Van Tiegh. l. c. 301.—Afr. trop.  
*Trillesii*, Pierre, ex Van Tiegh. l. c. 301.—Afr. trop.  
*trippyrena*, Van Tiegh. l. c. 303.—Afr. trop.  
*Zenkeri*, Van Tiegh. l. c. 302.—Afr. trop.

**KLEINIA**, Linn. (Compos.).  
*abyssinica*, A. Berger, in Monatsschr. Kakt. 1905, 11 (= *Notonia abyssinica*).—Afr. trop.  
*chordifolia*, A. Berger, l. c. 20 (= *Senecio chordifolia*).—Afr. austr.  
*coccinea*, A. Berger, l. c. 11 (= *Notonia coccinea*).—Afr. trop.  
*cylindrica*, A. Berger, l. c. 21.—Afr. austr.?  
*Galpini*, A. Berger, l. c. 13 (= *Senecio Galpini*).—Afr. austr.  
*Hanburyana*, A. Berger, l. c. 19 (= *Senecio Hanburyana*).—Afr. austr.?  
*odora*, A. Berger, l. c. 38 (= *Cacalia odora*).—Arab.  
*Schweinfurthii*, A. Berger, l. c. 11 (= *Notonia Schweinfurthii*).—Afr. trop.  
*violacea*, A. Berger, l. c. 38 (= *Notonia kleinoides*).—Afr. trop.

**KNAUTIA**, Linn. (Dipsac.).  
 [SCABIOSA, Tourn. Dipsac.]  
*albica*, Briq. in Ann. Conserv. & Jard. Bot. Genève, 1902, 125.—Eur.  
*asperifolia*, Borb. Rev. Knaut. 42.—Hybr.  
*balkanica*, Davidoff, in Magyar Bot. Lap. iv. 28.—Bulgar.  
*brachytricha*, Briq. in Ann. Conserv. & Jard. Bot. Genève, 1902, 125.—Eur.  
*centrifrons*, Borb. Rev. Knaut. 18.—Eur.  
*decalvata*, Borb. l. c. 42.—Hybr.  
*Dingleri*, Borb. l. c. 82.—Turcia.  
*felina*, Briq. in Bull. Herb. Boiss. Sér. II. v. 511.—Hybr.  
*heliantha*, Janka, in Borb. Rev. Knaut. 41.—Bulgar.  
*leucophaea*, Briq. in Ann. Conserv. & Jard. Bot. Genève, 1902, 75.—Eur.  
*ligerina*, Tourl. in Bull. Soc. Bot. Fr. l. 309 = *arvensis*.  
*luteola*, Borb. Rev. Knaut. 33.—Serbia.  
*mimica*, Borb. l. c. 86.—Graecia.  
*nauplia*, Borb. l. c. 75.—Graecia.  
*numidica*, Szabó, in Engl. Jahrb. xxxvi. 437.—Reg. Medit.  
*Petrovicii*, Briq. in Ann. Conserv. & Jard. Bot. Genève, 1902, 124.—Eur.  
*pontica*, Borb. Rev. Knaut. 41.—Graecia.  
*Ressmanni*, Borb. l. c. 35.—Austria.  
*rimosa*, Borb. l. c. 65.—Ital.  
*sarajevensis*, Szabó, in Engl. Jahrb. xxxvi. 439.—Eur. cent.  
*transalpina*, Briq. in Ann. Conserv. & Jard. Bot. Genève, 1902, 91.—Eur.  
*turocensis*, Szabó, in Engl. Jahrb. xxxvi. 440.—Eur. cent.  
*Wagneri*, Briq. in Ann. Conserv. & Jard. Bot. Genève, 1902, 124.—Eur.

**KNEIFFIA**, Spach = **Oenothera**, Linn. (Onagr.).  
*arenicola*, Small, Fl. S. E. U. S. 842.—Am. bor.  
*pratensis*, Small, l. c.—Am. bor.  
*riparia*, Small, l. c. = *Oenothera riparia*.

**KNIPHOFIA**, Moench (Liliac.).  
*Bachmanni*, Baker, in Bull. Herb. Boiss. Sér. II. i. 784.—Afr. austr.  
*concinna*, Baker, l. c.—Afr. austr.  
*Conrathii*, Baker, l. c. iv. 998.—Afr. austr.  
*crassifolia*, Baker, l. c. i. 784.—Afr. austr.  
*dubia*, Wildem. in Ann. Mus. Congo, Sér. IV. 10.—Afr. trop.  
*Ellenbeckiana*, Engl. Jahrb. xxxii. 90.—Afr. trop.  
*flavovirens*, Engl. l. c. xxx. 273.—Afr. trop.  
*Goetzei*, Engl. l. c.—Afr. trop.  
*ichopenensis*, Schinz, in Bull. Herb. Boiss. Sér. II. ii. 1016.—Afr. austr.

**KNIPHOFIA** :—  
*Krooki*, A. Zahlbr. in Ann. Nat. Hofmus. Wien, xv. 14.—Afr. austr.  
*longiflora*, Baker, in Kew Bull. 1901, 134.—Afr. austr.  
*mpalensis*, Engl. Jahrb. xxxii. 91.—Afr. trop.  
*Neumannii*, Engl. l. c. 90.—Afr. trop.  
*paludosa*, Engl. l. c. xxx. 274.—Afr. trop.  
*pedicellata*, Baker, in Bull. Herb. Boiss. Sér. II. iv. 998.—Afr. austr.  
*Schlechteri*, Baker, l. c. i. 784.—Afr. austr.

**KNOWLTONIA**, Salisb. (Ranunc.).  
*bracteata*, Harv. ex A. Zahlbr. in Ann. Nat. Hofmus. Wien, xviii. 380, descr.—Afr. austr.

**KOBRESIA**, Willd. (Cyper.).  
*cercostachys*, C. B. Clarke, in Journ. Linn. Soc. xxxvi. 267 (= *Carex cercostachys*).—China.  
*elachycarpa*, Fernald, in Rhodora, 1903, 251.—Am. bor.  
*fragilis*, C. B. Clarke, in Journ. Linn. Soc. xxxvi. 267.—China.  
*gracilis*, Meinsh. in Act. Hort. Petrop. xviii. 276.—Russia.  
*graminifolia*, C. B. Clarke, in Journ. Linn. Soc. xxxvi. 268.—China.  
*macrolepis*, Meinsh. in Act. Hort. Petrop. xviii. 276.—Russia.  
*paniculata*, Meinsh. l. c. 279.—Russia.  
*Prainii*, Kuek, in Bull. Herb. Boiss. Sér. II. iv. 50.—Reg. Himal.  
*Prattii*, C. B. Clarke, in Journ. Linn. Soc. xxxvi. 268.—China.

**KOCHIA**, Roth (Chenopod.).  
*amoena*, Diels, in Engl. Jahrb. xxxv. 183.—Austral.  
*Atkinsiana*, Fitzg. in Journ. W. Austral. Nat. Hist. Soc. i. 31.—Austral.  
*Georgei*, Diels, in Engl. Jahrb. xxxv. 184.—Austral.  
*polypterygia*, Diels, l. c. 183.—Austral.

**KOEHNEOLA**, Urb. Symb. Antill. ii. (1901) 463. **COMPOSITAE**.  
*repens*, Urb. l. c. 464 (= *Tetranthus repens*).—Ind. occ.

**KOELERIA**, Pers. (Gramin.).  
*Alboffii*, Domin, in Magyar Bot. Lap. iii. 344.—Reg. Caucas.  
*asiatica*, Domin, in Bull. Herb. Boiss. Sér. II. v. 947.—Sibir.  
*britannica*, Domin, ex Druce, in Journ. Bot. 1905, 356.—Anglia.  
*compacta*, Adam, in Magyar Bot. Lap. iii. 138.—Eur.  
*Degeni*, Domin, in Magyar Bot. Lap. iii. 275.—Eur.  
*glauco-virens*, Domin, l. c. 273.—Eur.; Oriens; As. cent.  
*Kurtzii*, Hack. ex Kurtz, in Bol. Acad. Buenos Aires, xvi. 261.—Am. austr.  
*montana*, Domin, in Magyar Bot. Lap. iii. 257.—Eur.  
*polonica*, Domin, l. c. 186.—Eur.  
*pseudocristata*, Domin, in Allg. Bot. Zeitschr. 1903, 42.—Europ.  
*Simonkayi*, Adam, in Denkschr. Akad. Wien, Math. Nat. lxxiv. 118.—Turcia.  
*splendens*, Druce, in Journ. Bot. 1905, 313.—Eur.  
*supraarenaria*, Domin, ex Druce, l. c. 355.—Hybr.  
*tokiensis*, Domin, in Bull. Herb. Boiss. Sér. II. v. 948.—Japan.  
*trivialis*, Bub. Fl. Pyren. iv. 358 = *phleoides*.

**KOELLIA**, Moench = **Pycnanthemum**, Michx. (Labi.).  
*dubia*, Small, Fl. S. E. U. S. 1047.—Am. bor.  
*Hugerii*, Small, l. c.—Am. bor.  
*leptodon*, Small, l. c. 1046.—Am. bor.

**KOLKWITZIA**, Graebn. in Diels, in Engl. Jahrb. xxix. 593 (1901). **CAPRIFOLIACEAE**.  
*amabilis*, Graebn. l. c.—China.

**KOLOBOPETALUM**, Engl. (Menisperm.).  
*ovatum*, Stapf, in Journ. Linn. Soc. xxxvii. 82.—Afr. trop.

**KOORDERSIODENDRON**, Engl. (Anacard.).  
*pinnatum*, Merrill, in Forest. Bur. Philipp. Bull. i. 33 (= *Helicteres pinnata*).—Arch. Mal.

**KOPSIA**, Blume (Apocyn.).

- cochinchinensis, *Kuntze, Rev. Gen.* (1891) 415.—Cochinch.  
 elastica, *Pierre, in L. Planch. Prod. Apocyn.* (1894) 325, nomen.—Sumatra.  
 Harmandiana, *Pierre, l. c.* nomen.—Cochinch.  
 longiflora, *Merrill, in Philipp. Gov. Lab. Bur. Bull.* xxix. 47.—Ins. Philipp.

- KOPSIA**, Dennst. = **Orobanch**, Tourn. (Orobanch.).  
*Muteli, Bég. in Fiori & Bég. Fl. Ital.* ii. 471 = *O. Muteli*.  
*purpurea, Bég. l. c.* 473 = *O. purpurea*.  
*Schultzii, Bég. l. c.* 472 = *O. Schultzii*.

**KOSTELETZKYA**, Presl (Malvac.).

- malvaviscana, *Rose, in U. S. Dept. Agric. Contrib. Nat. Herb.* viii. 319.—Mexic.  
 tampicensis, *Rose, l. c.* (= *Hibiscus tampicensis*).—Mexic.  
 violacea, *Rose, l. c.*—Mexic.

- KOZLOVIA**, Lipsky, in Act. Hort. Petrop. xxiii. (1904) 146. **UMBELLIFERAE**.  
 paleacea, *Lipsky, l. c.* 147 (= *Albertia paleacea*).—As. cent.

**KRAMERIA**, Loeffl. (Polygal.).

- prostrata, *T. S. Brandegee, in Zoe, v.* 200 (1905).—Mexic.

- KRASCHENINIKOVIA**, Turcz. = **Stellaria**, Linn. (Caryophyll.).  
 eritrichioides, *Diels, in Engl. Jahrb.* xxxvi. Beibl. lxxxii. 37.—China.

- KRUGIODENDRON**, Urb. Symb. Antill. iii. (1902) 313. **RHAMNACEAE**.  
 ferreum, *Urb. l. c.* 314 (= *Ceanothus ferreus*).—Ind. occ.

**KRYNITZKIA**, Fisch. & Mey. (Borag.).

- mexicana, *T. S. Brandegee, in Zoe, v.* 182 (1904).—Mexic.  
 pustulata, *Blank, in Montana Agric. Coll. Sci. Studies, Bot.* i. 96 (= *Oreocarya affinis*).—Am. bor.  
 Suksdorfii, *Greenm. in Coult. Bot. Gaz.* xl. 146.—Am. bor.

- KUENSTLERIA**, K. Schum. in Just, Jahresb. xxvii. i. (1901) 494 = **Kunstleria**, Prain (Legum.).

**KUHNTIA**, Linn. (Compos.).

- Fitzpatricki, *A. Nelson, in Coult. Bot. Gaz.* xxxi. 402.—Am. bor.  
 Gooddingi, *A. Nelson, l. c.*—Am. bor.  
 Hitchcocki, *A. Nelson, l. c.* 403.—Am. bor.  
 reticulata, *A. Nelson, l. c.*—Am. bor.

**KUNZEA**, Reichb. (Myrtac.).

- bracteolata, *Maiden & Betche, in Proc. Linn. Soc. N. S. Wales*, xxx. 363.—Austral.  
 jucunda, *Diels, in Engl. Jahrb.* xxxv. 424.—Austral.

**KYLLINGA**, Rottb. (Cyper.).

- albiceps, *C. B. Clarke, in Dyer, Fl. Trop. Afr.* viii. 286.—Afr. trop.  
 appendiculata, *K. Schum. ex C. B. Clarke, l. c.* 283 = *cylindrica*.  
 brevifolia, *Boeck. ex C. B. Clarke, in Journ. Linn. Soc.* xxxvii. 223 = *intermedia*.  
 Filicula, *C. B. Clarke, in Dyer, Fl. Trop. Afr.* viii. 526.—Afr. trop.  
 flava, *C. B. Clarke, l. c.* 281.—Afr. trop.  
 kamschatica, *Meinsh. in Act. Hort. Petrop.* xviii. 229.—Sibir.  
 nigripes, *C. B. Clarke, in Dyer, Fl. Trop. Afr.* viii. 285.—Afr. trop.  
 nigritana, *C. B. Clarke, l. c.* 272.—Afr. trop.  
 platyphylla, *K. Schum. in Engl. Jahrb.* xxx. 270.—Afr. trop.  
 ruwenzoriensis, *C. B. Clarke, in Dyer, Fl. Trop. Afr.* viii. 283.—Afr. trop.  
 senegalensis, *C. B. Clarke, l. c.* 276.—Afr. trop.

- KYRSTENIA**, Neck. = **Eupatorium**, Tourn. (Compos.).  
 aboriginum, *Greene, Leaflets Bot. Obs.* i. 8 = *E. aboriginum*.  
 acuta, *Greene, l. c.* 11.—Mexic.  
 ageratifolia, *Greene, l. c.* 9 = *E. ageratifolium*.  
 altissima, *Greene, l. c.* 8 = *E. ageratoides*.  
 amplifolia, *Greene, l. c.* 9 = *E. amplifolium*.

**KYRSTENIA** :—

- amplissima, *Greene, Leaflets Bot. Obs.* i. 10.—Mexic.  
 angustata, *Greene, l. c.* 8 = *E. angustatum*.  
 arizonica, *Greene, l. c.* 9 = *E. arizonicum*.  
 aromatica, *Greene, l. c.* 8 = *E. aromaticum*.  
 bellidifolia, *Greene, l. c.* 9 = *E. bellidifolium*.  
 Benthami, *Greene, l. c.* 9 = *E. Benthami*.  
 betulaeifolia, *Greene, l. c.* 10.—Mexic.  
 borealis, *Greene, l. c.* 8 = *E. boreale*.  
 brevipes, *Greene, l. c.* 9 = *E. brevipes*.  
 calaminthaefolia, *Greene, l. c.* 9 = *E. calaminthaefolium*.  
 calophylla, *Greene, l. c.* 11.—Mexic.  
 ceanothifolia, *Greene, l. c.* 8 = *E. ceanothifolium*, *Muhl., non Spreng.*  
 ciliata, *Greene, l. c.* 9 = *E. ciliatum*.  
 coahuilensis, *Greene, l. c.* 9 = *E. coahuilense*.  
 collina, *Greene, l. c.* 9 = *E. collinum*.  
 deltoidea, *Greene, l. c.* 9 = *E. deltoideum*.  
 Donnell-Smithii, *Greene, l. c.* 9 = *E. Donnell-Smithii*.  
 espinosarum, *Greene, l. c.* 9 = *E. espinosarum*.  
 euonymifolia, *Greene, l. c.* 9 = *E. euonymifolium*.  
 glechonophylla, *Greene, l. c.* 9 = *E. glechonophyllum*.  
 grandidentata, *Greene, l. c.* 9 = *E. grandidentatum*.  
 grandifolia, *Greene, l. c.* 9 = *E. grandifolium*.  
 guadalupensis, *Greene, l. c.* 9 = *E. guadalupense*.  
 herbacea, *Greene, l. c.* 9 = *E. herbaceum*.  
 incarnata, *Greene, l. c.* 8 = *E. incarnatum*.  
 jucunda, *Greene, l. c.* 9 = *E. jucundum*.  
 Koelliaefolia, *Greene, l. c.* 9 = *E. Koelliaefolium*.  
 laeta, *Greene, l. c.* 11.—Mexic.  
 melissoides, *Greene, l. c.* 9 = *E. melissoides*.  
 nemoralis, *Greene, l. c.* 9 = *E. nemorale*.  
 occidentalis, *Greene, l. c.* 9 = *E. occidentale*.  
 oreithales, *Greene, l. c.* 9 = *E. oreithales*.  
 parvifolia, *Greene, l. c.* 12.—Mexic.  
 paupercula, *Greene, l. c.* 9 = *E. pauperculum*.  
 pascuarensis, *Greene, l. c.* 9 = *E. pascuarensis*.  
 Rothrockii, *Greene, l. c.* 9 = *E. Rothrockii*.  
 rufa, *Greene, l. c.* 10.—Mexic.  
 subintegra, *Greene, l. c.* 9 = *E. subintegra*.  
 thyrsoflora, *Greene, l. c.* 9.—Mexic.  
 Tracyi, *Greene, l. c.* 8 = *E. Tracyi*.  
 viburnifolia, *Greene, l. c.* 9 = *E. viburnifolium*.

**L****LABATIA**, Mart. (Sapot.).

- mattogrossensis, *Pilg. in Engl. Jahrb.* xxx. 181.—Bras.

**LABISIA**, Lindl. (Myrsin.).

- neriifolia, *Hallier f. in Bull. Herb. Boiss. Sér. II.* i. 669.—Borneo.  
 obtusifolia, *Hallier f. l. c.* 667.—Borneo.  
 serrulata, *Hallier f. l. c.* 668, descr.—Sumatra.

**LACHENALIA**, Jacq. (Liliac.).

- brevipes, *Baker, in Bull. Herb. Boiss. Sér. II.* i. 856.—Afr. austr.  
 petiolata, *Baker, l. c.* 186.—Afr. austr.  
 Schlechteri, *Baker, l. c.* iv. 999.—Afr. austr.

**LACHNAEA**, Linn. (Thymel.).

- passerinoideus, *N. E. Br. in Kew Bull.* 1901, 132.—Afr. austr.

**LACHNASTOMA**, Korth. (Rubiace.).

- [**COFFEA**, Linn. I. K.]  
 densiflora, *Koord. & Valet. in Bull. Inst. Buitenz.* viii. 27 (= *Coffea densiflora*).—Java.

**LACHNOCAULON**, Kunth (Eriocaul.).

- eciliatum, *Small, Fl. S. E. U. S.* 235.—Am. bor.  
 Engleri, *Ruhl. in Engl. Pflanzenreich, Eriocaul.* 241.—Am. bor.  
 floridanum, *Small, Fl. S. E. U. S.* 235.—Am. bor.  
 minus, *Small, l. c.*—Am. bor.

**LACHNOSTACHYS**, Hook. (Verben.).

- brevispicata, *E. Pritz. in Engl. Jahrb.* xxxv. 511.—Austral.  
 coolgardiensis, *S. Moore, in Journ. Bot.* 1903, 100.—Austral.  
 Dempsteri, *E. Pritz. in Engl. Jahrb.* xxxv. 512.—Austral.

**LACHNOSTACHYS** :—

- insignis, *E. Pritz. in Engl. Jahrb.* xxxv. 506 (= *New-castlia insignis*).—Austral.  
 Rodwayana, *Fitzg. in Journ. W. Austral. Nat. Hist. Soc.* i. 29.—Austral.

**LACHNOSTOMA**, H. B. & K. (Asclep.).

- gonoloboides, *Greenm. in Proc. Amer. Acad.* xxxix. 84.—Mexic.

**LACINARIA**, Hill = **Liatris**, Schreb. (Compos.).

- alata, *A. Nelson, in Coult. Bot. Gaz.* xxxi. 404.—Am. bor.  
 aspera, *Greene, Pittonia, iv.* (1901) 318.—Am. bor.  
 Earlei, *Greene, l. c.* 316.—Am. bor.  
 elegantula, *Greene, l. c.*—Am. bor.  
 elongata, *Greene, l. c.* v. 57.—Am. bor.  
 formosa, *Greene, Leaflets Bot. Obs.* i. 149.—Am. bor.  
 Helleri, *A. A. Heller, Muhlenbergia, i.* 6 = *Liatris Helleri*.  
 kansana, *Britton, Man. Fl. N. U. S.* 927.—Am. bor.  
 laevigata, *Small, Fl. S. E. U. S.* 1175 = *Liatris laevigata*.  
 Langloisii, *Greene, Pittonia, v.* 58.—Am. bor.  
 ligulistylis, *A. Nelson, in Coult. Bot. Gaz.* xxxi. 405.—Am. bor.  
 Nashii, *Small, Fl. S. E. U. S.* 1175.—Am. bor.  
 nervata, *Greene, Pittonia, iv.* (1901) 317.—Am. bor.  
 pilosa, *A. A. Heller, Muhlenbergia, i.* 6 = *Liatris spicata*.  
 polyphylla, *Small, Fl. S. E. U. S.* 1173.—Am. bor.  
 scabra, *Greene, Pittonia, iv.* (1901) 317.—Am. bor.  
 serotina, *Greene, l. c.* 315.—Am. bor.  
 Smallii, *Britton, Man. Fl. N. U. S.* 927.—Am. bor.  
 vittata, *Greene, Pittonia, iv.* (1901) 315.—Am. bor.

**LACISTEMA**, Sw. (Lacistem.).

- Hasslerianum, *Chod. in Bull. Herb. Boiss. Sér. II.* iii. 394.—Parag.

**LACTUCA**, Tourn. (Compos.).

- chinensis, *Makino, in Bot. Mag. Tokyo*, xvii. 89 (= *Prenanthes chinensis*).—Japon.  
 crepidioides, *Vaniot, in Bull. Acad. Géogr. Bot.* xii. (1903) 244.—China.  
 diversifolia, *Vaniot, l. c.* 245.—China.  
 erythrocarpa, *Vaniot, l. c.* 319.—China.  
 Gilletii, *Wildem. in Ann. Mus. Congo, Sér. V.* i. 86.—Afr. trop.  
 Henryi, *Dunn, in Journ. Linn. Soc.* xxxv. 512.—China.  
 humifusa, *Dunn, l. c.*—China.  
 lignea, *Vaniot, in Bull. Acad. Géogr. Bot.* xii. (1903) 318.—China.  
 longispicata, *Wildem. in Ann. Mus. Congo, Sér. V.* i. 87.—Afr. trop.  
 microsperma, *K. Schum. in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 403.—N. Guin.  
 Prattii, *Dunn, in Journ. Linn. Soc.* xxxv. 513.—China.  
 pseudoabyssinica, *Chiov. in Ann. Ist. Bot. Roma*, viii. 197.—Afr. trop.  
 pseudosenecio, *Vaniot, in Bull. Acad. Géogr. Bot.* xii. (1903) 320, 489.—China.  
 rubrolutea, *Vaniot, l. c.* 317.—China.  
 Steelei, *Britton, Man. Fl. N. U. S.* 899.—Am. bor.  
 tricostrata, *Wildem. in Ann. Mus. Congo, Sér. V.* i. 88.—Afr. trop.  
 umbrosa, *Dunn, in Journ. Linn. Soc.* xxxv. 513.—China.  
 variabilis, *Bornm. in Mitth. Thüring. Bot. Ver.* n. s. xx. 27 (= *Mulgedium variabile*).—As. Min.  
 Verdickii, *Wildem. in Ann. Mus. Congo, Sér. IV.* 170.—Afr. trop.  
 Visianii, *Bornm. in Mitth. Thüring. Bot. Ver.* n. s. xx. 29.—Eur.

**LADYGINIA**, Lipsky, in Act. Hort. Petrop. xxiii.

- (1904) 150. **UMBELLIFERAE**.  
 bucharica, *Lipsky, l. c.*—As. cent.

**LAELIA**, Lindl. (Orchid.).

- cinnabrosa, *Hort. ex Sand. Orch. Guide*, 276, nomen.—Hybr.

**LAGENOPHORA**, Cass. (Compos.).

- nudicaulis, *Reiche, Fl. Chile*, iii. 331 (= *Aster nudicaulis*).—Reg. Magell.

**LAGERSTROEMIA**, Linn. (Lythrac.).

- Fordii, *Oliv. & Koehne, ex Koehne, in Engl. Pflanzenreich, Lythrac.* 262.—China.  
 intermedia, *Koehne, l. c.* 260.—China.  
 quinquevalvis, *Koehne, l. c.* 268.—Tonkin.  
 subsessilifolia, *Koehne, l. c.* 267.—Austral.  
 Thomsonii, *Koehne, l. c.* 257.—Ind. or.

**LAGGERA**, Sch. Bip. (Compos.).

humilis, O. Hoffm. in *Warb. Kunene-Sambesi Exped.* 409.—Afr. trop.

**LAGOPHYLLA**, Nutt. (Compos.).

Hillmani, A. Nelson, in *Proc. Biol. Soc. Washington*, xvii. 98.—Am. bor.

**LAMIUM**, Tourn. (Labiata).

coronatum, Vaniot, in *Bull. Acad. Géogr. Bot.* xiv. (1904) 174.—China.

glaberrimum, Taliew, in *Bull. Jard. St. Pétersb.* ii. 136.—Tauria.

kouyangense, Vaniot, in *Bull. Acad. Géogr. Bot.* xiv. (1904) 175.—China.

Reiseri, Degen, in *Magyar Bot. Lap.* iv. 130.—Serbia.

**LAMOUROUXIA**, H. B. & K. (Scrophul.).

brachyantha, Greenm. in *Proc. Amer. Acad.* xli. 248.—Mexic.

**LANDOLPHIA**, Beauv. (Apocyn.).

amoena, Hua, in *Journ. de Bot.* xv. 76.—Afr. trop.

Buchananii, Stapf, in *Dyer, Fl. Trop. Afr.* iv. i. 35 (= *Clitandra Buchananii*).—Afr. trop.

Cameroni, Stapf, l. c.—Afr. trop.

Dawei, Stapf, l. c. 590.—Afr. trop.

Dewevrei, Stapf, l. c. 52.—Afr. trop.

dondeensis, Busse, in *Tropenpfl.* 1901, 406; et in *Engl. Jahrb.* xxxii. 165.—Afr. trop.

Droogmansiana, Wildem. in *Wildem. & Gentil, Lianes Caoutch. Congo*, 59.—Afr. trop.

Dubardi, Pierre, in *Agric. Prat. Pays Chauds*, iv. 109.—Madag.

Dubreucqiana, Wildem. in *Wildem. & Gentil, Lianes Caoutch. Congo*, 92.—Afr. trop.

ferruginea, Stapf, in *Dyer, Fl. Trop. Afr.* iv. i. 46.—Afr. trop.

gingimena, Pierre, in *Agric. Prat. Pays Chauds*, iv. 110.—Madag.

Gentilii, Wildem. Obs. *Apocyn. Latex*, 20.—Afr. trop.

hispidula, Pierre, in *Agric. Prat. Pays Chauds*, iv. 108.—Madag.

humilis, Schlechter, ex Cheval. in *Compt. Rend. Acad. Sci. Par.* cxxxv. 514, descr.—Afr. trop.

kilimandjarica, Stapf, in *Dyer, Fl. Trop. Afr.* iv. i. 34 (= *Clitandra kilimandjarica*).—Afr. trop.

Kirkii, Dyer, in *Hook. Ic. Pl.* t. 2755.—Afr. trop.

Laurentii, Wildem. in *Rev. Cult. Col. Par.* viii. 229.—Afr. trop.

leonensis, Stapf, in *Dyer, Fl. Trop. Afr.* iv. i. 36.—Afr. trop.

Mandrianambo, Pierre, in *Agric. Prat. Pays Chauds*, iv. 107.—Madag.

pachyphylla, Stapf, in *Dyer, Fl. Trop. Afr.* iv. i. 45.—Afr. trop.

Perrieri, Fumelle, in *Rev. Gén. Bot.* xiii. 290.—Madag.

Pierrei, Hua, in *Compt. Rend. Acad. Sci. Par.* cxxxv. 868.—Afr. trop.

Petersiana, Dyer, in *Hook. Ic. Pl.* t. 2756.—Afr. trop.

pyriformis, Stapf, in *Dyer, Fl. Trop. Afr.* iv. i. 60 (= *Ancylbothrys pyriformis*).—Afr. trop.

Richardiana, Pierre, in *Agric. Prat. Pays Chauds*, iv. 110.—Madag.

robusta, Stapf, in *Dyer, Fl. Trop. Afr.* iv. i. 43 (= *Ancylbothrys robusta*).—Afr. trop.

Shrallonii, Wildem. in *Bull. Soc. Études Colon.* x. 581 = Thollonii.

sphaerocarpa, Fumelle, in *Not. Inst. Marseilles Expos. Univers.* 1900, 43; et in *Rev. Gén. Bot.* xiii. 299.—Madag.

Stolzii, Busse, in *Engl. Jahrb.* xxxii. 168.—Afr. trop.

subsessilis, Pierre, in *Agric. Prat. Pays Chauds*, iv. 111.—Madag.

Taylori, Stapf, in *Dyer, Fl. Trop. Afr.* iv. i. 45.—Afr. trop.

Thrallonii, Wildem. in *Bull. Soc. Études Colon.* x. 581 = Thollonii.

tenuis, Fumelle, in *Rev. Cult. Colon.* x. 298; et *Pl. Caoutch. Guitta, Pays Chauds*, 349.—Madag.

ugandensis, Stapf, in *Dyer, Fl. Trop. Afr.* iv. i. 589.—Afr. trop.

**LANGLOISIA**, Greene (Polemon.).

punctata, A. A. Heller, *Muhlenbergia*, i. 57.—Calif.

**LANKESTERIA**, Lindl. (Acanth.).

alba, Lindau, in *Engl. Jahrb.* xxxviii. 68.—Afr. trop.

brevior, C. B. Clarke, in *Journ. Linn. Soc.* xxxvii. 110.—Afr. trop.

**LANNEA**, A. Rich. (Anacard.).

[ODINA, Roxb. I. K.]

ambigua, *Engl. Jahrb.* xxxvi. 218.—Afr. trop.

**LANSIUM**, Rumph. (Meliac.).

dubium, Merrill, in *Philipp. Gov. Lab. Bur. Bull.* xvii. 23.—Ins. Philipp.

**LANTANA**, Linn. (Verben.).

aristata, Briq. in *Arkiv Bot. Stockh.* ii. no. 10, 17 (= *Lippia aristata*).—Bras.

bahamensis, Britton, in *Bull. N. York Bot. Gard.* iii. 450.—Ind. occ.

Balansae, Briq. in *Ann. Conserv. & Jard. Bot. Genève*, vii-viii. 300.—Parag.

bazeiana, H. H. W. Pearson, in *Dyer, Fl. Cap.* v. 197.—Afr. austr.

bernardinensis, Briq. in *Bull. Herb. Boiss. Sér. II.* iv. 1066.—Parag.

depressa, Small, in *Bull. N. York Bot. Gard.* iii. 436.—Am. bor.

Galpiniana, H. H. W. Pearson, in *Dyer, Fl. Cap.* v. 189.—Afr. austr.

Hassleri, Briq. in *Bull. Herb. Boiss. Sér. II.* iv. 1064.—Parag.

hypoleuca, Briq. l. c.—Parag.

Lindmanii, Briq. in *Arkiv Bot. Stockh.* ii. no. 10, 15.—Bras.

micrantha, Briq. in *Ann. Conserv. & Jard. Bot. Genève*, vii-viii. 299.—Parag.

montevidensis, Briq. l. c. 301 (= *Lippia montevidensis*).—Parag.

obtusata, Briq. l. c. 302.—Bras.

planifolia, Briq. l. c.—Bras.

pretoriensis, H. H. W. Pearson, in *Dyer, Fl. Cap.* v. 197.—Afr. austr.

Rehmanni, H. H. W. Pearson, l. c. 196.—Afr. austr.

Wilmsii, H. H. W. Pearson, l. c.—Afr. austr.

**LANTANOPSIS**, Wright (Compos.).

Hoffmanni, Urb. *Symb. Antill.* ii. 464.—Ind. occ.

**LAOTHOË**, Rafin. = **Chlorogalum**, Kunth (Liliac.).

angustifolia, Greene, *Leaflets Bot. Obs.* i. 91 = C. angustifolium.

divaricata, Greene, l. c. = C. pomeridianum.

Leichtlinii, Greene, l. c. = C. Leichtlinii.

parviflora, Greene, l. c. = C. parviflorum.

purpurea, Greene, l. c. = C. purpureum.

**LAPEYROUSIA**, Pourr. (Irid.).

setifolia, Harms, in *Engl. Jahrb.* xxx. 278.—Afr. trop.

**LAPITHEA**, Griseb. = **Sabbatia**, Adans. (Gentian.).

Boykinii, Small, Fl. S. E. U. S. 929 = S. Boykinii.

**LAPORTEA**, Gaudich. (Urtic.).

Carruthersiana, K. Schum. in *Fust. Jahresb.* xxviii. 1. 463 (= *Urticastrum Carruthersianum*).—Afr. trop.

corallodesme, Lauterb. in K. Schum. & Lauterb. *Nachtr. Fl. Deutsch. Südsee*, 252.—N. Guin.

humilis, Lauterb. l. c. 251.—N. Guin.

luzonensis, Warb. in *Perkins, Frag. Fl. Philipp.* 168.—Ins. Philipp.

Meyeniana, Warb. l. c. (= *Urtica Meyeniana*).—Ins. Philipp.

mindanaensis, Warb. l. c.—Ins. Philipp.

Schomburgkii, Bull. Cat. 1875, 7; Nicholson, *Dict. Gard.* ii. 235.—Polynes.

torricellensis, Lauterb. in K. Schum. & Lauterb. *Nachtr. Fl. Deutsch. Südsee*, 251.—N. Guin.

**LAPPULA**, Moench = **Echinosperrum**, Sw. (Borag.).

angustata, Rydb. in *Bull. Torr. Bot. Club*, 1904, 636.—Am. bor.

anoplocarpa, Greene, in *Ottawa Natural.* xvi. 39.—Am. bor.

arida, Piper, in *Bull. Torr. Bot. Club*, 1901, 44.—Am. bor.

Besseyi, Rydb. in *Bull. Torr. Bot. Club*, 1904, 636.—Am. bor.

californica, Piper, in *Bull. Torr. Bot. Club*, 1902, 546.—Am. bor.

calycosa, Rydb. in *Bull. Torr. Bot. Club*, 1901, 30.—Am. bor.

**LAPPULA** :—

cinerea, Piper, in *Bull. Torr. Bot. Club*, 1902, 544.—Am. bor.

columbiana, A. Nelson, in *Coult. Bot. Gaz.* xxxiv. 28.—Am. bor.

Cottoni, Piper, in *Bull. Torr. Bot. Club*, 1902, 549.—Am. bor.

cucullata, A. Nelson, in *Coult. Bot. Gaz.* xxxiv. 29.—Am. bor.

cupulata, Rydb. in *Bull. Torr. Bot. Club*, 1901, 31.—Am. bor.

Cusickii, Piper, in *Bull. Torr. Bot. Club*, 1902, 542.—Am. bor.

gracilentia, Eastw. in *Bull. Torr. Bot. Club*, 1902, 523.—Am. bor.

Hendersoni, Piper, in *Bull. Torr. Bot. Club*, 1902, 539.—Am. bor.

infelix, Greene, *Pittonia*, iv. (1901) 235.—Am. bor.

leucantha, Greene, *Leaflets Bot. Obs.* i. 152.—Am. bor.

micrantha, Eastw. in *Bull. Torr. Bot. Club*, 1903, 497.—Calif.

saxatilis, Piper, in *Bull. Torr. Bot. Club*, 1902, 541.—Am. bor.

scaberrima, Piper, l. c. 545.—Am. bor.

setosa, Piper, l. c. 544.—Am. bor.

trachyphylla, Piper, l. c. 540.—Am. bor.

velutina, Piper, l. c. 546.—Am. bor.

**LAPSANA**, Linn. (Compos.).

humilis, Makino, in *Bot. Mag. Tokyo*, xvii. 87 (= *Prenanthes humilis*).—Japon.

**LARETIA**, Gill. & Hook. (Umbell.).

compacta, Reiche, *Fl. Chile*, iii. 63 (= *Azorella compacta*).—Chili.

**LASALLEA**, Greene, *Leaflets Bot. Obs.* i. (1903) 5.—**COMPOSITAE.**

Nuttallii, Greene, l. c.—Am. bor.

phyllolepis, Greene, l. c. (= *Aster phyllolepis*).—Am. bor.

sericea, Greene, l. c. (= *Aster sericeus*).—Am. bor.

**LASERPITIUM**, Linn. (Umbell.).

Asclepium, *Calest.* in Martelli, Webbia, 270 (= *Thapsia Asclepium*).—Eur.

decussatum, *Calest.* l. c. 271 (= *Thapsia decussata*).—Reg. Medit.

foetidum, *Calest.* l. c. 270 (= *Thapsia foetida*).—Reg. Medit.

Gaveanum, Beauverd, in *Bull. Herb. Boiss. Sér. II.* v. 411.—Hybr.

Loscocii, *Calest.* in Martelli, Webbia, 270 (= *Elaeoselinum Loscocii*).—Hispan.

millefolium, *Calest.* l. c. (= *Elaeoselinum millefolium*).—Hispan.

tenuifolium, *Calest.* l. c. (= *Thapsia tenuifolia*).—Hispan.

Thapsia, *Calest.* l. c. 271 (= *Thapsia garganica*).—Reg. Medit.

transtagatum, *Calest.* l. c. (= *Thapsia transtagana*).—Eur.

villosum, *Calest.* l. c. (= *Thapsia villosa*).—Reg. Medit.

**LASIANTHUS**, Jack (Rubiace.).

angustifolius, King & Gamble, in *Journ. As. Soc. Beng.* lxxiii. 126.—Penins. Mal.

axillaris, Drake, *Hist. Pl. Madag. Atlas*, t. 428 A.—Madag.

brachyphyllus, K. Schum. in K. Schum. & Lauterb. *Nachtr. Fl. Deutsch. Südsee*, 399.—N. Guin.

caloneurus, K. Schum. in *Bot. Tidsskr.* xxiv. 339.—Malaya.

chlorocarpus, K. Schum. in K. Schum. & Lauterb. *Nachtr. Fl. Deutsch. Südsee*, 399.—N. Guin.

chrysotrichus, Lauterb. in K. Schum. & Lauterb. l. c. 400.—N. Guin.

coriaceus, King & Gamble, in *Journ. As. Soc. Beng.* lxxiii. 123.—Penins. Mal.

coronatus, King & Gamble, l. c. 120.—Penins. Mal.

Curtisii, King & Gamble, l. c. 128.—Penins. Mal.

ferrugineus, King & Gamble, l. c. 130.—Penins. Mal.

filiformis, King & Gamble, l. c. 131.—Penins. Mal.

flavicans, King & Gamble, l. c. 116.—Penins. Mal.

formosensis, Matsum. in *Bot. Mag. Tokyo*, xv. 17.—Formosa.

gracilis, King & Gamble, in *Journ. As. Soc. Beng.* lxxiii. 132.—Penins. Mal.

Harveyanus, King & Gamble, l. c. 129.—Penins. Mal.

lucidus, King & Gamble, l. c. 132.—Penins. Mal.



**LASIANTHUS** :—

- malaccensis, *King & Gamble, in Journ. As. Soc. Beng.* lxxiii. 124.—Penins. Mal.  
 montanus, *King & Gamble, l. c.* 127.—Penins. Mal.  
 nervosus, *King & Gamble, l. c.* 129.—Penins. Mal.  
 oblongus, *King & Gamble, l. c.* 127.—Penins. Mal.  
 oligoneurus, *K. Schum. in Bot. Tidsskr.* xxiv. 340.—Malaya.  
 perakensis, *King & Gamble, in Journ. As. Soc. Beng.* lxxiii. 126.—Penins. Mal.  
 pergamaceus, *King & Gamble, l. c.* 123.—Penins. Mal.  
 pseudo-lucidus, *King & Gamble, l. c.* 128.—Penins. Mal.  
 Ridleyi, *King & Gamble, l. c.* 115.—Penins. Mal.  
 robustus, *King & Gamble, l. c.* 123.—Penins. Mal.  
 satsumensis, *Matsum. in Bot. Mag. Tokyo*, xv. 37.—Japon.  
 scabridus, *King & Gamble, in Journ. As. Soc. Beng.* lxxiii. 111.—Penins. Mal.  
 scalariformis, *King & Gamble, l. c.* 131.—Penins. Mal.  
 Schmidtii, *K. Schum. in Bot. Tidsskr.* xxiv. 340.—Malaya.  
 singaporensis, *King & Gamble, in Journ. As. Soc. Beng.* lxxiii. 117.—Penins. Mal.  
 subinaequalis, *King & Gamble, l. c.* 120.—Malaya.  
 subspicatus, *King & Gamble, l. c.* 118.—Penins. Mal.  
 Tashiroi, *Matsum. in Bot. Mag. Tokyo*, xv. 37.—Japon.  
 Wrayi, *King & Gamble, in Journ. As. Soc. Beng.* lxxiii. 119.—Penins. Mal.

**LASIOCORYS**, Benth. (Labiata.).

- Poggeana, *Baker, in Dyer, Fl. Trop. Afr.* v. 470 (= *Leucas Poggeana*).—Afr. trop.

**LASIOPETALUM**, Sm. (Stercul.).

- angustifolium, *Fitzg. in Journ. W. Austral. Nat. Hist. Soc.* i. 3.—Austral.  
 Dielsii, *E. Pritz. in Engl. Jahrb.* xxxv. 380.—Austral.  
 longistamineum, *Maiden & Betche, in Proc. Linn. Soc. N. S. Wales*, xxx. 355.—Austral.  
 microcardium, *E. Pritz. in Engl. Jahrb.* xxxv. 381.—Austral.

**LASIOPOGON**, Cass. (Compos.).

- brachypterus, *O. Hoffm. ex A. Zahlbr. in Ann. Nat. Hofmus. Wien*, xx. (1905) 57.—Afr. austr.

**LASIOSTELMA**, Benth. (Asclep.).

- nanum, *Schlechter, in Engl. Jahrb.* xxxviii. 37.—Afr. austr.

**LATHYRUS**, Tourn. (Legum.).

- alatus, *Kom. in Act. Hort. Petrop.* xxii. 628 (= *Orobis alatus*).—Manchuria.  
 Brownii, *Eastw. in Bull. Torr. Bot. Club*, 1903, 491.—Am. bor.  
 cryophilus, *Chod. & Wilcz. in Bull. Herb. Boiss. Sér. II. ii.* 477.—Reg. Argent.  
 ecirrhosus, *A. A. Heller, Muhlenbergia*, i. 54.—Calif.  
 Goldsteinae, *Eastw. in Bull. Torr. Bot. Club*, 1905, 197.—Calif.  
 laevigatus, *Arech. in Anal. Mus. Montevidei* iii. 375.—Urug.  
 leucanthus, *Rydb. in Bull. Torr. Bot. Club*, 1901, 37.—Am. bor.

**LAUREMBERGIA**, Berg. (Halorag.).

- [*SERPICULA*, Linn. I. K.]  
 angolensis, *Schindl. in Engl. Jahrb.* xxxiv. Beibl. lxxix. 49, nomen; et in *Engl. Pflanzenreich, Halorrh.* 72.—Afr. trop.  
 brevipes, *Schindl. l. c.* Beibl. lxxvii. 15; et *l. c.* 67 (= *Serpicula brevipes*).—Ind. or.  
 Engleri, *Schindl. l. c.* Beibl. lxxix. 49, nomen; et *l. c.* 73.—Afr. trop.  
 glaberrima, *Schindl. l. c.* 49; et *l. c.* 67 (= *Serpicula indica*).—Zeylan.  
 grandifolia, *Schindl. l. c.* 49; et *l. c.* 66.—Zeylan.  
 hirsuta, *Schindl. l. c.* Beibl. lxxvii. 15; et *l. c.* 65 (= *Serpicula hirsuta*).—Ind. or.  
 indica, *Schindl. l. c.*; et *l. c.* 64 (= *Serpicula indica*).—Zeylan.  
 javanica, *Schindl. l. c.* Beibl. lxxix. 49; et *l. c.* 69 (= *Serpicula javanica*).—Java.  
 madagascariensis, *Schindl. l. c.* Beibl. lxxvii. 15; et *l. c.* 71.—Madag.  
 oppositifolia, *Schindl. l. c.* Beibl. lxxix. 49; et *l. c.* 72.—Maurit.  
 veronicifolia, *Schindl. l. c.*; et *l. c.* (= *Serpicula veronicaefolia*).—Borbonia.  
 verticillata, *Schindl. l. c.*; et *l. c.* 71.—Maurit.

**LAUREMBERGIA** :—

- villosa, *Schindl. in Engl. Jahrb.* xxxiv. Beibl. lxxvii. 62; et in *Engl. Pflanzenreich, Halorrh.* 73.—Afr. trop.  
 Wangerini, *Schindl. l. c.*; et *l. c.* 64.—Zeylan.  
 zeylanica, *Schindl. l. c.* Beibl. lxxvii. 15; et *l. c.* 68 (= *Serpicula zeylanica*).—Zeylan.

**LAVANDULA**, Tourn. (Labiata.).

- pannosa, *Gand. in Bull. Soc. Bot. Fr.* xlviii. 411.—Hispan.

**LAVARDIA**, Glaz. in Bull. Soc. Bot. Fr. lii. Mém. III. (1905) 23 = **Lavrada**, Vell. (Violac.).**LAVAUXIA**, Spach = **Oenothera**, Linn. (Onagr.).

- flava, *A. Nelson, in Bull. Torr. Bot. Club*, 1904, 243.—Am. bor.  
 graminifolia, *Rose, in U. S. Dept. Agric. Contrib. Nat. Herb.* viii. 329 = *O. graminifolia*.  
 Howardi, *A. Nelson, in Coult. Bot. Gaz.* xxxiv. 368 = *O. Howardi*.  
 tubifera, *Rose, in U. S. Dept. Agric. Contrib. Nat. Herb.* viii. 329 = *O. tubifera*.  
 Watsonii, *Small, Fl. S. E. U. S.* 844.—Am. bor.

**LAVRADA**, Vell. (Violac.).

- spicata, *Glas. in Bull. Soc. Bot. Fr.* lii. Mém. III. 23, nomen.—Bras.

**LEANDRA**, Raddi (Melast.).

- axilliflora, *Pilg. in Verh. Bot. Ver. Brand.* xlvii. (1905) 168.—Peruv.  
 bullifera, *Pilg. l. c.* 169.—Peruv.  
 caquetana, *Sprague, in Trans. Proc. Bot. Soc. Edinb.* xxii. 432.—N. Granat.  
 violascens, *Pilg. in Verh. Bot. Ver. Brand.* xlvii. (1905) 170.—Reg. Amaz.

**LEBETANTHUS**, Endl. (Epacrid.).

- Myrsinites, *MacL. in Rep. Princeton Univ. Exped. Patag.* viii. 649 (= *Andromeda Myrsinites*).—Reg. Magell.

**LECHEA**, Kalm (Cistac.).

- moniliformis, *E. P. Bickn. in Britton, Man. Fl. N. U. S.* 632.—Am. bor.

**LECYTHIS**, Loeffl. (Myrtac.).

- praealta, *Sprague, in Trans. Proc. Bot. Soc. Edinb.* xxii. 431.—N. Granat.

**LEDOTHAMNUS**, Meissn. (Ericac.).

- sessiliflorus, *N. E. Br. in Trans. Linn. Soc. Ser. II.* vi. 45.—Guiana.

**LEEA**, Royen (Ampel.).

- magnifolia, *Merrill, in Philipp. Gov. Lab. Bur. Bull.* xxxv. 37.—Ins. Philipp.

**LEERSIA**, Soland. (Gramin.).

- drepanothrix, *Stapp, in Journ. de Bot.* 1905, 107.—Afr. trop.

**LEGNOTIS**, Sw. = **Cassipourea**, Aubl. (Rhizoph.).

- lanceolata, *Blanco, Fl. Filip.* ed. I. 445.—Ins. Philipp.

**LEIOCARPODICRAEA**, Engl. Jahrb. xxxviii.

- (1905) 98. **PODOSTEMACEAE**.  
 quangensis, *Engl. l. c.* (= *Dicraea quangensis*).—Afr. trop.  
 violascens, *Engl. l. c.* (= *Dicraea violascens*).—Afr. trop.  
 Warmingii, *Engl. l. c.* (= *Dicraea Warmingii*).—Afr. trop.

**LEIOTHRIX**, Ruhl. in Engl. Pflanzenreich Eriocaul. 225 (1903). **ERIOCAULACEAE**.

- angustifolia, *Ruhl. l. c.* 231 (= *Paepalanthus angustifolius*).—Bras.  
 Arechavaletae, *Ruhl. l. c.* 238.—Urug.  
 argyroderma, *Ruhl. l. c.* 227.—Bras.  
 arrecta, *Ruhl. l. c.* 235.—Bras.  
 Beckii, *Ruhl. l. c.* 226 (= *Paepalanthus Beckii*).—Bras.  
 crassifolia, *Ruhl. l. c.* 228 (= *Paepalanthus crassifolius*).—Bras.  
 curvifolia, *Ruhl. l. c.* 233 (= *Paepalanthus curvifolius*).—Bras.  
 Dielsii, *Ruhl. l. c.* 231.—Bras.  
 echinocephala, *Ruhl. l. c.* 232.—Bras.  
 flagellaris, *Ruhl. l. c.* 237 (= *Paepalanthus flagellaris*).—Bras.

**LEIOTHRIX** :—

- flavescens, *Ruhl. in Engl. Pflanzenreich Eriocaul.* 231 (= *Paepalanthus flavescens*).—Am. austr.  
 fluitans, *Ruhl. l. c.* 225 (= *Paepalanthus fluitans*).—Bras.  
 fluminensis, *Ruhl. l. c.* 230.—Bras.  
 fulgida, *Ruhl. l. c.* 233.—Bras.  
 graminea, *Ruhl. l. c.* 234 (= *Paepalanthus gramineus*).—Bras.  
 hirsuta, *Ruhl. l. c.* 229 (= *Paepalanthus hirsutus*).—Bras.  
 luxurians, *Ruhl. l. c.* 236 (= *Paepalanthus luxurians*).—Bras.  
 mucronata, *Ruhl. l. c.* 232 (= *Paepalanthus mucronatus*).—Bras.  
 nubigena, *Ruhl. l. c.* 229 (= *Paepalanthus nubigenus*).—Bras.  
 pedunculosa, *Ruhl. l. c.* 237.—Bras.  
 pilulifera, *Ruhl. l. c.* 231 (= *Paepalanthus pilulifer*).—Bras.  
 prolifera, *Ruhl. l. c.* 236 (= *Paepalanthus prolifera*).—Bras.  
 propinqua, *Ruhl. l. c.* 237 (= *Paepalanthus propinquus*).—Bras.  
 rufula, *Ruhl. l. c.* 230 (= *Paepalanthus rufulus*).—Bras.  
 Schlechtendalii, *Ruhl. l. c.* 231 (= *Paepalanthus Schlechtendalii*).—Bras.  
 spargula, *Ruhl. l. c.* 237.—Bras.  
 spiralis, *Ruhl. l. c.* 226 (= *Paepalanthus spiralis*).—Bras.  
 vivipara, *Ruhl. l. c.* 238 (= *Paepalanthus viviparus*).—Bras.

**LEMNA**, Linn. (Lemnac.).

- trinervis, *Small, Fl. S. E. U. S.* 230.—Am. bor.

**LENOPHYLLUM**, Rose, in Smithson. Misc. Coll. xlvii. (1904) 159. **CRASSULACEAE**.

- acutifolium, *Rose, l. c.* 162.—Mexic.  
 guttatum, *Rose, l. c.* 160 (= *Sedum guttatum*).—Mexic.  
 pusillum, *Rose, in N. Am. Fl.* xxii. 28.—Mexic.?  
 texanum, *Rose, in Smithson. Misc. Coll.* xlvii. 162 (= *Villadia texana*).—Am. bor.  
 Weinbergii, *Britton, in Smithson. Misc. Coll.* xlvii. 160.—Mexic.

**LEOCHILUS**, Knowles & Westc. (Orchid.).

- labiatus, *Cogn. in Urb. Symb. Antill.* iv. 182 (= *Epidendrum labiatum*).—Ind. occ.

**LEONOTIS**, R. Br. (Labiata.).

- Dinteri, *Brig. in Bull. Herb. Boiss. Sér. II. iii.* 1090.—Afr. trop.  
 Engleri, *Guerke, in Engl. Jahrb.* xxxvi. 121.—Afr. trop.  
 Goetzei, *Guerke, l. c.* xxx. 393.—Afr. trop.  
 hereroensis, *Brig. in Bull. Herb. Boiss. Sér. II. iii.* 1092.—Afr. trop.  
 Newtoni, *Brig. l. c.* 1093.—Afr. trop.  
 urticifolia, *Brig. l. c.* 1091.—Afr. austr.

**LEONTICE**, Linn. (Berberid.).

- Tempskyana, *Frey, in Bull. Herb. Boiss. Sér. II. iii.* 563.—As. cent.

**LEONTODON**, Linn. (Compos.).

- illyricus, *Maly, in Verh. Zool.-Bot. Ges. Wien*, 1904, 271.—Eur.  
 subincanus, *Fiori, in Bull. Soc. Bot. Ital.* 1905, 290.—Hybr.  
 tulmentinus, *Fiori, l. c.* 291.—Hybr.

**LEONTOPODIUM**, R. Br. (Compos.).

- Futtereri, *Diels, in Futterer, Durch Asien, Bot.* repr. 22.—Tibet.  
 Giraldii, *Diels, in Engl. Jahrb.* xxxvi. Beibl. lxxxi. 103.—China.

**LEONURUS**, Linn. (Labiata.).

- tuberiferus, *Makino, in Bot. Mag. Tokyo*, xix. 146.—Japon.

**LEPANTHES**, Sw. (Orchid.).

- bilabiata, *Fawcett & Rendle, in Trans. Linn. Soc. Bot. Ser. II. vii.* 4.—Ind. occ.  
 concolor, *Fawcett & Rendle, l. c.* 5.—Ind. occ.  
 divaricata, *Fawcett & Rendle, l. c.* 11.—Ind. occ.  
 obtusa, *Fawcett & Rendle, l. c.*—Ind. occ.  
 quadrata, *Fawcett & Rendle, l. c.* 7.—Ind. occ.

**LEPIDAGATHIS**, Willd. (Acanth.).

- diffusa, *Lindau*, in *Bull. Herb. Boiss. Sér. II. iii.* 631 (= *Teliostachya diffusa*).—Parag.  
eriocephala, *Lindau*, in *Engl. Jahrb.* xxx. 409.—Afr. trop.  
Laurentii, *Wildem. Enum. Pl. Laurent.* 183.—Afr. trop.  
Lindauiana, *Wildem. in Ann. Mus. Congo, Sér. IV.* (1903) 145.—Afr. trop.  
macrochila, *Lindau*, in *Warb. Kunene-Sambesi Exped.* 378.—Afr. trop.  
nematocephala, *Lindau*, in *Engl. Jahrb.* xxx. 409.—Afr. trop.  
Pobeguini, *Hua*, in *Bull. Soc. Bot. Fr.* 1. 576.—Afr. trop.  
tenuis, *C. B. Clarke*, in *Philipp. Gov. Lab. Bur. Bull.* xxxv. 92.—Ins. Philipp.

**LEPIDIDIUM**, Linn. (Crucif.).

- acutidens, *Abrams*, in *Bull. S. Calif. Acad.* ii. 41.—Calif.  
austrianum, *Small, Fl. S. E. U. S.* 468.—Am. bor.  
costaricensis, *Thell. in Bull. Herb. Boiss. Sér. II. iv.* 713.—Am. cent.  
*Dioscoridis*, *Bub. Fl. Pyren. iii.* 244 = latifolium.  
divergens, *Osterh. in Bull. Torr. Bot. Club*, 1903, 237.—Am. bor.  
diversifolium, *Freyn & Sint. ex Freyn*, in *Bull. Herb. Boiss. Sér. II. iii.* 698.—As. cent.  
elongatum, *Rydb. in Bull. Torr. Bot. Club*, 1902, 234.—Am. bor.  
Georginum, *Rydb. l. c.* 1903, 253.—Am. bor.  
glaucum, *Greene, Pittonia*, iv. (1901) 312.—Am. bor.  
granulare, *Rose*, in *U. S. Dept. Agric. Contrib. Nat. Herb.* viii. 294.—Mexic.  
Jonesii, *Rydb. in Bull. Torr. Bot. Club*, 1902, 233.—Am. bor.  
*Magnolia*, *Bub. Fl. Pyren. iii.* 240 = hirtum.  
neglectum, *Thell. in Bull. Herb. Boiss. Sér. II. iv.* 708.—Am. bor.  
oblongum, *Small, Fl. S. E. U. S.* 468.—Am. bor.

**LEPIDOBOLUS**, Nees (Restiac.).

- deserti, *Gilg, ex Diels & Pritz. in Engl. Jahrb.* xxxv. 91.—Austral.

**LEPIDOBOTRYS**, Engl. Jahrb. xxxii. 108 (1902). LINACEAE.

- Staudtii, *Engl. l. c.*—Afr. trop.

**LEPIDOPHYLLUM**, Cass. (Compos.).

- abietinum, *Reiche, Fl. Chile*, ii. 276 (= *Polyclados abietinus*).—Chili.  
phylicaeforme, *Hieron. ex R. Fries*, in *Nov. Act. Soc. Sci. Upsal. Ser. IV. i. no. 1*, 77 (= *Baccharis phylicaeformis*).—Am. austr.

**LEPINIA**, Decne. (Apocyn.).

- solomonensis, *Hemsl. in Hook. Ic. Pl. t.* 2703.—Ins. Solom.

**LEPISANTHES**, Blume (Sapind.).

- Blumeana, *Koord. & Valet. in Meded. 'S Lands Plantent.* lxi. 168.—Java.

**LEPTACTINIA**, Hook. f. (Rubiace.).

- gloeocalyx, *K. Schum. in Engl. Jahrb.* xxxiii. 341.—Afr. trop.  
hexamera, *K. Schum. l. c.*—Afr. trop.  
pretrophylax, *K. Schum. in Warb. Kunene-Sambesi Exped.* 383.—Afr. trop.  
prostrata, *K. Schum. l. c.* 382.—Afr. trop.

**LEPTASEA**, Haw. = *Saxifraga*, Tourn. (Saxifr.).

- alaskana, *Small*, in *N. Am. Fl.* xxii. 152.—Am. bor.  
austromontana, *Small, l. c.* 153 = *S. austromontana*.  
cherleroides, *Small, l. c.* = *S. bronchialis*.  
chrysantha, *Small, l. c.* 152 = *S. chrysantha*, *A. Gray*.  
fimbriata, *Small, l. c.* 154 = *S. Eschholtzii*.  
flagellaris, *Small, l. c.* = *S. flagellaris*.  
Funstonii, *Small, l. c.*—Am. bor.  
Hirculus, *Small, l. c.* 152 = *S. Hirculus*.  
ledifolia, *Small, l. c.* 155 = *S. ledifolia*.  
serpyllifolia, *Small, l. c.* 152 = *S. serpyllifolia*.  
Tolmiei, *Small, l. c.* 155 = *S. Tolmiei*.  
Van-Bruntiae, *Small, l. c.* 153 = *S. Van-Bruntiae*.  
vespertina, *Small, l. c.*—Am. bor.

**LEPTILON**, Rafin. = *Erigeron*, Linn. (Compos.).

- bonariense, *Small, Fl. S. E. U. S.* 1231 = *E. bonariensis*.  
linifolium, *Small, l. c.* = *E. linifolius*.

**LEPTOCARPUS**, R. Br. (Restiac.).

- humilis, *Gilg, ex Diels & Pritz. in Engl. Jahrb.* xxxv. 89.—Austral.

**LEPTODERMIS**, Wall. (Rubiace.).

- pulchella, *Yatabe*, in *Bot. Mag. Tokyo*, iv. (Oct. 1890) (2) t. 12.—Japon.

**LEPTOMERIA**, R. Br. (Santal.).

- pachyclada, *Diels, in Engl. Jahrb.* xxxv. 178.—Austral.

**LEPTONYCHIA**, Turcz. (Stercul.).

- usambarensis, *K. Schum. in Engl. Jahrb.* xxxiii. 313.—Afr. trop.

**LEPTOPHOENIX**, Becc. (Palm.).

- minor, *Becc. in Martelli, Webbia*, 298.—N. Guin.

**LEPTOSOLENA**, Presl (Scitamin.).

- insignis, *Ridley, in Philipp. Gov. Lab. Bur. Bull.* xxxv. 84.—Ins. Philipp.

**LEPTOSPERMUM**, Forst. (Myrtac.).

- Bennigsianum, *Volk. in Engl. Jahrb.* xxxi. 470.—Ins. Carol.  
Petersonii, *F. M. Bailey, in Queensl. Agric. Journ.* xv. 781.—Austral.  
podanthum, *Diels, in Engl. Jahrb.* xxxv. 423.—Austral.

**LEPTOSTYLIS**, Benth. (Sapot.).

- micrantha, *Beauvis. Gen. Montrouz.* 88.—N. Caled.

**LEPYRODIA**, R. Br. (Restiac.).

- heleocharoides, *Gilg, ex Diels & Pritz. in Engl. Jahrb.* xxxv. 87.—Austral.

**LEPYRODICLIS**, Fenzl (Caryophyll.).

- [ARENARIA, Rupp. I. K.]  
Giraldii, *Diels, in Engl. Jahrb.* xxxvi. Beibl. lxxxii. 38.—China.

**LEQUEETIA**, Bub. Fl. Pyren. iv. (1901) 57 = *Limodorum*, Tourn. (Orchid.).

- violacea, *Bub. l. c.* 58 = *Lim. abortivum*.

**LERCHEA**, Hall. = *Suaeda*, Forsk. (Chenopod.).

- conferta, *K. Schum. in Just. Jahresb.* xxvii. 1. 482 (= *Dondia conferta*).—Am. bor.

**LERESCHIA**, Boiss. = *Pimpinella*, Linn. (Umbell.).

- Flahaulti, *Woronow*, in *Sched. Herb. Fl. Ross.* v. 60.—Reg. Caucas.

**LESCHENAULTIA**, R. Br. (Gooden.).

- juncea, *E. Pritz. in Engl. Jahrb.* xxxv. 553.—Austral.  
stenosepala, *E. Pritz. l. c.* 552.—Austral.

**LESPEDEZA**, Michx. (Legum.).

- acuticarpa, *Mackenzie & Bush, Fl. Jackson County*, 118; *et in Trans. Acad. Sci. St. Louis*, xii. 16.—Am. bor.  
Bicknellii, *House, in Torreyia*, v. 167.—Am. bor.  
Brittonii, *E. P. Bickn. in Torreyia*, i. 103; *et in Britton, Man. Fl. N. U. S.* 1048.—Am. bor.  
lanceolata, *Dunn, in Journ. Linn. Soc.* xxxv. 488.—China.  
latifolia, *Dunn, l. c.*—China.  
Manniana, *Mackenzie & Bush, Fl. Jackson County*, 118; *et in Trans. Acad. Sci. St. Louis*, xii. 15.—Am. bor.  
neglecta, *Mackenzie & Bush, in Trans. Acad. Sci. St. Louis*, xii. 17.—Am. bor.  
prairea, *Britton, in Small, Fl. S. E. U. S.* 641.—Am. bor.  
simulata, *Mackenzie & Bush, in Trans. Acad. Sci. St. Louis*, xii. 18.—Am. bor.  
texana, *Britton, in Small, Fl. S. E. U. S.* 641.—Am. bor.  
velutina, *Dunn, in Hook. Ic. Pl. t.* 2700 (Feb. 1901).—China.  
velutina, *E. P. Bickn. in Torreyia*, i. 102 (Sept. 1901); *et in Britton, Man. Fl. N. U. S.* 1048.—Am. bor.

**LESQUERELLA**, S. Wats. (Crucif.).

- [VESICARIA, Tourn. I. K. S. l.]  
arenosa, *Rydb. in Bull. Torr. Bot. Club*, 1902, 236 (= *Vesicaria arenosa*).—Am. bor.  
diversifolia, *Greene, Pittonia*, iv. (1901) 309.—Am. bor.

**LESQUERELLA** :—

- foliacea, *Greene, Pittonia*, v. 134.—Am. bor.  
Macounii, *Greene, l. c.* iv. (1901) 310.—Am. bor.  
macrocarpa, *A. Nelson, in Coult. Bot. Gaz.* xxxiv. 366.—Am. bor.  
nodosa, *Greene, Pittonia*, iv. (1901) 309.—Am. bor.  
ovata, *Greene, l. c.* 308.—Am. bor.  
parvula, *Greene, l. c.*—Am. bor.  
pruinosa, *Greene, l. c.* 307.—Am. bor.  
rosea, *Greene, l. c.* 311.—Am. bor.  
sessilis, *Small, Fl. S. E. U. S.* 471.—Am. bor.  
Shearis, *Rydb. in Bull. Torr. Bot. Club*, 1902, 237.—Am. bor.  
utahensis, *Rydb. l. c.* 1903, 252.—Am. bor.  
versicolor, *Greene, Pittonia*, iv. (1901) 310.—Am. bor.

**LESSINGIA**, Cham. (Compos.).

- albiflora, *Eastw. in Bull. Torr. Bot. Club*, 1905, 217.—Calif.

**LETTISOMIA**, R. Br. (Convolv.).

- campanuliflora, *Gage, in Rec. Bot. Surv. India*, iii. 79.—Burma.  
Melvillei, *S. Moore, in Journ. Bot.* 1905, 144.—Burma.  
sphaerocephala, *Prain, in Journ. As. Soc. Beng.* lxxiii. 19.—Penins. Mal.

**LEUCADENDRON**, Berg. (Proteac.).

- empetrifolium, *Gand. in Bull. Soc. Bot. Fr.* xlvi. p. xcvi. —Afr. austr.

**LEUCANTHEMUM**, Tourn. = *Chrysanthemum*, Tourn. (Compos.).

- ageratifolium, *Pau*, in *Bol. Soc. Arag.* i. 31.—Hispan.  
laciniatum, *Huter*, in *Oesterr. Bot. Zeitschr.* 1905, 473.—Italia.  
pluriflorum, *Pau*, in *Bol. Soc. Arag.* i. 31.—Eur.  
valentinum, *Pau, l. c.* 48.—Hispan.

**LEUCAS**, Burm. (Labiat.).

- argentea, *Guerke, in Engl. Jahrb.* xxxvi. 122.—Afr. trop.  
Dinteri, *Briq. in Bull. Herb. Boiss. Sér. II. iii.* 1088.—Afr. trop.  
Engleri, *Guerke, in Engl. Jahrb.* xxxvi. 124.—Afr. trop.  
nakurensis, *Guerke, l. c.* 123.—Afr. trop.  
Neumannii, *Guerke, l. c.*—Afr. trop.  
Newtonii, *Briq. in Bull. Herb. Boiss. Sér. II. iii.* 1089.—Afr. trop.  
ogadensis, *Guerke, in Engl. Jahrb.* xxxvi. 124.—Afr. trop.  
Poggeana, *Briq. in Engl. Jahrb.* xix. 193.—Afr. trop.

**LEUCERES**, Calest. in Martelli, Webbia, 207 (1905).**UMBELLIFERAE.**

- castellanus, *Calest. l. c.* 208 (= *Endressia castellana*).—Hispan.

**LEUCERIA**, Lag. (Compos.).

- canescens, *Reiche, Fl. Chile*, iv. 426 (= *Chabrea canescens*).—Chili.  
chillanensis, *Phil. in Reiche, l. c.* 413.—Chili.  
concinna, *Reiche, l. c.* 422 (= *Chabrea concinna*).—Chili.  
coquimbana, *Reiche, l. c.* 421 (= *Chabrea coquimbana*).—Chili.  
eriocephala, *Speg. Nov. Add. Fl. Patag.* ii. (1902), repr. 21.—Patag.  
Gayana, *Reiche, Fl. Chile*, iv. 429 (= *Chabrea Gayana*).—Chili.  
glabruscula, *Reiche, l. c.* 414 (= *Chabrea glabruscula*).—Chili.  
Landbecki, *Reiche, l. c.* 423 (= *Chabrea Landbecki*).—Chili.  
lithospermifolia, *Reiche, l. c.* 430 (= *Chabrea lithospermifolia*).—Chili.  
microcephala, *Reiche, l. c.* 429.—Chili.  
modesta, *Reiche, l. c.* 415 (= *Chabrea modesta*).—Chili.  
multifida, *S. Moore, ex Rendle, in Journ. Bot.* 1904, 376 (= *Chabrea multifida*).—Am. austr.  
nutans, *Reiche, Fl. Chile*, iv. 430 (= *Chabrea nutans*).—Chili.  
paucicapitata, *Reiche, l. c.* 428.—Chili.  
polyclados, *Reiche, l. c.* 415 (= *Chabrea polyclados*).—Chili.  
purpurea, *S. Moore, ex Rendle, in Journ. Bot.* 1904, 376 (= *Chabrea purpurea*).—Fuegia.  
rosea, *Reiche, Fl. Chile*, iv. 427 (= *Chabrea rosea*).—Chili.

**LEUCERIA** :—

salina, *P. Dusen*, in *Rep. Princeton Univ. Exped. Patag.* viii. 32 (= *Chabrea salina*).—Patag. thermarum, *Reiche, Fl. Chile*, iv. 423 (= *Chabrea thermarum*).—Chili.

**LEUCONOTIS**, Jack (Apocyn.).

elastica, *Becc. Nelle Foreste di Borneo*, 358.—Borneo.

**LEUCONYMPHAEA**, Ludw. = **Nymphaea**, Linn. (Nymphaeac.).

*Gibertii*, Morong, ex Conard, *Monog. Nymphaea*, 211 = *N. Gibertii*.

**LEUCOPHYLON**, Lowe, Man. Fl. Madeir. ii. 32, 34 (1868) = **LEUCOXYLUM**, Soland. = **Heberdenia**, Banks (Myrsin.).

*excelsum*, Lowe, l. c. = *H. excelsa*.

**LEUCOPOGON**, R. Br. (Epacrid.).

*brevistylis*, *Fitzg. in Journ. W. Austral. Nat. Hist. Soc.* ii. 28.—Austral.

*cinereus*, *E. Pritz. in Engl. Jahrb.* xxxv. 472.—Austral. *denticulatus*, *Fitzg. in Journ. W. Austral. Nat. Hist. Soc.* ii. 26.—Austral.

*Dielsianus*, *E. Pritz. in Engl. Jahrb.* xxxv. 476.—Austral.

*glaucifolius*, *Fitzg. in Proc. Linn. Soc. N. S. Wales*, xxviii. 104.—Austral.

*hamulosus*, *E. Pritz. in Engl. Jahrb.* xxxv. 478.—Austral.

*hispidus*, *E. Pritz. l. c.*—Austral. *marginatus*, *Fitzg. in Journ. W. Austral. Nat. Hist. Soc.* i. 27.—Austral.

*Milligani*, *Rodw. Tasman. Fl.* 118 (= *Styphelia Milligani*).—Austral.

*minutifolius*, *Fitzg. in Journ. W. Austral. Nat. Hist. Soc.* ii. 27.—Austral.

*mollis*, *E. Pritz. in Engl. Jahrb.* xxxv. 471.—Austral. *nutans*, *E. Pritz. l. c.* 477.—Austral.

*oliganthus*, *E. Pritz. l. c.* 474.—Austral. *psammophilus*, *E. Pritz. l. c.* 473.—Austral.

*tamminensis*, *E. Pritz. l. c.* 479.—Austral.

**LEUCOSMIA**, Benth. (Thymel.).

*Chermsideana*, *F. M. Bailey, in Queensl. Agric. Journ.* xiv. 35.—Austral.

**LEUCOSPERMUM**, R. Br. (Proteac.).

*Bolusii*, *Gand. in Bull. Soc. Bot. Fr.* xlvi. p. xcv.—Afr. austr.

*Macowani*, *Gand. l. c.* p. xciv.—Afr. austr.

**LEUCOSTEGANE**, Prain, in Ann. Bot. Gard. Calc.

x. (1901) 37. **LEGUMINOSAE**. *latistipulata*, *Prain, l. c.* 38.—Ind. or.

**LEUCOTHOE**, D. Don (Ericac.).

*platyphylla*, *Small, in Bull. Torr. Bot. Club*, 1901, 290.—Am. bor.

**LEUROCLINE**, S. Moore, in Journ. Bot. 1901, 257.

**BORAGINACEAE**. *lithospermoides*, *S. Moore, l. c.*—Afr. trop.

*somalensis*, *S. Moore, l. c.* 258 (= *Lobostemon somalensis*).—Afr. trop.

**LEVEILLEA**, Vaniot, in Bull. Acad. Géogr. Bot. xii.

(1903) 29 = **Bi-Leveillea**, Vaniot (Compos.). *chinensis*, *Vaniot, l. c.* xiii. (1904) 16 (= *Blumea chinensis*).—China.

*Martini*, *Vaniot, l. c.* xii. 30.—China. *procera*, *Vaniot, l. c.* xiii. 16 (= *Blumea procera*).—Ind. or.; Burma.

*riparia*, *Vaniot, l. c.* (= *Blumea riparia*).—Java. *vestita*, *Vaniot, l. c.* (= *Blumea semivestita*).—Ind. or.

**LEVIERIA**, Becc. (Monim.).

*acuminata*, *Perk. in Engl. Pflanzenreich, Monim.* 21 (= *Mollinedia acuminata*).—Austral.

*Beccariana*, *Perk. l. c.*—N. Guin. *nitens*, *Perk. l. c.*—N. Guin.

**LEYSSERA**, Linn. (Compos.).

*montana*, *Bolus, in Trans. S. Afr. Phil. Soc.* xvi. 138.—Afr. austr.

**LIABUM**, Adans. (Compos.).

*Alibum*, *Hieron. in Engl. Jahrb.* xxviii. 627 (= *Alibum liaboides*).—Ecuador.

**LIABUM** :—

*caliense*, *Hieron. in Engl. Jahrb.* xxviii. 623.—N. Granat.

*caulescens*, *Hieron. l. c.* xxxvi. 500.—Peruv. *Eggersii*, *Hieron. l. c.* xxviii. 624.—Ecuador.

*homogamum*, *Hieron. l. c.* 626.—N. Granat. *Jelskii*, *Hieron. l. c.* xxxvi. 499.—Peruv.

*pseudosalvifolium*, *Hieron. l. c.* 502.—Peruv. *rosulatum*, *Hieron. l. c.* 501.—Peruv.

*salvifolium*, *Hieron. l. c.* xxviii. 622.—Ecuador. *Szyszyłowiczii*, *Hieron. l. c.* xxxvi. 503.—Peruv.

*Tonduzii*, *Robinson, in Proc. Bost. Soc. Nat. Hist.* xxxi. 270.—Am. cent.

**LIATRIS**, Schreb. (Compos.).

*Halei*, *K. Schum. in Just, Jahresb.* xxviii. i. 477 (= *Laciniaria Halei*).—Am. bor.

*platylepis*, *K. Schum. l. c.* (= *Laciniaria platylepis*).—Am. bor.

**LICHTENSTEINIA**, Cham. & Schlecht. (Umbell.).

*Kolbeana*, *Bolus, in Trans. S. Afr. Phil. Soc.* xvi. 136.—Afr. austr.

**LICUALA**, Thunb. (Palm.).

*borneensis*, *Becc. Nelle Foreste di Borneo*, 385.—Borneo.

*elegantissima*, *Ridley, in Gard. Chron.* 1904, i. 50.—Borneo.

*longepedunculata*, *Ridley, in Journ. As. Soc. Straits*, xli. 42.—Penins. Mal.

*Micholitzii*, *Ridley, in Gard. Chron.* 1904, i. 50.—Borneo.

*micrantha*, *Becc. in Martelli, Webbia*, 289.—N. Guin. *olivaeformis*, *Becc. Nelle Foreste di Borneo*, 385.—Borneo.

*paniculata*, *Ridley, in Journ. As. Soc. Straits*, xli. 42.—Penins. Mal.

**LIEBRECHTSIA**, Wildem. in Ann. Mus. Congo,

Sér. IV. (1902) 70. **LEGUMINOSAE**. *esculenta*, *Wildem. l. c.* 74.—Afr. trop.

*katangensis*, *Wildem. l. c.* 72.—Afr. trop. *Kotschyi*, *Wildem. l. c.* 73 (= *Vigna Kotschyi*).—Afr. trop.

*scabra*, *Wildem. l. c.* 75.—Afr. trop. *Schweinfurthii*, *Wildem. l. c.* 73.—Afr. trop.

*spartioides*, *Wildem. l. c.* 204 (= *Vigna spartioides*).—Afr. trop.

**LIGHTFOOTIA**, L'Hérit. (Campan.).

*divaricata*, *Engl. Jahrb.* xxxii. 117.—Afr. trop. *Goetzeana*, *Engl. l. c.* xxx. 419.—Afr. trop.

*kagerensis*, *S. Moore, in Journ. Linn. Soc.* xxxvii. 176.—Afr. trop.

*laricifolia*, *Engl. & Gilg, in Warb. Kunene-Sambesi Exped.* 397.—Afr. trop.

*rupestris*, *Engl. Jahrb.* xxx. 419.—Afr. trop.

**LIGULARIA**, Cass. (Compos.).

[**SENECIO**, Tourn. i. K.] *dolichobotrys*, *Diels, in Engl. Jahrb.* xxxvi. *Beibl.* lxxvii. 107.—China.

*Fargesii*, *Diels, l. c.* xxix. 621 (= *Senecio Fargesii*).—China.

*jaluensis*, *Kom. in Act. Hort. Petrop.* xviii. 420.—As. or.

*Przewalskii*, *Diels, in Engl. Jahrb.* xxix. 621 (= *Senecio Przewalskii*).—China.

*Schmidtii*, *Makino, in Bot. Mag. Tokyo*, xvii. 191 (= *Senecio Schmidtii*).—Japon.

*tenuipes*, *Diels, in Engl. Jahrb.* xxix. 621 (= *Senecio tenuipes*).—China.

*tussilaginea*, *Makino, in Bot. Mag. Tokyo*, 1904, 52 (= *Arnica tussilaginea*).—Japon.

*villifera*, *Diels, in Engl. Jahrb.* xxix. 622 (= *Senecio villifera*).—China.

**LIGUSTICUM**, Linn. (Umbell.).

*affine*, *A. Nelson, in Bull. Torr. Bot. Club*, 1901, 223.—Am. bor.

*alpestre*, *Calest. in Martelli, Webbia*, 210 (= *Peucedanum alpestre*).—Rossia.

*Delavayanum*, *K. Schum. in Just, Jahresb.* xxviii. i. 461, sphalm. = *Ligustrum Delavayanum*.

*ibukiense*, *Yabe, in Journ. Coll. Sci. Tokyo*, xvi. no. 4, 68.—Japon.

*madrense*, *Rose, in U. S. Dept. Agric. Contrib. Nat. Herb.* viii. 336.—Mexic.

*Monnieri*, *Calest. in Martelli, Webbia*, 211 (= *Selinum Monnieri*).—Eur.; As. cent.

**LIGUSTICUM** :—

*pseudo-angelica*, *Boissieu, in Bull. Herb. Boiss. Sér.* II. iii. 845.—China.

*tenuilobum*, *Calest. in Martelli, Webbia*, 211 (= *Aulacospermum tenuilobum*).—Rossia; Sibir.

*tenuisectum*, *Boissieu, in Bull. Herb. Boiss. Sér.* II. iii. 843.—China.

*tsusimense*, *Yabe, in Bot. Mag. Tokyo*, xviii. 30.—Japon.

*venosum*, *Calest. in Martelli, Webbia*, 211 (= *Cnidium venosum*).—Eur.

**LIGUSTRUM**, Tourn. (Oleac.).

*acuminatum*, *Koehne, in Urb. & Graebn. Festschr. Aschers.* 201.—Hab. ?

*acutissimum*, *Koehne, l. c.* 192.—China. *macrocarpum*, *Koehne, l. c.* 201.—Hab. ?

*Prattii*, *Koehne, l. c.* 203.—China. *Regelianum*, *Hort. ex Koehne, in Urb. & Graebn. Festschr. Aschers.* 192; et in *Mitth. Deutsch. Dendrol. Ges.* 1904, 70.—Japon.

*yunnanense*, *L. Henry, in Rev. Hortic.* 1902, 497.—China.

**LILIUM**, Tourn. (Liliac.).

*amabile*, *Palib. in Act. Hort. Petrop.* xix. 113.—As. bor.

*cernuum*, *Kom. in Act. Hort. Petrop.* xx. 461.—As. bor.

*myriophyllum*, *Wilson, in Flora & Sylva*, 1905, 330.—China.

*Palibinianum*, *Yabe, in Bot. Mag. Tokyo*, xvii. 134.—China.

*tsingtauense*, *Gilg, in Engl. Jahrb.* xxxiv. *Beibl.* lxxv. 24.—China.

**LIMACIA**, Lour. (Menisperm.).

*Esiangkara*, *F. M. Bailey, Queensl. Fl.* 1907.—Austral.

**LIMNANTHEMUM**, S. P. Gmel. (Gentian.).

*abyssinicum*, *N. E. Brown, in Dyer, Fl. Trop. Afr.* iv. i. 584.—Afr. trop.

*Kirkii*, *N. E. Brown, l. c.* 585.—Afr. trop. *Rautanenii*, *N. E. Brown, l. c.*—Afr. trop.

*senegalense*, *N. E. Brown, l. c.* 586.—Afr. trop. *Whytei*, *N. E. Brown, l. c.* 585.—Afr. trop.

**LIMNOPHILA**, R. Br. (Scrophul.).

*Cavaleriei*, *Vaniot, in Bull. Acad. Géogr. Bot.* xv. (1905) 85.—China.

**LIMNOPHYTON**, Miq. (Alismac.).

*angolense*, *Buchenau, in Engl. Pflanzenreich, Alismat.* 23.—Afr. trop.

**LIMNORCHIS**, Rydb. (Orchid.).

*arizonica*, *Rydb. in Bull. Torr. Bot. Club*, 1901, 629.—Am. bor.

*Behringiana*, *Rydb. l. c.* 620.—As. bor. *borealis*, *Rydb. l. c.* 621 (= *Habenaria borealis*).—Am. arct.

*brachypetala*, *Rydb. ex Britton & Rydb. in Bull. N. York Bot. Gard.* ii. 161.—Am. bor.

*brevifolia*, *Rydb. in Bull. Torr. Bot. Club*, 1901, 631 (= *Habenaria brevifolia*).—Mexic.

*convallariaefolia*, *Rydb. l. c.* 628 (= *Platanthera convallariaefolia*).—Reg. arct.

*dilatata*, *Rydb. in Britton, Man. Fl. N. U. S.* 294 (= *Habenaria dilatata*).—Am. bor.

*ensifolia*, *Rydb. in Bull. Torr. Bot. Club*, 1901, 629.—Am. bor.

*foliosa*, *Rydb. l. c.* 622.—Am. bor. *fragrans*, *Rydb. in Britton, Man. Fl. N. U. S.* 294.—Am. bor.

*gracilis*, *Rydb. in Bull. Torr. Bot. Club*, 1901, 627 (= *Platanthera gracilis*).—Am. bor.

*graminifolia*, *Rydb. l. c.* (= *Platanthera graminea*).—Am. bor.

*huronensis*, *Rydb. in Britton, Man. Fl. N. U. S.* 294 (= *Orchis huronensis*).—Am. bor.

*laxiflora*, *Rydb. in Bull. Torr. Bot. Club*, 1901, 630.—Am. bor.

*leptoceratidis*, *Rydb. in Britton & Rydb. in Bull. N. York Bot. Gard.* ii. 162.—Am. bor.

*major*, *Rydb. in Bull. Torr. Bot. Club*, 1901, 617.—Am. bor.

*media*, *Rydb. in Britton, Man. Fl. N. U. S.* 294.—Am. bor.

**LIMNORCHIS** :—

- purpurascens, Rydb. in *Bull. Torr. Bot. Club*, 1901, 269.—Am. bor.  
 sparsiflora, Rydb. l. c. 631 (= *Habenaria sparsiflora*).—Am. bor.  
 Thurberi, Rydb. l. c. 624 (= *Habenaria Thurberi*).—Am. bor.  
 viridiflora, Rydb. l. c. 1901, 616.—Am. arct.

**LIMODORUM**, Tourn. (Orchid.).

- graminifolium, Small, *Fl. S. E. U. S.* 322.—Am. bor.  
 pinetorum, Small, in *Bull. N. York Bot. Gard.* iii. 421.—Am. bor.  
 Simpsonii, Small, *Fl. S. E. U. S.* 322 (= *Calopogon Simpsonii*).—Am. bor.  
 turkestanicum, Litw. in *Trav. Mus. Bot. Acad. Pétersb.* i. 18.—Turkestan.

**LIMONIA**, Linn. (Rutac.).

- Demeusei, Wildem. in *Ann. Mus. Congo, Sér. V.* i. 159.—Afr. trop.  
 Engleriana, Perkins, *Frag. Fl. Philipp.* 163.—Ins. Philipp.  
 Lacourtiana, Wildem. in *Ann. Mus. Congo, Sér. V.* i. 159.—Afr. trop.  
 Warneckei, *Engl. Jahrb.* xxxvi. 246.—Afr. trop.

**LIMONIUM**, Tourn. = **Statice**, Linn. (Plumbag.).

- auriculaeifolium, Druce, in *Journ. Linn. Soc.* xxxv. 77 = *S. auriculaeifolia*.  
 Neumani, C. E. Salmon, in *Journ. Bot.* 1904, 361.—Hybr.  
 occidentale, Druce, in *Journ. Linn. Soc.* xxxv. 77 = *S. occidentalis*.  
 patagonicum, MacL. in *Rep. Princeton Univ. Exped.* Patag. viii. 656 = *Statice patagonica*.  
 recurvum, C. E. Salmon, in *Journ. Bot.* 1903, 67.—Brit.

**LINANTHUS**, Benth. = **Gilia**, Ruiz & Pav. (Polemon.).

- concinus, Millik. in *Univ. Calif. Publ. Bot.* ii. 53.—Calif.  
 croceus, Eastw. in *Coult. Bot. Gaz.* xxxvii. 442.—Calif.  
 densiflorus, Millik. in *Univ. Calif. Publ. Bot.* ii. 56 = *G. densiflora*.  
 Eastwoodae, A. A. Heller, *Muhlenbergia*, i. 125.—Calif.  
 floribundus, Greene, ex Millik. in *Univ. Calif. Publ. Bot.* ii. 55 = *G. floribunda*.  
 graciosus, Millik. in *Univ. Calif. Publ. Bot.* ii. 59.—Calif.  
 longitubus, A. A. Heller, *Muhlenbergia*, i. 43 = *G. micrantha*.  
 maculatus, Millik. in *Univ. Calif. Publ. Bot.* ii. 55 = *G. maculata*.  
 magnificus, Millik. l. c. 53.—Calif.  
 mariposianus, Millik. l. c. 57.—Calif.  
 nudicaulis, Howell, in *Fl. N. W. Am.* i. 456 = *G. nudicaulis*.  
 Nuttallii, Greene, ex Millik. in *Univ. Calif. Publ. Bot.* ii. 54 = *G. Nuttallii*.  
 Plaskettii, Eastw. in *Coult. Bot. Gaz.* xxxvii. 443.—Calif.

**LINARIA**, Tourn. (Scrophul.).

- bastensis, Rouy, *Illustr. Pl. Eur.* t. 415.—Hispan.  
 Masadae, Merino, in *Mem. Soc. Esp. Hist. Nat.* ii. 489.—Hispan.  
 Pattae, K. Schum. in *Just, Jahresb.* xxviii. i. 492, sphalm. = *Jattae*.

**LINDENBERGIA**, Lehm. (Scrophul.).

- Melvillei, S. Moore, in *Journ. Bot.* 1905, 144.—Burma.  
 Pirottae, Almagia, in *Ann. Ist. Bot. Roma*, viii. 140.—Afr. trop.

**LINDERA**, Thunb. (Laurac.).

- aromatica, Brandis, in *Hook. Ic. Pl.* t. 2784.—Burma.  
 pentantha, Koord. & Valet. in *Meded. 'S Lands Plantent.* lxxviii. 240.—Java.

**LINDERNIA**, All. (Scrophul.).

- [VANDELLIA, Linn. I. K.]  
 rupestris, *Engl. Jahrb.* xxx. 402.—Afr. trop.

**LINDMANIA**, Mez (Bromel.).

- petiolata, Mez, in *Bull. Herb. Boiss. Sér. II.* iv. 864.—Peruv.  
 Rusbyi, Mez, in *Engl. Jahrb.* xxx. Beibl. lxvii. 6.—Boliv.

**LINKIA**, Cav. = **Persoonia**, Sm. (Proteac.).

- lanceolata, J. Britten, *Bot. Cook Voy.* 80 = *P. lanceolata*.

**LINNAEA**, Gronov. (Caprifol.).

- longiflora, Howell, *Fl. N. W. Am.* i. 280.—Am. bor.

**LINOCIERA**, Sw. (Oleac.).

- angolensis, Baker, in *Dyer, Fl. Trop. Afr.* iv. i. 20 (= *Mayepea africana*).—Afr. trop.  
 congesta, Baker, l. c.—Afr. trop.  
 jamaicensis, Urb. *Symb. Antill.* ii. 456.—Ind. occ.  
 Johnsoni, Baker, in *Dyer, Fl. Trop. Afr.* iv. i. 20.—Afr. trop.  
 urophylla, Gilg, in *Engl. Jahrb.* xxx. 373.—Afr. trop.  
 Welwitschii, Baker, in *Dyer, Fl. Trop. Afr.* iv. i. 20 (= *Mayepea Welwitschii*).—Afr. trop.

**LINOSPADIX**, Becc. (Palm.).

- Julianetti, Becc. in *Martelli, Webbia*, 295.—N. Guin.  
 Leopoldi, Hort. Sander, ex *Gard. Chron.* 1903, i. Suppl. Apr. 25, t. 106.—Hab.?  
 parvulus, Becc. in *Martelli, Webbia*, 293, sphalm. = *pusillus*.  
 pusillus, Becc. l. c. 295.—N. Guin.  
 Schlechterii, Becc. l. c. 296.—N. Guin.

**LINOSYRIS**, Cass. = **Aster**, Linn. (Compos.).

- Linosyris, Degen, in *Magyar Bot. Lap.* iv. 127 = *A. Linosyris*.

**LINUM**, Tourn. (Linac.).

- alpestre, Bub. *Fl. Pyren.* iii. 335 = *perenne*.  
 arkansanum, Osterh. in *Bull. Torr. Bot. Club*, 1901, 644.—Am. bor.  
 arvense, Bub. *Fl. Pyren.* iii. 333 = *angustifolium*.  
 bahamense, Northr. in *Mem. Torr. Bot. Club*, xii. 42.—Ins. Baham.  
 bulgaricum, Podp. in *Verh. Zool. Bot. Ges. Wien*, 1902, 642.—Eur.  
 Carteri, Small, in *Bull. N. York Bot. Gard.* iii. 424.—Am. bor.  
 compactum, A. Nelson, in *Bull. Torr. Bot. Club*, 1904, 241.—Am. bor.  
 crenatum, Podp. in *Verh. Zool. Bot. Ges. Wien*, 1902, 637.—Eur.  
 Curtissii, Small, in *Bull. N. York Bot. Gard.* iii. 424.—Am. bor.; Ind. occ.  
 Harperi, Small, *Fl. S. E. U. S.* 663.—Am. bor.  
 hungaricum, Podp. in *Verh. Zool. Bot. Ges. Wien*, 1902, 636.—Eur.  
 Jimenezii, Pau, in *Bol. Soc. Arag.* ii. 70; et ex Munuera, in *Mem. Soc. Esp. Hist. Nat.* ii. 80.—Hispan.  
 Karoi, Freyn, in *Oesterr. Bot. Zeitschr.* 1902, 15.—As. bor.  
 marginatum, Small, *Fl. S. E. U. S.* 663.—Am. bor.  
 pseudoelegans, Podp. in *Verh. Zool. Bot. Ges. Wien*, 1902, 639.—Eur.  
 sanctum, Small, *Fl. S. E. U. S.* 664.—Am. bor.  
 serbicum, Podp. in *Verh. Zool. Bot. Ges. Wien*, 1902, 641.—Eur.  
 thracicum, Degen, in *Magyar Bot. Lap.* iv. 123.—Serbia.  
 turcicum, Podp. in *Verh. Zool. Bot. Ges. Wien*, 1902, 637.—Eur.

**LIPARIS**, Rich. (Orchid.).

- acaulis, Schlechter, in *K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 102.—N. Guin.  
 amboinensis, J. F. Sm. *Orch. Ambon.* 31.—Ins. Ambon.  
 atrosanguinea, Ridley, in *Journ. As. Soc. Straits*, xxxix. 71.—Penins. Mal.  
 bicolor, J. F. Sm. *Orchid. Java*, 270.—Java.  
 bicuspidata, J. F. Sm. in *Ic. Bogor.* t. 109 C.—Borneo.  
 bilobulata, J. F. Sm. *Orchid. Java*, 279.—Java.  
 cleistogama, J. F. Sm. *Orch. Ambon.* 33.—Ins. Ambon.  
 confusa, J. F. Sm. *Orchid. Java*, 275.—Java.  
 divergens, J. F. Sm. in *Ic. Bogor.* t. 109 E.—Sumatra.  
 epiphytica, Schlechter, in *Engl. Jahrb.* xxxviii. 6.—Afr. trop.  
 genychila, Schlechter, in *K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 103.—N. Guin.  
 Giraldiana, Kraenzl. in *Engl. Jahrb.* xxxvi. Beibl. lxxxi. 27.—China.  
 glaucescens, J. F. Sm. in *Ic. Bogor.* t. 109 D.—Borneo.  
 latilabris, Rolfe, in *Journ. Linn. Soc.* xxxvi. 6.—China.  
 macrotis, Kraenzl. in *K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 104.—N. Guin.

**LIPARIS** :—

- major, Schlechter, in *K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 104.—N. Guin.  
 Minahassae, J. F. Sm. in *Ic. Bogor.* t. 109 A.—Celebes.  
 pectinifera, Schlechter, in *K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 105.—N. Guin.  
 platychila, Schlechter, l. c.—N. Guin.  
 pseudo-disticha, Schlechter, l. c. 106.—N. Guin.  
 serrulata, Schlechter, l. c.—N. Guin.  
 seychellarum, Kraenzl. in *Engl. Jahrb.* xxxiii. 60.—Ins. Seychell.  
 torricellensis, Schlechter, in *K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 107.—N. Guin.  
 tunensis, J. F. Sm. in *Ic. Bogor.* t. 109 B.—Ins. Malay.  
 vittata, Ridley, in *Journ. As. Soc. Straits*, xxxix. 71.—Sumatra.  
 yunnanensis, Rolfe, in *Journ. Linn. Soc.* xxxvi. 8.—China.

**LIPPIA**, Houst. (Verben.).

- Balansae, Brig. in *Ann. Conserv. & Jard. Bot. Genève*, vii-viii. 305.—Parag.  
 Baumi, Guerke, in *Warb. Kunene-Sambesi Exped.* 350.—Afr. trop.  
 bothrioura, Brig. in *Bull. Herb. Boiss. Sér. II.* iv. 1162.—Parag.  
 calliclada, Brig. in *Ann. Conserv. & Jard. Bot. Genève*, vii-viii. 306.—Parag.  
 chrysanthia, Greenm. in *Proc. Amer. Acad.* xxxix. 87.—Mexic.  
 contermina, Brig. in *Bull. Herb. Boiss. Sér. II.* iv. 1157.—Parag.  
 coriacea, Brig. l. c. 1160.—Parag.  
 Darwinii, Speg. *Nov. Add. Fl. Patag.* ii. (1902), repr. 65 (= *Neosparton Darwinii*).—Am. austr.  
 Hassleriana, Chod. in *Bull. Herb. Boiss. Sér. II.* ii. 821.—Parag.  
 Helleri, Britton, in *Torreya*, iii. 105.—Ind. occ.  
 heterophylla, Brig. in *Ann. Conserv. & Jard. Bot. Genève*, vii-viii. 313.—Parag.  
 hypoleuca, K. Schum. in *Just, Jahresb.* xxviii. i. 496, sphalm. = *hypoleia*.  
 Lindmanii, Brig. in *Arkiv Bot. Stockh.* ii. no. 10, 20.—Bras.  
 modesta, Brig. in *Ann. Conserv. & Jard. Bot. Genève*, vii-viii. 311.—Parag.  
 obscura, Brig. in *Bull. Herb. Boiss. Sér. II.* iv. 1155.—Parag.  
 paraguayensis, Brig. l. c. 1163.—Parag.  
 pedunculata, H. H. W. Pearson, in *Trans. S. Afr. Phil. Soc.* xv. 175.—Afr. austr.  
 phaeocephala, Brig. in *Bull. Herb. Boiss. Sér. II.* iv. 1158.—Parag.  
 phryxocalyx, Brig. l. c. 1161.—Parag.  
 polycephala, Brig. in *Ann. Conserv. & Jard. Bot. Genève*, vii-viii. 307.—Parag.  
 polytricha, Brig. in *Bull. Herb. Boiss. Sér. II.* iv. 1158.—Parag.  
 pulchra, Brig. in *Arkiv Bot. Stockh.* ii. no. 10, 18.—Bras.  
 scaposa, Brig. in *Bull. Herb. Boiss. Sér. II.* iv. 1162.—Parag.  
 sclerophylla, Brig. l. c. 1067.—Parag.  
 tegulifera, Brig. in *Ann. Conserv. & Jard. Bot. Genève*, vii-viii. 309.—Parag.  
 trachyphylla, Brig. l. c. 312.—Parag.  
 tristis, Brig. in *Bull. Herb. Boiss. Sér. II.* iv. 1159.—Parag.

**LIRODENDRON**, Linn. (Magnol.).

- chinense, Sargent, *Trees & Shrubs*, 103, t. 52.—China.

**LIRIOPE**, Lour. (Haemodor.).

- kansuensis, C. H. Wright, in *Journ. Linn. Soc.* xxxvi. 79 (= *Ophiopogon kansuensis*).—China.

**LIRIOSMA**, Poepp. (Olac.).

- grandiflora, Glaz. in *Bull. Soc. Bot. Fr.* lii. *Mém.* III. 99, nomen.—Bras.

**LISIANTHUS**, Linn. (Gentian.).

- acuminatus, Perkins, in *Engl. Jahrb.* xxxi. 493.—Mexic.  
 arcuatus, Perkins, l. c. 492.—Am. cent.  
 axillaris, Perkins, l. c. 490 (= *Lisianthus axillaris*).—Am. cent.  
 brevidentatus, Perkins, l. c. 491 (= *Lisianthus brevidentatus*).—Am. cent.  
 corymbosus, Perkins, l. c.—Am. cent.



**LISIANTHUS:**

- domingensis, *Urb. Symb. Antill.* iii. 333.—Ind. occ.  
 gracilis, *Perkins, in Engl. Jahrb.* xxxi. 493.—Ind. occ.  
 laxiflorus, *Urb. Symb. Antill.* iii. 332.—Ind. occ.  
 Quelchii, *N. E. Br. in Trans. Linn. Soc. Ser. II.* vi.  
 50.—Guian.  
 Seemania, *Perkins, in Engl. Jahrb.* xxxi. 491 (= *Lisianthus Seemania*).—Am. cent.  
 Skinneri, *Perkins, l. c.* 492 (= *Lisianthus Skinneri*).  
 —Am. cent.

**LISSOCHILUS**, R. Br. (Orchid.).

- Busseana, *Kraenzl. in Engl. Jahrb.* xxxiii. 65.—Afr. trop.  
 Eylesii, *Rendle, in Journ. Bot.* 1905, 53.—Afr. trop.  
 katangensis, *Wildem. in Ann. Mus. Congo, Sér. IV.* 22.—Afr. trop.  
 leucanthus, *Kraenzl. in Bull. Herb. Boiss. Sér. II.* iv.  
 1009.—Afr. trop.  
 Mahoni, *Rolfe, in Bot. Mag.* t. 8047.—Afr. trop.  
 morrumbalaensis, *Wildem. in Pl. Nov. Hort. Them.* t.  
 15.—Afr. trop.  
 multicolor, *Kraenzl. in Engl. Jahrb.* xxxiii. 65.—Afr.  
 trop.  
 seleensis, *Wildem. Notices Pl. Utiles Congo*, 131.—  
 Afr. trop.  
 Ugandae, *Rolfe, in Bot. Mag.* t. 8044.—Afr. trop.

**LISTERA**, R. Br. (Orchid.).

- amplexicaulis, *F. M. Bailey, Queensl. Fl.* 1560.—  
 Austral.  
 Inayati, *Duthie, in Journ. As. Soc. Beng.* lxxi. 41.—  
 Ind. or.  
 microglottis, *Duthie, l. c.* 42.—Ind. or.  
 nipponica, *Makino, in Bot. Mag. Tokyo*, xix. 9.—Japon.  
 Savatieri, *Maxim. ex Kom. in Act. Hort. Petrop.* xx.  
 526.—As. bor.  
 Yatabei, *Makino, in Bot. Mag. Tokyo*, xix. 8.—Japon.

**LISTROSTACHYS**, Reichb. f. (Orchid.).

- [*ANGRAECUM*, Bory. I. K.]  
 bracteosa, *Rolfe, Orchid. Rev.* x. 296.—Ins. Maurit.  
 cirrhosa, *Kraenzl. in Engl. Jahrb.* xxxiii. 73.—Afr.  
 trop.  
 Dewevrei, *Wildem. Notices Pl. Utiles Congo*, 145.—  
 Afr. trop.  
 Droogmansiana, *Wildem. in Belgique Coloniale*, viii.  
 426; et in *Ann. Mus. Congo, Sér. V. i.* 24.—Afr. trop.  
 falcata, *Wildem. Notices Pl. Utiles Congo*, 146.—Afr.  
 trop.  
 fimbriata, *Rolfe, ex Mahon, in Gard. Chron.* 1904, i.  
 166.—Afr. trop.  
 Gentilii, *Wildem. Notices Pl. Utiles Congo*, 147.—Afr.  
 trop.  
 hamata, *Rolfe, in Orchid. Rev.* ix. 61.—Afr. trop.  
 ichneumonea, *Reichb. f. in Gard. Chron.* 1887, ii. 681  
 (= *Angraecum ichneumoneum*).—Afr. trop.  
 Kindtiana, *Wildem. Notices Pl. Utiles Congo*, 148.—  
 Afr. trop.  
 linearifolia, *Wildem. l. c.* 149.—Afr. trop.  
 Margaritae, *Wildem. l. c.* 150.—Afr. trop.  
 refracta, *Kraenzl. in Engl. Jahrb.* xxxiii. 74.—Afr. trop.  
 Scheffleriana, *Kraenzl. l. c.* 75.—Afr. trop.

**LITHOPHRAGMA**, Torr. & Gray = **Tellima**, R. Br.

- (Saxifr.).  
 australis, *Rydb. in N. Am. Fl.* xxii. 86.—Am. bor.  
 austromontana, *A. A. Heller, Muhlenbergia*, ii. 53.—  
 Calif.  
 brevifolia, *Rydb. in N. Am. Fl.* xxii. 86.—Am. bor.  
 bulbifera, *Rydb. l. c.*—Am. bor.  
 Catalinae, *Rydb. l. c.* 88.—Calif.  
 intermedia, *Rydb. l. c.*—Calif.  
 laciniata, *Eastw. in N. Am. Fl.* xxii. 87.—Calif.  
 trifida, *Eastw. l. c.* 89.—Calif.  
 trifoliata, *Eastw. in Bull. Torr. Bot. Club*, 1905, 200.  
 —Calif.  
 triloba, *Rydb. in N. Am. Fl.* xxii. 87.—Calif.

**LITHOSPERMUM**, Tourn. (Borag.).

- albiflorum, *Vaniot, in Monde des Plantes, Sér. II.* vii.  
 42.—China.  
 mirabile, *Small, Fl. S. E. U. S.* 999.—Am. bor.  
 Nelsonii, *Greenm. in Proc. Amer. Acad.* xl. 31.—  
 Mexic.  
 tschimganicum, *B. Fedtsch. in Bull. Jard. Bot. Pétersb.*  
 v. 42.—Turkestan.

**LITSEA**, Lam. (Laurac.).

- accedentoides, *Koord. & Valet. in Meded. 'S Lands*  
*Plantent.* lxxviii. 166.—Java.

VOL. IV.

**LITSEA:**

- Clarkei, *Prain, Bengal Pl.* 903.—Ind. or.  
 confusa, *Koord. & Valet. in Meded. 'S Lands Plantent.*  
 lxxviii. 161.—Java.  
 papuana, *K. Schum. in K. Schum. & Lauterb. Nachtr.*  
*Fl. Deutsch. Südsee*, 269.—N. Guin.  
 pubescens, *Koord. & Valet. in Meded. 'S Lands*  
*Plantent.* lxxviii. 190.—Java.  
 resinosa, *Koord. in Natuurk. Tijdschr. Ned. Ind.*  
 lxii. 221 (= *Tetranthera resinosa*).—Java.  
 verruculata, *Koord. & Valet. in Meded. 'S Lands*  
*Plantent.* lxxviii. 173.—Java.

**LITTONIA**, Hook. (Liliac.).

- grandiflora, *Wildem. & Th. Dur. in Bull. Soc. Bot.*  
*Belg.* xl. 34.—Afr. trop.

**LIVISTONA**, R. Br. (Palm.).

- Benthani, *F. M. Bailey, Queensl. Fl.* 1683.—Austral.  
 macrophylla, *Roster, in Bull. Soc. Tosc. Ort.* xxix.  
 (1904) 82.—Quid?  
 Merrillii, *Becc. in Perkins, Frag. Fl. Philipp.* 45.—  
 Ins. Philipp.  
 Muelleri, *F. M. Bailey, Queensl. Fl.* 1683.—Austral.  
 rupicola, *Ridley, in Journ. As. Soc. Straits*, xli. 41.—  
 Penins. Mal.  
 sinensis, *Griff. Palms Brit. Ind.* 131 = chinensis.  
 Vidalii, *Becc. in Martelli, Webbia*, 343.—Ins. Philipp.  
 Whitfordii, *Becc. l. c.* 341.—Ins. Philipp.

**LOASA**, Adans. (Loasac.).

- Spegazzinii, *Macl. in Rep. Princeton Univ. Exped.*  
*Patag.* viii. 588.—Patag.

**LOBELIA**, Adans. = **Scaevola**, Linn. (Gooden.).

- Koenigii, *W. F. Wight, in U. S. Dept. Agric. Contrib.*  
*Nat. Herb.* ix. 310 = *S. Koenigii*.

**LOBELIA**, Plum. (Campan.).

- bracteata, *Small, Fl. S. E. U. S.* 1146.—Am. bor.  
 Dekindtiana, *Engl. Jahrb.* xxxii. 147.—Afr. trop.  
 dolichothyrsa, *Diels, in Engl. Jahrb.* xxix. 607.—  
 China.  
 elongata, *Small, Fl. S. E. U. S.* 1144.—Am. bor.  
 Erlangeriana, *Engl. Jahrb.* xxxii. 118.—Afr. trop.  
 fonticola, *Engl. & Gilg, in Warb. Kunene-Sambesi*  
*Exped.* 398.—Afr. trop.  
 Gilletii, *Wildem. in Ann. Mus. Congo, Sér. V. i.* 85.  
 —Afr. trop.  
 glandulifera, *Small, Fl. S. E. U. S.* 1144.—Am. bor.  
 Gouldii, *Fitzg. in Vict. Natural.* xviii. 104.—Austral.  
 Halei, *Small, Fl. S. E. U. S.* 1145.—Am. bor.  
 heterodonta, *Sprague, in Gard. Chron.* 1904, ii. 252.  
 —Ind. occ.  
 Krooki, *A. Zahlbr. in Ann. Nat. Hofmus. Wien*, xviii.  
 407.—Afr. austr.  
 longisepala, *Engl. Jahrb.* xxxii. 117.—Afr. trop.  
 minutidentata, *Engl. & Gilg, in Warb. Kunene-Sambesi*  
*Exped.* 397.—Afr. trop.  
 minutiflora, *Pau, in Bol. Soc. Arag.* i. 30.—Hispan.  
 Nelsonii, *Fern. in Proc. Am. Acad.* xxxvi. 503.—  
 Mexic.  
 regalis, *Fern. l. c.*—Mexic.  
 rosulata, *S. Moore, in Journ. Bot.* 1903, 402.—  
 Afr. austr.  
 Sonderi, *A. Zahlbr. in Ann. Nat. Hofmus. Wien*, xviii.  
 404 (= *Mezleria Dregeana*).—Afr. austr.  
 Toppii, *Luehm. in Vict. Natural.* xvii. 169.—Austral.  
 usafuensis, *Engl. Jahrb.* xxx. 420.—Afr. trop.  
 Wentzeliana, *Engl. l. c.*—Afr. trop.  
 Winfridae, *Diels, in Engl. Jahrb.* xxxv. 549.—Austral.

**LOBOGYNE**, Schlechter (Orchid.).

- papuana, *Schlechter, in K. Schum. & Lauterb. Nachtr.*  
*Fl. Deutsch. Südsee*, 126.—N. Guin.

**LOBOSTEMON**, Lehm. (Borag.).

- alopecuroides, *C. H. Wright, in Dyer, Fl. Cap.* iv. II.  
 39 (= *Echium alopecuroides*).—Afr. austr.  
 collinus, *Schlechter, ex C. H. Wright, l. c.* 28.—Afr.  
 austr.  
 Galpinii, *C. H. Wright, l. c.* 41.—Afr. austr.  
 lithospermoides, *Baker, in Dyer, Fl. Trop. Afr.* iv. II.  
 60.—Afr. trop.  
 nitidus, *Bolus, ex C. H. Wright, in Dyer, Fl. Cap.* iv.  
 II. 38.—Afr. austr.  
 pilicaulis, *C. H. Wright, l. c.* 30.—Afr. austr.  
 pubiflorus, *C. H. Wright, l. c.* 39.—Afr. austr.

**LOBOSTEPHANUS**, N. E. Br. in Hook. Ic. Pl. t.

- 2692 (1901). *ASCLEPIADACEAE*.  
 palmatus, *N. E. Br. l. c.*—Afr. austr.

**LOLIUM**, Linn. (Gramin.).

- cylindricum, *Aschers. & Graebn. Syn. Mitteleur. Fl.*  
 ii. 761 (= *Lepturus cylindricus*).—Reg. Medit.;  
 Afr. austr.  
 Trabuti, *Hochr. in Ann. Conserv. & Jard. Bot. Genève*,  
 vii-viii. 123.—Alger.

**LOMANDRA**, Labill. = **Xerotes**, P. Br. (Juncac.).

- filiformis, *J. Britten, Bot. Cook. Voy.* 95 = *X. fili-*  
*formis*.  
 multiflora, *J. Britten, l. c.* = *X. multiflora*.

**LOMATIA**, R. Br. (Proteac.).

- pinnatifolia, *Hort. ex Annesley, Beaut. Trees & Shrubs*,  
 9.—Hab. ?

**LOMATIUM**, Rafin. = **Peucedanum**, Tourn.

- (Umbell.).  
 purpureum, *A. Nelson, in Bull. Torr. Bot. Club*, 1901,  
 226.—Am. bor.

**LONCHITIS**, Bub. Fl. Pyren. iv. (1901) 50 = **Serapias**,

- Linn. (Orchid.).  
 cordigera, *Bub. l. c.* = *S. cordigera*.  
 longipetala, *Bub. l. c.* 52 = *S. Pseudo-cordigera*.  
 oxyglottis, *Bub. l. c.* = *S. Lingua*.

**LONCHOCARPUS**, H. B. & K. (Legum.).

- affinis, *Wildem. in Ann. Mus. Congo, Sér. IV.* 196.—  
 Afr. trop.  
 Bussei, *Harms, in Engl. Jahrb.* xxxiii. 172.—Afr. trop.  
 discolor, *Huber, in Bol. Mus. Para.* iii. 421.—Bras.  
 dubius, *Wildem. in Ann. Mus. Congo, Sér. IV.* 196.  
 —Afr. trop.  
 Ehrenbergii, *Urb. Symb. Antill.* iii. 283.—Ind. occ.  
 eriocalyx, *Harms, in Engl. Jahrb.* xxx. 89.—Afr. trop.  
 eriocarinalis, *Micheli, in Mém. Soc. Phys. Hist. Nat.*  
*Genève*, xxxiv. 267.—Mexic.  
 Fischeri, *Harms, in Engl. Jahrb.* xxxiii. 173.—  
 Afr. trop.  
 katangensis, *Wildem. in Ann. Mus. Congo, Sér. IV.*  
 195.—Afr. trop.  
 Laurentii, *Wildem. Enum. Pl. Laurent*, 117.—  
 Afr. trop.  
 littoralis, *T. S. Brandege, in Zoe*, v. 157 (1903).—  
 Calif.  
 Menyharthii, *Schinz, in Bull. Herb. Boiss. Sér. II.* ii.  
 998.—Afr. austr.  
 neurophyllus, *Urb. Symb. Antill.* iii. 282.—Ind. occ.  
 Wentzelianus, *Harms, in Engl. Jahrb.* xxx. 330.—  
 Afr. trop.

**LONICERA**, Linn. (Caprifol.).

- aemulans, *Rehder, in Rep. Missouri Bot. Gard.* xiv. 59.  
 —China.  
 alseuosmoides, *Graebn. ex Diels, in Engl. Jahrb.* xxix.  
 594.—China.  
 arizonica, *Rehder, in Sargent, Trees & Shrubs*, i. 45.—  
 Am. bor.  
 barbinervis, *Kom. in Act. Hort. Petrop.* xviii. 426.—  
 Corea.  
 Charlotti, *Hort. ex W. Watson, in Gard. Chron.* 1903,  
 II. 281 = *etrusca*.  
 dasystyla, *Rehder, in Rep. Missouri Bot. Gard.* xiv.  
 158.—Tonkin.  
 ferruginea, *Rehder, in Sargent, Trees & Shrubs*, i. 43.  
 —China.  
 flavescens, *Small, Fl. S. E. U. S.* 1126.—Am. bor.  
 gigantea, *Hort. ex Carrière, in Rev. Hort.* 1882, 558 =  
*etrusca*.  
 Giraldii, *Rehder, in Rep. Missouri Bot. Gard.* xiv. 150.  
 —China.  
 Harmsii, *Graebn. in Engl. Jahrb.* xxxvi. Beibl. lxxxii.  
 101.—China.  
 Hemsleyana, *Rehder, in Rep. Missouri Bot. Gard.* xiv.  
 112 (= *Caprifolium Hemsleyanum*).—China.  
 kabylica, *Rehder, ex Batt. in Bull. Soc. Bot. Fr.* xlix.  
 (1903) 290.—Alger.  
 Kachkarovii, *Rehder, in Rep. Missouri Bot. Gard.*  
 xiv. 119.—Tibet.  
 Koehneana, *Rehder, in Sargent, Trees & Shrubs*, i. 41.  
 —China.  
 leycesterioides, *Graebn. in Engl. Jahrb.* xxxvi. Beibl.  
 lxxxii. 100.—China.  
 longa, *Rehder, in Rep. Missouri Bot. Gard.* xiv. 61.—  
 China.

P

**LONICERA**:-

- mexicana, Rehder, in *Rep. Missouri Bot. Gard.* xiv. 65 (= *Xylosteum mexicanum*).—Mexic.  
 mucronata, Rehder, l. c. 83.—China.  
 pekinensis, Rehder, l. c. 95.—China.  
 Rehderi, Merrill, in *Philipp. Gov. Lab. Bur. Bull.* xxix. 49.—Ins. Philipp.  
 rhododendroides, Graebn. in *Diels, in Engl. Jahrb.* xxix. 595.—China.  
 saccata, Rehder, in *Sargent, Trees & Shrubs*, i. 39.—China.  
 serpyllifolia, Rehder, in *Rep. Missouri Bot. Gard.* xiv. 58.—China.  
 setchuensis, Rehder, l. c. 107.—China.  
 sororia, Piper, in *Bull. Torr. Bot. Club*, 1902, 644.—Am. bor.  
 subaequalis, Rehder, in *Rep. Missouri Bot. Gard.* xiv. 172.—China.  
 vegeta, Rehder, l. c. 111.—China.  
 vesicaria, Kom. in *Act. Hort. Petrop.* xviii. 427.—Corea.

**LOPHANTHUS**, Benth. (Labiata.).

- Krylovi, Lipsky, in *Act. Hort. Petrop.* xxiv. 122.—Altai.  
 subnivalis, Lipsky, l. c. xxiii. 209.—As. cent.  
 tschimganicus, Lipsky, l. c. 212.—As. cent.

**LOPHATHERUM**, Brongn. (Gramin.).

- sinense, Rendle, in *Journ. Linn. Soc.* xxxvi. 421.—China.

**LOPHIRA**, Banks (Dipterocarp.).

- Barberi, Van Tiegh. in *Journ. de Bot.* xv. 186.—Afr. trop.  
 lanceolata, Van Tiegh. l. c. 187.—Afr. trop.  
 macrophylla, Van Tiegh. l. c. 186.—Afr. trop.  
 spatulata, Van Tiegh. l. c. 187.—Afr. trop.  
 Tholloni, Van Tiegh. l. c.—Afr. trop.

**LOPHOLAENA**, DC. (Compos.).

- cneorifolia, S. Moore, in *Bull. Herb. Boiss.* Sér. II. iv. 1021 (= *Doria cneorifolia*).—Afr. trop.  
 disticha, S. Moore, in *Journ. Bot.* 1903, 134 (= *Othonna disticha*).—Afr. austr.  
 dolichopappa, S. Moore, l. c. (= *Senecio dolichopappus*).—Afr. trop.  
 Randii, S. Moore, in *Journ. Bot.* 1903, 133.—Afr. austr.  
 segmentata, S. Moore, in *Bull. Herb. Boiss.* Sér. II. iv. 1021 (= *Senecio segmentatus*).—Afr. austr.

**LOPHOPETALUM**, Wight (Celastr.).

- torricellense, Loes. in *K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 303.—N. Guin.

**LOPHOSCIADIUM**, DC. (Umbell.).

- meoides, Calest. in *Martelli Webbia*, 238 (= *Ferula meoides*).—Eur.

**LOPHOSTACHYS**, Pohl (Acanth.).

- guatemalensis, Donn. Sm. in *Coult. Bot. Gaz.* xxxi. 119.—Am. cent.

**LOPHOTOCARPUS**, Dur. (Alismac.).

- Seubertianus, Buchen. in *Engl. Pflanzenreich, Alismat.* 36 (= *Lophiocarpus Seubertianus*).—Bras.

**LORANTHUS**, Linn. (Loranth.).

- alatus, Wildem. in *Ann. Mus. Congo*, Sér. IV. 175.—Afr. trop.  
 Albizziae, Wildem. *Enum. Pl. Laurent*, 74.—Afr. trop.  
 Bagshawei, Rendle, in *Journ. Linn. Soc.* xxxvii. 206.—Afr. trop.  
 Baumii, Engl. & Gilg, in *Warb. Kunene-Sambesi Exped.* 228.—Afr. trop.  
 brazzavillensis, Wildem. in *Th. Dur. & Wildem. in Compt. Rend. Soc. Bot. Belg.* xxxix. 102.—Afr. trop.  
 Butayi, Wildem. in *Ann. Mus. Congo*, Sér. V. i. 28.—Afr. trop.  
 Buvaumae, Rendle, in *Journ. Linn. Soc.* xxxvii. 207.—Afr. trop.  
 Dekintianus, Engl. *Jahrb.* xxxii. 129.—Afr. trop.  
 Dinteri, Schinz, in *Bull. Herb. Boiss.* Sér. II. i. 869.—Afr. trop.  
 dolichoclades, K. Schum. in *K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 258.—N. Guin.  
 elongatus, Wildem. *Enum. Pl. Laurent*, 75.—Afr. trop.  
 Friesianus, K. Schum. in *K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 258.—N. Guin.

**LORANTHUS**:-

- Fuellebornii, Engl. *Jahrb.* xxx. 304.—Afr. trop.  
 glaucophyllus, Engl. l. c. xxxii. 129.—Afr. trop.  
 irebuenensis, Wildem. *Enum. Pl. Laurent*, 76.—Afr. trop.  
 Kimuenzae, Wildem. in *Ann. Mus. Congo*, Sér. V. i. 29.—Afr. trop.  
 latibracteatus, Engl. *Jahrb.* xxx. 303.—Afr. trop.  
 mangheensis, Wildem. *Enum. Pl. Laurent*, 77.—Afr. trop.  
 mayombensis, Wildem. l. c. 78.—Afr. trop.  
 Menyharthii, Engl. & Schinz, ex Schinz, in *Denkschr. Akad. Wien, Math.-Nat.* lxxviii. 409.—Afr. trop.  
 musozensis, Rendle, in *Journ. Linn. Soc.* xxxvii. 204.—Afr. trop.  
 nigrescens, Wildem. & Th. Dur. in *Ann. Mus. Congo*, Sér. I. i. 177.—Afr. trop.  
 Novae-Britanniae, Lauterb. in *K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 259.—Ins. Bismarck.  
 Novae-Guineae, F. M. Bailey, *Contrib. Fl. Brit. N. Guin. reimpr. ex Rep. Brit. N. Guin.* 1901-2, 3.—N. Guin.  
 Pittosporae, Rendle, in *Journ. Linn. Soc.* xxxvii. 205.—Afr. trop.  
 proteicola, Engl. *Jahrb.* xxx. 303.—Afr. trop.  
 Pungu, Wildem. in *Ann. Mus. Congo*, Sér. IV. 175.—Afr. trop.  
 quinquangulus, Engl. & Schinz, ex Schinz, in *Denkschr. Akad. Wien, Math.-Nat.* lxxviii. 409.—Afr. trop.  
 rubiginosus, Wildem. in *Ann. Mus. Congo*, Sér. IV. 173.—Afr. trop.  
 sambesiacus, Engl. & Schinz, ex Schinz, in *Denkschr. Akad. Wien, Math.-Nat.* lxxviii. 409.—Afr. trop.  
 senegalensis, Wildem. in *Ann. Mus. Congo*, Sér. V. i. 30.—Afr. trop.  
 tenuifolius, Engl. *Jahrb.* xxx. 302 (1901).—Afr. trop.  
 tenuifolius, F. M. Bailey, in *Bot. Bull. Dept. Agric. Queensl.* xvi. 1 (1903).—Austral.  
 Terminaliae, Engl. & Gilg, in *Warb. Kunene-Sambesi Exped.* 228.—Afr. trop.  
 vittatus, Engl. *Jahrb.* xxx. 301.—Afr. trop.

**LORTIA**, Rendle (Euphorb.).

- major, Pax, in *Engl. Jahrb.* xxxiii. 289.—Afr. trop.

**LOTONONIS**, Eckl. & Zeyh. (Legum.).

- trifolioides, Schlechter, ex A. Zahlbr. in *Ann. Nat. Hofmus. Wien*, xx. (1905) 16.—Afr. austr.  
 Wylei, Wood, *Natal Pl.* iv. t. 350; & in *Gard. Chron.* 1904, II. 182 (Wyliei).—Afr. austr.

**LOTOXALIS**, Small, Fl. S. E. U. S. 666 (1903).**OXALIDACEAE.**

- Berlandieri, Small, l. c. (= *Oxalis Berlandieri*).—Am. bor.

**LOTUS**, Tourn. (Legum.).

- cupreus, Greene, *Leaflets Bot. Obs.* i. 74.—Calif.  
 Goetzei, Harms, in *Engl. Jahrb.* xxx. 324.—Afr. trop.  
 longibracteatus, Rydb. in *Bull. Torr. Bot. Club*, 1903, 254.—Am. bor.  
 macedonicus, Adamov. in *Allg. Bot. Zeitschr.* 1905, 1.—Eur.  
 medioximus, Husnot, in *Bull. Soc. Bot. Fr.* xlviii. 418.—Gallia.  
 minoriflorus, Bornm. in *Mitth. Thüring. Bot. Ver.* n. s. xx. 92, nomen.—Ins. Mader.  
 oxyphyllus, Engl. *Jahrb.* xxx. 325.—Afr. trop.

**LOUTERIDIUM**, S. Wats. (Acanth.).

- costaricense, Radlk. & Donn. Sm. in *Coult. Bot. Gaz.* xxxvii. 422.—Am. cent.

**LOXOCALYX**, Hemsl. (Labiata.).

- ambiguus, Makino, in *Bot. Mag. Tokyo*, xix. 107 (= *Leonurus ambiguus*).—Japon.

**LOXOCARYA**, R. Br. (Restiac.).

- myrioclada, Gilg, ex Diels & Pritz. in *Eng. Jahrb.* xxxv. 90.—Austral.

**LOZANELLA**, Greenm. in *Proc. Amer. Acad.* xli.**URTICACEAE.**

- trematoides, Greenm. l. c.—Mexic.

**LUCILIA**, Cass. (Compos.).

- frigida, Reiche, *Fl. Chile*, iv. 41 (= *Gnaphalium frigidum*).—Chili.

**LUCINAEAE**, DC. (Rubiace.).

- membranacea, King, in *Journ. As. Soc. Beng.* lxxii. 178.—Malaya.  
 paniculata, King, l. c. 177.—Penins. Mal.  
 Ridleyi, King, l. c. 178.—Malaya.

**LUCUMA**, Molina (Sapot.).

- martinicensis, Pierre, in *Urb. Symb. Antill.* v. 105.—Ind. occ.  
 obpyriformis, F. M. Bailey, in *Queensl. Agric. Journ.* xv. 493.—Austral.  
 quadrifida, Pierre, in *Urb. Symb. Antill.* v. 106 (= *Achras quadrifida*).—Ind. occ.  
 Stahlian, Pierre, l. c. 104.—Ind. occ.  
 Urbani, Pierre, l. c. 103 (= *Radlkofereella Urbani*).—Ind. occ.

**LUDWIGIA**, Linn. (Onagr.).

- maritima, Harper, in *Torreyia*, iv. 163.—Am. bor.  
 pulvinaris, Gilg, in *Warb. Kunene-Sambesi Exped.* 324.—Afr. trop.  
 simulata, Small, *Fl. S. E. U. S.* 836.—Am. bor.

**LUETKEA**, Bong. = **SPIRAEA**, Linn. (Rosac.).

- cinerascens, A. A. Heller, *Muhlenbergia*, i. 53 = *S. cinerascens*.

**LUGONIA**, Wedd. (Asclep.).

- micrantha, Malme, ex R. Fries, in *Nov. Act. Soc. Sci. Upsal.* Ser. IV. i. no. 1, 115.—Reg. Argent.

**LUISIA**, Gaudich. (Orchid.).

- Morsei, Rolfe, in *Journ. Linn. Soc.* xxxvi. 83.—China.

**LUNDIA**, DC. (Bignon.).

- Damazii, C. DC. in *Bull. Herb. Boiss.* Sér. II. v. 230.—Bras.

**LUPINUS**, Tourn. (Legum.).

- adscendens, Rydb. in *Bull. Torr. Bot. Club*, 1903, 256.—Am. bor.  
 amplus, Greene, *Pl. Baker.* iii. 36.—Am. bor.  
 aphronorus, Blank, in *Montana Agric. Coll. Sci. Studies*, Bot. i. 76.—Am. bor.  
 arceuthinus, Greene, *Pl. Baker.* iii. 35.—Am. bor.  
 arenicola, A. A. Heller, *Muhlenbergia*, ii. 75.—Calif.  
 argentinus, Rydb. in *Bull. Torr. Bot. Club*, 1903, 257.—Am. bor.  
 argophyllus, Cockerell, in *Torreyia*, ii. 42.—Am. bor.  
 austromontanus, A. A. Heller, *Muhlenbergia*, ii. 69.—Calif.  
 axillaris, Blank, in *Montana Agric. Coll. Sci. Studies*, Bot. i. 76.—Am. bor.  
 Benthami, A. A. Heller, *Muhlenbergia*, ii. 61.—Calif.  
 brachypodus, Piper, in *Bull. Torr. Bot. Club*, 1902, 642.—Am. bor.  
 Bridgesii, A. A. Heller, *Muhlenbergia*, i. 112.—Calif.  
 candicans, Rydb. in *Bull. Torr. Bot. Club*, 1901, 35.—Am. bor.  
 chiapensis, Rose, in *U. S. Dept. Agric. Contrib. Nat. Herb.* viii. 307.—Mexic.  
 comatus, Rydb. in *Bull. Torr. Bot. Club*, 1903, 257.—Am. bor.  
 compactiflorus, Rose, in *U. S. Dept. Agric. Contrib. Nat. Herb.* viii. 306.—Mexic.  
 confusus, Rose, l. c. 307.—Mexic.  
 corymbosus, A. A. Heller, *Muhlenbergia*, ii. 69.—Calif.  
 Culbertsonii, Greene, *Leaflets Bot. Obs.* i. 73.—Calif.  
 cyaneus, Rydb. in *Bull. Torr. Bot. Club*, 1901, 35.—Am. bor.  
 dasiphyllus, Greene, *Leaflets Bot. Obs.* i. 73.—Calif.  
 deflexus, Congd. in *Muhlenbergia*, i. 38.—Calif.  
 depressus, Rydb. in *Bull. Torr. Bot. Club*, 1903, 255.—Am. bor.  
 desertorum, A. A. Heller, *Muhlenbergia*, ii. 72.—Calif.  
 dichrous, Greene, *Pl. Baker.* iii. 35.—Am. bor.  
 Evermannii, Rydb. in *Bull. Torr. Bot. Club*, 1903, 255.—Am. bor.  
 flavescens, Rydb. l. c. 1902, 245.—Am. bor.  
 geophilus, Rose, in *U. S. Dept. Agric. Contrib. Nat. Herb.* viii. 307.—Mexic.  
 giganteus, Rose, l. c.—Mexic.  
 glabrior, Rose, l. c. 308.—Mexic.  
 glareosus, Elmer, in *Coult. Bot. Gaz.* xxxix. 53.—Calif.  
 grandis, Rose, in *U. S. Dept. Agric. Contrib. Nat. Herb.* viii. 308.—Mexic.  
 gredensis, Gandoger, in *Bull. Soc. Bot. Fr.* xlviii. 413.—Hispan.

**LUPINUS** :—

- horizontalis, *A. A. Heller, Muhlenbergia*, ii. 74.—Calif.  
 hypolasius, *Greene, Leaflets Bot. Obs.* i. 74.—Calif.  
 hypoleucus, *Greene, l. c.*—Calif.  
 Jonesii, *Rydb. in Bull. Torr. Bot. Club*, 1903, 256 (non Blank).—Am. bor.  
 Jonesii, *Blank, in Montana Agric. Coll. Sci. Studies*, Bot. i. 79 (1905).—Am. bor.  
 laxus, *Rydb. in Bull. Torr. Bot. Club*, 1903, 258.—Am. bor.  
 leptostachyus, *Greene, Pl. Baker*, iii. 36.—Am. bor.  
 leucanthus, *Rydb. in Bull. Torr. Bot. Club*, 1903, 259.—Am. bor.  
 longifolius, *Abrams, Fl. Los Angeles*, 209.—Calif.  
 lucidulus, *Rydb. in Bull. Torr. Bot. Club*, 1902, 245.—Am. bor.  
 macranthus, *Rose, in U. S. Dept. Agric. Contrib. Nat. Herb.* viii. 308.—Mexic.  
 maculatus, *Rydb. in Bull. Torr. Bot. Club*, 1903, 257.—Am. bor.  
 neglectus, *Rose, in U. S. Dept. Agric. Contrib. Nat. Herb.* viii. 308.—Mexic.  
 Nelsoni, *Rose, l. c.*—Mexic.  
 odoratus, *A. A. Heller, Muhlenbergia*, ii. 71.—Calif.  
 paraguariensis, *Chod. & Hassl. in Bull. Herb. Boiss. Sér.* II. iv. 836.—Parag.  
 persistens, *Rose, in U. S. Dept. Agric. Contrib. Nat. Herb.* viii. 308 (April, 1905).—Mexic.  
 persistens, *A. A. Heller, Muhlenbergia*, ii. 62 (Dec. 1905).—Calif.  
 potosinus, *Rose, in U. S. Dept. Agric. Contrib. Nat. Herb.* viii. 309.—Mexic.  
 Pringlei, *Rose, l. c.*—Mexic.  
 proximus, *A. A. Heller, Muhlenbergia*, ii. 67.—Calif.  
 pulcherrimus, *Rydb. in Bull. Torr. Bot. Club*, 1903, 258.—Am. bor.  
 purpurascens, *A. A. Heller, Muhlenbergia*, ii. 66.—Calif.  
 reflexus, *Rose, in U. S. Dept. Agric. Contrib. Nat. Herb.* viii. 309.—Mexic.  
 ruber, *A. A. Heller, Muhlenbergia*, ii. 73.—Calif.  
 rubricaulis, *Greene, Pl. Baker*, iii. 35.—Am. bor.  
 Rydbergii, *Blank, in Montana Agric. Coll. Sci. Studies*, Bot. i. 78.—Am. bor.  
 Scheuberae, *Rydb. in Bull. Torr. Bot. Club*, 1902, 244.—Am. bor.  
 shastensis, *A. A. Heller, Muhlenbergia*, ii. 67.—Calif.  
 simulans, *Rose, in U. S. Dept. Agric. Contrib. Nat. Herb.* viii. 310.—Mexic.  
 spathulatus, *Rydb. in Bull. Torr. Bot. Club*, 1902, 244.—Am. bor.  
 splendens, *Rose, in U. S. Dept. Agric. Contrib. Nat. Herb.* viii. 309.—Mexic.  
 submontanus, *Rose, l. c.* 47.—Mexic.  
 tenuifolius, *Arech. in Anal. Mus. Montevidei*, iii. 322.—Urug.  
 vernicus, *Rose, in U. S. Dept. Agric. Contrib. Nat. Herb.* viii. 310.—Mexic.  
 violaceus, *A. A. Heller, Muhlenbergia*, ii. 65.—Calif.  
 viridifolius, *A. A. Heller, l. c.* 64.—Calif.  
 Watsoni, *A. A. Heller, l. c.* i. 114.—Calif.

**LUVUNGA**, Buch.-Ham. (Rutac.).

- borneensis, *Hochr. in Bull. Inst. Buitenz.* xix. 41; *Pl. Bogor. Exsicc.* 19.—Borneo.

**LUXEMBERGIA**, A. St. Hil. (Ochnac.).

- circumdata, *Van Tiegh. in Ann. Sci. Nat. Sér.* VIII. xix. 5.—Bras.  
 Gaudichaudi, *Van Tiegh. l. c.* 4.—Bras.

**LUZIOLA**, Juss. (Gramin.).

- contracta, *Hack. in Oesterr. Bot. Zeitschr.* 1902, 8.—Bras.

**LUZULA**, DC. (Juncac.).

- chinensis, *N. E. Br. in Journ. Linn. Soc.* xxxvi. 161.—China.  
*Gesneri*, *Bub. Fl. Pyren.* iv. 170 = *Forsteri*.  
 saltuensis, *Fernald, in Rhodora*, v. 195.—Am. et As. bor.

**LYCHNIS**, Tourn. (Caryophyll.).

- attenuata, *Farr, in Trans. Proc. Bot. Soc. Pennsylv.* i. 419.—Am. bor.  
 kiusiana, *Makino, in Bot. Mag. Tokyo*, xvii. 57.—Japan.  
 striata, *Rydb. in Bull. Torr. Bot. Club*, 1904, 408.—Am. bor.  
 yunnanensis, *Baker f. in Gard. Chron.* 1903, i. 161.—China.

**LYCHNOPHORA**, Mart. (Compos.).

- Van-isschoti, *Heckel, in Rev. Cult. Colon.* xi. 161.—Am. trop.

**LYCIUM**, Linn. (Solan.).

- confusum, *Dammer, ex R. Fries, in Arkiv Bot. Stockh.* i. 404.—Reg. Argent.  
 cuneatum, *Dammer, in Engl. Jahrb.* xxxvii. 169.—Bolivia.  
 decipiens, *Dammer, l. c.* 168.—Reg. Argent.  
 Friesii, *Dammer, l. c.* 169.—Reg. Argent.  
 halophilum, *Speg. Nov. Add. Fl. Patag.* ii. (1902), repr. 48.—Patag.  
 lasiopetalum, *Speg. l. c.* 50.—Patag.  
 longitubum, *Dammer, in Engl. Jahrb.* xxxvii. 169.—Reg. Argent.  
 pilifolium, *C. H. Wright, in Dyer, Fl. Cap.* iv. II. 113.—Afr. austr.  
 schizocalyx, *C. H. Wright, l. c.* 114.—Afr. austr.  
 spathulifolium, *Britton, in Bull. N. York Bot. Gard.* iii. 451.—Ind. occ.

**LYCOPUS**, Tourn. (Labiata.).

- communis, *E. P. Bickn. in Britton, Man. Fl. N. U. S.* 803.—Am. bor.  
 membranaceus, *E. P. Bickn. l. c.* 804.—Am. bor.  
 pubens, *Britton, in Small, Fl. S. E. U. S.* 1049.—Am. bor.  
 Sherardi, *Steele, in Proc. Biol. Soc. Washington*, xiv. 75.—Am. bor.  
 velutinus, *Rydb. in Small, Fl. S. E. U. S.* 1049.—Am. bor.

**LYCOSERIS**, Cass. (Compos.).

- macrocephala, *Greenm. in Proc. Amer. Acad.* xxxix. 119.—Am. cent.

**LYPERANTHUS**, R. Br. (Orchid.).

- Gigas, *Rolf, in Orch. Rev.* 1905, 63 (= *Caladenia Gigas*).—N. Caled.

**LYRIONOTUS**, K. Schum. in Just, Jahresb. xxvii. I. (1901) 535, sphalm. = **Lysionotus**, D. Don (Gesner.).**LYSIAS**, Salisb. = **Habenaria**, Willd. (Orchid.).

- Hookeriana*, *Rydb. in Britton, Man. Fl. N. U. S.* 295 = *H. Hookeriana*.

**LYSIMACHIA**, Tourn. (Primul.).

- Brittenii, *Knuth, in Engl. Pflanzenreich, Primul.* 306.—China.  
 cephalantha, *Knuth, l. c.* 284.—China.  
 chilensis, *Knuth, l. c.* 308 (= *Theopyxis chilensis*).—Chili.  
 Engleri, *Knuth, l. c.* 265.—China.  
 febrifuga, *Poepp. ex Knuth, l. c.* 308 = *chilensis*.  
 Franchetii, *Knuth, l. c.* 283.—China.  
 glandulosa, *Knuth, l. c.* 264.—China.  
 grandiflora, *Nutt. ex Knuth, l. c.* 276 = *ciliata*.  
 grisea, *Knuth, l. c.* 263 = *deltoides*.  
 humifusa, *Knuth, l. c.* 301.—China.  
 latronum, *Léveillé & Vaniot, in Bull. Soc. Agric. Sci. Arts Sarthe*, 1904, repr. 2.—Hab.?  
 lineolata, *Edgew. ex Knuth, in Engl. Pflanzenreich, Primul.* 275 = *prolifera*.  
 Loomisii, *Torr. ex Knuth, l. c.* 279 = *longifolia*.  
 marginata, *Maccl. in Rep. Princeton Univ. Exped. Patag.* viii. 652.—Patag.  
 melampyroides, *Knuth, in Engl. Pflanzenreich, Primul.* 284.—China.  
 Mellico, *Poepp. ex Knuth, l. c.* 308 = *chilensis*.  
 Metziana, *Hohen. ex Knuth, l. c.* 263 = *deltoides*.  
 mexicana, *Knuth, l. c.* 308.—Mexic.  
 moupinensis, *Knuth, l. c.* 266.—China.  
 Nebeliana, *Gilg, ex Gilg & Loes. in Engl. Jahrb.* xxxiv. Beibl. lxxv. 57.—China.  
 nudiflora, *Wall. ex Knuth, in Engl. Pflanzenreich, Primul.* 296 = *decurrens*.  
 Paxiana, *Knuth, in Engl. Jahrb.* xxxvi. Beibl. lxxxii. 85; *et in Engl. Pflanzenreich, Primul.* 288.—China.  
 Piccolii, *Hemsl. ex Knuth, l. c.* 289 = *barystachys*.  
 plicata, *Franch. ex Knuth, l. c.* 265.—China?  
 pumila, *Poepp. ex Knuth, l. c.* 330 = *Anagallis alternifolia*.  
 rotundifolia, *Knuth, l. c.* 259 = *Tanakae*.  
 saganeitensis, *Schweinf. ex Knuth, l. c.* 292.—Afr. trop.  
 tonsa, *Wood, ex Knuth, l. c.* 277 (= *Steironema tonsum*).—Am. bor.  
 trientalioides, *Hemsl. in Hook. Ic. Pl.* t. 2707.—China.

**LYSIMACHIA** :—

- verruculosa, *Klatt, ex Knuth, in Engl. Pflanzenreich, Primul.* 302 = *pentapetala*.  
 Woodii, *Schlechter, ex Knuth, l. c.* 292.—Afr. austr.  
 Zawadskii, *Wiesn. in Oesterr. Bot. Zeitschr.* liv. 161.—Eur.

**LYTHRUM**, Linn. (Lythrac.).

- Curtissii, *Fernald, in Coult. Bot. Gaz.* xxxiii. 155.—Am. bor.  
 linearifolium, *Small, Fl. S. E. U. S.* 828.—Am. bor.  
 rivulare, *Wood & Evans, ex Wood, in Natal Colon. Herb. Rep.* 1900 (1901) 12; *et in Journ. Bot.* 1901, 172.—Afr. austr.

**M****MAACKIA**, Rupr. (Legum.).

- [CLADRASTIS, Rafin. I. K.]  
 Tashiroi, *Makino, in Bot. Mag. Tokyo*, xvi. 34.—Japan.

**MABA**, Forst. (Eben.).

- olivacea, *King & Gamble, ex F. N. Williams, in Bull. Herb. Boiss. Sér.* II. v. 227.—Penins. Mal.  
 virgata, *Guerke, in Warb. Kunene-Sambesi Exped.* 327.—Afr. trop.  
 Zollingeri, *Hochr. Pl. Bogor. Exsicc.* 38 (= *Rhipido-stigma Zollingeri*).—Java.

**MACADAMIA**, F. Muell. (Proteac.).

- praealta, *Bailey, Queensl. Fl.* 1330.—Austral.  
 Whelani, *Bailey, l. c.*—Austral.

**MACAIREA**, DC. (Melast.).

- aspera, *N. E. Br. in Trans. Linn. Soc. Sér.* II. vi. 27.—Guian.  
 glabrescens, *Pilg. in Verh. Bot. Ver. Brand.* xlvii. (1905) 165.—Reg. Amaz.

**MACARANGA**, Thon. (Euphorb.).

- carolinensis, *Volk. in Engl. Jahrb.* xxxi. 466.—Ins. Carol.

**MACFADYENA**, A. DC. (Bignon.).

- Hassleri, *Sprague, in Bull. Herb. Boiss. Sér.* II. v. 85.—Parag.

**MACHAERANTHERA**, Nees = **Aster**, Tourn.

- (Compos.).  
 attenuata, *Howell, Fl. N. W. Am.* i. 314.—Am. bor.  
 cichoriacea, *Greene, Leaflets Bot. Obs.* i. 148.—Am. bor.  
 coronopifolia, *A. Nelson, in Coult. Bot. Gaz.* xxxvii. 268 (= *Dieteria coronopifolia*).—Am. bor.  
 eradiata, *Howell, Fl. N. W. Am.* i. 314.—Am. bor.  
 Fremontii, *Rydb. in Bull. Torr. Bot. Club*, 1905, 123.—Am. bor.  
 pinosa, *Elmer, in Coult. Bot. Gaz.* xxxix. 49.—Calif.  
 ramosa, *A. Nelson, in Bull. Torr. Bot. Club*, 1901, 233.—Am. bor.  
 rubricaulis, *Rydb. in Bull. Torr. Bot. Club*, 1901, 806.—Am. bor.  
 Selbyi, *Rydb. l. c.* 1905, 123.—Am. bor.  
 spectabilis, *Greene, Leaflets Bot. Obs.* i. 148.—Am. bor.  
 verna, *A. Nelson, in Coult. Bot. Gaz.* xxxvii. 267.—Am. bor.  
 viscosa, *Rydb. in Bull. Torr. Bot. Club*, 1905, 124.—Am. bor.

**MACHAERIUM**, Pers. (Legum.).

- biovulatum, *Micheli, in Mém. Soc. Phys. Hist. Nat. Genève*, xxxiv. 265.—Mexic.  
 striatum, *J. R. Johnston, in Proc. Amer. Acad.* xl. 688.—Venez.  
 verapazense, *Donn. Sm. in Coult. Bot. Gaz.* xl. 2.—Am. cent.

**MACLEAYIA**, Montr. = **Cassia**, Tourn. (Legum.).

- artensis, *Montrouz. ex Beauvis. Gen. Montrouz.* 19 = *C. artensis*.

**MACLEAYA**, R. Br. (Papav.).

- [BOCCONIA, Linn. I. K.]  
 microcarpa, *Fedde, in Engl. Jahrb.* xxxvi. Beibl. lxxxii. 45 (= *Bocconia microcarpa*).—China.

**MACLUDRANIA**, André, in Rev. Hort. 1905, 862.

- Gen. hybr. **URTICACEA** URM.  
 hybrida, *André, l. c.*—Hybr.

**MACOWANIA**, Oliver (Compos.).

*glandulosa*, N. E. Br. in *Kew Bull.* 1901, 124.—Afr. austr.  
*pulvinaris*, N. E. Br. l. c.—Afr. austr.

**MACRADENIA**, R. Br. (Orchid.).

*multiflora*, Cogn. in *Mart. Fl. Bras.* iii. vi. 115 (= *Trichopilia multiflora*).—Am. austr.

**MACROLOBIUM**, Schreb. (Legum.).

*Dewevrei*, Wildem. in *Ann. Mus. Congo*, Sér. V. i. 129.—Afr. trop.  
*Dinklagei*, Harms, in *Engl. Jahrb.* xxx. 84.—Afr. trop.  
*diphyllum*, Harms, l. c.—Afr. trop.  
*lamprophyllum*, Harms, l. c. 85.—Afr. trop.  
*Laurentii*, Wildem. *Enum. Pl. Laurent.* 99.—Afr. trop.  
*leptorrhachis*, Harms, in *Engl. Jahrb.* xxxiii. 157.—Afr. trop.  
*obliquum*, Stapf, in *Journ. Linn. Soc.* xxxvii. 96.—Afr. trop.

**MACROMERIA**, D. Don (Borag.).

*Thurberi*, Mackenzie, in *Bull. Torr. Bot. Club*, 1905, 496 (= *Onosmodium Thurberi*).—Am. bor.

**MACRONEMA**, Nutt. = **Chrysopsis**, Ell., vel **Aplopappus**, Cass. (Compos.).

*Bolanderi*, Greene, *Leaflets Bot. Obs.* i. 81 (= *Linosyris Bolanderi*).—Calif.

**MACROPETALUM**, Burch. (Asclep.).

*filifolium*, Schlechter, in *Engl. Jahrb.* xxxviii. 36.—Afr. austr.

**MACRORUNGIA**, C. B. Clarke (Acanth.).

*longistrobis*, C. B. Clarke, in *Dyer, Fl. Cap.* v. 89.—Afr. austr.

**MACROSIPHONIA**, Muell. Arg. (Apocyn.).

*macrosiphon*, A. A. Heller, *Muhlenbergia*, i. 2 (= *Echites macrosiphon*).—Mexic.  
*pinifolia*, Malme, in *Bull. Herb. Boiss.* Sér. II. iv. 257 (= *Echites pinifolia*).—Parag.

**MADIA**, Molina (Compos.).

*chilensis*, Reiche, *Fl. Chile*, iv. 105 (= *Madariopsis chilensis*).—Chili.  
*ramosa*, Piper, in *Bull. Torr. Bot. Club*, 1902, 222.—Am. bor.  
*villosa*, Eastw., in *Proc. Calif. Acad. Ser.* III. ii. 293.—Am. bor.

**MAERUA**, Forsk. (Capparid.).

*angustifolia*, Schinz, in *Bull. Herb. Boiss.* Sér. I. v. App. III. 97 = Gilgii.  
*arenicola*, Gilg, in *Engl. Jahrb.* xxxiii. 228.—Afr. austr.  
*calantha*, Gilg, l. c. 225.—Afr. trop.  
*cerasicarpa*, Gilg, l. c. 227.—Afr. trop.  
*Denhardtiorum*, Gilg, l. c.—Afr. trop.  
*Descampsii*, Wildem. in *Ann. Mus. Congo*, Sér. IV. 180.—Afr. trop.  
*filiformis*, Drake, in *Bull. Mus. Hist. Nat. Par.* 1903, 37.—Madag.  
*Gilgiana*, Wildem. in *Ann. Mus. Congo*, Sér. IV. 180.—Afr. trop.  
*Gilgii*, Schinz, in *Bull. Herb. Boiss.* Sér. II. iii. 668.—Afr. austr.  
*Goetzeana*, Gilg, in *Engl. Jahrb.* xxxiii. 224.—Afr. trop.  
*Kassakalla*, Wildem. in *Ann. Mus. Congo*, Sér. IV. 179.—Afr. trop.  
*macrantha*, Gilg, in *Engl. Jahrb.* xxxiii. 226.—Afr. trop.  
*mucronata*, F. N. Williams, in *Bull. Herb. Boiss.* Sér. II. v. 24 (= *Niebuhreria mucronata*).—Siam.  
*pubescens*, Gilg, in *Engl. Jahrb.* xxxiii. 223 (= *Streblocarpus pubescens*).—Afr. trop.  
*pygmaea*, Gilg, l. c. 228.—Afr. trop.  
*ramosissima*, Gilg, l. c. 227 = Guerichii.  
*retusa*, Gilg, l. c. 223.—Afr. trop.  
*scandens*, Gilg, l. c. (= *Streblocarpus scandens*).—Afr. trop.  
*socotrana*, Gilg, l. c. 228.—Socotra.  
*sphaerocarpa*, Gilg, l. c. 226 (= *Boscia Holstii*).—Afr. trop.  
*trachycarpa*, Gilg, l. c. 224.—Afr. trop.  
*trichophylla*, Gilg, l. c. xxx. 311.—Afr. trop.  
*virgata*, Gilg, l. c. xxxiii. 226.—Afr. trop.

**MAESA**, Forsk. (Myrsin.).

*aneiteensis*, Mez, in *Engl. Pflanzenreich*, Myrsin. 52.—N. Hebrid.  
*Balansae*, Mez, l. c. 41.—Cochinch.  
*bengalensis*, Mez, l. c. 30.—Ind. or.  
*Bennettii*, Mez, l. c. 53.—N. Hebrid.  
*campobotrys*, K. Schum. in K. Schum. & Lauterb. *Nachtr. Fl. Deutsch. Südsee*, 341.—N. Guin.  
*castaneifolia*, Mez, in *Engl. Pflanzenreich*, Myrsin. 44.—China.  
*coriacea*, Mez, l. c. 40.—Ind. or.  
*Cumingii*, Mez, l. c. 49.—Ins. Philipp.  
*denticulata*, Mez, l. c. 48.—Ins. Philipp.  
*elongata*, Mez, l. c. 31.—Ind. or.  
*eramangensis*, Mez, l. c. 52.—N. Hebrid.  
*Forbesii*, Mez, l. c. 47.—Java.  
*formosana*, Mez, l. c. 29.—Formosa.  
*grandiflora*, Mez, l. c. 44.—Ind. or.  
*Haenkeana*, Mez, l. c. 32.—Ins. Philipp.  
*kamerunensis*, Mez, l. c. 27.—Afr. trop.  
*Kurzii*, Mez, l. c. 36.—Ind. or.  
*laxa*, Mez, l. c. 32.—Ins. Philipp.  
*lineata*, Mez, l. c. 42.—Sumatra.  
*manillensis*, Mez, l. c. 34.—Ins. Philipp.  
*manipurensis*, Mez, l. c. 30.—Ind. or.  
*Martiana*, Mez, l. c. 29.—Ind. or.  
*maxima*, Mez, l. c. 44.—Ind. or.  
*membranifolia*, Mez, l. c. 45.—Arch. Mal.  
*Muelleri*, Mez, l. c. 38.—Austral.  
*Naumanniana*, Mez, l. c. 30.—Arch. Mal.  
*novo-caledonica*, Mez, l. c. 33.—N. Caled.  
*pipericarpa*, Mez, l. c. 46.—Celebes.  
*polybotrya*, K. Schum. in K. Schum. & Lauterb. *Nachtr. Fl. Deutsch. Südsee*, 341.—N. Guin.  
*populifolia*, Mez, in *Engl. Pflanzenreich*, Myrsin. 47.—Ind. or.  
*Quintasii*, Gilg, in *Engl. Jahrb.* xxx. 101.—Afr. trop.  
*racemosa*, Mez, in *Engl. Pflanzenreich*, Myrsin. 43.—N. Guin.  
*samoana*, Mez, l. c. 53.—Ins. Samoa.  
*Sarasinii*, Mez, l. c. 47.—Celebes.  
*Schweinfurthii*, Mez, l. c. 25.—Afr. trop.  
*striata*, Mez, l. c. 42.—Sumatra.  
*tabacifolia*, Mez, l. c. 51.—Ins. Fiji.  
*tenera*, Mez, l. c. 28.—China.  
*tenuifolia*, Mez, l. c. 44.—Borneo.  
*tomentella*, Mez, l. c. 35.—Tonkin.  
*tongensis*, Mez, l. c. 54.—Ins. Fiji.  
*tonkinensis*, Mez, l. c. 34.—Tonkin.  
*villosa*, Mez, l. c. 35.—Sumatra.  
*Warburgii*, Mez, l. c. 48.—Celebes.  
*Zenkeri*, Gilg, in *Engl. Jahrb.* xxx. 100.—Afr. trop.

**MAESOBOTRYA**, Benth. (Euphorb.).

*pauciflora*, Pax, in *Engl. Jahrb.* xxxiii. 281.—Afr. trop.

**MAGNISTIPULA**, Engl. in *Engl. Jahrb.* xxxvi.

(1905) 226. **ROSACEAE.**  
*Conrautana*, Engl. l. c.—Afr. trop.  
*Zenkeri*, Engl. l. c. 227.—Afr. trop.

**MAGNOLIA**, Linn. (Magnol.).

*Balansae*, Aug. DC. in *Bull. Herb. Boiss.* Sér. II. iv. 294.—Tonkin.  
*Henryi*, Dunn, in *Journ. Linn. Soc.* xxxv. 484.—China.  
*Martini*, Léveillé, in *Bull. Soc. Agric. Sci. Arts Sarthe*, 1904, repr. 6.—China.

**MAHONIA**, Nutt. = **Berberis**, Linn. (Berberid.).

*Andrieuxii*, Fedde, in *Engl. Jahrb.* xxxi. 103 = B. Andrieuxii.  
*angustifolia*, Fedde, l. c. 91 = B. angustifolia.  
*Chochoco*, Fedde, l. c. 103 = B. Chochoco.  
*dictyota*, Fedde, l. c. 89 = B. dictyota.  
*Ehrenbergii*, Fedde, l. c. 106 = B. Ehrenbergii.  
*eurybracteata*, Fedde, l. c. 127.—China.  
*eutriphylla*, Fedde, l. c. 91.—Mexic.  
*Fortunei*, Fedde, l. c. 130 = B. Fortunei.  
*Fremontii*, Fedde, l. c. 98 = B. Fremontii.  
*gracilipes*, Fedde, l. c. 128 = B. gracilipes.  
*gracilis*, Fedde, l. c. 95 = B. gracilis.  
*haematocarpa*, Fedde, l. c. 100 = B. haematocarpa.  
*Hartwegii*, Fedde, l. c. 109 = B. Hartwegii.  
*incerta*, Fedde, l. c. 93.—Mexic.  
*lanceolata*, Fedde, l. c. 92 = B. lanceolata.  
*nana*, Fedde, l. c. 83 = B. nana.  
*Nevinii*, Fedde, l. c. 102 = B. Nevinii.

**MAHONIA** :—

*pallida*, Fedde, in *Engl. Jahrb.* xxxi. 109 = B. pallida.  
*Paxii*, Fedde, l. c. 113.—Mexic.  
*pinnata*, Fedde, l. c. 86 = B. pinnata.  
*polyodonta*, Fedde, l. c. 126.—China.  
*pumila*, Fedde, l. c. 82 = B. pumila.  
*Schiedeana*, Fedde, l. c. 90 = B. Schiedeana.  
*subintegriifolia*, Fedde, l. c. 94.—Mexic.  
*subtriplinervis*, Fedde, l. c. 129 = B. subtriplinervis.  
*Swaseyi*, Fedde, l. c. 102 = B. Swaseyi.  
*trifoliolata*, Fedde, l. c. 96 = B. trifoliolata.  
*zimapana*, Fedde, l. c. 111.—Mexic.

**MAIETA**, Aubl. (Melast.).

*juruenis*, Pilg. in *Verh. Bot. Ver. Brand.* xlvii. (1905) 178.—Reg. Amaz.

**MAIHUENIA**, Phil. (Cact.).

*tehuelches*, Spég. in *Anal. Mus. Buenos Aires*, vii. 288.—Patag.  
*Valentini*, Spég. l. c. 289.—Patag.

**MALACANTHA**, Pierre (Sapot.).

*ferrugineo-tomentosa*, Engl. *Monogr. Afr. Pfl.* viii. 48 (= *Chrysophyllum ferrugineo-tomentosum*).—Afr. trop.  
*Warneckeana*, Engl. l. c.—Afr. trop.

**MALACOTHRIX**, DC. (Compos.).

*succulenta*, Elmer, in *Coult. Bot. Gaz.* xxxix. 44.—Calif.

**MALCOMIA**, R. Br. (Crucif.).

*hispida*, Litw. in *Trav. Mus. Bot. Acad. Pétersb.* i. 37.—Turkestan.  
*hyrcanica*, Freyn & Sint, ex Freyn, in *Bull. Herb. Boiss.* Sér. II. iii. 688.—As. cent.  
*Karelina*, Lipsky, in *Act. Hort. Petrop.* xxiii. 31.—As. cent.  
*turkestanica*, Litw. in *Sched. Herb. Fl. Ross.* iv. 32.—Turkestan.

**MALORTIEA**, H. Wendl. (Palm.).

*Tuerckheimii*, Damm, in *Gard. Chron.* 1905, i. 19; et in *Notizbl. Bot. Gart. Berlin*, iv. 157.—Am. cent.

**MALPIGHIA**, Plum. (Malpigh.).

*diversifolia*, T. S. Brandege, in *Zoe*, v. 104 (1901).—Calif.  
*neriifolia*, K. Schum. in *Just, Jahresb.* xxvii. i. 498, sphalm. = *nummulariifolia*.

**MALTEBRUNIA**, Kunth (Gramin.).

[**POTAMOPHILA**, R. Br. I. K.]  
*maroana*, Aug. DC. in *Bull. Herb. Boiss.* Sér. II. i. 555.—Madag.  
*petiolata*, Aug. DC. l. c.—Madag.

**MALUS**, Tourn. = **Pyrus**, Tourn. (Rosac.).

*Macounii*, Greene, in *Ottawa Naturalist*, xviii. 215.—Am. bor.  
*Medwitskyana*, Dieck. *Neuheiten Off. Nat. Arb.* Zoeschen, 1891, 16 = seg.  
*Niedzwetzkyana*, Dieck. l. c. 1892, 18 = P. Niedzwetzkyana.  
*Sargentii*, Rehder, in *Sargent, Trees & Shrubs*, i. 71.—Japan.  
*Scheideckeri*, Hort. ex Wittm. in *Gartenfl.* 1904, 418 = P. Scheideckeri.  
*Zumi*, Rehder, in *Sargent, Trees & Shrubs*, i. 191 = P. Zumi.

**MALVA**, Tourn. (Malvac.).

*Hornemannii*, Bub. *Fl. Pyren.* iii. 301 = *Tournefortiana*.

**MALVASTRUM**, A. Gray (Malvac.).

*Cockerellii*, A. Nelson, in *Coult. Bot. Gaz.* xxxiv. 24.—Am. bor.  
*digitatum*, Greene, *Leaflets Bot. Obs.* i. 154.—Am. bor.  
*dissectum*, A. Nelson, in *Coult. Bot. Gaz.* xxxiv. 24 (= *Sida dissecta*).—Am. bor.  
*elatum*, A. Nelson, l. c. 25.—Am. bor.  
*saltense*, Hieron. ex R. Fries, in *Nov. Act. Soc. Sci. Upsal.* Ser. IV. i. no. 1, 127 (= *Malveopsis saltensis*).—Reg. Argent.

**MALVAVISCUS**, Dill. (Malvac.).

*Cokeri*, Britton, in *Shattuck, Bahama Is.* 259.—Ins. Baham.  
*rivularis*, T. S. Brandege, in *Zoe*, v. 211 (1905).—Mexic.



**MAMMILLARIA**, Haw. (Cactac.).

- Alversoni, *Hort. ex Orcutt*, in *W. Amer. Sci.* xiii. 42.—Hab.?  
 Fordii, *Orcutt, Seed Pl. Co. Cat. Cact.* 1903, 20; *et in W. Amer. Sci.* xiii. 49.—Calif.  
 lenta, *K. Brandegee, in Zoe*, v. 194 (1904).—Mexic.  
 Mundtii, *K. Schum, in Monatsschr. Kakt.* 1903, 141.—Hab.?  
 Oliviae, *Orcutt, Seed Pl. Co. Cat. Cact.* 1903, 21; *et in W. Amer. Sci.* xiii. 50.—Am. bor.  
 petrophila, *K. Brandegee, in Zoe*, v. 193 (1904).—Calif.  
 Ruestii, *Quehl, in Monatsschr. Kakt.* xv. 173.—Am. cent.  
 Thornberi, *Orcutt, Seed Pl. Co. Cat. Cact.* 1903, 21; *et in W. Amer. Sci.* xiii. 51.—Am. bor.  
 trichacantha, *K. Schum. Gesamt. Kakt. Nachtr.* i. 133.—Hab.?  
 uniseta, *Hort. Berol. ex Monatsschr. Kakt.* 1904, 128.—Hab.?

**MANDEVILLA**, Lindl. (Apocyn.).

- glabra, *N. E. Br. in Trans. Linn. Soc. Ser. II.* vi. 47.—Guiana.  
 linearis, *N. E. Br. l. c.* 48.—Guiana.  
 scaberula, *N. E. Br. l. c.*—Guiana.

**MANETTIA**, Mutis (Rubiace.).

- chrysoderma, *Sprague, in Bull. Herb. Boiss. Sér. II.* v. 264.—Bras.  
 domingensis, *Sprague, l. c.* 266.—Ind. occ.  
 evenia, *Sprague, l. c.* 835.—Ecuador.  
 inflata, *Sprague, in Gard. Chron.* 1904, II. 385.—Am. austr.  
 Lindenii, *Sprague, in Bull. Herb. Boiss. Sér. II.* v. 833.—Venez.  
 pectinata, *Sprague, l. c.* 836.—N. Granat.  
 quinquenervia, *Sprague, l. c.* 266.—Bras.  
 recurva, *Sprague, l. c.* 835.—Ecuador.  
 Rojasiensis, *Chod. & Hassl. in Bull. Herb. Boiss. Sér. II.* iv. 91.—Parag.  
 Schumanniana, *Sprague, in Bull. Herb. Boiss. Sér. II.* v. 834.—Venez.  
 Smithii, *Sprague, l. c.* 267.—N. Granat.

**MANFREDIA**, Salisb. = **Agave**, Linn. (Amaryll.).

- Aliberti, *Rose, in U. S. Dept. Agric. Contrib. Nat. Herb.* viii. 23 = A. Aliberti.  
 brachystachys, *Rose, l. c.* 20 = A. brachystachys.  
 brunnea, *Rose, l. c.* 19 = A. brunnea.  
 conduplicata, *Rose, l. c.* 23 = A. conduplicata.  
 elongata, *Rose, l. c.* 21.—Mexic.  
 guttata, *Rose, l. c.* = A. guttata.  
 jaliscana, *Rose, l. c.* 22.—Mexic.  
 maculata, *Rose, l. c.* 18 = A. pubescens.  
 maculosa, *Rose, l. c.* 17 = A. maculosa.  
 Oliverana, *Rose, l. c.* 21.—Mexic.  
 planifolia, *Rose, l. c.* 22 = A. planifolia.  
 potosina, *Rose, l. c.* 18 = A. potosina.  
 Pringlei, *Rose, l. c.* 19.—Mexic.  
 revoluta, *Rose, l. c.* 21 = A. revoluta.  
 rubescens, *Rose, l. c.* 22.—Mexic.  
 singuliflora, *Rose, l. c.* 16 (= *Bravoa singuliflora*).—Mexic.  
 tigrina, *Small, Fl. S. E. U. S.* 287.—Am. bor.  
 undulata, *Rose, in U. S. Dept. Agric. Contrib. Nat. Herb.* viii. 22 = A. undulata.  
 variegata, *Rose, l. c.* 20 = A. variegata.

**MANGIFERA**, Linn. (Anacard.).

- monandra, *Merrill, in Philipp. Gov. Lab. Bur. Bull.* xvii. 28.—Ins. Philipp.

**MANIHOT**, Tourn. (Euphorb.).

- caudata, *Greenm. in Proc. Amer. Acad.* xxxix. 82.—Mexic.  
 graminifolia, *Chod. & Hassl. in Bull. Herb. Boiss. Sér. II.* v. 671.—Parag.  
 guaranitica, *Chod. & Hassl. l. c.*—Parag.  
 Hassleriana, *Chod. l. c.* 672.—Parag.  
 Rusbyi, *Britton, in Bull. Torr. Bot. Club*, 1901, 302.—Bras.

**MANILTOA**, Scheff. (Legum.).

- brownoides, *Harms, in Notizbl. Bot. Gart. Berlin*, iii. 190.—Java.  
 Hollrungii, *Harms, l. c.* 189.—N. Guin.

**MANISURIS**, Sw. (Gramin.).

- Chapmanii, *Small, Fl. S. E. U. S.* 56.—Am. bor.

**MANOTES**, Soland. (Connar.).

- Laurentii, *Wildem. Enum. Pl. Laurent*, 90.—Afr. trop.

**MANSOA**, DC. (Bignon.).

- [CUSPIDARIA, DC. I. K.]  
 truncata, *Sprague, in Bull. Herb. Boiss. Sér. II.* v. 83.—Parag.

**MANSONIA**, J. R. Drumm. in Journ. Linn. Soc.

- xxxvii. (1905) 260. **STERCULIACEAE**.  
 Gagei, *J. R. Drumm. l. c.*—Burma.

**MANULEA**, Linn. (Scrophul.).

- arabidea, *Schlechter, ex Hiern, in Dyer, Fl. Cap.* iv. ii. 227.—Afr. austr.  
 Benthiana, *Hiern, l. c.* 226.—Afr. austr.  
 Burchellii, *Hiern, l. c.* 228.—Afr. austr.  
 campestris, *Hiern, l. c.* 240.—Afr. austr.  
 incisiiflora, *Hiern, l. c.* 228.—Afr. austr.  
 obtusa, *Hiern, l. c.* 235.—Afr. austr.

**MAPANIA**, Aubl. (Cyper.).

- amplivaginata, *K. Schum. in Notizbl. Bot. Gart. Berl.* iii. 105.—Afr. trop.  
 Deistellii, *K. Schum. l. c.* 106.—Afr. trop.  
 dolichostachya, *K. Schum. l. c.*—Afr. trop.  
 secans, *K. Schum. l. c.* 105.—Afr. trop.  
 subcomposita, *C. B. Clarke, in Dyer, Fl. Trop. Afr.* viii. 490.—Afr. trop.  
 triquetra, *Ridley, in Journ. As. Soc. Straits*, xli. 51.—Penins. Mal.

**MAPOURIA**, Aubl. (Rubiace.).

- [PSYCHOTRIA, Linn. I. K.]  
 Balansae, *Beauvis. Gen. Montrouz.* 54 (= *Uragoga Balansae*).—N. Caled.  
 cearensis, *Huber, in Bull. Herb. Boiss. Sér. II.* i. 326.—Bras.  
 Deplanchei, *Beauvis. Gen. Montrouz.* 55 (= *Douarrea alba*).—N. Caled.  
 semperflorens, *Beauvis. l. c.* 54 (= *Psychotria semperflorens*).—N. Caled.

**MARANTA**, Plum. (Scitam.).

- amplifolia, *K. Schum. in Engl. Pflanzenreich, Marant.* 128.—Boliv.  
 Burchellii, *K. Schum. l. c.* 130.—Bras.  
 cyclophylla, *K. Schum. l. c.* 133.—Bras.  
 longipes, *K. Schum. l. c.* 134.—Bras.  
 orbiculata, *K. Schum. l. c.* 133 (= *Ischnosiphon orbiculatus*).—Bras.  
 pleiostachys, *K. Schum. l. c.* 134.—Bras.  
 pluriflora, *K. Schum. l. c.* 135 (= *Saranthe pluriflora*).—Bras.  
 pycnostachys, *K. Schum. l. c.* 134.—Bras.

**MARATHRUM**, Humb. & Bonpl. (Podostem.).

- modestum, *Nash, in N. Am. Fl.* xxii. 4.—Am. cent.

**MAREYA**, Baill. (Euphorb.).

- longifolia, *Pax, in Engl. Jahrb.* xxxiii. 283.—Afr. trop.

**MARGARETTA**, Oliver (Asclep.).

- Verdickii, *Wildem. in Ann. Mus. Congo, Sér. V.* i. 133.—Afr. trop.

**MARICA**, Ker-Gawl. (Irid.).

- Helenae, *Worsley, in Journ. Hort. Soc. Lond.* xxviii. 530.—Bras.

**MARISCUS**, Gaertn. (Cyperac.).

- albopilosus, *C. B. Clarke, in Dyer, Fl. Trop. Afr.* viii. 394.—Afr. trop.  
 alpestris, *C. B. Clarke, l. c.* 401 (= *Cyperus alpestris*).—Afr. trop.  
 Balansai, *C. B. Clarke, in Bull. Herb. Boiss. Sér. II.* iii. 1011 (= *Cyperus Balansai*).—Am. austr.  
 chrysoccephalus, *K. Schum. in Warb. Kunene-Sambesi Exped.* 178.—Afr. trop.  
 Conceptionis, *C. B. Clarke, in Engl. Jahrb.* xxx. Beibl. lxviii. 16.—Chili.  
 firmipes, *C. B. Clarke, in Dyer, Fl. Trop. Afr.* viii. 382.—Afr. trop.  
 Hassleri, *C. B. Clarke, in Bull. Herb. Boiss. Sér. II.* iii. 1011.—Parag.  
 inflatus, *C. B. Clarke, in Dyer, Fl. Trop. Afr.* viii. 384.—Afr. trop.  
 Kerstenii, *C. B. Clarke, l. c.* 392 (= *Cyperus Kerstenii*).—Afr. trop.  
 oblonginax, *C. B. Clarke, l. c.* 526.—Afr. trop.  
 Phillipsiae, *C. B. Clarke, l. c.* 391.—Afr. trop.  
 Rohlfii, *C. B. Clarke, l. c.* 394 (= *Cyperus Rohlfii*).—Afr. trop.

**MARISCUS** :—

- Schweinfurthii, *Chiov. in Ann. Ist. Bot. Roma*, viii. (1903) 78.—Afr. or. trop.  
 setigulum, *C. B. Clarke, in Bull. Herb. Boiss. Sér. II.* iii. 1011.—Bras.

**MARKEA**, Rich. (Solan.).

- formicarum, *Damm. in Engl. Jahrb.* xxxvii. 170.—Reg. Amaz.  
 leucantha, *Donn. Sm. in Coult. Bot. Gaz.* xxxi. 116.—Am. cent.

**MARKHAMIA**, Seem. (Bignon.).

- [DOLICHANDRONE, Fenzl. I. K.]  
 Hildebrandtii, *Sprague, in Hook. Ic. Pl.* t. 2800 (= *Dolichandrone Hildebrandtii*).—Afr. trop.  
 paucifoliata, *Wildem. in Ann. Mus. Congo, Sér. IV.* 131.—Afr. trop.  
 platycalyx, *Sprague, in Hook. Ic. Pl.* t. 2800 (= *Dolichandrone platycalyx*).—Afr. trop.  
 Verdickii, *Wildem. in Ann. Mus. Congo, Sér. IV.* 132.—Afr. trop.

**MARRUBIUM**, Tourn. (Labiata.).

- montenegrinum, *Sagorski, in Oesterr. Bot. Zeitschr.* 1905, 27.—Hybr.

**MARSDENIA**, R. Br. (Asclep.).

- brachystephana, *Schlechter, in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 367.—N. Guin.  
 cynanchoides, *Schlechter, in Engl. Jahrb.* xxxviii. 53.—Afr. trop.  
 elephantina, *Schlechter, in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 367.—N. Guin.  
 guaranitica, *Malmé, in Bih. Svenska Vet. Akad. Handl.* xxvii. no. 8, 35.—Parag.  
 Hassleriana, *Malmé, ex Chod. & Hassl. in Bull. Herb. Boiss. Sér. II.* iii. (1903) 241.—Parag.  
 Imthurnii, *Hemsl. in Bot. Mag.* t. 7953.—Guiana.  
 lanceolata, *Cooke, Fl. Bombay*, ii. 167.—Ind. or.  
 laxiflora, *Donn. Sm. in Coult. Bot. Gaz.* xl. 7.—Am. cent.  
 oculata, *Schlechter, in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 368.—N. Guin.  
 oligantha, *K. Schum. ex Pilg. in Verh. Bot. Ver. Brand.* xlvii. (1905) 189.—Peruv.  
 pergulariiformis, *Schlechter, in Perkins, Frag. Fl. Philipp.* i. 132.—Ins. Philipp.  
 philippinensis, *Schlechter, l. c.* 133.—Ins. Philipp.  
 rubicunda, *N. E. Br. in Dyer, Fl. Trop. Afr.* iv. i. 421 (= *Dregea rubicunda*).—Afr. trop.  
 spissa, *S. Moore, in Journ. Bot.* 1901, 260.—Afr. trop.  
 stelostigma, *K. Schum. in Engl. Jahrb.* xxxiii. 330.—Afr. trop.  
 volubilis, *Cooke, Fl. Bombay*, ii. 166 (= *Dregea volubilis*).—Ind. or.; Java.  
 Warburgii, *Schlechter, in Perkins, Frag. Fl. Philipp.* i. 133.—Ins. Philipp.

**MARSEA**, Adans. = **Conyza**, Linn. (Compos.).

- boranensis, *S. Moore, in Journ. Linn. Soc.* xxxv. 328.—Afr. trop.  
 capillipes, *S. Moore, in Journ. Bot.* 1904, 37 = C. capillipes.  
 celebris, *S. Moore, in Journ. Linn. Soc.* xxxv. 329.—Afr. trop.  
 ruwenzoriensis, *S. Moore, l. c.* 327.—Afr. trop.  
 Volkensii, *S. Moore, in Journ. Bot.* 1903, 156 = C. Volkensii.

**MARSHALLIA**, Schreb. (Compos.).

- grandiflora, *Beadle & Boynt. in Biltm. Bot. Stud.* i. 7.—Am. bor.  
 Mohri, *Beadle & Boynt. l. c.* 8.—Am. bor.  
 obovata, *Beadle & Boynt. l. c.* 5 (= *Athanasia obovata*).—Am. bor.  
 ramosa, *Beadle & Boynt. l. c.* 8.—Am. bor.  
 Williamsonii, *Small, Fl. S. E. U. S.* 1284.—Am. bor.

**MARSIPPOSPERMUM**, Desv. = **Rostkovia**, Desv. (Juncac.).

- Reichei, *Buchenau, in Ber. Deutsch. Bot. Ges.* xix. 160.—Patag.

**MARTHELLA**, Urb. Symb. Antill. iii. 440 (1903).

- BURMANNIACEAE**.  
 Trinitatis, *Urb. l. c.* 448 (= *Gymnosiphon Trinitatis*).—Ins. Trinit.

**MARTINELLA**, Léveillé, in Bull. Soc. Bot. Fr. li. (1904) 290 (non Baill.). *CRUCIFERAE*.  
*violaeifolia*, Léveillé, l. c. 32.—China.

**MARTINEZIA**, Ruiz & Pav. (Palm.).  
*abrupta*, Ruiz & Pav. *Prod.* 148.—Peruv.

**MARTINIA**, Vaniot, in Bull. Acad. Geogr. Bot. xii. (1903) 81. *COMPOSITAE*.  
*polymorpha*, Vaniot, l. c. 32.—China.

**MASCAGNIA**, Bert. (Malpigh.).

[*HIRAEA*, Jacq. I. K.]  
*Buchii*, Urb. & Niedenzu, in Urb. *Symb. Antill.* ii. 452.—Ind. occ.  
*parahybensis*, Glas. in Bull. Soc. Bot. Fr. lii. Mém. III. 77, nomen.—Bras.

**MASCARENHASIA**, A. DC. (Apocyn.).  
*longifolia*, Jumelle, in Rev. Gen. Bot. xiii. 360; *Pl. Caoutch. Gutta*, 374.—Madag.  
*maroana*, Aug. DC. in Bull. Herb. Boiss. Sér. II. i. 580.—Madag.

**MASDEVALLIA**, Ruiz & Pav. (Orchid.).  
*burfordensis*, O'Brien, in Gard. Chron. 1890, II. 346.—Hab. ?  
*paulensis*, Barb. Rodr. in Contrib. Jard. Bot. Rio de Janeiro, i. 51.—Bras.  
*perpusilla*, Kraenzl. in Fedde, Repert. Nov. Sp. i. 179.—Peruv.  
*venosa*, Rolfe, in Kew Bull. 1901, 146.—N. Granat.  
*zebrina*, Porsch, in Oesterr. Bot. Zeitschr. 1905, 154.—Bras.

**MASTIXIA**, Blume (Cornac.).  
*Clarkeana*, King, in Journ. As. Soc. Beng. lxxi. 75.—Penins. Mal.  
*gracilis*, King, l. c. 74.—Penins. Mal.  
*Scortechinii*, King, l. c. 73.—Penins. Mal.

**MATAYBA**, Aubl. (Sapind.).  
[*RATONIA*, DC. I. K.]  
*clavelligera*, Radlk. in Coult. Bot. Gaz. xxxiii. 250.—Am. cent.

**MATISIA**, Humb. & Bonpl. (Malv.).  
*Dowdingii*, Sprague, in Trans. Proc. Bot. Soc. Edinb. xxii. 428.—N. Granat.  
*paraensis*, Huber, in Bol. Mus. Para. iii. 430.—Bras.  
*Riedeliana*, Glas. in Bull. Soc. Bot. Fr. lii. Mém. III. 52, nomen.—Bras.

**MATRICARIA**, Tourn. (Compos.).  
*hirsutifolia*, S. Moore, in Bull. Herb. Boiss. Sér. II. iv. 1019.—Afr. trop.  
*sabulosa*, Dod, in Journ. Bot. 1901, 399.—Afr. austr.

**MATTHAEA**, Blume (Monim.).  
*chartacea*, Merrill, in Philipp. Gov. Lab. Bur. Bull. xxxv. 14.—Ins. Philipp.

**MATTHIOLA**, R. Br. (Crucif.).  
*Erlangeriana*, Engl. Jahrb. xxxii. 100.—Afr. trop.  
*Rivae*, Engl. in Ann. Ist. Bot. Roma, ix. 249.—Afr. trop.

**MAXILLARIA**, Ruiz & Pav. (Orchid.).  
*Connellii*, Rolfe, in Trans. Linn. Soc. Ser. II. vi. 63.—Guiana.  
*divaricata*, Cogn. in Mart. Fl. Bras. iii. vi. 49 (= *Ornithidium divaricatum*).—Bras.  
*longifolia*, Cogn. l. c. 33 (= *Dicrypta longifolia*).—Bras.  
*minuta*, Cogn. l. c. 68.—Bras.  
*nardoides*, Kraenzl. in Fedde, Repert. Nov. Sp. i. 90.—Peruv.  
*parahybunensis*, Cogn. in Mart. Fl. Bras. iii. vi. 64.—Bras.  
*Quelchii*, Rolfe, in Trans. Linn. Soc. Ser. II. vi. 64.—Guiana.  
*Regeliana*, Cogn. in Mart. Fl. Bras. iii. vi. 47.—Bras.  
*Rodriguesii*, Cogn. l. c. 24.—Bras.  
*Tuerckheimii*, Schlechter, in Donn. Sm. Enum. Pl. Guatem. vii. 43, nomen.—Am. cent.  
*villosa*, Cogn. in Mart. Fl. Bras. iii. vi. 34 (= *Dicrypta villosa*).—Bras.

**MAYACA**, Aubl. (Mayac.).  
*Baumii*, Guérke, in Engl. Jahrb. xxxi. Beibl. lxix. 1.—Afr. trop.

**MAYEPEA**, Aubl. = *Linociera*, Sw. (Oleac.).  
*coriacea*, Merrill, in Philipp. Gov. Lab. Bur. Bull. vi. 11 = *L. coriacea*.

*Cumingiana*, Merrill, l. c. = *L. Cumingiana*.  
*Hassleriana*, Chod. in Bull. Herb. Boiss. Sér. II. iii. 914.—Parag.  
*pallida*, Merrill, in Philipp. Gov. Lab. Bur. Bull. xxxv. 58.—Ins. Philipp.  
*racemosa*, Merrill, l. c.—Ins. Philipp.

**MAYNA**, Aubl. (Bixac.).  
[*ONCOBA*, Forsk. I. K.]  
*micranthera*, Pilg. in Verh. Bot. Ver. Brand. xlvii. (1905) 159.—Reg. Amaz.

**MAYTENUS**, Molina (Celastr.).  
*boarioides*, Loes. in Engl. Jahrb. xxxvi. 381.—Ecuador.  
*brachycarpa*, Urb. *Symb. Antill.* v. 58.—Ind. occ.  
*cassinoides*, Urb. l. c. 67 (= *Rhamnus cassinoides*).—Ind. occ.  
*disticha*, Urb. in Urb. & Graebn. Festschr. Aschers. 58 (= *Myginda disticha*).—Am. austr.  
*domingensis*, Krug. & Urb. in Urb. *Symb. Antill.* v. 56.—Ind. occ.  
*grenadensis*, Urb. l. c. 63.—Ind. occ.  
*Loeseneri*, Urb. l. c. 56.—Ind. occ.  
*manabiensis*, Loes. in Fedde, Repert. Nov. Sp. i. 161.—Ecuador.  
*multiflora*, Loes. in Engl. Jahrb. xxxvi. 380 (= *Haenkea multiflora*).—Ecuador.  
*myrsinoides*, Urb. in Urb. & Graebn. Festschr. Aschers. 58 (= *Myginda myrsinoides*).—Peruv.  
*reflexa*, Urb. *Symb. Antill.* v. 64.—Ind. occ.  
*Reissekii*, Urb. in Urb. & Graebn. Festschr. Aschers. 58.—Guiana.  
*robustoides*, Loes. in Engl. Jahrb. xxxvi. 380.—Ecuador.  
*Sieberiana*, Krug. & Urb. in Urb. *Symb. Antill.* v. 60.—Ind. occ.  
*theoides*, Urb. in Urb. & Graebn. Festschr. Aschers. 58 (= *Myginda theoides*).—Peruv.  
*virens*, Urb. *Symb. Antill.* v. 60.—Ind. occ.

**MAZUS**, Lour. (Scrophul.).  
*Miquelii*, Makino, in Bot. Mag. Tokyo, xvi. 162.—Japan.  
*spicatus*, Vaniot, in Bull. Acad. Géog. Bot. xv. (1905) 85.—China.

**MECARDONIA**, Ruiz & Pav. = *Herpestis*, Gaertn. (Scrophul.).  
*acuminata*, Small, Fl. S. E. U. S. 1065 = *H. nigrescens*.  
*peduncularis*, Small, l. c. = *H. peduncularis*.  
*procumbens*, Small, l. c. = *H. chamaedryoides*.  
*tenuis*, Small, l. c.—Am. bor.  
*viridis*, Small, l. c.—Am. bor.

**MECOMISCHUS**, Coss. (Compos.).  
*halimifolius*, Hochr. in Ann. Conserv. & Jard. Bot. Genève, vii–viii. 221 (= *Anthemis halimifolia*).—Alger.

**MECONELLA**, Nutt. = *Platystigma*, Benth. (Papav.).  
*collina*, Greene, Pittonia, v. 143.—Calif.  
*octandra*, Greene, l. c. 142.—Calif.

**MEDICAGO**, Tourn. (Legum.).  
*glandulosa*, Davidoff, in Oesterr. Bot. Zeitschr. lii. 493.—Eur.  
*lanigera*, Winkl. & B. Fedtsch. in Bull. Jard. Bot. Pétersb. v. 41.—Turkestan.

**MEDINILLA**, Gaudich. (Melast.).  
*amplifolia*, Merrill, in Philipp. Gov. Lab. Bur. Bull. xxix. 37.—Ins. Philipp.  
*auriculata*, Lauterb. in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee, 328.—N. Guin.  
*Copelandii*, Merrill, in Philipp. Gov. Lab. Bur. Bull. xxxv. 52.—Ins. Philipp.  
*cordata*, Merrill, l. c. xxix. 37.—Ins. Philipp.  
*coriacea*, Merrill, l. c. 35.—Ins. Philipp.  
*Elmeri*, Merrill, l. c. 36.—Ins. Philipp.  
*Engleri*, Gilg, in Engl. Jahrb. xxxiv. 99.—Afr. trop.  
*involuta*, Merrill, in Philipp. Gov. Lab. Bur. Bull. xxxv. 51.—Ins. Philipp.  
*megacalyx*, Merrill, l. c. xxix. 36.—Ins. Philipp.  
*mindanaensis*, Merrill, l. c. 34.—Ins. Philipp.  
*multiflora*, Merrill, l. c. 35.—Ins. Philipp.  
*pendula*, Merrill, l. c. 34.—Ins. Philipp.  
*ramiflora*, Merrill, l. c. 35.—Ins. Philipp.  
*verticillata*, Merrill, l. c. 34.—Ins. Philipp.  
*Whitfordi*, Merrill, l. c. 37.—Ins. Philipp.

**MEDIOCALCAR**, J. J. Sm. in Bull. Inst. Buitenz. vii. (1900) 3. *ORCHIDACEAE*.  
bicolor, J. J. Sm. l. c.—Arch. Mal.

**MEGACALINIUM**, Lindl. (Orchid.).  
*Arnoldianum*, Wildem. Enum. Pl. Laurent, 55.—Afr. trop.  
*Buchenavianum*, Kraenzl. in Engl. Jahrb. xxxvi. 115.—Afr. trop.  
*congolense*, Wildem. in Ann. Mus. Congo, Sér. V. i. 21.—Afr. trop.  
*Deistelianum*, Kraenzl. in Engl. Jahrb. xxxiii. 72.—Afr. trop.  
*djumaensis*, Wildem. Notices Pl. Utiles Congo, 124.—Afr. trop.  
*endotrachys*, Kraenzl. in Engl. Jahrb. xxxvi. 115.—Afr. trop.  
*Fuerstenbergianum*, Wildem. in Dict. Ic. Orch. Meg. t. 1.—Hort.  
*Gentilii*, Wildem. in Belgique Coloniale, viii. 426; et in Ann. Mus. Congo, Sér. V. i. 23.—Afr. trop.  
*Gillianum*, Wildem. in Ann. Mus. Congo, Sér. V. i. 22.—Afr. trop.  
*Laurentianum*, Wildem. l. c. (= *Bulbophyllum Laurentianum*).—Afr. trop.  
*minor*, Wildem. Notices Pl. Utiles Congo, 125.—Afr. trop.  
*purpureorachis*, Wildem. l. c. 126.—Afr. trop.

**MEGALODONTA**, Greene, Pittonia, iv. (1901) 271. *COMPOSITAE*.  
*Beckii*, Greene, l. c. (= *Bidens Beckii*).—Am. bor.  
*nudata*, Greene, l. c.—Am. bor.  
*remota*, Greene, l. c. 272.—Am. bor.

**MEIBOMIA**, Moehr. = *Desmodium*, Desv. (Legum.).  
*bracteosa*, Shafer, in Ann. Carneg. Mus. i. 40 = *D. cuspidatum*.  
*Metcalfei*, Rose & Painter, in Coult. Bot. Gaz. xl. 144.—N. Mexic.  
*pallida*, Rose & Painter, l. c. 145.—Mexic.  
*pinetorum*, Rose & Painter, l. c. 144.—Mexic.  
*rubricaulis*, Rose & Painter, l. c. 145.—Mexic.  
*xylopodia*, Rose & Painter, l. c. = *D. xylopodium*.

**MEIOGYNE**, Miq. (Anonac.).  
*stipitata*, Koord. & Valet. in Meded. 'S Lands Plantent. lxi. 305 (= *Uvaria montana*).—Java.

**MEIRACYLLIUM**, Reichb. f. (Orchid.).  
*Wettsteinii*, Porsch, in Oesterr. Bot. Zeitschr. 1905, 160.—Bras.

**MELALEUCA**, Linn. (Myrtac.).  
*cliffortioides*, Diels, in Engl. Jahrb. xxxv. 427.—Austral.  
*depressa*, Diels, l. c. 428.—Austral.  
*platycalyx*, Diels, l. c. 426.—Austral.  
*psammophila*, Diels, l. c. 429.—Austral.  
*sclerophylla*, Diels, l. c. 428.—Austral.  
*Sheathiana*, Fitzg. in Journ. Muell. Soc. W. Austral. Ser. I. ix. 16.—Austral.  
*spicigera*, S. Moore, in Journ. Bot. 1902, 25.—Austral.

**MELAMPEDIUM**, Linn. (Compos.).  
*appendiculatum*, Robinson, in Proc. Amer. Acad. xxxvi. 457.—Mexic.  
*arenicola*, Robinson, l. c.—Mexic.  
*arvense*, Robinson, l. c. 464.—Mexic.  
*canescens*, T. S. Brandegee, in Zoe, v. 222 (1905).—Mexic.  
*geminatum*, T. S. Brandegee, l. c. 223.—Mexic.  
*longipes*, Robinson, in Proc. Amer. Acad. xxxvi. 459.—Mexic.  
*mimulifolium*, Robinson, l. c. 462.—Mexic.  
*Nelsonii*, Greenm. in Proc. Amer. Acad. xli. 260.—Mexic.  
*Pringlei*, Robinson, in Proc. Amer. Acad. xxxvi. 461.—Mexic.  
*Rosei*, Robinson, l. c.—Mexic.

**MELANDRIUM**, Roehl. (Caryophyll.).  
[*LYCHNIS*, Linn. I. K.]  
*chubutense*, Speg. in Anal. Mus. Buenos Aires, vii. 240 (= *Lychnis chubutensis*).—Patag.  
*patagonicum*, Speg. l. c.—Patag.

**MELANOSCIADUM**, Boisseu, in Bull. Herb. Boiss. Sér. II. ii. (1902) 803. *UMBELLIFERAE*.  
*pimpinelloideum*, Boisseu, l. c. 804.—China.

**MELANTHERA**, Rohr (Compos.).

- acuminata, *S. Moore*, in *Journ. Linn. Soc.* xxxv. 344.—Afr. trop.  
 Baumii, *O. Hoffm.* in *Warb. Kunene-Sambesi Exped.* 418.—Afr. trop.  
 Buchii, *Urb. Symb. Antill.* iii. 411.—Ind. occ.  
 Carpentieri, *Small, Fl. S. E. U. S.* 1251.—Am. bor.  
 ligulata, *Small, in Bull. N. York Bot. Gard.* iii. 439.—Am. bor.  
 lobata, *Small, Fl. S. E. U. S.* 1251.—Am. bor.  
 nivea, *Small, l. c.* (= *Bidens nivea*).—Am. bor.  
 parvifolia, *Small, l. c.*—Am. bor.  
 Schinziana, *S. Moore*, in *Bull. Herb. Boiss. Sér. II.* iv. 1018.—Afr. trop.

**MELASMA**, Berg (Scrophul.).

- barbatum, *Hiern*, in *Dyer, Fl. Cap.* iv. II. 374.—Afr. austr.  
 brasiliense, *Chod. & Hassl.* in *Bull. Herb. Boiss. Sér. II.* iv. 291 (= *Alectra brasiliensis*).—Parag.  
 capense, *Hiern*, in *Dyer, Fl. Cap.* iv. II. 373 (= *Alectra capensis*).—Afr. austr.  
 luridum, *Hiern, l. c.* 376 (= *Alectra lurida*).—Afr. austr.  
 natalense, *Hiern, l. c.* 377.—Afr. austr.

**MELASTOMA**, Burm. (Melast.).

- fuscum, *Merrill*, in *Philipp. Gov. Lab. Bur. Bull.* xvii. 39.—Ins. Philipp.  
 Harmsianum, *Lauterb. in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 328.—N. Guin.  
 parvifolium, *Merrill*, in *Philipp. Gov. Lab. Bur. Bull.* xxix. 32.—Ins. Philipp.  
 Toppingii, *Merrill, l. c.* xvii. 38.—Ins. Philipp.

**MELHANIA**, Forsk. (Stercul.).

- albicans, *Baker f.* in *Journ. Bot.* 1901, 123.—Afr. austr.  
 amboensis, *Schinz*, in *Bull. Herb. Boiss. Sér. II.* ii. 1009.—Afr. trop.  
 apiculata, *Baker f.* in *Journ. Bot.* 1901, 123.—Madag.  
 Kellers, *Schinz*, in *Bull. Herb. Boiss. Sér. II.* ii. 1008.—Afr. trop.  
 rupestris, *Schinz, l. c.*—Afr. trop.  
 serrata, *Schinz, l. c.* 1007.—Afr. trop.  
 Taylori, *Baker f.* in *Journ. Bot.* 1901, 123.—Afr. trop.

**MELICA**, Linn. (Gramin.).

- argyrea, *Hack. ex Stuck.* in *Anal. Mus. Buenos Aires*, xi. 134.—Reg. Argent.  
 Benedictoi, *Pau, ex Zapater*, in *Mem. Soc. Esp. Hist. Nat.* ii. 336, nomen.—Hispan.  
 cepacea, *Scribn.* in *U. S. Dept. Agric. Circ. Agrost.* xxx. 8 (= *Festuca cepacea*).—Chili.  
 Montezumae, *Piper*, in *Proc. Biol. Soc. Washington*, xviii. 144.—Mexic.  
 nitens, *Nutt. ex Piper*, in *Bull. Torr. Bot. Club*, 1905, 387.—Am. bor.  
 pyrifera, *Hack.* in *Oesterr. Bot. Zeitschr.* lii. 307.—Peruv.  
 Stuckertii, *Hack. ex Stuck.* in *Anal. Mus. Buenos Aires*, xi. 135.—Reg. Argent.

**MELICOPE**, Forst. (Rutac.).

- luzonensis, *Engl. in Perkins, Frag. Fl. Philipp.* 161, descr.—Ins. Philipp.  
 obtusa, *Merrill*, in *Philipp. Gov. Lab. Bur. Bull.* xxxv. 24.—Ins. Philipp.

**MELILOTUS**, Tourn. (Legum.).

- cappadocius, *O. E. Schulz*, in *Engl. Jahrb.* xxix. 699.—Oriens.  
 Kotschyi, *O. E. Schulz, l. c.*—Oriens.  
 Urbanii, *O. E. Schulz, l. c.* 706.—Oriens.

**MELINIA**, Decne (Asclep.).

- mexicana, *T. S. Brandege*, in *Zoe*, v. 216 (1905).—Mexic.

**MELINIS**, Beauv. (Gramin.).

- ambigua, *Hack.* in *Oesterr. Bot. Zeitschr.* 1901, 462.—Afr. trop.  
 Monachme, *Pilger*, in *Engl. Jahrb.* xxxiii. 51 (= *Panicum Monachme*).—Afr. trop.

**MELIOSMA**, Blume (Sabiace.).

- Diepenhorstii, *Valet.* in *Ic. Bogor.* t. 150.—Sumatra.  
 Donnellsmithii, *Urb. in Coult. Bot. Gaz.* xxxvii. 214.—Am. cent.  
 luzonensis, *Merrill*, in *Philipp. Gov. Lab. Bur. Bull.* xxix. 24.—Ins. Philipp.  
 multiflora, *Merrill, l. c.* 25.—Ins. Philipp.

**MELIOSMA** :—

- nervosa, *Koord. & Valet.* in *Meded. 'S Lands Plantent.* lxi. 129.—Java.  
 pedicellata, *Koord. & Valet. l. c.* 134.—Java.  
 pendula, *Merrill*, in *Philipp. Gov. Lab. Bur. Bull.* xxix. 25.—Ins. Philipp.

**MELOCACTUS**, Tourn. (Cact.).

- appropinquatus, *Suring.* in *Verh. Akad. Wet. Amst.* viii. 20.—Am. trop.  
 Bargei, *Suring. l. c.* 9.—Am. trop.  
 Buysianus, *Suring. l. c.* 38.—Am. trop.  
 firmus, *Suring. l. c.* 17.—Am. trop.  
 gilvispinus, *Suring. l. c.* 28.—Am. trop.  
 inversus, *Suring. l. c.* 19.—Am. trop.  
 Negryi, *K. Schum.* in *Monatsschr. Kakt.* xi. 168.—Bras.  
 pinguis, *Suring.* in *Verh. Akad. Wet. Amst.* viii. 11.—Am. trop.

**MELOCHIA**, Dill. (Stercul.).

- arida, *Rose*, in *U. S. Dept. Agric. Contrib. Nat. Herb.* viii. 321.—Mexic.  
 Bernoulliana, *Donn. Sm.* in *Bot. Gaz.* xxxv. (1903) 2.—Am. cent.  
 Hassleriana, *Chod.* in *Bull. Herb. Boiss. Sér. II.* i. 403.—Parag.  
 lacinulata, *K. Schum. & Hassl.* in *Bull. Herb. Boiss. Sér. II.* iv. 69.—Parag.  
 radiata, *Lignier & Bey*, in *Bull. Soc. Linn. Normandie*, Sér. V. viii. 262, nomen.—Bourbon.

**MELODORUM**, Hook. f. & Thoms. (Anonac.).

- Balansae, *Aug. DC.* in *Bull. Herb. Boiss. Sér. II.* iv. 1070.—Tonkin.  
 polyanthoides, *Aug. DC. l. c.*—Tonkin.

**MELOLOBIUM**, Eckl. & Zeyh. (Legum.).

- Burchellii, *N. E. Br.* in *Kew Bull.* 1901, 120.—Afr. trop.

**MELOSMON**, Rafin. = **Teucrium**, Tourn. (Labiata.).

- cubense, *Small, Fl. S. E. U. S.* 1019 = *T. cubense*.  
 laciniatum, *Small, l. c.* = *T. laciniatum*.  
 laevigatum, *Small, l. c.* = *T. laevigatum*.

**MELOTHRIA**, Linn. (Cucurb.).

- Antunesii, *Harms & Gilg*, in *Engl. Jahrb.* xxxiv. 359.—Afr. trop.

**MEMECYLON**, Linn. (Melast.).

- affine, *Merrill*, in *Philipp. Gov. Lab. Bur. Bull.* xxxv. 52.—Ins. Philipp.  
 alatum, *Aug. DC.* in *Bull. Herb. Boiss. Sér. II.* i. 575.—Madag.  
 cyanocarpum, *Gilg*, in *Engl. Jahrb.* xxx. 366.—Afr. trop.  
 eduliforme, *Aug. DC.* in *Bull. Herb. Boiss. Sér. II.* i. 575.—Madag.  
 Engleri, *Gilg*, in *Engl. Jahrb.* xxxiv. 100 (= *Medinilla Engleri*).—Afr. trop.  
 Gilletii, *Wildem.* in *Ann. Mus. Congo*, Sér. V. i. 172.—Afr. trop.  
 microphyllum, *Gilg*, in *Engl. Jahrb.* xxxiv. 101.—Afr. trop.  
 Mocquersii, *Aug. DC.* in *Bull. Herb. Boiss. Sér. II.* i. 575.—Madag.  
 Simii, *Stapf*, in *Journ. Linn. Soc.* xxxvii. 99.—Afr. trop.  
 ternifolium, *Gilg, ex Wildem. & Th. Dur.* in *Ann. Mus. Congo*, Sér. III. i. 94.—Afr. trop.  
 torricellense, *Lauterb. in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 329.—N. Guin.

**MEMORA**, Miers (Bignon.).

- [ADENOCALYMNA, Mart. I. K.]  
 campicola, *Pilg.* in *Engl. Jahrb.* xxx. 195.—Bras.

**MENADENIUM**, Rafin. (Orchid.).

- [ZYGOPETALUM, Hook. I. K.]  
 Kegelii, *Cogn.* in *Mart. Fl. Bras.* III. v. 584 (= *Zygopetalum Kegelii*).—Guiana.  
 labiosum, *Cogn. l. c.* 582 (= *Epidendrum labiosum*).—Bras.  
 Lindeniae, *Cogn. l. c.* 584 (= *Zygopetalum Lindeniae*).—Venez.

**MENDONCIA**, Vell. (Acanth.).

- tarapotana, *Lindau*, in *Bull. Herb. Boiss. Sér. II.* iv. 313.—Peruv.

**MENODORA**, Humb. & Bonpl. (Oleac.).

- Hassleriana, *Chod.* in *Bull. Herb. Boiss. Sér. II.* iii. 915.—Parag.

**MENONVILLEA**, R. Br. (Crucif.).

- patagonica, *Speg.* in *Anal. Mus. Buenos Aires*, vii. 229.—Patag.

**MENTHA**, Tourn. (Labiata.).

- amphioxya, *Borb.* in *Magyar Bot. Lap.* iv. 51.—Hybr.  
 Brassaiana, *Borb. l. c.* 54.—Hybr.  
 bulgarica, *Borb. l. c.* 53.—Hybr.  
 lptoviensis, *Borb. l. c.* 54.—Hybr.  
 moesiaca, *Borb. l. c.*—Eur.  
 perarguta, *Borb. l. c.* 51.—Hybr.  
 subcordifrons, *Borb. l. c.* 53.—Hybr.  
 vaginalis, *Borb. l. c.* 54.—Hybr.

**MENTZELIA**, Plum. (Loasac.).

- ctenophora, *Rydb.* in *Bull. Torr. Bot. Club*, 1901, 33.—Am. bor.  
 fragilis, *Huber*, in *Bull. Herb. Boiss. Sér. II.* i. 314.—Bras.  
 pinetorum, *A. A. Heller*, in *Bull. S. Calif. Acad.* ii. 69.—Calif.  
 speciosa, *Oesterh.* in *Bull. Torr. Bot. Club*, 1901, 689.—Am. bor.

**MERENDERA**, Ram. (Liliac.).

- verna, *Bub. Fl. Pyren.* iv. 137 = *Bulbocodium ruthenicum*.

**MERIANIA**, Sw. (Melast.).

- hexamera, *Sprague*, in *Trans. Proc. Bot. Soc. Edinb.* xxii. 431.—N. Granat.

**MERIDIANA**, Hill = **Gazania**, Gaertn. (Compos.).

- namaensis, *S. Moore*, in *Bull. Herb. Boiss. Sér. II.* iv. 1023.—Afr. trop.

**MERIOLIX**, Rafin. = **Oenothera**, Linn. (Onagr.).

- capillifolia, *Small, Fl. S. E. U. S.* 846 = *Oenothera capillifolia*.  
 Drummondiana, *Small, l. c.* (= *Calylophis Drummondiana*).—Am. bor.  
 Hillii, *Small, l. c.*—Am. bor.  
 intermedia, *Rydb.* in *Small, Fl. S. E. U. S.* 846.—Am. bor.  
 melanoglottis, *Rydb. l. c.*—Am. bor.

**MERREMIA**, Dennst. (Convolv.).

- [CONVOLVULUS, Tourn. I. K.]  
 alata, *Rendle*, in *Dyer, Fl. Trop. Afr.* iv. II. 102.—Afr. trop.  
 Bowieana, *Rendle*, in *Journ. Bot.* 1901, 63.—Afr. austr.  
 crispatula, *Prairie, Bengal Pl.* 730.—Ind. or.  
 kentrocaulos, *Rendle*, in *Dyer, Fl. Trop. Afr.* iv. II. 103 (= *Operculina kentrocaulos*).—Afr. trop.  
 malvaefolia, *Rendle*, in *Journ. Bot.* 1901, 63.—Afr. austr.  
 tuberosa, *Rendle*, in *Dyer, Fl. Trop. Afr.* iv. II. 104 (= *Operculina tuberosa*).—Afr. trop.  
 Turpethum, *Rendle, l. c.* 102 (= *Ipomoea Turpethum*).—Geront. trop.  
 verucunda, *Rendle, l. c.* 110.—Afr. trop. et austr.

**MERTENSIA**, Roth (Borag.).

- alaskana, *Britton*, in *Bull. N. York Bot. Gard.* ii. 181 (1901).—Am. bor.  
 alaskana, *Eastw.* in *Coult. Bot. Gaz.* xxxiii. (1902) 287.—Am. bor.  
 alba, *Rydb.* in *Bull. Torr. Bot. Club*, 1904, 638.—Am. bor.  
 caelestina, *Nelson & Cockerell*, in *Proc. Biol. Soc. Washington*, xvi. 46.—Am. bor.  
 canescens, *Rydb.* in *Bull. Torr. Bot. Club*, 1904, 640.—Am. bor.  
 congesta, *Greene, Pl. Baker.* iii. 17.—Am. bor.  
 coriacea, *A. Nelson*, in *Bull. Torr. Bot. Club*, 1902, 403.—Am. bor.  
 coronata, *A. Nelson, l. c.*—Am. bor.  
 Cusickii, *Piper*, in *Bull. Torr. Bot. Club*, 1902, 643.—Am. bor.  
 cynoglossoides, *Greene, Pl. Baker.* iii. 19.—Am. bor.  
 lateriflora, *Greene, l. c.* 18.—Am. bor.  
 lineariloba, *Rydb.* in *Bull. Torr. Bot. Club*, 1901, 32.—Am. bor.  
 membranacea, *Rydb. l. c.* 33.—Am. bor.  
 mrriculata, *Greene, Pl. Baker.* iii. 19.—Am. bor.

**MERTENSIA** :—

- nevadensis, A. Nelson, in *Proc. Biol. Soc. Washington*, xvii. 96.—Am. bor.  
 nutans, Howell, *Fl. N. W. Am.* i. 491.—Am. bor.  
 obtusiloba, Rydb. in *Bull. Torr. Bot. Club*, 1901, 32.—Am. bor.  
 ovata, Rydb. l. c.—Am. bor.  
 Parryi, Rydb. l. c. 1904, 639.—Am. bor.  
 perplexa, Rydb. l. c.—Am. bor.  
 picta, Rydb. l. c. 638.—Am. bor.  
 stenoloba, Greene, *Pl. Baker.* iii. 20.—Am. bor.  
 subpubescens, Rydb. in *Bull. Torr. Bot. Club*, 1903, 261.—Am. bor.  
 symphytoides, Greene, *Pl. Baker.* iii. 20.—Am. bor.  
 viridula, Rydb. in *Bull. Torr. Bot. Club*, 1904, 639.—Am. bor.

**MERYTA**, Forst. (Aral.).

- pauciflora, Hemsl. ex Cheesem. in *Trans. Linn. Soc. Ser. II.* vi. 282.—Ins. Cook.  
 Senftiana, Volk. in *Engl. Jahrb.* xxxi. 471.—Ins. Carol.

**MESADENIA**, Rafin. = **Senecio**, Tourn. (Compos.).

- difformis*, Small, Fl. S. E. U. S. 1301.—Am. bor.  
*Elliotii*, Harper, in Torrey, v. 184.—Am. bor.  
*maxima*, Harper, in Small, Fl. S. E. U. S. 1301.—Am. bor.  
*similis*, Small, l. c.—Am. bor.  
*sulcata*, Small, l. c. (= *Cacalia sulcata*).—Am. bor.  
*tuberosa*, Britton, in Britton & Br. Fl. N. U. S. iii. 474 (= *Cacalia tuberosa*).—Am. bor.

**MESEMBRYANTHEMUM**, Dill. (Ficoid.).

- Mahoni, N. E. Br. in *Gard. Chron.* 1902, ii. 190.—Afr. austr.  
 mirabile, N. E. Br. l. c. 1903, ii. 131.—Hab. ?  
 racemosum, N. E. Br. l. c. 1902, ii. 350.—Afr. austr.

**MESOREANTHUS**, Greene, Leaflets Bot. Obs. i.

- (1904) 89. **CRUCIFERAE**.  
*barbiger*, Greene, l. c. (= *Streptanthus barbiger*).—Calif.  
*fallax*, Greene, l. c. 90.—Calif.  
*vimineus*, Greene, l. c.—Calif.

**MESOSPHAERUM**, P. Br. = **Hyptis**, Jacq. (Labiata.).

- Lindmanianum*, Briq. in *Arkiv Bot. Stockh.* ii. no. 10, 4 = H. Lindmaniana.

**MESPILUS**, Tourn. (Rosac.).

- [PYRUS, Tourn. I. K.]  
*chlorosarca*, Matsum. *Enum. Sci. Names* (1895), 187 (= *Crataegus chlorosarca*).—Japon.  
*cuneata*, Matsum. l. c. (= *Crataegus cuneatus*).—Japon.  
*sanguinea*, Matsum. l. c. (= *Crataegus sanguineus*).—Japon.

**METAPLEXIS**, R. Br. (Asclep.).

- japonica*, Makino, in *Bot. Mag. Tokyo*, xvii. 87 (= *Pergularia japonica*).—Japon.

**METASTELMA**, R. Br. (Asclep.).

- barbatum*, Northrop, in *Mem. Torr. Bot. Club*, xii. 58.—Ins. Baham.  
*cuneatum*, T. S. Brandegee, in *Zoe*, v. 216 (1905).—Mexic.  
*longisepalum*, Hua, in *Bull. Herb. Boiss. Sér. II.* v. 97.—Bras.

**METOPIMUM**, P. Br. = **Rhus**, Tourn. (Anacard.).

- Metopium*, Small, Fl. S. E. U. S. 726 = R. Metopium.

**METRODOREA**, A. St. Hil. (Rutac.).

- [ESENBECKIA, Kunth. I. K.]  
*gracilis*, K. Schum. in *Engl. Jahrb.* xxx. Beibl. lxvii. 30.—Bras.

**METROSIDEROS**, Banks (Myrtac.).

- elegans*, Beauvis. *Gen. Montrouz.* 39 (= *Ballardia elegans*).—N. Caled.  
*tremuloides*, Knuth, *Handb. Blütenb.* iii. 532 (= *Nania tremuloides*).—Ins. Sandw.

**MEYERA**, Adans. = **Holostium**, Dill. (Caryophyll.).

- umbellata*, Bub. Fl. Pyren. iii. 32 = H. umbellatum.

**MEZIELLA**, Schindl. in *Engl. Jahrb.* xxxiv. Beibl.

- lxxvii. (1904) 14; et in *Engl. Pflanzenreich*, Halorrh. 60 (1905). **HALORRHAGIDACEAE**.  
*trifida*, Schindl. in *Engl. Pflanzenreich*, Halorrh. 61 (= *Goniocarpus trifidus*).—Austral.

**MEZONEURUM**, Desf. (Legum.).

- rubrum*, Merrill, in *Philipp. Gov. Lab. Bur. Bull.* vi. 7.—Ins. Philipp.

**MICHELIA**, Linn. (Magnol.).

- parviflora*, Merrill, in *Philipp. Gov. Lab. Bur. Bull.* xxxv. 70.—Ins. Philipp.

**MICONIA**, Ruiz & Pav. (Melast.).

- acutipetala*, Sprague, in *Trans. Proc. Bot. Soc. Edinb.* xxii. 432.—N. Granat.  
*consimilis*, Pilg. in *Verh. Bot. Ver. Brand.* xvii. (1905) 170.—Peruv.  
*hondurensis*, Donn. Sm. in *Coult. Bot. Gaz.* xl. 3.—Am. cent.  
*inamoena*, Pilg. in *Verh. Bot. Ver. Brand.* xvii. (1905) 171.—Peruv.  
*involucrata*, Donn. Sm. in *Coult. Bot. Gaz.* xxxvii. 209.—Am. cent.  
*juruenis*, Pilg. in *Verh. Bot. Ver. Brand.* xvii. (1905) 172.—Reg. Amaz.  
*loretensis*, Pilg. l. c.—Peruv.  
*micrantha*, Pilg. l. c. 173.—Reg. Amaz.  
*oinochrophylla*, Donn. Sm. in *Coult. Bot. Gaz.* xl. 4.—Am. cent.  
*paraguayensis*, Cogn. in *Bull. Herb. Boiss. Sér. II.* iv. 1278.—Parag.  
*perplexans*, Sprague, in *Trans. Proc. Bot. Soc. Edinb.* xxii. 432.—N. Granat.  
*phanerostila*, Pilg. in *Verh. Bot. Ver. Brand.* xvii. (1905) 173.—Reg. Amaz.  
*retusa*, Pilg. l. c. 174.—Peruv.  
*Robinsoniana*, Cogn. in *Proc. Amer. Acad.* xxxviii. 183.—Ins. Galap.  
*saxicola*, T. S. Brandegee, in *Zoe*, v. 215 (1905).—Mexic.  
*subsimplex*, Pilg. in *Verh. Bot. Ver. Brand.* xvii. (1905) 174.—Reg. Amaz.  
*symplectocaulos*, Pilg. l. c. 175.—Reg. Amaz.  
*Theresiae*, Cogn. in *Beih. Bot. Centralbl.* xiii. 80.—Ecuador.

**MICRANDRA**, Benth. (Euphorb.).

- heterophylla*, Poisson, in *Bull. Mus. Hist. Nat. Par.* viii. (1902) 561.—Venez.

**MICRANTHES**, Haw. = **Saxifraga**, Tourn. (Saxifr.).

- aequidentata*, Small, in N. Am. Fl. xxii. 145.—Am. bor.  
*aestivalis*, Small, l. c. 147 = S. aestivalis.  
*Allenii*, Small, l. c. 144.—Am. bor.  
*apetala*, Small, l. c. 135 = S. apetala.  
*aprica*, Small, l. c. = S. aprica.  
*arguta*, Small, l. c. 147 = S. arguta.  
*arnoglossa*, Small, l. c. 138.—Am. bor.  
*bidens*, Small, l. c. 137.—Am. bor.  
*brachypus*, Small, l. c. 139.—Am. bor.  
*californica*, Small, l. c. 140 = S. californica, Greene.  
*Careyana*, Small, Fl. S. E. U. S. 501 = S. Careyana.  
*caroliniana*, Small, in N. Am. Fl. xxii. 146 = S. caroliniana.  
*claytoniaefolia*, Small, l. c. 141 = S. claytoniaefolia.  
*columbiana*, Small, l. c. 135 = S. columbiana.  
*crenatifolia*, Small, l. c. 134.—Am. bor.  
*daurica*, Small, l. c. 143 = S. daurica.  
*eriphora*, Small, l. c. 142 = S. eriphora.  
*fallax*, Small, l. c. 141 = S. fallax.  
*flabellifolia*, Small, l. c. 143 = S. flabellifolia.  
*fragosa*, Small, l. c. 137 = S. fragosa.  
*franciscana*, Small, l. c. 144.—Am. bor.  
*galacifolia*, Small, l. c. 147 = S. galacifolia.  
*Geum*, Small, l. c. 148 = S. Geum.  
*Grayana*, Small, Fl. S. E. U. S. 501 = S. Grayana.  
*Greenei*, Small, in N. Am. Fl. xxii. 137 = S. Greenei.  
*Howellii*, Small, l. c. 140 = S. Howellii.  
*integrifolia*, Small, l. c. 137 = S. integrifolia.  
*Kumlienii*, Small, l. c. 144.—Am. arct.  
*lata*, Small, l. c. 145.—Am. bor.  
*Lyallii*, Small, l. c. 143 = S. Lyallii.  
*Marshallii*, Small, l. c. 145 = S. Marshallii.  
*micranthidifolia*, Small, Fl. S. E. U. S. 501 (= *Robertsonia micranthidifolia*).—Am. bor.  
*montana*, Small, in N. Am. Fl. xxii. 138.—Calif.  
*montanensis*, Small, l. c. 139 = S. montanensis.  
*napensis*, Small, l. c. 140 = S. napensis.  
*Nelsoniana*, Small, l. c. 147 = S. Nelsoniana.  
*nidifica*, Small, l. c. 134 = S. nidifica.  
*nivalis*, Small, l. c. 136 = S. nivalis.  
*occidentalis*, Small, l. c. 144 = S. occidentalis.

**MICRANTHES** :—

- oregana*, Small, in N. Am. Fl. xxii. 138 = S. oregana.  
*parvifolia*, Small, l. c. 141 = S. parvifolia.  
*plantaginea*, Small, l. c. 135 = S. plantaginea.  
*reflexa*, Small, l. c. 146 = S. reflexa.  
*rhomboidea*, Small, l. c. 136 = S. rhomboidea.  
*rufidula*, Small, l. c. 140.—Am. bor.  
*Rydbergii*, Small, l. c. 134 = S. Rydbergii.  
*saximontana*, Small, l. c. 145 = S. saximontana.  
*Sierrae*, A. A. Heller, *Muhlenbergia*, ii. 52 = S. Sierrae.  
*spicata*, Small, in N. Am. Fl. xxii. 146 = S. spicata.  
*subapetala*, Small, l. c. 139 = S. subapetala.  
*tennesseensis*, Small, Fl. S. E. U. S. 501 = S. tennesseensis.  
*tenuis*, Small, in N. Am. Fl. xxii. 136.—Reg. arct.  
*texana*, Small, Fl. S. E. U. S. 501 = S. texana.  
*virginiensis*, Small, l. c. = S. virginiensis.  
*yukonensis*, Small, in N. Am. Fl. xxii. 145.—Am. bor.

**MICRECHITES**, Miq. (Apocyn.).

- Baillon, *Pierre*, in *Rev. Cult. Colon.* xi. 229, nomen.—Cochinch.  
*napeensis*, Quint. in *Rev. Indo-Chin.* 1902, 413; et in *Compt. Rend. Acad. Sci. Par.* cxxxiv. 438.—Cochinch.  
*novo-guineensis*, K. Schum. in K. Schum. & Lauterbach, *Fl. Deutsch. Südsee*, 350.—N. Guin.

**MICROCORYS**, R. Br. (Labiata.).

- Dielsii*, Hemsl. in *Hook. Ic. Pl.* t. 2783.—Austral.

**MICROGLOSSA**, DC. (Compos.).

- Elliotii*, S. Moore, in *Journ. Linn. Soc.* xxxv. 327.—Afr. trop.  
*salicifolia*, Diels, in *Engl. Jahrb.* xxix. 612.—China.

**MICROLICIA**, D. Don (Melast.).

- albida*, Pilg. in *Engl. Jahrb.* xxxiii. Beibl. lxxii. 16.—Bras.  
*crebropunctata*, Pilg. l. c. 17.—Bras.  
*goyazensis*, Pilg. l. c.—Bras.  
*melanostagma*, Pilg. l. c. 18.—Bras.  
*ramosa*, Pilg. l. c.—Bras.

**MICROMERIA**, Benth. (Labiata.).

- pilosa*, Benth. in *Benth. & Hook. f. Gen. Pl.* ii. 1188; *Hook. Ic. Pl.* t. 1522.—Afr. austr.  
*pilosuscula*, Small, Fl. S. E. U. S. 1042.—Am. bor.

**MICROMYRTUS**, Benth. (Myrtac.).

- Erichsenii*, Hemsl. in *Hook. Ic. Pl.* t. 2780.—Austral.  
*Hursthousii*, Fitzgerald, in *Journ. W. Austral. Nat. Hist. Soc.* ii. 22.—Austral.  
*sulphurea*, Fitzgerald, l. c. i. 19.—Austral.

**MICROPHACOS**, Rydb. in *Bull. Torr. Bot. Club*,

- 1905, 663. **LEGUMINOSAE**.  
*gracilis*, Rydb. l. c. (= *Astragalus gracilis*).—Am. bor.  
*microlobus*, Rydb. l. c. (= *Astragalus microlobus*).—Am. bor.

**MICROPHOLIS**, Pierre (Sapot.).

- [SIDEROXYLON, Dill. I. K. S. I.]  
*achradiformis*, Pierre, in *Urb. Symb. Antill.* v. 118.—Ind. occ.  
*Balata*, Pierre, l. c. 120.—Ind. occ.  
*chrysophylloides*, Pierre, l. c. 122.—Ind. occ.  
*compta*, Pierre, l. c. 125.—Bras.  
*crotonoides*, Pierre, l. c. 114 (= *Sprucella crotonoides*).—N. Granat.  
*discolor*, Pierre, l. c. 121.—Ind. occ.  
*dominicensis*, Pierre, l. c. v. 122.—Ind. occ.  
*egensis*, Pierre, l. c. 127 (= *Sideroxylon egense*).—Bras.  
*Eggersiana*, Pierre, l. c. 118.—Ind. occ.  
*Glazioviana*, Pierre, l. c. 128.—Bras.  
*gnaphaloclados*, Pierre, l. c. 130 (= *Lucuma gnaphaloclados*).—Bras.  
*Martiana*, Pierre, l. c. 126.—Bras.  
*rigida*, Pierre, l. c. 125.—Bras.  
*rufa*, Pierre, l. c. 130 (= *Sideroxylon rufum*).—Guiana.  
*Schwackei*, Pierre, l. c. 125 (= *Sideroxylon Schwackei*).—Bras.  
*truncata*, Pierre, l. c. 119.—Ind. occ.

**MICROSECHIUM**, Naud. (Cucurb.).

- compositum*, Donn. Sm. in *Coult. Bot. Gaz.* xxxv. 2.—Am. cent.



**MICROSEMIA**, Greene, Leaflets Bot. Obs. i. (1904) 89. *CRUCIFERAE*.  
polygaloides, Greene, l. c. (= *Streptanthus polygaloides*).—Am. bor.

**MICROSERIS**, D. Don (Compos.).  
Aliciae, Greene, *Pittonia*, v. 8.—Calif.  
atrata, Greene, l. c. 14.—Calif.  
brevisetia, Greene, l. c. 8.—Calif.  
callicarpa, Greene, l. c. 10.—Calif.  
campestris, Greene, l. c. 15.—Calif.  
cognata, Greene, l. c.—Calif.  
conjugens, Greene, l. c. 7.—Calif.  
furfuracea, Greene, l. c. 9.—Calif.  
insignis, Greene, l. c. 13.—Calif.  
leiosperma, Greene, l. c. 10.—Calif.  
leucocarpa, Greene, l. c. 7.—Calif.  
maritima, Greene, l. c. 16.—Calif.  
melanocarpa, Greene, l. c. 6.—Calif.  
obtusata, Greene, l. c. 16.—Calif.  
oligantha, Greene, l. c. 9.—Am. bor.  
parvula, Greene, l. c. 11.—Calif.  
picta, Greene, l. c. 10.—Calif.  
proxima, Greene, l. c. 8.—Calif.  
pulchella, Greene, l. c. 14.—Calif.  
stenocarpa, Greene, l. c.—Calif.  
tenuisecta, Greene, l. c. 6.—Calif.

**MICROSTYLIS**, Nutt. (Orchid.).  
amplectens, *J. J. Sm. in Ic. Bogor.* t. 108 E.—Java.  
arachnoidea, Schlechter, in *K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 98.—N. Guin.  
Blumei, Boerl. & *J. J. Sm. in Ic. Bogor.* t. 108 B (= *Crepidium Rheedii*).—Java.  
dryadum, Schlechter, in *K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 98.—N. Guin.  
epiphytica, Schlechter, l. c. 99.—N. Guin.  
flavescens, *J. J. Sm. in Ic. Bogor.* ii. t. 107 D = Koordersii.  
horiensis, *J. J. Sm. Orch. Ambon*, 29.—Ins. Ambon.  
Junghuhnii, *J. J. Sm. Orchid. Java*, 253.—Java.  
katochilos, Schlechter, in *Engl. Jahrb.* xxxviii. 5.—Afr. trop.  
Kobi, *J. J. Sm. Orchid. Java*, 249.—Java.  
Koordersii, *J. J. Sm. l. c.* 252.—Java.  
latifolia, *J. J. Sm. l. c.* 248 = congesta.  
Mackinnoni, Dutkie, in *Journ. As. Soc. Beng.* lxxi. 37.—Ind. or.  
macrophylla, Schlechter, in *K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 99.—N. Guin.  
moluccana, *J. J. Sm. in Bull. Inst. Buitens.* vii. 2.—Arch. Mal.  
nigrescens, *J. J. Sm. in Natuurk. Tijdschr. Ned. Ind.* lviii. (1898) 359, descr.—Celebes.  
obovata, *J. J. Sm. in Ic. Bogor.* t. 108 D.—Java.  
olivacea, Schlechter, in *K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 100.—N. Guin.  
ramosa, *J. J. Sm. in Ic. Bogor.* t. 108 F.—Borneo.  
sagittata, *J. J. Sm. l. c.* 107 C.—Java.  
Schumanniana, Schlechter, in *K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 101.—N. Guin.  
termensis, Kraenzl. in *Fedde, Repert. Nov. Sp.* i. 91.—Peruv.  
trigonopetala, *J. J. Sm. in Natuurk. Tijdschr. Ned. Ind.* lviii. (1898) 358, descr.—Celebes.  
venosa, *J. J. Sm. in Ic. Bogor.* t. 108 A.—Borneo.  
Warapussae, Schlechter, in *K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 101.—N. Guin.  
xanthochila, Schlechter, l. c. 102.—N. Guin.

**MICROTATORCHIS**, Schlechter, in *K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee* (1905) 224. *ORCHIDACEAE*.  
fasciola, Schlechter, l. c. (= *Taeniophyllum fasciola*).—Ins. Fiji.  
perpusilla, Schlechter, l. c.—N. Guin.

**MICROTEA**, Sw. (Phytolacc.).  
foliosa, Chod. in *Bull. Herb. Boiss. Sér. II.* iii. 418.—Parag.  
sulcicaulis, Chod. l. c. 419.—Parag.

**MICROTIS**, R. Br. (Orchid.).  
gymnadenioides, Diels, in *Journ. Muell. Soc. W. Austral.* i. no. 11, 79.—Austral.

**MICROTROPIS**, Wall. (Celastr.).  
ophirensis, Ridley, in *Journ. As. Soc. Straits*, xxxv. 10.—Penins. Mal.

VOL. IV.

**MICROURATEA**, Van Tiegh. in *Bull. Mus. Hist. Nat. Par.* viii. (1902) 374 = *Ouratea*, Aubl. (Ochnac.).  
cassinifolia, Van Tiegh. in *Ann. Sci. Nat. Par. Sér. VIII.* xvi. 281 = *O. cassinifolia*.  
Glaziovii, Van Tiegh. l. c. 282.—Bras.  
microdonta, Van Tiegh. l. c. 281 = *O. microdonta*.  
pygmaea, Van Tiegh. l. c. 283.—Bras.  
violacea, Van Tiegh. l. c. 282.—Bras.  
Weddelliana, Van Tiegh. in *Journ. de Bot.* xvi. 191.—Bras.

**MIERSIA**, Lindl. (Liliac.).  
Rusbyi, Britton, in *Bull. Torr. Bot. Club*, 1902, 702.—Bolivia.

**MIERSIELLA**, Urb. Symb. Antill. iii. 439 (1903). *BURMANNIACEAE*.  
umbellata, Urb. l. c. (= *Dictyostegia umbellata*).—Bras.

**MIKANIA**, Willd. (Compos.).  
ambigens, Urb. & Niedenzu, in *Urb. Symb. Antill.* ii. 460.—Ind. occ.  
antioquiensis, Hieron. in *Engl. Jahrb.* xxviii. 580.—N. Granat.  
Aschersonii, Hieron. l. c. 577.—N. Granat.  
brachyphylla, Hieron. l. c. xxxvi. 472.—Peruv.  
carvifolia, Arech. in *Anal. Mus. Montevide.* Ser. II. i. 9.—Urug.  
crassifolia, Hieron. in *Engl. Jahrb.* xxxvi. 471.—Peruv.  
cuencana, Hieron. l. c. xxviii. 581.—Ecuador.  
cutervensis, Hieron. l. c. xxxvi. 473.—Peruv.  
Eggersii, Hieron. l. c. xxviii. 582.—Ecuador.  
Hassleriana, Chod. in *Bull. Herb. Boiss. Sér. II.* iii. 712.—Parag.  
Jelskii, Hieron. in *Engl. Jahrb.* xxxvi. 475.—Peruv.  
nigropunctulata, Hieron. l. c. xxviii. 578.—N. Granat.  
oepetala, Urb. & Niedenzu, in *Urb. Symb. Antill.* ii. 461.—Ind. occ.  
pellucidivenia, Hieron. in *Engl. Jahrb.* xxxvi. 474.—Peruv.  
pichinchensis, Hieron. l. c. xxviii. 576.—Ecuador.  
Pittieri, Robinson, in *Proc. Bost. Soc. Nat. Hist.* xxxi. 255.—Am. cent.  
polyccephala, Urb. & Niedenzu, in *Urb. Symb. Antill.* ii. 459.—Ind. occ.  
popayanensis, Hieron. in *Engl. Jahrb.* xxviii. 579.—N. Granat.  
riparia, Greenm. in *Proc. Bost. Soc. Nat. Hist.* xxxi. 255.—Am. cent.  
Szyszlowiczii, Hieron. in *Engl. Jahrb.* xxxvi. 475.—Peruv.  
tambillensis, Hieron. l. c. 470.—Peruv.  
Tonduzii, Robinson, in *Proc. Bost. Soc. Nat. Hist.* xxxi. 256.—Am. cent.  
tripartita, Urb. & Niedenzu, in *Urb. Symb. Antill.* ii. 462.—Ind. occ.

**MILLETIA**, Wight & Arn. (Legum.).  
Atite, Harms, in *Engl. Jahrb.* xxxiii. 167.—Afr. trop.  
Baroni, Drake, *Hist. Pl. Madag.* i. 141.—Madag.  
bipindensis, Harms, in *Engl. Jahrb.* xxxiii. 169.—Afr. trop.  
breviflora, Wildem. in *Ann. Mus. Congo, Sér. V.* i. 136.—Afr. trop.  
brevistipellata, Wildem. l. c. 193.—Afr. trop.  
Bussei, Harms, in *Engl. Jahrb.* xxxiii. 170.—Afr. trop.  
Cabrae, Wildem. in *Ann. Mus. Congo, Sér. V.* i. 136.—Afr. trop.  
congolensis, Wildem. & Th. Dur. in *Ann. Mus. Congo, Sér. III.* i. 61.—Afr. trop.  
Conraui, Harms, in *Engl. Jahrb.* xxxiii. 168.—Afr. trop.  
Demeusei, Wildem. in *Ann. Mus. Congo, Sér. V.* i. 137.—Afr. trop.  
dubia, Wildem. l. c.—Afr. trop.  
Duchesnei, Wildem. l. c. 138.—Afr. trop.  
Gentilii, Wildem. l. c.—Afr. trop.  
Harmsiana, Wildem. l. c. 139.—Afr. trop.  
hypolampra, Harms, in *Engl. Jahrb.* xxxiii. 168.—Afr. trop.  
Laurentii, Wildem. in *Belg. Colon.* 1904, 378.—Afr. trop.  
longipes, Perkins, *Frag. Fl. Philipp.* i. 80.—Ins. Philipp.  
makondensis, Harms, in *Engl. Jahrb.* xxxiii. 169.—Afr. trop.  
Merrillii, Perkins, *Frag. Fl. Philipp.* i. 81.—Ins. Philipp.  
piscatoria, Merrill, in *Philipp. Gov. Lab. Bur. Bull.* xxvii. 37 (= *Cylista piscatoria*).—Ins. Philipp.  
Teuszii, Wildem. in *Ann. Mus. Congo, Sér. V.* i. 140 (= *Lonchocarpus Teuszii*).—Afr. trop.  
Warneckei, Harms, in *Engl. Jahrb.* xxx. 87.—Afr. trop.

**MILLSPAUGHIA**, Robinson, in *Engl. Jahrb.* xxxvi. (1905) Beibl. lxxx. 13. *POLYGONACEAE*.  
antigonoides, Robinson, l. c. 14.—Am. cent.  
ovatifolia, Robinson, l. c.—Am. cent.

**MILTONIA**, Lindl. (Orchid.).  
laevis, Rolfe, *Orchid Rev.* 1904, 300 (= *Odontoglossum laeve*).—Am. cent.  
leucomelas, Rolfe, l. c. (= *Odontoglossum leucomelas*).—Am. cent.  
Reichenheimii, Rolfe, l. c. (= *Odontoglossum Reichenheimii*).—Am. cent.

**MIMETES**, Salisb. (Proteac.).  
Buekii, Gand. in *Bull. Soc. Bot. Fr.* xlviii, p. xciii.—Afr. austr.  
mixta, Gand. l. c.—Afr. austr.

**MIMOPHYTUM**, Greenm. in *Proc. Amer. Acad.* xli. (1905) 242. *BORAGINACEAE*.  
omphalodoides, Greenm. l. c.—Mexic.

**MIMOSA**, Linn. (Legum.).  
argillotropia, Robinson, in *Proc. Bost. Soc. Nat. Hist.* xxxi. 257.—Mexic.  
Bernieri, Drake, *Hist. Pl. Madag.* i. 46.—Madag.  
colimensis, Robinson, in *Proc. Bost. Soc. Nat. Hist.* xxxi. 258.—Mexic.  
delicatula, Baill. ex Drake, *Hist. Pl. Madag.* i. 42.—Madag.  
eurycarpoides, Robinson, in *Proc. Amer. Acad.* xxxvi. 472.—Mexic.  
graminiformis, Chod. & Hassl. in *Bull. Herb. Boiss. Sér. II.* iv. 555.—Parag.  
guaranitica, Chod. & Hassl. l. c.—Parag.  
Hassleriana, Chod. l. c. 557.—Parag.  
hemiendyta, Rose & Robinson, in *U. S. Dept. Agric. Contrib. Nat. Herb.* viii. 32.—Am. cent.  
Herincquiana, Micheli, in *Mém. Soc. Phys. Hist. Nat. Genève*, xxxiv. 276.—Mexic.  
ionema, Robinson, in *Proc. Amer. Acad.* xxxvi. 473.—Mexic.  
Langlassei, Micheli, in *Mém. Soc. Phys. Hist. Nat. Genève*, xxxiv. 277.—Mexic.  
lignosa, Micheli, l. c. 278.—Mexic.  
lupinoides, Chod. & Hassl. in *Bull. Herb. Boiss. Sér. II.* iv. 489.—Parag.  
maracayensis, Chod. & Hassl. l. c. 557.—Parag.  
Michelliana, Robinson, in *Proc. Bost. Soc. Nat. Hist.* xxxi. 259.—Mexic.  
monadelpha, Chod. & Hassl. in *Bull. Herb. Boiss. Sér. II.* iv. 553.—Parag.  
paucifoliolata, Micheli, in *Mém. Soc. Phys. Hist. Nat. Genève*, xxxiv. 278.—Mexic.  
petraea, Chod. & Hassl. in *Bull. Herb. Boiss. Sér. II.* iv. 548.—Parag.  
polyanthoides, Robinson, in *Proc. Bost. Soc. Nat. Hist.* xxxi. 260.—Mexic.  
rhododactyla, Robinson, l. c.—Mexic.  
sabulicola, Chod. & Hassl. in *Bull. Herb. Boiss. Sér. II.* iv. 548.—Parag.  
serpens, Chod. & Hassl. l. c. 555.—Parag.  
setifera, Pilg. in *Engl. Jahrb.* xxx. 156.—Bras.  
stipitata, Robinson, in *Proc. Bost. Soc. Nat. Hist.* xxxi. 261.—Mexic.  
striata, Speg. in *Anal. Mus. Buenos Aires*, vii. 281 (= *Prosopis striata*).—Patag.  
Stuartiana, Huber, in *Bull. Herb. Boiss. Sér. II.* i. 303.—Bras.  
suffruticosa, Drake, *Hist. Pl. Madag.* i. 45 (= *Entada suffruticosa*).—Madag.  
tandilensis, Speg. *Contrib. Fl. Tandil*, 13.—Reg. Argent.  
texana, Small, in *Bull. N. York Bot. Gard.* ii. 99.—Am. bor.  
uliginosa, Chod. & Hassl. in *Bull. Herb. Boiss. Sér. II.* iv. 557.—Parag.  
Watsoni, Robinson, in *Proc. Amer. Acad.* xxxvi. 473.—Am. cent.

**MIMULUS**, Linn. (Scrophul.).  
Bioletti, Eastw. in *Proc. Calif. Acad. Ser. III.* ii. 290.—Am. bor.  
Bodinieri, Vaniot, in *Bull. Acad. Géog. Bot.* xv. (1905) 86.—China.  
breviflorus, Piper, in *Bull. Torr. Bot. Club*, 1901, 45.—Am. bor.  
grandiflorus, Howell, *Fl. N. W. Am.* i. 520.—Am. bor.  
grandis, A. A. Heller, *Muhlenbergia*, i. 110.—Calif.

Q

**MIMULUS**:-

- gratioloides, Rydb. in Bull. Torr. Bot. Club, 1901, 27.—Am. bor.  
 hirsutus, Howell, Fl. N. W. Am. i. 520.—Am. bor.  
 inamoensis, Greene, Pittonia, v. 137.—Am. bor.  
 membranaceus, A. Nelson, in Coult. Bot. Gaz. xxxiv. 30.—Am. bor.  
 minor, A. Nelson, in Proc. Biol. Soc. Washington, xvii. 178.—Am. bor.  
 modestus, Eastw. in Zoe, v. 84 (1900).—Calif.

**MIMUSOPS**, Linn. (Sapot.).

- affinis, Wildem. in Ann. Mus. Congo, Sér. IV. 221.—Afr. trop.  
 altissima, Engl. Monogr. Afr. Pfl. viii. 55.—Afr. trop.  
 amazonica, Huber, in Bol. Mus. Para. iv. 433.—Bras.  
 Batesii, Engl. Monogr. Afr. Pfl. viii. 64.—Afr. trop.  
 blantyrea, Engl. l. c. 83.—Afr. trop.  
 Busseana, Engl. l. c. 79.—Afr. trop.  
 cearensis, Huber, in Bull. Herb. Boiss. Sér. II. i. 320.—Bras.  
 Chevalieri, Pierre, in Bull. Mus. Hist. Nat. Par. 1901, 139.—Afr. trop.  
 Commersonii, Engl. Monogr. Afr. Pfl. viii. 77 (=Imbricaria Commersonii).—Ins. Mascar.  
 comorensis, Engl. l. c. 68.—Ins. Comor.  
 dependens, Engl. l. c. 69.—Afr. trop.  
 djurensis, Engl. l. c. 75.—Afr. trop.  
 duplicata, Urb. Symb. Antill. v. 169 (=Achras duplicata).—Ind. occ.  
 Eickii, Engl. Monogr. Afr. Pfl. viii. 60.—Afr. trop.  
 Fischeri, Engl. l. c. 64 (=Sideroxylon Fischeri).—Afr. trop.  
 Grisebachii, Pierre, in Urb. Symb. Antill. v. 173.—Ind. occ.  
 Henriquesiana, Engl. & Warb. in Bull. Soc. Études Colon. x. 516 nomen=seq.  
 Henriquesii, Engl. & Warb. in Engl. Monogr. Afr. Pfl. viii. 80 (errore Henriquesii).—Afr. trop.  
 jamaicensis, Pierre, in Urb. Symb. Antill. v. 174.—Ind. occ.  
 Kerstingii, Engl. Monogr. Afr. Pfl. viii. 78.—Afr. trop.  
 kilimandscharica, Engl. l. c. 68.—Afr. trop.  
 kilimanensis, Engl. l. c. 67.—Afr. trop.  
 Klaineana, Pierre, in Engl. Monogr. Afr. Pfl. viii. 82.—Afr. trop.  
 Langenburgiana, Engl. Monogr. Afr. Pfl. viii. 70.—Afr. trop.  
 Maparajuba, Huber, in Bol. Mus. Para. iv. 434.—Bras.  
 Menyharti, Engl. Monogr. Afr. Pfl. viii. 63.—Afr. trop.  
 natalensis, Engl. l. c. 65 (=Mahea natalensis).—Afr. austr.  
 nitida, Urb. Symb. Antill. v. 167 (=Achras nitida).—Ind. occ.  
 paraensis, Huber, in Bol. Mus. Para. iv. 435.—Bras.  
 Pierreana, Engl. Monogr. Afr. Pfl. viii. 82.—Afr. trop.  
 Pleeana, Pierre, ex Urb. Symb. Antill. v. 169= duplicata.  
 Pohl, Engl. Monogr. Afr. Pfl. viii. 76.—Afr. trop.  
 propinqua, S. Moore, in Journ. Linn. Soc. xxxvii. 177.—Afr. trop.  
 Riedleana, Pierre, ex Urb. Symb. Antill. v. 167= nitida.  
 Schinzii, Engl. Monogr. Afr. Pfl. viii. 70.—Afr. austr.  
 usaramensis, Engl. l. c. 66.—Afr. trop.  
 useghensis, Engl. l. c. 67.—Afr. trop.  
 Warnecke, Engl. l. c. 68.—Afr. trop.  
 Woodii, Engl. l. c. 65.—Afr. austr.  
 Wrightiana, Pierre, in Urb. Symb. Antill. v. 171.—Ind. occ.

**MINUARTIA**, Linn. = **Arenaria**, Rupp. (Caryophyll.).

- leptophylla, Groves, in Bab. Man. Brit. Bot. Ed. IX. 61 = A. mucronata.  
**MIRABILIS**, Riv. (Nyctag.).  
 albida, Heimerl, in Ann. Conserv. & Jard. Bot. Genève, v. 182 (=Oxybaphus albidus).—Am. bor.  
 glutinosa, A. Nelson, in Proc. Biol. Soc. Washington, xvii. 92.—Am. bor.  
 linearis, Heimerl, in Ann. Conserv. & Jard. Bot. Genève, v. 186 (=Abronia linearis).—Am. bor.  
 oblongifolia, Heimerl, l. c. 181.—Am. bor.  
 pseudaggregata, Heimerl, l. c. 183.—Am. bor.  
 Toscae, MacL. in Rep. Princeton Univ. Exped. Patag. viii. 376 (=Oxybaphus Toscae).—Patag.

**MIRBELIA**, Sm. (Legum.).

- depressa, Pritz, in Engl. Jahrb. xxxv. 230.—Austral.  
 Ringrosei, F. M. Bailey, in Queensl. Agric. Journ. xvi. 189.—Austral.

**MIRTANA**, Pierre, in Bull. Soc. Bot. Fr. lii. (1905) 490. **MENISPERMACEAE**.

- Loureiri, Pierre, l. c. (=Anamirta Loureiri).—Cochinch.  
**MISANTECA**, Cham. & Schlecht. (Laurac.).  
 Pittieri, Mez, in Bull. Herb. Boiss. Sér. II. iii. (1903) 230.—Am. cent.

**MISCANTHUS**, Anderss. (Gramin.).

- corensis, Hack. in Bull. Herb. Boiss. Sér. II. iv. 531.—China.

**MISCHOCARPUS**, Blume (Sapind.).

- [RATONIA, DC. I. K.]  
 salicifolius, Radlk. in Perkins, Frag. Fl. Philip. 64.—Ins. Philipp.  
 triqueter, Radlk. l. c. 65.—Ins. Philipp.

**MITELLA**, Tourn. (Saxifr.).

- acerina, Makino, in Bot. Mag. Tokyo, xvi. 159.—Japon.  
 intermedia, Bruhin, in N. Amer. Fl. xxii. 92.—Am. bor.  
 oppositifolia, Rydb. in N. Amer. Fl. xxii. 91.—Am. bor.

**MITOPHYLLUM**, Greene, Leaflets Bot. Obs. i.

- (1904) 88. **CRUCIFERAE**.  
 diversifolium, Greene, l. c. (=Streptanthus diversifolius).—Calif.

**MITOSTIGMA**, Decne. (Asclep.).

- barbatum, Malme, in Arkiv Bot. Stockh. iii. no. 1, 10.—Reg. Argent.  
 parviflorum, Malme, l. c. 15.—Reg. Argent.  
 speciosum, Malme, l. c. 13.—Reg. Argent.  
 subniveum, Malme, l. c. 9.—Reg. Argent.  
 tubatum, Malme, l. c. 14.—Reg. Argent.

**MITRACARPUS**, Zucc. (Rubiace.).

- brevis, K. Schum. & R. Fries, ex R. Fries, in Nov. Act. Soc. Sci. Upsal. Ser. IV. i. no. 1, 100.—Reg. Argent.  
 Christii, Urb. Symb. Antill. iii. 388.—Ind. occ.  
 filipes, Huber, in Bull. Herb. Boiss. Sér. II. i. 326.—Bras.  
 Hasslerianus, Chod. in Bull. Herb. Boiss. Sér. II. iv. 191.—Parag.  
 polycladus, Urb. Symb. Antill. iii. 389.—Ind. occ.

**MITRAGYNA**, Korth. (Rubiace.).

- javanica, Koord. & Valet. in Meded. 'S Lands Plantent. lix. (1902) 38 (=Stephegyne parvifolia).—Java.

**MITRASACME**, Labill. (Logan.).

- palustris, Fitzg. in Proc. Linn. Soc. N. S. Wales, xxvii. 241.—Austral.

**MITRATHECA**, K. Schum. in Engl. Jahrb. xxxiii. (1903) 335. **RUBIACEAE**.

- Richardsonioides, K. Schum. l. c.—Afr. trop.

**MITREPHORA**, Hook. f. & Thoms. (Anonac.).

- ferruginea, Merrill, in Philipp. Gov. Lab. Bur. Bull. xvii. 16.—Ins. Philipp.  
 Lanotan, Merrill, l. c. xxxv. 71 (=Uvaria Lanotan).—Ins. Philipp.  
 reflexa, Merrill, l. c. 10.—Ins. Philipp.

**MIYOSHIA**, Makino, in Bot. Mag. Tokyo, xvii. (1903) 144. **LILIACEAE**.

- Sakuraii, Makino, l. c. 145.—Japon.

**MOCINNA**, La Llav. & Ram. in Conzatti, Gén. Veget. Mexic. 343 (1905). **PASSIFLORACEAE**.

- heterophylla, La Llav. l. c. 344.—Mexic.

**MODECCA**, Lam. (Passifl.).

- tenuispira, Stapf, in Journ. Linn. Soc. xxxvii. 102.—Afr. trop.

**MOEHRINGIA**, Linn. (Caryophyll.).

- [ARENARIA, Rupp. I. K.]  
 coronensis, Behr. in Allg. Bot. Zeitschr. 1904, 65.—Hybr.  
 hybrida, Kern. ex Mazzetti, in Oesterr. Bot. Zeitschr. 1903, 362.—Hybr.  
 Malyi, Halacsy, in Verh. Zool.-Bot. Ges. Wien, 1902, 148.—Eur.  
 Pichleri, Huter, in Oesterr. Bot. Zeitschr. 1904, 449.—Bulgar.

**MOHRODENDRON**, Britton = **Halesia**, Linn. (Styrac.).

- Meehani, Sudw. in U. S. Dept. Agric. Bull. Forest. xiv. 323 = H. Meehani.

**MOLINIA**, Schrank (Gramin.).

- Fauriei, Hack. in Bull. Herb. Boiss. Sér. II. iii. 504.—Corea.

**MOLLIA**, Mart. (Tiliac.).

- Burchellii, Sprague, in Bull. Herb. Boiss. Sér. II. v. 704.—Bras.

**MOLLINEDIA**, Ruiz & Pav. (Monim.).

- chrysolaena, Perkins, in Engl. Jahrb. xxxi. 744.—Bras.  
 costaricensis, Donn. Sm. in Coult. Bot. Gaz. xxxiii. 257.—Am. cent.  
 Pinchotiana, Perkins, in Engl. Jahrb. xxxi. 743.—Am. cent.  
 wikstroemioides, Perkins, in Verh. Bot. Ver. Brand. xlvii. (1905) 139.—Bras.

**MOLLUGO**, Linn. (Ficoid.).

- Snodgrassii, Robinson, in Proc. Amer. Acad. xxxviii. (1902) 144.—Ins. Galap.

**MOMORDICA**, Tourn. (Cucurb.).

- calantha, Gilg, in Engl. Jahrb. xxxiv. 351.—Afr. trop.  
 Cogniauxiana, Wildem. in Ann. Mus. Congo, Sér. IV. 160 (1903).—Afr. trop.  
 Cogniauxiana, Gilg, in Engl. Jahrb. xxxiv. 350 (1904).—Afr. trop.  
 grandibracteata, Gilg, l. c. 349.—Afr. trop.  
 leiocarpa, Gilg, l. c. 351.—Afr. trop.  
 macrantha, Gilg, l. c. 348.—Afr. trop.  
 macrophylla, Gage, in Rec. Bot. Surv. India, iii. 61.—Burma.  
 runssorica, Gilg, in Engl. Jahrb. xxxiv. 349.—Afr. trop.

**MONACHNE**, Beauv. = **Eriochloa**, H. B. & K. (Gramin.).

- subglabra, Nash, in Bull. Torr. Bot. Club, 1903, 374.—Ind. occ.

**MONACTIS**, H. B. & K. (Compos.).

- Jelskii, Hieron. in Engl. Jahrb. xxxvi. 486.—Peruv.

**MONADENIUM**, Pax (Euphorb.).

- Goetzei, Pax, in Engl. Jahrb. xxx. 342.—Afr. trop.

**MONANTHOCHLOE**, Engelm. (Gramin.).

- australis, Speg. in Anal. Mus. Buenos Aires, vii. 194.—Patag.

**MONANTHOTAXIS**, Baill. (Anonac.).

- Poggei, Engl. & Diels, in Monogr. Afr. Pfl. vi. 53.—Afr. trop.

**MONARDA**, Linn. (Labiata.).

- comata, Rydb. in Bull. Torr. Bot. Club, 1901, 502.—Am. bor.  
 dispersa, Small, Fl. S. E. U. S. 1038.—Am. bor.  
 hirsutissima, Small, l. c. 1037.—Am. bor.  
 lasiodonta, Small, l. c. 1038.—Am. bor.  
 Nuttallii, A. Nelson, in Coult. Bot. Gaz. xxxi. 397.—Am. bor.  
 Pringlei, Fernald, in Proc. Amer. Acad. xxxvi. 501.—Mexic.  
 Ramaleyi, A. Nelson, in Coult. Bot. Gaz. xxxi. 398.—Am. bor.  
 Stanfieldii, Small, Fl. S. E. U. S. 1038.—Am. bor.  
 tenuiaristata, Small, l. c.—Am. bor.

**MONARDELLA**, Benth. (Labiata.).

- anemonoides, Greene, Pittonia, v. 86.—Calif.  
 coriacea, A. A. Heller, Muhlenbergia, i. 35.—Calif.  
 crispa, Elmer, in Coult. Bot. Gaz. xxxix. 46.—Calif.  
 dentata, Rydb. in Bull. Torr. Bot. Club, 1904, 641.—Am. bor.  
 epilobioides, Greene, Pittonia, v. 85.—Calif.  
 exilis, Greene, l. c. 86.—Calif.  
 glauca, Greene, l. c. iv. 321.—Am. bor.  
 globosa, Greene, l. c. v. 82.—Calif.  
 ingrata, Greene, l. c. 83.—Am. bor.  
 involucreta, A. A. Heller, Muhlenbergia, i. 34.—Calif.  
 ledifolia, Greene, Pittonia, v. 81.—Calif.  
 mollis, A. A. Heller, Muhlenbergia, i. 35.—Calif.  
 muriculata, Greene, Pittonia, v. 84.—Am. bor.  
 neglecta, Greene, l. c. 82.—Calif.  
 nervosa, Greene, l. c. iv. 322.—Am. bor.  
 oblonga, Greene, l. c. v. 83.—Calif.  
 ovata, Greene, l. c. 82.—Calif.  
 pallida, A. A. Heller, Muhlenbergia, i. 36.—Calif.

**MONARDELLA** :—

- parviflora, *Greene, Pl. Baker.* iii. 22.—Am. bor.  
 peninsularis, *Greene, Pittonia*, v. 87.—Calif.  
 pinetorum, *A. A. Heller, Muhlenbergia*, i. 36.—Calif.  
 purpurea, *Howell, Fl. N. W. Am.* i. 550.—Am. bor.  
 reflexa, *Howell*, l. c. 549.—Am. bor.  
 robusta, *Elmer, in Coult. Bot. Gaz.* xxxix. 46.—Calif.  
 rubella, *Greene, Pittonia*, v. 84.—Am. bor.  
 sanguinea, *Greene*, l. c. 86.—Calif.  
 subserrata, *Greene*, l. c. 81.—Calif.  
 tomentosa, *Eastw. in Bull. Torr. Bot. Club*, 1903, 496.—Calif.  
 viminea, *Greene, Pittonia*, v. 85.—Calif.

**MONECHMA**, Hochst. (Acanth.).

- [*JUSTICIA*, Linn. I. K.]  
 acutum, *C. B. Clarke, in Dyer, Fl. Cap.* v. 71.—Afr. austr.  
 angustissimum, *S. Moore, in Journ. Bot.* 1903, 137.—Afr. austr.  
 Atherstonei, *C. B. Clarke, in Dyer, Fl. Cap.* v. 72.—Afr. austr.  
 divaricatum, *C. B. Clarke, l. c.* (= *Justicia divaricata*).—Afr. austr.  
 fimbriatum, *C. B. Clarke, l. c.*—Afr. austr.  
 foliosum, *C. B. Clarke, l. c.* 73 (= *Justicia foliosa*).—Afr. austr.  
 incanum, *C. B. Clarke, l. c.* 69 (= *Justicia incana*).—Afr. austr.  
 leucoderme, *C. B. Clarke, l. c.* 70 (= *Justicia leucoderme*).—Afr. austr.  
 Linaria, *C. B. Clarke, l. c.* (= *Justicia Linaria*).—Afr. austr.  
 loliaceum, *K. Schum. in Just, Jahresb.* xxviii. 1. 467, sphalm. = lolioides.  
 molle, *C. B. Clarke, in Dyer, Fl. Cap.* v. 69 (= *Justicia mollis*).—Afr. austr.  
 namaense, *C. B. Clarke, l. c.* 73 (= *Justicia namaensis*).—Afr. austr.  
 nepetoides, *C. B. Clarke, l. c.*—Afr. austr.  
 pseudopatum, *C. B. Clarke, l. c.* 70 (= *Gendarussa patula*).—Afr. austr.  
 spartioides, *C. B. Clarke, l. c.* 72 (= *Justicia spartioides*).—Afr. austr.

- MONELASMUM**, Van Tiegh. in *Bull. Mus. Hist. Nat. Par. viii.* (1902) 216 = *Ouratea*, Aubl. (Ochnac.).  
 acutum, Van Tiegh. in *Ann. Sci. Nat. Sér. VIII.* xvi. 331.—Afr. trop.  
 Afzelii, Van Tiegh. l. c. xviii. 36 = O. Afzelii.  
 andongense, Van Tiegh. l. c. xvi. 328.—Afr. trop.  
 angustifolium, Van Tiegh. l. c.—Afr. trop.  
 bolamense, Van Tiegh. l. c. 335.—Afr. trop.  
 brachybotrys, Van Tiegh. l. c. xviii. 36 = O. brachybotrys.  
 brunneo-purpureum, Van Tiegh. l. c. = O. brunneo-purpurea.  
 Buechneri, Van Tiegh. l. c. = O. Buechneri.  
 bukobense, Van Tiegh. l. c. = O. bukobense.  
 Chevalieri, Van Tiegh. l. c. xvi. 333.—Afr. trop.  
 costatum, Van Tiegh. l. c.—Afr. trop.  
 densiflorum, Van Tiegh. l. c. xviii. 35 = O. densiflora.  
 Dewevrei, Van Tiegh. l. c.—Afr. trop.  
 Dinklagei, Van Tiegh. l. c. 36 = O. Dinklagei.  
 discolor, Van Tiegh. l. c. xvi. 329.—Afr. trop.  
 Dupuisi, Van Tiegh. l. c. 328.—Afr. trop.  
 djallonense, Van Tiegh. l. c. 329.—Afr. trop.  
 Dybovskii, Van Tiegh. l. c. 330.—Afr. trop.  
 elegans, Van Tiegh. l. c. 329.—Afr. trop.  
 Engleri, Van Tiegh. l. c. 335.—Afr. trop.  
 flavum, Van Tiegh. in *Journ. de Bot.* xvi. 202 = O. reticulata.  
 flexuosum, Van Tiegh. in *Ann. Sci. Nat. Sér. VIII.* xvi. 332.—Afr. trop.  
 fuscum, Van Tiegh. l. c. 330.—Afr. trop.  
 glaberrimum, Van Tiegh. in *Journ. de Bot.* xvi. 202 = O. glaberrima.  
 glaucum, Van Tiegh. in *Ann. Sci. Nat. Sér. VIII.* xvi. 332.—Afr. trop.  
 glomeratum, Van Tiegh. l. c. 330.—Afr. trop.  
 Heudeloti, Van Tiegh. l. c. 329.—Afr. trop.  
 Henriquesi, Van Tiegh. l. c. 335 (errore Henriquesi).—Afr. trop.  
 Hierni, Van Tiegh. l. c. 328.—Afr. trop.  
 interruptum, Van Tiegh. l. c. 329.—Afr. trop.  
 Klainei, Van Tiegh. l. c. 331.—Afr. trop.  
 konakrense, Van Tiegh. l. c. 332.—Afr. trop.  
 laeve, Van Tiegh. l. c. 137 = O. laevis.

**MONELASMUM** :—

- laxiflorum, Van Tiegh. in *Ann. Sci. Nat. Par. Ser. VIII.* xvi. 137 = O. laxiflora.  
 Lecomtei, Van Tiegh. l. c. 331.—Afr. trop.  
 Leroyanum, Van Tiegh. l. c. 330.—Afr. trop.  
 Maclaudi, Van Tiegh. l. c. 332.—Afr. trop.  
 macrocarpum, Van Tiegh. in *Journ. de Bot.* xvi. 202 = O. reticulata.  
 macrophyllum, Van Tiegh. in *Ann. Sci. Nat. Sér. VIII.* xvi. 334.—Afr. trop.  
 Marquesi, Van Tiegh. l. c.—Afr. trop.  
 micranthum, Van Tiegh. l. c. 137 = O. reticulata.  
 Mollerii, Van Tiegh. l. c. 335.—Afr. trop.  
 monticola, Van Tiegh. l. c. xviii. 36 = O. monticola.  
 nutans, Van Tiegh. l. c. xvi. 328.—Afr. trop.  
 Paroissei, Van Tiegh. l. c. 332.—Afr. trop.  
 pellucidum, Van Tiegh. l. c. xviii. 35 = O. pellucidum.  
 persistens, Van Tiegh. l. c. xvi. 331.—Afr. trop.  
 plicatum, Van Tiegh. in *Journ. de Bot.* xvi. 202; et in *Ann. Sci. Nat. Sér. VIII.* xvi. 329.—Afr. trop.  
 Pobeguini, Van Tiegh. in *Ann. Sci. Nat. Sér. VIII.* xvi. 331.—Afr. trop.  
 Poggei, Van Tiegh. l. c. 328.—Afr. trop.  
 pungens, Van Tiegh. l. c. 333.—Afr. trop.  
 reticulatum, Van Tiegh. in *Journ. de Bot.* xvi. 202 = O. reticulata.  
 Schlechteri, Van Tiegh. in *Ann. Sci. Nat. Sér. VIII.* xviii. 36 = O. Schlechteri.  
 Schoenleinianum, Van Tiegh. l. c. 35.—Afr. trop.  
 Schweinfurthii, Van Tiegh. xvi. 328.—Afr. trop.  
 setigerum, Van Tiegh. l. c. 334.—Afr. trop.  
 sibangense, Van Tiegh. l. c. xviii. 36 = O. sibangensis.  
 Sonsoe, Van Tiegh. l. c. xvi. 335.—Afr. trop.  
 spiciforme, Van Tiegh. l. c. 333.—Afr. trop.  
 spinuloso-serratum, Van Tiegh. l. c. xviii. 36 = O. spinuloso-serrata.  
 squamosum, Van Tiegh. in *Journ. de Bot.* xvi. 202 = O. squamosa.  
 strictum, Van Tiegh. in *Ann. Sci. Nat. Sér. VIII.* xvi. 330.—Afr. trop.  
 sulcatum, Van Tiegh. l. c. 334.—Afr. trop.  
 Thoirii, Van Tiegh. l. c. 332.—Afr. trop.  
 thomense, Van Tiegh. l. c. 335.—Afr. trop.  
 Turnerae, Van Tiegh. l. c. 327.—Afr. trop.  
 umbricola, Van Tiegh. l. c. xvi. 333, xviii. 36 = O. umbricola.  
 unilaterale, Van Tiegh. l. c. = O. unilaterale.  
 viride, Van Tiegh. l. c. xvi. 332.—Afr. trop.  
 Vogelii, Van Tiegh. l. c. 137 = O. Vogelii.  
 Zenkeri, Van Tiegh. l. c. 334.—Afr. trop.

**MONNIERA**, B. Juss. (Scrophul.).

- [*HERPESTIS*, Gaertn. f. I. K.]  
 aquatica, *Macl. in Rep. Princeton Univ. Exped. Patag.* viii. 720 (= *Bacopa aquatica*).—Patag.  
 floribunda, *T. Cooke, Fl. Bomb.* ii. 286 (= *Herpestis floribunda*).—As. et Afr. trop.; Austral.  
 Hamiltoniana, *T. Cooke, l. c.* (= *Herpestis Hamiltoniana*).—Ind. or.; Afr. trop.

**MONNINA**, Ruiz & Pav. (Polygal.).

- cacumina, *N. E. Br. in Trans. Linn. Soc. Ser. II.* vi. 19.—Guiana.  
 equatoriensis, *Chod. in Engl. Jahrb.* xxxvi. 379.—Ecuador.  
 intermedia, *Arech. in Anal. Mus. Montevid.* iv. i. 10.—Urug.  
 oblongifolia, *Arech. l. c.* 8.—Urug.  
 obovata, *Chod. & Sodiro, in Engl. Jahrb.* xxxvi. 379.—Ecuador.  
 Pilgeri, *Chod. l. c.* 378.—Ecuador.  
 ramosissima, *Arech. in Anal. Mus. Montevid.* iv. i. 11.—Urug.  
 saprogena, *Donn. Sm. in Coult. Bot. Gaz.* xxxi. 109.—Am. cent.  
 Sodiroana, *Chod. in Engl. Jahrb.* xxxvi. 379.—Ecuador.  
 virescens, *Arech. in Anal. Mus. Montevid.* iv. i. 9.—Urug.  
 Wilczekiana, *Chod. in Bull. Herb. Boiss. Sér. II.* ii. 531.—Reg. Argent.

**MONOCHAETUM**, Naud. (Melast.).

- Pringlei, *Rose, in U. S. Dept. Agric. Contrib. Nat. Herb.* viii. 327.—Mexic.

**MONOCHORIA**, Presl (Ponteder.).

- africana, *N. E. Br. in Dyer, Fl. Trop. Afr.* viii. 5.—Afr. trop.

- MONOCOSTUS**, K. Schum. in *Engl. Pflanzenreich*, Zingib. 427 (1904). *ZINGIBERACEAE*.  
 Ulei, *K. Schum. l. c.* 429.—Peruv.

**MONODORA**, Dun. (Anonac.).

- Cabrae, *Wildem. in Compt. Rend. Soc. Bot. Belg.* xl. 64.—Afr. trop.  
 Durieuxii, *Wildem. in Ann. Mus. Congo, Sér. V.* i. 122.—Afr. trop.  
 hexaloba, *Pierre, ex Engl. & Diels, in Engl. Monogr. Afr. Pfl.* vi. 82 = *Isolona hexaloba*.  
 Klaineana, *Pierre, l. c.* 90 = *crispata*.  
 minor, *Engl. & Diels, in Engl. Monogr. Afr. Pfl.* vi. 88.—Afr. trop.

**MONOLEPIS**, Schrad. (Chenopod.).

- Litwinowii, *Paulsen, in Kjoeb. Vidensk. Meddel.* 1903, 187.—As. cent.

**MONOPHYRYNIUM**, K. Schum. in *Engl. Pflanzenreich*, Marant. (1901) 68. *SCITAMINEAE*.

- fasciculatum, *K. Schum. l. c.* (= *Phrynium fasciculatum*).—Ins. Philipp.

**MONOPHYLLANTHE**, K. Schum. in *Engl. Pflanzenreich*, Marant. (1902) 165. *SCITAMINEAE*.

- oligophylla, *K. Schum. l. c.* 166.—Guiana.

**MONOPORIDIUM**, Van Tiegh. in *Bull. Mus. Hist. Nat. Par. viii.* (1902) 434 = *Ochna*, Linn. (Ochnac.).

- cornutum, Van Tiegh. l. c. 436.—Hort.

**MONOPORUS**, A. DC. (Myrsin.).

- [*ARDISIA*, Sw. I. K.]  
 Bakerianus, *Mez, in Engl. Pflanzenreich, Myrsin.* 160 (= *Tinus Bakeriana*).—Madag.  
 bipinnatus, *Mez, l. c.* 162 (= *Ardisia bipinnata*).—Madag.  
 floribundus, *Mez, l. c.* 161 (= *Ardisia floribunda*).—Madag.  
 myrianthus, *Mez, l. c.* 162 (= *Ardisia myriantha*).—Madag.  
 spathulatus, *Mez, l. c.* 160.—Madag.

**MONOTAGMA**, K. Schum. in *Engl. Pflanzenreich*, Marant. (1901) 166. *SCITAMINEAE*.

- contractum, *Huber, in Bol. Mus. Para.* iii. 412.—Bras.  
 densiflorum, *K. Schum. in Engl. Pflanzenreich, Marant.* 167 (= *Ischnosiphon densiflorum*).—Bras.  
 exannulatum, *K. Schum. l. c.* 168.—Bras.  
 guianense, *K. Schum. l. c.* 169 (= *Ischnosiphon guianense*).—Guiana.  
 laxum, *K. Schum. l. c.* 168 (= *Ischnosiphon laxum*).—Peruv.  
 Parkeri, *K. Schum. l. c.* (= *Ischnosiphon Parkeri*).—Guiana.  
 plurispicatum, *K. Schum. l. c.* 169 (= *Ischnosiphon plurispicatum*).—Bras.  
 secundum, *K. Schum. l. c.* 167 (= *Ischnosiphon secundum*).—Bras.  
 smaragdinum, *K. Schum. l. c.* 169 (= *Ischnosiphon smaragdinum*).—Ecuador.

**MONOTES**, A. DC. (Dipterocarp.).

- dasyanthus, *Gilg, in Warb. Kunene-Sambesi Exped.* 307.—Afr. trop.  
 macrophyllus, *K. Schum. in Just, Jahresb.* xxvii. i. 484, sphalm. = *Manotes macrophyllus*.

**MONOTOCA**, R. Br. (Epacrid.).

- leucantha, *Pritz. in Engl. Jahrb.* xxxv. 480.—Austral.

**MONOTROPA**, Linn. (Monotrop.).

- californica, *Eastw. in Bull. Torr. Bot. Club*, 1902, 75.—Am. bor.

**MONOXALIS**, Small, Fl. S. E. U. S. 665 (1903). *GERANIACEAE*.

- dichondraefolia, *Small, l. c.* 666 (= *Oxalis dichondraefolia*).—Am. bor.

**MONSONIA**, Linn. (Geran.).

- glandulosissima, *Schinz, in Bull. Herb. Boiss. Sér. II.* iii. 822.—Afr. trop.  
 malvaeflora, *Schinz, l. c.* 821.—Afr. trop.

**MONSTERA**, Adans. (Arac.).

- coriacea, *Engl. Jahrb.* xxxvii. 118.—Reg. Amaz.  
 epipremnoides, *Engl. l. c.*—Am. cent.  
 falcifolia, *Engl. l. c.* 117.—Reg. Amaz.  
 Fendleri, *Engl. l. c.* 116.—Ind. occ.

**MONSTERA** :—

*gigantea*, *Engl. Jahrb.* xxxvii. 18.—Am. cent.  
*peruviana*, *Engl. l. c.* 117.—Peruv.  
*Pittieri*, *Engl. l. c.* 116.—Am. cent.  
*Sagotiana*, *Engl. l. c.* 117.—Guiana.  
*Uleana*, *Engl. l. c.* 118.—Peruv.

**MONTIA**, Mich. (Portul.)

*obtusata*, *A. A. Heller, Muhlenbergia*, ii. 32.—Calif.

**MONTRAVELIA**, Montrouz, ex Beauvis. Gen. Montrouz.  
 89 = **Diplanthera**, Banks & Soland. (Bignon.).  
*speciosa*, Montrouz. l. c. = *D. speciosa*.

**MOOREA**, Lemaire, in *Illustr. Hortic.* 1855, Misc. 14. GRAMINEAE.

*araucana*, *Stapf, in Gard. Chron.* 1903, ii. 400.—Am. austr.  
*argentea*, *Lemaire, in Illustr. Hortic.* 1855, Misc. 14.—Am. austr.  
*Quila*, *Stapf, in Gard. Chron.* 1903, ii. 400.—Am. austr.  
*rudiuscula*, *Stapf, l. c.*—Am. austr.  
*speciosa*, *Stapf, l. c.*—Am. austr.

**MOOREA**, Rolfe, in *Gard. Chron.* 1890, ii. 7 = **Neo-moorea**, Rolfe (Orchid.).  
*irrorata*, Rolfe, l. c. = *N. irrorata*.

**MORAEA**, Mill. (Irid.).

*Arnoldiana*, *Wildem. in Ann. Mus. Congo, Sér. IV.* 16.—Afr. trop.  
*malangensis*, *Baker, in Rev. Cult. Colon.* viii. 862.—Afr. trop.  
*punctata*, *Baker, in Bull. Herb. Boiss. Sér. II.* iv. 1003.—Afr. austr.  
*stricta*, *Baker, in Vierteljahrsschr. Nat. Ges. Zürich,* xlix. 178.—Afr. austr.  
*Verdickii*, *Wildem. in Ann. Mus. Congo, Sér. IV.* 17.—Afr. trop.  
*violacea*, *Baker, in Rev. Cult. Colon.* viii. 862.—Afr. austr.

**MORELLA**, Lour. = **Myrica**, Linn. (Myricac.).  
*carolinensis*, Small, Fl. S. E. U. S. 337 = *Myrica cerifera*.  
*cerifera*, Small, l. c. = *Myrica cerifera*.  
*inodora*, Small, l. c. = *Myrica inodora*.  
*pumila*, Small, l. c. —Am. bor.

**MORINDA**, Linn. (Rubiace.).

*asteroscepa*, *K. Schum. in Engl. Jahrb.* xxxiv. 840.—Afr. trop.  
*Candollei*, *Beauvis. Gen. Montrouz.* 57 (= *Pogonanthus Candollei*).—N. Caled.  
*lacunosa*, *King & Gamble, in Journ. As. Soc. Beng.* lxxiii. 87.—Penins. Mal.

**MORINGA**, Burm. (Moring.).

*Hildebrandtii*, *Engl. in Ann. Ist. Bot. Roma*, ix. 250.—Afr. trop.  
*longituba*, *Engl. l. c.* 251.—Afr. trop.  
*Moringa*, Small, Fl. S. E. U. S. 491 (= *Guilandina Moringa*).—Am. bor.  
*Ruspoliana*, *Engl. in Ann. Ist. Bot. Roma*, ix. 250.—Afr. trop.

**MORONGIA**, Britton = **Schrankia**, Willd. (Legum.).  
*latidens*, Small, in *Bull. N. York Bot. Gard.* ii. 98.—Am. bor.

**MORRENIA**, Lindl. (Asclep.).

*connectens*, *Malme, in Bull. Herb. Boiss. Sér. II.* iii. 65.—Parag.

**MOSTUEA**, Didr. (Logan.).

*Batesii*, *Baker, in Dyer, Fl. Trop. Afr.* iv. i. 506.—Afr. trop.  
*congolana*, *Baker, l. c.* 509 (= *Coinochlamys congolana*).—Afr. trop.  
*Duchesnei*, *Wildem. in Ann. Mus. Congo, Sér. V.* i. 173.—Afr. trop.  
*Gilletii*, *Wildem. l. c.* 174.—Afr. trop.  
*Poggeana*, *Baker, in Dyer, Fl. Trop. Afr.* iv. i. 510 (= *Coinochlamys Poggeana*).—Afr. trop.  
*Schweinfurthii*, *Baker, l. c.* (= *Coinochlamys Schweinfurthii*).—Afr. trop.  
*Taymansiana*, *Wildem. in Ann. Mus. Congo, Sér. V.* i. 174.—Afr. trop.

**MOTANDRA**, A. DC. (Apocyn.).

*Erlangeri*, *K. Schum. in Engl. Jahrb.* xxxiii. 318.—Afr. trop.  
*Lujaei*, *Wildem. & Th. Dur. in Bull. Soc. Bot. Belg.* xl. 23.—Afr. trop.

**MOTANDRA** :—

*pyramidalis*, *Stapf, in Dyer, Fl. Trop. Afr.* iv. 225.—Afr. trop.  
*rostrata*, *K. Schum. in Engl. Jahrb.* xxxiii. 318, descr.—Afr. trop.  
*viridiflora*, *K. Schum. l. c.* 319.—Afr. trop.

**MOURIRIA**, Juss. (Melast.).

*angustifolia*, *Huber, in Bol. Mus. Para.* iii. 427.—Bras. cearensis, *Huber, in Bull. Herb. Boiss. Sér. II.* i. 318.—Bras.  
*Chodatiana*, *Huber, in Bol. Mus. Para.* iii. 426.—Bras.  
*Helleri*, *Britton, in Torreya*, ii. 10.—Am. bor.  
*nervosa*, *Pilg. in Verh. Bot. Ver. Brand.* xlvii. (1905) 183.—Reg. Amaz.  
*oligantha*, *Pilg. l. c.* 184.—Reg. Amaz.  
*Ulei*, *Pilg. l. c.*—Reg. Amaz.

**MOZINNA**, Orteg. = **Jatropha**, Linn. (Euphorb.).  
*sessiliflora*, Small, Fl. S. E. U. S. 706.—Am. bor.

**MUCRONEA**, Benth. = **Chorizanthe**, R. Br. (Polygon.).  
*perfoliata*, *A. A. Heller, Muhlenbergia*, ii. 23 = *C. perfoliata*.

**MUCUNA**, Adans. (Legum.).

*Birdwoodiana*, *Tutcher, in Journ. Linn. Soc.* xxxvii. 65.—China.  
*Grevei*, *Drake, Hist. Pl. Madag.* i. 111.—Madag.  
*Humboldtii*, *Drake, l. c.* 112.—Madag.  
*longipedunculata*, *Merrill, in Philipp. Gov. Lab. Bur. Bull.* xxix. 18.—Ins. Philipp.  
*sericophylla*, *Perkins, Frag. Fl. Philipp.* i. 86.—Ins. Philipp.  
*tomentosa*, *K. Schum. in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 277.—N. Guin.

**MUEHLENBERGIA**, Schreb. (Gramin.).

*aristulata*, *Rydb. in Bull. Torr. Bot. Club*, 1905, 600 (= *Sporobolus aristatus*).—Am. bor.  
*californica*, *Abrams, Fl. Los Angeles*, 32.—Calif.  
*cuspidata*, *Rydb. in Bull. Torr. Bot. Club*, 1905, 599 (= *Vilfa cuspidata*).—Am. bor.  
*filiformis*, *Rydb. l. c.* 600 (= *Sporobolus filiformis*).—Am. bor.  
*polypogonoides*, *Hack. in Ann. Nat. Hofmus. Wien*, xvii. 255.—Mexic.  
*polystachya*, *Mackenzie & Bush, in Mackenzie, Fl. Jacks. County*, 23; et in *Trans. Acad. St. Louis*, xii. 79.—Am. bor.  
*Richardsonii*, *Rydb. in Bull. Torr. Bot. Club*, 1905, 600 (= *Vilfa Richardsonii*).—Am. bor.  
*Schmitzii*, *Hack. in Ann. Nat. Hofmus. Wien*, xvii. 255.—Mexic.  
*simplex*, *Rydb. in Bull. Torr. Bot. Club*, 1905, 600 (= *Sporobolus simplex*).—Am. bor.  
*Thurberi*, *Rydb. l. c.* 601 (= *Vilfa filiculmis*).—Am. bor.  
*Wolfii*, *Rydb. l. c.* 600 (= *Sporobolus Wolfii*).—Am. bor.

**MUELLERA**, Linn. f. (Legum.).

*Glaziovii*, *Chod. & Hassl. in Bull. Herb. Boiss. Sér. II.* iv. 893 (= *Lonchocarpus Glaziovii*).—Parag.

**MUILLA**, S. Wats. (Liliac.).

*tenuis*, *Congd. in Zoe*, v. 135 (1901).—Calif.

**MULGEDIUM**, Cass. (Compos.).

[*LACTUCA*, Tourn. I. K.]  
*orbelicum*, *Velen. in Allg. Bot. Zeitschr.* 1905, 44.—Turcia.  
*uralense*, *Rouy, Illustr. Pl. Eur. Rar.* t. 390.—Eur.

**MULINUM**, Pers. (Umbell.).

*lycopodiopsis*, *Speg. Nov. Add. Fl. Patag.* i. (1901) repr. 62.—Patag.  
*Morenonis*, *Speg. in Anal. Mus. Buenos Aires*, vii. 295 (= *Huanaca Morenonis*).—Patag.  
*patagonicum*, *Speg. Nov. Add. Fl. Patag.* i. (1901) repr. 63.—Patag.  
*pauciflorum*, *Reiche, Fl. Chile*, iii. 82.—Chili.  
*Valentini*, *Speg. Nov. Add. Fl. Patag.* i. (1901) repr. 64.—Patag.

**MURALTIA**, Neck. (Polygal.).

*brachypetala*, *Dod, in Journ. Bot.* 1901, 397.—Afr. austr.  
*demissa*, *Dod, l. c.*—Afr. austr.  
*recurva*, *Dod, l. c.*—Afr. austr.  
*spicata*, *Bolus, in Trans. S. Afr. Phil. Soc.* xvi. 135.—Afr. austr.

**MURICARIA**, Desv. (Crucif.).

*Battandieri*, *Hochr. in Ann. Conserv. & Jard. Bot. Genève*, vii–viii. 154.—Alger.

**MURICAUDA**, Small, Fl. S. E. U. S. 227 (1903).

## ARACEAE.

*Dracontium*, Small, l. c. (= *Arum Dracontium*).—Am. bor.

**MUSA**, Linn. (Scitamin.).

*Arnoldiana*, *Wildem. in Bull. Soc. Étud. Col. Brux.* viii. 339, ex *Bull. Herb. Boiss. Sér. II.* i. 842.—Afr. trop.  
*borneensis*, *Becc. Nelle Foreste di Borneo*, 622.—Borneo.  
*campestris*, *Becc. l. c.*—Borneo.  
*Gilletii*, *Wildem. in Rev. Cult. Colon.* viii. 102.—Afr. trop.  
*hirta*, *Becc. Nelle Foreste di Borneo*, 624.—Borneo.  
*Holstii*, *K. Schum. in Engl. Jahrb.* xxxiv. 121.—Afr. trop.  
*microcarpa*, *Becc. Nelle Foreste di Borneo*, 623.—Borneo.  
*Nagensium*, *Prain, in Journ. As. Soc. Beng.* lxxiii. 21.—Assam.  
*Perrieri*, *Bonnier, in Compt. Rend. Acad. Sci. Par.* cxl. 1612.—Madag.  
*Tikap*, *Warb. in Tropenpfl.* 1903, 34.—Ins. Carolin.  
*Wilsoni*, *Tutcher, in Gard. Chron.* 1902, ii. 450.—China.

**MUSCADINIA**, Small, Fl. S. E. U. S. 756 (1903).

## AMPELIDACEAE.

*Munsoniana*, Small, l. c. 757 (= *Vitis Munsoniana*).—Am. bor.  
*rotundifolia*, Small, l. c. (= *Vitis rotundifolia*).—Am. bor.

**MUSCARI**, Tourn. (Liliac.).

*longifolius*, *Rigo, in Nuov. Giorn. Bot. Ital.* n. s. xii. 152.—Ital.

**MUSCARIA**, Haw. = **Saxifraga**, Tourn. (Saxifr.).

*adscendens*, Small, in *N. Am. Fl.* xxii. 129 = *S. adscendens*.  
*delicatula*, Small, l. c.—Am. bor.  
*emarginata*, Small, l. c. 130.—Am. bor.  
*micropetala*, Small, l. c. 129.—Am. bor.  
*monticola*, Small, l. c. 130.—Am. bor.  
*sileniflora*, Small, l. c. = *S. sileniflora*.

**MUSENIOPSIS**, Coult. & Rose (Umbell.).

*arguta*, *Rose, in U. S. Dept. Agric. Contrib. Nat. Herb.* viii. 337.—Mexic.  
*fusiformis*, *Rose, l. c.*—Mexic.

**MUSENIUM**, Nutt. (Umbell.).

*pedunculatum*, *A. Nelson, in Bull. Torr. Bot. Club*, 1901, 225.—Am. bor.

**MUSSAENDA**, Burm. (Rubiace.).

*aestuarii*, *K. Schum. in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 394.—N. Guin.  
*breviloba*, *S. Moore, in Journ. Bot.* 1905, 137.—Burma.  
*conopharyngiifolia*, *Stapf, in Journ. Linn. Soc.* xxxvii. 104.—Afr. trop.  
*cylindrocarpa*, *Arech. in Svensk. Vet. Akad. Handl.* xxxix. no. 2, 43, nomen.—Hab. ?  
*lanceolata*, *K. Schum. in Bot. Tidsskr.* xxiv. 334.—Malaya.  
*macrosepala*, *Stapf, in Journ. Linn. Soc.* xxxvii. 105.—Afr. trop.  
*membranacea*, *King, in Journ. As. Soc. Beng.* lxxii. 187.—Penins. Mal.  
*oblonga*, *King, l. c.* 186.—Penins. Mal.  
*polyneura*, *King, l. c.* 185.—Penins. Mal.  
*shikokiana*, *Makino, in Bot. Mag. Tokyo*, 1904, 44.—Japan.  
*Wrayi*, *King, in Journ. As. Soc. Beng.* lxxii. 182.—Penins. Mal.

**MUTISIA**, Linn. f. (Compos.).

*hamata*, *Reiche, Fl. Chile*, iv. 314.—Chili.  
*Hayenbekii*, *Arech. in Anal. Mus. Montevide.* Sér. II. i. 13.—Urug.  
*huacensis*, *Hieron, in Engl. Jahrb.* xxviii. 652.—Ecuad.  
*Kurtzii*, *R. Fries, in Nov. Act. Soc. Sci. Upsal.* Ser. IV. i. no. 1, 94.—Reg. Argent.  
*Philippii*, *R. Fries, in Nov. Act. Soc. Sci. Upsal.* Ser. IV. i. no. 1, 92.—Reg. Argent.



**MYAGRUM**, Tourn. (Crucif.).  
perenne, *R. Br. ex Britten, in Journ. Bot.* 1904, 5.—  
Ins. Mader.

**MYODOCARPUS**, Brong. & Gris (Aral.).  
Brongniarti, *Dubard & Viguier, in Agric. Prat. Pays*  
*Chauds*, iii. 714.—N. Caled.  
coronatus, *Dubard & Viguier, l. c.* 710.—N. Caled.  
crassifolius, *Dubard & Viguier, l. c.* 711.—N. Caled.  
elegans, *Dubard & Viguier, l. c.* 716.—N. Caled.  
floribundus, *Dubard & Viguier, l. c.* 712.—N. Caled.  
involucrat, *Dubard & Viguier, l. c.* 714.—N. Caled.

**MYOSOTIS**, Tourn. (Borag.).  
afropalustris, *C. H. Wright, in Dyer, Fl. Cap.* iv. II.  
20.—Afr. austr.  
Galpinii, *C. H. Wright, l. c.* 19.—Afr. austr.  
globularis, *Sampaio, in Ann. Sci. Nat. Porto*, vii. 115.  
—Lusitan.  
Marcillyana, *Béguin, in Ann. di Bot. Roma*, i. 284.  
—Ital.  
ruscinonensis, *Rouy, in Coste, Fl. Fr.* ii. 600.—Eur.  
tubuliflora, *Murb. in Bull. Soc. Bot. Fr.* xlviii. 400.—  
Afr. bor.

**MYOSURUS**, Linn. (Ranunc.).  
gracilis, *Macl. in Rep. Princeton Univ. Exped. Patag.*  
viii. 403.—Patag.  
Heldreichii, *Léveillé, in Bull. Acad. Géogr. Bot.* xi.  
(1902) 296.—Eur.  
nitidus, *Eastw. in Bull. Torr. Bot. Club*, 1905, 194.—  
Am. bor.

**MYRCEUGENIA**, Berg (Myrtac.).  
[MYRTUS, Linn. I. K.]  
longipedicellata, *Barb. Rodr. Myrt. Parag.* 2.—Parag.

**MYRCIA**, DC. (Myrtac.).  
Hassleriana, *Barb. Rodr. Myrt. Parag.* 2.—Parag.  
Sellowiana, *Arech. in Anal. Mus. Montevid.* v. 45  
(1902) 296.—Urug.  
sparsifolia, *Barb. Rodr. Myrt. Parag.* 1.—Parag.

**MYRICA**, Linn. (Myricac.).  
australasica, *Ind. Kew.* iii. 281, sphalm.=Myrcia  
australasica.  
comorensis, *Cheval. in Mém. Soc. Nat. Cherbourg.*  
xxxii. 254.—Ins. Comor.  
Curtissi, *Cheval. l. c.* 269.—Am. bor.  
Dregeana, *Cheval. l. c.* 239.—Afr. austr.  
elliptica, *Cheval. l. c.* 250.—Afr. austr.  
Funchii, *Cheval. l. c.* 286.—Venez.  
glaberrima, *Cheval. l. c.* 240.—Afr. austr.  
Goetzei, *Engl. Jahrb.* xxx. 290.—Afr. trop.  
incisa, *Cheval. in Mém. Soc. Nat. Cherbourg.* xxxii.  
234.—Afr. austr.  
myrtifolia, *Cheval. l. c.* 239.—Afr. austr.  
nana, *Cheval. l. c.* 202.—China.  
Pringlei, *Greenm. in Proc. Amer. Acad.* xli. 236.—  
Mexic.

**MYRIOCEPHALUS**, Benth. (Compos.).  
Isoetes, *Diels, in Engl. Jahrb.* xxxv. 609.—Austral.  
Morrisonianus, *Diels, l. c.* 610.—Austral.

**MYRIOPHYLLUM**, Ponted. (Halorrh.).  
glomeratum, *Schindl. in Engl. Jahrb.* xxxiv. Beibl.  
lxxvii. 10; et in *Engl. Pflanzenreich, Halorrh.* 103.  
—Austral.  
longibracteolatum, *Schindl. l. c.* Beibl. lxxix. 47; et  
*l. c.* 84.—Austral.  
Mezianum, *Schindl. l. c.*; et *l. c.* 104.—Madag.  
ovatum, *Schindl. l. c.* Beibl. lxxvii. 13; et *l. c.* 91=  
verrucosum.  
tillaeoides, *Diels, in Engl. Jahrb.* xxxv. 448.—Austral.  
Votschii, *Schindl. in Engl. Pflanzenreich, Halorrh.*  
85.—N. Zel.

**MYRISTICA**, Linn. (Myristic.).  
Warburgii, *K. Schum. & Lauterb.*  
*Nachtr. Fl. Deutsch. Südsee*, 267.—N. Guin.

**MYRMECHIS**, Blume (Orchid.).  
chinensis, *Rolfe, in Journ. Linn. Soc.* xxxvi. 44.—China.  
japonica, *Rolfe, l. c.*—Japon.

**MYROSMA**, Linn. f. (Scitamin.).  
australis, *K. Schum. in Engl. Pflanzenreich, Marant.*  
142.—Bras.  
cuyabensis, *K. Schum. l. c.* (= *Maranta cuyabensis*).—  
Bras.

**MYROSMA** :—  
hexantha, *K. Schum. in Engl. Pflanzenreich, Marant.*  
144 (= *Maranta hexantha*).—Peruv.  
Hoffmannii, *K. Schum. l. c.*—Am. cent.  
membranacea, *K. Schum. l. c.* 143 (= *Saranthe*  
*membranacea*).—Bras.  
tenuifolia, *K. Schum. l. c.* 144 (= *Saranthe tenuifolia*).  
—Bras.  
unilateralis, *K. Schum. l. c.* (= *Maranta unilateralis*).  
—Peruv.

**MYROXYLON**, Linn. f. (Legum.).  
japonicum, *Makino, in Bot. Mag. Tokyo*, 1904, 53  
(= *Apactis japonica*).—Japon.

**MYRSINE**, Linn. (Myrsin.).  
caballeria, *Miq. in Mart. Fl. Bras.* x. 316=latifolia.  
Cheesemanii, *Hemsl. ex Mez, in Engl. Pflanzenreich,*  
*Myrsin.* 371 (= *Rapanea Cheesemanii*).—N. Zel.  
Coxii, *Cockayne, in Trans. N. Z. Inst.* xxxiv. 318.—  
Ins. Chatham.  
Howittiana, *F. Muell. ex Mez, in Engl. Pflanzenreich,*  
*Myrsin.* 354 (= *Rapanea Howittiana*).—Austral.  
macrophylla, *Panch. & Seb. ex Mez, in Engl. Pflan-*  
*zenreich, Myrsin.* 369.—N. Caled.  
marginata, *Mez, in Engl. Pflanzenreich, Myrsin.* 339.  
—China.  
Mocquersyi, *Aug. DC. in Bull. Herb. Boiss. Sér. II.* i.  
576.—Madag.  
ulugurensis, *Gilg, ex Mez, in Engl. Pflanzenreich,*  
*Myrsin.* 374 (= *Rapanea ulugurensis*).—Afr. trop.  
virgata, *Vieill. ex Mez, l. c.* 369.—N. Caled.

**MYRSTIPHYLLUM**, P. Br. = **Psychotria**, Linn.  
(Rubiace.).  
ligustrifolium, *Northr. in Mem. Torr. Bot. Club*, xii.  
68.—Ind. occ.  
loniceroides, *J. Britten, Bot. Cook Voy.* 47 = *P. lonicer-*  
*oides*.  
nesophilum, *J. Britten, l. c.* 46 = *P. nesophila*.

**MYRTUS**, Tourn. (Myrtac.).  
amara, *Arech. in Anal. Mus. Montevid.* v. 36  
(= *Blepharocalyx amarus*).—Urug.  
angustifolia, *Arech. l. c.* 37 (= *Blepharocalyx angusti-*  
*folius*).—Urug.  
angustissima, *Arech. l. c.* (= *Blepharocalyx angustis-*  
*simus*).—Urug.  
elliptica, *Arech. l. c.* 35 (= *Blepharocalyx ellipticus*).  
—Urug.  
formosa, *Barb. Rodr. Myrt. Parag.* 16.—Parag.  
Hassleriana, *Barb. Rodr. l. c.*—Parag.  
lanceolata, *Arech. in Anal. Mus. Montevid.* v. 39  
(= *Blepharocalyx lanceolatus*).—Urug.  
montevidenis, *Arech. l. c.* 37 (= *Myrceugenia monte-*  
*vidensis*).—Urug.  
myrtoides, *Arech. l. c.* 35 (= *Myrceugenia myrtoides*).  
—Urug.  
roraimensis, *N. E. Br. in Trans. Linn. Soc. Ser. II.* vi.  
26.—Guian.  
stricta, *Arech. in Anal. Mus. Montevid.* v. 38  
(= *Blepharocalyx strictus*).—Urug.

**MYSTACIDIUM**, Lindl. (Orchid.).  
appendiculatum, *Wildem. Pl. Nov. Hort. Then.* t. 21.  
—Afr. trop.  
caffrum, *Bolus, in Trans. S. Afr. Phil. Soc.* xvi. 145  
(= *Angraecum caffrum*).—Afr. austr.  
congolense, *Wildem. Notices Pl. Utiles Congo*, 151.—  
Afr. trop.  
Curnowianus, *Rolfe, in Orch. Rev.* 1904, 47 (= *Aeranthus*  
*Curnowianus*).—Madag.  
Flanaganii, *Bolus, in Trans. S. Afr. Phil. Soc.* xvi.  
145 (= *Angraecum Flanaganii*).—Afr. austr.  
Germinyanum, *Rolfe, in Orch. Rev.* 1904, 47 (= *An-*  
*graecum Germinyanum*).—Madag.  
gladiifolium, *Rolfe, l. c.* (= *Angraecum gladiifolium*).  
—Madag.  
Laurentii, *Wildem. Notices Pl. Utiles Congo*, 152.—  
Afr. trop.  
Leonis, *Rolfe, in Orch. Rev.* 1904, 47 (= *Aeranthus*  
*Leonis*).—Ins. Comor.  
Millari, *Bolus, in Trans. S. Afr. Phil. Soc.* xvi. 147.—  
Afr. austr.  
Peglerae, *Bolus, l. c.* 146.—Afr. austr.  
sesquipedale, *Rolfe, in Orch. Rev.* 1904, 47 (= *An-*  
*graecum sesquipedale*).—Madag.  
ugandense, *Rendle, in Journ. Linn. Soc.* xxxvii. 220.  
—Afr. trop.

**MYSTROXYLON**, Eckl. & Zeyh. (Tiliac.).  
[ELAEODENDRON, Jacq. I. K.]  
ussanguense, *Loes. in Engl. Jahrb.* xxx. 345.—Afr.  
trop.

**MYZODENDRON**, Banks (Santal.).  
antarcticum, *Gand. in Bull. Soc. Bot. Fr.* li. 141.—  
Patag.  
patagonicum, *Speg. in Anal. Mus. Buenos Aires*, vii.  
161.—Patag.

**MYZORRHIZA**, Phil. = **Aphyllon**, Mitch. (Orobanch.).  
ludoviciana, *Rydb. in Small, Fl. S. E. U. S.* 1093 =  
*A. ludovicianum*.

## N

**NABALUS**, Cass. = **Prenanthes**, Vaill. (Compos.).  
barbatus, *A. A. Heller, Muhlenbergia*, i. 8.—Am. bor.  
cylindricus, *Small, Fl. S. E. U. S.* 1312.—Am. bor.  
hastatus, *A. A. Heller, Muhlenbergia*, i. 8 = *P. alata*.  
mainensis, *A. A. Heller, l. c.* = *P. mainensis*.

**NABIASODENDRON**, Pitard, in *Actes Soc. Linn.*  
*Bordeaux*, lvii. (1902) p. liv. **TERNSTROEMIA-**  
**CEAE**.  
acuminatum, *Pitard, l. c.* (= *Gordonia acuminata*).—  
Ins. Philipp.  
axillare, *Pitard, l. c.* (= *Gordonia axillaris*).—As.  
austr. or.  
ellipticum, *Pitard, l. c.* (= *Gordonia elliptica*).—  
Zeylan.  
excelsum, *Pitard, l. c.* (= *Gordonia excelsa*).—Malaya.  
grande, *Pitard, l. c.* (= *Gordonia grandis*).—Malaya.  
Maingayi, *Pitard, l. c.* (= *Gordonia Maingayi*).—  
Penins. Mal.  
obtusum, *Pitard, l. c.* (= *Gordonia obtusa*).—Ind. or.  
speciosum, *Pitard, l. c.* (= *Gordonia speciosa*).—  
Zeylan.  
zeylanicum, *Pitard, l. c.* (= *Gordonia zeylanica*).—  
Zeylan.

**NAIAS**, Linn. (Naiad.).  
gracilis, *Small, Fl. S. E. U. S.* 40.—Am. bor.

**NAMA**, Linn. (Hydrophyll.).  
parvifolium, *Greenm. in Proc. Amer. Acad.* xxxix. 85.  
—Mexic.  
tortynophyllum, *Greenm. in Zoe*, v. 185 (1904).—Mexic.

**NANOCHILUS**, K. Schum. (Zingib.).  
arrovicus, *Gagnep. in Bull. Soc. Bot. Fr.* xlviii. p. lxxxii.  
—N. Guin.

**NAPEANTHUS**, Gardn. (Gesner.).  
repens, *Donn. Sm. in Coult. Bot. Gaz.* xxxi. 118.—Am.  
cent.

**NARCISSUS**, Tourn. (Amaryll.).  
luteus, *Bub. Fl. Pyren.* iv. 156 = *Pseudo-narcissus*.  
Rogendorfi, *Batt. & Trab. Fl. Algér. Tunis.* 327.—Hybr.  
Sardous, *Martelli, Monocot. Sard.* 122.—Sardoa.

**NARDOPHYLLUM**, Hook. & Arn. (Compos.).  
armatum, *Reiche, Fl. Chile*, iii. 279 (= *Dolichogyne*  
*armata*).—Chili.  
Nardophyllum, *Macl. in Rep. Princeton Univ. Exped.*  
*Patag.* viii. 784 (= *Aster Nardophyllum*).—Patag.  
stachelinoides, *Macl. l. c.* (= *Aster stachelinoides*).—  
Am. austr.

**NARTHECIUM**, Moehr. (Liliac.).  
palustre, *Bub. Fl. Pyren.* iv. 169 = *ossifragum*.

**NASSAUVIA**, Comm. (Compos.).  
abbreviata, *Dusen, in Oefvers. Vet. Akad. Forhandl.*  
*Stockh.* lviii. (1901) 234 (= *Panargyrum abbrevia-*  
*tum*).—Patag.  
Diazii, *Reiche, Fl. Chile*, iv. 387 (= *Panargyrum*  
*Diazii*).—Chili.  
Dusenii, *O. Hoffm. ex P. Dusen, in Rep. Princeton*  
*Univ. Exped. Patag.* viii. 21.—Patag.  
heterophylla, *Reiche, Fl. Chile*, iv. 387 (= *Panargyrum*  
*heterophyllum*).—Chili.  
lanata, *Reiche, l. c.* 388 (= *Sphaerocephalus lanatus*).  
—Chili.

**NASSAUVIA** :—

*laxa*, Wildem. *Rés. Voy. Belgica, Bot.* 176 (= *Panargyrum laxum*).—Chili.  
*pentacaenoides*, *Speg. Nov. Add. Fl. Patag.* ii. (1902), repr. 24.—Patag.  
*purpurascens*, S. Moore, *ex Rendle, in Journ. Bot.* 1904, 377.—Patag.  
*spinosa*, Reiche, *Fl. Chile*, iv. 386 (= *Panargyrum spinosum*).—Chili.  
*Struthionum*, Wildem. *Rés. Voy. Belgica, Bot.* 177 (= *Strongyloma Struthionum*).—Reg. Magell.  
*subspinosa*, Wildem. l. c. (= *Panargyrum subspinosa*).—Reg. Magell.

**NASTANTHUS**, Miers = **Boopis**, Juss. (Compos.).  
*acaulis*, Reiche, *Fl. Chile*, iii. 193.—Chili.  
*araucanus*, Reiche, l. c.—Chili.  
*chubutensis*, *Speg. in Anal. Mus. Buenos Aires*, vii. 306.—Patag.  
*patagonicus*, *Speg. l. c.* 307.—Patag.

**NASTURTIIUM**, Linn. (Crucif.).

*kouytchense*, Léveillé, in *Bull. Soc. Agric. Sci. Arts Sarthe*, 1904, repr. 6.—China.  
*microcapsum*, *Engl. & Gilg, in Warb. Kunene-Sambesi Exped.* 238.—Afr. trop.  
*pamparum*, *Speg. in Com. Mus. Buenos Aires*, i. 312; *et in Bol. Agric. Buenos Aires*, i. 198.—Reg. Argent.  
*Philippianum*, *Speg. in Bol. Agric. Buenos Aires*, i. 200.—Reg. Argent.  
*platense*, *Speg. l. c.* 199.—Reg. Argent.

**NATSCHIA**, Bub. *Fl. Pyren.* iv. (1901) 405 = **Nardus**, Linn. (Gramin.).  
*stricta*, Bub. l. c. = *Nardus stricta*.

**NAUCLEA**, Linn. (Rubiace.).

*Gageana*, King, in *Journ. As. Soc. Beng.* lxxii. 123.—Ins. Andaman.

**NAVARETIA**, Ruiz & Pav. = **Gilia**, Ruiz & Pav. (Polemon.).

*Bowmanae*, Eastw. in *Coult. Bot. Gaz.* xxxvii. 444.—Calif.  
*Jaredi*, Eastw. in *Zoe*, v. 89 (1900).—Calif.  
*ocellata*, Eastw. l. c. 88.—Calif.  
*pterosperma*, Eastw. in *Coult. Bot. Gaz.* xxxvii. 445.—Calif.  
*stricta*, Howell, *Fl. N. W. Amer.* i. 456.—Am. bor.  
*Suksdorfii*, Howell, l. c. 457.—Am. bor.

**NEBASIODENDRON**, Pitard, in *Actes Soc. Linn. Bordeaux*, lviii. (1902) p. liv, sphalm. = **Nabiasodendron**, Pitard (Ternstroem.).

**NECTANDRA**, Roland. (Laurac.).

*cuneato-cordata*, Mez, in *Bull. Herb. Boiss. Sér. II.* v. 242.—Bras.  
*Loesenerii*, Mez, l. c. 243.—Mexic.  
*megapotamica*, Mez, l. c. iii. 794.—Parag.  
*nervosa*, Mez & Pittier, *ex Mez*, l. c. 235.—Am. cent.

**NECTAROPETALUM**, Engl. *Jahrb.* xxxii. 109 (1902). **LINACEAE**.

*Carvalhoi*, *Engl. l. c.*—Afr. trop.  
*Kaessneri*, *Engl. l. c.* xxxiv. 151.—Afr. trop.

**NEERAGROSTIS**, Bush, in *Trans. Acad. Sci. St. Louis*, xiii. (1903) 178. **GRAMINEAE**.  
*hypnoides*, Bush, l. c. 180 (= *Poa hypnoides*).—Amer.  
*Weigeltiana*, Bush, l. c. 178 (= *Poa Weigeltiana*).—Amer.

**NELITRIS**, Gaertn. = **Timonius**, Rumph. (Rubiace.).  
*Timon*, Britten, in *Journ. Bot.* 1901, 68 = T. Rumphii.

**NEMACLADUS**, Nutt. (Campan.).

*adenophorus*, Parish, in *Bull. S. Calif. Acad.* ii. 28.—Calif.  
*gracilis*, Eastw. in *Bull. Torr. Bot. Club*, 1903, 500.—Calif.

**NEMESIA**, Vent. (Scrophul.).

*anfracta*, Hiern, in *Dyer, Fl. Cap.* iv. ii. 191.—Afr. austr.  
*caerulea*, Hiern, l. c.—Afr. austr.  
*Flanaganii*, Hiern, l. c. 199.—Afr. austr.  
*glaucescens*, Hiern, l. c. 182.—Afr. austr.  
*Guthriei*, Hiern, l. c. 173.—Afr. austr.  
*hanoverica*, Hiern, l. c. 197.—Afr. austr.  
*lanceolata*, Hiern, l. c. 198.—Afr. austr.  
*Leipoldtii*, Hiern, l. c. 175.—Afr. austr.

**NEMESIA** :—

*Maxii*, Hiern, in *Dyer, Fl. Cap.* iv. ii. 185.—Afr. austr.  
*micrantha*, Hiern, l. c. 179.—Afr. austr.  
*pallida*, Hiern, l. c. 172.—Afr. austr.  
*petiolina*, Hiern, l. c. 189.—Afr. austr.  
*pulchella*, Schlechter, *ex Hiern*, l. c. 180.—Afr. austr.

**NEMEXIA**, Rafin. = **Smilax**, Tourn. (Liliac.).

*biltmoreana*, Small, *Fl. S. E. U. S.* 281.—Am. bor.  
*diversifolia*, Small, l. c. = S. *diversifolia*.  
*ecirrhata*, Small, l. c. 280.—Am. bor.  
*herbacea*, Small, l. c. 281 = S. *herbacea*.  
*Hugerii*, Small, l. c. 280.—Am. bor.  
*lasioneuron*, Rydb. in *Bull. Torr. Bot. Club*, 1905, 610 = S. *lasioneuron*.  
*melica*, A. Nelson, in *Proc. Biol. Soc. Washington*, xvii. 175.—Am. bor.  
*pulverulenta*, Small, *Fl. S. E. U. S.* 281 = S. *pulverulenta*.  
*tamnifolia*, Small, l. c. = S. *tamnifolia*.  
*tenuis*, Small, l. c. = S. *tenuis*.

**NEMOPHILA**, Nutt. (Hydrophyll.).

*alata*, Eastw. in *Bull. Torr. Bot. Club*, 1901, 158.—Am. bor.  
*Austinae*, Eastw. l. c. 143.—Am. bor.  
*Brandegei*, Eastw. l. c. 1902, 471.—Am. bor.  
*Congdoni*, Eastw. l. c. 1901, 151.—Am. bor.  
*decumbens*, Eastw. l. c. 1902, 473.—Am. bor.  
*densa*, Howell, *Fl. N. W. Amer.* i. 466.—Am. bor.  
*divaricata*, Eastw. in *Bull. Torr. Bot. Club*, 1901, 153.—Am. bor.  
*diversifolia*, Eastw. l. c. 1902, 473.—Am. bor.  
*erosa*, Suksd. in *W. Amer. Scient.* xiv. 34.—Am. bor.  
*exigua*, Eastw. in *Bull. Torr. Bot. Club*, 1901, 157.—Am. bor.  
*exilis*, Eastw. l. c. 148.—Am. bor.  
*fallax*, Eastw. l. c. 156.—Am. bor.  
*flaccida*, Eastw. l. c. 149.—Am. bor.  
*glauca*, Eastw. l. c. 156.—Am. bor.  
*gracilis*, Eastw. l. c. 154.—Am. bor.  
*hispidula*, Eastw. l. c. 152.—Am. bor.  
*humifusa*, Kellogg, *ex Eastw. l. c.* 141.—Am. bor.  
*humilis*, Eastw. l. c. 150.—Am. bor.  
*inaequalis*, Eastw. l. c. 149.—Am. bor.  
*integrifolia*, Abrams, *Fl. Los Angeles*, 321.—Calif.  
*Johnsoni*, Eastw. in *Bull. Torr. Bot. Club*, 1902, 472.—Am. bor.  
*Kelloggii*, Eastw. l. c. 1901, 147.—Am. bor.  
*macrocarpa*, Eastw. l. c. 1902, 471.—Am. bor.  
*macrophylla*, Eastw. l. c. 1901, 144.—Am. bor.  
*micrantha*, Eastw. l. c. 146.—Am. bor.  
*minutiflora*, Suksd. in *W. Amer. Scient.* xiv. 32.—Hab. ?  
*mucronata*, Eastw. *ex Sheldon*, in *Bull. Torr. Bot. Club*, 1903, 309.—Am. bor.  
*nana*, Eastw. l. c. 1901, 151.—Am. bor.  
*nemorensis*, Eastw. l. c. 155.—Am. bor.  
*Plaskettii*, Eastw. l. c. 147.—Am. bor.  
*pratensis*, Eastw. l. c. 1902, 474.—Am. bor.  
*pulchella*, Eastw. l. c. 1901, 157.—Am. bor.  
*pustulata*, Eastw. l. c. 145.—Am. bor.  
*quercifolia*, Eastw. l. c. 142.—Am. bor.  
*reticulata*, Suksd. in *W. Amer. Scient.* xiv. 33.—Hab. ?  
*rotata*, Eastw. in *Bull. Torr. Bot. Club*, 1901, 159.—Am. bor.  
*tenera*, Eastw. l. c. 153.—Am. bor.  
*venosa*, Jepson, *Fl. W. Mid. Calif.* 434.—Am. bor.

**NEOBOUTONIA**, Muell. Arg. (Euphorb.).

*macrocalyx*, Pax, in *Engl. Jahrb.* xxx. 339.—Afr. trop.

**NEOBRIITONIA**, Hochr. in *Ann. Conserv. & Jard.*

*Bot. Genève*, ix. (1905) 184. **MALVACEAE**.  
*acerifolia*, Hochr. l. c. (= *Sida acerifolia*).—Mexic.

**NEOBUCHIA**, Urb. *Symb. Antill.* iii. (1902) 319. **MALVACEAE**.

*Paulinae*, Urb. l. c.—Ind. occ.

**NEODEUTZIA**, Small, in *N. Am. Fl.* xxii. 161

(1905). **SAXIFRAGACEAE**.  
*mexicana*, Small, l. c. 162 (= *Deutzia mexicana*).—Mexic.  
*ovalis*, Small, l. c.—Mexic.

**NEODIELSIA**, Harms, in *Engl. Jahrb.* xxxvi. Beibl.

lxxxii. (1905) 68. **LEGUMINOSAE**.  
*polyantha*, Harms, l. c. 69.—China.

**NEOLEHMANNIA**, Kraenzl. (Orchid.).

*Micro-Cattleya*, Kraenzl. in *Fedde, Rept. Nov. Sp.* i. 180.—Peruv.

**NEOMEZIA**, Votsch, in *Engl. Jahrb.* xxxiii. 506, 541 (1904). **THEOPHRASTACEAE**.

*cubensis*, Votsch, ll. cc. (= *Deherainia cubensis*).—Ind. occ.

**NEOMOOREA**, Rolfe, *Orch. Rev.* xii. (1904) 30. **ORCHIDACEAE**.

*irrorata*, Rolfe, l. c. (= *Moorea irrorata*).—Reg. Andin.

**NEOMUELLERA**, Briq. (Labiata.).

*damarensis*, S. Moore, in *Journ. Bot.* 1901, 265.—Afr. trop.

**NEONICHOLSONIA**, Damm, in *Gard. Chron.* 1901, ii. 178. **PALMAE**.

*Georgei*, Damm, l. c.—Am. cent.  
*Watsoni*, Damm, l. c. 179.—Am. cent.

**NEOSCHUMANNIA**, Schlechter, in *Engl. Jahrb.*

xxxviii. 38 (1905), descr. **ASCLEPIADACEAE**.  
*kamerunensis*, Schlechter, l. c.—Afr. trop.

**NEOTRELEASEA**, Rose, in *U. S. Dept. Agric. Contrib. Nat. Herb.* viii. (1903) 5. **COMMELINACEAE**.

*brevifolia*, Rose, l. c. 6.—Am. bor.  
*leiandra*, Rose, l. c. 7.—Am. bor.  
*tumida*, Rose, l. c.—Mexic.

**NEOWASHINGTONIA**, Sudw. in *U. S. Dept.*

*Agric. Bull. Forest.* xiv. (1897) 105. **PALMAE**.  
*filamentosa*, Sudw. l. c. (= *Washingtonia filamentosa*).—Calif.

**NEPENTHANDRA**, S. Moore, in *Journ. Bot.* (1905)

149. **EUPHORBACEAE**.  
*lanceolata*, S. Moore, l. c.—Burma.

**NEPENTHES**, Linn. (Nepenth.).

*Armbrustae*, F. M. Bailey, in *Queensl. Agric. Journ.* xvi. 191.—Austral.  
*Balfouriana*, Hort. *ex Gard. Chron.* 1904, ii. 97.—Hort.  
*Deslogesii*, Hort. *ex Le Jardin*, 1905, 136.—Hybr.  
*Garrawayae*, F. M. Bailey, in *Queensl. Agric. Journ.* xvi. 191.—Austral.  
*Macfarlanei*, Hemsl. in *Proc. Linn. Soc.* 1905, 12; *et in Gard. Chron.* 1905, i. 241.—Penins. Mal.  
*pascoensis*, F. M. Bailey, in *Queensl. Agric. Journ.* xvi. 190.—Austral.  
*Tiveyi*, Hort. *ex Rev. Hort. Belge*, 1905, 108.—Hybr.  
*Vallierae*, Hort. *ex Le Jardin*, 1905, 136.—Hybr.

**NEPETA**, Riv. (Labiata.).

*alata*, Lipsky, in *Act. Hort. Petrop.* xxiii. 214.—As. cent.  
*Alicae*, K. Schum. in *Just, Jahresb.* xxvii. i. 536, sphalm. = *Nepenthes Alicae*.  
*Bodinieri*, Vaniot, in *Bull. Acad. Géogr. Bot.* xiv. (1904) 172.—China.  
*bucharica*, Lipsky, in *Act. Hort. Petrop.* xxiii. 217.—As. cent.  
*elegans*, Lipsky, l. c. 224.—As. cent.  
*huillensis*, Guerke, in *Engl. Jahrb.* xxxvi. 121.—Afr. trop.  
*Jacubi*, Lipsky, in *Act. Hort. Petrop.* xxiii. 237.—As. cent.  
*Korshinskiyi*, Lipsky, l. c. 222.—As. cent.  
*Kronenburgii*, Freyn, in *Bull. Herb. Boiss. Sér. II.* i. 280.—Oriens.  
*ladanensis*, Lipsky, in *Act. Hort. Petrop.* xxiii. 235.—As. cent.  
*Maussariif*, Lipsky, l. c. 216.—As. cent.  
*Moorei*, K. Schum. in *Just, Jahresb.* xxvii. i. 536, sphalm. = *Nepenthes Moorei*.  
*Nadinae*, Lipsky, in *Act. Hort. Petrop.* xxiii. 239.—As. cent.  
*Newesskyi*, Lipsky, l. c. 226.—As. cent.  
*odorifera*, Lipsky, l. c. 228.—As. cent.  
*pamiro-alicae*, Lipsky, l. c. 230.—As. cent.  
*Prainii*, Duthie, in *Ann. Bot. Gard. Calc.* ix. 63.—Ind. or.  
*schugnanica*, Lipsky, in *Act. Hort. Petrop.* xxiii. 220.—As. cent.  
*usafuensis*, Guerke, in *Engl. Jahrb.* xxx. 394.—Afr. trop.

**NEPHELAPHYLLUM**, Blume (Orchid.).

papuanum, *Schlechter*, in *K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 96.—Ins. Bismarck.

**NEPHELIUM**, Linn. (Sapind.).

Forsythii, *Maiden*, in *Proc. Linn. Soc. N. S. Wales*, xxvi. 81.—Austral.  
intermedium, *Radlk. in Perkins, Frag. Fl. Philipp.* 61.—Ins. Philipp.

**NEPHTHYTIS**, Schott (Arac.).

Poissoni, *N. E. Br. in Dyer, Fl. Trop. Afr.* viii. 171 (= *Oligogynium Poissoni*).—Afr. trop.

**NEPTUNIA**, Lour. (Legum.).

microcarpa, *Rose*, in *U. S. Dept. Agric. Contrib. Nat. Herb.* viii. 300.—Mexic.

**NERINE**, Herb. (Amaryll.).

Bowdeni, *W. Watson, in Gard. Chron.* 1904, ii. 365.—Afr. austr.  
Huttonii, *Schoenl. in Rec. Albany Mus.* i. 49.—Afr. austr.  
pancratioides, *O'Brien, in Flora & Sylva*, iii. 122.—Afr. austr.  
Plantii, *Hort. ex Flora & Sylva*, iii. 122.—Hab. ?  
Schlechteri, *Baker, in Bull. Herb. Boiss. Sér. II.* iii. 665.—Afr. austr.

**NERVILIA**, Comm. (Orchid.).

[*POGONIA*, Juss. I. K.]  
fimbriata, *Schlechter*, in *K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 82.—N. Guin.  
punctata, *Makino, in Bot. Mag. Tokyo*, xvi. 199 (= *Pogonia punctata*).—Japon.

**NESAEA**, Comm. (Lythrac.).

Baumii, *Koehne, in Engl. Pflanzenreich, Lythrac.* 234; et in *Warb. Kunene-Sambesi Exped.* 312.—Afr. trop.  
Pringlei, *Rose, in Conzatti, Gén. Veget. Mexic.* 324, nomen.—Mexic.  
rivularis, *Koehne, in Journ. Bot.* 1902, 69 (= *Lythrum rivulare*).—Afr. austr.  
Woodii, *Koehne, in Engl. Pflanzenreich, Lythrac.* 238.—Afr. trop.

**NEURACANTHUS**, Nees (Acanth.).

gracilior, *S. Moore, in Journ. Bot.* 1901, 302.—Afr. trop.

**NEURACHNE**, R. Br. (Gramin.).

multiculmis, *Pilg. ex Diels & Pritz. in Engl. Jahrb.* xxxv. 68.—Austral.

**NEURADA**, Linn. (Rosac.).

austroafricana, *Schinz, in Bull. Herb. Boiss. Sér. II.* i. 874.—Afr. trop.

NEUROCARPAEA, P. Br. = **Pentas**, Benth. (Rubiace.).  
*longiflora*, S. Moore, in *Journ. Linn. Soc.* xxxvii. 157 = *P. longiflora*.  
*Thomsonii*, S. Moore, l. c. = *P. Thomsonii*.

**NEUROLAENA**, R. Br. (Compos.).

cobanensis, *Greenm. in Coult. Bot. Gaz.* xxxvii. 418.—Am. cent.  
macrophylla, *Greenm. in Proc. Amer. Acad.* xxxix. 118.—Mexic.

**NEUROTHECA**, Salisb. (Gentian.).

Baumii, *Gilg, in Warb. Kunene-Sambesi Exped.* 333.—Afr. trop.  
corymbosa, *Hua, in Bull. Soc. Bot. Fr.* xlviii. 267.—Afr. trop.  
longidens, *N. E. Br. in Dyer, Fl. Trop. Afr.* iv. i. 560.—Afr. trop.  
robusta, *Hua, in Bull. Soc. Bot. Fr.* xlviii. 265.—Afr. trop.  
rupicola, *Hua, l. c.* 266.—Afr. trop.  
Schlechteri, *Gilg, ex Baker, in Dyer, Fl. Trop. Afr.* iv. i. 561.—Afr. trop.

**NEWCASTLIA**, F. Muell. (Verben.).

insignis, *E. Pritz. in Engl. Jahrb.* xxxv. 506.—Austral.  
viscida, *E. Pritz. l. c.* 505.—Austral.

**NICOLAIA**, Horan. = **Amomum**, Linn. (Scitam.).

atropurpurea, *Valet. in Bull. Inst. Buitenz.* xx. 36, 94 (= *Elettaria atropurpurea*).—Sumatra.

**NICOLAIA** :—

*magnifica*, K. Schum. ex *Valet. in Bull. Inst. Buitenz.* xx. 35 = *A. magnificum*.  
*sanguinea*, *Valet. l. c.* 36; et in *Ic. Bogor.* t. 155.—Java.

**NICOLASIA**, S. Moore (Compos.).

affinis, *S. Moore, in Bull. Herb. Boiss. Sér. II.* iv. 1014.—Afr. trop.  
*Lugardi, N. E. Br. in Bull. Herb. Boiss. Sér. II.* iv. 1015.—Afr. trop.

**NICOTIANA**, Linn. (Solan.).

acaulis, *Speg. Nov. Add. Fl. Patag.* ii. (1902), repr. 56.—Patag.  
Ameghinoi, *Speg. l. c.* 57.—Patag.  
deserticola, *Speg. l. c.* 59.—Patag.  
Forgetiana, *Hort. Sand. ex Hemsl. in Bot. Mag.* t. 8006.—Bras.  
Friesii, *Damm. ex R. Fries, in Arkiv Bot. Stockh.* i. 409.—Am. austr.

**NIDORELLA**, Cass. (Compos.).

angustifolia, *O. Hoffm. ex A. Zahlbr. in Ann. Nat. Hofmus. Wien*, xx. (1905) 53.—Afr. austr.  
densifolia, *O. Hoffm. in Warb. Kunene-Sambesi Exped.* 407.—Afr. trop.  
Krookii, *O. Hoffm. ex A. Zahlbr. in Ann. Nat. Hofmus. Wien*, xx. (1905) 54.—Afr. austr.  
linearifolia, *O. Hoffm. in Warb. Kunene-Sambesi Exped.* 408.—Afr. trop.  
stricta, *O. Hoffm. in Engl. Jahrb.* xxx. 427.—Afr. trop.  
Welwitschii, *S. Moore, in Journ. Linn. Soc.* xxxv. 326.—Afr. trop.

**NIDULARIUM**, Lem. (Bromel.).

[*KARATAS*, Adans. I. K.]  
amazonicum, *Ule, in Karst. & Schenck, Vegetationsbilder*, ii. (1904) sub tt. 1-2 (= *Canistrum amazonicum*).—Reg. Amaz.  
eleutheropetalum, *Ule, l. c.* 1.—Reg. Amaz.  
myrmecophilum, *Ule, l. c.* iii. (1905) sub tt. 3-4.—Reg. Amaz.

**NIEBUHRIA**, Neck. = **Wedelia**, Jacq. (Compos.).

biflora, *Britten, in Journ. Bot.* 1901, 69 = *Wedelia biflora*.  
spilanthoides, *Britten, l. c.* = *Wedelia spilanthoides*.

**NIGELLA**, Tourn. (Ranunc.).

glandulifera, *Freyn & Sint, ex Freyn, in Bull. Herb. Boiss. Sér. II.* iii. 559.—As. cent.

**NISSOLIA**, Jacq. (Legum.).

montana, *Rose, in U. S. Dept. Agric. Contrib. Nat. Herb.* viii. 48.—Mexic.

**NITROPHILA**, S. Wats. (Chenopod.).

australis, *Chod. & Wilcz. in Bull. Herb. Boiss. Sér. II.* ii. 535.—Reg. Argent.

**NIVENIA**, R. Br. (Proteac.).

Bolusii, *Gand. in Bull. Soc. Bot. Fr.* xlviii. p. xcvi.—Afr. austr.

**NOCCA**, Cav. = **Lagascea**, Cav. (Compos.).

glandulosa, *Robinson, in Proc. Amer. Acad.* xxxvi. 470 = *L. glandulosa*.  
*Liebmannii*, *Robinson, l. c.* = *L. Liebmannii*.  
*Palmeri*, *Robinson, l. c.* 471.—Mexic.  
*Pringlei*, *Robinson, l. c.* 469.—Mexic.  
*tomentosa*, *Robinson, l. c.* 470 = *L. tomentosa*.

**NOLINA**, Michx. (Liliac.).

altamiranoana, *Rose, in Proc. U. S. Nat. Mus.* xxix. (1905) 438.—Mexic.

NOLINIA, K. Schum. in *Just, Jahresb.* xxvii. i. (1901) 463, sphalm. = **Molinia**, Schrank (Gramin.).

**NOMAPHILA**, Blume (Acanth.).

siamensis, *C. B. Clarke, in Bull. Herb. Boiss. Sér. II.* v. 716.—Siam.

**NORANTEA**, Aubl. (Ternstroem.).

giganthophylla, *Gilg, in Engl. Jahrb.* xxxiv. Beibl. lxxviii. 14.—Ecuador.  
*Sodiroti, Gilg, l. c.*—Ecuador.  
*Uleana, Pilg. in Verh. Bot. Ver. Brand.* xlvii. (1905) 155.—Peruv.

**NOSEMA**, Prain, in *Journ. As. Soc. Beng.* lxxiii.

(1904) 20. **LABIATAE**.  
capitatum, *Prain, l. c.*—Siam.  
prunelloides, *C. B. Clarke, ex Prain, l. c.* 21.—China.  
tonkinense, *C. B. Clarke, ex Prain, l. c.*—Tonkin.

**NOTHOCALAIS**, Greene = **Microseris**, D. Don

(Compos.).  
*nigrescens*, A. A. Heller, *Muhlenbergia*, i. 8 = *M. nigrescens*.

**NOTHOFAGUS**, Blume = **Fagus**, Tourn. (Cupul.).

*Montagnei*, *Reiche, Beitr. Kenntn. Chil. Buchen*, 12 = *F. antarctica*.  
*nitida*, *Reiche, l. c.* 16 = *F. nitida*.  
*pumilio*, *Reiche, l. c.* 12 = *F. pumilio*.

**NOTHOSPONDIAS**, Engl. in *Engl. Jahrb.* xxxvi.

(1905) 216. **ANACARDIACEAE**.  
*Staudtii, Engl. l. c.* 217.—Afr. trop.

**NOTOCAMPYLUM**, Van Tiegh. in *Bull. Mus. Hist.*

*Nat. Par.* viii. (1902) 216 = **Ouratea**, Aubl. (Ochnac.).  
*Chevalieri*, *Van Tiegh. in Ann. Sci. Nat. Sér. VIII.* xvi. 312.—Afr. trop.  
*decrescens*, *Van Tiegh. l. c.*—Afr. trop.  
*Mannii*, *Van Tiegh. in Journ. de Bot.* xvi. 199 = *O. Mannii*.  
*nigricans*, *Van Tiegh. in Ann. Sci. Nat. Sér. VIII.* xvi. 312.—Afr. trop.  
*Oliveri*, *Van Tiegh. l. c.* 311.—Afr. trop.

**NOTOCHNELLA**, Van Tiegh. in *Bull. Mus. Hist.*

*Nat. Par.* viii. (1902) 549 = **Brackenridgea**, A. Gray (Ochnac.).  
*fascicularis*, *Van Tiegh. l. c.* = *B. fascicularis*.

**NOTONIA**, DC. (Compos.).

amaniensis, *Engl. in Notizbl. Bot. Gart. Berlin*, iv. 182.—Afr. trop.  
*Gregorii*, *S. Moore, in Journ. Linn. Soc.* xxxv. 353.—Afr. trop.  
*pendula*, *Chiov. in Ann. Ist. Bot. Roma*, viii. 188 (= *Cacalia pendula*).—Afr. trop.

**NOTOPTERA**, Urb. Symb. Antill. ii. (1901) 465.

**COMPOSITAE**.  
*guatemalensis*, *Urb. l. c.*—Am. cent.  
*hirsuta*, *Urb. l. c.* 466 (= *Salmea hirsuta*).—Ind. occ.

**NOTOPTERYGIUM**, Boissieu, in *Bull. Herb. Boiss.*

*Sér. II.* iii. (1903) 838. **UMBELLIFERAE**.  
*Forbesii*, *Boissieu, l. c.* 840.—China.  
*Francheti*, *Boissieu, l. c.* 839.—China.

**NOTOSCEPTRUM**, Benth. (Liliac.).

brachystachyum, *A. Zahlbr. in Ann. Nat. Hofmus. Wien*, xv. 15.—Afr. austr.

**NOTOTHIXOS**, Oliver (Loranth.).

leiophyllus, *K. Schum. in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 260.—Ins. Bismarck.

**NOTOURATEA**, Van Tiegh. in *Bull. Mus. Hist. Nat.*

*Par.* viii. (1902) 215 = **Ouratea**, Aubl. (Ochnac.).  
*inundata*, *Van Tiegh. in Journ. de Bot.* xvi. 184, 191 = *O. inundata*.  
*recurva*, *Van Tiegh. in Ann. Sci. Nat. Par. Sér. VIII.* xvi. 220.—Mexic.

**NOTYLIA**, Lindl. (Orchid.).

*Durandiana*, *Cogn. in Mart. Fl. Bras.* iii. vi. 124.—Guiana.  
*Glaziovii*, *Cogn. l. c.* 129.—Bras.  
*microchila*, *Cogn. l. c.* 123.—Bras.  
*rosea*, *Cogn. l. c.* 136 (= *Macroclinium roseum*).—Bras.

**NUCULARIA**, Battand. in *Bull. Soc. Bot. Fr.* i

(1903) 469. **SALSOLACEAE**.  
*Perrini, Battand. l. c.* i. 469; li. 434.—Afr. bor.

**NUPHAR**, Sibth. & Sm. (Nymphaeac.).

centricavatum, *Schuster, in Allg. Bot. Zeitschr.* 1905, 145.—Germania.

**NUXIA**, Comm. (Logan.).

breviflora, *S. Moore, in Journ. Bot.* 1903, 403.—Afr. austr.  
*Dekindtiana*, *Gilg, in Engl. Jahrb.* xxxii. (1902) 141.—Afr. trop.

**NUXIA** :—

- Goetzeana, *Gilg, in Engl. Jahrb.* xxx. 375.—Afr. trop.  
 involucreta, *Aug. DC. in Bull. Herb. Boiss. Sér. II. i.*  
 577.—Madag.  
 Mannii, *Gilg, in Engl. Jahrb.* xxxii. (1902) 140.—  
 Afr. trop.  
 odorata, *Gilg, l. c.* xxx. 376.—Afr. trop.  
 platyphylla, *Gilg, l. c.* xxxii. (1902) 141.—Afr. trop.  
 polyantha, *Gilg, l. c.* xxx. 376.—Afr. trop.  
 rupicola, *Gilg, l. c.* xxxii. (1902) 142.—Afr. trop.  
 Schlechteri, *Gilg, l. c.* 140.—Afr. trop.

**NYCTAGINIA**, Choisy (Nyctag.).

- Cockerellae, A. Nelson, in *Proc. Biol. Soc. Washing-*  
 ton, xvi. 29.—Am. bor.

**NYMANIA**, K. Schum. in K. Schum. & Lauterb.  
 Nachtr. Fl. Deutsch. Südsee (1905) 291. **EUPHOR-**  
**BIACEAE.**  
 insignis, K. Schum. l. c. 292.—N. Guin.**NYMPHAEA**, Tourn. (Nymphaeac.).

- calliantha, Conard, in *Ann. Conserv. & Jard. Bot.*  
*Genève*, vii-viii. 19.—Afr. trop.  
 Gibertii, Conard, *Monog. Nymphaea*, 210 (= *Castalia*  
*Gibertii*).—Parag.  
 ovalifolia, Conard, l. c. 150.—Afr. trop.  
 Planchonii, Cesp. ex Conard, l. c. 164 = mexicana.  
 Stuhlmannii, Schweinf. & Gilg, in *Warb. Kunene-*  
*Sambesi, Exped.* 236.—Afr. trop.  
 sulphurea, Gilg, l. c. 235.—Afr. trop.  
 variegata, G. Mill. in *Proc. Biol. Soc. Washington*,  
 xv. 13.—Am. bor.  
 Zenkeri, Gilg, in Conard, *Monog. Nymphaea*, 197.—  
 Afr. trop.

**NYMPHONA**, Bub. Fl. Pyren. iii. (1901) 260 = **Nuphar**,  
 Sibth. & Sm. (Nymphaeac.).  
 lutea, Bub. l. c. = *Nuphar lutea*.**NYSSA**, Gronov. (Cornac.).

- acuminata, Small, Fl. S. E. U. S. 852.—Am. bor.  
 Hollrungii, K. Schum. in K. Schum. & Lauterb.  
 Nachtr. Fl. Deutsch. Südsee, 334.—N. Guin.

**O****OAKESIELLA**, Small, Fl. S. E. U. S. 271 (1903).  
**LILIACEAE.**

- floridana, Small, l. c. 272 (= *Uvularia floridana*).—  
 Am. bor.  
 puberula, Small, l. c. (= *Uvularia puberula*).—  
 Am. bor.  
 sessilifolia, Small, l. c. (= *Uvularia sessilifolia*).—  
 Am. bor.

**OAXACANA**, Rose, in U. S. Dept. Agric. Contrib. Nat.  
 Herb. viii. 337 (1905), sphalm. = **Coaxana**, Coult. &  
 Rose (Umbell.).  
 ebracteata, Rose, l. c. sphalm. = *C. ebracteata* (1906).**OBERONIA**, Lindl. (Orchid.).

- aurea, Schlechter, in K. Schum. & Lauterb. Nachtr.  
 Fl. Deutsch. Südsee, 109.—Ins. Bismarck.  
 bifida, Schlechter, l. c.—N. Guin.  
 bilobata, Schlechter, l. c. 110.—N. Guin.  
 Boerlageana, F. F. Sm. *Orchid. Java*, 243.—Java.  
 brunnea, Schlechter, in K. Schum. & Lauterb. Nachtr.  
 Fl. Deutsch. Südsee, 110.—N. Guin.  
 cardiochila, Schlechter, l. c. 111.—N. Guin.  
 Costeriana, F. F. Sm. *Orchid. Java*, 244.—Java;  
 Sumatra.  
 diura, Schlechter, in K. Schum. & Lauterb. Nachtr.  
 Fl. Deutsch. Südsee, 111.—N. Guin.  
 dolichophylla, Schlechter, l. c. 114.—N. Guin.  
 dubia, F. F. Sm. *Orchid. Java*, 245.—Java.  
 Hosei, Rendle, in *Journ. Bot.* 1901, 173.—Borneo.  
 irrorata, Schlechter, in K. Schum. & Lauterb. Nachtr.  
 Fl. Deutsch. Südsee, 112.—N. Guin.  
 longicaulis, Schlechter, l. c.—Ins. Bismarck.  
 Lotsyana, F. F. Sm. *Orchid. Java*, 241.—Java.  
 lucida, F. F. Sm. *Orchid. Ambon*, 26.—Amboina.

**OBERONIA** :—

- oligotricha, Schlechter, in K. Schum. & Lauterb.  
 Nachtr. Fl. Deutsch. Südsee, 115.—N. Guin.  
 Oxystophyllum, F. F. Sm. *Orchid. Java*, 237.—Java.  
 platyphila, Schlechter, in K. Schum. & Lauterb.  
 Nachtr. Fl. Deutsch. Südsee, 113.—Ins. Bismarck.  
 punamensis, Schlechter, l. c. 115.—Ins. Bismarck.  
 radicans, Schlechter, l. c. 113.—N. Guin.  
 rivularis, Schlechter, l. c. 115.—N. Guin.  
 stenophylla, Schlechter, l. c. 113.—N. Guin.  
 Valettoniana, F. F. Sm. *Orchid. Java*, 243.—Java.  
 yunnanensis, Rolfe, in *Journ. Linn. Soc.* xxxvi. 6.—  
 China.  
 Zimmermanniana, F. F. Sm. *Orchid. Java*, 245.—Java.

**OCEANORUS**, Small, Fl. S. E. U. S. 252 (1903).  
**LILIACEAE.**  
 leimanthoides, Small, l. c. (= *Amianthium leiman-*  
*thoides*).—Am. bor.**OCHNA**, Linn. (Ochnac.).

- angustifolia, Engl. & Gilg, in *Engl. Jahrb.* xxxii.  
 135.—Afr. trop.  
 Antunesii, Engl. ex Van Tiegh. in *Ann. Sci. Nat.*  
 Sér. VIII. xvi. 387, nomen; Engl. & Gilg, in *Warb.*  
*Kunene-Sambesi Exped.* 304.—Afr. trop.  
 brunnescens, Gilg, ex Van Tiegh. l. c. 388, nomen;  
 Engl. & Gilg, l. c. 302.—Afr. trop.  
 Buettneri, Gilg, in *Engl. Jahrb.* xxxiii. 242.—Afr. trop.  
 cinnabarina, Engl. & Gilg, in *Warb. Kunene-Sambesi*  
*Exped.* 305.—Afr. trop.  
 citrina, Gilg, in *Engl. Jahrb.* xxxiii. 246.—Afr. trop.  
 congoensis, Gilg, l. c. 239.—Afr. trop.  
 davilliflora, Gilg, ex Van Tiegh. in *Ann. Sci. Nat.*  
 Sér. VIII. xvi. 388.—Afr. trop.  
 Debeerstii, Wildem. in *Ann. Mus. Congo*, Sér. IV. 88.  
 —Afr. trop.  
 Decaisnei, Van Tiegh. in *Bull. Mus. Hist. Nat. Par.*  
 1902, 49.—Timor.  
 Dekindtiana, Engl. & Gilg, in *Engl. Jahrb.* xxxii.  
 135.—Afr. trop.  
 densicoma, Gilg, in *Engl. Jahrb.* xxxiii. 241.—Afr. trop.  
 fruticulosa, Gilg, l. c. 238.—Afr. trop.  
 Gilgiana, Engl. ex Gilg, in *Engl. Jahrb.* xxxiii. 243.  
 —Afr. trop.  
 Gilgii, Engl. ex Van Tiegh. in *Ann. Sci. Nat. Sér.*  
 VIII. xvi. 391 = Gilgiana.  
 Gilletiana, Gilg, in *Engl. Jahrb.* xxxiii. 239.—Afr. trop.  
 Hoefneri, Engl. & Gilg, in *Warb. Kunene-Sambesi*  
*Exped.* 303.—Afr. trop.  
 Holtzii, Gilg, in *Engl. Jahrb.* xxxiii. 244.—Afr. trop.  
 huillensis, Engl. ex Van Tiegh. in *Ann. Sci. Nat. Sér.*  
 VIII. xvi. 387.—Afr. trop.  
 humilis, Engl. Jahrb. xxx. 354.—Afr. trop.  
 hylophila, Gilg, in *Engl. Jahrb.* xxxiii. 242.—Afr. trop.  
 katangensis, Wildem. in *Ann. Mus. Congo*, Sér. IV.  
 89.—Afr. trop.  
 Mannii, Van Tiegh. in *Ann. Sci. Nat. Sér. VIII. xvi.*  
 385.—Afr. trop.  
 Merkeri, Gilg, in *Notizbl. Bot. Gart. Berlin*, iii. 196,  
 nomen.—Afr. trop.  
 micrantha, Schweinf. & Gilg, ex Gilg, in *Engl. Jahrb.*  
 xxxiii. 238.—Afr. trop.  
 monantha, Gilg, in *Engl. Jahrb.* xxxiii. 247.—Afr.  
 trop.  
 padiflora, Gilg, l. c. 243.—Afr. trop.  
 polyneura, Gilg, l. c. 240.—Afr. trop.  
 roseiflora, Engl. & Gilg, in *Warb. Kunene-Sambesi*  
*Exped.* 304.—Afr. trop.  
 rovumensis, Gilg, in *Engl. Jahrb.* xxxiii. 246.—  
 Afr. trop.  
 Staudtii, Gilg, l. c.—Afr. trop.  
 tenuipes, Van Tiegh. in *Ann. Sci. Nat. Sér. VIII. xvi.*  
 385.—Afr. trop.  
 Thomasiana, Engl. & Gilg, ex Gilg, in *Engl. Jahrb.*  
 xxxiii. 245.—Afr. trop.  
 Wildemaniana, Gilg, ex Wildem. in *Ann. Mus. Congo*,  
 Sér. IV. 90.—Afr. trop.

**OCHNELLA**, Van Tiegh. in *Bull. Mus. Hist. Nat. Par.*  
 1902, 214 = **Ochna**, Linn. (Ochnac.).  
 Afzelii, Van Tiegh. in *Ann. Sci. Nat. Sér. VIII. xvi.*  
 345 = *Ochna Afzelii*.  
 alba, Van Tiegh. in *Journ. de Bot.* 1902, 123.—Afr. trop.  
 Barteri, Van Tiegh. l. c. 122.—Afr. trop.  
 Boiviniana, Van Tiegh. l. c. = *Ochna Boiviniana*.  
 brachypoda, Van Tiegh. l. c. = *Ochna brachypoda*.**OCHNELLA** :—

- Buechneri, Van Tiegh. in *Journ. de Bot.* 1902, 122.—  
 Afr. trop.  
 Debeerstii, Van Tiegh. in *Ann. Sci. Nat. Sér. VIII.*  
 xviii. 40 = *Ochna Debeerstii*.  
 Dekindtiana, Van Tiegh. l. c. xvi. 345 = *Ochna Dekind-*  
*tiana*.  
 densicoma, Van Tiegh. l. c. xviii. 40 = *Ochna densicoma*.  
 gracilipes, Van Tiegh. in *Journ. de Bot.* 1902, 122 =  
*Ochna gracilipes*.  
 humilis, Van Tiegh. in *Ann. Sci. Nat. Sér. VIII. xvi.*  
 344 = *Ochna humilis*.  
 leptoclada, Van Tiegh. in *Journ. de Bot.* 1902, 122 =  
*Ochna leptoclada*.  
 mauritiana, Van Tiegh. l. c. = *Ochna mauritiana*.  
 Mechowiana, Van Tiegh. l. c. = *Ochna Mechowiana*.  
 ovata, Van Tiegh. l. c. = *Ochna ovata*.  
 punctulata, Van Tiegh. l. c. 123.—Afr. trop.  
 pygmaea, Van Tiegh. l. c. 122 = *Ochna pygmaea*.  
 rhizomatosa, Van Tiegh. l. c. 123.—Afr. trop.  
 Schweinfurthiana, Van Tiegh. in *Ann. Sci. Nat. Sér.*  
 VIII. xviii. 39 = *Ochna Schweinfurthiana*.  
 tenuis, Van Tiegh. in *Journ. de Bot.* 1902, 122.—  
 Afr. trop.  
 Welwitschii, Van Tiegh. l. c. = *Ochna Welwitschii*.

**OCHROCARPOS**, Thou. (Guttif.).

- congregatus, Boerl. *Cat. Hort. Bogor.* 83.—Arch. Mal.  
 obovalis, Safford, in U. S. Dept. Agric. Contrib. Nat.  
 Herb. ix. 335 (= *Calsyccion obovale*).—Arch. Mal.

**OCHTHOCOSMUS**, Benth. (Linac.).

- Lemaireanus, Wildem. & Th. Dur. in *Bull. Soc. Bot.*  
 Belg. xl. 16.—Afr. trop.

**OCIMUM**, Linn. (Labiata.).

- aureoglandulosum, Vaniot, in *Bull. Acad. Géogr. Bot.*  
 xiv. (1904) 171.—China.  
 decumbens, Guerke, in *Engl. Jahrb.* xxx. 400.—  
 Afr. trop.  
 Dinteri, Briq. in *Bull. Herb. Boiss. Sér. II. iii.* 980.—  
 Afr. austr.  
 fissilabrum, Briq. l. c. 984.—Afr. trop.  
 Kellerei, Briq. l. c. 986.—Afr. trop.  
 piliferum, Briq. l. c.—Afr. trop.  
 polycladum, Briq. l. c. 982.—Afr. austr.  
 Rautanenii, Briq. l. c.—Afr. trop.  
 somaliense, Briq. l. c. 985.—Afr. trop.  
 stenoglossum, Briq. l. c. 981.—Afr. austr.

**OCLEMENA**, Greene, Leaflets Bot. Obs. i. (1903) 4.  
**COMPOSITAE.**

- acuminata, Greene, l. c. (= *Aster acuminatus*).—  
 Am. bor.  
 nemoralis, Greene, l. c. 5 (= *Aster nemoralis*).—  
 Am. bor.

**OCOTEA**, Aubl. (Laurac.).

- atirrensis, Mez & Donn. Sm. ex Mez, in *Engl. Jahrb.*  
 xxx. Beibl. lxvii. 18.—Am. cent.  
 catharinensis, Mez, l. c. 19.—Bras.  
 cuneata, Mez, l. c. 17 (1901).—Am. cent.  
 cuneata, Urb. *Symb. Antill.* iv. 246 (1905) (= *Nec-*  
*tandra cuneata*).—Ind. occ.  
 Dussii, Mez, in *Bull. Herb. Boiss. Sér. II. v.* 241.—  
 Ind. occ.  
 floccifera, Mez & Sod. ex Mez, l. c. 237.—Ecuador.  
 glauca, Mez, ex Urb. in *Urb. & Graebn. Festschr.*  
*Aschers.* 57 (= *Myginda brasiliensis*).—Bras.  
 heterochroma, Mez & Sod. ex Mez, in *Bull. Herb.*  
*Boiss. Sér. II. v.* 239.—Ecuador.  
 inconspicua, Mez, in *Engl. Jahrb.* xxx. Beibl. lxvii.  
 20.—Bras.  
 ira, Mez & Pittier, ex Mez, in *Bull. Herb. Boiss.*  
 Sér. II. iii. (1903) 232.—Am. cent.  
 jamaicensis, Mez, l. c. v. 241.—Ind. occ.  
 marmellensis, Mez, l. c. 238.—Bras.  
 mollifolia, Mez & Pittier, ex Mez, l. c. iii. 233.—  
 Am. cent.  
 oocarpa, Mez & Sod. ex Mez, l. c. v. 238.—Ecuador.  
 pachypoda, Mez & Sod. ex Mez, l. c. 240.—Ecuador.  
 palmana, Mez & Donn. Sm. in *Coult. Bot. Gaz.* xxxiii.  
 258.—Am. cent.  
 paradoxa, Mez, in *Engl. Jahrb.* xxx. Beibl. lxvii. 16.  
 —Am. cent.  
 pedalifolia, Mez, l. c. 19.—Am. cent.  
 pentagona, Mez, l. c. 17.—Am. cent.  
 Quisara, Mez & Donn. Sm. in *Coult. Bot. Gaz.* xxxiii.  
 259.—Am. cent.



**OCOTEA**—

- rubiginosa, Mez, in *Engl. Jahrb. xxx. Beibl.* lxvii. 20.—Bras.  
 Sodiroana, Mez, in *Bull. Herb. Boiss. Sér. II.* v. 240.—Ecuador.  
 stenoneura, Mez & Pittier, ex Mez, l. c. iii. 233.—Am. cent.  
 tenera, Mez & Donn. Sm. ex Mez, l. c. 234; et in *Coult. Bot. Gaz.* xxxv. (1903) 6.—Am. cent.  
 Weberbaueri, Mez, in *Bull. Herb. Boiss. Sér. II.* v. 236.—Peruv.

**OCREARIA**, Small, in *N. Am. Fl.* xxii. 155 (1905).**SAXIFRAGACEAE.**

- nudicaulis, Small, l. c. (= *Saxifraga nudicaulis*).—Am. bor. occ.

**OCTOCNEMA**, Van Tiegh. in *Journ. de Bot.* xix. 46 = **Octoknema**, Pierre (Olac.).**OCTOKNEMA**, Pierre (Olac.).  
 affinis, Pierre, in *Journ. de Bot.* xix. 46.—Afr. trop.**OCTOMERIA**, R. Br. (Orchid.).

- Connellis, Rolfe, in *Trans. Linn. Soc. Ser. II.* vi. 60.—Guiana.  
 parvifolia, Rolfe, l. c.—Guiana.

**ODINA**, Roxb. (Anacard.).

- ambacensis, K. Schum. in *Fust's Jahresb.* xxvii. i. 476 (= *Calesiam ambacensis*).—Afr. trop.  
 antiscorbutica, K. Schum. l. c. (= *Calesiam antiscorbutica*).—Afr. trop.  
 rubra, K. Schum. l. c. (= *Calesiam rubra*).—Afr. trop.  
 Welwitschii, K. Schum. l. c. (= *Calesiam Welwitschii*).—Afr. trop.

**ODONTITES**, Riv. = **Bartsia**, Linn. (Scrophul.).

- foliosa, Lara, in *Act. Soc. Esp. Hist. Nat.* xxiii. III. 261; *Mém. Soc. Esp. Hist. Nat.* ii. 54.—Hispan.

**ODONTOCHILUS**, Blume (Orchid.).

- Tashiroi, Makino, in *Bot. Mag. Tokyo*, xiv. (1900) 141 (= *Anoetochilus Tashiroi*).—Japon.  
 yunnanensis, Rolfe, in *Journ. Linn. Soc.* xxxvi. 43.—China.

**ODONTOGLOSSUM**, H. B. & K. (Orchid.).

- amabile, Hort. ex Gard. Chron. 1905, i. 197.—Hybr.  
 Lawrenceanum, Hort. l. c.—Hybr.

**ODONTONEMA**, Nees (Acanth.).

- [**THYRSACANTHUS**, Nees. I. K.]  
 adenostachyum, Lindau, in *Bull. Herb. Boiss. Sér. II.* iv. 404.—Peruv.

**ODONTONIA**, Rolfe, in *Gard. Chron.* 1905, II. 2. **ORCHIDACEAE.**

- Lairesseae, Rolfe, l. c.—Hybr.

**ODONTONYCHIA**, Small, *Fl. S. E. U. S.* 401 (1903). **ILLECEBRACEAE.**

- corymbosa, Small, l. c. 402 (= *Siphonychia corymbosa*).—Am. bor.  
 erecta, Small, l. c. 401 (= *Siphonychia erecta*).—Am. bor.

**ODONTYCHIUM**, K. Schum. in *Engl. Pflanzenreich*,

- Zingib. 59 (1904). **ZINGIBERACEAE.**  
 denticulatum, K. Schum. l. c. 60 (= *Hedychium denticulatum*).—Penins. Mal.

**OENANTHE**, Tourn. (Umbell.).

- Biebersteini, Simon, in *Rev. Bot. Syst. Géogr. Bot.* i. 93.—Eur.  
 caucasica, Simon, l. c. 99.—Reg. Caucas.  
 chalcidica, Simon, l. c. 101.—Graecia.  
 gallaecica, Pau & Merino, ex Merino, in *Mem. Soc. Esp. Hist. Nat.* ii. 493.—Hispan.  
 media, Simon, in *Rev. Bot. Syst. Géogr. Bot.* i. 72.—Eur.  
 rivularis, Dunn, in *Journ. Linn. Soc.* xxxv. 496.—China.  
 Schlechteri, Wolff, in *K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 333.—N. Guin.  
 sinensis, Dunn, in *Journ. Linn. Soc.* xxxv. 496.—China.

**OENONE**, Tul. = **Ligea**, Tul. (Podost.).

- batrachifolia, Mildb. in *Verh. Bot. Ver. Brand.* xlvii. (1905) 147.—Reg. Amaz.

VOL. IV.

**OENOTHERA**, Linn. (Onagr.).

- albida, De Vries, in *Rev. Gén. de Bot.* xiii. 11.—Hort.  
 argillicola, Mackenzie, in *Torreyia*, iv. 56.—Am. bor.  
 Autrani, Léveillé, *Monogr. Onoth.* 208 A.—Calif.  
 Barbeyana, Léveillé, l. c. 43.—Boliv.  
 communis, Léveillé, in *Bull. Acad. Géogr. Bot.* xiii. (1904) 288, nomen.—Gallia.  
 eulobus, Léveillé, *Monogr. Onoth.* 231 (= *Eulobus californicus*).—Calif.  
 Gayophytum, Léveillé, l. c. 168 (= *Gayophytum spp. plur.*).—Am. bor. et austr.  
 genistifolia, Léveillé, l. c. 208 = crassifolia.  
 gigas, De Vries, in *Rev. Gén. de Bot.* xiii. 11.—Hort.  
 gracilis, Léveillé, *Monogr. Onoth.* 167 (= *Gayophytum gracile*).—Chili.  
 graminifolia, Léveillé, l. c. 42.—Mexic.  
 Howardi, Jones, in *Zoe*, iii. 301 (1893).—Am. bor.  
 Jonesi, Léveillé, *Monogr. Onoth.* 208 A.—Calif.  
 Kuntziana, Léveillé, l. c. 43.—Boliv.  
 lata, De Vries, in *Rev. Gén. de Bot.* xiii. 11.—Hort.  
 nanella, De Vries, l. c. 12.—Hort.  
 oblonga, De Vries, l. c. 11.—Hort.  
 primuloidea, Léveillé, *Monogr. Onoth.* 65.—Am. bor.  
 punctata, Léveillé, in *Bull. Acad. Géogr. Bot.* xi. (1902) 316.—As. bor.  
 pygmaea, Speg. Nov. *Add. Fl. Patag.* i. (1901) repr. 53.—Patag.  
 rubrinervis, De Vries, in *Rev. Gén. de Bot.* xiii. 11.—Hort.  
 scabra, Krause, in *Fedde, Repert. Nov. Sp.* i. 168.—Boliv.  
 scintillans, De Vries, in *Rev. Gén. de Bot.* xiii. 12.—Hort.  
 serratifolia, Krause, in *Fedde Repert. Nov. Sp.* i. 168.—Boliv.  
 Shimeki, Léveillé & Guffo, *Monogr. Onoth.* 119.—Am. bor.  
 strigosa, Mackenzie & Bush, *Fl. Jacks. County*, 139.—Am. bor.  
 taraxacifolia, Léveillé & Guffo, *Monogr. Onoth.* 73.—Am. bor.  
 torulosa, Léveillé, l. c. 176 (= *Sphaerostigma spp. plur.*).—Am. bor. et austr.  
 Weberbaueri, Krause, in *Fedde, Repert. Nov. Sp.* i. 169.—Peruv.

**OLAX**, Linn. (Olac.).

- major, Stapf, in *Journ. Linn. Soc.* xxxvii. 88.—Afr. trop.  
 obtusifolia, Wildem. in *Ann. Mus. Congo*, Sér. IV. 177.—Afr. trop.

**OLDENLANDIA**, Linn. (Rubiace.).

- cicendioides, K. Schum. in *Engl. Jahrb.* xxxiii. 333.—Afr. trop.  
 congensis, Wildem. & Th. Dur. in *Bull. Herb. Boiss. Sér. II.* i. 754.—Afr. trop.  
 coronata, F. N. Williams, in *Bull. Herb. Boiss. Sér. II.* v. 950 (= *Hedyotis connata*).—Siam.  
 costata, K. Schum. in *Bot. Tidsskr.* xxiv. 330 (= *Hedyotis vestita*).—Malaya; Ind. or.  
 fasciculata, Small, *Fl. S. E. U. S.* 1106 (= *Hedyotis fasciculata*).—Am. bor.  
 fruticulosa, Volk. in *Engl. Jahrb.* xxxi. 475.—Ins. Carol.  
 inconspicua, Reiche, *Fl. Chile*, iii. 129 (= *Hedyotis inconspicua*).—Chili.  
 Kaessneri, S. Moore, in *Journ. Bot.* 1905, 249.—Afr. trop.  
 Kimuenzae, Wildem. in *Ann. Mus. Congo*, Sér. V. i. 75.—Afr. trop.  
 luzuloides, K. Schum. in *Engl. Jahrb.* xxx. 411.—Afr. trop.  
 malacophyton, K. Schum. l. c. xxxiii. 333.—Afr. trop.  
 microcyne, K. Schum. l. c. xxxii. 144.—Afr. trop.  
 peduncularis, F. N. Williams, in *Bull. Herb. Boiss. Sér. II.* v. 951 (= *Hedyotis peduncularis*).—Penins. Mal.  
 platyphylla, K. Schum. in *Engl. Jahrb.* xxxiii. 334.—Afr. trop.  
 procurrens, K. Schum. l. c. xxxiv. 329.—Afr. trop.  
 proluxipes, S. Moore, in *Journ. Bot.* 1905, 351.—Afr. trop.  
 Proschii, Briq. in *Ann. Conserv. & Jard. Bot. Genève*, vi. 8.—Afr. trop.  
 rhodesiana, S. Moore, in *Journ. Bot.* 1902, 250.—Afr. trop.

**OLDENLANDIA**—

- rhynchotheca, K. Schum. in *Engl. Jahrb.* xxxiii. 334.—Afr. trop.  
 subtilis, S. Moore, in *Journ. Bot.* 1905, 249.—Afr. trop.  
 trichotoma, Schinz, in *Bull. Herb. Boiss. Sér. II.* i. 880.—Afr. austr.

**OLEA**, Tourn. (Oleac.).

- graciliflora, Koord. & Valet. in *Meded. 'S Lands Plantent.* lix. (1902) 254.—Java.  
 Hochstetteri, Baker, in *Dyer, Fl. Trop. Afr.* iv. i. 17.—Afr. trop.  
 somaliensis, Baker, l. c. 18.—Afr. trop.

**OLEOXYLON**, Roxb. in *Trans. Soc. Arts Lond.* xxiii.(1805) 413. **DIPTEROCARPACEAE.**

- balsamifera, Roxb. l. c.—Burma.

**OLFIA**, Adans. = **Isopyrum**, Linn. (Ranunc.).

- thalictrifolia, Bub. *Fl. Pyren.* iii. 378 = *I. thalictrifolium*.

**OLIGANTHES**, Cass. (Compos.).

- Jelskii, Hieron. in *Engl. Jahrb.* xxxvi. 461.—Peruv.

**OLIGOCLADUS**, Chod. & Wilcz. in *Bull. Herb.*

- Boiss. Sér. II. ii. 527 (1902). **UMBELLIFERAE.**  
 andinus, Chod. & Wilcz. l. c. 528.—Reg. Argent.

**OLIGOMERIS**, Cambess. (Resed.).

- lycopodioides, Schinz & Dinter, in *Bull. Herb. Boiss. Sér. II.* iii. 812.—Afr. trop.

**OLIGONEURON**, Small, *Fl. S. E. U. S.* 1188 (1903).**COMPOSITAE.**

- canescens, Rydb. in *Bull. Torr. Bot. Club*, 1904, 652.—Am. bor.  
 corymbosum, Small, *Fl. S. E. U. S.* 1188 (= *Solidago corymbosa*).—Am. bor.  
 nitidum, Small, l. c. (= *Solidago nitida*).—Am. bor.  
 rigidum, Small, l. c. (= *Solidago rigida*).—Am. bor.

**OLIGOSPORUS**, Cass. = **Artemisia**, Linn. (Compos.).

- brachylobus, Jord. & Fourr. *IC. Fl. Eur.* ii. 25 = *A. campestris*.

**OLIVERANTHUS**, Rose, in *N. Am. Fl.* xxii. 27(1905). **CRASSULACEAE.**

- elegans, Rose, l. c.—Mexic.

**OLIVERELLA**, Rose, in *Bull. N. York Bot. Gard.* iii.

- (1903) 2 = **Oliveranthus**, Rose (Crassul.).  
 elegans, Rose, l. c. = *Oliveranthus elegans*.

**OLMEDIELLA**, Baill. (Urtic.).

- Betschleriana, Loesen. in *Notizbl. Bot. Gart. Berlin*, iv. 181 (= *Ilex Betschleriana*).—Mexic.

**OLYRA**, Linn. (Gramin.).

- Pittieri, Hack. in *Oesterr. Bot. Zeitschr.* 1901, 461.—Am. cent.

**OMANIA**, S. Moore, in *Journ. Bot.* 1901, 258.**SCROPHULARIACEAE.**

- arabica, S. Moore, l. c.—Arab.

**OMPHALOCARPUM**, Beauv. (Sapot.).

- anocentrum, Pierre, in *Engl. Monogr. Afr. Pfl.* viii. 15.—Afr. trop.  
 congolense, Pierre, in *Engl. l. c.* 14.—Afr. trop.  
 Lecomteanum, Pierre, in *Engl. l. c.* 15.—Afr. trop.  
 ogouense, Pierre, in *Engl. l. c.* 17.—Afr. trop.  
 Pierreanum, *Engl. l. c.* 14.—Afr. trop.  
 Trillesianum, Pierre, in *Engl. l. c.* 13.—Afr. trop.

**ONAGRA**, Tourn. = **Oenothera**, Linn. (Onagr.).

- fusca, Krause, in *Fedde, Repert. Nov. Sp.* i. 167.—Peruv.  
 grandiflora, Vail, in *Torreyia*, v. 9 (= *Oenothera grandiflora*).—Am. bor.

**ONCIDIUM**, Sw. (Orchid.).

- echinatum, Cogn. in *Mart. Fl. Bras.* iii. vi. 339 (= *Baptistonia echinata*).—Bras.  
 Edwallii, Cogn. l. c. 383.—Bras.  
 Kraenzlinianum, Cogn. l. c. 371 (= *Cyrtorchilum micranthum*).—Bras.  
 Loefferenii, Cogn. l. c. 381.—Bras.  
 platybulbon, Regel, in *Gartenfl.* 1903, 449.—Bras.

R

**ONCIDIUM** :—

Riviereanum, *Hort. ex Wibier, in Rev. Hort. Belge*, xxx. 144; *et in Le Jardin*, 1904, 237.—Bras.  
verrucosissimum, *Cogn. in Mart. Fl. Bras.* iii. vi. 341.—Bras.  
volubile, *Cogn. l. c.* 289 (= *Cyrtochilum volubile*).—Bras.; Peruv.  
Waluewa, *Rolfe, in Kew Hand-List Orch.* ed. II. 167 (= *Waluewa pulchella*).—Bras.

**ONCINOTIS**, Benth. (Apocyn.).

Batesii, *Stapf, in Dyer, Fl. Trop. Afr.* iv. i. 221.—Afr. trop.  
chlorogena, *K. Schum. in Engl. Jahrb.* xxxiii. 320.—Afr. trop.  
glandulosa, *Stapf, in Dyer, Fl. Trop. Afr.* iv. i. 221.—Afr. trop.  
subsessilis, *K. Schum. in Engl. Jahrb.* xxxiii. 321.—Afr. trop.  
thyrsiflora, *K. Schum. ex Stapf, in Dyer, Fl. Trop. Afr.* iv. i. 612.—Afr. trop.

**ONCOBA**, Forsk. (Bixac.).

angustipetala, *Wildem. Pl. Nov. Hort. Then.* i. 13.—Afr. trop.  
brevipes, *Stapf, in Journ. Linn. Soc.* xxxvii. 84.—Afr. trop.  
fragrans, *Gilg, in Engl. Jahrb.* xxx. 357.—Afr. trop.  
Gilgiana, *Sprague, in Bull. Herb. Boiss. Sér. II.* v. 1164.—Afr. trop.  
longipes, *Gilg, in Warb. Kunene-Sambesi Exped.* 309.—Afr. trop.

**ONCOSTEMUM**, A. Juss. (Myrsin.).

acuminatum, *Mez, in Engl. Pflanzenreich, Myrsin.* 201.—Madag.  
ankifense, *Mez, l. c.* 197.—Madag.  
balanocarpum, *Mez, l. c.* 195.—Madag.  
Barbeyanum, *Mez, l. c.* 206.—Madag.  
brevipedatum, *Mez, l. c.* 197.—Madag.  
crenatum, *Mez, l. c.* 203.—Madag.  
dissitiflorum, *Mez, l. c.* 204 (= *Ardisia dissitiflora*).—Madag.  
evonymoides, *Mez, l. c.* 206.—Madag.  
falcifolium, *Mez, l. c.* 201.—Madag.  
filicinum, *Mez, l. c.* 208.—Madag.  
Forsythii, *Mez, l. c.* 198.—Madag.  
fuscopilosum, *Mez, l. c.* 202 (= *Ardisia fuscopilosa*).—Madag.  
gracile, *Mez, l. c.* 203.—Madag.  
Hildebrandtii, *Mez, l. c.* 198.—Madag.  
Humblotii, *Mez, l. c.* 194.—Ins. Comor.  
laevigatum, *Mez, l. c.* 193.—Madag.  
latifolium, *Mez, l. c.* 200 (= *Ardisia Sieberi*).—Ins. Maurit.  
laurifolium, *Mez, l. c.* 193 (= *Badula laurifolia*).—Madag.  
laxiflorum, *Mez, l. c.* 196.—Madag.  
leprosum, *Mez, l. c.* 199.—Madag.  
leptocladium, *Mez, l. c.* 207 (= *Ardisia leptoclada*).—Madag.  
longipes, *Mez, l. c.* 196 (= *Ardisia longipes*).—Madag.  
macrophyllum, *Mez, l. c.*—Madag.  
macroscyphon, *Mez, l. c.* 208 (= *Ardisia macroscyphon*).—Madag.  
macrostachyum, *Mez, l. c.* 195.—Madag.  
microphyllum, *Mez, l. c.* 203 (= *Ardisia microphylla*).—Madag.  
nitidulum, *Mez, l. c.* 197 (= *Ardisia nitidula*).—Madag.  
oliganthum, *Mez, l. c.* 206 (= *Ardisia oligantha*).—Madag.  
pachybotrys, *Mez, l. c.* 196.—Madag.  
pendulum, *Mez, l. c.* 195.—Ins. Comor.  
platyphyllum, *Mez, l. c.* 193.—Ins. Maurit.  
pterocale, *Mez, l. c.* 200.—Madag.  
racemiferum, *Mez, l. c.* 194.—Ins. Comor.  
Radlkoferi, *Mez, l. c.* 196.—Madag.  
reflexum, *Mez, l. c.* 197.—Madag.  
reticulatum, *Mez, l. c.* 193 (= *Badula reticulata*).—Ins. Maurit.  
roseum, *Aug. DC. in Bull. Herb. Boiss. Sér. II.* i. 576.—Madag.  
scabridum, *Mez, in Engl. Pflanzenreich, Myrsin.* 205.—Madag.  
tenerum, *Mez, l. c.* 201.—Madag.  
umbellatum, *Mez, l. c.* 205 (= *Ardisia umbellata*).—Madag.

**ONOBRYCHIS**, Linn. (Legum.).

Echidna, *Lipsky, in Act. Hort. Petrop.* xxiii. 94.—As. cent.  
picta, *Bornm. in Bull. Herb. Boiss. Sér. II.* v. 847.—Persia.  
psammophila, *Bornm. l. c.* 846.—Persia.  
schugnanica, *Fedtsch. in Trav. Mus. Bot. Acad. Pétersb.* i. 129.—As. cent.

**ONONIS**, Linn. (Legum.).

decipiens, *Aznar. in Magyar Bot. Lap.* ii. 138.—Eur.  
glabrescens, *Hochr. in Ann. Conserv. & Jard. Bot. Genève*, vii–viii. 165.—Alger.  
leptocarpa, *Pau, in Bol. Soc. Arag.* i. 29.—Hispan.

**ONOPORDON**, Linn. (Compos.).

longissimum, *Pau, in Bol. Soc. Arag.* ii. 69.—Hispan.  
Mandralisca, *Lojac. Fl. Sic.* ii. i. 162.—Sicil.  
messeniaceum, *Halacsy, Consp. Fl. Graec.* ii. 122.—Eur.

**ONOSERIS**, DC. (Compos.).

conspicua, *Greenm. in Proc. Amer. Acad.* xli. 268 (= *Rhodoseris conspicua*).—Mexic.  
rupestris, *Greenm. l. c.* (= *Caloseris rupestris*).—Mexic.  
silvatica, *Greenm. l. c.* 51.—Am. cent.

**ONOSMA**, Linn. (Borag.).

ampliatum, *Velen. in Allg. Bot. Zeitschr.* 1905, 45.—Tauria.  
subsericeum, *Frey, in Bull. Herb. Boiss. Sér. II.* i. 274.—Oriens.

**ONOSMODIUM**, Michx. (Borag.).

Helleri, *Small, Fl. S. E. U. S.* 1000.—Am. bor.  
hispidissimum, *Mackenzie, in Bull. Torr. Bot. Club*, 1905, 500.—Am. bor.  
occidentale, *Mackenzie, l. c.* 502.—Am. bor.

**OONOPSIS**, Greene (Compos.).

monocephala, *A. Nelson, in Coult. Bot. Gaz.* xxxi. 399.—Am. bor.

**OPERCULARIA**, Gaertn. (Rubiace.).

acolytantha, *Diels, in Engl. Jahrb.* xxxv. 547.—Austral.

**OPERCULINA**, Silva (Convolv.).

[*IPOMOEA*, Linn. I. K.]  
leptoptera, *Urb. Symb. Antill.* iii. 342.—Ind. occ.  
macrocarpa, *Urb. l. c.* 343 (= *Convolvulus macrocarpus*).—Ind. occ.

**OPHIOCAULON**, Hook. f. (Passifl.).

firingalavense, *Drake, ex Jumelle, in Compt. Rend. Acad. Sci. Par.* cxxxvii. 206.—Madag.

**OPHIOPOGON**, Ker-Gawl. (Haemodor.).

malayanus, *Ridley, in Journ. As. Soc. Straits*, xli. 34.—Penins. Mal.

**OPHIORRHIZA**, Linn. (Rubiace.).

amnicola, *K. Schum. in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 391.—N. Guin.  
brachycarpa, *K. Schum. in Bot. Tidsskr.* xxiv. 381.—Malaya.  
crispa, *Lauterb. in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 392.—N. Guin.  
Kunstleri, *King, in Journ. As. Soc. Beng.* lxxii. 176.—Penins. Mal.  
tenella, *King, l. c.* 175.—Penins. Mal.  
torricellensis, *Lauterb. in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 392.—N. Guin.

**OPHYRYSPORUS**, Meyen (Compos.).

venosissimus, *Robinson, in Proc. Amer. Acad.* xli. 271 (= *Eupatorium venosissimum*).—Boliv.

**OPHRYS**, Linn. (Orchid.).

ambusta, *Picard, in Zeitschr. Naturw.* lxxvii. (1905) 363, *ex Fedde, Repert. Nov. Sp.* iii. (1906) 31.—Hab.?  
auriculata, *House, in Bull. Torr. Bot. Club*, 1905, 379 (= *Listera auriculata*).—Am. bor.  
australis, *House, l. c.* (= *Listera australis*).—Am. bor.  
borealis, *Rydb. in Bull. Torr. Bot. Club*, 1905, 610 (= *Listera borealis*).—Am. bor.  
caurina, *Rydb. l. c.* (= *Listera caurina*).—Am. bor.  
convallarioides, *W. F. Wight, ex House, in Bull. Torr. Bot. Club*, 1905, 380 (= *Listera convallarioides*).—Am. bor.  
Grampini, *Cortesi, in Ann. di Bot. Roma*, i. 359.—Hybr.

**OPHRYS** :—

lyrata, *Fleischm. in Verh. Zool.-Bot. Ges. Wien*, 1904, 474.—Hybr.  
Muelleri, *Fleischm. l. c.* 471.—Eur.  
nephrophylla, *Rydb. in Bull. Torr. Bot. Club*, 1905, 610 (= *Listera nephrophylla*).—Am. bor.  
Smallii, *House, in Bull. Torr. Bot. Club*, 1905, 379 (= *Listera Smallii*).—Am. bor.

**OPLISMENUS**, Beauv. (Gramin.).

minus, *Merrill, in Philipp. Gov. Lab. Bur. Bull.* xvii. 9.—Ins. Philipp.  
oplismenoides, *Speg. in Anal. Mus. Buenos Aires*, ix. 7 (= *Lappago oplismenoides*).—Reg. Argent.

**OPOPONAX**, Koch (Umbell.).

bulgaricum, *Velen. in Oesterr. Bot. Zeitschr.* 1902, 51.—Eur.

**OPULASTER**, Medic. (Rosac.).

[*NEILLIA*, D. Don. I. K.]  
bracteatus, *Rydb. in Bull. Torr. Bot. Club*, 1904, 558.—Am. bor.  
glabratus, *Rydb. l. c.* 559.—Am. bor.  
intermedius, *Rydb. in Britton, Man. Fl. N. U. S.* 492.—Am. bor.  
Ramaleyi, *A. Nelson, in Coult. Bot. Gaz.* xxxiv. 367.—Am. bor.

**OPUNTIA**, Tourn. (Cact.).

albiflora, *K. Schum. Gesamtb. Kakt. Nachtr.* i. 152.—Parag.  
anacantha, *Speg. in Anal. Mus. Buenos Aires*, xi. 513.—Reg. Argent.  
Arechavaletai, *Speg. l. c.* 520.—Reg. Argent.  
aulacothele, *A. Weber, in Bull. Mus. Hist. Nat. Par.* 1904, 392.—Reg. Argent.  
austrina, *Small, Fl. S. E. U. S.* 816.—Am. bor.  
Bergeriana, *A. Weber, ex A. Berger, in Gard. Chron.* 1904, i. 34.—Hab.?  
bonaerensis, *Speg. Contrib. Fl. Tandil*, 18.—Reg. Argent.  
canina, *Speg. in Anal. Mus. Buenos Aires*, xi. 518.—Reg. Argent.  
cantabrigiensis, *Lynch, in Gard. Chron.* 1903, i. 98.—Hab.?  
Canterai, *Arech. in Anal. Mus. Montevid.* v. 278.—Urug.  
chakensis, *Speg. in Anal. Mus. Buenos Aires*, xi. 519.—Reg. Argent.  
Chapistle, *A. Weber, in Bull. Mus. Hist. Nat. Par.* 1904, 388.—Mexic.  
cordobensis, *Speg. in Anal. Mus. Buenos Aires*, xi. 513.—Reg. Argent.  
Darrahiana, *A. Weber, in Bull. Mus. Hist. Nat. Par.* 1904, 388.—Ind. occ.  
Gosseliniana, *A. Weber, in Bull. Soc. Acclim. Fr.* 1902, 83; *et ex K. Schum. Gesamtb. Kakt. Nachtr.* i. 154.—Mexic.  
grandiflora, *Small, Fl. S. E. U. S.* 816.—Am. bor.  
Grosseiana, *A. Weber, in Bull. Mus. Hist. Nat. Par.* 1904, 391.—Parag.  
haematocarpa, *A. Berger, in Engl. Jahrb.* xxxvi. 456.—Hab.?  
Hanburyana, *A. Weber, ex A. Berger, in Gard. Chron.* 1904, i. 34.—Hab.?  
Helleri, *K. Schum. ex Robinson, in Proc. Amer. Acad.* xxxviii. (1902) 180.—Ins. Galap.  
hypsophila, *Speg. in Anal. Mus. Buenos Aires*, xi. 509.—Reg. Argent.  
inaequilaterialis, *A. Berger, in Engl. Jahrb.* xxxvi. 453.—Hab.?  
Kiska-loro, *Speg. in Anal. Mus. Buenos Aires*, xi. 516.—Reg. Argent.  
lagopus, *K. Schum. Gesamtb. Kakt. Nachtr.* i. 151.—Boliv.  
leptarthra, *A. Weber, in Bull. Mus. Hist. Nat. Par.* 1904, 393.—Mexic.?  
Maihuen, *C. Gay, Fl. Chil.* iii. 29.—Chili.  
maldonadensis, *Arech. in Anal. Mus. Montevid.* v. 286.—Urug.  
Mieckleyi, *K. Schum. Blühende Kakteen*, t. 44.—Parag.  
montevideensis, *Speg. in Anal. Mus. Buenos Aires*, xi. 515; *et ex Arech. in Anal. Mus. Montevid.* v. 282.—Reg. Argent.  
Nashii, *Britton, in Bull. N. York. Bot. Gard.* iii. 446.—Ind. occ.  
pachypus, *K. Schum. in Monatsschr. Kakt.* 1904, 26.—Peruv.

**OPUNTIA** :—

- penicilligera, *Speg. in Anal. Mus. Buenos Aires*, vii. 291.—Patag.  
 purpurea, *R. Fries, in Nov. Act. Soc. Sci. Upsal. Ser. IV. i. no. 1*, 123.—Reg. Argent.  
 retrorsa, *Speg. in Anal. Mus. Buenos Aires*, xi. 517.—Reg. Argent.  
 Schumanni, *A. Weber, ex A. Berger, in Gard. Chron.* 1904, i. 34.—Hab.?  
 Schumanni, *Speg. in Anal. Mus. Buenos Aires*, xi. 511 (1905).—Reg. Argent.  
 subterranea, *R. Fries, in Nov. Act. Soc. Sci. Upsal. Ser. IV. i. no. 1*, 122.—Reg. Argent.  
 Utkilio, *Speg. in Anal. Mus. Buenos Aires*, xi. 516.—Reg. Argent.  
 velutina, *A. Weber, in Bull. Mus. Hist. Nat. Par.* 1904, 389.—Mexic.  
 Wagneri, *A. Weber, l. c.* 393.—Reg. Argent.  
 Weberi, *Speg. in Anal. Mus. Buenos Aires*, xi. 509.—Reg. Argent.  
 Winteriana, *A. Berger, in Engl. Jahrb.* xxxvi. 455.—Hab.?

**ORANIA**, Zipp. (Palm.).

- Palindan, *Merrill, in Philipp. Gov. Lab. Bur. Bull.* xxvii. 88 (= *Caryota Palindan*).—Ins. Philipp.  
 paraguayensis, *Becc. in Martelli, Webbia*, 335.—Ins. Philipp.

**ORBIGNYA**, Mart. (Palm.).

- Dammeriana, *Barb. Rodr. Sert. Palm. Bras.* i. 62.—Bras.  
 speciosa, *Barb. Rodr. l. c.* 60 (= *Attalea speciosa*).—Bras.  
 Urbaniana, *Damm. in Engl. Jahrb.* xxxi. Beibl. lxx. 23.—Bras.

**ORCHIS**, Tourn. (Orchid.).

- Chondradenia, *Makino, in Bot. Mag. Tokyo*, xvi. 89.—Japon.  
 cochleata, *Fleischm. & M. Schulze, in Mitth. Thüring. Bot. Ver. n. s.* xvii. 46.—Eur.  
 genevensis, *Chenev. in Bull. Trav. Soc. Bot. Genève*, ix. 119.—Hybr.  
 geniculata, *Finet, in Rev. Gén. Bot.* xiii. 505.—China.  
 Giraladiana, *Kraenzl. in Engl. Jahrb.* xxxvi. Beibl. lxxxii. 25.—China.  
 Huteri, *M. Schulze, in Mitth. Thüring. Bot. Ver. n. s.* xvii. 39.—Hybr.  
 imbecilla, *Soland. ex Britten, in Journ. Bot.* 1904, 181 = *Habenaria intacta*.  
 Jaccardi, *Chenev. in Bull. Trav. Soc. Bot. Genève*, ix. 127.—Hybr.  
 Joo-iokiana, *Makino, in Bot. Mag. Tokyo*, xvi. 57.—Japon.  
 Kromayeri, *M. Schulze, in Mitth. Thüring. Bot. Ver. n. s.* xix. 112.—Hybr.  
 Ladurneri, *Murr, in Allg. Bot. Zeitschr.* 1905, 105.—Hybr.  
 linearis, *Tourl. in Bull. Soc. Bot. Fr.* i. 312.—Hybr.?  
 Mauri, *Jord. ex Cortesi, in Ann. di Bot. Roma*, i. 173 = *tridentata*.

**OREOBATUS**, Rydb. in Bull. Torr. Bot. Club, 1903, 274. **ROSACEAE**.

- deliciosus, *Rydb. l. c.* 275 (= *Rubus deliciosus*).—Am. bor.  
 neo-mexicanus, *Rydb. l. c.* (= *Rubus neo-mexicanus*).—Am. bor.

**OREOCARYA**, Greene (Borag.).

- aperta, *Eastw. in Bull. Torr. Bot. Club*, 1903, 241.—Am. bor.  
 argentea, *Rydb. in Bull. Torr. Bot. Club*, 1904, 637.—Am. bor.  
 cana, *A. Nelson, in Coult. Bot. Gaz.* xxxiv. 30.—Am. bor.  
 celosioides, *Eastw. in Bull. Torr. Bot. Club*, 1903, 240.—Am. bor.  
 cristata, *Eastw. l. c.* 244.—Am. bor.  
 disticha, *Eastw. l. c.* 238.—Am. bor.  
 elata, *Eastw. l. c.* 241.—Am. bor.  
 euphorus, *Rydb. in Bull. Torr. Bot. Club*, 1904, 637.—Am. bor.  
 horridula, *Greene, Pl. Baker.* iii. 20.—Am. bor.  
 Lemmoni, *Eastw. in Bull. Torr. Bot. Club*, 1903, 239.—Am. bor.  
 nana, *Eastw. l. c.* 243.—Am. bor.  
 nitida, *Greene, Pl. Baker.* iii. 21.—Am. bor.  
 pulvinata, *A. Nelson, in Coult. Bot. Gaz.* xl. 63.—Am. bor.

**OREOCARYA** :—

- Shockleyi, *Eastw. in Bull. Torr. Bot. Club*, 1903, 245.—Am. bor.  
 tenuis, *Eastw. l. c.* 244.—Am. bor.  
 Wetherillii, *Eastw. l. c.* 242.—Am. bor.

**OREODOXA**, Willd. (Palm.).

- caribaea, *Damm. & Urb. in Urb. Symb. Antill.* iv. 129 (= *Euterpe caribaea*).—Ind. occ.

**OREOLIRION**, E. P. Bickn. in Bull. Torr. Bot. Club, 1901, 571. **IRIDACEAE**.

- arizonicum, *E. P. Bickn. l. c.* (= *Sisyrinchium arizonicum*).—Am. bor.  
 platyphyllum, *E. P. Bickn. l. c.* (= *Sisyrinchium platyphyllum*).—Mexic.

**OREOPANAX**, Decne. & Planch. (Aral.).

- chinense, *Dunn, in Journ. Linn. Soc.* xxxv. 560.—China.  
 meiocephalum, *Donn. Sm. in Coult. Bot. Gaz.* xxxvii. 210.—Am. cent.  
 pycnocarpum, *Donn. Sm. l. c.* xxxi. 113.—Am. cent.

**OREORCHIS**, Lindl. (Orchid.).

- Rolfei, *Duthie, in Journ. As. Soc. Beng.* lxxi. 38.—Ind. or.

**OREOTHYRSUS**, Lindau, in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee (1905) 388. **ACANTHACEAE**.

- glabrisepalus, *Lindau, l. c.* 389.—N. Guin.  
 pubisepalus, *Lindau, l. c.*—N. Guin.

**ORIASTRUM**, Poepp. & Endl. = **Chaetanthera**, Ruiz & Pav. (Compos.).

- albiflorum, *Reiche, Fl. Chile*, iv. 354 (= *Tyloma albiflorum*).—Chili.  
 sphaeroidale, *Reiche, l. c.* 358.—Chili.

**ORICIA**, Pierre (Rutac.).

- leonensis, *Engl. Jahrb.* xxxii. 120.—Afr. trop.

**ORLAYA**, Hoffm. = **Daucus**, Tourn. (Umbell.).

- media, *Calest. in Martelli, Webbia*, 266.—Graecia.  
 pumila, *Halacsy, Consp. Fl. Graec.* i. 622 = *D. pumilus*.

**ORMOCARPUM**, Beauv. (Legum.).

- affinis, *Wildem. in Ann. Mus. Congo, Sér. IV.* 197.—Afr. trop.  
 scandens, *Teysm. ex Prain, in Journ. As. Soc. Beng.* lxx. 64 = *Dalbergia Beccarii*.

**ORMOSIA**, Jacks. (Legum.).

- Brasseuriana, *Wildem. in Ann. Mus. Congo, Sér. IV.* 183.—Afr. trop.  
 paniculata, *Merrill, in Philipp. Gov. Lab. Bur. Bull.* xxxv. 21.—Ins. Philipp.  
 striata, *Dunn, in Journ. Linn. Soc.* xxxv. 492.—China.  
 tavoyana, *Prain, in Journ. As. Soc. Beng.* lxxii. 46.—Burma.

**ORNITHIDIUM**, Salisb. (Orchid.).

- Loefgrenii, *Cogn. in Mart. Fl. Bras.* iii. vi. 92.—Bras.  
 pendulum, *Cogn. l. c.* (= *Scaphyglottis pendula*).—Bras. ; Peruv.  
 Weberbauerianum, *Kraenzl. in Fedde, Repert. Nov. Sp.* i. 91.—Peruv.

**ORNITHOCARPA**, Rose, in U. S. Dept. Agric. Contrib. Nat. Herb. viii. (1905) 293. **CRUCIFERAE**.

- fimbriata, *Rose, l. c.*—Mexic.

**ORNITHOCEPHALUS**, Hook. (Orchid.).

- multiflorus, *Rolfe, in Kew Bull.* 1901, 149.—Bras.

**ORNITHOGALUM**, Tourn. (Liliac.).

- Dinteri, *Baker, in Bull. Herb. Boiss. Sér. II. i.* 854.—Afr. trop.  
 Dioscoridis, *Bub. Fl. Pyren.* iv. 82 = *umbellatum*.  
 dipcadoides, *Baker, in Bull. Herb. Boiss. Sér. II. iv.* 999.—Afr. trop.  
 longiscapum, *Baker, l. c.* i. 854.—Afr. austr.  
 macedonicum, *Velen. in Allg. Bot. Zeitschr.* 1905, 45.—Turcia.  
 minimum, *Baker, in Bull. Herb. Boiss. Sér. II. iv.* 999.—Afr. austr.  
 Pentheri, *A. Zahlbr. in Ann. Nat. Hofmus. Wien*, xv. 23.—Afr. austr.  
 pretoriense, *Baker, in Bull. Herb. Boiss. Sér. II. i.* 855.—Afr. austr.  
 Rautanenii, *Schinz, in Bull. Herb. Boiss. Sér. II. ii.* 937.—Afr. austr. or.

**ORNITHOGALUM** :—

- Sintenisi, *Frey, in Bull. Herb. Boiss. Sér. II. ii.* 911.—Oriens.  
 stenophyllum, *Baker, in Bull. Herb. Boiss. Sér. II. i.* 855.—Afr. austr.  
 stenostachyum, *Baker, l. c.*—Afr. austr.  
 tenuipes, *C. H. Wright, in Kew Bull.* 1901, 136.—Afr. austr.  
 umgenense, *Baker, in Bull. Herb. Boiss. Sér. II. i.* 856.—Afr. austr.

**ORNITHOPUS**, Linn. (Legum.).

- micranthus, *Arech. in Anal. Mus. Montevide.* iii. 843 (= *Arthrolobium micranthum*).—Urug.

**OROBANCHE**, Tourn. (Orobanch.).

- insolita, *Guim. in Broteria*, iii. (1904) 91.—Lusit.  
 Sintenisii, *Beck, ex Bornm. in Bull. Herb. Boiss. Sér. II. iv.* 680.—Armenia.  
 xanthochroa, *A. Nelson & Cockerell, in Coult. Bot. Gaz.* xxxvii. 278.—Am. bor.

**OROBUS**, Tourn. = **Lathyrus**, Tourn. (Legum.).

- Nicolai, *Rohl. in Sitzb. Böhm. Ges. Wiss.* 1903, no. 17, 26.—Montenegr.

**OROPETIUM**, Trin. (Gramin.).

- erythraeum, *Chiov. in Ann. di Bot. Roma*, ii. 366.—Afr. trop.

**OROPHACA**, Britton (Legum.).

- aretoides, *Rydb. in Bull. Torr. Bot. Club*, 1905, 668.—Am. bor.  
 tridactylca, *Rydb. l. c.* (= *Astragalus tridactylus*).—Am. bor.

**OROPHEA**, Blume (Anonac.).

- glabra, *Merrill, in Philipp. Gov. Lab. Bur. Bull.* xxix. 14.—Ins. Philipp.  
 maculata, *Merrill, l. c.* xxxv. 11.—Ins. Philipp.

**OROXYLON**, Vent. (Bignon.).

- flavum, *Rehd. in Sarg. Trees & Shrubs*, 193, t. 92.—China.

**ORTACHNE**, Nees = **Aristida**, Linn. (Gramin.).

- floridana, *Nash, in Small, Fl. S. E. U. S.* 119 = *A. floridana*.

**ORTHOCARPUS**, Nutt. (Scrophul.).

- barbatus, *J. S. Cotton, in Bull. Torr. Bot. Club*, 1902, 574.—Am. bor.  
 bicolor, *A. A. Heller, Muhlenbergia*, i. 59.—Calif.  
 Brownii, *Eastw. in Bull. Torr. Bot. Club*, 1905, 210.—Calif.  
 exsertus, *A. A. Heller, Muhlenbergia*, i. 109.—Calif.  
 falcatus, *Eastw. in Bull. Torr. Bot. Club*, 1905, 212.—Calif.  
 maculatus, *Eastw. l. c.* 210.—Calif.  
 nocturnus, *Eastw. l. c.* 211.—Calif.  
 olympicus, *Elmer, in Coult. Bot. Gaz.* xxxvi. 60.—Am. bor.  
 psittacinus, *Eastw. in Bull. Torr. Bot. Club*, 1902, 78.—Am. bor.  
 tenuis, *A. A. Heller, Muhlenbergia*, i. 45.—Calif.

**ORTHOSIPHON**, Benth. (Labiata.).

- Bodinieri, *Vaniot, in Bull. Acad. Glogr. Bot.* xiv. (1904) 170.—China.  
 glabrescens, *Vaniot, l. c.* 168.—China.  
 gofensis, *S. Moore, in Journ. Bot.* 1901, 263.—Afr. trop.  
 inconcinus, *Brig. in Bull. Herb. Boiss. Sér. II. iii.* 991.—Afr. austr.  
 Kellieri, *Brig. l. c.* 988.—Afr. trop.  
 lanceolatus, *Guerke, in Warb. Kunene-Sambesi Exped.* 360.—Afr. trop.  
 Merkeri, *Guerke, in Engl. Jahrb.* xxxvi. 208.—Afr. trop.  
 neglectus, *Brig. in Bull. Herb. Boiss. Sér. II. iii.* 988.—Afr. austr.  
 Newtonii, *Brig. l. c.* 990.—Afr. trop.  
 obscurus, *Brig. l. c.* 989.—Afr. trop.  
 rhodesianus, *S. Moore, in Journ. Bot.* 1905, 50.—Afr. trop.  
 unyikensis, *Guerke, in Engl. Jahrb.* xxx. 400.—Afr. trop.  
 viatorum, *S. Moore, in Journ. Linn. Soc.* xxxvii. 199.—Afr. trop.

**ORTHOSTEMON**, R. Br. (Gentian.).

- [**CANSCORA**, Lam. I. K.]  
 Kirkii, *N. E. Br. in Dyer, Fl. Trop. Afr.* iv. i. 553 (= *Canscora Kirkii*).—Afr. trop.

**ORYZA**, Linn. (Gramin.).

oryzoides, Brand, in Koch, Syn. Deutsch. Schweiz. Fl. ed. III. iii. 2704 (= *Phalaris oryzoides*).—Eur.; As.; Am. bor.  
stenothyrus, K. Schum. in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee, 57.—N. Guin.

**ORYZOPSIS**, Michx. (Gramin.).

bicolor, Speg. in Anal. Mus. Montevid. iv. II. 6 (= *Stipa bicolor*).—Reg. Argent.  
fasciculata, Hack. in Oesterr. Bot. Zeitschr. 1902, 10.—Ind. or.  
Grisebachii, Speg. in Anal. Mus. Montevid. iv. II. 4.—Reg. Argent.  
Hackeli, Speg. l. c. 10 (= *Stipa Hackeli*).—Reg. Argent.  
lasiantha, Speg. l. c. 1 (= *Piptochaetium lasianthum*).—Reg. Argent.  
leiocarpa, Speg. l. c.—Reg. Argent.  
leiopoda, Speg. l. c. 19.—Reg. Argent.  
molinioides, Hack. ex Paulsen, in Kjoeb. Vidensk. Meddel. 1903, 165 (= *Piptatherum molinioides*).—As. cent.  
napostaensis, Speg. in Anal. Mus. Montevid. iv. II. 15.—Reg. Argent.  
ovata, Speg. l. c. 21 (= *Stipa ovata*).—Reg. Argent.  
panicoides, Speg. l. c. 31 (= *Piptochaetium panicoides*).—Reg. Argent.  
purpurascens, Hack. ex Paulsen, in Kjoeb. Vidensk. Meddel. 1903, 164.—As. cent.  
Ruprechtiana, Speg. in Anal. Mus. Montevid. iv. II. 12 (= *Piptochaetium Ruprechtianum*).—Reg. Argent.  
stipoides, Speg. l. c. 23 (= *Piptochaetium stipoides*).—Reg. Argent.  
tuberculata, Speg. l. c. 26 (= *Piptochaetium tuberculatum*).—Reg. Argent.  
uruguayensis, Speg. l. c. 29 (= *Piptochaetium uruguayense*).—Reg. Argent.  
verruculosa, Speg. l. c. 28 (= *Piptochaetium verruculosum*).—Am. austr.

**OSBECKIA**, Linn. (Melast.).

liberica, Stapf, in Journ. Linn. Soc. xxxvii. 98.—Afr. trop.

**OSMARONIA**, Greene = **Nuttallia**, Torr. & Gray (Rosac.).

bracteosa, Greene, Pittonia, v. 310.—Calif.  
demissa, Greene, l. c.—Calif.  
laurina, Greene, l. c. 311.—Calif.  
obtus, Greene, l. c. 310.—Calif.  
padiformis, Greene, l. c. 311.—Calif.

**OSMIA**, Sch. Bip. (Compos.).

[**EUPATORIUM**, Tourn. I. K.]  
conyzoides, Small, Fl. S. E. U. S. 1164 (= *Eupatorium conyzoides*).—Am. bor.  
heteroclina, Small, l. c. (= *Eupatorium heteroclinum*).—Am. bor.  
ivaefolia, Small, l. c. 1163 (= *Eupatorium ivaefolium*).—Am. bor.

**OSMORHIZA**, Rafin. (Umbell.).

aristata, Makino & Yabe, in Bot. Mag. Tokyo, xvii. 14 (= *Chaerophyllum aristatum*).—Japon.  
Claytoni, MacL. in Rep. Princeton Univ. Exped. Patag. iii. 638 (= *Myrrhis Claytoni*).—As.; Am. bor. et austr.  
divaricata, Blank. in Montana Agric. Coll. Sci. Studies, Bot. i. 91 (= *Washingtonia divaricata*).—Am. bor.  
intermedia, Blank. l. c. 93 (= *Washingtonia intermedia*).—Am. bor.  
Leibergii, Blank. l. c. (= *Washingtonia Leibergii*).—Am. bor.  
obtus, Fernald, in Rhodora, iv. 154 (= *Washingtonia obtusa*).—Am. bor.

**OSTEOSPERMUM**, Linn. (Compos.).

glabrum, N. E. Br. in Kew Bull. 1901, 125.—Afr. austr.  
Hamiltoni, S. Moore, in Journ. Bot. 1903, 136.—Afr. austr.  
tripinnatum, Bolus, in Trans. S. Afr. Phil. Soc. xvi. 140.—Afr. austr.

**OSTRYA**, Michx. (Cupul.).

Baileyi, Rose, in U. S. Dept. Agric. Contrib. Nat. Herb. viii. 293.—Am. bor.  
guatemalensis, Rose, l. c. 292.—Am. cent.  
mexicana, Rose, l. c.—Am. cent.

**OSTRYOCARPUS**, Hook. f. (Legum.).

major, Stapf, in Journ. Linn. Soc. xxxvii. 96.—Afr. trop.

**OTANTHERA**, Blume (Melast.).

montana, Lauterb. in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee, 327.—N. Guin.  
setulosa, K. Schum. in K. Schum. & Lauterb. l. c.—N. Guin.

**OTHAKE**, Rafin. = **Polypteris**, Nutt. (Compos.).

callosum, Bush, in Trans. Acad. Sci. St. Louis, xiv. 174 = *P. callosa*.  
Hookerianum, Bush, l. c. 177 = *P. Hookeriana*.  
Lindenii, Bush, l. c. 173 = *P. Lindenii*.  
maximum, Bush, l. c. 179 = *P. maxima*.  
Reverchoni, Bush, l. c. 180.—Am. bor.  
roseum, Bush, l. c. 175.—Am. bor.  
texanum, Bush, l. c. 176 = *P. texana*.

**OTIOPHORA**, Zucc. (Rubiace.).

pulchella, K. Schum. ex Wildem. in Ann. Mus. Congo, Sér. IV. 230.—Afr. trop.  
pyncoclada, K. Schum. in Engl. Jahrb. xxx. 415.—Afr. trop.

**OTOMERIA**, Benth. (Rubiace.).

heterophylla, K. Schum. in Engl. Jahrb. xxxiii. 336.—Afr. trop.

**OTOPAPPUS**, Benth. (Compos.).

syncephalus, Donn. Sm. in Coult. Bot. Gaz. xl. 6.—Am. cent.

**OTOPHORA**, Blume (Sapind.).

pinnata, Merrill, in Forest. Bur. Philipp. Bull. i. 35 (= *Capura pinnata*).—Ins. Philipp.

**OTOPHYLLA**, Benth. = **Gerardia**, Linn. (Scrophul.).

auriculata, Small, Fl. S. E. U. S. 1075 = *G. auriculata*.  
densiflora, Small, l. c. = *G. densiflora*.

**OTOSTEGIA**, Benth. (Labiace.).

Ellenbeckii, Guerke, in Engl. Jahrb. xxxvi. 126.—Afr. trop.  
Erlangeri, Guerke, l. c. 125.—Afr. trop.

**OTTELIA**, Pers. (Hydrocharid.).

abyssinica, Guerke, in Urb. & Graebn. Festschr. Aschers. 540 (= *Boottia abyssinica*).—Afr. trop.  
Baumii, Guerke, in Warb. Kunene Sambesi Exped. 171.—Afr. trop.  
benguellensis, Guerke, l. c. 172.—Afr. trop.  
bongoensis, Guerke, in Urb. & Graebn. Festschr. Aschers. 543.—Afr. trop.  
brevifolia, Guerke, in Urb. & Graebn. l. c.—Afr. trop.  
Buchneri, Guerke, in Urb. & Graebn. l. c. 545.—Afr. trop.  
latifolia, Wildem. Pl. Nov. Hort. Then. t. 33.—Afr. trop.  
massaiensis, Guerke, in Urb. & Graebn. Festschr. Aschers. 544.—Afr. trop.  
Rohrbachiana, Guerke, in Urb. & Graebn. l. c. 541 (= *Boottia Rohrbachiana*).—Afr. trop.  
Schweinfurthii, Guerke, in Urb. & Graebn. l. c. 543.—Afr. trop.  
Verdickii, Gürke, ex Wildem. in Ann. Mus. Congo, Sér. IV. 171.—Afr. trop.

**OUBANGUIA**, Baill. (Olac.).

denticulata, Van Tiegh. in Ann. Sci. Nat. Sér. IX. i. 328.—Afr. trop.  
Duchesnei, Van Tiegh. l. c. 328 (= *Scytopetalum Duchesnei*).—Afr. trop.  
Klainei, Van Tiegh. l. c.—Afr. trop.  
laurifolia, Pierre, in Wildem. Enum. Pl. Laurent, 150 (= *Egassea laurifolia*).—Afr. trop.  
Pierreana, Wildem. l. c. (= *Egassea Pierreana*).—Afr. trop.  
Tholloni, Van Tiegh. in Ann. Sci. Nat. Sér. IX. i. (1905) 327.—Afr. trop.

**OURATEA**, Aubl. (Ochnac.).

[**GOMPHIA**, Schreb. I. K.]  
acutissima, Gilg, in Engl. Jahrb. xxxiii. 255.—Afr. trop.  
Afzelii, Gilg, l. c. 267.—Afr. trop.  
angulata, Van Tiegh. in Ann. Sci. Nat. Sér. VIII. xvi. 259.—Bras.  
angusta, Van Tiegh. l. c. 261.—Bras.  
angustifolia, Gilg, in Engl. Jahrb. xxxiii. 269, descr. ampl.—Afr. trop.

**OURATEA** :—

attenuata, Van Tiegh. in Ann. Sci. Nat. Sér. VIII. xvi. 259.—Bras.  
Beccariana, Bartell. in Malpighia, xv. 159.—Borneo.  
boliviana, Van Tiegh. in Ann. Sci. Nat. Sér. VIII. xvi. 263.—Boliv.  
borneensis, Bartell. in Malpighia, xv. 156.—Borneo.  
brachybotrys, Gilg, in Engl. Jahrb. xxxiii. 270.—Afr. trop.  
bracteata, Gilg, l. c. 264.—Afr. trop.  
brunneo-purpurea, Gilg, l. c. 266.—Afr. trop.  
Buchholzii, Gilg, l. c. 254.—Afr. trop.  
Buchneri, Gilg, l. c. 270.—Afr. trop.  
bukobensis, Gilg, l. c. 271.—Afr. trop.  
Cabrea, Gilg, l. c. 262.—Afr. trop.  
calantha, Gilg, l. c. 259.—Afr. trop.  
Candollei, Van Tiegh. in Journ. de Bot. xvi. 186 (= *Gomphia Candollei*).—Am. trop.  
Clausenii, Van Tiegh. in Ann. Sci. Nat. Sér. VIII. xvi. 293 (= *Gomphia Clausenii*).—Bras.  
Conraua, Engl. & Gilg, ex Gilg, in Engl. Jahrb. xxxiii. 260.—Afr. trop.  
cordata, Van Tiegh. in Ann. Sci. Nat. Sér. VIII. xvi. 262.—Bras.  
coriacea, Wildem. & Th. Dur. in Ann. Mus. Congo, Sér. III. i. 36.—Afr. trop.  
cornuta, Van Tiegh. in Ann. Sci. Nat. Sér. VIII. xvi. 260.—Bras.  
crassa, Van Tiegh. l. c. 262.—Bras.  
crenata, Van Tiegh. l. c. 259 (= *Gomphia crenata*).—Bras.  
crispa, Van Tiegh. l. c. 262.—Bras.  
decipiens, Van Tiegh. l. c. 258.—Bras.  
decorans, Van Tiegh. l. c. 255 (= *Gomphia decorans*).—Bras.  
densiflora, Wildem. & Th. Dur. in Ann. Mus. Congo, Sér. III. i. 37 (Mai 1901).—Afr. trop.  
densiflora, Pilg. in Engl. Jahrb. xxx. 174 (Jul. 1901).—Bras.  
densiflora, Van Tiegh. in Ann. Sci. Nat. Sér. VIII. xvi. (1902) 259 (= *Gomphia densiflora*).—Bras.  
denudata, Van Tiegh. l. c. 263.—Boliv.  
Dewevrei, Wildem. & Th. Dur. in Ann. Mus. Congo, Sér. III. i. 37.—Afr. trop.  
digitata, Van Tiegh. in Ann. Sci. Nat. Sér. VIII. xvi. 259.—Bras.  
Dinklagei, Gilg, in Engl. Jahrb. xxxiii. 265.—Afr. trop.  
disticha, Van Tiegh. in Ann. Sci. Nat. Sér. VIII. xvi. 260.—Bras.  
Dusenii, Engl. & Gilg, ex Gilg, in Engl. Jahrb. xxxiii. 260.—Afr. trop.  
Engleri, Van Tiegh. in Ann. Sci. Nat. Sér. VIII. xvi. 259.—Bras.  
erythrocalyx, Van Tiegh. in Journ. de Bot. xvi. 187 (= *Gomphia erythrocalyx*).—Bras.  
febrifuga, Engl. & Gilg, ex Gilg, in Engl. Jahrb. xxxiii. 257.—Afr. trop.  
Glaziovii, Van Tiegh. in Ann. Sci. Nat. Sér. VIII. xvi. 261.—Bras.  
Hassleriana, Chod. in Bull. Herb. Boiss. Sér. II. ii. 740.—Parag.  
heterodonta, Van Tiegh. in Ann. Sci. Nat. Sér. VIII. xvi. 262.—Bras.  
Hilaireana, Van Tiegh. l. c. 258.—Bras.  
insculpta, Gilg, in Engl. Jahrb. xxxiii. 263.—Afr. trop.  
integrefolia, Aug. DC. in Bull. Herb. Boiss. Sér. II. i. 570.—Madag.  
isophylla, Van Tiegh. in Ann. Sci. Nat. Sér. VIII. xvi. 293 (= *Gomphia isophylla*).—Guiana.  
itineraria, Van Tiegh. l. c. 293 (= *Ochna itineraria*).—Bras.  
jamaicensis, Van Tiegh. l. c. 257 (= *Gomphia jamaicensis*).—Ind. occ.  
latifolia, Van Tiegh. l. c. 255 (= *Gomphia latifolia*).—Bras.  
Lecomtei, Van Tiegh. in Bull. Mus. Hist. Nat. Par. 1902, 51.—Afr. trop.  
Leprieuri, Van Tiegh. in Ann. Sci. Nat. Sér. VIII. xvi. 263.—Guiana.  
leptoneura, Gilg, in Engl. Jahrb. xxxiii. 255.—Afr. trop.  
Lessoni, Van Tiegh. in Bull. Mus. Hist. Nat. Par. viii. (1902) 614.—Ins. Ascension.  
macranthos, Van Tiegh. in Ann. Sci. Nat. Sér. VIII. xvi. 293 (= *Gomphia macranthos*).—Bras.  
macrobotrys, Gilg, in Engl. Jahrb. xxxiii. 268.—Afr. trop.  
macrophylla, Van Tiegh. in Ann. Sci. Nat. Sér. VIII. xvi. 262.—Bras.



**OURATEA** :—

- macrostachys, *Van Tiegh. in Ann. Sci. Nat. Sér. VIII.* xvi. 293 (= *Gomphia macrostachys*).—Bras.  
marginata, *Van Tiegh. l. c.* 261.—Bras.  
monticola, *Gilg, in Engl. Jahrb. xxxiii.* 272.—Afr. trop.  
myrionura, *Gilg, l. c.* 256.—Afr. trop.  
neriifolia, *Bartell. in Malpighia*, xv. 158.—Borneo.  
Oliveriana, *Gilg, in Engl. Jahrb. xxxiii.* 261.—Afr. trop.  
palmata, *Van Tiegh. in Ann. Sci. Nat. Sér. VIII.* xvi. 260.—Bras.  
panamica, *Van Tiegh. l. c.* 263.—Am. cent.  
pauciflora, *Gilg, in Engl. Jahrb. xxxiii.* 256.—Afr. trop.  
Pilgeri, *Van Tiegh. in Ann. Sci. Nat. Sér. VIII.* xvi. 293.—Bras.  
pinetorum, *Van Tiegh. l. c.* 257 (= *Gomphia pinetorum*).—Ind. occ.  
plana, *Van Tiegh. l. c.* 258.—Bras.  
Poepigii, *Van Tiegh. l. c.* 257.—Bras.  
Poggei, *Gilg, in Engl. Jahrb. xxxiii.* 272.—Afr. trop.  
pseudospicata, *Gilg, l. c.* 263.—Afr. trop.  
Purdiana, *Van Tiegh. in Ann. Sci. Nat. Sér. VIII.* xvi. 263.—Ind. occ.  
ramifera, *Van Tiegh. l. c.* 261.—Bras.  
rhombica, *Van Tiegh. in Bull. Mus. Hist. Nat. Par.* 1903, 35.—Bras.  
Scheffleri, *Engl. & Gilg, ex Gilg, in Engl. Jahrb.* xxxiii. 262.—Afr. trop.  
Schlechteri, *Gilg, l. c.* 269.—Afr. trop.  
sibangensis, *Gilg, l. c.* 267.—Afr. trop.  
spinuloso-serrata, *Gilg, l. c.* 265.—Afr. trop.  
stenorrhachis, *Gilg, l. c.* 254.—Afr. trop.  
stipulata, *Van Tiegh. in Journ. de Bot.* 1902, 37 (= *Ochna stipulata*).—Bras.  
subumbellata, *Gilg, in Engl. Jahrb. xxxiii.* 254.—Afr. trop.  
terminalis, *Van Tiegh. in Ann. Sci. Nat. Sér. VIII.* xvi. 293 (= *Ochna terminalis*).—Bras.  
Tuerckheimii, *Donn. Sm. in Coult. Bot. Gaz.* xxxiii. 249.—Am. cent.  
umbicola, *Engl. ex Van Tiegh. in Ann. Sci. Nat. Sér. VIII.* xvi. 333; *Engl. & Gilg, in Engl. Jahrb.* xxxiii. 259.—Afr. trop.  
undulata, *Van Tiegh. l. c.* 260.—Bras.  
unilateralis, *Gilg, in Engl. Jahrb. xxxiii.* 268.—Afr. trop.  
Vogelii, *Engl. ex Gilg, l. c.* 271 (= *Gomphia Vogelii*).—Afr. trop.  
vulgaris, *Van Tiegh. in Ann. Sci. Nat. Sér. VIII.* xvi. 293 (= *Ochna vulgaris*).—Bras.  
Weddelliana, *Van Tiegh. l. c.* 260.—Bras.  
Zenkeri, *Engl. & Gilg, ex Gilg, in Engl. Jahrb. xxxiii.* 258.—Afr. trop.
- OURATELLA, *Van Tiegh. in Bull. Mus. Hist. Nat. Par.* 1902, 375 = *Ouratea*, *Aubl. (Ochnac.)*.  
*Finlayi*, *Van Tiegh. in Journ. de Bot.* xvi. 193.—Ind. occ.  
*Lherminieri*, *Van Tiegh. l. c.*—Ind. occ.  
*mexicana*, *Van Tiegh. l. c.* = *Ouratea mexicana*.

**OVIDIA**, Meissn. (Thymel.).

- tenera, *Macl. in Rep. Princeton Univ. Exped. Patag.* viii. 598 (= *Daphne tenera*).—Patag.

**OXALIS**, Linn. (Geran.).

- Brittoniae, *Small, in Britton, Man. Fl. N. U. S.* 577.—Am. bor.  
coloradensis, *Rydb. in Bull. Torr. Bot. Club*, 1902, 243.—Am. bor.  
Damazii, *C. DC. in Bull. Herb. Boiss. Sér. II.* v. 231.—Bras.  
dispar, *N. E. Br. ex Hook. f. Bot. Mag. t.* 7794; *et in Kew Bull.* 1901, 138.—Guiana.  
Gayi, *Macl. in Rep. Princeton Univ. Exped. Patag.* viii. 539.—Am. austr.  
Hassleriana, *Chod. in Bull. Herb. Boiss. Sér. II.* v. 69.—Parag.  
insignis, *Sprague, in Trans. Proc. Bot. Soc. Edinb.* xxii. 429.—N. Granat.  
katangensis, *Wildem. & Th. Dur. in Bull. Soc. Bot. Belg.* xl. 18.—Afr. trop.  
loricata, *Dusen, in Oefvers. Vet. Akad. Forhandl. Stockh.* lvi. (1901) 247; *et ex Macl. in Rep. Princeton Univ. Exped. Patag.* viii. 540.—Patag.  
morrumbalaensis, *Wildem. Pl. Nov. Hort. Then.* t. 36.—Afr. trop.  
nahuelhuapiensis, *Speg. Nov. Add. Fl. Patag. i.* (1901), repr. 22.—Patag.

**OXALIS** :—

- paraguayensis, *Chod. in Bull. Herb. Boiss. Sér. II.* ii. 738.—Parag.  
Pentheri, *A. Zahlbr. in Ann. Nat. Hofmus. Wien*, xv. 46.—Afr. austr.  
Prichardi, *Rendle, in Journ. Bot.* 1904, 334.—Patag.  
rufa, *Small, in Britton, Man. Fl. N. U. S.* 577.—Am. bor.  
stenophylla, *Speg. Nov. Add. Fl. Patag. i.* (1901), repr. 23.—Patag.

**OXANDRA**, A. Rich. (Anonac.).

- [BOCAGEA, A. St. Hil. I. K.]  
mediocris, *Diels, in Verh. Bot. Ver. Brand.* xlvii. (1905) 125.—Reg. Amaz.

**OXERA**, Labill. (Verben.).

- neriifolia, *Beauvis. Gen. Montrouz.* 72 = *oblongifolia*.

**OXYANTHERA**, Brongn. (Orchid.).

- [THELASIS, Blume. I. K.]  
papuana, *Schlechter, in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 126.—N. Guin.

**OXYANTHUS**, DC. (Rubiace.).

- lepidus, *S. Moore, in Journ. Linn. Soc.* xxxvii. 160.—Afr. trop.  
litoreus, *S. Moore, l. c.* 159.—Afr. trop.  
oliganthus, *K. Schum. in Engl. Jahrb.* xxxiii. 345.—Afr. trop.  
Schumannianus, *Wildem. & Th. Dur. in Ann. Mus. Congo*, Sér. III. i. 119.—Afr. trop.  
stenocarpa, *K. Schum. in Engl. Jahrb.* xxxiii. 345.—Afr. trop.  
tenuis, *Stapp, in Journ. Linn. Soc.* xxxvii. 107.—Afr. trop.

**OXYBAPHUS**, L'Herit. (Nyctag.).

- cretaceus, *Chod. & Wilcz. in Bull. Herb. Boiss. Sér. II.* ii. 538.—Reg. Argent.

**OXYCOCCUS**, Tourn. ex Adans. (Vaccin.).

- japonicus, *Makino, in Bot. Mag. Tokyo*, xviii. 18 (= *Vaccinium japonicum*).—Japon.

**OXYGONUM**, Burch. (Polygon.).

- Baumii, *Damm, in Warb. Kunene-Sambesi Exped.* 231, nomen.—Afr. trop.  
fruticosum, *Damm, l. c.*, nomen.—Afr. trop.

**OXYLOBIUM**, Andr. (Legum.).

- Kelsoi, *Fitzg. in Journ. W. Austral. Nat. Hist. Soc.* i. 4.—Austral.  
melinocaula, *E. Pritz. in Engl. Jahrb.* xxxv. 224.—Austral.  
tetragonophyllum, *E. Pritz. l. c.* 226.—Austral.

**OXYLOBUS**, Moc. (Compos.).

- [AGERATUM, Linn. I. K.]  
adscendens, *Robinson, in Proc. Amer. Acad.* xli. 272 (= *Ageratum adscendens*).—Mexic.  
arbutifolius, *A. Gr. in Proc. Amer. Acad.* xv. 26 (= *Ageratum arbutifolium*).—Mexic.  
glanduliferus, *A. Gr. l. c.* (= *Ageratum glanduliferum*).—Mexic.

**OXYMYRSINE**, Bub. Fl. Pyren. iv. 121 = *Ruscus*,

- Tourn. (Liliac.).  
pungens, *Bub. l. c.* = *R. aculeatus*.

**OXYOSMYLES**, Speg. in Com. Mus. Buenos Aires,

- i. 316 (1901). *BORAGINACEAE*.  
viscosissima, *Speg. l. c.* 317.—Reg. Argent.

**OXYPETALUM**, R. Br. (Asclep.).

- argentinum, *Malme, in Arkiv Bot. Stockh.* iii. no. 8, 15.—Am. austr.  
aurantiacum, *Malme, ex Chod. & Hassl. in Bull. Herb. Boiss. Sér. II.* iii. (1903) 240.—Parag.  
brachystemma, *Malme, in Arkiv Bot. Stockh.* iii. no. 8, 2.—Am. austr.  
brachystephanum, *Malme, l. c.* 7.—Parag.  
Chodatianum, *Malme, in Bih. Svensk. Vet. Akad. Handl. Ser. II.* xxvii. no. 18, 29.—Parag.  
clavatum, *Malme, l. c.* 27.—Parag.  
confusum, *Malme, in Arkiv Bot. Stockh.* iii. no. 8, 10.—Bras.  
curtiflorum, *Malme, l. c.* 13.—Bras.  
Dusenii, *Malme, l. c.* iv. no. 8, 4.—Bras.  
hirsutulum, *K. Schum. in Urb. in Engl. Jahrb.* xxx. Beibl. lxxvii. 31.—Bras.

**OXYPETALUM** :—

- longipes, *Malme, in Arkiv Bot. Stockh.* iii. no. 8, 3.—Bras.  
marginatum, *Malme, in Bih. Svensk. Vet. Akad. Handl. Ser. II.* xxvii. no. 18, 25.—Parag.  
obtusifolium, *Malme, in Arkiv Bot. Stockh.* iv. no. 3, 7.—Bras.  
ophiuroideum, *Malme, in Bih. Svensk. Vet. Akad. Handl. Ser. II.* xxvii. no. 18, 24.—Parag.  
subcapitatum, *Malme, l. c.* 20.—Parag.  
sublanatum, *Malme, in Arkiv Bot. Stockh.* iv. no. 3, 6.—Bras.  
tridens, *Malme, l. c.* iii. no. 8, 8.—Bras.  
tubatum, *Malme, l. c.* iv. no. 3, 3.—Bras.  
uruguayense, *Malme, l. c.* iii. no. 8, 7.—Urug.  
vestitum, *Malme, in Bih. Svensk. Vet. Akad. Handl. Ser. II.* xxvii. no. 18, 18.—Parag.

**OXYPOLIS**, Rafin. (Umbell.).

- [PEUCEDANUM, Tourn. I. K.]  
longifolia, *Small, Fl. S. E. U. S.* 875 (= *Sium longifolium*).—Am. bor.

**OXYS**, Tourn. = *Oxalis*, Linn. (Geran.)

- Pliniana*, *Bub. Fl. Pyren.* iii. 331 = *Oxalis Acetosella*.  
*lutea*, *Bub. l. c.* 332 = *O. corniculata*.

**OXYTENANTHERA**, Munro (Gramin.).

- auriculata, *Prain, Bengal Pl.* 1234 (= *Bambusa auriculata*).—Ind. or.

**OXYTHECA**, Nutt. (Polygon.).

- emarginata, *Hall, in Univ. Calif. Publ. Bot.* i. 75.—Am. bor.

**OXYTHECE**, Miq. (Sapot.).

- [LUCUMA, Juss. I. K.]  
fabrilis, *Pierre, in Urb. Symb. Antill.* v. 160.—Ind. occ.

**OXYTROPIS**, DC. (Legum.).

- acutirostrata, *Ulbr. in Engl. Jahrb.* xxxvi. Beibl. lxxxii. 68.—China.  
Alberti, *B. Fedtsch. in Act. Hort. Petrop.* xxiv. 184.—Turkestan.  
albiflora, *K. Schum. in Just's Jahresb.* xxvii. i. 496 (= *Aragallus albiflorus*).—Am. bor.  
albovillosa, *B. Fedtsch. in Act. Hort. Petrop.* xxiv. 182.—Turkestan.  
angustifolia, *Ulbr. in Engl. Jahrb.* xxxvi. Beibl. lxxxii. 67.—China.  
Arnaudii, *Petit, in Monde des Plantes*, Sér. II. vii. 16.—Hybr.  
bella, *B. Fedtsch. ex O. Fedtsch. Pl. Pamir*, 21.—As. cent.  
Besseyi, *Blank. in Montana Agric. Coll. Sci. Studies, Bot.* i. 80 (= *Aragallus Besseyi*).—Am. bor.  
Blankinshipii, *K. Schum. in Just's Jahresb.* xxvii. i. 496 (= *Aragallus Blankinshipii*).—Am. bor.  
Bushii, *Gandoger, in Bull. Soc. Bot. Fr.* xlviii. p. xvii.—Am. bor.  
carinthiaca, *Huter & Porta, ex Huter, in Oesterr. Bot. Zeitschr.* 1905, 79 = *Huteri*.  
caudatus, *K. Schum. in Just's Jahresb.* xxvii. i. 496 (= *Aragallus caudatus*).—Am. bor.  
collina, *K. Schum. l. c.* (= *Aragallus collinus*).—Am. bor.  
dispar, *K. Schum. l. c.* (= *Aragallus dispar*).—Am. bor.  
Giraldii, *Ulbr. in Engl. Jahrb.* xxxvi. Beibl. lxxxii. 66.—China.  
gracilis, *K. Schum. in Just's Jahresb.* xxvii. i. 496 (= *Aragallus gracilis*).—Am. bor.  
gueldenstaedtioides, *Ulbr. in Engl. Jahrb.* xxxvi. Beibl. lxxxii. 65.—China.  
Hedinii, *Ulbr. l. c.* xxxv. 680.—Tibet.  
hirsutiuscula, *Freyn, in Bull. Herb. Boiss. Sér. II.* v. 1021.—As. cent.  
Holdereri, *Ulbr. in Notizbl. Bot. Gart. Berlin*, iii. 193.—As. cent.  
Huteri, *Reichb. f. ex Huter, in Oesterr. Bot. Zeitschr.* 1905, 79.—Eur.  
involuta, *K. Schum. in Just's Jahresb.* xxvii. i. 496 (= *Aragallus involutus*).—Am. bor.  
kuurgentensis, *B. Fedtsch. in Act. Hort. Petrop.* xxiv. 192.—Turkestan.  
Ladygini, *Krylov, in Act. Hort. Petrop.* xxi. 5.—As. cent.  
leucocephala, *Ulbr. in Notizbl. Bot. Gart. Berlin*, iii. 193.—As. cent.  
Litwinowi, *B. Fedtsch. in Act. Hort. Petrop.* xxiv. 185.—Turkestan.

**OXYTROPIS:**

- Martjanovi, *Krylov, in Act. Hort. Petrop.* xxi. 6.—As. cent.  
 pannosa, *Gandoger, in Bull. Soc. Bot. Fr.* xlviii. p. xvii.—Am. bor.  
 pinetorum, *K. Schum. in Just's Jahresb.* xxvii. 1. 496 (= *Aragallus pinetorum*).—Am. bor.  
 retusa, *Matsum. in Bot. Mag. Tokyo*, xv. 116.—Ins. Kurile.  
 Richardsonii, *K. Schum. in Just's Jahresb.* xxvii. 1. 496 (= *Aragallus Richardsonii*).—Am. bor.  
 rishiriensis, *Matsum. in Bot. Mag. Tokyo*, xv. 116.—Japan.  
 Ruebsaameni, *B. Fedtsch. in Act. Hort. Petrop.* xxiv. 186.—Turkestan.  
 Saposhnikovii, *Krylov, in Act. Hort. Petrop.* xxi. 4.—As. cent.  
 shensiana, *Ulbr. in Engl. Jahrb. xxxvi. Beibl.* lxxxii. 66.—China.  
 susamyrensis, *B. Fedtsch. in Act. Hort. Petrop.* xxiv. 188.—Turkestan.  
 terekensis, *B. Fedtsch. l. c.* 192.—Turkestan.  
 trajectorum, *B. Fedtsch. l. c.* 182.—Turkestan.  
 vermicularis, *Freyn, in Bull. Herb. Boiss. Sér. II.* v. 1025.—As. cent.  
 villosa, *Blank, in Montana Agric. Coll. Sci. Studies, Bot.* i. 80 (= *Aragallus villosus*).—Am. bor.

**OZOMELIS**, Rafin. (Saxifr.).

- [MITELLA, Tourn. I. K.]  
 anomala, *Rydb. in N. Amer. Fl.* xxii. 96 (= *Mitella anomala*).—Calif.  
 diversifolia, *Rydb. l. c.* 94 (= *Mitella diversifolia*).—Calif.  
 micrantha, *Rydb. l. c.* 96 (= *Mitella micrantha*).—Am. bor.  
 pacifica, *Rydb. l. c.* 95.—Am. bor.  
 Parryi, *Rydb. l. c.* 96.—Am. bor.  
 stauropetala, *Rydb. l. c.* 95 (= *Mitella stauropetala*).—Am. bor.  
 stenopetala, *Rydb. l. c.* 96 (= *Mitella stenopetala*).—Am. bor.  
 trifida, *Rydb. l. c.* 95 (= *Mitella trifida*).—Am. bor.  
 violacea, *Rydb. l. c.* (= *Mitella violacea*).—Am. bor.

**P****PACHIRA**, Aubl. (Malvac.).

- petropolitana, *Glas. in Bull. Soc. Bot. Fr.* lii. Mém. III. 50, nomen.—Bras.

**PACHYCARPUS**, E. Mey. (Asclep.).

- [GOMPHOCARPUS, R. Br. I. K.]  
 Galpinii, *N. E. Br. in Dyer, Fl. Trop. Afr.* iv. 1. 377 (= *Asclepias Galpinii*).—Afr. austr.  
 Mackenii, *N. E. Br. l. c.* (= *Gomphocarpus Mackenii*).—Afr. austr.  
 macrochilus, *N. E. Br. l. c.* 376 (= *Asclepias macrochila*).—Afr. austr.  
 rhinophyllus, *N. E. Br. l. c.* 377 (= *Gomphocarpus rhinophyllus*).—Afr. trop.  
 scaber, *N. E. Br. l. c.* (= *Gomphocarpus scaber*).—Afr. austr.  
 Schinzianus, *N. E. Br. l. c.* 376 (= *Asclepias Schinziana*).—Afr. austr.  
 transvaalensis, *N. E. Br. l. c.* (= *Asclepias transvaalensis*).—Afr. austr.  
 validus, *N. E. Br. l. c.* 377 (= *Asclepias valida*).—Afr. austr.

**PACHYLOPHUS**, Spach (Onagr.).

- [OENOTHERA, Linn. I. K.]  
 caulescens, *Rydb. in Bull. Torr. Bot. Club*, 1904, 571.—Am. bor.  
 exiguus, *Rydb. l. c.* 1903, 260 (= *Oenothera exigua*).—Am. bor.  
 glaber, *A. Nelson, in Bull. Torr. Bot. Club*, 1904, 242.—Am. bor.  
 hirsutus, *Rydb. in Bull. Torr. Bot. Club*, 1904, 571.—Am. bor.  
 macroglottis, *Rydb. l. c.* 1903, 259.—Am. bor.

**PACHYPHYTUM**, Link, Klotzsch & Otto (Crassul.).

- [COTYLEDON, Linn. I. K.]  
 aduncum, *Rose, in N. Amer. Fl.* xxii. 13 (= *Cotyledon adunca*).—Mexic.  
 amethystinum, *Rose, l. c.* 11.—Mexic.  
 brevifolium, *Rose, l. c.* 12.—Mexic.  
 longifolium, *Rose, l. c.*—Mexic.  
 sodale, *Rose, l. c.* 11 (= *Echeveria sodalis*).—Hab. ?  
 uniflorum, *Rose, in Bull. N. York Bot. Gard.* iii. 11.—Mexic.

**PACHYPODANTHIUM**, Engl. & Diels (Anonac.).

- Staudtii, *Engl. & Diels, in Monogr. Afr. Pfl.* vi. 32 (= *Uvaria Staudtii*).—Afr. trop.

**PACHYRRHIZUS**, Rich. (Legum.).

- erosus, *Urb. Symb. Antill.* iv. 311 = angulatus.

**PACHYSTELA**, Pierre, in Engl. Monogr. Afr. Pfl.

- viii. 35 (1904). *SAPOTACEAE*.  
 brevipes, *Engl. Monogr. Afr. Pfl.* viii. 37 (= *Sideroxylon brevipes*).—Afr. trop.  
 cinerea, *Pierre, in Engl. l. c.* 36 = conferta.  
 longistyla, *Engl. l. c.* 38 (= *Sideroxylon longistylum*).—Afr. trop.  
 Msolo, *Engl. l. c.* (= *Chrysophyllum Msolo*).—Afr. trop.

**PACHYSTIMA**, Rafin. (Celastr.).

- macrophylla, *Farr, in Trans. Proc. Bot. Soc. Pennsylv.* i. 421.—Am. bor.

**PACOURIA**, Aubl. (Apocyn.).

- [LANDOLPHIA, Beauv. I. K.]  
 capensis, *S. Moore, in Journ. Bot.* 1903, 403 (= *Landolphia capensis*).—Afr. austr.  
 Petersiana, *S. Moore, in Journ. Linn. Soc.* xxxvii. 180 (= *Landolphia Petersiana*).—Afr. trop.

**PADUS**, Linn. (Rosac.).

- [PRUNUS, Tourn. I. K.]  
 acrophylla, *Schneider, in Fedde, Repert. Nov. Sp.* i. 70.—China.  
 alabamensis, *Small, Fl. S. E. U. S.* 574 (= *Prunus alabamensis*).—Am. bor.  
 australis, *Small, l. c.* (= *Prunus australis*).—Am. bor.  
 brachypoda, *Schneider, in Fedde, Repert. Nov. Sp.* i. 69.—China.  
 Cuthbertii, *Small, Fl. S. E. U. S.* 574 (= *Prunus Cuthbertii*).—Am. bor.  
 eximia, *Small, l. c.* 573 (= *Prunus eximia*).—Am. bor.  
 Wilsoni, *Schneider, in Fedde, Repert. Nov. Sp.* i. 69.—China.

**PAEDERIA**, Linn. (Rubiace.).

- Bojeriana, *Drake, Hist. Pl. Madag. Atlas*, t. 412 A.—Madag.  
 petrophila, *K. Schum. in Engl. Jahrb.* xxxiii. 373.—Afr. trop.  
 Pringlei, *Greenm. in Proc. Amer. Acad.* xxxix. 92.—Mexic.

**PAEONIA**, Tourn. (Ranuncul.).

- glabrescens, *Ford. in Ford. & Fourr. Ic. Fl. Eur.* ii. 38.—Corsica.  
 leiocarpa, *Ford. l. c.*—Gallia.  
 modesta, *Ford. l. c.*—Gallia.  
 monticola, *Ford. l. c.* 37.—Eur.  
 Revelieri, *Ford. l. c.* 38.—Corsica.  
 Villarsii, *Ford. l. c.* 37.—Eur.

**PAEPALANTHUS**, Mart. (Eriocaul.).

- acantholimon, *Ruhl. in Engl. Pflanzenreich, Eriocaul.* 163.—Bras.  
 acanthophyllus, *Ruhl. l. c.* 186.—Bras.  
 acuminatus, *Ruhl. l. c.* 217.—Bras.  
 applanatus, *Ruhl. l. c.* 169.—Bras.  
 aquatilis, *Mart. ex Ruhl. l. c.* 49 = *Eriocaulon aquatile*.  
 arachnoides, *Ruhl. l. c.* 158 = manicatus.  
 Arechavaletae, *Koernicke, ex Arech. in Anal. Mus. Montevid.* iv. 1. 24 (1902).—Urug.  
 aretioides, *Ruhl. in Engl. Pflanzenreich, Eriocaul.* 164.—Bras.  
 atrovaginat, *Ruhl. l. c.* 156.—Bras.  
 Balansae, *Ruhl. l. c.* 151.—Parag.  
 batocephalus, *Ruhl. l. c.* 212.—Bras.  
 biformis, *N. E. Br. in Trans. Linn. Soc. Ser. II.* vi. 71.—Guiana.  
 brachyphyllus, *Ruhl. in Engl. Pflanzenreich, Eriocaul.* 75.—Bras.

**PAEPALANTHUS:**

- brunnesens, *Ruhl. in Engl. Pflanzenreich, Eriocaul.* 136.—Bras.  
 cacuminis, *Ruhl. l. c.* 205.—Bras.  
 caldensis, *Malme, in Bih. Svensk. Vet. Akad. Handl.* xxvii. no. 11, 29.—Bras.  
 calvoldes, *Ruhl. in Engl. Pflanzenreich, Eriocaul.* 146.—Bras.  
 camptophyllus, *Ruhl. l. c.* 174.—Bras.  
 caparoensis, *Ruhl. l. c.* 145.—Bras.  
 Catharinae, *Ruhl. l. c.* 147.—Bras.  
 cearaensis, *Ruhl. l. c.* 161.—Bras.  
 cephalopus, *Silv. & Ruhl. ex Ruhl. l. c.* 165.—Bras.  
 chloroblepharus, *Ruhl. l. c.* 139.—Bras.  
 ciliolatus, *Ruhl. l. c.* 147.—Bras.  
 coloides, *Ruhl. l. c.* 178.—Bras.  
 columbiensis, *Ruhl. l. c.* 207.—N. Granat.  
 cordatus, *Ruhl. l. c.* 189.—Bras.  
 corymboides, *Ruhl. l. c.* 204.—Bras.  
 dasynema, *Ruhl. l. c.* 178.—Bras.  
 decipiens, *Ruhl. l. c.* 135.—Bras.  
 desperado, *Ruhl. l. c.* 138.—Bras.  
 dictyophyllum, *Mart. ex Ruhl. l. c.* 59 = *Eriocaulon dictyophyllum*.  
 diplobetor, *Ruhl. l. c.* 134.—Bras.  
 elongatulus, *Ruhl. l. c.* 140.—Bras.  
 eriocauloides, *Ruhl. l. c.* 182.—Bras.  
 eriophaeus, *Ruhl. l. c.* 130.—Bras.  
 euryphyllus, *Ruhl. l. c.*—Bras.  
 filiosus, *Ruhl. l. c.* 164.—Bras.  
 flavorutilus, *Ruhl. l. c.* 144.—Bras.  
 fraternus, *N. E. Br. in Trans. Linn. Soc. Ser. II.* vi. 69.—Guiana.  
 glabrifolius, *Ruhl. in Engl. Pflanzenreich, Eriocaul.* 139.—Bras.  
 Glaziovii, *Ruhl. l. c.* 181.—Bras.  
 globosus, *Ruhl. l. c.* 143.—Bras.  
 gyrotrichus, *Ruhl. l. c.* 132.—Bras.  
 Harmsii, *Ruhl. l. c.* 216.—Bras.  
 Henriqueti, *Silv. & Ruhl. ex Ruhl. l. c.* 129.—Bras.  
 Hydra, *Ruhl. l. c.* 202.—Bras.  
 itatiaiensis, *Ruhl. l. c.* 211.—Bras.  
 Jahnii, *Ruhl. l. c.* 161.—Bras.  
 Karstenii, *Ruhl. l. c.* 155.—N. Granat.  
 Leiseringii, *Ruhl. l. c.* 216.—Bras.  
 leucocephalus, *Ruhl. l. c.* 200.—Bras.  
 Lindenii, *Ruhl. l. c.* 206.—N. Granat.  
 Loefgrenianus, *Ruhl. l. c.* 142.—Bras.  
 macropodus, *Ruhl. l. c.* 212.—Bras.  
 manicatus, *Pouls. ex Malme, in Bih. Svensk. Vet. Akad. Handl.* xxvii. no. 11, 28.—Bras.  
 Mendoncianus, *Ruhl. in Engl. Pflanzenreich, Eriocaul.* 129.—Bras.  
 microcaulon, *Ruhl. l. c.* 159.—Bras.  
 miser, *Ruhl. l. c.* 133.—Bras.  
 multicoctatus, *Ruhl. l. c.* 148.—Bras.  
 Oliveirae, *Ruhl. l. c.* 196.—Bras.  
 parvus, *Ruhl. l. c.* 154.—Bras.  
 paulensis, *Ruhl. l. c.* 211.—Bras.  
 Paulinus, *Ruhl. l. c.* 215.—Bras.  
 pedunculatus, *Ruhl. l. c.* 146 (= *Eriocaulon pedunculatum*).—Bras.  
 phaeocephalus, *Ruhl. l. c.* 169.—Bras.  
 praemorsus, *Ruhl. l. c.* 172.—Bras.  
 pruinosis, *Ruhl. l. c.* 210.—Bras.  
 pseudoelongatus, *Ruhl. l. c.* 141.—Bras.  
 pseudotortilis, *Ruhl. l. c.* 155.—Bras.  
 pulvinatus, *N. E. Br. in Dyer, Fl. Trop. Afr.* viii. 263.—Afr. trop.  
 ruficeps, *Ruhl. in Engl. Pflanzenreich, Eriocaul.* 144.—Bras.  
 Ruhlandii, *Silv. ex Ruhl. l. c.* 159.—Bras.  
 scandens, *Ruhl. l. c.* 175.—Bras.  
 scholiophyllus, *Ruhl. l. c.* 172.—Bras.  
 Schwackeanus, *Ruhl. l. c.* 193.—Bras.  
 scleranthus, *Ruhl. l. c.* 199.—Bras.  
 scytophyllus, *Ruhl. l. c.* 171.—Bras.  
 senaeanus, *Ruhl. l. c.* 219.—Bras.  
 Silveirae, *Ruhl. l. c.* 131.—Bras.  
 sphaerocephalus, *Ruhl. l. c.* 182.—Bras.  
 stereophyllus, *Ruhl. l. c.* 193.—Bras.  
 striatus, *Ruhl. l. c.* 149.—Bras.  
 Stuebelianus, *Ruhl. l. c.* 174.—Peruv.  
 subcaulescens, *N. E. Br. in Trans. Linn. Soc. Ser. II.* vi. 71.—Guiana.  
 subfalcatus, *Ruhl. in Engl. Pflanzenreich, Eriocaul.* 151.—Bras.  
 suffruticans, *Ruhl. l. c.* 138.—Bras.

**PAEPALANTHUS**:—

- superbus, *Ruhl. in Engl. Pflanzenreich, Eriocaul.* 218.—Bras.  
 sychnophyllus, *Ruhl. l. c.* 197.—Bras.  
 Uleanus, *Ruhl. l. c.* 146.—Bras.  
 undulatus, *Ruhl. l. c.* 150.—Bras.  
 Urbanianus, *Ruhl. l. c.* 188.—Bras.  
 vestitus, *Ruhl. l. c.* 150.—Bras.  
 viridulus, *Ruhl. l. c.* 165.—Bras.  
 xiphophyllus, *Ruhl. l. c.* 219.—Bras.

**PAHUDIA**, Miq. (Legum.).

- africana, *Prain, in Sci. Mem. Med. Off. Ind.* xii. 16 (= *Afzelia africana*).—Afr. trop.  
 attenuata, *Prain, l. c.* (= *Afzelia attenuata*).—Afr. trop.  
 bracteata, *Prain, l. c.* (= *Afzelia bracteata*).—Afr. trop.  
 quanzensis, *Prain, l. c.* (= *Afzelia quanzensis*).—Afr. trop.  
 rhomboidea, *Prain, l. c.* 14 (= *Afzelia rhomboidea*).—Ins. Philipp.

**PALAEQUIM**, Blanco (Sapot.).

- [*Dichopsis*, Thw. I. K.]  
 Abernium, *Merrill, in Philipp. Forest. Bur. Bull.* i. 46.—Ins. Philipp.  
 angustifolium, *Merrill, in Philipp. Gov. Lab. Bur. Bull.* xvii. 43.—Ins. Philipp.  
 Barnesii, *Merrill, l. c.* vi. 13.—Ins. Philipp.  
 bataanense, *Merrill, l. c.* xvii. 44.—Ins. Philipp.  
 gigantifolium, *Merrill, l. c.* vi. 14.—Ins. Philipp.  
 mindanaense, *Merrill, l. c.* 15.—Ins. Philipp.  
 optimum, *Becc. Nelle Foreste di Borneo*, 154, 558.—Borneo.  
 polyanthum, *Merrill, in Philipp. Gov. Lab. Bur. Bull.* vi. 16 (= *Dichopsis polyantha*).—Burma.  
 Suppianum, *Schlechter, in Tropenpf.* vii. 469.—N. Guin.  
 tenuipetiolatum, *Merrill, in Philipp. Gov. Lab. Bur. Bull.* xvii. 45.—Ins. Philipp.  
 Whitfordii, *Merrill, l. c.* xxxv. 55.—Ins. Philipp.

**PALAUUA**, Cav. (Malvac.).

- parviflora, *Hochr. in Ann. Conserv. & Jard. Bot. Genève*, v. 173 (= *Malope parviflora*).—Peruv.  
 tomentosa, *Hochr. l. c.* 171.—Mexic.

**PALICOUREA**, Aubl. (Rubiace.).

- Hassleriana, *Chod. in Bull. Herb. Boiss. Sér. II.* iv. 178.—Parag.

**PALISOTA**, Reichb. (Commelin.).

- hirsuta, *K. Schum. ex C. B. Clarke, in Dyer, Fl. Trop.* Afr. viii. 32 = thyrsiflora.  
 laxiflora, *C. B. Clarke, l. c.* 30.—Afr. trop.  
 ombrophila, *K. Schum. ex C. B. Clarke, l. c.* 29.—Afr. trop.  
 orientalis, *K. Schum. in Engl. Jahrb.* xxxvi. 209.—Afr. trop.  
 Preussiana, *K. Schum. ex C. B. Clarke, in Dyer, Fl. Trop. Afr.* viii. 30.—Afr. trop.  
 Pynaertii, *Wildem. in Ann. Mus. Congo, Sér. V.* i. 100.—Afr. trop.  
 Tholloni, *Hua, in Bull. Soc. Bot. Fr.* xli. 51 = thyrsiflora.

**PALMERIA**, F. Muell. (Monim.).

- gracilis, *Perkins, in Engl. Jahrb.* xxxi. 745; et in *K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 269.—N. Guin.

**PANAX**, Linn. (Aral.).

- decorans, *H. Baill. ex Viguiet, in Bull. Soc. Bot. Fr.* lii. 312 = Tieghemopanax decorans.  
 nigrescens, *Panch. ex Viguiet, l. c.* 311 = Tieghemopanax nigrescens.  
 simabaefolia, *H. Baill. ex Viguiet, l. c.* 312 = Tieghemopanax simabaefolius.  
 subincisa, *H. Baill. ex Viguiet, l. c.* 307 = Tieghemopanax subincisus.

**PANCHERIA**, Brongn. & Gris (Saxifrag.).

- Beauverdiana, *Pampan. in Ann. di Bot. Roma*, ii. 100.—N. Caled.  
 Billardieri, *Pampan. l. c.* 99 (= *Callicoma Billardieri*).—N. Caled.  
 Brunhesi, *Pampan. l. c.* 98.—N. Caled.  
 elliptica, *Pampan. l. c.* 97.—N. Caled.  
 hirsuta, *Vieill. ex Pampan. l. c.* 101.—N. Caled.  
 pinnata, *Pampan. l. c.* 100.—N. Caled.  
 pulchella, *Pampan. l. c.* 96.—N. Caled.

**PANDANUS**, Rumph. (Pand.).

- Ananas, *Martelli, in Bull. Soc. Bot. Ital.* 1904, 299.—Amboina.  
 arayatensis, *Merrill, in Philipp. Gov. Lab. Bur. Bull.* xvii. 7.—Ins. Philipp.  
 aurantiacus, *Ridley, in Journ. As. Soc. Straits*, xli. 49.—Penins. Mal.  
 Balfourii, *Martelli, Webbia*, 361.—Ins. Seychell.  
 basilocularis, *Martelli, in Bull. Soc. Bot. Ital.* 1904, 299.—Borneo.  
 bicornis, *Ridley, in Journ. As. Soc. Straits*, xli. 49.—Penins. Mal.  
 brevifolius, *Martelli, in Bull. Soc. Bot. Ital.* 1904, 302.—Borneo.  
 Butayei, *Wildem. in Rev. Cult. Colon.* x. 15.—Afr. trop.  
 calicarpus, *Martelli, Webbia*, 365.—Hab. ?  
 Capusii, *Martelli, in Bull. Soc. Bot. Ital.* 1904, 302.—Cochinch.  
 caudatus, *Merrill, in Philipp. Gov. Lab. Bur. Bull.* xxix. 6.—Ins. Philipp.  
 christmatensis, *Martelli, Webbia*, 362.—Ins. Christmas.  
 compressus, *Martelli, l. c.* 363.—Ins. Solomon.  
 Copelandi, *Merrill, in Philipp. Gov. Lab. Bur. Bull.* xvii. 7.—Ins. Philipp.  
 crinifolium, *Martelli, in Bull. Soc. Bot. Ital.* 1904, 301.—Penins. Mal.  
 dipsaceus, *Martelli, l. c.* 304.—Celebes.  
 dorystigma, *Martelli, l. c.* 301.—Borneo.  
 elostigma, *Martelli, l. c.* 303.—Penins. Mal.  
 Engleri, *Warb. ex Engl. in Engl. Jahrb.* xxxiv. 151.—Afr. trop.  
 epiphyticus, *Martelli, in Bull. Soc. Bot. Ital.* 1904, 304.—Borneo.  
 flabellistigma, *Martelli, Webbia*, 366.—Hab. ?  
 forceps, *Martelli, l. c.* 363.—China.  
 furcatellus, *Martelli, l. c.* 368.—Tonkin.  
 gladiifolius, *Martelli, in Bull. Soc. Bot. Ital.* 1904, 301.—Sumatra.  
 glaucophyllus, *Ridley, in Journ. As. Soc. Straits*, xli. 50.—Penins. Mal.  
 herbaceus, *Martelli, in Bull. Soc. Bot. Ital.* 1904, 303.—Penins. Mal.  
 Hystrix, *Martelli, l. c.* 300.—N. Guin.  
 immersus, *Ridley, in Journ. As. Soc. Straits*, xli. 48.—Penins. Mal.  
 johorensis, *Martelli, in Bull. Soc. Bot. Ital.* 1904, 302.—Penins. Mal.  
 luzonensis, *Merrill, in Philipp. Gov. Lab. Bur. Bull.* xvii. 6.—Ins. Philipp.  
 Merrillii, *Warb. in Perkins, Frag. Fl. Philipp.* 50.—Ins. Philipp.  
 monotheca, *Martelli, in Bull. Soc. Bot. Ital.* 1904, 303.—Penins. Mal.  
 nanus, *Martelli, Webbia*, 370.—Penins. Mal.  
 Odoardi, *Martelli, in Bull. Soc. Bot. Ital.* 1904, 304.—N. Guin.  
 pallidus, *Merrill, in Philipp. Gov. Lab. Bur. Bull.* xxix. 5.—Ins. Philipp.  
 pectinatus, *Martelli, in Bull. Soc. Bot. Ital.* 1904, 304.—Borneo.  
 penangensis, *Ridley, in Journ. As. Soc. Straits*, xli. 50.—Penins. Mal.  
 penicillus, *Martelli, in Bull. Soc. Bot. Ital.* 1904, 300.—N. Guin.  
 Pierrei, *Martelli, l. c.* 303.—Cochinch.  
 platystigma, *Martelli, l. c.* 300.—Borneo.  
 Porrittianus, *Martelli, l. c.* 301.—Hab. ?  
 Prainii, *Martelli, l. c.*—Penins. Mal.  
 pseudofoetidus, *Martelli, l. c.* 303.—Ind. or.  
 Ridleyi, *Martelli, l. c.*—Penins. Mal.  
 rostratus, *Martelli, l. c.* 300.—Borneo.  
 sarawakensis, *Martelli, l. c.* 303.—Borneo.  
 Scortechini, *Martelli, l. c.* 302.—Penins. Mal.  
 siamensis, *F. N. Williams, in Bull. Herb. Boiss. Sér. II.* iv. 220 = P. Kaida.  
 simplex, *Merrill, in Philipp. Gov. Lab. Bur. Bull.* xxix. 6.—Ins. Philipp.  
 spathulatus, *Martelli, Webbia*, 365.—Bourbon.  
 stelliger, *Ridley, in Journ. As. Soc. Straits*, xli. 49.—Penins. Mal.  
 sumatranus, *Martelli, Webbia*, 367.—Sumatra.  
 Thwaitesii, *Martelli, l. c.* 369.—Zeylan.  
 Wavrinianus, *Hort. Sand. in Gard. Chron.* 1903, i. 245.—Hab. ?  
 Whitfordii, *Merrill, in Philipp. Gov. Lab. Bur. Bull.* xvii. 7.—Ins. Philipp.  
 Whitmeeanus, *Martelli, Webbia*, 364.—Ins. Samoa.

**PANICULARIA**, Fabr. (Gramin.).

- [*GLYCERIA*, R. Br. I. K. S. I, II.]  
 americana, *Shafer, in Ann. Carneg. Mus.* i. 121 (= *Glyceria grandis*).—Am. bor.  
 antarctica, *Macl. in Rep. Princeton Univ. Exped. Patag.* viii. 219.—Patag.  
 flaccida, *Elmer, in Coult. Bot. Gaz.* xxxvi. 55.—Am. bor.  
 fuegiana, *Macl. in Rep. Princeton Univ. Exped. Patag.* viii. 219.—Patag.  
 Holmii, *Beal, in Torreya*, i. 43.—Am. bor.  
 leptostachys, *Macl. in Rep. Princeton Univ. Exped. Patag.* viii. 220.—Patag.  
 multifolia, *Elmer, in Coult. Bot. Gaz.* xxxvi. 54.—Am. bor.  
 pulchella, *Nash, in Britton & Rydb. in Bull. N. Y. Bot. Gard.* ii. vi. 157.—Am. bor.  
 Torreyana, *Merrill, in Rhodora*, iv. 146 (= *Poa Torreyana*).—Am. bor.

**PANICUM**, Linn. (Gramin.).

- alabamense, *Ashe, in N. Carolina Coll. Bull.* clxxv. 116.—Am. bor.  
 amaroides, *Scribn. & Merrill, in U. S. Dept. Agric. Circ. Agrost.* xxix. 5.—Am. bor.  
 angolense, *K. Schum. in Just, Jahresb.* xxvii. i. 457 (= *Digitaria angolensis*).—Afr. trop.  
 aridum, *Mez, in Engl. Jahrb.* xxxiv. 139.—Afr. trop.  
 Aubertii, *Mez, l. c.* 134.—Madag.  
 Auburne, *Ashe, in N. Carolina Coll. Bull.* clxxv. 115.—Am. bor.  
 bongaeense, *Pilg. in Engl. Jahrb.* xxxiii. 44.—Afr. trop.  
 bulbodes, *Chiov. in Ann. Ist. Bot. Roma*, viii. (1903) 35 (= *Helopus bulbodes*).—Afr. trop.  
 Burgu, *A. Chevalier, in Compt. Rend. Ass. Fr.* xxviii. 642.—Afr. trop.  
 Busseanum, *Mez, in Engl. Jahrb.* xxxiv. 131.—Afr. trop.  
 callopus, *Pilg. in Engl. Jahrb.* xxxiii. 46.—Afr. trop.  
 campylostachyum, *Hack. in Oesterr. Bot. Zeitschr.* li. 367.—Am. cent.  
 caudiglume, *Hack. l. c.* 1901, 428.—Java.  
 chromatostigma, *Pilg. in Engl. Jahrb.* xxxiii. 48.—Afr. trop.  
 chrysopsidifolium, *Nash, in Small, Fl. S. E. U. S.* 100.—Am. bor.  
 cilicinctum, *Pilg. in Engl. Jahrb.* xxxiii. 48.—Afr. trop.  
 cinctum, *Hack. in Oesterr. Bot. Zeitschr.* 1901, 429.—Madag.  
 comophyllum, *Nash, in Bull. Torr. Bot. Club*, 1903, 380.—Ind. occ.  
 condensum, *Nash, in Small, Fl. S. E. U. S.* 93.—Am. bor.  
 corynotrichum, *Hack. in Oesterr. Bot. Zeitschr.* 1901, 335.—Bras.  
 costaricense, *Hack. l. c.* 428.—Am. cent.  
 cryptanthum, *Ashe, in N. Carolina Coll. Bull.* clxxv. 115.—Am. bor.  
 curvinerve, *Hack. in Oesterr. Bot. Zeitschr.* 1901, 335.—Ind. occ.  
 delawarenses, *Ashe, in N. Carolina Coll. Bull.* clxxv. 116.—Am. bor.  
 distichophylloides, *Mez, in Engl. Jahrb.* xxxiv. 137.—Afr. trop.  
 drosocarpum, *Stapf, in Journ. de Bot.* 1905, 104.—Afr. trop.  
 Eggersii, *Hack. in Oesterr. Bot. Zeitschr.* 1901, 292.—Ind. occ.  
 eligulatum, *N. E. Br. in Trans. Linn. Soc. Ser. II.* vi. 74.—Guiana.  
 elongatum, *Mez, in Engl. Jahrb.* xxxiv. 132.—Afr. trop.  
 Eminii, *Mez, l. c.* 135.—Afr. trop.  
 fasciculiforme, *Mez, l. c.* 141.—Ins. Comor.  
 fluminense, *Hack. in Oesterr. Bot. Zeitschr.* 1901, 457.—Bras.  
 Friesii, *Hack. ex R. Fries, in Nov. Act. Soc. Sci. Upsal. Ser. IV.* i. no. 1, 170.—Reg. Argent.  
 Gattingeri, *Nash, in Small, Fl. S. E. U. S.* 92.—Am. bor.  
 Gerdesii, *Hack. in Oesterr. Bot. Zeitschr.* 1901, 333.—Bras.  
 giganteum, *Mez, in Engl. Jahrb.* xxxiv. 143.—Afr. trop.  
 Glaziovii, *Hack. in Oesterr. Bot. Zeitschr.* 1901, 373.—Bras.  
 gracilicaule, *Nash, in Small, Fl. S. E. U. S.* 98.—Am. bor.

**PANICUM:**—

- gracillimum, *Mez, in Engl. Jahrb.* xxxiv. 131.—Afr. trop.  
 Hackellii, *Pilg. in Engl. Jahrb.* xxx. 118.—Afr. trop.  
 halophilum, *Nash, in Lloyd & Tracy, in Bull. Torr. Bot. Club*, 1901, 86.—Am. bor.  
 haplocaulos, *Pilg. in Engl. Jahrb.* xxxiii. 49.—Afr. trop.  
 heterostachyum, *Hack. in Oesterr. Bot. Zeitschr.* 1901, 430.—Abyss.  
 inaequale, *Pilg. in Engl. Jahrb.* xxx. 133.—Bras.  
 iowense, *Ashe, in N. Carolina Coll. Bull.* clxxv. 115.—Am. bor.  
 Kerstingii, *Mez, in Engl. Jahrb.* xxxiv. 145.—Afr. trop.  
 lasiopodium, *Stapf, in Journ. de Bot.* 1905, 105.—Afr. trop.  
 Lelievrei, *A. Chevalier, in Compt. Rend. Ass. Fr. Sci.* 1900, 651.—Afr. trop.  
 leptorhachis, *Pilg. in Engl. Jahrb.* xxx. 119.—Afr. trop.  
 longepetiolatum, *Pilg. l. c.* xxxiii. 45.—Afr. trop.  
 longicauda, *Mez, in Engl. Jahrb.* xxxiv. 133.—Afr. trop.  
 Mannii, *Mez, l. c.* 143.—Afr. trop.  
 massaiense, *Mez, l. c.* 144.—Afr. trop.  
 Menyharthii, *Hack. in Bull. Herb. Boiss. Sér. II. i.* 766.—Afr. trop.  
 Merkeri, *Mez, in Engl. Jahrb.* xxxiv. 144.—Afr. trop.  
 mixtum, *Mez, l. c.* 147.—Afr. trop.  
 moninense, *K. Schum. in Just, Jahresb.* xxvii. I. 457 (= *Digitaria moninensis*).—Afr. trop.  
 mutabile, *Scribn. & F. G. Sm. in Small, Fl. S. E. U. S.* 103.—Am. bor.  
 myriostachyum, *Hack. in Oesterr. Bot. Zeitschr.* 1901, 294.—Bras.  
 nematostachyum, *F. M. Bailey, in Bull. Dept. Agric. Queensl.* xvi. 2.—Austral.  
 nidulans, *Mez, in Engl. Jahrb.* xxxiv. 136.—Afr. trop.  
 nigritium, *Hack. in Oesterr. Bot. Zeitschr.* 1901, 293.—Afr. trop.  
 nitens, *K. Schum. in Just, Jahresb.* xxvii. I. 457 (1901) (= *Digitaria nitens*).—Afr. trop.  
 nitens, *Merrill, in Philipp. Gov. Lab. Bur. Bull.* xvii. (1904) 8.—Ins. Philipp.  
 nitophyllum, *Pilg. in Engl. Jahrb.* xxxiii. 50.—Afr. trop.  
 oligobrachiatum, *Pilg. l. c.*—Afr. trop.  
 oplismenoides, *Nash, in Bull. Torr. Bot. Club*, 1903, 381.—Ind. occ.  
 oryzetorum, *A. Chevalier, in Compt. Rend. Ass. Fr. Sci.* 1900, 651.—Afr. trop.  
 Pammeli, *Ashe, in N. Carolina Coll. Bull.* clxxv. 116.—Am. bor.  
 paniculatum, *Nash, in Bull. Torr. Bot. Club*, 1903, 381 = fasciculatum.  
 parviglume, *Hack. in Oesterr. Bot. Zeitschr.* 1901, 429.—Am. cent.  
 penicilligerum, *Hack. ex Kneuck. in Allg. Bot. Zeitschr.* 1902, 93 (= *Leptocoryphium penicilligerum*).—Reg. Argent.  
 phyllopogon, *Stapf, in Hook. Ic. Pl. t.* 2698.—Eur.  
 Pilgeri, *Mez, in Engl. Jahrb.* xxxiv. 146.—Afr. trop.  
 Pittieri, *Hack. in Oesterr. Bot. Zeitschr.* li. 367.—Am. cent.  
 procerrimum, *Hack. l. c.* 1901, 431.—Am. cent.  
 pubifolium, *Mez, in Engl. Jahrb.* xxxiv. 137.—Afr. trop.  
 Rautanenii, *Hack. in Bull. Herb. Boiss. Sér. II. ii.* 935.—Afr. austr. or.  
 rigens, *Mez, in Engl. Jahrb.* xxxiv. 141.—Afr. trop.  
 rovumense, *Pilg. in Engl. Jahrb.* xxxiii. 47.—Afr. trop.  
 scalare, *Mez, in Engl. Jahrb.* xxxiv. 138.—Afr. trop.  
 Schenckii, *Hack. in Oesterr. Bot. Zeitschr.* 1901, 426.—Bras.  
 Schlechteri, *Mez, in Engl. Jahrb.* xxxiv. 139.—Afr. trop.  
 Schmitzii, *Hack. in Ann. Nat. Hofmus. Wien*, xvii. 254.—Mexic.  
 Schneeki, *Ashe, in N. Carolina Coll. Bull.* clxxv. 116.—Am. bor.  
 Schumannii, *Pilg. in Engl. Jahrb.* xxx. 134.—Bras.  
 Schweinfurthii, *Hack. in Oesterr. Bot. Zeitschr.* 1901, 366.—Afr. trop.  
 setinsigne, *Mez, in Engl. Jahrb.* xxxiv. 133.—Afr. austr.  
 Sintenisii, *Nash, in Bull. Torr. Bot. Club*, 1903, 382.—Ind. occ.  
 stenophyllum, *Hack. in Oesterr. Bot. Zeitschr.* 1901, 371.—Bras.  
 stigmatissatum, *Mez, in Engl. Jahrb.* xxxiv. 140.—Afr. trop.

**PANICUM:**—

- stipitatum, *Nash, in Britton, Man. Fl. N. U. S.* 83.—Am. bor.  
 subbarbulatum, *Scribn. & Merrill, in U. S. Dept. Agric. Circ. Agrost.* xxix. 9.—Am. bor.  
 subglobosum, *Hack. in Bull. Herb. Boiss. Sér. II. iv.* 274.—Parag.  
 subsimplex, *Ashe, in N. Carolina Coll. Bull.* clxxv. 115.—Am. bor.  
 subulifolium, *Mez, in Engl. Jahrb.* xxxiv. 135.—Afr. austr.  
 superatum, *Hack. in Oesterr. Bot. Zeitschr.* 1901, 427.—Bras.  
 tephrosanthum, *Hack. in Bull. Herb. Boiss. Sér. II. i.* 766.—Afr. trop.  
 teretifolium, *Hack. in Oesterr. Bot. Zeitschr.* 1901, 372.—Bras.  
 Thwaitesii, *Hack. l. c.* 334.—Ind. or.  
 tricolor, *Hack. l. c.* 370.—Ind. occ.  
 tristachyum, *Hack. in Bull. Herb. Boiss. Sér. II. iv.* 525.—Ins. Bonin.  
 umbratile, *Mez, in Engl. Jahrb.* xxxiv. 142.—Afr. trop.  
 Venezuelae, *Hack. in Oesterr. Bot. Zeitschr.* li. 368.—Venez.  
 virgultorum, *Hack. l. c.* 1901, 369.—Am. cent.  
 Warburgii, *Mez, in Perkins, Frag. Fl. Philipp.* i. 143.—Ins. Philipp.  
 watense, *Mez, in Engl. Jahrb.* xxxiv. 146.—Afr. trop.  
 xanthospermum, *Scribn. & Mohr, in U. S. Dept. Agric. Contrib. Nat. Herb.* vi. 348.—Am. bor.  
 xanthotrichum, *Hack. in Oesterr. Bot. Zeitschr.* 1901, 333.—Afr. trop.  
 yadkinense, *Ashe, in Britton, Man. Fl. N. U. S.* 1040.—Am. bor.

**PANISEA**, Lindl. (Orchid.).

- tricallosa, *Rolfe, in Kew Bull.* 1901, 148.—Ind. or.

**PANTACANTHA**, Speg. Nov. Add. Fl. Patag. ii.

- (1902), repr. 51. **SOLANACEAE.**

- Ameghinii, *Speg. l. c.* 52.—Patag.

**PAPAYER**, Linn. (Papav.).

- apicigemmatum, *Fedde, in Bull. Herb. Boiss. Sér. II. v.* 448.—Lycia.  
 humifusum, *Fedde, l. c.* 447.—Syria.  
 humile, *Fedde, l. c.* 446.—Afr. bor.  
 nigrum, *Bub. Fl. Pyren.* iii. 267 = somniferum.  
 Postii, *Fedde, in Bull. Herb. Boiss. Sér. II. v.* 447.—Syria.  
 pygmaeum, *Rydb. in Bull. Torr. Bot. Club*, 1902, 159.—Am. bor.  
 rapiferum, *Fedde, in Bull. Herb. Boiss. Sér. II. v.* 170.—Syria.  
 subadpressiusculo-setosum, *Fedde, l. c.* 171.—Afr. bor.  
 subpiriforme, *Fedde, l. c.* 169.—Syria.  
 Tenerifae, *Fedde, l. c.* 170.—Ins. Teneriff.  
 tenuissimum, *Fedde, l. c.* 446.—Graecia.  
 Tinei, *Lanza, in Boll. Ort. Bot. Palermo*, iv. 24.—Sicilia.

**PAPHIOPEDILUM**, Pfitzer, Morph. Stud. Orchideenbl. (1886) 11. **ORCHIDACEAE.**

- amabile, *Hallier f. in Nat. Tijdschr. Ned. Ind.* liv. 450.—Borneo.  
 Appletonianum, *Rolfe, in Orch. Rev.* 1896, 364 (= *Cypripedium Appletonianum*).—Siam.  
 Argus, *Pfitz. in Engl. Jahrb.* xix. 40 (= *Cypripedium Argus*).—Luzon.  
 bellatulum, *Pfitz. l. c.* (= *Cypripedium bellatulum*).—Burma.  
 Boissierianum, *Pfitz. l. c.* 41 = Phragmopedilum Boissierianum.  
 Bullenianum, *Pfitz. l. c.* 40 (= *Cypripedium Bullenianum*).—Borneo.  
 Burbidgei, *Pfitz. l. c.* (= *Cypripedium Burbidgei*).—Borneo.  
 callosum, *Pfitz. l. c.* (= *Cypripedium callosum*).—Siam.  
 caricinum, *Pfitz. l. c.* 41 = Phragmopedilum caricinum.  
 Chamberlainianum, *Pfitz. l. c.* (= *Cypripedium Chamberlainianum*).—Sumatra.  
 Charlesworthii, *Pfitz. l. c.* 40 (= *Cypripedium Charlesworthii*).—Burma.  
 ciliolare, *Pfitz. l. c.* (= *Cypripedium ciliolare*).—Mindanao.  
 cothurnum, *Pfitz. l. c.* 42 (= *Cypripedium cothurnum*).—Bras.

**PAPHIOPEDILUM:**—

- Curtisii, *Pfitz. in Engl. Jahrb.* xix. 40 (= *Cypripedium Curtisii*).—Sumatra.  
 Czerwiakowianum, *Pfitz. l. c.* 41 = Phragmopedilum Czerwiakowianum.  
 Dayanum, *Pfitz. l. c.* 40 (= *Cypripedium Dayanum*).—Borneo.  
 dilectum, *Pfitz. l. c.* (= *Cypripedium dilectum*).—Hab. ?  
 Druryi, *Pfitz. l. c.* 41 (= *Cypripedium Druryi*).—Ind. or.  
 Elliottianum, *Pfitz. l. c.* (= *Cypripedium Elliottianum*).—Ins. Philipp.  
 epidendricum, *Pfitz. l. c.* 42 (= *Cypripedium epidendricum*).—Bras.  
 exul, *Rolfe, in Orch. Rev.* 1896, 364 (= *Cypripedium exul*).—Siam.  
 Fairrianum, *Pfitz. in Engl. Jahrb.* xix. 41 (= *Cypripedium Fairrianum*).—Bhotan.  
 Gardineri, *Pfitz. l. c.* (= *Cypripedium Gardineri*).—N. Guin.  
 glanduliferum, *Pfitz. l. c.* (= *Cypripedium glanduliferum*).—N. Guin.  
 Godefroyae, *Pfitz. l. c.* 40 (= *Cypripedium Godefroyae*).—Cochinch.  
 Gratrixianum, *Rolfe, in Orch. Rev.* 1905, 63 (= *Cypripedium Gratrixianum*).—Annam.  
 Hartwegii, *Pfitz. in Engl. Jahrb.* xix. 41 = Phragmopedilum Hartwegii.  
 Haynaldianum, *Pfitz. l. c.* (= *Cypripedium Haynaldianum*).—Luzon.  
 Hincksonianum, *Pfitz. l. c.* = Phragmopedilum longifolium.  
 hirsutissimum, *Pfitz. l. c.* (= *Cypripedium hirsutissimum*).—Assam.  
 Hookerae, *Pfitz. l. c.* 40 (= *Cypripedium Hookerae*).—Borneo.  
 Kimballianum, *Rolfe, in Orch. Rev.* 1896, 366 (= *Cypripedium Kimballianum*).—Borneo.  
 Klotzschianum, *Pfitz. in Engl. Jahrb.* xix. 41 = Phragmopedilum Klotzschianum.  
 Lindleyanum, *Pfitz. l. c.* = Phragmopedilum Lindleyanum.  
 Littleanum, *Rolfe, in Orch. Rev.* 1896, 366 (= *Cypripedium Littleanum*).—Borneo.  
 Lowii, *Pfitz. in Engl. Jahrb.* xix. 41 (= *Cypripedium Lowii*).—Arch. Mal.  
 Mastersianum, *Pfitz. l. c.* 40 (= *Cypripedium Mastersianum*).—Amboina.  
 nigritum, *Pfitz. l. c.* (= *Cypripedium nigritum*).—Borneo.  
 niveum, *Pfitz. l. c.* (= *Cypripedium niveum*).—Burma; Malaya.  
 pardinum, *Pfitz. l. c.* (= *Cypripedium pardinum*).—Reg. Himal.  
 Parishii, *Pfitz. l. c.* 41 (= *Cypripedium Parishii*).—Burma; Yunnan.  
 paulistanum, *Pfitz. l. c.* 42 = Phragmopedilum vittatum.  
 Petri, *Pfitz. l. c.* 40 (= *Cypripedium Petri*).—Borneo.  
 philippinense, *Pfitz. l. c.* 41 (= *Cypripedium philippinense*).—Ins. Philipp.  
 praestans, *Pfitz. l. c.* (= *Cypripedium praestans*).—N. Guin.  
 purpuratum, *Pfitz. l. c.* 40 (= *Cypripedium purpuratum*).—Hong Kong.  
 reticulatum, *Pfitz. l. c.* 41 = Phragmopedilum Boissierianum.  
 Roebbelenii, *Pfitz. l. c.* (= *Cypripedium Roebbelenii*).—Ins. Philipp.  
 Roeslii, *Pfitz. l. c.* 42 = Phragmopedilum longifolium.  
 Rothschildianum, *Pfitz. l. c.* 41 (= *Cypripedium Rothschildianum*).—Sumatra.  
 Sanderianum, *Pfitz. l. c.* (= *Cypripedium Sanderianum*).—Borneo.  
 Schlimii, *Pfitz. l. c.* 42 = Phragmopedilum Schlimii.  
 Shipwayae, *Rolfe, in Orch. Rev.* 1898, 338.—Borneo.  
 siamense, *Rolfe, l. c.* 1896, 366 (= *Cypripedium siamense*).—Siam.  
 Socco, *Pfitz. in Engl. Jahrb.* xix. 42 (= *Cypripedium Socco*).—Bras.  
 Stonei, *Pfitz. l. c.* 41 (= *Cypripedium Stonei*).—Borneo.  
 superbiens, *Pfitz. l. c.* 40 (= *Cypripedium superbiens*).—Malaya.  
 tonsum, *Pfitz. l. c.* 41 (= *Cypripedium tonsum*).—Sumatra.  
 Victoria-Mariae, *Rolfe, in Orch. Rev.* 1896, 364 (= *Cypripedium Victoria-Mariae*).—Sumatra.  
 villosum, *Pfitz. in Engl. Jahrb.* xix. 41 (= *Cypripedium villosum*).—Burma.  
 virens, *Pfitz. l. c.* (= *Cypripedium virens*).—Borneo.



**PAPHIOPEDILUM** :—

- vittatum*, Pfitz. in Engl. Jahrb. xix. 42 = *Phragmopedilum vittatum*.  
*Volonteanum*, Pfitz. in Engl. Pflanzenreich, Orchid.-Pleon. 80 (= *Cypripedium Volonteanum*).—Borneo.  
*Wallisii*, Pfitz. in Engl. Jahrb. xix. 42 = *Phragmopedilum caudatum*.  
*Warszewiczii*, Pfitz. l. c. = *Phragmopedilum caudatum*.  
*Wolterianum*, Pfitz. in Engl. Pflanzenreich, Orchid.-Pleon. 79 (= *Cypripedium Wolterianum*).—Ins. Sunda.

**PAPPEA**, Eckl. & Zeyh. (Sapind.).

- ugandensis*, Baker f. in Journ. Linn. Soc. xxxvii. 138.—Afr. trop.

**PAPPOPHORUM**, Schreb. (Gramin.).

- benguellense*, K. Schum. in Just. Jahresb. xxvii. 1. 458 (= *Enneapogon benguellensis*).—Afr. trop.  
*caespitosum*, R. Fries, in Nov. Act. Soc. Sci. Upsal. Ser. IV. i. no. 1, 177.—Reg. Argent.  
*Hassleri*, Hack. in Bull. Herb. Boiss. Sér. II. iv. 280.—Parag.  
*pusillum*, K. Schum. in Just. Jahresb. xxvii. 1. 458 (= *Enneapogon pusillum*).—Afr. trop.

**PARABAENA**, Miers (Menisperm.).

- myriaditha*, K. Schum. in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee, 264.—N. Guin.

**PARADOMBEYA**, Stapf, in Hook. Ic. Pl. t. 2743 (1902). **STERCULIACEAE**.

- burmanica*, Stapf, l. c.—Ind. or.  
*sinensis*, Dunn, in Hook. Ic. Pl. t. 2743.—China.

**PARAMERIA**, Benth. (Apocyn.).

- Griffithii*, Pierre, in Rev. Cult. Colon. xi. 229, nomen.—Cochinch.

**PARAMIGYNA**, Wight (Rutac.).

- longipedunculata*, Merrill, in Philipp. Gov. Lab. Bur. Bull. xxxv. 24.—Ins. Philipp.

**PARAPODIUM**, E. Mey. (Asclep.).

- crispum*, N. E. Br. in Hook. Ic. Pl. t. 2744.—Afr. austr.

**PARARTOCARPUS**, Baill. (Urtic.).

- borneensis*, Becc. Nelle Foreste di Borneo, 634.—Borneo.  
*bracteata*, Becc. l. c. 632 (= *Artocarpus bracteata*).—Malaya.  
*excelsa*, Becc. l. c. 634.—Borneo.  
*papuana*, Becc. l. c. 633.—N. Guin.  
*venenosa*, Becc. l. c. 632 (= *Artocarpus venenosa*).—Arch. Mal.

**PARASIA**, Rafin. (Gentian.).

- [*BELMONTIA*, E. Mey. I. K.]  
*Thomasii*, S. Moore, in Journ. Bot. 1901, 260.—Afr. austr.

**PARATHESIS**, Hook. f. (Myrsin.).

- Candolleana*, Mez, in Engl. Pflanzenreich, Myrsin. 179.—N. Granat.  
*chiapensis*, Fernald, in Proc. Amer. Acad. xxxvi. 497.—Mexic.  
*Donnell-Smithii*, Mez, in Engl. Pflanzenreich, Myrsin. 176.—Am. cent.  
*Eggersiana*, Mez, l. c.—Ecuador.  
*fusca*, Mez, l. c. 175 (= *Ardisia fusca*).—Am. cent.  
*glabra*, Donn. Sm. in Coult. Bot. Gaz. xxxi. 115.—Am. cent.  
*Moritziana*, Mez, in Engl. Pflanzenreich, Myrsin. 180.—Venez.  
*Oerstediana*, Mez, l. c. 178.—Mexic.  
*Rothschuhiana*, Mez, l. c. 76.—Am. cent.  
*serrulata*, Mez, in Urb. Symb. Antill. ii. 403 = *crenulata*.  
*venezuelana*, Mez, in Engl. Pflanzenreich, Myrsin. 179.—Venez.

**PARAVALLARIS**, Pierre (Apocyn.).

- macrophylla*, Pierre, ex Hua, in Bull. Soc. Bot. Fr. li. 273, descr.—Tonkin.

**PARIETARIA**, Linn. (Urtic.).

- obtusata*, Rydb. in Small, Fl. S. E. U. S. 359.—Am. bor.

**PARINARIUM**, Aubl. (Rosac.).

- Goetzenianum*, Engl. in Engl. Jahrb. xxxiv. 153.—Afr. trop.  
*mindanaense*, Perkins, Frag. Fl. Philipp. i. 119.—Ins. Philipp.

VOL. IV.

**PARINARIUM** :—

- racemosum*, Merrill, in Philipp. Gov. Lab. Bur. Bull. xvii. 19.—Ins. Philipp.  
*Verdickii*, Wildem. in Ann. Mus. Congo, Sér. IV. 182.—Afr. trop.

**PARIS**, Linn. (Liliac.).

- Christii*, Léveillé, in Bull. Acad. Géogr. Bot. xii. (1903) 255.—China.  
*Franchetiana*, Léveillé, l. c. 256.—China.  
*Mercieri*, Léveillé, l. c. 255.—China.  
*petiolata*, Baker, ex C. H. Wright, in Journ. Linn. Soc. xxxvi. 145.—China.

**PARKIA**, R. Br. (Legum.).

- Bussei*, Harms, in Engl. Jahrb. xxxiii. 154.—Afr. trop.

**PARNASSIA**, Linn. (Saxifr.).

- alpicola*, Makino, in Bot. Mag. Tokyo, xviii. 140.—Japan.  
*floridana*, Rydb. in N. Amer. Fl. xxii. 80.—Am. bor.  
*intermedia*, Rydb. l. c. 78.—Am. bor.  
*mexicana*, Rose, in Proc. U. S. Nat. Mus. xxix. (1905) 438.—Mexic.  
*montanensis*, Fernald & Rydb. in N. Amer. Fl. xxii. 79.—Am. bor.  
*rivularis*, Osterh. in N. Am. Fl. xxii. 78.—Am. bor.  
*Townsendii*, Robinson, in Proc. Bost. Soc. Nat. Hist. xxxi. 266.—Mexic.

**PARONYCHIA**, Linn. (Illecebr.).

- franciscana*, Eastw. in Bull. Torr. Bot. Club, 1901, 288.—Am. bor.  
*Wardi*, Rydb. in Small, Fl. S. E. U. S. 400.—Am. bor.

**PAROPSIA**, Noronha (Passiflor.).

- fragrans*, Aug. DC. in Bull. Herb. Boiss. Sér. II. i. 572.—Madag.

**PAROSELA**, Cav. (Legum.).

- [*DALEA*, Linn. I. K.]  
*acutifolia*, Rose, in Coult. Bot. Gaz. xl. 144 (= *Dalea acutifolia*).—Mexic.  
*chrysorrhiza*, Rose, in U. S. Dept. Agric. Contrib. Nat. Herb. viii. 304 (= *Dalea chrysorrhiza*).—Mexic.  
*crenulata*, Rose, l. c. 306 (= *Dalea crenulata*).—Mexic.  
*delicata*, Rose, l. c. 304.—Mexic.  
*diffusa*, Rose, l. c. 305 (= *Dalea diffusa*).—Mexic.  
*divaricata*, Rose, l. c. (= *Dalea divaricata*).—Mexic.  
*elongata*, Rose, l. c. 306.—Mexic.  
*filiiformis*, Rose, l. c. 303 (= *Dalea filiciformis*).—Mexic.  
*frutescens*, Vail, ex Rose, l. c. (= *Dalea frutescens*).—Mexic.  
*Goldmani*, Rose, l. c. 305.—Mexic.  
*gracillima*, Rose, l. c. (= *Dalea gracillima*).—Mexic.  
*Greenmaniana*, Rose, l. c. 303.—Mexic.  
*Holwayi*, Rose, l. c. 304.—Mexic.  
*lasiotoma*, Rose, l. c. 305.—Mexic.  
*maritima*, Rose, l. c. 304 (= *Dalea maritima*).—Mexic.  
*minor*, Rose, l. c. 305.—Mexic.  
*minutiflora*, Rose, l. c. 306.—Mexic.  
*mutabilis*, Rose, in Coult. Bot. Gaz. xl. 144 (= *Dalea mutabilis*).—Mexic.  
*neglecta*, Rose, in U. S. Dept. Agric. Contrib. Nat. Herb. viii. 304 (= *Dalea neglecta*).—Mexic.  
*nutans*, Rose, l. c. 306 (= *Dalea nutans*).—Mexic.  
*Palmeri*, Rose, l. c. 304.—Mexic.  
*peninsularis*, Rose, l. c.—Calif.  
*Porteri*, A. Nelson, in Coult. Bot. Gaz. xxxi. 395.—Am. bor.  
*procumbens*, Rose, in U. S. Dept. Agric. Contrib. Nat. Herb. viii. 304 (= *Dalea procumbens*).—Mexic.  
*radicans*, Rose, l. c. 305 (= *Dalea radicans*).—Mexic.  
*spiciformis*, Rose, l. c. 303.—Mexic.  
*submontana*, Rose, l. c. 306.—Mexic.  
*triphylla*, Rose, in Coult. Bot. Gaz. xl. 144 (= *Dalea triphylla*).—Mexic.  
*uncifera*, Rose, l. c. (= *Dalea uncifera*).—Mexic.  
*unifoliata*, Rose, in U. S. Dept. Agric. Contrib. Nat. Herb. viii. 303 (= *Dalea unifoliata*).—Mexic.  
*verniciata*, Rose, l. c.—Mexic.  
*viridiflora*, Rose, l. c. 305 (= *Dalea viridiflora*).—Mexic.

**PARROTIOPSIS**, Schneider, Ill. Handb. Laubholz. i. (1904) 429. **HAMAMELIDACEAE**.

- involuta*, Schneider, l. c. (= *Fothergilla involuta*).—Reg. Himal.

**PARSONSIA**, P. Br. (Lythrac.).

- [*CUPHEA*, P. Br. I. K.]  
*lythroides*, Small, Fl. S. E. U. S. 829.—Am. bor.

**PARSONSIA**, R. Br. (Apocyn.).

- rotata*, Maiden & Betche, in Proc. Linn. Soc. N. S. Wales, xxix. 744.—Austral.  
*verticillata*, K. Schum. in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee, 351.—N. Guin.

**PARTHENIUM**, Linn. (Compos.).

- Schottii*, Greenm. ex Millsp. & Chase, in Field Columb. Mus. Bot. iii. 109.—Mexic.  
*Stramonium*, Greene, in Pittonia, iv. (1901) 240.—Mexic.

**PARTHENOCISSUS**, Planch. (Ampelid.).

- [*VITIS*, Linn. I. K. S. I, II.]  
*dumetorum*, Rehd. in Sarg. Trees & Shrubs, 187.—Am. bor.  
*heptaphylla*, Britton, ex Small, Fl. S. E. U. S. 759.—Am. bor.  
*laciniata*, Small, l. c.—Am. bor.  
*texana*, Rehd. in Sarg. Trees & Shrubs, 189 = *heptaphylla*.

**PARVATIA**, Decne. (Berberid.).

- decora*, Dunn, in Hook. Ic. Pl. t. 2712.—China.

**PASACCARDOA**, Kuntze (Compos.).

- [*PHYLLACTINIA*, Benth. I. K. S. I.]  
*Baumii*, O. Hoffm. in Warb. Kunene-Sambesi Exped. 426.—Afr. trop.

**PASPALUM**, Linn. (Gramin.).

- amplum*, Nash, in Small, Fl. S. E. U. S. 77.—Am. bor.  
*australe*, Nash, in Britton, Man. Fl. N. U. S. 1039.—Am. bor.  
*blepharophyllum*, Nash, in Small, Fl. S. E. U. S. 71.—Am. bor.  
*Bushii*, Nash, in Britton, Man. Fl. N. U. S. 74.—Am. bor.  
*circularis*, Nash, in Britton, l. c. 73.—Am. bor.  
*epile*, Nash, in Small, Fl. S. E. U. S. 72.—Am. bor.  
*glaberrimum*, Nash, in Small, l. c. 76.—Am. bor.  
*gracillimum*, Nash, in Small, l. c. 73.—Am. bor.  
*Hassleri*, Hack. in Bull. Herb. Boiss. Sér. II. iv. 268.—Parag.  
*Helleri*, Nash, in Bull. Torr. Bot. Club, 1903, 376.—Ind. occ.  
*Hieronymi*, Hack. in Oesterr. Bot. Zeitschr. 1901, 198.—Reg. Argent.  
*Kearneyi*, Nash, in Small, Fl. S. E. U. S. 77.—Am. bor.  
*kentuckiense*, Nash, in Britton, Man. Fl. N. U. S. 1039.—Am. bor.  
*laevigulum*, Scribn. in Small, Fl. S. E. U. S. 75.—Am. bor.  
*longissimum*, K. Schum. in Just. Jahresb. xxviii. 1. 416, sphalm. = *longicilium*.  
*macroblepharum*, Hack. in Oesterr. Bot. Zeitschr. 1901, 196.—Bras.  
*Muhlenbergii*, Nash, in Britton, Man. Fl. N. U. S. 75.—Am. bor.  
*oricolum*, Millsp. & Chase, in Field Columb. Mus. Bot. iii. 28.—Am. cent.  
*plenipilum*, Nash, in Britton, Man. Fl. N. U. S. 73.—Am. bor.  
*portoricense*, Nash, in Bull. Torr. Bot. Club, 1903, 377.—Ind. occ.  
*praelongum*, Nash, in Small, Fl. S. E. U. S. 74.—Am. bor.  
*prostratum*, Nash, in Britton, Man. Fl. N. U. S. 74.—Am. bor.  
*reticulatum*, Hack. in Oesterr. Bot. Zeitschr. 1901, 199.—Bras.  
*solitarium*, Nash, in Small, Fl. S. E. U. S. 77.—Am. bor.  
*sordidum*, Hack. in Oesterr. Bot. Zeitschr. 1901, 197.—Bras.  
*Stuckertii*, Hack. ex Stuck. in Anal. Mus. Buenos Aires, xi. 63.—Reg. Argent.  
*stramineum*, Nash, in Britton, Man. Fl. N. U. S. 74.—Am. bor.  
*tardum*, Nash, in Small, Fl. S. E. U. S. 76.—Am. bor.  
*Underwoodii*, Nash, in Bull. Torr. Bot. Club, 1903, 375.—Ind. occ.  
*verrucosum*, Hack. in Bull. Herb. Boiss. Sér. II. iv. 270.—Parag.

S

**PASSIFLORA**, Linn. (Passiflor.).

aetheoantha, *Barb. Rodr. Contrib. Jard. Bot. Rio de Janeiro*, 1902, 60.—Bras.  
 alliacea, *Barb. Rodr. l. c.* 59.—Bras.  
 ambigua, *Hemsl. ex Hook. f. Bot. Mag.* t. 7822.—Am. cent.  
 bicrura, *Urb. Symb. Antill.* iii. 323.—Ind. occ.  
 cubensis, *Urb. l. c.* 326.—Ind. occ.  
 dasyadenia, *Urb. l. c.* 328.—Ind. occ.  
 Guedesii, *Huber, in Bol. Mus. Para.* iii. 437.—Bras.  
 luciensis, *Urb. Symb. Antill.* iii. 324.—Ind. occ.  
 maculifolia, *Mast. in Gard. Chron.* 1902, II. 334.—Hort.  
 monticola, *J. R. Johnston, in Proc. Amer. Acad.* xl. 692.—Venez.  
 nitens, *J. R. Johnston, l. c.*—Venez.  
 Quelchii, *N. E. Br. in Trans. Linn. Soc. Ser. II.* vi. 31.—Guiana.  
 Seguini, *Léveillé & Vaniot, in Bull. Acad. Géogr. Bot.* xi. (1902) 174.—China.  
 vernicosa, *Barb. Rodr. Contrib. Jard. Bot. Rio de Janeiro*, 1902, 62.—Bras.

**PASTINACA**, Linn.; emend. *Calest.* in Martelli, Webbia, 240. **UMBELLIFERAE.**

absinthifolia, *Calest. l. c.* 247 (= *Heracleum absinthifolium*).—As. occ.  
 alpina, *Calest. l. c.* 245 (= *Heracleum alpinum*).—Eur.  
 aurea, *Calest. l. c.* 243 (= *Heracleum aureum*).—Graecia.  
 austriaca, *Calest. l. c.* 244 (= *Heracleum austriacum*).—Eur.  
 byzanthina, *Calest. l. c.* 247 (= *Ainsworthia byzanthina*).—Turcia.  
 caspica, *Calest. l. c.* 245 (= *Heracleum caspicum*).—Rossia.  
 Clausii, *Calest. l. c.* (= *Heracleum Clausii*).—Rossia.  
 cordata, *Calest. l. c.* (= *Heracleum cordatum*).—Sicil.  
 granatensis, *Calest. l. c.* 244 (= *Heracleum granatense*).—Hispan.  
 humilis, *Calest. l. c.* (= *Heracleum humile*).—Oriens.  
 insularis, *Calest. l. c.* 242.—Corsica.  
 ligusticifolia, *Calest. l. c.* 246 (= *Heracleum ligusticifolium*).—Rossia.  
 macrocarpa, *Calest. l. c.* 245.—Hispan.  
 minima, *Calest. l. c.* 246 (= *Heracleum minimum*).—Eur.  
 montana, *Calest. l. c.* 245 (= *Heracleum montanum*).—Eur.  
 officinalis, *Calest. l. c.* 247 (= *Tordylium officinale*).—Eur.; As. occ.  
 Orphanidis, *Calest. l. c.* 245 (= *Heracleum Orphanidis*).—Turcia.  
 Orsinii, *Calest. l. c.* 246 (= *Heracleum Orsinii*).—Sicil.  
 palmata, *Calest. l. c.* 245 (= *Heracleum palmatum*).—Eur.  
 psaridiana, *Calest. l. c.* 242 (= *Malabaila psaridiana*).—Graecia.  
 pubescens, *Calest. l. c.* 246 (= *Heracleum pubescens*).—Reg. Caucas.  
 pyrenaica, *Calest. l. c.* (= *Heracleum pyrenaicum*).—Eur.  
 setosa, *Calest. l. c.* 245 (= *Heracleum setosum*).—Eur.  
 sibirica, *Calest. l. c.* 244 (= *Heracleum sibiricum*).—Eur.; As. bor.  
 Sphondylium, *Calest. l. c.* (= *Heracleum Sphondylium*).—Eur.; As. bor.  
 stenophylla, *Calest. l. c.* (= *Heracleum stenophyllum*).—Eur.  
 Tordylium, *Calest. l. c.* 247 (= *Tordylium maximum*).—Reg. Medit.  
 verticillata, *Calest. l. c.* 244 (= *Heracleum verticillatum*).—Turcia.  
 villosa, *Calest. l. c.* 246 (= *Heracleum villosum*).—Reg. Caucas.

**PATAGONIUM**, Schrank. (Legum.).

[*ADESMIA*, DC. I. K. S. I, II.]  
 affine, *Macl. in Rep. Princeton Univ. Exped. Patag.* viii. 511 (= *Adesmia affinis*).—Patag.  
 Ameghinoi, *Speg. in Anal. Mus. Buenos Aires* vii. 270 (= *Adesmia Ameghinoi*).—Patag.  
 aphananthum, *Speg. l. c.*—Patag.  
 arenicola, *R. Fries, in Nov. Act. Soc. Sci. Upsal.* Ser. IV. i. no. 1, 137.—Reg. Argent.  
 Berteroi, *Speg. in Anal. Mus. Buenos Aires*, vii. 272 (= *Adesmia Berteroi*).—Patag.

**PATAGONIUM** :—

campestre, *Rendle, in Journ. Bot.* 1904, 332.—Patag.  
 candidum, *Macl. in Rep. Princeton Univ. Exped. Patag.* viii. 512 (= *Adesmia candida*).—Patag.  
 canescens, *Speg. in Anal. Mus. Buenos Aires*, vii. 273 (= *Streptodesmia canescens*).—Patag.  
 carnosum, *Speg. in Anal. Mus. Buenos Aires*, vii. 275; et in *Reiche, Fl. Chile*, iii. 397 (= *Adesmia carnosum*).—Chili.  
 Clarenii, *R. Fries, in Nov. Act. Soc. Sci. Upsal.* Ser. IV. i. no. 1, 139.—Reg. Argent.  
 filipes, *Speg. in Anal. Mus. Buenos Aires*, vii. 271 (= *Adesmia filipes*).—Patag.  
 glanduliferum, *Rendle, in Journ. Bot.* 1904, 332.—Patag.  
 glareosum, *Chod. & Wilcz. in Bull. Herb. Boiss.* Sér. II. ii. 483.—Reg. Argent.  
 graminideum, *Speg. in Anal. Mus. Buenos Aires*, vii. 272.—Patag.  
 griseum, *Speg. l. c.* 273 (= *Adesmia grisea*).—Patag.  
 karraikense, *Speg. l. c.* 274 (= *Adesmia karraikensis*).—Patag.  
 leptopodium, *Speg. l. c.* (= *Adesmia leptopoda*).—Patag.  
 nanum, *Chod. & Wilcz. in Bull. Herb. Boiss.* Sér. II. ii. 485.—Reg. Argent.  
 Negeri, *Macl. in Rep. Princeton Univ. Exped. Patag.* viii. 517 (= *Adesmia Negeri*).—Patag.  
 Nordenskiöldii, *R. Fries, in Nov. Act. Soc. Sci. Upsal.* Ser. IV. i. no. 1, 138.—Reg. Argent.  
 occultum, *R. Fries, l. c.* 135.—Reg. Argent.  
 patagonicum, *Speg. in Anal. Mus. Buenos Aires*, vii. 274 (= *Adesmia patagonica*).—Patag.  
 pendulum, *Macl. in Rep. Princeton Univ. Exped. Patag.* viii. 518 (= *Adesmia pendula*).—Patag.  
 pinifolium, *Chod. & Wilcz. in Bull. Herb. Boiss.* Sér. II. ii. 484 (= *Adesmia pinifolia*).—Reg. Argent.  
 polygaloides, *Chod. & Wilcz. l. c.* 482.—Reg. Argent.  
 rafaelense, *Chod. & Wilcz. l. c.* 485.—Reg. Argent.  
 Rudolphi, *Speg. in Anal. Mus. Buenos Aires*, vii. 273 (= *Adesmia Rudolphi*).—Chili.  
 salicornioides, *Speg. l. c.* 275 (= *Adesmia salicornioides*).—Patag.  
 Schickendantzii, *R. Fries, in Nov. Act. Soc. Sci. Upsal.* Ser. IV. i. no. 1, 136 (= *Adesmia Schickendantzii*).—Reg. Argent.  
 Serrazzianum, *Speg. in Anal. Mus. Buenos Aires*, vii. 278 (= *Adesmia villosa*, Phil.).—Chili.  
 Silvestrii, *Speg. l. c.* 275.—Patag.  
 Simonsi, *Speg. l. c.* 272 (= *Adesmia Simonsi*).—Patag.  
 subsericeum, *Chod. & Wilcz. in Bull. Herb. Boiss.* Sér. II. ii. 479.—Reg. Argent.  
 suffocatum, *Macl. in Rep. Princeton Univ. Exped. Patag.* viii. 519 (= *Adesmia suffocata*).—Patag.  
 tehuelches, *Speg. in Anal. Mus. Buenos Aires*, vii. 276 (= *Adesmia tehuelcha*).—Patag.  
 trijugum, *Chod. & Wilcz. in Bull. Herb. Boiss.* Sér. II. iii. 481 (= *Adesmia trijuga*).—Reg. Argent.  
 triphyllum, *Speg. in Anal. Mus. Buenos Aires*, vii. 277 (= *P. trifoliatum*, Reiche, non Kuntze).—Chili.  
 triste, *Chod. & Wilcz. in Bull. Herb. Boiss.* Sér. II. ii. 478.—Reg. Argent.  
 Vallis-pulchrae, *Speg. in Anal. Mus. Buenos Aires*, vii. 272 (= *Adesmia Vallis-pulchrae*).—Patag.  
 villosum, *Speg. l. c.* 277 (= *Adesmia villosa*, Hook. f.).—Chili.

**PATAGUA**, Poepp. ex Reiche, *Fl. Chile*, iv. 461 = **Villaresia**, Ruiz & Pav. (Olac.).  
*chilensis*, Poepp. ex Reiche, l. c. = V. mucronata.

**PATRINIA**, Juss. (Valerian.).

Dielsii, *Graebn. in Engl. Jahrb.* xxix. 597.—China.

**PAULLINIA**, Linn. (Sapind.).

bilobulata, *Radlk. in Engl. Jahrb.* xxxvii. 152.—Boliv.  
 bracteosa, *Radlk. in Bull. Herb. Boiss.* Sér. II. v. 321.—Am. cent.  
 echinata, *Radlk. in Engl. Jahrb.* xxxvii. 153.—Bras.  
 exalata, *Radlk. l. c.* 150.—Am. austr.  
 fimbriata, *Radlk. in Bull. Herb. Boiss.* Sér. II. v. 322.—Am. cent.  
 largifolia, *Radlk. in Engl. Jahrb.* xxxvii. 149.—Bras.  
 medullosa, *Radlk. l. c.* 154.—Bras.  
 navicularis, *Radlk. l. c.* xxxvi. 382.—Ecuador.  
 reticulata, *Radlk. l. c.* xxxvii. 152.—Bras.  
 tarapotensis, *Radlk. l. c.* 151.—Peruv.

**PAULLINIA** :—

trifulca, *Radlk. in Bull. Herb. Boiss.* Sér. II. v. 323.—Am. cent.  
 venusta, *Radlk. l. c.* 324.—Am. cent.

**PAUROTIS**, O. F. Cook, in *Mem. Torr. Bot. Club*, xii. (1902) 21. **PALMAE.**  
 androsana, O. F. Cook, l. c. 22.—Ins. Baham.

**PAVETTA**, Linn. (Rubiace.).

appendiculata, *Wildem. Pl. Nov. Hort. Then.* t. 39.—Afr. trop.  
 arenicola, *K. Schum. in Warb. Kunene-Sambesi Exped.* 391.—Afr. trop.  
 Bagshawei, *S. Moore, in Journ. Linn. Soc.* xxxvii. 163.—Afr. trop.  
 Deistellii, *K. Schum. in Engl. Jahrb.* xxxiii. 353.—Afr. trop.  
 Ellenbeckii, *K. Schum. l. c.* 354.—Afr. trop.  
 Eylesii, *S. Moore, in Journ. Bot.* 1905, 47.—Afr. trop.  
 grumosa, *S. Moore, in Journ. Linn. Soc.* xxxvii. 162.—Afr. trop.  
 Junodii, *K. Schum. in Engl. Jahrb.* xxxiii. 354 (= *Chomelia Junodii*).—Afr. austr.  
 Kaessneri, *S. Moore, in Journ. Bot.* 1905, 250.—Afr. trop.  
 lasiobracteata, *K. Schum. in Engl. Jahrb.* xxx. 415.—Afr. trop.  
 lasiopeplus, *K. Schum. l. c.* xxxiii. 354.—Afr. trop.  
 nana, *K. Schum. l. c.* xxxii. 146.—Afr. trop.  
 neurophylla, *S. Moore, in Journ. Bot.* 1905, 47.—Afr. trop.  
 paupercula, *K. Schum. in Warb. Kunene-Sambesi Exped.* 391.—Afr. trop.  
 stipulopallium, *K. Schum. l. c.* 392.—Afr. trop.  
 tarenoides, *S. Moore, in Journ. Bot.* 1905, 353.—Afr. trop.  
 Warburgiana, *Wildem. & Th. Dur. in Ann. Mus. Congo*, Sér. III. i. 127.—Afr. trop.  
 Zimmermanniana, *Valet. in Ic. Bogor.* t. 143.—Afr. trop.?

**PAVONIA**, Cav. (Malvac.).

belophylla, *Hochr. in Ann. Conserv. & Jard. Bot. Genève*, 1902, 43.—Parag.  
 bullulata, *Hochr. in Bull. Herb. Boiss.* Sér. II. v. 299.—Parag.  
 cochensis, *J. R. Johnston, in Proc. Amer. Acad.* xl. 690.—Venez.  
 Edouardii, *Hochr. in Bull. Herb. Boiss.* Sér. II. v. 298.—Parag.  
 Ellenbeckii, *Guerke, in Engl. Jahrb.* xxxiii. 378.—Afr. trop.  
 Hassleriana, *Chod. in Bull. Herb. Boiss.* Sér. II. i. 402.—Parag.  
 patuliloba, *Hochr. in Bull. Herb. Boiss.* Sér. II. v. 297.—Parag.  
 Perini, *Perini, 'Canhamo Braziliensis' Prospectus* (1905) 5 = *Hibiscus unidens*.  
 pulchra, *Hochr. in Ann. Conserv. & Jard. Bot. Genève*, 1902, 42.—Parag.  
 rhodantha, *Hochr. in Ann. Conserv. & Jard. Bot. Genève*, 1902, 44.—Parag.  
 vespertilionacea, *Hochr. in Bull. Herb. Boiss.* Sér. II. ii. 1002.—Afr. trop.  
 vitifolia, *Hochr. in Bull. Herb. Boiss.* Sér. II. v. 298.—Parag.

**PAYENA**, A. DC. (Sapot.).

lanceolata, *Merrill, in Philipp. Gov. Lab. Bur. Bull.* xvii. 42.—Ins. Philipp.

**PECTANTIA**, Rafin. (Saxifrag.).

[*MITELLA*, Tourn. I. K.]  
 Breweri, *Rydb. in N. Am. Fl.* xxii. 93 (= *Mitella Breweri*).—Am. bor.  
 latiflora, *Rydb. l. c.*—Am. bor.  
 ovalis, *Rydb. l. c.* 94 (= *Mitella ovalis*).—Am. bor.  
 pentandra, *Rydb. l. c.* 93 (= *Mitella pentandra*).—Am. bor.

**PECTINARIA**, Haw. (Asclep.).

saxatilis, *N. E. Br. in Gard. Chron.* 1904, I. 211.—Afr. austr.

**PECTIS**, Linn. (Compos.).

Anderssonii, *Robinson, in Proc. Amer. Acad.* xxxvii. (1902) 214.—Ins. Galap.  
 Barberi, *Greenm. in Proc. Amer. Acad.* xl. 48.—Mexic.  
 erecta, *Fernald, in Proc. Amer. Acad.* xl. 57.—Am. cent.

**PECTIS:**

- guaranitica, *Chod. in Bull. Herb. Boiss. Sér. II. iii. 731.*  
—Parag.  
Hooker, *Robinson, in Proc. Amer. Acad. xxxviii. 214*  
(=*Lorentia gracilis*).—Ins. Galap.  
Lehmannii, *Hieron. in Engl. Jahrb. xxviii. 620.*—  
Ecuador.  
miser, *A. Nelson, in Coult. Bot. Gaz. xxxvii. 278.*—  
Am. bor.  
propetes, *Greenm. in Proc. Amer. Acad. xl. 49.*—  
Mexic.  
puberula, *Greenm. l. c.*—Mexic.  
purpurea, *T. S. Brandegee, in Zoe, v. 225 (1905).*—  
Mexic.  
salina, *T. S. Brandegee, l. c. 226.*—Mexic.  
scabra, *T. S. Brandegee, l. c.*—Mexic.  
Schottii, *Millsp. & Chase, in Field Columb. Mus. Bot.*  
*iii. 143.*—Mexic.  
taxifolia, *Greene, Leaflets Bot. Obs. i. 148.*—Am. bor.

**PEDALIOPHYTON**, Engl. Jahrb. xxxii. 111 (1902).**PEDALIACEAE.**

- Busseanum, *Engl. l. c.*—Afr. trop.

**PEDDIEA**, Harv. (Thymel.).

- polyantha, *Gilg, in Engl. Jahrb. xxx. 361.*—Afr. trop.

**PEDICULARIS**, Linn. (Scrophul.).

- angustissima, *Greene, Leaflets Bot. Obs. i. 151.*—Am.  
bor.  
Bodinieri, *Vaniot, ex Bonati, in Bull. Acad. Géogr.*  
*Bot. xiii. (1904) 243.*—China.  
crassicaulis, *Vaniot, ex Bonati, l. c. 241.*—China.  
dubia, *B. Fedtsch. in Trav. Mus. Bot. Acad. Pétersb.*  
*i. 155.*—As. cent.  
Fauriaci, *Bonati, in Bull. Acad. Géogr. Bot. xii. (1903)*  
*518.*—Japon.  
Futtereri, *Diels, in Futterer, Durch Asien, Bot. repr.*  
*20.*—Tibet.  
Galeobdolon, *Diels, in Engl. Jahrb. xxxvi. Beibl.*  
*lxxxii. 96.*—China.  
ganpinensis, *Vaniot, ex Bonati, in Bull. Acad. Géogr.*  
*Bot. xiii. (1904) 245.*—China.  
Grayi, *A. Nelson, in Proc. Biol. Soc. Washington, xvii.*  
*100.*—Am. bor.  
gredensis, *Gandoger, in Bull. Soc. Bot. Fr. xlviii. 414.*  
—Hispan.  
hians, *Eastw. in Coult. Bot. Gaz. xxxiii. 289.*—Am.  
bor.  
Labordei, *Vaniot, ex Bonati, in Bull. Acad. Géogr.*  
*Bot. xiii. (1904) 242.*—China.  
Leveilleana, *Bonati, l. c. xii. (1903) 519.*—Japon.  
lunata, *Rydb. in Bull. Torr. Bot. Club, 1901, 27.*—Am.  
bor.  
mogollonica, *Greene, Leaflets Bot. Obs. i. 151.*—Am.  
bor.  
odontochila, *Diels, in Engl. Jahrb. xxxvi. Beibl. lxxxii.*  
*97.*—China.  
pedemontana, *Wolf, in Rouy, Illustr. Pl. Eur. t. 446.*  
—Ital.  
pseudo-Karoi, *Bonati, in Bull. Acad. Géogr. Bot. xv.*  
*(1905) p. xi.*—Dahuria.  
Rouyana, *Wolf, ex Rouy, Illustr. Pl. Eur. t. 416.*—  
Ital.  
schugnana, *B. Fedtsch. in Trav. Mus. Bot. Acad.*  
*Pétersb. i. 156.*—As. cent.  
Vaniotiana, *Bonati, in Bull. Acad. Géogr. Bot. xiii.*  
*(1904) 246.*—Japon.

**PEDILANTHUS**, Neck (Euphorb.).

- rubescens, *T. S. Brandegee, in Zoe, v. 209 (1905).*—  
Mexic.

**PEDILOCHILUS**, Schlechter, in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee (1905) 218.**ORCHIDACEAE.**

- papuanum, *Schlechter, l. c. 219.*—N. Guin.

**PELARGONIUM**, L'Herit. (Geran.).

- Goetzianum, *Engl. Jahrb. xxx. 334.*—Afr. trop.  
Heckmannianum, *Engl. l. c. 335.*—Afr. trop.  
inaequilobum, *Mast. in Gard. Chron. 1901, i. 133.*—  
Afr. trop.

**PELECYPHORA**, Ehrenb. (Cactac.).

- pectinata, *Hort. ex Cobbold, in Journ. Hortic. (1903)*  
*332, nomen.*—Hab.?

**PELEXIA**, Rich. (Orchid.).

- adnata, *Cogn. in Urb. Symb. Antill. iv. 164* (= *Satyrium adnatum*).—Ind. occ.

**PELLACALYX**, Korth. (Rhizoph.).

- pustulata, *Merrill, in Philipp. Gov. Lab. Bur. Bull.*  
*xxxv. 47.*—Ins. Philipp.

**PELLETIERA**, A. St. Hil. = **Asterolinon**, Hoffmgg. & Link (Primul.).

- serpyllifolia, *Webb, ex Knuth, in Engl. Pflanzenreich,*  
*Primul. 316* = *A. Linum-stellatum*.

**PEMPHIS**, Forst. (Lythrac.).

- madagascariensis, *Koehne, in Engl. Pflanzenreich,*  
*Lythrac. 187* (= *Lagerstroemia madagascariensis*).  
—Madag.

**PENNISETUM**, Rich. (Gramin.).

- arvense, *Pilg. in Engl. Jahrb. xxx. 119.*—Afr. trop.  
erythraeum, *Chiov. in Ann. Ist. Bot. Roma, viii. 39.*—  
Afr. or. trop.  
monostigma, *Pilg. in Engl. Jahrb. xxx. 120.*—Afr. trop.  
montanum, *Hack. ex Stuck. in Anal. Mus. Buenos*  
*Aires, xi. 84* (= *Hymenachne montana*).—Reg.  
Argent.  
nubicum, *Chiov. in Ann. Ist. Bot. Roma, viii. 37*  
(= *Beckeropsis nubica*).—Nubia.  
Pappianum, *Chiov. in Ann. di Bot. Roma, ii. 365.*—  
Afr. trop.  
Pirottae, *Chiov. in Ann. Ist. Bot. Roma, viii. 37.*—  
Afr. or. trop.  
rigidum, *Hack. ex Stuck. in Anal. Mus. Buenos Aires,*  
*xi. 84* (= *Gymnothrix rigida*).—Reg. Argent.  
Schweinfurthii, *Pilg. in Engl. Jahrb. xxx. 121.*—Afr.  
trop.  
scoparium, *Chiov. in Ann. Ist. Bot. Roma, viii. 38.*—  
Afr. or. trop.  
trachyphyllum, *Pilg. in Engl. Jahrb. xxx. 122.*—Afr.  
trop.

**PENTANISIA**, Harv. (Rubiace.).

- annua, *K. Schum. in Warb. Kunene-Sambesi Exped.*  
*385.*—Afr. trop.  
pentagyn, *K. Schum. in Engl. Jahrb. xxxiii. 350.*—  
Afr. trop.  
rhodesiana, *S. Moore, in Journ. Bot. 1902, 252.*—Afr.  
trop.  
sericocarpa, *S. Moore, l. c. 251.*—Afr. trop.

**PENTAPANAX**, Seem. (Aral.).

- bellenden-keriense, *F. M. Bailey, in Queensl. Agric.*  
*Journ. xv. 491.*—Austral.  
verticillatum, *Dunn, in Journ. Linn. Soc. xxxv. 498.*—  
China.

**PENTAPHRAGMA**, Wall. (Campanul.).

- albiflorum, *H. H. W. Pearson, in Hook. Ic. Pl. t. 2706.*  
—Malaya.  
ellipticum, *Poulsen, in Kjoeb. Vidensk. Meddel. 1903,*  
*321.*—Malaya.

**PENTAPTILON**, E. Pritz. in Engl. Jahrb. xxxv.

- (1905) 564. **GOODENIACEAE.**  
Careyi, *E. Pritz. l. c.* (= *Catosperma Careyi*).—Austral.

**PENTAS**, Benth. (Rubiace.).

- concinna, *K. Schum. in Engl. Jahrb. xxxiii. 335.*—  
Afr. trop.  
hindsioides, *K. Schum. l. c. xxxiv. 330.*—Afr. trop.  
Liebrechtsiana, *Wildem. in Ann. Mus. Congo, Sér. IV.*  
*153.*—Afr. trop.  
oncostipula, *K. Schum. in Engl. Jahrb. xxxiv. 329.*—  
Afr. trop.  
Wylicei, *N. E. Br. in Kew Bull. 1901, 123.*—Afr. austr.

**PENTATROPIS**, R. Br. (Asclep.).

- fasciculatus, *N. E. Br. in Dyer, Fl. Trop. Afr. iv. i. 381*  
(= *Pentarrhinum fasciculatum*).—Afr. trop.

**PENTSTEMON**, Mitch. (Scrophul.).

- Adamsianus, *Howell, Fl. N. W. Amer. i. 511.*—Am.  
bor.  
anguineus, *Eastw. in Bull. Torr. Bot. Club, 1905, 208.*  
—Calif.  
Austini, *Eastw. l. c. 206.*—Calif.  
australis, *Small, Fl. S. E. U. S. 1060.*—Am. bor.  
Bakeri, *Greene, Pittonia, iv. 318.*—Am. bor.  
Berryi, *Eastw. in Bull. Torr. Bot. Club, 1905, 209.*—  
Calif.  
calcareus, *T. S. Brandegee, in Zoe, v. 152 (1903).*—  
Am. bor.  
Cardwellii, *Howell, Fl. N. W. Amer. i. 510.*—Am. bor.  
cephalophorus, *Greene, Leaflets Bot. Obs. i. 79.*—Calif.

**PENTSTEMON:**

- cyathophorus, *Rydb. in Bull. Torr. Bot. Club, 1904,*  
*643.*—Am. bor.  
Dayanus, *Howell, Fl. N. W. Amer. i. 511.*—Am. bor.  
Eastwoodiae, *A. A. Heller, Muhlenbergia, i. 4.*—Am.  
bor.  
erosus, *Rydb. in Bull. Torr. Bot. Club, 1901, 28.*—  
Am. bor.  
exilifolius, *A. Nelson, in Bull. Torr. Bot. Club, 1901,*  
*230.*—Am. bor.  
formosus, *A. Nelson, in Proc. Biol. Soc. Washington,*  
*xvii. 100.*—Am. bor.  
Gormanii, *Greene, in Ottawa Natural. xvi. 39.*—Am.  
bor.  
Grinnellii, *Eastw. in Bull. Torr. Bot. Club, 1905, 207.*  
—Calif.  
intonsus, *A. A. Heller, Muhlenbergia, i. 44.*—Calif.  
isophyllus, *Robinson, in Proc. Bost. Soc. Nat. Hist.*  
*xxi. 267.*—Mexic.  
Kennedyi, *A. Nelson, in Proc. Biol. Soc. Washington,*  
*xvii. 97.*—Am. bor.  
macranthus, *Eastw. in Bull. Torr. Bot. Club, 1905,*  
*207.*—Am. bor.  
oreganus, *Howell, Fl. N. W. Amer. i. 515.*—Am. bor.  
oreophilus, *Rydb. in Bull. Torr. Bot. Club, 1904, 642.*  
—Am. bor.  
Owenii, *A. Nelson, in Coult. Bot. Gaz. xxxiv. 32.*—  
Am. bor.  
pallidus, *Small, Fl. S. E. U. S. 1060.*—Am. bor.  
paniculatus, *Howell, Fl. N. W. Amer. i. 513.*—Am. bor.  
procumbens, *Greene, Pl. Baker. iii. 23.*—Am. bor.  
rupicola, *Howell, Fl. N. W. Amer. i. 510.*—Am. bor.  
scabridus, *Eastw. in Bull. Torr. Bot. Club, 1905, 208.*  
—Calif.  
stenosepalus, *Howell, Fl. N. W. Amer. i. 514.*—Am. bor.  
Stephensi, *T. S. Brandegee, in Zoe, v. 151 (1903).*—  
Am. bor.  
strictiformis, *Rydb. in Bull. Torr. Bot. Club, 1904,*  
*642.*—Am. bor.  
suffrutescens, *Rydb. l. c. 503.*—Am. bor.  
superbus, *A. Nelson, in Proc. Biol. Soc. Washington,*  
*xvii. 100.*—Am. bor.  
tenuis, *Small, Fl. S. E. U. S. 1061.*—Am. bor.  
teucroides, *Greene, Pl. Baker. iii. 23.*—Am. bor.  
violaceus, *A. Nelson, in Proc. Biol. Soc. Washington,*  
*xvii. 96.*—Am. bor.  
Willcoxii, *Rydb. in Bull. Torr. Bot. Club, 1901, 28.*—  
Am. bor.  
xylus, *A. Nelson, in Coult. Bot. Gaz. xxxiv. 31.*—Am.  
bor.

**PENTZIA**, Thunb. (Compos.).

- athanasioides, *S. Moore, in Journ. Bot. 1903, 133.*—  
Afr. austr.  
calva, *S. Moore, in Bull. Herb. Boiss. Sér. II. iv.*  
*1020.*—Afr. trop.  
monocephala, *S. Moore, l. c.*—Afr. trop.

**PEPEROMIA**, Ruiz & Pav. (Piperac.).

- acuminata, *C. DC. in Urb. Symb. Antill. iii. 242*  
(= *Piper acuminatum*, Linn.).—Ind. occ.  
albostrata, *C. DC. in Bull. Herb. Boiss. Sér. II. iii.*  
*402.*—Parag.  
argyryoneura, *Lauterb. in K. Schum. & Lauterb.*  
*Nachtr. Fl. Deutsch. Südsee, 237.*—Ins. Bismarck.  
boninsimensis, *Makino, in Bot. Mag. Tokyo, xv. 146.*  
—Japon.  
Broadwayi, *C. DC. in Urb. Symb. Antill. iii. 240.*—  
Ind. occ.  
controversa, *C. DC. in Verh. Bot. Ver. Brand. xlvii.*  
*(1905) 117.*—Reg. Amaz.  
Davisii, *Britton, in Torreya, ii. 43.*—Ind. occ.  
Dussii, *C. DC. in Urb. Symb. Antill. iii. 231.*—Ind. occ.  
gibba, *C. DC. in Verh. Bot. Ver. Brand. xlvii. (1905)*  
*116.*—Peruv.  
Harrisii, *C. DC. in Urb. Symb. Antill. iii. 243.*—Ind. occ.  
Hassleri, *C. DC. in Bull. Herb. Boiss. Sér. II. iii. 401.*  
—Parag.  
japonica, *Makino, in Bot. Mag. Tokyo, xv. 145.*—Japon.  
juruana, *C. DC. in Verh. Bot. Ver. Brand. xlvii.*  
*(1905) 117.*—Reg. Amaz.  
Lauterbachii, *K. Schum. in K. Schum. & Lauterb.*  
*Nachtr. Fl. Deutsch. Südsee, 237.*—N. Guin.  
longipila, *C. DC. in Verh. Bot. Ver. Brand. xlvii.*  
*(1905) 115.*—Peruv.  
mararyna, *C. DC. l. c. 117.*—Reg. Amaz.  
obovata, *C. DC. in Urb. Symb. Antill. iii. 269* (= *Piper*  
*obovatum*).—Ind. occ.

**PEPEROMIA** :—

- palcipila, *C. DC. in Bull. Herb. Boiss. Sér. II. i. 358.*  
—Bras.  
robustior, *Urb. Symb. Antill. iv. 191.*—Ind. occ.  
rungwensis, *Engl. Jahrb. xxx. 290.*—Afr. trop.  
saxigaudens, *C. DC. in Bull. Herb. Boiss. Sér. II. iii. 402.*—Parag.  
Schlechteri, *Lauterb. in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee, 238.*—N. Guin.  
Schwackei, *C. DC. in Bull. Herb. Boiss. Sér. II. i. 359.*  
—Bras.  
Sintenisii, *C. DC. in Urb. Symb. Antill. iii. 240.*—Ind. occ.  
sipense, *K. Schum. in Just, Jahrb. xxvii. i. 504,*  
sphalm. = ripense.  
Smithiana, *C. DC. in Urb. Symb. Antill. 235.*—Ind. occ.  
Snodgrassii, *C. DC. in Proc. Amer. Acad. xxxviii. (1902) 131.*—Ins. Galap.  
subelongata, *C. DC. in Bull. Herb. Boiss. Sér. II. iii. 401.*—Parag.  
sulcata, *C. DC. in Verh. Bot. Ver. Brand. xlvii. (1905) 116.*—Reg. Amaz.  
tenuilimba, *C. DC. in Verh. Bot. Ver. Brand. xlvii. (1905) 116.*—Reg. Amaz.  
tenuissima, *C. DC. in Bull. Herb. Boiss. Sér. II. i. 358.*—Bras.  
trichoclada, *C. DC. l. c. 360.*—Bras.  
truncigaudens, *C. DC. in Urb. Symb. Antill. iii. 237.*—Ind. occ.  
ukingensis, *Engl. Jahrb. xxx. 289.*—Afr. trop.  
yabucoana, *Urb. & C. DC. in Urb. Symb. Antill. iii. 232.*—Ind. occ.

**PEPONIA**, Naud. (Cucurb.).

- Cogniauxii, *Gilg, in Engl. Jahrb. xxxiv. 344.*—Afr. trop.  
leucantha, *Gilg, l. c. 367.*—Afr. trop.  
macroura, *Gilg, l. c. 344.*—Afr. trop.  
rufotomentosa, *Gilg, l. c. 345.*—Afr. trop.  
urticoides, *Gilg, l. c. 346.*—Afr. trop.

**PERAMUM**, Salisb. (Orchid.).

- [GOODYERA, R. Br. I. K.]  
ophioides, *Rydb. in Britton, Man. Fl. N. U. S. 302.*—Am. bor.

**PERDICUM**, Linn. (Compos.).

- nutans, *Poepp. ex Reiche, Fl. Chile, iv. 439 (= Perezia nutans).*—Chili.  
prenanthoides, *Poepp. ex Reiche, l. c. (= Perezia prenanthoides).*—Chili.

**PERESKIA**, Plum. (Cactac.).

- nicoyana, *A. Weber, in Bull. Mus. Hist. Nat. Par. 1902, 468.*—Am. centr.

**PEREZIA**, Lag. (Compos.).

- atacamensis, *Reiche, Fl. Chile, iv. 443 (= Clarionea atacamensis).*—Chili.  
bellidifolia, *Reiche, l. c. 455 (= Homioanthus bellidifolius).*—Chili.  
calophylla, *Reiche, l. c. 453 (= Homioanthus calophyllus).*—Chili.  
capito, *Reiche, l. c. 450 (= Homioanthus capito).*—Chili.  
ciliosa, *Reiche, l. c. 444 (= Clarionea ciliosa).*—Chili.  
Foncki, *Reiche, l. c. 452 (= Clarionea Foncki).*—Chili.  
laciniata, *Reiche, l. c. 454 (= Clarionea laciniata).*—Chili.  
Lechleri, *Wildem. Rés. Voy. Belgica, Bot. 178 (= Clarionea Lechleri).*—Reg. Magell.  
Lozani, *Greenm. in Proc. Amer. Acad. xli. 263.*—Mexic.  
megacephala, *Greenm. l. c. 269.*—Mexic.  
palustris, *Reiche, Fl. Chile, iv. 442 (= Homioanthus palustris).*—Chili.  
pampeana, *Speg. Contrib. Fl. Tandil, 33.*—Reg. Argent.  
pectinata, *Reiche, Fl. Chile, iv. 455 (= Homioanthus pectinatus).*—Reg. Argent.  
pinetorum, *T. S. Brandegee, in Zoe, v. 105 (1901).*—Calif.  
pinnata, *Reiche, Fl. Chile, iv. 453 (= Clarionea pinnata).*—Chili.  
triceps, *Reiche, l. c. 449 (= Homioanthus triceps).*—Chili.  
variabilis, *Reiche, l. c. 450 (= Homioanthus variabilis).*—Chili.

**PERGULARIA**, Linn. (Asclep.).

- adenophylla, *Schlechter & K. Schum. in Engl. Jahrb. xxxiii. 331.*—Afr. trop.

**PERGULARIA** :—

- angustiloba, *Warb. in Perkins, Frag. Fl. Philipp. i. 134.*—Ins. Philipp.  
filipes, *Schlechter, in Perkins, l. c. 135.*—Ins. Philipp.

**PERIBLEPHARIS**, Van Tiegh. in Journ. de Bot. 1902, 290. **OCHNACEAE.**

- Schwackeana, *Van Tiegh. l. c. 291; et in Ann. Sci. Nat. Sér. VIII. xix. 14 (= Luxemburgea Schwackeana).*—Bras.

**PERIGLOSSUM**, Decne. (Asclep.).

- [CORDYLOGYNE, E. Mey. I. K.]  
mossambicense, *Schlechter, in Engl. Jahrb. xxxviii. 33.*—Afr. trop.

**PERISTYLUS**, Blume (Orchid.).

- [HABENARIA, Willd. I. K.]  
candidus, *J. J. Sm. Orchid. Java, 36.*—Java.  
cynosorchioides, *Kraenzl. in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee, 76.*—N. Guin.  
coeloceras, *Finet, in Rev. Gén. Bot. xiii. 519.*—China.  
forceps, *Finet, l. c. 521.*—China.  
monanthus, *Finet, l. c. 523.*—China.  
neglectus, *Kraenzl. Orch. Gen. et Sp. i. 924 (= Habenaria neglecta).*—Ind. or.  
Nymanianus, *Kraenzl. in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee, 76.*—N. Guin.  
pseudophrys, *Kraenzl. Orch. Gen. et Sp. i. 925 (= Habenaria pseudophrys).*—Reg. Himal.  
tentaculatus, *J. J. Sm. Orchid. Java, 35 (= Glossula tentaculata).*—Java.  
tetralobus, *Finet, in Rev. Gén. Bot. xiii. 524.*—China.

**PERITYLE**, Benth. (Compos.).

- grandifolia, *T. S. Brandegee, in Zoe, v. 224 (1905).*—Mexic.  
Rosei, *Greenm. in Proc. Amer. Acad. xl. 45.*—Mexic.  
saxosa, *T. S. Brandegee, in Zoe, v. 225 (1905).*—Mexic.

**PERIZOMA**, Miers (Solan.).

- [SALPICHROA, Miers. I. K.]  
rhomboidea, *Small, Fl. S. E. U. S. 991 (= Atropa rhomboidea).*—Am. bor.

**PERNETTYA**, Gaudich. (Ericac.).

- marginata, *N. E. Br. in Trans. Linn. Soc. Ser. II. vi. 43.*—Guiana.  
ovata, *Fernald, in Proc. Amer. Acad. xxxvi. 496.*—Mexic.  
Seleriana, *Loesen. in Bull. Herb. Boiss. Sér. II. iii. 217.*—Mexic.

**PEROTIS**, Ait. (Gramin.).

- phleoides, *Hack. in Vierteljahrsschr. Nat. Ges. Zürich, xlix. 171.*—Afr. austr.

**PERRALDERIA**, Coss. (Compos.).

- [GRANTIA, Boiss. I. K.]  
Dessignyana, *Hochr. in Ann. Conserv. & Jard. Bot. Genève, vii-viii. 217.*—Alger.

**PERRIERA**, Courchet, in Bull. Soc. Bot. Fr. lii. (1905) 284; et in Ann. Inst. Col. Marseille, xiii. (1905) 195. **SIMARUBACEAE.**

- madagascariensis, *Courchet, l. c.*—Madag.

**PERSEA**, Plum. (Laurac.).

- Baileyana, *F. Muell. ex F. M. Bailey, Syn. Queensl. Fl. Suppl. ii. 51.*—Austral.  
fusca, *Mez, in Engl. Jahrb. xxx. Beibl. lxvii. 14.*—Bras.  
littoralis, *Small, Fl. S. E. U. S. 820.*—Am. bor.  
nammu, *Ind. Kew. ii. 474,* sphalm. = seq.  
nan-mu, *Oliver, in Hook. Ic. Pl. t. 1316.*—China.  
pallida, *Mez & Pittier, in Bull. Herb. Boiss. Sér. II. iii. 231.*—Am. cent.  
Pittieri, *Mez, in Engl. Jahrb. xxx. Beibl. lxvii. 15.*—Am. cent.

**PERSICARIA**, Linn. (Polygon.).

- [POLYGONUM, Linn. I. K.]  
aboriginum, *Greene, Leaflets Bot. Obs. i. 41.*—Am. bor.  
abscissa, *Greene, l. c. 46.*—Am. bor.  
alismaefolia, *Greene, l. c. 44.*—Calif.  
ammophila, *Greene, l. c. 47.*—Am. bor.  
Andrewsii, *Greene, l. c. 109.*—Am. bor.  
arcuata, *Greene, l. c. 24 (= Polygonum arcuatum).*—Calif.  
asclepiadea, *Greene, l. c. 46.*—Am. bor.  
canadensis, *Greene, l. c. 28.*—Am. bor.  
Careyi, *Greene, l. c. 24 (= Polygonum Careyi).*—Am. bor.

**PERSICARIA** :—

- chelanica, *Greene, Leaflets Bot. Obs. i. 49.*—Am. bor.  
coccinea, *Greene, l. c. 24, 35 (= Polygonum coccineum).*—Am. bor.  
Covillei, *Greene, l. c. 44.*—Calif.  
Cusickii, *Greene, l. c. 42.*—Am. bor.  
emersa, *Small, Fl. S. E. U. S. 376.*—Am. bor.  
fallax, *Greene, Leaflets Bot. Obs. i. 24 (= Polygonum fallax, Greene).*—Am. bor.  
fistulosa, *Greene, l. c. 32.*—Am. bor.  
fluitans, *Greene, l. c. 26 (= Polygonum fluitans).*—Am. bor.  
franciscana, *Greene, l. c. 42.*—Calif.  
fusiformis, *Greene, l. c. 24 (= Polygonum fusiforme).*—Am. bor.  
grandifolia, *Greene, l. c. 37, 49.*—Am. bor.  
Hartwrightii, *Greene, l. c. 24, 46 (= Polygonum Hartwrightii).*—Am. bor.  
hesperia, *Greene, l. c. 43.*—Calif.  
hirsuta, *Small, Fl. S. E. U. S. 379 (= Polygonum hirsutum).*—Am. bor.  
homalostachya, *Greene, Leaflets Bot. Obs. i. 48.*—Am. bor.  
hydropiperoides, *Small, Fl. S. E. U. S. 378 (= Polygonum hydropiperoides).*—Am. trop.  
incarnata, *Small, l. c. 377 (= Polygonum incarnatum).*—Am. bor.  
insignis, *Greene, Leaflets Bot. Obs. i. 32.*—Calif.  
laetevirens, *Greene, l. c. 31.*—Am. bor.  
Langloisii, *Greene, l. c. 41.*—Am. bor.  
laurina, *Greene, l. c. 35.*—Am. bor.  
lonchophylla, *Greene, l. c. 37.*—Am. bor.  
longistyla, *Small, Fl. S. E. U. S. 377 (= Polygonum longistylum).*—Am. bor.  
ludoviciana, *Greene, Leaflets Bot. Obs. i. 24 (= Polygonum ludovicianum).*—Am. bor.  
mesochora, *Greene, l. c. 28.*—Am. bor.  
mexicana, *Small, Fl. S. E. U. S. 377 (= Polygonum mexicanum).*—Am. bor.  
muriculata, *Greene, Leaflets Bot. Obs. i. 47.*—Am. bor.  
nebrascensis, *Greene, l. c.*—Am. bor.  
Novae-Angliae, *Greene, l. c. 34.*—Am. bor.  
omissa, *Greene, l. c. 24 (= Polygonum omissum).*—Am. bor.  
opelousana, *Small, Fl. S. E. U. S. 378 (= Polygonum opelousanum).*—Am. bor.  
ophiophila, *Greene, Leaflets Bot. Obs. i. 44.*—Calif.  
oregana, *Greene, l. c. 31.*—Am. bor.  
otophylla, *Greene, l. c. 41.*—Am. bor.  
pennsylvanica, *Small, Fl. S. E. U. S. 377 (= Polygonum pennsylvanicum).*—Am. bor.  
Persicaria, *Small, l. c. 378 (= Polygonum Persicaria).*—Reg. bor. temp.  
persicarioides, *Small, l. c. (= Polygonum persicarioides).*—Am. bor.  
plantaginea, *Greene, Leaflets Bot. Obs. i. 40.*—Am. bor.  
plattensis, *Greene, l. c. 29.*—Am. bor.  
Porteri, *Greene, l. c. 35.*—Am. bor.  
portoricensis, *Small, Fl. S. E. U. S. 377 (= Polygonum portoricense).*—Am. calid.  
pratincta, *Greene, Leaflets Bot. Obs. i. 36.*—Am. bor.  
propinqua, *Greene, l. c. 39.*—Am. bor.  
psychrophila, *Greene, l. c. 31.*—Am. bor.  
punctata, *Small, Fl. S. E. U. S. 379 (= Polygonum punctatum).*—Am. bor. et austr.  
purpurata, *Greene, Leaflets Bot. Obs. i. 27.*—Am. bor.  
remota, *Greene, l. c. 34.*—Am. bor.  
rigidula, *Greene, l. c. 24, 39 (= Polygonum rigidulum).*—Am. bor.  
Rothrockii, *Greene, l. c. 45.*—Mexic.  
segeta, *Small, Fl. S. E. U. S. 378 (= Polygonum segetum).*—Am. bor.  
setacea, *Small, l. c. 379 (= Polygonum setaceum).*—Am. bor.  
spectabilis, *Greene, Leaflets Bot. Obs. i. 37.*—Am. bor.  
subcoriacea, *Greene, l. c. 30.*—Am. bor.  
vestita, *Greene, l. c. 38.*—Am. bor.  
villosula, *Greene, l. c. 49.*—Am. bor.  
Wardii, *Greene, l. c. 40.*—Am. bor.

**PERTYA**, Sch. Bip. (Compos.).

- Bodinieri, *Vaniot, in Bull. Acad. Glogr. Bot. xii. (1903) 116.*—China.

**PERULARIA**, Lindl. (Orchid.).

- [HABENARIA, Willd. I. K.]  
flava, *Rydb. in Britton, Man. Fl. N. U. S. 292 (= Habenaria flava).*—Am. bor.



**PERYMENIUM**, Schrad. (Compos.).

calvum, *Greenm. in Proc. Amer. Acad.* xl. 41.—Mexic.  
 flexuosum, *Greenm. l. c.* xli. 263.—Mexic.  
 macrocephalum, *Greenm. l. c.* xxxix. 108.—Mexic.

**PETALIDIUM**, Nees (Acanth.).

cirrhiferum, *S. Moore, in Journ. Bot.* 1902, 307.—Afr. trop.  
 Gossweilerii, *S. Moore, l. c.* 305.—Afr. trop.  
 tomentosum, *S. Moore, l. c.* 306.—Afr. trop.

**PETALOLOPHUS**, K. Schum. in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee, (1905) 265. **ANONACEAE**.  
 megalopus, *K. Schum. l. c.*—N. Guin.**PETALOSTEMON**, Michx. (Legum.).

albidus, *Small, Fl. S. E. U. S.* 630.—Am. bor.  
 Portierianus, *Small, l. c.* 631.—Am. bor.  
 pubescens, *A. Nelson, in Coult. Bot. Gaz.* xxxi. 395.—Am. bor.  
 pubescens, *A. A. Heller, Muhlenbergia, i.* 28=pulcherrimum.  
 Stanfieldii, *Small, Fl. S. E. U. S.* 631.—Am. bor.

**PETALOSTIGMA**, F. Muell. (Euphorb.).

Banksii, *Britten & S. Moore, in Journ. Bot.* 1903, 225.—Austral.

**PETALOSTYLIS**, R. Br. (Legum.).

millefolium, *E. Pritz. in Engl. Jahrb.* xxxv. 275.—Austral.

**PETASITES**, Linn. (Compos.).

dentata, *Blank, in Montana Agric. Coll. Sci. Studies, Bot. i.* 102.—Am. bor.  
 gracilis, *Britten, in Bull. N. York Bot. Gard.* ii. 186.—Am. bor.  
 Rechingeri, *Hayek, Sched. Fl. Stir.* i-ii. (1904) 29.—Hybr.

**PETROMECON**, Greene, Pittonia, v. (1905) 293. **PAPAVERACEAE**.

frutescens, *Greene, l. c.* 294.—Calif.  
 Palmeri, *Greene, l. c.* 293 (= *Eschscholtzia Palmeri*).—Calif.

**PETROSAVIA**, Becc. (Liliac.).

Miyoshia-Sakuraii, *Makino, in Bot. Mag. Tokyo*, xvii. 208 (= *Miyoshia Sakuraii*).—Japon.

**PETUNGA**, DC. (Rubiace.).

brevispica, *Koord. & Valet. in Meded. 'S Lands Plantent.* lix. (1902) 117.—Java.

**PEUCEDANUM**, Linn. (Umbellif.).

cartilagino-marginatum, *Makino, ex Yabe, in Journ. Coll. Sci. Tokyo*, xvi. iv. 100.—Japon.  
 deltoideum, *Makino, ex Yabe, l. c.* 99.—Japon.  
 elegans, *Kom. in Act. Hort. Petrop.* xviii. 430.—As. or.  
 Jaredi, *Eastw. in Zoe*, v. 88 (1900).—Calif.  
 kingaense, *Engl. Jahrb.* xxx. 368.—Afr. trop.  
 Malcolmi, *Hemsl. & H. H. W. Pearson, in Journ. Linn. Soc.* xxxv. 179.—As. cent.  
 medicum, *Dunn, in Journ. Linn. Soc.* xxxv. 496.—China.  
 montanum, *Blank, in Montana Agric. Coll. Sci. Studies, Bot. i.* 93 (= *Lomatium montanum*).—Am. bor.  
 nagpurens, *Prain, Bengal Pl.* 540.—Ind. or.  
 oligophyllum, *Vandas, in Magyar Bot. Lap.* iv. 110.—Turcia.  
 orientale, *Blank, in Montana Agric. Coll. Sci. Studies, Bot. i.* 93 (= *Lomatium orientale*).—Am. bor.  
 Podagraria, *Boissieu, in Bull. Herb. Boiss. Sér. II.* iii. 957.—China.  
 Porphyroscias, *Makino, in Bot. Mag. Tokyo*, xviii. 65 = decursivum.  
 praeruptorum, *Dunn, in Journ. Linn. Soc.* xxxv. 497.—China.  
 salsugineum, *Krylov, in Act. Hort. Petrop.* xxi. 8.—As. cent.  
 torilifolium, *Boissieu, in Bull. Herb. Boiss. Sér. II.* iii. 852.—China.

**PEZISICARPUS**, Vernet, in Bull. Econom. Indo-Chine, vii. (1904) 1193. **APOCYNACEAE**.

montana, *Vernet, l. c.*—Siam.

**PHACA**, Linn. (Legum.).

[**ASTRAGALUS**, Linn. I. K.]  
 artipes, *Rydb. in Bull. Torr. Bot. Club*, 1905, 664 (= *Astragalus artipes*).—Am. bor.  
 Bodinii, *Rydb. l. c.* 665 (= *Astragalus Bodinii*).—Am. bor.  
 cerussata, *Rydb. l. c.* (= *Astragalus cerussatus*).—Am. bor.  
 Eastwoodiae, *Rydb. l. c.* 664 (= *Astragalus Eastwoodiae*).—Am. bor.  
 elatiocarpa, *Rydb. l. c.* 665 (= *Astragalus elatiocarpus*).—Am. bor.  
 humillima, *Rydb. l. c.* (= *Astragalus humillimus*).—Am. bor.  
 leucoloba, *A. A. Heller, Muhlenbergia, ii.* 85 (= *Astragalus leucolobus*).—Calif.  
 oxyphysa, *A. A. Heller, l. c.* 86 (= *Astragalus oxyphysus*).—Calif.  
 Reverchonii, *Rydb. in Small, Fl. S. E. U. S.* 619 (= *Astragalus Reverchonii*).—Am. bor.  
 tejonensis, *A. A. Heller, Muhlenbergia, ii.* 85 (= *Astragalus tejonensis*).—Calif.  
 Wetherillii, *Rydb. in Bull. Torr. Bot. Club*, 1905, 665 (= *Astragalus Wetherillii*).—Am. bor.

**PHACELIA**, Juss. (Hydrophyll.).

alba, *Rydb. in Bull. Torr. Bot. Club*, 1901, 30.—Am. bor.  
 corrugata, *A. Nelson, in Coult. Bot. Gaz.* xxxiv. 26.—Am. bor.  
 Coulteri, *Greenm. in Proc. Amer. Acad.* xli. 241.—Mexic.  
 dissecta, *Small, Fl. S. E. U. S.* 972.—Am. bor.  
 eximia, *Eastw. in Bull. Torr. Bot. Club*, 1905, 204.—Calif.  
 foetida, *Goodd. in Coult. Bot. Gaz.* xxxvii. 58.—Am. bor.  
 Knighti, *A. Nelson, in Bull. Torr. Bot. Club*, 1901, 229.—Am. bor.  
 lenta, *Piper, in Bull. Torr. Bot. Club*, 1901, 44.—Am. bor.  
 madrensis, *Greenm. in Proc. Amer. Acad.* xxxix. 85.—Mexic.  
 monosperma, *A. Nelson, in Proc. Biol. Soc. Washington*, xvii. 95.—Am. bor.  
 racemosa, *A. A. Heller, Muhlenbergia, i.* 58 = nama-toides.  
 rupestris, *Greene, Leaflets Bot. Obs.* i. 152.—Am. bor.  
 stimulans, *Eastw. in Proc. Calif. Acad. Ser.* III. ii. 291.—Am. bor.

**PHACELOPHRYNIUM**, K. Schum. in Engl. Pflanzenreich, Marant. 120 (1902). **MARANTACEAE**.

bracteatum, *K. Schum. l. c.* 123 (= *Phrynium bracteatum*).—Ins. Philipp.  
 interruptum, *K. Schum. l. c.* 121 (= *Phrynium interruptum*).—Ins. Philipp.  
 longispica, *K. Schum. l. c.* 122.—Celebes.  
 maximum, *K. Schum. l. c.* (= *Phrynium maximum*).—Java.  
 nicobaricum, *K. Schum. l. c.* 121 (= *Phrynium nicobaricum*).—Ins. Nicobar.  
 tapirosum, *K. Schum. l. c.* 122 (= *Phrynium tapirosum*).—Penins. Mal.

**PHACOPSIS**, Rydb. in Bull. Torr. Bot. Club, 1905, 661. **LEGUMINOSAE**.

Pattersoni, *Rydb. l. c.* (= *Astragalus Pattersoni*).—Am. bor.  
 praelongus, *Rydb. l. c.* (= *Astragalus praelongus*).—Am. bor.

**PHAEANTHUS**, Hook. f. & Thoms. (Anonac.).

acuminatus, *Merrill, in Philipp. Gov. Lab. Bur. Bull.* xxxv. 11.—Ins. Philipp.

**PHAEOMERIA**, Lindl. (Scitam.).

[**AMOMUM**, Linn. I. K.]  
 atropurpurea, *K. Schum. in Engl. Pflanzenreich, Zingib.* 266 (= *Elettaria atropurpurea*).—Sumatra.  
 chrysocalyx, *K. Schum. l. c.* 265 (= *Amomum chrysocalyx*).—Sumatra.  
 ciliata, *K. Schum. l. c.* 266 (= *Amomum ciliatum*).—Zeylan.  
 Diepenhorstii, *K. Schum. l. c.* 265 (= *Elettaria Diepenhorstii*).—Sumatra.  
 fulgens, *K. Schum. l. c.* 262 (= *Hornstedtia fulgens*).—Penins. Mal.  
 fulviceps, *K. Schum. l. c.* 263 (= *Amomum fulviceps*).—Zeylan.

**PHAEOMERIA** :—

grandiligulata, *K. Schum. in Engl. Pflanzenreich, Zingib.* 263 (= *Amomum grandiligulatum*).—Sumatra.  
 hemisphaerica, *K. Schum. l. c.* (= *Elettaria hemisphaerica*).—Java.  
 magnifica, *K. Schum. l. c.* 262 = imperialis.  
 Maingayi, *K. Schum. l. c.* 266 (= *Amomum Maingayi*).—Penins. Mal.  
 moluccana, *K. Schum. l. c.*—Ins. Molucc.  
 novoguineensis, *K. Schum. l. c.* 265.—N. Guin.  
 pallida, *K. Schum. l. c.* 264 (= *Elettaria pallida*).—Java.  
 solaris, *K. Schum. l. c.* (= *Elettaria solaris*).—Java.  
 venusta, *K. Schum. l. c.* (= *Hornstedtia venusta*).—Penins. Mal.

**PHAEOPAPPUS**, Boiss. (Compos.).

[**CENTAUREA**, Linn. I. K.]  
 dagistanicus, *Lipsky, in Act. Hort. Tiflis*, vi. i. 62.—Reg. Caucas.  
 scleroblepharus, *Frey, in Bull. Herb. Boiss. Sér. II.* i. 271.—Oriens.

**PHAIUS**, Lour. (Orchid.).

borneensis, *J. J. Sm. in Ic. Bogor.* t. 111 C.—Borneo.  
 Marthae, *Hort. ex Gartenfl.* 449.—Hybr.  
 occidentalis, *Schlechter, in Warb. Kunene-Sambesi Exped.* 211.—Afr. trop.  
 papuanus, *Schlechter, in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 139.—N. Guin.  
 simulans, *Rolfe, in Orch. Rev.* ix. 43.—Madag.

**PHALAEENOPSIS**, Blume (Orchid.).

luteola, *Burbridge, Gardens of Sun*, 258.—Borneo.

**PHALANGITES**, Bub. Fl. Pyren. iv. 108 = **Anthericum**, Linn. (Liliac.).

Liliago, *Bub. l. c.* = A. Liliago.  
 ramosus, *Bub. l. c.* 109 = A. ramosum.

**PHALERIA**, Jack (Thymel.).

acuminata, *Knuth, Handb. Blütenb.* iii. 522 (= *Leucosmia acuminata*).—Ins. Fiji.  
 Burnettiana, *Knuth, l. c.* (= *Leucosmia Burnettiana*).—Ins. Fiji.

**PHANOPYRUM**, Nash, in Small, Fl. S. E. U. S. 104 (1903). **GRAMINEAE**.

gymnocarpon, *Nash, l. c.* (= *Panicum gymnocarpon*).—Am. bor.

**PHARBITIS**, Choisy (Convolv.).

[**IPOMOEA**, Linn. I. K.]  
 Lindheimeri, *Small, Fl. S. E. U. S.* 964 (= *Ipomoea Lindheimeri*).—Am. bor.

**PHARMACOSYCEA**, Miq. (Urtic.).

[**FICUS**, Tourn. I. K.]  
 Brittoni, *Rusby, in Bull. Torr. Bot. Club*, 1901, 309.—Bolivia.

**PHARUS**, P. Br. (Gramin.).

cornutus, *Hack. in Oesterr. Bot. Zeitschr.* 1902, 9 = vittatus.

**PHASEOLUS**, Linn. (Legum.).

antillanus, *Urb. Symb. Antill.* iv. 309.—Ind. occ.  
 brevicalyx, *Micheli, in Mém. Soc. Phys. Hist. Nat. Genève*, xxxiv. 261.—Mexic.  
 Buseri, *Micheli, l. c.* 262.—Mexic.  
 cuernavacanus, *Rose, in U. S. Dept. Agric. Contrib. Nat. Herb.* viii. 311.—Mexic.  
 Dalzellii, *Cooke, Fl. Bombay*, 376.—Ind. or.  
 elongata, *Rose, in U. S. Dept. Agric. Contrib. Nat. Herb.* viii. 311.—Mexic.  
 oaxacanus, *Rose, l. c.* 48.—Mexic.  
 occidentalis, *Rose, l. c.* 312.—Mexic.  
 pedatus, *Rose, l. c.* 48.—Mexic.  
 rubescens, *T. S. Brandegee, in Zoe*, v. 158 (1902).—Calif.  
 Schlechteri, *Harms, in Engl. Jahrb.* xxx. 91.—Afr. austr.  
 stenocarpus, *Harms, l. c.* 92.—Afr. trop.

**PHAYLOPSIS**, Willd. (Acanth.).

Lindaviana, *Wildem. in Ann. Mus. Congo*, Sér. IV. 142.—Afr. trop.

**PHELLODENDRON**, Rupr. (Rutac.).

sachalinense, *Sargent, Trees & Shrubs*, 199, t. 94.—As. or. bor.

**PHELLOPTERUS**, Nutt. (Umbell.).

[CYMPTERUS, Rafin. I. K.].

*Species quattuor in Suppl. ii. enumeratae ad Phellopterum*, Nutt. (non Benth.), *pertinent*.  
camporum, Rydb. in *Bull. Torr. Bot. Club*, 1904, 574.—Am. bor.

**PHENAX**, Wedd. (Urtic.).

pauciserrata, Rusby, in *Bull. Torr. Bot. Club*, 1901, 313.—Bolivia.

**PHILADELPHUS**, Linn. (Saxifr.).

angustifolius, Rydb. in *N. Am. Fl.* xxii. 166.—Am. bor.  
argenteus, Rydb. l. c. 171.—Am. bor.  
brachybotrys, Vilm. & Bois, *Frut. Vilm. Cat.* i. 128, nomen.—China.  
confusus, Piper, in *Bull. Torr. Bot. Club*, xxix. 225.—Am. bor.  
ellipticus, Rydb. in *N. Am. Fl.* xxii. 172.—Am. bor.  
floridus, Beadle, in *Biltm. Bot. Studies*, i. 160.—Am. bor.  
Fremontii, Rydb. in *N. Am. Fl.* xxii. 165.—Calif.  
gloriosus, Beadle, in *Biltm. Bot. Studies*, i. 159.—Am. bor.  
Helleri, Rydb. in *N. Am. Fl.* xxii. 166.—Am. bor.  
intectus, Beadle, in *Biltm. Bot. Studies*, i. 160.—Am. bor.  
Magdalenae, Koehne, in *Mitth. Deutsch. Dendrol. Ges.* 1904, 83.—China.  
Mearnsii, Evans, in *N. Am. Fl.* xxii. 174.—Am. bor.  
minutus, Rydb. in *N. Am. Fl.* xxii. 173.—Am. bor.  
pallidus, Schneider, *Ill. Handb. Laubholzk.* i. (1904) 373.—Eur.  
Palmeri, Rydb. in *N. Am. Fl.* xxii. 173.—Mexic.  
platyphyllus, Rydb. l. c. 167.—Am. bor.  
pumilus, Rydb. l. c. 173.—Calif.  
stramineus, Rydb. l. c. 172.—Calif.  
strigosus, Rydb. l. c. 168.—Am. bor.  
subcanus, Koehne, in *Mitth. Deutsch. Dendrol. Ges.* 1904, 83.—China.

**PHILGAMIA**, Baill. Hist. Pl. Madag. Atlas (1894)

t. 265. **MALPIGHIACEAE**.  
hibbertioides, Baill. l. c.—Madag.

**PHILIBERTIA**, H. B. & K. (Asclep.).

bonariensis, Malme, in *Bull. Herb. Boiss. Sér. II.* iii. 63 (= *Sarcostemma bonariense*).—Am. austr.  
riparia, Malme, l. c.; et in *Bih. Svensk. Vet. Akad. Handl.* xxvii. no. 8, 13 (= *Sarcostemma riparium*).—Parag.

**PHILIPPIA**, Klotzsch (Ericac.).

Evansii, N. E. Br. in *Dyer, Fl. Cap.* iv. i. 316.—Afr. austr.  
kemensis, S. Moore, in *Journ. Bot.* 1901, 259.—Afr. trop.

**PHILODENDRON**, Schott (Arac.).

angustialatum, Engl. *Jahrb.* xxxvii. 131.—Peruv.  
bogotense, Engl. l. c. 130.—N. Granat.  
chinchamayense, Engl. l. c. 125.—Peruv.  
crassum, Rendle, in *Journ. Bot.* 1901, 277.—Am. trop.  
densivenium, Engl. *Jahrb.* xxxvii. 132.—Peruv.  
ellipticum, Engl. l. c. 126.—Ecuador.  
Ernesti, Engl. l. c.—Reg. Amaz.  
hastatum, Engl. l. c. 133.—Ecuador.  
huanucense, Engl. l. c. 127.—Peruv.  
juninense, Engl. l. c. 126.—Peruv.  
Loefgrenii, Engl. l. c.—Bras.  
marginatum, Urb. *Symb. Antill.* iv. 135.—Ind. occ.  
musifolium, Engl. *Jahrb.* xxxvii. 126.—Ecuador.  
myrmecophilum, Engl. in *Karst. & Schenck. Vegetationsbilder*, iii. (1905) t. 2, et sub tt. 3-4; *Engl. Jahrb.* xxxvii. 127.—Reg. Amaz.  
nanegalense, Engl. l. c. 129.—Ecuador.  
obliquifolium, Engl. l. c. 125.—Bras.  
oligospermum, Engl. l. c. 132.—Ecuador.  
pilotanense, Engl. l. c. 129.—Ecuador.  
pulchellum, Engl. l. c. 132.—Reg. Amaz.  
quitense, Engl. l. c. 129.—Ecuador.  
riparium, Engl. l. c. 128.—Ecuador.  
tarmense, Engl. l. c.—Peruv.  
tenuipes, Engl. l. c. 131.—Ecuador.  
Traunii, Engl. l. c. 127.—Reg. Amaz.  
Uleanum, Engl. l. c. 131.—Reg. Amaz.

**PHILODENDRON** :—

validinervium, Engl. *Jahrb.* xxxvii. 130.—Ecuador.  
Weberbaueri, Engl. l. c. 133.—Peruv.  
Wittianum, Engl. l. c. 132.—Reg. Amaz.

**PHILOTRIA**, Rafin. (Hydrocharid.).

[ELODEA, Michx. I. K.]

canadensis, Britton, *Man. Fl. N. U. S.* 60.—Am. bor.  
minor, Small, *Fl. S. E. U. S.* 47.—Am. bor.

**PHLOGACANTHUS**, Nees (Acanth.).

novoguineensis, Lindau, in *K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 388.—N. Guin.

**PHLOMIS**, Linn. (Labiata.).

balearica, Chod. in *Bull. Trav. Soc. Bot. Genève*, xi. 61 = italica.  
grandiflora, H. S. Thompson, in *Ann. Bot.* xix. 441.—As. Min.  
megalantha, Diels, in *Engl. Jahrb.* xxxvi. Beibl. lxxxii. 95.—China.

**PHLOX**, Linn. (Polemon.).

amplifolia, Britton, *Man. Fl. N. U. S.* 757.—Am. bor.  
detonsa, Small, *Fl. S. E. U. S.* 978.—Am. bor.  
lanata, Piper, in *Bull. Torr. Bot. Club*, 1902, 643.—Am. bor.  
Lighthipei, Small, *Fl. S. E. U. S.* 978.—Am. bor.  
mesoleuca, Greene, *Leaflets Bot. Obs.* i. 152.—Am. bor.  
villosissima, Small, *Fl. S. E. U. S.* 977.—Am. bor.

**PHOEBE**, Nees (Laurac.).

costaricana, Mez & Pittier, in *Bull. Herb. Boiss. Sér. II.* iii. 230.—Am. cent.  
neurophylla, Mez & Pittier, l. c. 231.—Am. cent.  
Pittieri, Mez, in *Engl. Jahrb.* xxx. Beibl. lxvii. 16.—Am. cent.  
Tonduzii, Mez, l. c. 15.—Am. cent.

**PHOLIDOTA**, Lindl. (Orchid.).

sulcata, J. F. Sm. in *lc. Bogor.* t. 107 A.—Borneo.  
yunnanensis, Rolfe, in *Journ. Linn. Soc.* xxxvi. 24.—China.

**PHORADENDRON**, Nutt. (Loranth.).

florianum, Robinson, in *Proc. Amer. Acad.* xxxviii. 133 (= *Viscum florianum*).—Ins. Galap.  
galapageium, Robinson, l. c. (= *Viscum galapageium*).—Ins. Galap.  
Giordanae, Warb. in *Tropenpfl.* ix. 635, nomen.—Venez.  
Henslovii, Robinson, in *Proc. Amer. Acad.* xxxviii. 133 (= *Viscum Henslovii*).—Ins. Galap.  
Knoopi, Warb. in *Tropenpfl.* ix. 635, nomen.—Venez.  
Libocedri, Howell, *Fl. N. W. Amer.* i. 608.—Am. bor.  
Northropiae, Urb. in *Mem. Torr. Bot. Club*, xii. 33.—Ind. occ.  
Palmeri, Greenm. in *Proc. Amer. Acad.* xl. 28.—Mexic.  
uncinatum, Robinson, in *Proc. Amer. Acad.* xxxviii. 134.—Ins. Galap.

**PHOTINIA**, Lindl. (Rosac.).

luzonensis, Merrill, in *Philipp. Gov. Lab. Bur. Bull.* xvii. 18.—Ins. Philipp.

**PHRAGMIPEDIUM**, Rolfe, in *Orch. Rev.* iv. (1896)

331, *sphalm.* = *Phragmopedilum*, Rolfe (Orchid.).

**PHRAGMITES**, Trin. (Gramin.).

pungens, Hack. in *Bull. Herb. Boiss. Sér. II.* i. 771.—Afr. trop.

**PHRAGMOPEDILUM** [“Phragmipedium”],

Rolfe, in *Orch. Rev.* ix. 175; Pfitz. in *Engl. Pflanzenreich, Orchid.-Pleon.* 42. **ORCHIDACEAE**.  
Boissierianum, Rolfe, l. c. iv. 332 (= *Cypripedium Boissierianum*).—Peruv.  
caricinum, Rolfe, l. c. (= *Cypripedium caricinum*).—Boliv.  
caudatum, Rolfe, l. c. (= *Cypripedium caudatum*).—Reg. Andin.; Am. cent.  
Czerwiakowianum, Rolfe, l. c. (= *Cypripedium Czerwiakowianum*).—Peruv.  
Hartwegii, Pfitz. in *Engl. Pflanzenreich, Orchid.-Pleon.* 48 (= *Cypripedium Hartwegii*).—Ecuador.  
Klotzschianum, Rolfe, in *Orch. Rev.* iv. 332 (= *Cypripedium Klotzschianum*).—Guiana.  
Lindleyanum, Rolfe, l. c. (= *Cypripedium Lindleyanum*).—Guiana.

**PHRAGMOPEDILUM** :—

longifolium, Rolfe, in *Orch. Rev.* iv. 332 (= *Cypripedium longifolium*).—Reg. Andin.; Am. cent.  
Sargentianum, Rolfe, l. c. (= *Selenipedium Sargentianum*).—Bras.  
Schlimii, Rolfe, l. c. (= *Selenipedium Schlimii*).—N. Granat.  
vittatum, Rolfe, l. c. (= *Cypripedium vittatum*).—Bras.

**PHREATIA**, Lindl. (Orchid.).

acuminata, J. F. Sm. *Orchid. Java*, 506.—Java.  
altigena, Schlechter, in *K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 185.—N. Guin.  
angraecoides, Schlechter, l. c.—N. Guin.  
beiningiana, Schlechter, l. c. 186.—Ins. Bismarck.  
brachystachys, Schlechter, l. c.—Ins. Bismarck.  
bracteata, Schlechter, l. c. 187.—N. Guin.  
inversa, Schlechter, l. c.—Ins. Bismarck.  
laxa, Schlechter, l. c. 188.—N. Guin.  
linearifolia, Schlechter, l. c.—N. Guin.  
longicaulis, Schlechter, l. c. 189.—N. Guin.  
luzoniensis, Rolfe, in *Ames, Orchid.* i. 96.—Ins. Philipp.  
oxyanthroides, Schlechter, in *K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 189.—Ins. Bismarck.  
petiolata, Schlechter, l. c. 190.—N. Guin.  
platychila, Schlechter, l. c. (= *Thelasis platychila*).—N. Guin.  
pusilla, Rolfe, in *Orch. Rev.* xi. 344 (= *Oberonia pusilla*).—Austral.  
rhomboglossa, Schlechter, in *K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 190.—Ins. Bismarck.  
saccifera, Schlechter, l. c. 191.—Ins. Bismarck.  
scaphioglossa, Schlechter, l. c. 192.—Ins. Bismarck.  
sphaerocarpa, Schlechter, l. c.—N. Guin.  
sulcata, J. F. Sm. *Orchid. Java*, 505 (= *Eria sulcata*).—Java; Sumatra.  
valida, Schlechter, in *K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 193.—N. Guin.

**PHRYNE**, Bub. Fl. Pyren. iii. 171 = **Sisymbrium**,

Tourn. (Crucif.).  
*Columnae*, Bub. l. c. 172 = *S. Columnae*.  
*Gesneri*, Bub. l. c. 176 = *S. Thalianum*.  
*hispanica*, Bub. l. c. 175 = *S. hispanicum*.  
*laxata*, Bub. l. c. = *S. Irio*.  
*multisiliquosa*, Bub. l. c. 174 = *S. austriacum*.  
*Peyroussiana*, Bub. l. c. 178 = *Descurainaea Peyroussiana*.  
*pinnatifida*, Bub. l. c. 177 = *Braya pinnatifida*.  
*subulata*, Bub. l. c. 173 = *Sisymbrium polyceratum*.  
*Sophia*, Bub. l. c. 175 = *S. Sophia*.  
*tanacetifolia*, Bub. l. c. = *S. tanacetifolium*.  
*vulgaris*, Bub. l. c. 173 = *S. officinale*.

**PHRYNIUM**, Loeffl. (Scitamin.).

baccatum, K. Schum. *ex Wildem. & Th. Dur. in Ann. Mus. Congo*, Sér. III. i. 233.—Afr. trop.  
confertum, K. Schum. in *Engl. Pflanzenreich, Marant.* 56 (= *Calathea conferta*).—Afr. trop.  
gracile, K. Schum. in *K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 67.—Ins. Bismarck.  
Mannii, K. Schum. in *Engl. Pflanzenreich, Marant.* 56 (= *Calathea Mannii*).—Afr. trop.  
Micholitzii, Hort. *ex Gard. Chron.* 1903, i. 245.—N. Guin.  
minus, K. Schum. in *Bot. Tidsskr.* xxiv. 270.—Malaya.  
pedunculatum, Warb. *ex K. Schum. in Engl. Pflanzenreich, Marant.* 55.—N. Guin.  
tetranthum, K. Schum. l. c.—Ind. or.  
tonkinense, Gagnep. in *Bull. Soc. Bot. Fr.* li. 179.—Tonkin.

**PTHIRUSA**, Mart. (Loranth.).

[LORANTHUS, Linn. I. K.].  
papillosa, Pilg. in *Engl. Jahrb.* xxxiii. Beibl. lxxxii. 15.—Bras.

**PHYGELIUS**, E. Mey. (Scrophul.).

aequalis, Harv. *ex Hiern, in Dyer, Fl. Cap.* iv. ii. 213.—Afr. austr.

**PHYLLA**, Lour. (Verben.).

[LIPPIA, Linn. I. K.].  
incisa, Small, *Fl. S. E. U. S.* 1012.—Am. bor.

**PHYLICA**, Linn. (Rhamnac.).

Dodii, N. E. Br. in *Journ. Bot.* 1901, 399.—Afr. austr.

**PHYLLACTIS**, Pers. (Valerian.).

*regularis*, *Speg. Nov. Add. Fl. Patag.* i. (1901) repr. 67 (= *Valeriana regularis*).—Patag.  
*salicariifolia*, *Speg. l. c.* 67 (= *Valeriana salicariifolia*).—Patag.

**PHYLLANTHUS**, Linn. (Euphorb.).

*acacioides*, *Urb. Symb. Antill.* iii. 287.—Ind. occ.  
*bahamensis*, *Urb. l. c.* 289.—Ind. occ.  
*barbadensis*, *Urb. l. c.* 287.—Ind. occ.  
*brisbanicus*, *F. M. Bailey, Queensl. Fl.* 1418.—Austral.  
*Buchii*, *Urb. Symb. Antill.* iii. 288.—Ind. occ.  
*cuscutaeiflorus*, *S. Moore, in Journ. Bot.* 1905, 148.—Austral.  
*Drummondii*, *Small, Fl. S. E. U. S.* 692.—Am. bor.  
*evanescens*, *T. S. Brandege, in Zoe*, v. 207 (1905).—Mexic.

*Garberi*, *Small, Fl. S. E. U. S.* 692.—Am. bor.  
*isolepis*, *Urb. Symb. Antill.* iii. 290.—Ind. occ.  
*liukuensis*, *Hayata, in Journ. Coll. Sci. Tokyo*, xx. no. 3, 11.—Japan; Ins. Liukiu.

*Maitlandianus*, *Diels, in Engl. Jahrb.* xxxv. 338.—Austral.

*Matsumurae*, *Hayata, ex Yabe, in Bot. Mag. Tokyo*, xviii. 12; *et in Journ. Coll. Sci. Tokyo*, xx. no. 3, 11.—Japan.

*Mocquersianus*, *Aug. DC. in Bull. Herb. Boiss. Sér. II.* i. 564.—Madag.

*Niinamii*, *Hayata, in Journ. Coll. Sci. Tokyo*, xx. no. 3, 14.—Japan.

*pachystylus*, *Urb. Symb. Antill.* iii. 286.—Ind. occ.  
*portoricensis*, *Urb. l. c.* iv. 338 (= *Diasperus portoricensis*).—Ind. occ.

*profusus*, *N. E. Br. in Journ. Linn. Soc.* xxxvii. 113.—Afr. trop.

*radicans*, *Small, Fl. S. E. U. S.* 692.—Am. bor.  
*saxicola*, *Small, in Bull. N. York Bot. Gard.* iii. 428.—Am. bor.

*ugandensis*, *Rendle, in Journ. Linn. Soc.* xxxvii. 210.—Afr. trop.

*Weinlandii*, *K. Schum. in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 287.—N. Guin.

**PHYLLAUREA**, Lour. (Euphorb.).

[*CODIAEUM*, Rumph. I. K.]  
*variegata*, *W. F. Wight, in U. S. Dept. Agric. Contrib. Nat. Herb.* ix. 352 (= *Croton variegatum*, Linn.).—Malaya.

**PHYLLOCACTUS**, Link (Cactac.).

*belgica*, *Laet, in Wien, Ill. Gart. Zeit.* 1904, 409.—Hab. ?

*biformis*, *K. Schum. Monatsschr. Kakt.* 1904, 11.—Hab. ?  
*cartagensis*, *A. Weber, in Bull. Mus. Hist. Nat. Par.* 1902, 462.—Ind. occ.

*costaricensis*, *A. Weber, l. c.* 463.—Ind. occ.  
*Darrahii*, *K. Schum. Gesamtb. Kakt. Nachtr.* i. 69.—Mexic.

*grandilobus*, *A. Weber, in Bull. Mus. Hist. Nat. Par.* 1902, 464.—Ind. occ.

*Kampmanni*, *Hort. ex Orcutt, Rev. Cact.* ii. 91; *et in W. Amer. Sci.* xiii. 53.—Hab. ?

*lepidocarpus*, *A. Weber, in Bull. Mus. Hist. Nat. Par.* 1902, 462.—Ind. occ.

*macrocarpus*, *A. Weber, l. c.* 464.—Ind. occ.

**PHYLLLOCLADUS**, Rich. (Conif.).

*protractus*, *Pilg. in Engl. Pflanzenreich, Taxac.* 99.—Malaya.

**PHYLLLOCOSMUS**, Klotzsch (Linac.).

*candidus*, *Engl. & Gilg, in Warb. Kunene-Sambesi Exped.* 269.—Afr. trop.

*Dewevrei*, *Engl. Jahrb.* xxxii. 109.—Afr. trop.

*senensis*, *Engl. l. c.* 110.—Afr. trop.

**PHYLLODES**, Lour. (Scitamin.).

*baccatum*, *K. Schum. in Engl. Jahrb.* xv. 442 (= *Phrynium baccatum*).—Afr. trop.

**PHYLLODOCE**, Salisb. (Ericac.).

[*BRYANTHUS*, S. G. Gmel. I. K.]  
*aleutica*, *A. A. Heller, Muhlenbergia*, i. 1; *Makino, in Bot. Mag. Tokyo*, xix. 134 (= *Menziesia aleutica*).—Am. bor. occ.; As. bor. or.

*Breweri*, *A. A. Heller, l. c.* (= *Bryanthus Breweri*).—Am. bor.

*glanduliflora*, *Howell, Fl. N. W. Amer.* i. 419 (= *Bryanthus glanduliflorus*).—Am. bor.

*nipponica*, *Makino, in Bot. Mag. Tokyo*, xix. 131.—Japan.

**PHYLOPODIUM**, Benth. (Scrophul.).

*alpinum*, *N. E. Br. in Kew Bull.* 1901, 128.—Afr. austr.  
*Augei*, *Hiern, in Dyer, Fl. Cap.* iv. II. 313.—Afr. austr.  
*Baurii*, *Hiern, l. c.* 320.—Afr. austr.  
*calvum*, *Hiern, l. c.* 315.—Afr. austr.  
*minimum*, *Hiern, l. c.* 318.—Afr. austr.  
*multifolium*, *Hiern, l. c.* 315.—Afr. austr.  
*Rudolphi*, *Hiern, l. c.* 320.—Afr. austr.  
*rupestre*, *Hiern, in Journ. Bot.* 1903, 365.—Afr. austr.  
*Schlechteri*, *Hiern, in Dyer, Fl. Cap.* iv. II. 319.—Afr. austr.  
*sordidum*, *Hiern, l. c.* 314.—Afr. austr.

**PHYLOSPADIX**, Hook. (Naiad.).

*japonicus*, *Makino, in Bot. Mag. Tokyo*, xi. (1897) (137).—Japan.

**PHYLOSTACHYS**, Sieb. & Zucc. (Gramin.).

*congesta*, *Rendle, in Journ. Linn. Soc.* xxxvi. 438.—China.

*Faberi*, *Rendle, l. c.* 439.—China.  
*Henryi*, *Rendle, l. c.* 440.—China.

*heterocycla*, *Matsum. Enum. Sci. Names* (1895) 213 (= *Bambusa heterocycla*).—Japan.

*montana*, *Rendle, in Journ. Linn. Soc.* xxxvi. 441.—China.

*nana*, *Rendle, l. c.*—China.  
*quadrangularis*, *Rendle, l. c.* 443 (= *Bambusa quadrangularis*).—China; Japon.

*Veitchiana*, *Rendle, l. c.*—China.

**PHYLOTA**, Benth. (Legum.).

*Georgii*, *Hemsl. in Hook. Ic. Pl.* t. 2778.—Austral.

**PHYLOXYLON**, Baill. (Legum.).

*Cloisellii*, *Drake, Hist. Pl. Madag.* i. 192.—Madag.

*ensifolium*, *Baill. ex Drake, Hist. Pl. Madag.* i. 191.—Madag.

*Perrieri*, *Drake, Hist. Pl. Madag.* i. 192.—Madag.

**PHYMASPERMUM**, Less. (Compos.).

*appressum*, *Bolus, in Trans. S. Afr. Phil. Soc.* xvi. 139.—Afr. austr.

**PHYSALIS**, Linn. (Solan.).

*floridana*, *Rydb. in Small, Fl. S. E. U. S.* 983.—Am. bor.

*minuta*, *Griggs, in Torreya*, iii. 138.—Mexic.

*missouriensis*, *Mackenzie & Bush, in Trans. Acad. Sci. St. Louis*, xii. 84; *Fl. Jacks. County*, 167.—Am. bor.

*monticola*, *Mohr, in U. S. Dept. Agric. Contrib. Nat. Herb.* vi. 711.—Am. bor.

*pendula*, *Rydb. in Small, Fl. S. E. U. S.* 983.—Am. bor.  
*puberula*, *Fernald, in Proc. Amer. Acad.* xxxvi. 502.—Mexic.

*sinuata*, *Rydb. in Small, Fl. S. E. U. S.* 986.—Am. bor.  
*subglabrata*, *Mackenzie & Bush, in Trans. Acad. Sci. St. Louis*, xii. 86; *Fl. Jacks. County*, 167.—Am. bor.

**PHYSARIA**, A. Gray (Crucif.).

*acutifolia*, *Rydb. in Bull. Torr. Bot. Club*, 1901, 279.—Am. bor.

*brassicoides*, *Rydb. l. c.* 1902, 237.—Am. bor.

*floribunda*, *Rydb. l. c.* 1901, 279.—Am. bor.

*macrantha*, *Blank, in Montana Agric. Coll. Sci. Studies*, Bot. i. 60.—Am. bor.

*vitulifera*, *Rydb. in Bull. Torr. Bot. Club*, 1901, 278.—Am. bor.

**PHYSEDRA**, Hook. f. (Cucurb.).

*chaetocarpa*, *Harms & Gilg, in Engl. Jahrb.* xxxiv. 352.—Afr. trop.

*elegans*, *Harms & Gilg, l. c.* 353.—Afr. trop.

*macrantha*, *Gilg, l. c.*—Afr. trop.

**PHYSOSTEGIA**, Benth. (Labiata.).

*veroniciformis*, *Small, Fl. S. E. U. S.* 1028.—Am. bor.

**PHYSOSTELMA**, Wight (Asclep.).

*papuanum*, *Schlechter, in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 361.—N. Guin.

**PHYSOSTEMON**, Mart. (Capparid.).

[*CLEOME*, Linn. I. K.]  
*Hasslerianum*, *Chod. in Bull. Herb. Boiss. Sér. II.* iii. 797.—Parag.

**PHYSOTRICHIA**, Hiern (Umbellif.).

*arenaria*, *Engl. & Gilg, in Warb. Kunene-Sambesi Exped.* 324.—Afr. trop.

**PHYSURUS**, Rich. (Orchid.).

*austrobrasiliensis*, *Porsch, in Oesterr. Bot. Zeitschr.* 1905, 152.—Bras.

*Henryi*, *Schlechter, in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 87, errore=chinesis.

*Kuczynskii*, *Porsch, in Oesterr. Bot. Zeitschr.* 1905, 152.—Bras.

*polygonatus*, *Ames, in Donn. Sm. Enum. Pl. Guatem.* vii. 50, nomen.—Am. cent.

*purpureus*, *Ames, l. c.*—Am. cent.

*venustus*, *Ames, l. c.*—Am. cent.

**PHYTEUMA**, Linn. (Campan.).

*Aizoon*, *Bornm. in Mitth. Thüring. Bot. Ver. n. s.* xx. 38 (= *Podanthum Aizoon*).—As. Min.

*gallicum*, *R. Schulz, Monogr. Bearb. Phyteuma*, 88.—Gallia.

*hedraianthifolium*, *R. Schulz, l. c.* 150.—Eur.

*hispanicum*, *R. Schulz, l. c.* 127.—Hispan.

*obtusifolium*, *Bornm. in Mitth. Thüring. Bot. Ver. n. s.* xx. 38 (= *Podanthum obtusifolium*).—As. Min.

*pedemontanum*, *R. Schulz, Monogr. Bearb. Phyteuma*, 163.—Eur.

*pyrenaicum*, *R. Schulz, l. c.* 79.—Hispan.

*scaposum*, *R. Schulz, l. c.* 96.—Eur.

*Schlatterii*, *Chenev. in Bull. Trav. Soc. Bot. Genève*, ix. 126.—Hybr.

*Sintenisii*, *Bornm. in Mitth. Thüring. Bot. Ver. n. s.* xx. 38 (= *Podanthum Sintenisii*).—As. Min.

*tenerum*, *R. Schulz, Monogr. Bearb. Phyteuma*, 122.—Eur.

*Villarsii*, *R. Schulz, l. c.* 143.—Gallia.

**PHYTOLACCA**, Tourn. (Phytolacc.).

*rigida*, *Small, in Bull. N. York Bot. Gard.* iii. 422.—Am. bor.

*vulgaris*, *Bub. Fl. Pyren.* iii. 1=decandra.

**PICARDAEA**, Urb. Symb. Antill. iii. 376 (1903).

**RUBIACEAE.**

*haitiensis*, *Urb. l. c.* 377.—Ind. occ.

**PICEA**, Link (Conif.).

*Abies*, *Degen, in Magyar Bot. Lap.* iv. 132 (= *Pinus Abies*).—Eur.

*australis*, *Small, Fl. S. E. U. S.* 30.—Am. bor.

*brachytila*, *Masters, in Journ. Linn. Soc.* xxvi. 553.—China.

*morindoides*, *Rehder, in Sargent, Trees & Shrubs*, 95.—As. or. ?

*Neoveitchii*, *Mast. in Gard. Chron.* 1903, i. 116, t. 51.—China.

*Parryana*, *Sarg. Man. Trees N. Amer.* 44.—Am. bor.

*Wilsoni*, *Mast. in Gard. Chron.* 1903, i. 133, t. 56.—China.

**PICRADENIA**, Hook. (Compos.).

[*ACTINELLA*, Nutt. I. K.]  
*Davidsonii*, *Greene, Pittonia*, iv. 240.—Am. bor.

*Earlei*, *Cockerell, in Bull. Colorado Coll. Mus.* i. 1.—Am. bor.

*helenioides*, *Rydb. in Bull. Torr. Bot. Club*, 1901, 21.—Am. bor.

**PICRADENIOPSIS**, Rydb. in Britton, Man. Fl. N. U. S. 1008 (1901).

**COMPOSITAE.**

*oppositifolia*, *Rydb. l. c.* (= *Bahia oppositifolia*).—Am. bor.

**PICRIS**, Linn. (Compos.).

*angustissima*, *Arv.-Touv. ex Chenev. in Bull. Herb. Boiss. Sér. II.* v. 331.—Eur.

*benearnensis*, *Rouy, in Bull. Assoc. Fr. de Bot.* iv. (fide *Bull. Herb. Boiss. Ind. Bot. Univ.* No. 1344).—Eur.

*Kelleriana*, *Arv.-Touv. ex Schroet. in Ber. Schweiz. Bot. Ges.* xiv. 122; *et ex Keller, in Bull. Herb. Boiss. Sér. II.* iii. 483.—Eur.

*Kochiana*, *Rouy, in Bull. Assoc. Fr. de Bot.* iv. (fide *Bull. Herb. Boiss. Ind. Bot. Univ.* No. 1352).—Eur.

*Saharae*, *Hochr. in Ann. Conserv. & Jard. Bot. Genève*, vii-viii. 235 (= *Spitzelia Saharae*).—Alger.

**PIERIS**, D. Don (Ericac.).

*Bodinieri*, *Léveillé, in Bull. Acad. Géogr. Bot.* xii. (1903) 253.—China.

*Cavaleriei*, *Léveillé & Vaniot, in Bull. Soc. Bot. Fr.* li. 292.—China.

**PIERIS**—

- divaricata, *Léveillé*, in *Bull. Acad. Géogr. Bot.* xii. (1903) 252.—China.  
 Duclouxii, *Léveillé*, l. c. 253.—China.  
 Gagnepainiana, *Léveillé*, l. c. 251.—China.  
 konyangensis, *Léveillé*, l. c. 253.—China.  
 longicornu, *Léveillé & Vaniot*, in *Bull. Soc. Bot. Fr.* li. 291.—China.  
 Martini, *Léveillé*, in *Bull. Acad. Géogr. Bot.* xii. (1903) 252.—China.  
 repens, *Léveillé*, l. c.—China.

**PILEA**, Lindl. (Urtic.).

- Baurii, *Robinson*, in *Proc. Amer. Acad.* xxxviii. (1902) 133.—Ins. Galap.  
 comorensis, *Engl. Jahrb.* xxxiii. 124.—Ins. Comor.  
 cymbifolia, *Rusby*, in *Bull. Torr. Bot. Club*, 1901, 311.—Bolivia.  
 filipes, *Rusby*, l. c.—Bolivia.  
 Friesiana, *K. Schum.* in *K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 252.—N. Guin.  
 Mooreana, *K. Schum.* in *Fest's Jahresh.* xxviii. i. 463 (= *Adicea Mooreana*).—Afr. trop.  
 Preussii, *Engl. Jahrb.* xxxiii. 123.—Afr. trop.  
 ptericlada, *Donn. Sm.* in *Coult. Bot. Gaz.* xxxi. 121.—Am. cent.  
 sublobata, *Rusby*, in *Bull. Torr. Bot. Club*, 1901, 311.—Bolivia.  
 urerifolia, *Rusby*, l. c. 312.—Bolivia.

**PILEUS**, Ramirez, in Conzatti, Gén. Veget. Mexic. 343 (1905). **PASSIFLORACEAE**.  
 heptaphyllus, *Ramirez*, l. c.—Mexic.**PILOCEREUS**, Lem. (Cactac.).

- [**CEREUS**, Mill. I. K.]  
 alensis, *A. Weber*, ex *Gosselin*, in *Bull. Mus. Hist. Nat. Par. vi.* (1905) xxxii.—Mexic.  
 Fouachianus, *A. Weber*, in *Bull. Mus. Hist. Nat. Par.* 1904, 386.—Ind. occ.  
 macrostibas, *K. Schum.* in *Monatsschr. Kakt.* xiii. 163.—Peruv.  
 rhodacanthus, *Speng.* in *Anal. Mus. Buenos Aires*, xi. 485 (= *Echinopsis rhodacantha*).—Reg. Argent.  
 ruficeps, *A. Weber*, ex *Gosselin*, in *Bull. Mus. Hist. Nat. Par. vi.* (1905) 509.—Mexic.  
 Ulei, *K. Schum. Gesamt. Kakt. Nachtr.* i. 64.—Bras.

**PILOSTYLES**, Guill. (Cytin.).

- [**APODANTHES**, Poit. I. K.]  
 globosa, *Hemsl.* in *Journ. Linn. Soc.* xxxi. 311 (1896) (= *Apodanthes globosa*).—Mexic.  
 Pringlei, *Hemsl.* l. c. (= *Apodanthes Pringlei*).—Mexic.

**PILOURATEA**, Van Tiegh. in *Bull. Mus. Hist. Nat. Par.* viii. (1902) 545. **OCHNACEAE**.  
 glabrifolia, *Van Tiegh.* l. c. 238.—Bras.  
 ovalis, *Van Tiegh.* l. c. (= *Gomphia ovalis*).—Bras.**PIMELEA**, Banks & Soland. (Thymel.).

- Gilgiana, *E. Pritz.* in *Engl. Jahrb.* xxxv. 396.—Austral.  
 leucantha, *Diels*, in *Engl. Jahrb.* xxxv. 393.—Austral.  
 ramosissima, *K. Schum.* in *K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 324.—Ins. Bismarck.

**PIMPINELLA**, Linn. (Umbellif.).

- Dunni, *Boissieu*, in *Bull. Herb. Boiss. Sér. II.* iii. 841.—China.  
 Erythraeae, *Armari*, in *Ann. Ist. Bot. Roma*, viii. 149.—Afr. trop.  
 Fargesii, *Boissieu*, in *Bull. Herb. Boiss. Sér. II.* ii. 808.—China.  
 Fauriei, *Boissieu*, l. c. iii. 955.—Corea.  
 heliosciadea, *Boissieu*, l. c. ii. 809.—China.  
 nikoensis, *Yabe*, in *Bot. Mag. Tokyo*, xvii. 106.—Corea.  
 reenensis, *Reching.* in *Ann. Nat. Hofmus. Wien*, xviii. 392.—Afr. austr.  
 silaifolia, *Boissieu*, in *Bull. Herb. Boiss. Sér. II.* ii. 809.—China.  
 Souliei, *Boissieu*, l. c. 810.—China.  
 sutchuensis, *Boissieu*, l. c. 808.—China.  
 tomentosa, *Engl. Jahrb.* xxx. 368.—Afr. trop.

**PINANGA**, Blume (Palmae.).

- Barnesii, *Becc.* in *Martelli, Webbia*, 320.—Ins. Philipp.  
 chinensis, *Becc.* l. c. 326.—China.  
 Copelandi, *Becc.* l. c. 317.—Ins. Philipp.  
 Elmerii, *Becc.* l. c. 322.—Ins. Philipp.  
 lepidota, *Rendle*, in *Journ. Bot.* 1901, 177.—Borneo.

**PINANGA**—

- rivularis, *Becc. Nelle Foreste di Borneo*, 399.—Borneo.  
 singaporensis, *Ridley*, in *Journ. As. Soc. Straits*, xli. 38.—Penins. Mal.  
 speciosa, *Becc.* in *Martelli, Webbia*, 316.—Ins. Philipp.

**PINELLIA**, Tenore (Arac.).

- cordata, *N. E. Br.* in *Journ. Linn. Soc.* xxxvi. 173.—China.

**PINGUICULA**, Tourn. (Lentibular.).

- arctica, *Eastw.* in *Coult. Bot. Gaz.* xxxiii. 293.—Am. bor.

**PINUS**, Linn. (Conif.).

- Altamirani, *Shaw*, in *Sarg. Trees & Shrubs*, 209, t. 99.—Mexic.  
 caribaea, *Morelet*, in *Rev. Hort. Côte d'Or*, Oct. 1851; et in *Bull. Soc. Hist. Nat. Moselle*, vii. (1885) 97—101, cf. *Gard. Chron.* 1904, ii. 98.—Ind. occ.  
 eldarica, *Medw.* in *Act. Hort. Tifl.* vi. ii. 21.—Reg. Caucas.  
 funebris, *Kom.* in *Act. Hort. Petrop.* xx. 177.—China.  
 Henryi, *Masters*, in *Journ. Linn. Soc.* xxvi. 550.—China.  
 Mayriana, *Sudw.* in *U. S. Dept. Agric. Bull. Forest.* xiv. 21.—Am. bor.  
 Nelsoni, *Shaw*, in *Gard. Chron.* 1904, ii. 122.—Mexic.  
 Pringlei, *Shaw*, in *Sarg. Trees & Shrubs*, 211, t. 100.—Mexic.  
 recurvata, *Rowlee*, in *Bull. Torr. Bot. Club*, 1903, 107.—Ind. occ.  
 terthrocarpa, *Shaw*, in *Sarg. Trees & Shrubs*, 149.—Ind. occ.  
 tropicalis, *Morelet*, in *Rev. Hort. Côte d'Or*, Oct. 1851; et in *Bull. Soc. Hist. Nat. Moselle*, vii. (1885) 97—101, cf. *Gard. Chron.* 1904, ii. 98.—Ind. occ.

**PIPER**, Linn. (Piperac.).

- acutilimbum, *C. DC.* in *Verh. Bot. Ver. Brand.* xvii. (1905) 110.—Reg. Amaz.  
 albidirameum, *C. DC.* in *Perkins, Frag. Fl. Philipp.* 153.—Ins. Philipp.  
 Andersonii, *C. DC.* in *Urb. Symb. Antill.* iii. 194.—Ind. occ.  
 angustilimbum, *C. DC.* l. c. 201.—Ind. occ.  
 aromaticum, *C. DC.* in *Bull. Herb. Boiss. Sér. II.* i. 355.—Bras.  
 asperilimbum, *C. DC.* l. c. iii. 398.—Parag.  
 asterotrichum, *C. DC.* in *Verh. Bot. Ver. Brand.* xvii. (1905) 111.—Peruv.  
 Balbisanum, *C. DC.* in *Urb. Symb. Antill.* iii. 205.—Ind. occ.  
 bathicarpum, *C. DC.* in *Perkins, Frag. Fl. Philipp.* 153.—Ins. Philipp.  
 Biroi, *K. Schum.* in *K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 238.—N. Guin.  
 Broadwayi, *C. DC.* in *Urb. Symb. Antill.* iii. 191.—Ind. occ.  
 bullatilimbum, *Pilg.* in *Verh. Bot. Ver. Brand.* xvii. (1905) 112.—Reg. Amaz.  
 calophyllum, *C. DC.* in *Coult. Bot. Gaz.* xxxiii. 257.—Am. cent.  
 candelosum, *C. DC.* in *Bull. Herb. Boiss. Sér. II.* iii. 397.—Parag.  
 Christyi, *C. DC.* in *Urb. Symb. Antill.* iii. 215.—Hab. ?  
 concretiflorum, *C. DC.* in *Verh. Bot. Ver. Brand.* xvii. (1905) 111.—Reg. Amaz.  
 convallariodorum, *C. DC.* in *Bull. Herb. Boiss. Sér. II.* i. 356.—Bras.  
 cordatum, *C. DC.* in *Verh. Bot. Ver. Brand.* xvii. (1905) 105, descr. emend.—Peruv.  
 cumbasomum, *C. DC.* l. c. 108.—Peruv.  
 dagatpanum, *C. DC.* in *Perkins, Frag. Fl. Philipp.* 154.—Ins. Philipp.  
 davaoense, *C. DC.* l. c.—Ins. Philipp.  
 debile, *C. DC.* in *Bull. Herb. Boiss. Sér. II.* iii. 400.—Parag.  
 dominicanum, *C. DC.* in *Urb. Symb. Antill.* iii. 205.—Ind. occ.  
 Dussii, *C. DC.* l. c. 190.—Ind. occ.  
 Eggersii, *C. DC.* l. c. 200.—Ind. occ.  
 escalanum, *C. DC.* in *Verh. Bot. Ver. Brand.* xvii. (1905) 115.—Peruv.  
 glabrilimbum, *C. DC.* l. c. 107.—Reg. Amaz.  
 glabrispica, *C. DC.* in *Perkins, Frag. Fl. Philipp.* 155.—Ins. Philipp.  
 guavanum, *C. DC.* in *Urb. Symb. Antill.* iii. 190.—Ind. occ.

**PIPER**—

- Harrisii, *C. DC.* in *Urb. Symb. Antill.* iii. 189.—Ind. occ.  
 Hartii, *C. DC.* l. c. 164.—Ind. occ.  
 Hassleri, *C. DC.* in *Bull. Herb. Boiss. Sér. II.* iii. 397.—Parag.  
 hebecarpum, *C. DC.* in *Urb. Symb. Antill.* iii. 183.—Ind. occ.  
 Huberi, *C. DC.* in *Bull. Herb. Boiss. Sér. II.* i. 298.—Bras.  
 humillimum, *C. DC.* in *Verh. Bot. Ver. Brand.* xvii. (1905) 108.—Reg. Amaz.  
 jamaicense, *C. DC.* in *Urb. Symb. Antill.* iii. 192 (= *Artanthe jamaicensis*).—Ind. occ.  
 Johnstoni, *C. DC.* in *Proc. Amer. Acad.* xl. 685.—Venez.  
 leticianum, *C. DC.* in *Verh. Bot. Ver. Brand.* xvii. (1905) 104.—Peruv.  
 lividum, *C. DC.* in *Perkins, Frag. Fl. Philipp.* 155.—Ins. Philipp.  
 longipes, *C. DC.* in *Bull. Herb. Boiss. Sér. II.* iii. 399.—Parag.  
 macropodium, *C. DC.* l. c. iv. 1026.—China.  
 macrotrichum, *C. DC.* in *Verh. Bot. Ver. Brand.* xvii. (1905) 109.—Reg. Amaz.  
 margaritanum, *C. DC.* in *Proc. Amer. Acad.* xl. 685.—Venez.  
 marivelesanum, *C. DC.* in *Perkins, Frag. Fl. Philipp.* 155.—Ins. Philipp.  
 mediocore, *C. DC.* in *Verh. Bot. Ver. Brand.* xvii. (1905) 104.—Peruv.  
 Mertoni, *F. M. Bailey*, *Queensl. Fl.* 1285.—Austral.  
 microphyllum, *C. DC.* in *Urb. Symb. Antill.* iii. 190.—Ind. occ.  
 mornicola, *C. DC.* l. c. 194.—Ind. occ.  
 nemorale, *C. DC.* in *Verh. Bot. Ver. Brand.* xvii. (1905) 109.—Reg. Amaz.  
 nudilimbum, *C. DC.* l. c. 113.—Reg. Amaz.  
 obtusilimbum, *C. DC.* l. c. 105.—Reg. Amaz.  
 Otophyllum, *C. DC.* in *Urb. Symb. Antill.* iii. 196.—Ind. occ.  
 ovatilimbum, *C. DC.* in *Verh. Bot. Ver. Brand.* xvii. (1905) 112.—Reg. Amaz.  
 pachyarthrum, *K. Schum.* in *K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 239.—N. Guin.  
 parvibracteatum, *C. DC.* in *Verh. Bot. Ver. Brand.* xvii. (1905) 110.—Reg. Amaz.  
 parvispica, *C. DC.* in *Perkins, Frag. Fl. Philipp.* 156.—Ins. Philipp.  
 paucinerve, *C. DC.* l. c.—Ins. Philipp.  
 pellitum, *C. DC.* in *Verh. Bot. Ver. Brand.* xvii. (1905) 114.—Reg. Amaz.  
 penninerve, *C. DC.* in *Perkins, Frag. Fl. Philipp.* 157.—Ins. Philipp.  
 Picardae, *C. DC.* in *Urb. Symb. Antill.* iii. 207.—Ind. occ.  
 polysphyonum, *C. DC.* in *Bull. Herb. Boiss. Sér. II.* iv. 1026.—China.  
 Readii, *C. DC.* in *Urb. Symb. Antill.* iii. 197.—Ind. occ.  
 retropilosum, *C. DC.* in *Bull. Herb. Boiss. Sér. II.* i. 355.—Bras.  
 subrectinerve, *C. DC.* in *Urb. Symb. Antill.* iii. 180.—Ind. occ.  
 rubripunctulatum, *C. DC.* in *Perkins, Frag. Fl. Philipp.* 158.—Ins. Philipp.  
 Seitzii, *C. DC.* in *Urb. Symb. Antill.* iii. 181.—Ind. occ.  
 semivolubile, *C. DC.* in *Bull. Herb. Boiss. Sér. II.* iii. 400.—Parag.  
 sibulanum, *C. DC.* in *Perkins, Frag. Fl. Philipp.* 158.—Ins. Philipp.  
 stamineum, *C. DC.* in *Urb. Symb. Antill.* iii. 176 (= *Artanthe staminea*).—Ind. occ.  
 subglabrum, *C. DC.* in *Bull. Herb. Boiss. Sér. II.* iii. 397.—Parag.  
 subpanduriforme, *C. DC.* in *Urb. Symb. Antill.* iii. 170 (= *Enckea subpanduriformis*).—Ind. occ.  
 subpurpureum, *C. DC.* in *Verh. Bot. Ver. Brand.* xvii. (1905) 113.—Reg. Amaz.  
 subscandens, *C. DC.* in *Bull. Herb. Boiss. Sér. II.* i. 357.—Bras.  
 suffrutescens, *C. DC.* l. c. 354.—Bras.  
 Swartzii, *C. DC.* in *Urb. Symb. Antill.* iii. 202 (= *Enckea Swartzii*).—Ind. occ.  
 taumanum, *C. DC.* in *Perkins, Frag. Fl. Philipp.* 159.—Ins. Philipp.  
 tenuirameum, *C. DC.* l. c.—Ins. Philipp.



- PIPER** :—  
 tobagoanum, C. DC. in Urb. Symb. Antill. iii. 199.—Ind. occ.  
 torricellense, Lauterb. in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee, 239.—N. Guin.  
 Trinitatis, C. DC. in Urb. Symb. Antill. iii. 197.—Ind. occ.  
 vermiculatum, C. DC. in Verh. Bot. Ver. Brand. xlvii. (1905) 107.—Reg. Amaz.  
 Warburgii, C. DC. in Perkins, Frag. Fl. Philipp. 159.—Ins. Philipp.  
 Wrightii, C. DC. in Urb. Symb. Antill. iii. 189.—Ind. occ.
- PIPERIA**, Rydb. in Bull. Torr. Bot. Club, 1901, 269. ORCHIDACEAE.  
 Cooperi, Rydb. l. c. 636 (= *Habenaria Cooperi*).—Am. bor.  
 elegans, Rydb. l. c. 270 (= *Habenaria elegans*).—Am. bor.  
 elongata, Rydb. l. c.—Am. bor.  
 lancifolia, Rydb. l. c. 637.—Am. bor.  
 leptopetala, Rydb. l. c.—Am. bor.  
 longispica, Rydb. l. c. 639 (= *Gymnadenia longifolia*).—Am. bor.  
 maritima, Rydb. l. c. 641 (= *Habenaria maritima*).—Am. bor.  
 Michaeli, Rydb. l. c. 640 (= *Habenaria Michaeli*).—Am. bor. occ.  
 multiflora, Rydb. l. c. 638.—Am. bor.  
 unalaschensis, Rydb. l. c. 270 (= *Habenaria unalaschensis*).—Am. bor.
- PIPTADENIA**, Benth. (Legum.).  
 Erlangeri, Harms, in Engl. Jahrb. xxxiii. 151.—Afr. trop.  
 Hassleriana, Chod. in Bull. Herb. Boiss. Sér. II. iv. 560.—Parag.
- PIPTATHERUM**, Beauv. = *Oryzopsis*, Michx. (Gramin.).  
 virescens, Bub. Fl. Pyren. iv. 294 (non Boiss.) = *Oryzopsis paradoxa*.
- PIPTOCHAETIUM**, J. & C. Presl (Gramin.).  
 [ORYZOPSIS, Michx. I. K.]  
 napostaense, Hack. ex Stuck. in Anal. Mus. Buenos Aires, xi. 103 (= *Oryzopsis napostaensis*).—Reg. Argent.
- PIPTOSTIGMA**, Oliver (Anonac.).  
 multinervium, Engl. & Diels, in Monogr. Afr. Pfl. vi. 55.—Afr. trop.  
 Preussii, Engl. & Diels, l. c. 54.—Afr. trop.
- PIPTOTHRIX**, A. Gray (Compos.).  
 aegiroides, Robinson, in Proc. Amer. Acad. xli. 273.—Mexic.  
 jaliscensis, Robinson, in Proc. Bost. Soc. Nat. Hist. xxxi. 268.—Mexic.
- PIQUERIA**, Cav. (Compos.).  
 pyramidalis, Robinson, in Proc. Amer. Acad. xxxvi. 475.—Mexic.
- PIRIQUETA**, Aubl. (Turnerac.).  
 glabrescens, Small, Fl. S. E. U. S. 794.—Am. bor.  
 guianensis, N. E. Br. in Trans. Linn. Soc. Ser. II. vi. 30.—Guiana.  
 leucantha, Urb. in Bull. Herb. Boiss. Sér. II. iii. 1117.—Parag.  
 ochroleuca, Urb. l. c. 1116.—Parag.  
 serrulata, Urb. l. c. 1115.—Parag.  
 subsessilis, Urb. l. c. 1117.—Parag.  
 viridis, Small, Fl. S. E. U. S. 794.—Am. bor.
- PISONIA**, Plum. (Nyctagin.).  
 aruensis, Barg.-Petr. in Nuov. Giorn. Bot. Ital. n. s. viii. 618.—Ins. Aru.  
 Beccariana, Barg.-Petr. l. c. 612.—N. Guin.  
 corniculata, Barg.-Petr. l. c. 615.—N. Guin.  
 floridana, Britton, in Small, Fl. S. E. U. S. 411.—Am. bor.  
 longifolia, Sarg. Man. Trees N. Amer. 314.—Am. bor.  
 triandra, Barg.-Petr. in Nuov. Giorn. Bot. Ital. n. s. viii. 610.—N. Guin.
- PISTACIA**, Linn. (Anacard.).  
 formosana, Matsum. in Bot. Mag. Tokyo, xv. 40.—Formosa.
- PISTACIOPSIS**, Engl. Jahrb. xxxii. (1902). SIMA-RUBACEAE.  
 Dekindtiana, Engl. l. c. 126.—Afr. trop.  
 gallaensis, Engl. l. c. 125.—Afr. trop.  
 Wakefieldii, Engl. l. c.—Afr. trop.
- PITCAIRNIA**, L'Hérit. (Bromel.).  
 auriculata, Mez, in Bull. Herb. Boiss. Sér. II. iii. 134.—N. Granat.  
 elliptica, Mez & Sodiro, ex Mez, l. c. iv. 624.—Ecuador.  
 lutescens, Mez & Sodiro, ex Mez, l. c. 626.—Ecuador.  
 Micheliana, André, in Rev. Hort. 1901, 576.—Mexic.  
 monticola, T. S. Brandegee, in Zoe, v. 197 (1905).—Mexic.  
 nobilis, Mez & Sodiro, ex Mez, in Bull. Herb. Boiss. Sér. II. iv. 623.—Ecuador.  
 palmoides, Mez & Sodiro, ex Mez, l. c. 626.—Ecuador.  
 rigida, Mez, l. c. 625.—Peruv.  
 sceptroformis, Mez, l. c. 628.—Peruv.  
 Sodiroi, Mez, l. c. 622.—Am. cent.  
 Weberbaueri, Mez, l. c. 627.—Peruv.  
 Werckleana, Mez, l. c. 622.—Am. cent.
- PITHECOLOBIUM**, Mart. (Legum.).  
 bahamense, Northrop, in Mem. Torr. Bot. Club, xii. 38.—Ind. occ.  
 compactum, Rose, in U. S. Dept. Agric. Contrib. Nat. Herb. viii. 33.—Mexic.  
 flavovirens, Britton, in Bull. N. York Bot. Gard. iii. 442.—Ind. occ.  
 guaraniticum, Chod. & Hassl. in Bull. Herb. Boiss. Sér. II. iv. 483.—Parag.  
 Hassleri, Chod. in Bull. Herb. Boiss. Sér. II. iv. 483.—Parag.  
 macrandrium, Donn. Sm. in Coult. Bot. Gaz. xl. 3.—Am. cent.  
 mucronatum, Britton, in Shattuck, Bahama Is. 254.—Ind. occ.  
 parvifolium, Merrill, in Philipp. Gov. Lab. Bur. Bull. xxix. 19.—Ins. Philipp.  
 tomentosum, Micheli, in Mém. Soc. Phys. Hist. Nat. Genève, xxxiv. 285.—Mexic.
- PITTOSPORUM**, Banks (Pittospor.).  
 Antunesii, Engl. Jahrb. xxxii. (1902) 130.—Afr. trop.  
 Balansae, A. DC. in Bull. Herb. Boiss. Sér. II. iv. 1071.—Tonkin.  
 coccineum, Beauvis. Gen. Montrouz. 7 (= *Quinsonia coccinea*).—N. Caled.  
 odoratum, Merrill, in Philipp. Gov. Lab. Bur. Bull. xxxv. 16.—Ins. Philipp.  
 pentandrum, Merrill, l. c. 18.—Ins. Philipp.  
 rarotongense, Hemsl. in Trans. Linn. Soc. Ser. II. vi. 272.—Ins. Cook.
- PITURANTHOS**, Viv. (Umbellif.).  
 virgatus, Hochr. in Ann. Conserv. & Jard. Bot. Genève, vii-viii. 187 (= *Deverra virgata*).—Alger.
- PITYRODIA**, R. Br. (Verben.).  
 Depremesnilii, E. Pritz. in Engl. Jahrb. xxxv. 517 (= *Chloanthes Depremesnilii*).—Austral.  
 lepidota, E. Pritz. l. c. 516 (= *Chloanthes lepidota*).—Austral.  
 loricata, E. Pritz. l. c. (= *Chloanthes loricata*).—Austral.  
 Muellieriana, E. Pritz. l. c. 517 = viscida.  
 petiolaris, E. Pritz. l. c. 520.—Austral.  
 teckiana, E. Pritz. l. c. 521 (= *Chloanthes teckiana*).—Austral.  
 viscida, Fitzg. in Journ. W. Austral. Nat. Hist. Soc. i. 30.—Austral.
- PLACUS**, Lour. (Compos.).  
 [BLUMEA, DC. I. K.]  
 Solandri, S. Moore, in Journ. Bot. 1905, 141.—Austral.
- PLAGIANTHUS**, Forst. (Malvac.).  
 chathamicus, Cockayne, in Trans. N. Z. Inst. xxxiv. 319.—Ins. Chatham.
- PLAGIOLOPHUS**, Greenm. in Field Columb. Mus. Bot. iii. (1904) 125. COMPOSITAE.  
 Millsbaughii, Greenm. l. c. 126.—Mexic.
- PLANCHONELLA**, Van Tiegh. in Ann. Sci. Nat. Sér. VIII. xix. 39. OCHNACEAE.  
 disticha, Van Tiegh. l. c.—Peruv.
- PLANCHONIA**, Blume (Myrtac.).  
 andamanica, King, in Journ. As. Soc. Beng. lxx. 142.—Ins. Andaman.  
 spectabilis, Merrill, in Philipp. Gov. Lab. Bur. Bull. xvii. 30.—Ins. Philipp.
- PLANTAGO**, Linn. (Plantagin.).  
 Badali, Pau, in Bol. Soc. Espan. Hist. Nat. i. 156.—Eur.  
 carrenleofuensis, Speg. Nov. Add. Fl. Patag. ii. (1902), repr. 78.—Patag.  
 coelorrhiza, E. L. Morris & MacL. in Rep. Princeton Univ. Exped. Patag. viii. 734.—Patag.  
 ignota, E. L. Morris, in Bull. Torr. Bot. Club, 1901, 119.—Am. bor.  
 halophila, E. P. Bickn. in Britton, Man. Fl. N. U. S. 1051.—Am. bor.  
 nitrophila, A. Nelson, in Bull. Torr. Bot. Club, 1902, 405.—Am. bor.  
 oblonga, E. L. Morris, in Bull. Torr. Bot. Club, 1901, 119.—Am. bor.  
 obversa, E. L. Morris, l. c. 121.—Am. bor.  
 picta, E. L. Morris, l. c. 118.—Am. bor.  
 pulvinata, Speg. Nov. Add. Fl. Patag. ii. (1902), repr. 75.—Patag.  
 retrorsa, Greene, Pl. Baker. iii. 32.—Am. bor.  
 septata, E. L. Morris, in Bull. N. York Bot. Gard. ii. 182.—Am. bor.  
 shastensis, Greene, Pl. Baker. iii. 32.—Am. bor.  
 speciosa, E. L. Morris, in Bull. Torr. Bot. Club, 1901, 120.—Am. bor.  
 verticillata, E. L. Morris, l. c. 117.—Am. bor.
- PLANTINIA**, Bub. Fl. Pyren. iv. 268 = *Phleum*, Linn. (Gramin.).  
 alpina, Bub. l. c. 272 = *P. alpinum*.  
 arenaria, Bub. l. c. 273 = *P. arenarium*.  
 aspera, Bub. l. c. 269 = *P. asperum*.  
 cuspidata, Bub. l. c. 270 = *P. Michellii*.  
 cylindracea, Bub. l. c. 274 = *P. tenue*.  
 phalaroidea, Bub. l. c. 269 = *P. Boehmeri*.  
 pratensis, Bub. l. c. 270 = *P. pratense*.  
 Tournefortii, Bub. l. c. 273 = *Alopecurus Gerardi*.
- PLATANThERA**, Rich. (Orchid.).  
 [HABENARIA, Willd. I. K.]  
 albo-marginata, Kraenzl. Orch. Gen. et Sp. i. 939 (= *Habenaria albo-marginata*).—Reg. Himal.  
 angolensis, Schlechter, in Warb. Kunene-Sambesi Exped. 203.—Afr. trop.  
 Henryi, Rolfe, in Journ. Linn. Soc. xxxvi. 55 (= *Habenaria Henryi*).—China.  
 Inumae, Makino, in Bot. Mag. Tokyo, xvi. 89.—Japon.  
 juncea, Kraenzl. Orch. Gen. et Sp. i. 942 (= *Habenaria juncea*).—Reg. Himal.  
 Makinoi, Yabe, in Bot. Mag. Tokyo, xvii. 19.—Japon.  
 Matsudai, Makino, in Bot. Mag. Tokyo, xvi. 56.—Japon.  
 nematocaulon, Kraenzl. Orch. Gen. et Sp. i. 942 (= *Habenaria nematocaulon*).—Reg. Himal.  
 nipponica, Makino, in Bot. Mag. Tokyo, xvi. 153.—Japon.  
 Okuboi, Makino, l. c. xix. 25.—Japon.  
 rhodostachys, Schlechter, in Warb. Kunene-Sambesi Exped. 203.—Afr. trop.  
 Takedai, Makino, in Bot. Mag. Tokyo, xvii. 120.—Japon.  
 undulata, J. J. Sm. Orchid. Java, 27.—Java.  
 Yatabei, Maxim. in Matsum. Ind. Pl. Japon. ii. 262, nomen.—Japon.
- PLATANUS**, Linn. (Platan.).  
 glabrata, Fernald, in Proc. Amer. Acad. xxxvi. 493.—Mexic.
- PLATEILEMA**, Cockerell, in Bull. Torr. Bot. Club, 1904, 462. COMPOSITAE.  
 Palmeri, Cockerell, l. c. (= *Actinella Palmeri*).—Am. bor.
- PLATYCALYX**, N. E. Br. in Dyer, Fl. Cap. iv. i. 335 (1905). ERICACEAE.  
 pumila, N. E. Br. l. c.—Afr. austr.
- PLATYCARPHA**, Less. (Compos.).  
 parvifolia, S. Moore, in Journ. Bot. 1903, 136.—Afr. austr.
- PLATYCELYPHIUM**, Harms, in Engl. Jahrb. xxxviii. (1905) 74. LEGUMINOSAE.  
 cyananthum, Harms, l. c.—Afr. trop.
- PLATYCLINIS**, Benth. (Orchid.).  
 barbifrons, Kraenzl. in Gard. Chron. 1902, i. 366.—Sumatra.  
 brevibrata, Rendle, in Journ. Bot. 1901, 173.—Borneo.  
 odorata, Ridley, in Journ. As. Soc. Straits, xxxix. 72.—Penins. Mal.

**PLATYMISCIUM**, Vog. (Legum.).

dimorphandrum, *Donn. Sm. in Coult. Bot. Gaz.* xxxvii. 208.—Am. cent.

**PLATYPUS**, Small & Nash, in Small, Fl. S. E. U. S. 329 (1903). **ORCHIDACEAE**.  
papilliferus, *Small, l. c.*—Am. bor.**PLATYSTEMON**, Benth. (Papav.).

aculeolatus, *Greene, Pittonia*, v. 167.—Calif.  
acutatus, *Greene, l. c.* 187.—Calif.  
anemonoides, *Greene, l. c.* 177.—Calif.  
antoninus, *Greene, l. c.* 180.—Calif.  
arizonicus, *Greene, l. c.* 190.—Am. bor.  
arvorum, *Greene, l. c.* 174.—Calif.  
australis, *Greene, l. c.* 191.—Mexic.  
capsularis, *Greene, l. c.* 165.—Calif.  
cernuus, *Greene, l. c.* 193.—Calif.  
commixtus, *Greene, l. c.* 176.—Calif.  
communis, *Greene, l. c.* 169.—Calif.  
confinis, *Greene, l. c.* 176.—Am. bor.  
contortus, *Greene, l. c.* 175.—Calif.  
crenatus, *Greene, l. c.*—Calif.  
elegans, *Greene, l. c.* 178.—Calif.  
emarginatus, *Greene, l. c.* 172.—Calif.  
exsculptus, *Greene, l. c.* 182.—Calif.  
glyptolobus, *Greene, l. c.*—Calif.  
heterander, *Greene, l. c.* 181.—Calif.  
hispidulus, *Greene, l. c.* 193.—Calif.  
horridulus, *Greene, l. c.* 178.—Calif.  
hyacinthinus, *Greene, l. c.* 180.—Calif.  
leptander, *Greene, l. c.* 190.—Calif.  
leucanthus, *Greene, l. c.* 188.—Calif.  
mendocinus, *Greene, l. c.* 181.—Calif.  
microlobus, *Greene, l. c.* 189.—Calif.  
mohavensis, *Greene, l. c.* 176.—Am. bor.  
nigricans, *Greene, l. c.* 174.—Calif.  
nutans, *Greene, l. c.* 192.—Calif.  
obtectus, *Greene, l. c.* 186.—Calif.  
ornithopus, *Greene, l. c.* 167.—Calif.  
pectinatus, *Greene, l. c.* 184.—Calif.  
penicillatus, *Greene, l. c.* 185.—Calif.  
petrinus, *Greene, l. c.* 166.—Calif.  
pilosellus, *Greene, l. c.* 185.—Calif.  
proximus, *Greene, l. c.* 172.—Calif.  
purpuratus, *Greene, l. c.* 168.—Calif.  
quercetorum, *Greene, l. c.* 173.—Calif.  
remotus, *Greene, l. c.* 190.—Am. bor.  
rigidulus, *Greene, l. c.* 167.—Calif.  
rugosus, *Greene, l. c.* 183.—Calif.  
setosus, *Greene, l. c.* 194.—Calif.  
sphaerocarpus, *Greene, l. c.* 168.—Calif.  
subereus, *Greene, l. c.* 184.—Calif.  
tessellatus, *Greene, l. c.* 171.—Calif.  
tortuosus, *Greene, l. c.* 170.—Calif.  
turbidus, *Greene, l. c.* 188.—Calif.  
verecundus, *Greene, l. c.* 191.—Calif.  
villosus, *Greene, l. c.* 165.—Calif.

**PLECTIS**, O. F. Cook, in Bull. Torr. Bot. Club, 1904, 352. **PALMAE**.  
Oweniana, *O. F. Cook, l. c.* 353.—Am. cent.**PLECTRANTHUS**, L'Hérit. (Labiata).

adenophorus, *Guerke, in Engl. Jahrb.* xxx. 398.—Afr. trop.  
albocaeruleus, *N. E. Br. in Kew Bull.* 1901, 130.—Afr. trop.  
albo-violaceus, *Guerke, in Engl. Jahrb.* xxx. 397.—Afr. trop.  
amaniensis, *Guerke, l. c.* xxxvi. 134.—Afr. trop.  
andongensis, *K. Schum. in Just's Jahresb.* xxviii. i. 486 (= *Germanea andongensis*).—Afr. trop.  
arthropodus, *Brig. in Bull. Herb. Boiss. Sér. II.* iii. 1073.—Afr. austr.  
Baumii, *Guerke, in Warb. Kunene-Sambesi Exped.* 356.—Afr. trop.  
concinus, *K. Schum. in Just's Jahresb.* xxviii. i. 486 (= *Germanea concinna*).—Afr. trop.  
Coppini, *Heck. in Rev. Cult. Colon.* viii. 164.—Afr. trop.  
coreanus, *Vaniot, in Bull. Acad. Géogr. Bot.* xiv. (1904) 166.—China.  
crassus, *N. E. Br. in Gard. Chron.* 1904, i. 21; *Bot. Mag.* t. 8030.—Afr. trop.  
Dinteri, *Brig. in Bull. Herb. Boiss. Sér. II.* iii. 1070.—Afr. trop.  
dolichopodus, *Brig. l. c.* 1069.—Afr. austr.  
Draconis, *Brig. l. c.* 1071.—Afr. austr.  
elegantulus, *Brig. l. c.* 1005.—Afr. austr.

**PLECTRANTHUS** :—

Ellenbeckii, *Guerke, in Engl. Jahrb.* xxxvi. 132.—Afr. trop.  
grallatus, *Brig. in Bull. Herb. Boiss. Sér. II.* iii. 1004.—Afr. austr.  
Guerkei, *Brig. in Ann. Conserv. & Jard. Bot. Genève*, vii–viii. 323 (= *Germanea Guerkei*).—Afr. trop.  
hararensis, *Guerke, in Engl. Jahrb.* xxxvi. 132.—Afr. trop.  
horridus, *K. Schum. in Just's Jahresb.* xxviii. i. 486 (= *Germanea horrida*).—Afr. trop.  
intrusus, *Brig. in Bull. Herb. Boiss. Sér. II.* i. 834.—Afr. trop.  
keniensis, *S. Moore, in Journ. Bot.* 1901, 264.—Afr. trop.  
Krookii, *Guerke, ex A. Zahlbr. in Ann. Nat. Hofmus. Wien*, xx. (1905) 48.—Afr. austr.  
Mahonii, *N. E. Br. ex Hook. f. in Bot. Mag.* t. 7818.—Afr. trop.  
mbaluensis, *Guerke, in Engl. Jahrb.* xxxvi. 136.—Afr. trop.  
myrianthus, *Brig. in Bull. Herb. Boiss. Sér. II.* iii. 1001.—Afr. austr.  
Neumannii, *Guerke, in Engl. Jahrb.* xxxvi. 131.—Afr. trop.  
nummularius, *Brig. in Bull. Herb. Boiss. Sér. II.* iii. 1072.—Afr. austr.  
pachystachyus, *Brig. l. c.* 1008.—Afr. austr.  
rhomboideus, *Guerke, in Engl. Jahrb.* xxxvi. 135.—Afr. trop.  
sangerawensis, *Guerke, l. c.* 134.—Afr. trop.  
saxatilis, *Guerke, l. c.* 133.—Afr. trop.  
sculponeatus, *Vaniot, in Bull. Acad. Géogr. Bot.* xiv. (1904) 167.—China.  
transvaalensis, *Brig. in Bull. Herb. Boiss. Sér. II.* iii. 1005.—Afr. austr.  
ugandensis, *S. Moore, in Journ. Linn. Soc.* xxxvii. 200.—Afr. trop.

**PLECTRITIS**, DC. (Valerian.).

[*VALERIANELLA*, Tourn. I. K.]  
minor, *Abrams, Fl. Los Angeles*, 392 (= *Valerianella macrocera*).—Calif.

**PLECTRONIA**, Linn. (Rubiace.).

cornelioides, *Wildem. in Ann. Mus. Congo, Sér. IV.* 159.—Afr. trop.  
Dewevrei, *Wildem. l. c.* Sér. V. i. 203.—Afr. trop.  
Gentilii, *Wildem. l. c.* 82.—Afr. trop.  
grisea, *F. N. Williams, in Bull. Herb. Boiss. Sér. II.* v. 953 (= *Canthium griseum*).—Siam.  
lamprophylla, *K. Schum. in Engl. Jahrb.* xxxiv. 335.—Afr. trop.  
macrocarpa, *K. Schum. l. c.* xxxiii. 351.—Afr. trop.  
minutiflora, *K. Schum. l. c.* 352.—Afr. austr.  
orbicularis, *K. Schum. in Warb. Kunene-Sambesi Exped.* 388.—Afr. trop.  
psychotrioides, *K. Schum. ex Wildem. in Ann. Mus. Congo, Sér. IV.* 228.—Afr. trop.  
pulchra, *K. Schum. ex Wildem. l. c.* 229.—Afr. trop.  
scaberrima, *K. Schum. in Engl. Jahrb.* xxxii. (1902) 145.—Afr. trop.  
Schmidtii, *J. Schmidt, in Bot. Tidsskr.* xxiv. 336.—Malaya.  
sclerocarpa, *K. Schum. in Engl. Jahrb.* xxxiv. 334.—Afr. trop.  
siamensis, *Harms, in Bot. Tidsskr.* xxiv. 335.—Malaya.  
stipulata, *Wildem. Pl. Nov. Hort. Thén.* t. 38.—Afr. trop.  
tomentosa, *Wildem. in Ann. Mus. Congo, Sér. V.* i. 83.—Afr. trop.  
Wightii, *T. Cooke, Fl. Bombay*, i. 606.—Ind. or.  
xanthotricha, *K. Schum. in Engl. Jahrb.* xxxiv. 335.—Afr. trop.

**PLECTROPHORA**, H. C. Focke (Orchid.).

[*COMPARETTIA*, Poepp. & Endl. I. K.]  
cultrifolia, *Cogn. in Mart. Fl. Bras.* iii. vi. 185 (= *Fansenia cultrifolia*).—Bras.

**PLEIOCARDIA**, Greene, Leaflets Bot. Obs. i. (1904) 85. **CRUCIFERAE**.

Breweri, *Greene, l. c.* 86 (= *Streptanthus Breweri*).—Calif.  
fenestrata, *Greene, l. c.*—Calif.  
foliosa, *Greene, l. c.* (= *Streptanthus foliosus*).—Am. bor.  
gracilis, *Greene, l. c.* (= *Streptanthus gracilis*).—Calif.  
hesperidis, *Greene, l. c.* (= *Streptanthus hesperidis*).—Calif.

**PLEIOCARDIA** :—

magna, *Greene, Leaflets Bot. Obs. i.* (1904) 87.—Calif.  
orbiculata, *Greene, l. c.* 86 (= *Streptanthus orbiculatus*).—Calif.  
suffrutescens, *Greene, l. c.* (= *Streptanthus suffrutescens*).—Calif.  
tortuosa, *Greene, l. c.* (= *Streptanthus tortuosus*).—Calif.

**PLEIOCARPA**, Benth. (Apocyn.).

breviloba, *Stapf, in Dyer, Fl. Trop. Afr.* iv. i. 102 (= *Hunteria breviloba*).—Afr. trop.  
camerunensis, *Stapf, l. c.* (= *Hunteria camerunensis*).—Afr. trop.  
flavescens, *Stapf, l. c.* 101.—Afr. trop.  
micrantha, *Stapf, l. c.* 100.—Afr. trop.  
microcarpa, *Stapf, l. c.* 102.—Afr. trop.  
pyncnantha, *Stapf, l. c.* 99 (= *Hunteria pyncnantha*).—Afr. trop.  
salicifolia, *Stapf, l. c.*—Afr. trop.

**PLEIOCERAS**, Baill. (Apocyn.).

Afzelii, *Stapf, in Dyer, Fl. Trop. Afr.* iv. i. 166 (= *Wrightia Afzelii*).—Afr. trop.  
Gilletii, *Stapf, l. c.* 167.—Afr. trop.  
Whytei, *Stapf, l. c.* 604.—Afr. trop.  
Zenkeri, *Stapf, l. c.* 166.—Afr. trop.

**PLEIONE**, D. Don (Orchid.).

[*COELOGYNE*, Lindl. I. K.]  
bulbocodioides, *Rolfe, in Orch. Rev.* xi. 291 (= *Coelogyne bulbocodioides*).—China.  
Delavayi, *Rolfe, l. c.* (= *Coelogyne Delavayi*).—China.  
grandiflora, *Rolfe, l. c.* (= *Coelogyne grandiflora*).—China.  
pogonioides, *Rolfe, l. c.* (= *Coelogyne pogonioides*).—China.  
yunnanensis, *Rolfe, l. c.* 292 (= *Coelogyne yunnanensis*).—China.

**PLEIOSTACHYA**, K. Schum. in Engl. Pflanzenreich,

Marant. (1902) 164. **MARANTACEAE**.  
Morlaei, *K. Schum. l. c.* 165 (= *Ischnosiphon Morlaei*).—Ecuador.

**PLEIOTAXIS**, Steetz (Compos.).

huillensis, *O. Hoffm. in Engl. Jahrb.* xxxii. (1902) 152.—Afr. trop.  
vermonioides, *S. Moore, in Journ. Linn. Soc.* xxxv. 365.—Afr. trop.

**PLEODIPOROCHNA**, Van Tiegh. in Ann. Sci. Nat. Sér. VIII. xviii. (1903) 58. **OCHNACEAE**.

Buettneri, *Van Tiegh. l. c.* (= *Ochna Buettneri*).—Afr. trop.

**PLEOPETALUM**, Van Tiegh. in Bull. Mus. Hist. Nat. Par. ix. (1903) 163; et in Journ. de Bot. xvii. (1903) 98. **OCHNACEAE**.

Gaudichaudii, *Van Tiegh. in Ann. Sci. Nat. Sér. VIII.* xviii. 47.—Ind. or.  
Leschenaultii, *Van Tiegh. l. c.* 46.—Ind. or.  
lucidum, *Van Tiegh. l. c.* 45 (= *Ochna lucida*).—Ind. or.  
obtusatum, *Van Tiegh. l. c.* (= *Gomphia obtusata*).—Ind. or.

**PLEOURATEA**, Van Tiegh. in Bull. Mus. Hist. Nat. Par. viii. (1902) 546. **OCHNACEAE**.

pubescens, *Van Tiegh. in Ann. Sci. Nat. Sér. VIII.* xvi. 243 (= *Gomphia pubescens*).—Bras.

**PLEURICOSPORA**, A. Gray (Monotrop.).

longipetala, *Howell, Fl. N. W. Amer.* i. 429.—Am. bor.

**PLEUROGYNA**, Eschsch. (Gentian.).

fontana, *A. Nelson, in Proc. Biol. Soc. Washington*, xvii. 177.—Am. bor.  
macrantha, *Diels & Gilg, in Futterer, Durch Asien*, Bot. repr. 17.—Tibet.

**PLEUROPHORA**, D. Don (Lythrac.).

annulosa, *Koehne, in Engl. Pflanzenreich, Lythrac.* 181.—Bolivia.

**PLEURORIDGEA**, Van Tiegh. in Bull. Mus. Hist. Nat. Par. viii. (1902) 215. **OCHNACEAE**.

alboserata, *Van Tiegh. in Journ. de Bot.* xvi. 204 (= *Ochna alboserata*).—Afr. trop.  
Bussei, *Van Tiegh. in Ann. Sci. Nat. Sér. VIII.* xviii. 59 (= *Brackenridgea Bussei*).—Afr. trop.

**PLEURORIDGEA** :—

ferruginea, *Van Tiegh. in Journ. de Bot.* xvi. 204 (= *Ochna ferruginea*).—Afr. trop.  
Lasti, *Van Tiegh. l. c.*—Afr. trop.  
zanguebarica, *Van Tiegh. l. c.* 203 (= *Brackenridgea zanguebarica*).—Afr. trop.

**PLEUOSPERMUM**, Hoffm. (Umbellif.).

Wrightianum, *Boissieu, in Bull. Herb. Boiss. Sér. II.* iii. 847.—China.

**PLEUOTHALLIS**, R. Br. (Orchid.).

bupleurifolia, *Porsch, in Oesterr. Bot. Zeitschr.* 1905, 159.—Bras.  
laxiflora, *Porsch, l. c.* 155.—Bras.  
Montserratii, *Porsch, l. c.* 158.—Bras.  
nigro-hirsuta, *Kraenzl. in Fedde, Repert. Nov. Sp. i.* 91.—Peruv.  
ocellata, *Porsch, in Oesterr. Bot. Zeitschr.* 1905, 156.—Bras.  
ochracea, *Porsch, l. c.*—Bras.  
penduliflora, *Kraenzl. in Fedde, Repert. Nov. Sp. i.* 177.—Peruv.  
roraimensis, *Rolfe, in Trans. Linn. Soc. Ser. II. vi.* 58.—Guiana.  
sulcata, *Porsch, in Oesterr. Bot. Zeitschr.* 1905, 157.—Bras.  
trachysepala, *Kraenzl. in Fedde, Repert. Nov. Sp. i.* 178.—Peruv.  
verruculosa, *Kraenzl. l. c.* 177.—Peruv.  
versicolor, *Porsch, in Oesterr. Bot. Zeitschr.* 1905, 155.—Bras.  
vitellina, *Porsch, l. c.* 158.—Bras.

**PLICOURATEA**, *Van Tiegh. in Bull. Mus. Hist.*

Nat. Par. viii. (1902) 373. *OCHNACEAE*.  
bicolor, *Van Tiegh. in Ann. Sci. Nat. Sér. VIII.* xvi. 223.—Bras.  
Conegi, *Van Tiegh. l. c.* xviii. 7; et in *Bull. Mus. Hist. Nat. Par.* 1903, 33.—Bras.  
granulosa, *Van Tiegh. l. c.*; et *l. c.* 32.—Bras.  
Luschnathiana, *Van Tiegh. l. c.* 146.—*Ann. Sci. Nat. Sér. VIII.* xvi. 223 (= *Gomphia Luschnathiana*).—Bras.  
parviflora, *Van Tiegh. in Journ. de Bot.* xvi. 190 (= *Gomphia parviflora*).—Bras.  
Planchoniana, *Van Tiegh. l. c.*—Bras.  
Riedeli, *Van Tiegh. in Ann. Sci. Nat. Sér. VIII.* xvi. 224.—Bras.  
vernica, *Van Tiegh. l. c.* xviii. 7; et in *Bull. Mus. Hist. Nat. Par.* 1903, 33.—Bras.

**PLOGLOTTIS**, Blume (Orchid.).

neohibernica, *Schlechter, in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 145.—Ins. Bismarck.  
pubiflora, *Schlechter, l. c.* 146.—N. Guin.

**PLUCHEA**, Cass. (Compos.).

caspia, *O. Hoffm. ex Paulsen, in Kjoeb. Vidensk. Meddel.* 1903, 147 (= *Karelinia caspia*).—As. cent.  
Eggersii, *Urb. Symb. Antill.* iii. 407.—Ind. occ.

**PLUMARIA**, Bub. Fl. Pyren. iv. 195 = **ERIOPHORUM**, Linn. (Cyperac.).

alpina, Bub. l. c. 247 = *E. alpinum*.  
angustifolia, Bub. l. c. 195 = *E. angustifolium*.  
latifolia, Bub. l. c. = *E. latifolium*.  
Scheuchzeri, Bub. l. c. 247 = *E. Scheuchzeri*.  
vaginata, Bub. l. c. 196 = *E. vaginatum*.

**PLUMIERIA**, Linn. (Apocyn.).

biglandulosa, *Urb. Symb. Antill.* iii. 337.—Ind. occ.  
domingensis, *Urb. l. c.* 338.—Ind. occ.  
gibbosa, *Urb. l. c.*—Ind. occ.  
inaguensis, *Britton, in Bull. N. York Bot. Gard.* iii. 448.—Ind. occ.  
latifolia, *Pilg. in Engl. Jahrb.* xxx. 183.—Bras.  
Marchii, *Urb. Symb. Antill.* iii. 334.—Ind. occ.  
Paulinae, *Urb. l. c.* 336.—Ind. occ.  
stenopetala, *Urb. l. c.* 335.—Ind. occ.

**PNEUMONANTHE**, Gleditsch (Gentian.).

[*GENTIANA*, Tourn. I. K.]  
affinis, *Greene, Leaflets Bot. Obs. i.* 71 (= *Gentiana affinis*).—Am. bor.  
Bigelovii, *Greene, l. c.* (= *Gentiana Bigelovii*).—Am. bor.  
bracteosa, *Greene, l. c.* (= *Gentiana bracteosa*).—Am. bor.

**PNEUMONANTHE** :—

calycosa, *Greene, Leaflets Bot. Obs. i.* 71 (= *Gentiana calycosa*).—Am. bor.  
clausa, *Greene, l. c.* (= *Gentiana clausa*).—Am. bor.  
decora, *Greene, l. c.* (= *Gentiana decorata*).—Am. bor.  
flavida, *Greene, l. c.* (= *Gentiana flavida*).—Am. bor.  
Forwoodii, *Greene, l. c.* (= *Gentiana Forwoodii*).—Am. bor.  
interrupta, *Greene, l. c.* (= *Gentiana interrupta*).—Am. bor.  
latifolia, *Greene, l. c.* (= *Dasystephana latifolia*).—Am. bor.  
linearis, *Greene, l. c.* (= *Gentiana linearis*).—Am. bor.  
Menziesii, *Greene, l. c.* (= *Gentiana Menziesii*).—Calif.  
Newberryi, *Greene, l. c.* (= *Gentiana Newberryi*).—Am. bor.  
oregana, *Greene, l. c.* (= *Gentiana oregana*).—Am. bor.  
Parryi, *Greene, l. c.* (= *Gentiana Parryi*).—Am. bor.  
parvifolia, *Greene, l. c.* (= *Dasystephana parvifolia*).—Am. bor.  
platypetala, *Greene, l. c.* (= *Gentiana platypetala*).—Ins. Sitcha.  
Porphyrio, *Greene, l. c.* (= *Gentiana Porphyrio*).—Am. bor.  
puberula, *Greene, l. c.* (= *Gentiana puberula*).—Am. bor.  
remota, *Greene, l. c.* (= *Gentiana remota*).—Am. bor.  
Rusbyi, *Greene, l. c.* (= *Gentiana Rusbyi*).—N. Mexic.  
Saponaria, *Greene, l. c.* (= *Gentiana Saponaria*).—Am. bor.  
spectrum, *Greene, l. c.* (= *Gentiana spectrum*).—Am. bor.  
setigera, *Greene, l. c.* (= *Gentiana setigera*).—Calif.  
spathacea, *Greene, l. c.* (= *Gentiana spathacea*).—Mexic.

**POA**, Linn. (Gramin.).

aequatoriensis, *Hack. in Oesterr. Bot. Zeitschr.* 1902, 450.—Ecuador.  
alcea, *Piper, in Bull. Torr. Bot. Club*, 1905, 436.—Am. bor.  
ampla, *Merrill, in Rhodora*, iv. 145.—Am. bor.  
brachyglossa, *Piper, in Proc. Biol. Soc. Washington*, xviii. 145.—Am. bor.  
callichroa, *Rydb. in Bull. Torr. Bot. Club*, 1905, 603.—Am. bor.  
Canbyi, *Howell, Fl. N. W. Amer.* i. 764.—Am. bor.  
chathamica, *Petrie, in Trans. Proc. N. Z. Inst.* xxxiv. 394.—Ins. Chatham.  
Cheesemani, *Hack. in Trans. Proc. N. Z. Inst.* xxxv. 383.—N. Zel.  
chubutensis, *Speg. in Anal. Mus. Buenos Aires*, vii. 196.—Patag.  
confusa, *Rydb. in Bull. Torr. Bot. Club*, 1905, 607.—Am. bor.  
Cottoni, *Piper, in Proc. Biol. Soc. Washington*, xviii. 146.—Am. bor.  
cucullata, *Hack. in Oesterr. Bot. Zeitschr.* 1902, 377.—Ecuador.  
eligulata, *Hack. l. c.* 375.—Eur.  
erinacea, *Speg. in Anal. Mus. Buenos Aires*, vii. 198.—Patag.  
Faberii, *Rendle, in Journ. Linn. Soc.* xxxvi. 423.—China.  
Foucaudii, *Hack. in Ann. Conserv. & Jard. Bot. Genève*, ix. (1905) 112.—Corsica.  
glabrescens, *Nash, in Small, Fl. S. E. U. S.* 154.—Am. bor.  
gracillima, *Rendle, in Journ. Linn. Soc.* xxxvi. 424.—China.  
Grisebachii, *R. Fries, in Nov. Act. Soc. Sci. Upsal.* Ser. IV. i. no. 1, 182.—Reg. Argent.  
heterogama, *Hack. in Rec. Albany Mus.* i. 112.—Afr. austr.  
Hieronymi, *Hack. in Oesterr. Bot. Zeitschr.* 1902, 380.—Reg. Argent.  
incrassata, *Petrie, in Trans. Proc. N. Z. Inst.* xxxiv. 394.—N. Zel.  
interior, *Rydb. in Bull. Torr. Bot. Club*, 1905, 604.—Am. bor.  
irrigata, *Lindm. in Bot. Notiser*, 1905, 73, 88.—Scandin.  
Jelskii, *Hack. in Oesterr. Bot. Zeitschr.* 1902, 454.—Peruv.  
kurilensis, *Hack. in Bull. Herb. Boiss. Sér. II.* iv. 524.—Ins. Kurile.

**POA** :—

Kurtzii, *R. Fries, in Nov. Act. Soc. Sci. Upsal.* Ser. IV. i. no. 1, 183.—Reg. Argent.  
laetevirens, *R. Fries, l. c.* 181.—Reg. Argent.  
laeviculmis, *T. A. Williams, ex Elmer, in Coult. Bot. Gaz.* xxxvi. 55.—Am. bor.  
laevigata, *Scribn. in Britton, Man. Fl. N. U. S.* 141.—Am. bor.  
leioclada, *Hack. in Oesterr. Bot. Zeitschr.* 1902, 452.—Ecuador.  
macroclada, *Rydb. in Bull. Torr. Bot. Club*, 1905, 604.—Am. bor.  
Mariesii, *Rendle, in Journ. Linn. Soc.* xxxvi. 425.—China.  
masenderana, *Frey & Sint. in Bull. Herb. Boiss. Sér. II.* ii. 915.—Orien.  
Matthewsii, *Petrie, in Trans. Proc. N. Z. Inst.* xxxiv. 392.—N. Zel.  
monandra, *Hack. in Oesterr. Bot. Zeitschr.* 1902, 376.—Peruv.  
Multnomae, *Piper, in Bull. Torr. Bot. Club*, 1905, 435.—Am. bor.  
nematophylla, *Rydb. in Bull. Torr. Bot. Club*, 1905, 606.—Am. bor.  
novae-zelandiae, *Hack. in Trans. Proc. N. Z. Inst.* xxxv. 381.—N. Zel.  
nudiflora, *Hack. in Oesterr. Bot. Zeitschr.* 1902, 453.—Turkest.  
pachypholis, *Piper, in Proc. Biol. Soc. Washington*, xviii. 146.—Am. bor.  
phoenicea, *Rydb. in Bull. Torr. Bot. Club*, 1905, 605.—Am. bor.  
pichinchensis, *Hack. in Oesterr. Bot. Zeitschr.* 1903, 199.—Ecuador.  
plicata, *Hack. l. c.* 1902, 378.—Reg. Argent.  
polyphylla, *Hack. in Trans. Proc. N. Z. Inst.* xxxv. 383.—Ins. Kermadec.  
Prichardi, *Rendle, in Journ. Bot.* 1904, 324.—Patag.  
prolixior, *Rendle, in Journ. Linn. Soc.* xxxvi. 427.—China.  
pudica, *Rydb. in Bull. Torr. Bot. Club*, 1905, 603.—Am. bor.  
pugionifolia, *Speg. in Anal. Mus. Buenos Aires*, vii. 199.—Patag.  
seticulmis, *Petrie, in Trans. Proc. N. Z. Inst.* xxxiv. 391.—N. Zel.  
subpurpurea, *Rydb. in Bull. Torr. Bot. Club*, 1905, 606.—Am. bor.  
tianschanica, *Hack. ex O. Fedtsch. Pl. Pamir*, 75.—As. cent.  
trachyphylla, *Hack. in Oesterr. Bot. Zeitschr.* 1902, 379 = *pichinchensis*.  
tricholepis, *Rydb. in Bull. Torr. Bot. Club*, 1905, 606.—Am. bor.  
truncata, *Rydb. l. c.* 607.—Am. bor.  
tuberifera, *Faurie, ex Hack. in Oesterr. Bot. Zeitschr.* 1902, 451.—Japon.  
viridula, *Palib. in Act. Hort. Petrop.* xix. 135.—As. bor.  
Williamsii, *Nash, in Bull. N. Y. Bot. Gard.* ii. 156.—Am. bor.

**PODANTHUM**, Boiss. (Campan.).

[*PHYTEUMA*, Linn. I. K.]  
Aizoon, *Hauskn. in Mitth. Thüring. Bot. Ver.* n. s. xx. 37.—As. Min.  
cordifolium, *Hauskn. l. c.* 33 (= *Campanula michauxioides*).—As. Min.  
obtusifolium, *Hauskn. l. c.* 37.—As. Min.  
Sintenisii, *Hauskn. l. c.* 35.—As. Min.

**PODOCARPUS**, Pers. (Conif.).

gracilior, *Pilg. in Engl. Pflanzenreich, Taxac.* 71.—Afr. trop.  
Harmsianus, *Pilg. l. c.* 68.—Reg. Andin.  
Koordersii, *Pilg. ex Koord. & Valet. in Meded. 'S Lands Plantent.* lxviii. 268.—Java.  
Ladei, *F. M. Bailey, in Queensl. Agric. Journ.* xv. 899.—Austral.  
longefoliolatus, *Pilg. in Engl. Pflanzenreich, Taxac.* 79.—N. Caled.  
Nagi, *Pilg. l. c.* 60 = *P. Nageia*.  
Parlatorei, *Pilg. l. c.* 86.—Reg. Andin.  
rivularis, *Pancher, ex Pilg. l. c.* 76 = *Novae-Caledoniae*.  
Urbanii, *Pilg. l. c.* 89.—Ind. occ.  
usambarensis, *Pilg. l. c.* 70.—Afr. trop.  
utilior, *Pilg. in Fedde, Repert. Nov. Sp. i.* 189.—Peruv.

**PODOCHILUS**, Blume (Orchid.).

- anomalus, *Schlechter*, in *K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 116.—N. Guin.  
 appendiculatus, *J. F. Sm. in Bull. Inst. Buitenz.* vii. 2.—Arch. Mal.  
 dendrobioides, *Schlechter*, in *K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 117.—N. Guin.  
 densifolia, *Ridley*, in *Journ. As. Soc. Straits*, xxxix. 86.—Penins. Mal.  
 flaccidus, *Schlechter*, in *K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 117.—N. Guin.  
 imitans, *Schlechter*, l. c. 118.—N. Guin.  
 montanus, *Schlechter*, l. c. 119.—N. Guin.  
 neo-pommeranicus, *Schlechter*, l. c.—Ins. Bismarck.  
 niveus, *Schlechter*, l. c. 120.—N. Guin.  
 oxysepalus, *Schlechter*, l. c.—N. Guin.  
 polystachius, *Schlechter*, l. c. 121.—Ins. Bismarck.  
 polytrichoides, *Schlechter*, l. c. 122.—N. Guin.  
 pseudopendulus, *Schlechter*, l. c.—N. Guin.  
 Smithianus, *Schlechter*, l. c. 123.—N. Guin.  
 Steffensianus, *Schlechter*, l. c. 124.—N. Guin.  
 tenuispica, *Schlechter*, l. c.—N. Guin.

**PODOCYBE**, K. Schum. in *Just. Jahresb.* xxvii. i. 491, sphalm. = **Pogocybe**, Pierre (Legum.).

**PODOLEPIS**, Labill. (Compos.).

- capillaris, *Diels*, in *Engl. Jahrb.* xxxv. 621 (= *Siemensia capillaris*).—Austral.  
 Georgei, *Diels*, l. c. 619.—Austral.

**PODOSTEMON**, Michx. (Podost.).

- Barberi, *Willis*, in *Ann. Bot. Gard. Perad.* i. 230.—Ind. or.

**PODRANEA**, Sprague, in *Dyer, Fl. Cap.* iv. ii. 449 (1904). **BIGNONIACEAE**.  
 Ricasoliana, *Sprague*, l. c. 450 (= *Tecoma Ricasoliana*).—Afr. austr.

**POECILOCHROMA**, Miers (Solan.).

- Sodiroti, *Damm*, in *Engl. Jahrb.* xxxvi. 387.—Ecuador.

**POGONIA**, Juss. (Orchid.).

- lenheirensis, *Barb. Rodr. Contrib. Jard. Bot. Rio de Janeiro*, i. 47.—Bras.  
 Mackinnoni, *Duthie*, in *Journ. As. Soc. Beng.* lxxi. 43.—Ind. or.

**POGOSTEMON**, Desf. (Labiata.).

- philippinensis, *S. Moore*, in *Journ. Bot.* 1905, 146.—Ins. Philipp.

**POINCIANA**, Tourn. (Legum.).

- pauciflora, *Small, Fl. S. E. U. S.* 591 (= *Lebidibia pauciflora*).—Am. bor.

**POINSETTIA**, R. Grah. (Euphorb.).

- [**EUPHORBIA**, Linn. I. K.]  
 barbellata, *Small, Fl. S. E. U. S.* 722 (= *Euphorbia barbellata*).—Am. bor.  
 cuphosperma, *Small, l. c.* 721 (= *Euphorbia cuphosperma*).—Am. bor.  
 dentata, *Small, l. c.* 722 (= *Euphorbia dentata*).—Am. bor.  
 geniculata, *Small, l. c.* (= *Euphorbia geniculata*).—Am. bor.  
 havanensis, *Small, l. c.* (= *Euphorbia havanensis*).—Am. bor. et trop.  
 heterophylla, *Small, l. c.* (= *Euphorbia heterophylla*).—Am. bor. et trop.

**POLEMONIELLA**, A. A. Heller, Muhlenbergia, i. (1904) 57. **POLEMONIACEAE**.

- micrantha, A. A. Heller, l. c. (= *Polemonium micranthum*).—Am. bor.

**POLEMONIUM**, Linn. (Polemon.).

- albiflorum, *Eastw. in Coult. Bot. Gaz.* xxxvii. 437.—Am. bor.  
 Archibaldae, A. Nelson, in *Coult. Bot. Gaz.* xxxi. 397.—Am. bor.  
 Berryi, *Eastw. in Coult. Bot. Gaz.* xxxvii. 440.—Calif.  
 californicum, *Eastw. l. c.* 437.—Calif.  
 calycinum, *Eastw. l. c.* 438.—Calif.  
 delicatum, *Rydb. in Bull. Torr. Bot. Club*, 1901, 29.—Am. bor.  
 fasciculatum, *Eastw. in Coult. Bot. Gaz.* xxxvii. 442.—Am. bor.  
 grande, *Greene, Leaflets Bot. Obs.* i. 153.—Am. bor.

**POLEMONIUM** :—

- Grayanum, *Rydb. in Bull. Torr. Bot. Club*, 1904, 635.—Am. bor.  
 molle, *Greene, Leaflets Bot. Obs.* i. 153.—Am. bor.  
 montrosensis, A. Nelson, in *Proc. Biol. Soc. Washington*, xviii. 174.—Am. bor.  
 pterospermum, *Nelson & Cockerell, in Proc. Biol. Soc. Washington*, xvi. 45.—Am. bor.  
 robustum, *Rydb. in Bull. Torr. Bot. Club*, 1904, 635.—Am. bor.  
 rotatum, *Eastw. in Coult. Bot. Gaz.* xxxvii. 441.—Am. bor.  
 shastense, *Eastw. in Bull. Torr. Bot. Club*, 1905, 205.—Calif.  
 speciosum, *Rydb. in Bull. Torr. Bot. Club*, 1901, 29.—Am. bor.  
 Tevisii, *Eastw. in Coult. Bot. Gaz.* xxxvii. 440.—Calif.  
 tricolor, *Eastw. l. c.* 439.—Calif.

**POLIANTHES**, Linn. (Amaryll.).

- durangensis, *Rose, in U. S. Dept. Agric. Contrib. Nat. Herb.* viii. 9.—Mexic.  
 elongata, *Rose, in Proc. U. S. Nat. Mus.* xxix. (1905) 437.—Mexic.  
 geminiflora, *Rose, in U. S. Dept. Agric. Contrib. Nat. Herb.* viii. 12 (= *Bravoa geminiflora*).—Mexic.  
 graminifolia, *Rose, l. c.* 11.—Mexic.  
 longiflora, *Rose, l. c.* 10.—Mexic.  
 montana, *Rose, l. c.* 11.—Mexic.  
 Nelsoni, *Rose, l. c.* 10.—Mexic.  
 palustris, *Rose, l. c.* 9.—Mexic.  
 platyphylla, *Rose, l. c.* 11.—Mexic.  
 Pringlei, *Rose, l. c.* 10.—Mexic.  
 sessiliflora, *Rose, l. c.* (= *Bravoa sessiliflora*).—Mexic.

**POLLIA**, Thunb. (Commelin.).

- bracteata, K. Schum. in *Engl. Jahrb.* xxxiii. 375.—Afr. trop.  
 cyanocarpa, K. Schum. l. c. 376.—Afr. trop.

**POLLINIA**, Trin. (Gramin.).

- cantonensis, *Rendle, in Journ. Linn. Soc.* xxxvi. 354.—China.  
 conjugata, *Prain, in Rec. Bot. Surv. India*, iii. 314 (= *Andropogon conjugatus*).—Ind. or.

**POLYACHYRUS**, Lag. (Compos.).

- selinoides, *Reiche, Fl. Chile*, iv. 374.—Chili.

**POLYADOA**, Stapf, in *Dyer, Fl. Trop. Afr.* iv. i. 103 (1902). **APOCYNACEAE**.

- Elliotii, *Stapf, l. c.* 104.—Afr. trop.  
 umbellata, *Stapf, l. c.* 103 (= *Carpodinus umbellata*).—Afr. trop.

**POLYALTHIA**, Blume (Anonac.).

- Barnesii, *Merrill, in Philipp. Gov. Lab. Bur. Bull.* xvii. 15.—Ins. Philipp.  
 Cumingiana, *Merrill, l. c.* xxxv. 71.—Ins. Philipp.  
 flava, *Merrill, l. c.* 12.—Ins. Philipp.  
 longipes, *Koord. & Valet, in Meded. 'S Lands Plantent.* lxi. 293 (= *Monoon longipes*).—Java.  
 nemoralis, *Aug. DC. in Bull. Herb. Boiss. Sér. II.* iv. 1069.—Tonkin.  
 pulcherrima, *Boerl. in Ic. Bogor.* 106.—Borneo.  
 sphaerocarpa, *Boerl. ex Koord. & Valet. Meded. 'S Lands Plantent.* lxi. 289.—Java.  
 suaveolens, *Engl. & Diels, in Engl. Monogr. Afr. Pfl.* vi. 42.—Afr. trop.

**POLYANDROCOCOS**, Barb. Rodr. in *Contrib. Jard.*

- Bot. Rio de Janeiro, i. 7 (1901). **PALMAE**.  
 caudescens, *Barb. l. c.* 8 (= *Diplothemium caudescens*).—Bras.  
 pectinata, *Barb. Rodr. l. c.* (= *Diplothemium pectinatum*).—Bras.  
 Torallyi, *Barb. Rodr. l. c.* (= *Diplothemium Torallyi*).—Bras.

**POLYANTHEMUM**, Bub. Fl. Pyren. iv 155 =

- Leucojum**, Linn. (Amaryll.).  
 aestivale, Bub. l. c. = *L. aestivum*.

**POLYCARENA**, Benth. (Scrophul.).

- arenaria, *Hiern, in Dyer, Fl. Cap.* iv. ii. 330.—Afr. austr.  
 collina, *Hiern, l. c.* 325.—Afr. austr.  
 glaucescens, *Hiern, l. c.*—Afr. austr.  
 gracilipes, *N. E. Br. ex Hiern, l. c.* 332.—Afr. austr.

**POLYCARENA** :—

- Leipoldtii, *Hiern, in Dyer, Fl. Cap.* iv. ii. 326.—Afr. austr.  
 Maxii, *Hiern, l. c.* 328.—Afr. austr.  
 selaginoides, *Schlechter, ex Hiern, l. c.* 326.—Afr. austr.  
 tenella, *Hiern, l. c.* 333.—Afr. austr.  
 transvaalensis, *Hiern, l. c.* 330.—Afr. austr.

**POLYCARPAEA**, Lam. (Caryophyll.).

- Hassleriana, *Chod. in Bull. Herb. Boiss. Sér. II.* iii. 791.—Parag.  
 inaequalifolia, *Engl. & Gilg, in Warb. Kunene-Sambesi Exped.* 233.—Afr. trop.

**POLYCEPHALIUM**, Engl. (Olac.).

- integrum, *Wildem. & Th. Dur. in Bull. Herb. Boiss. Sér. II.* i. 744.—Afr. trop.

**POLYCODIUM**, Rafin. (Vaccin.).

- [**VACCINIUM**, Linn. I. K.]  
 candicans, *Small, Fl. S. E. U. S.* 894.—Am. bor.  
 melanocarpum, *Small, l. c.*—Am. bor.  
 neglectum, *Small, l. c.* 893.—Am. bor.

**POLYGALA**, Linn. (Polygal.).

- Anderssonii, *Robinson, in Proc. Amer. Acad.* xxxviii. 160.—Ins. Galap.  
 Antunesii, *Guerke, in Engl. Jahrb.* xxxii. (1902) 131.—Afr. trop.  
 arenicola, *Guerke, in Warb. Kunene-Sambesi Exped.* (1903) 273.—Afr. trop.  
 arenicola, *Small, in Bull. N. York Bot. Gard.* iii. 426 (1905).—Am. bor.  
 Baumii, *Guerke, in Warb. Kunene-Sambesi Exped.* 276.—Afr. trop.  
 benguelensis, *Guerke, l. c.* 277.—Afr. trop.  
 Caesalpinii, *Bub. Fl. Pyren.* iii. 283 = rosea.  
 Carteri, *Small, in Bull. N. York Bot. Gard.* iii. 426.—Am. bor.  
 collina, *T. S. Brandegee, in Zoe*, v. 204 (1905).—Mexic.  
 compacta, *Rose, in U. S. Dept. Agric. Contrib. Nat. Herb.* viii. 315.—Mexic.  
 corallicola, *Small, in Bull. N. York Bot. Gard.* iii. 425.—Am. bor.  
 cymosurus, *Chod. ex Glaz. in Bull. Soc. Bot. Fr.* lii. Mém. III. 25, nomen.—Bras.  
 Dekindtii, *Guerke, in Engl. Jahrb.* xxxii. 131.—Afr. trop.  
 desiderata, *Speg. in Anal. Mus. Buenos Aires*, vii. 234.—Patag.  
 fallax, *Hayek, in Ann. Nat. Hofmus. Wien*, xv. 43.—Afr. austr.  
 flagellaris, *Small, in Bull. N. York Bot. Gard.* iii. 427.—Am. bor.  
 floribunda, *Dunn, in Journ. Linn. Soc.* xxxv. 485.—China.  
 Francheti, *Chod. ex Glaz. in Bull. Soc. Bot. Fr.* lii. Mém. III. 27, nomen.—Bras.  
 globulifera, *Dunn, in Journ. Linn. Soc.* xxxv. 486.—China.  
 goyazensis, *Glaz. in Bull. Soc. Bot. Fr.* lii. Mém. III. 26, nomen.—Bras.  
 guaranitica, *Chod. in Bull. Herb. Boiss. Sér. II.* iii. 57.—Parag.  
 Harperi, *Small, Fl. S. E. U. S.* 688.—Am. bor.  
 Hassleriana, *Chod. in Bull. Herb. Boiss. Sér. II.* i. 436.—Parag.  
 Hugerii, *Small, Fl. S. E. U. S.* 686.—Am. bor.  
 imbricata, *Hayek, in Ann. Nat. Hofmus. Wien*, xv. 45.—Afr. austr.  
 kubangensis, *Guerke, in Warb. Kunene-Sambesi Exped.* 275.—Afr. trop.  
 macroneura, *Gandoger, in Bull. Soc. Bot. Fr.* xlii. 418.—Ind. or.  
 Moyanoi, *Speg. Nov. Add. Fl. Patag.* i. (1901) repr. 16 (= *Acanthocladus Moyanoi*).—Patag.  
 nambalensis, *Guerke, in Warb. Kunene-Sambesi Exped.* 276.—Afr. trop.  
 oedipus, *Speg. in Anal. Mus. Buenos Aires*, vii. 232.—Patag.  
 oreophila, *Speg, l. c.* 230.—Patag.  
 paludicola, *Guerke, in Warb. Kunene-Sambesi Exped.* 279.—Afr. trop.  
 pamparum, *Speg. in Bol. Agric. Argent.* i. 240.—Reg. Argent.  
 Paulayana, *Vierh. in Oesterr. Bot. Zeitschr.* 1904, 35.—Socotra.  
 psammophila, *Chod. & Huber, in Bull. Herb. Boiss. Sér. II.* i. 309 (1901).—Bras.



**POLYGALA** :—

- psammophila, *Guerke*, in *Warb. Kunene-Sambesi Exped.* 279 (1903).—Afr. trop.  
 rivularis, *Guerke*, in *Warb. Kunene-Sambesi Exped.* 278.—Afr. trop.  
 robusta, *Guerke*, l. c. 274.—Afr. trop.  
 saxicola, *Dunn*, in *Journ. Linn. Soc.* xxxv. 486.—China.  
 setifera, T. S. Brandegee, in *Zoe*, v. 205 (1905).—Mexic.  
 sparsiflora, *Small*, Fl. S. E. U. S. 1333 = sparsifolia.  
 sparsifolia, *Small*, l. c. 686.—Am. bor.  
 tehuelchum, *Speg. Nov. Add. Fl. Patag.* i. (1901) repr. 16; *MacL. in Rep. Princeton Univ. Exped. Patag.* viii. 550 (= *Acanthocladus tehuelchus*).—Patag.  
 Telephium, *Chod. in Bull. Herb. Boiss. Sér. II.* i. 435.—Parag.  
 Tempskyana, *Auct. in Just. Jahresb.* xxv. ii. 494, sphalm. = *oxyptera*, subsp. *Tempskyana*.  
 tristis, *Chod. in Bull. Herb. Boiss. Sér. II.* i. 434.—Parag.  
 usafuensis, *Guerke*, in *Engl. Jahrb.* xxx. 337.—Afr. trop.  
 ustulata, *Chod. ex Glaz. in Bull. Soc. Bot. Fr.* lii. Mém. III. 27, nomen.—Bras.  
 Verdickii, *Guerke ex Wildem. in Ann. Mus. Congo, Sér. IV.* 205.—Afr. trop.  
 Vilhelmi, *Podp. in Verh. Zool.-Bot. Ges. Wien*, liv. 330.—Hybr.  
 Zahlbruckneri, *Hayek*, in *Ann. Nat. Hofmus. Wien*, xv. 45.—Afr. austr.

**POLYGONATUM**, Adans. (Liliac.).

- angulosum, *Bub. Fl. Pyren.* iv. 117 = officinale.  
 angustifolium, *Bub.* l. c. = verticillatum.  
 Bodinieri, *Léveillé & Vaniot, in Bull. Acad. Géogr. Bot.* xii. (1903) 262.—China.  
 ensifolium, *Léveillé*, l. c. 261.—China.  
 Haussknechtii, *Bornm. & Sint. in Mitth. Thüring. Bot. Ver.* n. s. xviii. 52.—Reg. Casp.  
 inflatum, *Kom. in Act. Hort. Petrop.* xviii. 442.—As. or.  
 latifolium, *Bub. Fl. Pyren.* iv. 118 = multiflorum.  
 Martini, *Léveillé, in Bull. Acad. Géogr. Bot.* xii. (1903) 262.—China.  
 nipponicum, *Makino, in Bot. Mag. Tokyo*, xvii. 51.—Japan.

**POLYGONUM**, Linn. (Polygon.).

- arcuatum, *Greene, Pittonia*, v. 201.—Calif.  
 auriculatum, *Makino, in Bot. Mag. Tokyo*, xvii. 117.—Japan.  
 bernardinum, *Greene, Pittonia*, v. 199.—Calif.  
 birmanicum, *Gage, in Rec. Bot. Surv. India*, ii. 412.—Burma.  
 Bodinieri, *Léveillé & Vaniot, in Bull. Acad. Géogr. Bot.* xi. (1902) 343.—China.  
 brevichreatum, *Makino, in Bot. Mag. Tokyo*, xvii. 117.—Japan.  
 calcatum, *Lindm. in Bot. Notiser*, 1904, 139.—Eur.; As.  
 caurianum, *Robinson, in Proc. Bost. Soc. Nat. Hist.* xxxi. 264.—Am. bor.  
 cephalophorum, *Greene, Pittonia*, v. 198.—Calif.  
 commixtum, *Greene, Pl. Baker.* iii. 14.—Am. bor.  
 consimile, *Greene, Pittonia*, v. 202.—Am. bor.  
 exile, *Eastw. in Proc. Calif. Acad. Ser.* III. ii. 286.—Am. bor.  
 fallax, *Greene, Pittonia*, v. 200.—Am. bor.  
 Fauriei, *Léveillé & Vaniot, in Bull. Soc. Bot. Fr.* li. 423.—China.  
 flexile, *Greene, Pittonia*, v. 203.—Am. bor.  
 foliosum, *Lindb. in Medded. Soc. Faun. et Fl. Fenn.* xxvii. 3.—Eur.  
 Fowleri, *Robinson, in Rhodora*, iv. 67.—Am. bor.  
 fugax, *Small, in Bull. N. York Bot. Gard.* ii. 167.—Am. bor.  
 glastifolium, *Greene, Pittonia*, v. 199.—Am. bor.  
 hastato-sagittatum, *Makino, in Bot. Mag. Tokyo*, xvii. 119.—Japan.  
 hayachinense, *Makino, l. c.* 191.—Japan.  
 jejunum, *Greene, Pittonia*, v. 198.—Am. bor.  
 Kinashii, *Léveillé & Vaniot, in Bull. Soc. Bot. Fr.* li. 422.—Japan.  
 Krasseri, *Rech. in Ann. Nat. Hofmus. Wien*, xv. 33.—Afr. austr.  
 Labordei, *Léveillé & Vaniot, in Bull. Acad. Géogr. Bot.* xi. (1902) 344.—China.  
 leptocarpum, *Robinson, in Proc. Bost. Soc. Nat. Hist.* xxxi. 263.—Am. bor.

**POLYGONUM** :—

- linearifolium, *Greene, Pittonia*, v. 197.—Am. bor.  
 Martini, *Léveillé & Vaniot, in Bull. Acad. Géogr. Bot.* xi. (1902) 340.—China.  
 montanum, *Greene, Pl. Baker.* iii. 13.—Am. bor.  
 muricatum, *Maxim. ex Makino, in Bot. Mag. Tokyo*, xvii. 117 = brevichreatum.  
 omissum, *Greene, Pittonia*, v. 200.—Am. bor.  
 panduriforme, *Léveillé & Vaniot, in Bull. Acad. Géogr. Bot.* xi. (1902) 343.—China.  
 plumosum, *Small, in Bull. N. York Bot. Gard.* ii. 166.—Am. bor.  
 prolificum, *Robinson, in Rhodora*, iv. 68.—Am. bor.  
 Reynoutria, *Makino, in Bot. Mag. Tokyo*, xv. 84 = cuspidatum.  
 sagittifolium, *Léveillé & Vaniot, in Bull. Acad. Géogr. Bot.* xi. (1902) 342.—China.  
 striatulum, *Robinson, in Proc. Bost. Soc. Nat. Hist.* xxxi. 263.—Am. bor.  
 subalatum, *Sampaio, in Ann. Sci. Nat. Porto*, vii. 12.—Lusitan.  
 vagans, *Greene, Pittonia*, v. 202.—Am. bor.  
 viscoferum, *Makino, in Bot. Mag. Tokyo*, xvii. 115.—Japan.  
 vulcanicum, *Greene, Pittonia*, v. 198.—Am. bor.
- POLYMNIA**, Linn. (Compos.).  
 Jelskii, *Hieron. in Engl. Jahrb.* xxxvi. 484.—Peruv.  
 Lehmannii, *Hieron. l. c.* xxviii. 599.—Ecuador.  
 Nelsonii, *Greenm. in Proc. Amer. Acad.* xxxix. 99.—Mexic.  
 radiata, *Small, Fl. S. E. U. S.* 1239.—Am. bor.

**POLYOCHNELLA**, Van Tiegh. in Bull. Mus. Hist.

- Nat. Par. viii. (1902) 547. *OCHNACEAE*.  
 Barteri, *Van Tiegh. in Ann. Sci. Nat. Sér. VIII.* xvi. 348.—Afr. trop.  
 brevipes, *Van Tiegh. l. c.*—Afr. trop.  
 Buechneri, *Van Tiegh. l. c.*—Afr. trop.  
 congoensis, *Van Tiegh. l. c.* 349.—Afr. trop.  
 fruticulosa, *Van Tiegh. l. c.* xviii. 40 (= *Ochna fruticulosa*).—Afr. trop.  
 Gilletiana, *Van Tiegh. l. c.* (= *Ochna Gilletiana*).—Afr. trop.  
 gracilipes, *Van Tiegh. l. c.* xvi. 348 (= *Ochna gracilipes*).—Afr. trop.  
 hylophila, *Van Tiegh. l. c.* xviii. 40 (= *Ochna hylophila*).—Afr. trop.  
 integrifolia, *Van Tiegh. l. c.* xvi. 348 (= *Ochna integrifolia*).—Ins. Maurit.  
 mauritiana, *Van Tiegh. l. c.* (= *Ochna mauritiana*).—Ins. Maurit.  
 micrantha, *Van Tiegh. l. c.* xviii. 40 (= *Ochna micrantha*).—Afr. trop.  
 polyneura, *Van Tiegh. l. c.* (= *Ochna polyneura*).—Afr. trop.  
 punctulata, *Van Tiegh. l. c.* xvi. 349.—Afr. trop.  
 Welwitschii, *Van Tiegh. l. c.* 348 (= *Ochna Welwitschii*).—Afr. trop.

**POLYODON**, H. B. & K. (Gramin.).

- [*BOUTELLOUA*, Lag. Gramin.]  
 texanus, *Nash, in Small, Fl. S. E. U. S.* 138 (= *Bouteloua texana*).—Am. bor.

**POLYOSMA**, Blume (Saxifr.).

- philippinensis, *Merrill, in Philipp. Gov. Lab. Bur. Bull.* xxix. 16.—Ins. Philipp.

**POLYOURATEA**, Van Tiegh. in Journ. de Bot. xvi.

- 190 (1902); et in Bull. Mus. Hist. Nat. Par. viii. 372. *OCHNACEAE*.  
 hexasperma, *Van Tiegh. in Journ. de Bot.* xvi. 190 (= *Gomphia hexasperma*).—Bras.  
 Planchonii, *Van Tiegh. in Ann. Sci. Nat. Par. Sér. VIII.* xvi. 268.—Bras.  
 polygyna, *Van Tiegh. in Journ. de Bot.* xvi. 190 (= *Ouratea polygyna*).—Bras.  
 serrulata, *Van Tiegh. in Ann. Sci. Nat. Par. Sér. VIII.* xvi. 269 (= *Gomphia serrulata*).—Bras.  
 subverticillata, *Van Tiegh. l. c.* (= *Gomphia subverticillata*).—Bras.

**POLYPLEURUM**, Tayl. (Podost.).

- [*PODOSTEMON*, Michx. I. K.]  
 acuminatum, *Warm. in Danske Vid. Selsk. Skr. Ser.* VI. xi. i. 15.—Ind. or.  
 Schmidtianum, *Warm. l. c.* 4.—Cochinch.

**POLYPOGON**, Desf. (Gramin.).

- Alopecurus*, *Bub. Fl. Pyren.* iv. 279 = monspeliensis.

**POLYPTERIS**, Nutt. (Compos.).

- Lindenii, *Bush, in Trans. Acad. Sci. St. Louis*, xiv. 173 (= *Palafoxia Lindenii*).—Mexic.  
 maxima, *Small, Fl. S. E. U. S.* 1288.—Am. bor.

**POLYSCIAS**, Forst. (Aral.).

- Albersiana, *Harms, in Engl. Jahrb.* xxxiii. 182.—Afr. trop.

**POLYSPHAERIA**, Hook. f. (Rubiace.).

- arbuscula, *K. Schum. in Engl. Jahrb.* xxxiii. 349.—Afr. trop.  
 macrophylla, *K. Schum. l. c.*—Afr. trop.  
 pedunculata, *K. Schum. ex Wildem. in Ann. Mus. Congo, Sér. IV.* 226.—Afr. trop.

**POLYSTACHYA**, Hook. (Orchid.).

- appendiculata, *Kraenzl. in Notizbl. Bot. Gart. Berl.* iii. (1903) 238.—Afr. trop.  
 aristulifera, *Rendle, in Journ. Linn. Soc.* xxxvii. 219.—Afr. trop.  
 bicalcarata, *Kraenzl. in Engl. Jahrb.* xxxvi. 118.—Afr. trop.  
 Busseana, *Kraenzl. l. c.* xxxiii. 60.—Afr. trop.  
 crassifolia, *Schlechter, in Engl. Jahrb.* xxxviii. 7.—Afr. trop.  
 dolichophylla, *Schlechter, l. c.* 8.—Afr. trop.  
 Ellenbeckiana, *Kraenzl. in Engl. Jahrb.* xxxiii. 62.—Afr. trop.  
 epiphytica, *Wildem. in Ann. Mus. Congo, Sér. IV.* 172.—Afr. trop.  
 flavescens, *J. J. Sm. Orchid. Java*, 284 = Zollingeri.  
 Gilletii, *Wildem. Notices Pl. Utilis Congo*, 313.—Afr. trop.  
 Goetzeana, *Kraenzl. in Engl. Jahrb.* xxx. 287.—Afr. trop.  
 gracilis, *Wildem. Notices Pl. Utilis Congo*, 136.—Afr. trop.  
 holochila, *Schlechter, in Warb. Kunene-Sambesi Exped.* 210.—Afr. trop.  
 Huygheii, *Wildem. Notices Pl. Utilis Congo*, 315.—Afr. trop.  
 inconspicua, *Rendle, in Journ. Linn. Soc.* xxxvii. 218.—Afr. trop.  
 Kaessneriana, *Kraenzl. in Engl. Jahrb.* xxxiv. 59.—Afr. trop.  
 Kindtiana, *Wildem. in Ann. Mus. Congo, Sér. V.* i. 21.—Afr. trop.  
 latifolia, *Wildem. Notices Pl. Utilis Congo*, 138.—Afr. trop.  
 Laurentii, *Wildem. l. c.* 132.—Afr. trop.  
 Lujae, *Wildem. in Pl. Nov. Hort. Then.* t. 18.—Afr. trop.  
 macropetala, *Kraenzl. in Engl. Jahrb.* xxxvi. 117.—Afr. trop.  
 mayombensis, *Wildem. Notices Pl. Utilis Congo*, 134.—Afr. trop.  
 minuta, *Britton, in Small, Fl. S. E. U. S.* 328 (= *Epidendrum minutum*).—Am. bor.  
 miranda, *Kraenzl. in Engl. Jahrb.* xxx. 286.—Afr. trop.  
 mukandaensis, *Wildem. Notices Pl. Utilis Congo*, 139.—Afr. trop.  
 musoensis, *Rendle, in Journ. Linn. Soc.* xxxvii. 217.—Afr. trop.  
 nyanzensis, *Rendle, l. c.*—Afr. trop.  
 mystacioides, *Wildem. Notices Pl. Utilis Congo*, 133.—Afr. trop.  
 Neobenthamia, *Schlechter, in Engl. Jahrb.* xxxviii. 7 (= *Neobenthamia gracilis*).—Afr. trop.  
 Plehniana, *Schlechter, l. c.* 8.—Afr. trop.  
 praealta, *Kraenzl. in Engl. Jahrb.* xxxvi. 118.—Afr. trop.  
 Rolfeana, *Kraenzl. l. c.* xxxiii. 61.—Afr. trop.  
 Supfiana, *Schlechter, in Engl. Jahrb.* xxxviii. 9.—Afr. trop.  
 uniflora, *Wildem. in Pl. Nov. Hort. Then.* t. 19.—Afr. trop.  
 wahisiana, *Wildem. in Belg. Colon.* 1904, 183.—Afr. trop.  
 xerophila, *Kraenzl. in Engl. Jahrb.* xxxiv. 60.—Afr. trop.

**POLYTHECIUM**, Van Tiegh. in Bull. Mus. Hist.

- Nat. Par. viii. (1902) 377. *OCHNACEAE*.  
 andravinese, *Van Tiegh. in Ann. Sci. Nat. Sér. VIII.* xvi. 368 (= *Ochna andravinese*).—Madag.

**POLYTHECIUM** :—

- Bakeri, *Van Tiegh. in Ann. Sci. Nat. Sér. VIII.* xvi. 369.—Madag.  
 Baroni, *Van Tiegh. l. c.*—Madag.  
 Carvalhi, *Van Tiegh. l. c.* 368 (= *Ochna Carvalhi*).—Madag.  
 ciliatum, *Van Tiegh. l. c.* 367 (= *Ochna ciliatum*).—Madag.  
 citrinum, *Van Tiegh. l. c.* xviii. 55 (= *Ochna citrina*).—Afr. trop.  
 cochinchinense, *Van Tiegh. l. c.* xvi. 375.—Cochinch.  
 contortum, *Van Tiegh. l. c.* 370.—Madag.  
 cordatum, *Van Tiegh. l. c.* 369.—Ind. or.  
 discolor, *Van Tiegh. l. c.* xviii. 54; et in *Bull. Mus. Hist. Nat. Par.* 1903, 158.—Ind. or.  
 emarginatum, *Van Tiegh. in Ann. Sci. Nat. Sér. VIII.* xvi. 368 (= *Ochna emarginata*).—Madag.  
 Fischeri, *Van Tiegh. l. c.* 368 (= *Ochna Fischeri*).—Madag.  
 Grandidieri, *Van Tiegh. l. c.* 371.—Madag.  
 Griffithi, *Van Tiegh. l. c.* 374.—Ind. or.  
 Helferi, *Van Tiegh. l. c.*—Ind. or.  
 Hildebrandtii, *Van Tiegh. l. c.* 372.—Afr. trop.  
 Humblotianum, *Van Tiegh. l. c.* 368 (= *Ochna Humblotiana*).—Madag.  
 inaequale, *Van Tiegh. l. c.* 375.—Cochinch.  
 integrifolium, *Van Tiegh. l. c.* 371.—Madag.  
 Kingi, *Van Tiegh. l. c.* 374.—Ind. or.  
 Kirkii, *Van Tiegh. l. c.* 368 (= *Ochna Kirkii*).—Madag.  
 Lefevrei, *Van Tiegh. l. c.* 375.—Cochinch.  
 lokobense, *Van Tiegh. l. c.* 370.—Madag.  
 longipes, *Van Tiegh. l. c.* 371.—Madag.  
 lucens, *Van Tiegh. l. c.* 370.—Madag.  
 madagascariense, *Van Tiegh. l. c.* 367 (= *Ochna madagascariensis*).—Madag.  
 micranthum, *Van Tiegh. l. c.* 370.—Madag.  
 Moonii, *Van Tiegh. l. c.* 369.—Ind. or.  
 mucronatum, *Van Tiegh. l. c.* 372.—Afr. trop.  
 nitidum, *Van Tiegh. l. c.* 369 (= *Ochna nitida*).—Ind. or.  
 obovatum, *Van Tiegh. l. c.* 368 (= *Ochna obovata*).—Madag.  
 pedunculatum, *Van Tiegh. l. c.* 373.—Ind. or.  
 pellucidum, *Van Tiegh. l. c.* 374.—Ind. or.  
 polycarpum, *Van Tiegh. l. c.* 367 (= *Ochna polycarpa*).—Madag.  
 pulchrum, *Van Tiegh. l. c.* xvi. 368; et *l. c.* xviii. 54 (= *Ochna pulchra*).—Afr. austr.  
 pumilum, *Van Tiegh. l. c.* xvi. 373 (= *Ochna pumila*).—Ind. or.  
 Rehmannii, *Van Tiegh. l. c.* xviii. 55 (= *Ochna Rehmannii*).—Afr. austr.  
 Richardi, *Van Tiegh. l. c.* xvi. 371.—Madag.  
 rubrum, *Van Tiegh. l. c.*—Madag.  
 rufescens, *Van Tiegh. l. c.* 369.—Ind. or.  
 spinulosum, *Van Tiegh. l. c.* 372.—Afr. trop.  
 splendidum, *Van Tiegh. l. c.* 368 (= *Ochna splendida*).—Madag.  
 Thomasianum, *Van Tiegh. l. c.* xviii. 55 (= *Ochna Thomasiana*).—Afr. trop.  
 Thoreli, *Van Tiegh. l. c.* xvi. 375.—Cochinch.  
 Thwaitesii, *Van Tiegh. l. c.* 369.—Ind. or.

**POLYTOCA**, R. Br. (Gramin.).

- cyathopoda, *F. M. Bailey, Queensl. Fl.* 1849.—Austral.  
 Sclerachne, *F. M. Bailey, l. c.*—Austral.

**POLYTRIAS**, Hack. (Gramin.).

- diversiflora, *Nash, in Torreyia*, v. 110 (= *Andropogon diversiflorus*).—Java.

**POMMERESCHIA**, Wittm. (Zingib.).

- spectabilis, *K. Schum. in Engl. Pflanzenreich, Zingib.* 280 (= *Croftia spectabilis*).—Burma.

**POPOWIA**, Endl. (Anon.).

- Baillonii, *Engl. & Diels, in Monogr. Afr. Pfl.* vi. 48 = Mannii, *Baill.*  
 Buchananii, *Engl. & Diels, l. c.* 47.—Afr. trop.  
 djurensis, *Engl. & Diels, l. c.* 49 (= *Clathrospermum djurense*).—Afr. trop.  
 elegans, *Engl. & Diels, l. c.* 45 (= *Unona elegans*).—Afr. trop.  
 ferruginea, *Engl. & Diels, l. c.* 46 (= *Unona ferruginea*).—Afr. trop.

**POPOWIA** :—

- foliosa, *Engl. & Diels, in Monogr. Afr. Pfl.* vi. 52.—Afr. trop.  
 gracilis, *Oliv. ex Engl. & Diels, l. c.* 48.—Afr. trop.  
 Klainii, *Engl. & Diels, l. c.* 52.—Afr. trop.  
 Laurentii, *Wildem. Enum. Pl. Laurent.* 83.—Afr. trop.  
 lucidula, *Engl. & Diels, in Engl. Monogr. Afr. Pfl.* vi. 45 (= *Unona lucidula*).—Afr. trop.  
 macrocarpa, *Engl. & Diels, l. c.* 48.—Afr. trop.  
 Mannii, *Engl. & Diels, l. c.* 49 (non *Baill.*) (= *Clathrospermum Mannii*).—Afr. trop.  
 parvifolia, *Engl. & Diels, l. c.* 46 (= *Unona parvifolia*).—Afr. trop.  
 Schweinfurthii, *Engl. & Diels, l. c.* 51.—Afr. trop.  
 stenosepala, *Engl. & Diels, l. c.* 49.—Afr. trop.  
 trichocarpa, *Engl. & Diels, l. c.* 47 (= *Unona trichocarpa*).—Afr. trop.  
 Whytei, *Stapf, in Journ. Linn. Soc.* xxxvii. 81.—Afr. trop.

**POPULUS**, Linn. (Salic.).

- ariana, *Dode, Extr. Monogr. Ind. Populus*, 16.—Persia.  
 Besseyana, *Dode, l. c.* 38.—Am. bor.  
 Bethmontiana, *Dode, l. c.* 52.—Oriens.  
 bisattenuata, *Dode, l. c.* 50.—Eur.  
 Bogueana, *Dode, l. c.* 24.—Hab.?  
 Bonnetiana, *Dode, l. c.* 17.—Afr. bor.  
 Carreiriana, *Dode, l. c.* 49.—Hab.?  
 coloradensis, *Dode, l. c.* 58.—Am. bor.  
 Comesiana, *Dode, l. c.* 20.—Eur. or. austr.  
 Davidiana, *Dode, l. c.* 31.—China.  
 dimorpha, *T. S. Brandegee, in Zoe*, v. 197 (1905).—Mexic.  
 Duclouxiana, *Dode, Extr. Monogr. Ind. Populus*, 32.—China.  
 elaverensis, *Dode, l. c.* 49.—Gallia.  
 elongata, *Dode, l. c.* 61.—Am. bor.  
 epirotica, *Dode, l. c.* 23.—Eur. or. austr.  
 Eugenei, *Dode, l. c.* 46.—Hybr.  
 europaea, *Dode, l. c.* 51.—Eur.  
 euxylon, *Dode, l. c.* 41.—Am. bor.?  
 floccosa, *Dode, l. c.* 24.—Oriens.  
 Freyni, *Dode, l. c.* 30.—Oriens.  
 gallica, *Dode, l. c.* 51.—Eur.  
 Gamblei, *Dode, l. c.* 63.—Reg. Himal.  
 glabrata, *Dode, l. c.* 27.—China bor.  
 glaucicomans, *Dode, l. c.* 18.—Turkestan.  
 globosa, *Dode, l. c.* 27.—Oriens.  
 hastata, *Dode, l. c.* 64.—Am. bor.  
 Henryana, *Dode, l. c.* 39.—Am. bor.  
 Hervierana, *Dode, l. c.* 28.—Hab.?  
 heteroloba, *Dode, l. c.* 22.—Eur. or.  
 Hickeliana, *Dode, l. c.* 20.—Reg. Medit.  
 Hobartiana, *Dode, l. c.* 27.—Oriens.  
 hypomelaena, *Dode, l. c.* 53.—Eur. et As. bor.  
 incassata, *Dode, l. c.* 41.—Am. bor.  
 Irishiana, *Dode, l. c.* 43.—Hybr.  
 Jacquemontiana, *Dode, l. c.* 66.—Reg. Himal.  
 Kanjilaliana, *Dode, l. c.* 60.—As. cent.  
 Krauseana, *Dode, l. c.* 46.—Hybr.  
 laticoma, *Dode, l. c.* 44.—Hybr.  
 lepidia, *Dode, l. c.* 28.—Eur.  
 Litwinowiana, *Dode, l. c.* 17.—As. cent.  
 macranthela, *Léveillé & Vaniot, in Bull. Soc. Bot. Fr.* lii. 142.—China.  
 mauritanica, *Dode, Extr. Monogr. Ind. Populus*, 16.—Alger.  
 megaleuce, *Dode, l. c.* 24.—Eur.  
 Michauxi, *Dode, l. c.* 62.—Am. bor.  
 Morisetiana, *Dode, l. c.* 22.—Oriens.  
 Mulleriana, *Dode, l. c.* 48.—Eur.  
 Munsoniana, *Dode, l. c.* 33.—Hab.?  
 octorabdos, *Dode, l. c.* 57.—As. cent.  
 Paletskyana, *Dode, l. c.* 21.—Eur. or.; Turkestan.  
 palmata, *Dode, l. c.* 22.—Reg. Medit.  
 parvidentata, *Dode, l. c.* 30.—Oriens.  
 pekinensis, *L. Henry, in Rev. Hortic.* 1903, 355.—China.  
 pellostachya, *Dode, Extr. Monogr. Ind. Populus*, 31.—China.  
 Peronaeana, *Dode, l. c.* 23.—Eur.  
 pseudo-grandidentata, *Dode, l. c.* 31.—Hab.?  
 ramulosa, *Dode, l. c.* 46.—Hybr.  
 robusta, *Dode, l. c.* 45.—Hybr.  
 Sargentii, *Dode, l. c.* 40.—Am. bor.  
 Schroederiana, *Dode, l. c.* 56.—As. cent.?  
 scythica, *Dode, l. c.* 51.—Eur. or.

**POPULUS** :—

- sinensis, *Dode, Extr. Monogr. Ind. Populus*, 50.—China.  
 sinuata, *Dode, l. c.* 29.—Oriens.  
 sylvicola, *Dode, l. c.*—Oriens.  
 Thevestina, *Dode, l. c.* 52.—Reg. Medit.  
 Thracia, *Dode, l. c.*—Eur. or.  
 Trabutiana, *Dode, l. c.* 22.—Eur. or.  
 treyvana, *Dode, l. c.* 21.—Eur. or.  
 triangularis, *Dode, l. c.* 45.—Hybr.  
 triloba, *Dode, l. c.* 21.—Reg. Himal.  
 tschoudiana, *Dode, l. c.* 47.—Eur.  
 utilis, *Dode, l. c.* 45.—Hybr.  
 Vaillantiana, *Dode, l. c.* 48.—Eur.  
 valida, *Dode, l. c.* 25.—Bulgar.  
 vegeta, *Dode, l. c.* 45.—Hybr.  
 vistulensis, *Dode, l. c.* 51.—Eur.  
 Wislizeni, *Sargent, Silva N. Amer.* xiv. 71, t. 732.—Am. bor.  
 Wolfiana, *Dode, Extr. Monogr. Ind. Populus*, 56.—As. cent.?  
 Woobsti, *Dode, l. c.* 60.—As. cent.?  
 yunnanensis, *Dode, l. c.* 63.—China.

**PORANA**, Burm. (Convolv.).

- subrotundifolia, *Wildem. in Ann. Mus. Congo, Sér. IV.* 111.—Afr. trop.

**PORCELIA**, Ruiz & Pav. (Anonac.).

- stenopetala, *Donn. Sm. in Coult. Bot. Gaz.* xl. 1.—Am. cent.

**POROCHNA**, *Van Tiegh. in Bull. Mus. Hist. Nat. Par.*

- viii. (1902) 214. **OCHNACEAE.**  
 Antunesii, *Van Tiegh. in Ann. Sci. Nat. Sér. VIII.* xvi. 387 (= *Ochna Antunesii*).—Afr. trop.  
 Aschersoniana, *Van Tiegh. l. c.* xviii. 57 (= *Ochna Aschersoniana*).—Afr. trop.  
 bifolia, *Van Tiegh. l. c.* xvi. 389.—Afr. trop.  
 brunescens, *Van Tiegh. l. c.* 388 (= *Ochna brunescens*).—Afr. trop.  
 davilliflora, *Van Tiegh. l. c.* (= *Ochna davilliflora*).—Afr. trop.  
 Hiernii, *Van Tiegh. in Journ. de Bot.* 1902, 125.—Afr. trop.  
 Hoffmanni-ottonis, *Van Tiegh. in Ann. Sci. Nat. Sér. VIII.* xvi. 387 (= *Ochna Hoffmanni-ottonis*).—Afr. trop.  
 huillensis, *Van Tiegh. l. c.* (= *Ochna huillensis*).—Afr. trop.  
 latisepala, *Van Tiegh. in Journ. de Bot.* 1902, 125.—Afr. trop.  
 membranacea, *Van Tiegh. l. c.* 124 (= *Ochna membranacea*).—Afr. trop.  
 paniculata, *Van Tiegh. l. c.* 125.—Afr. trop.  
 quangensis, *Van Tiegh. in Ann. Sci. Nat. Sér. VIII.* xviii. 57 (= *Ochna quangensis*).—Afr. trop.  
 rubescens, *Van Tiegh. in Journ. de Bot.* 1902, 124.—Afr. trop.

**POROPHYLLUM**, Vaill. (Compos.).

- calicicola, *Robinson & Greenm. in Proc. Amer. Acad.* xxxix. 116.—Mexic.  
 Hasslerianum, *Chod. in Bull. Herb. Boiss. Sér. II.* iii. 730.—Parag.  
 Holwayanum, *Greenm. in Proc. Amer. Acad.* xl. 48.—Mexic.  
 maritimum, *T. S. Brandegee, in Zoe*, v. 162 (1903).—Calif.  
 platyphyllum, *Chod. in Bull. Herb. Boiss. Sér. II.* ii. 397.—Parag.  
 quinqueflorum, *T. S. Brandegee, in Zoe*, v. 225 (1905).—Mexic.

**POROTHECA**, K. Schum. in K. Schum. & Lauterb.

- Nachtr. *Fl. Deutsch. Südsee* (1905) 263. **MENISPERMACEAE.**  
 petiolata, *K. Schum. l. c.*—N. Guin.

**PORPHYROSPATHA**, Engl. (Arac.).

- crassifolia, *Engl. Jahrb.* xxxvii. 140.—N. Granat.

**PORTEA**, C. Koch (Bromel.).

- Silveirae, *Mez, in Engl. Jahrb.* xxx. *Beibl.* lxvii. 5.—Bras.

**PORTULACA**, Linn. (Portulac.).

- neglecta, *Mackenzie & Bush, Fl. Jacks. County*, 86; et in *Trans. Acad. Sci. St. Louis*, xii. 81.—Am. bor.

**PORTULACA** :—

perennis, *R. Fries*, in *Nov. Act. Soc. Sci. Upsal.* Ser. IV. i. no. 1, 151.—Reg. Argent.  
phaeosperma, *Urb. Symb. Antill.* iv. 233.—Ind. occ.  
platensis, *Speg. Contrib. Fl. Tandil*, 8; et in *Bol. Agric. Argent.* i. 274.—Reg. Argent.  
poliosperma, *Urb. Symb. Antill.* iv. 232.—Ind. occ.  
rotundifolia, *R. Fries*, in *Nov. Act. Soc. Sci. Upsal.* Ser. IV. i. no. 1, 149.—Reg. Argent.  
sedifolia, *N. E. Br.* in *Trans. Linn. Soc. Ser. II.* vi. 19.—Guiana.  
sylvestris, *Bub. Fl. Pyren.* iii. 2 = *oleracea*.

**POTAMOGETON**, Linn. (Naiad.).

asiaticus, *Arth. Benn.* in *Ann. Conserv. & Jard. Bot. Genève*, ix. (1905) 103.—Manchuria.  
Chamissoi, *Arth. Benn.* in *Journ. Bot.* 1904, 74.—Ins. Maurit.  
distinctus, *Arth. Benn.* l. c. 72.—As. or.  
floridanus, *Small, Fl. S. E. U. S.* 37.—Am. bor.  
linguatus, *Hagstr. ex Dusen*, in *Oefvers. Vet. Akad. Forhandl. Stockh.* lviii. (1901) 259; et ex *Macl. in Rep. Princeton Univ. Exped. Patag.* viii. 149.—Patag.  
Livingstonei, *Arth. Benn.* in *Dyer, Fl. Trop. Afr.* viii. 223.—Afr. trop.  
Maackianus, *Arth. Benn.* in *Journ. Bot.* 1904, 74.—Japon.  
Morongii, *Arth. Benn.* l. c. 1902, 145.—Japon.  
numasakianus, *Arth. Benn.* in *Ann. Conserv. & Jard. Bot. Genève*, ix. (1905) 104.—Japon.  
odontocarpus, *Gandoger*, in *Bull. Soc. Bot. Fr.* xli. 393.—Austral.  
pamiricus, *Baagoe, ex Paulsen*, in *Kjoeb. Vidensk. Meddel.* 1903, 182.—As. cent.  
Preussii, *Arth. Benn.* in *Dyer, Fl. Trop. Afr.* viii. 222.—Afr. trop.  
Richardsonii, *Rydb.* in *Bull. Torr. Bot. Club*, 1905, 599.—Am. bor.  
Schweinfurthii, *Arth. Benn.* in *Dyer, Fl. Trop. Afr.* viii. 220.—Afr. trop.  
similis, *Arth. Benn.* in *Journ. Bot.* 1902, 146.—Austral.  
strictifolius, *Arth. Benn.* l. c. 148.—Am. bor.

**POTENTILLA**, Linn. (Rosac.).

acuminata, *H. M. Hall*, in *Univ. Calif. Publ. Bot.* i. 86.—Am. bor.  
Alexeenkoi, *Lipsky*, in *Act. Hort. Tiflis*, vi. 52.—Reg. Caucas.  
Amthoris, *Huter*, in *Oesterr. Bot. Zeitschr.* 1905, 107.—Hybr.  
atrovirens, *Rydb.* in *Britton, Man. Fl. N. U. S.* 505.—Am. bor.  
Auszerdorferi, *Huter*, in *Oesterr. Bot. Zeitschr.* 1905, 110.—Hybr.  
Bakeri, *Rydb.* in *Bull. Torr. Bot. Club*, 1904, 560.—Am. bor.  
Breunia, *Huter*, in *Oesterr. Bot. Zeitschr.* 1905, 107.—Hybr.  
brunescens, *Rydb.* in *Bull. Torr. Bot. Club*, 1901, 173.—Am. bor.  
callida, *H. M. Hall*, in *Univ. Calif. Publ. Bot.* i. 86.—Am. bor.  
fallacina, *Blocki*, in *Wolosz. Fl. Polon. Exsicc.* no. 623.—Polonia.  
filipes, *Rydb.* in *Bull. Torr. Bot. Club*, 1901, 174.—Am. bor.  
Freyniana, *Bornm.* in *Mitth. Thüring. Bot. Ver. n. s.* xx. 12.—As. bor.  
Hallii, *Rydb.* in *Bull. Torr. Bot. Club*, 1901, 176.—Calif.  
Hickmani, *Eastw.* in *Bull. Torr. Bot. Club*, 1902, 77.—Am. bor.  
Hoelzlii, *Blocki*, in *Wolosz. Fl. Polon. Exsicc.* no. 624.—Hybr.  
horrida, *Rydb.* in *Bull. Torr. Bot. Club*, 1901, 173.—Mexic.  
Langeana, *Rydb.* l. c. 179.—Gronia.  
Laresciae, *Keller*, in *Bull. Herb. Boiss. Sér. II.* iii. 463.—Eur.  
madrensis, *Rose*, in *U. S. Dept. Agric. Contrib. Nat. Herb.* viii. 30.—Mexic.  
Mandoni, *Foucaud*, in *Bull. Soc. Bot. Rochel.* xxii. 30, fide *Index Univ. Bot.* 1205.—Eur.  
Matsuokana, *Makino*, in *Bot. Mag. Tokyo*, xvi. 161.—Japon.  
Miyabei, *Makino*, l. c. 28.—Japon.

**POTENTILLA** :—

moesiaca, *Davidoff*, in *Magyar Bot. Lap.* iv. 27.—Bulgar.  
obovatifolia, *Rydb.* in *Bull. Torr. Bot. Club*, 1901, 175.—Mexic.  
Opizii, *Domin*, in *Sitz. Böhm. Ges. Wiss.* 1903, no. 25, 21.—Austria.  
permollis, *Rydb.* in *Bull. Torr. Bot. Club*, 1901, 175.—Am. bor.  
propinqua, *Rydb.* l. c. 176.—Am. bor.  
Rydbergiana, *Rose*, in *U. S. Dept. Agric. Contrib. Nat. Herb.* viii. 30.—Mexic.  
sikkimensis, *Prairie*, in *Journ. As. Soc. Beng.* lxxiii. 201.—Reg. Himal.  
stellulata, *Davidoff*, in *Magyar Bot. Lap.* iv. 28.—Bulgar.  
stiriaca, *Hayek*, in *Mitth. Naturw. Ver. Steiermark*, xli. 174.—Hybr.  
subquinata, *Rydb.* in *Bull. Torr. Bot. Club*, 1901, 181.—Gronia.  
Suskalovicii, *Adam*, in *Denkschr. Akad. Wien, Math. Nat.* lxxiv. 126.—Turcia.  
ternata, *Makino*, in *Bot. Mag. Tokyo*, xvi. 30.—Japon.  
ternata, *Freyn*, in *Oesterr. Bot. Zeitschr.* 1902, 62 = *Freyniana*.  
Townsendii, *Rydb.* in *Bull. Torr. Bot. Club*, 1901, 174.—Mexic.

**POTHOS**, Linn. (Arac.).

ceylanicus, *Engl. Pflanzenreich, Arac.-Poth.* 24.—Zeylan.  
ellipticus, *Ridley*, in *Journ. As. Soc. Straits*, xli. 48.—Penins. Mal.  
grandispatha, *Ridley*, l. c.—Penins. Mal.  
Hosei, *Rendle*, in *Journ. Bot.* 1901, 178.—Borneo.  
inaequalis, *Ridley*, in *Journ. As. Soc. Straits*, xli. 47.—Penins. Mal.  
longipedunculatus, *Engl. Pflanzenreich, Arac.-Poth.* 27.—Ins. Malay.  
ovatifolius, *Engl. l. c.* 40.—Ins. Philipp.  
philippinensis, *Engl. l. c.* 315.—Ins. Philipp.  
yunnanensis, *Engl. l. c.* 28.—China.

**POUPARTIA**, Comm. (Anacard.).

gummifera, *Sprague*, in *Bull. Herb. Boiss. Sér. II.* v. 408.—Madag.

**POUTERIA**, Aubl. (Sapot.).

coriacea, *Pierre*, in *Urb. Symb. Antill.* v. 109 (= *Guapeba coriacea*).—Ind. occ.  
semecarpifolia, *Pierre*, l. c. 108 (= *Guapeba semecarpifolia*).—Ind. occ.  
splendens, *Macl.* in *Rep. Princeton Univ. Exped. Patag.* viii. 657 (= *Lucuma splendens*).—Patag.

**POUZOLZIA**, Gaudich. (Urtic.).

fruticosa, *Engl. Jahrb.* xxxiii. 127.—Afr. trop.

**PRAINEA**, King (Urtic.).

cuspidata, *Becc. Nelle Foreste di Borneo*, 636.—Borneo.  
frutescens, *Becc.* l. c. 635.—Borneo.  
papuana, *Becc.* l. c.—N. Guin.  
Rumphiana, *Becc.* l. c. 636 (= *Metrosideros spuria*).—Java.

**PRANGOS**, Lindl. (Umbell.).

goktechiana, *O. & B. Fedtsch.* in *Bull. Herb. Boiss. Sér. II.* i. 963.—Reg. Caucas.

**PRARAVINIA**, Korth. (Rubiace.).

Minahassae, *Koord.* in *Natuurk. Tijdschr. Ned. Ind.* lxiii. 79 (= *Lasianthus Minahassae*).—Celebes.  
Teysmanni, *Koord.* l. c. 75.—Celebes.

**PRASOPHYLLUM**, R. Br. (Orchid.).

attenuatum, *Fitzg.* in *Journ. Bot.* 1885, 136 (non *Fitzg.* in *Gard. Chron.* 1882, i. 495).—Austral.  
Muelleri, *C. Andrews*, in *Journ. Muell. Soc. W. Austral.* Ser. I. ix. 19.—Austral.

**PRATIA**, Gaudich. (Campan.).

torricellensis, *Lauterb.* in *K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 402.—N. Guin.

**PREMNA**, Linn. (Verben.).

chrysoclada, *Guerke*, in *Engl. Jahrb.* xxxiii. 293 (= *Vitex chrysoclada*).—Afr. trop.  
melanophylla, *S. Moore*, in *Journ. Linn. Soc.* xxxvii. 196.—Afr. trop.

**PREMNA** :—

membranacea, *Merrill*, in *Philipp. Gov. Lab. Bur. Bull.* xxxv. 65.—Ins. Philipp.  
oblongifolia, *Merrill*, l. c. xxix. 48.—Ins. Philipp.  
sulphurea, *Guerke*, in *Engl. Jahrb.* xxxiii. 292 (= *Vitex sulphurea*).—Afr. trop.  
Zenkeri, *Guerke*, l. c.—Afr. trop.

**PRENANTHES**, Vaill. (Compos.).

acerifolia, *Matsum. Enum. Sci. Names* (1895) 234 (= *Nabalis acerifolia*).—Japon.  
glandulosa, *Dunn*, in *Journ. Linn. Soc.* xxxv. 514.—China.  
Henryi, *Dunn*, l. c.—China.  
nipponica, *Matsum. Enum. Sci. Names* (1895) 235 (= *Nabalis nipponica*).—Japon.  
vitifolia, *Diels*, in *Engl. Jahrb.* xxix. 634.—China.

**PRESCOTTIA**, Lindl. (Orchid.).

polyphylla, *Porsch*, in *Oesterr. Bot. Zeitschr.* 1905, 153.—Bras.

**PRESTONIA**, R. Br. (Apocyn.).

glabrata, *K. Schum.* ex *Pilg.* in *Verh. Bot. Ver. Brand.* xlvii. (1905) 189.—Peruv.

**PRETREATHAMNUS**, Engl. in *Engl. Jahrb.* xxxvi.

(1905) 228. **PEDALIACEAE.**  
rosaceus, *Engl. l. c.* 238.—Afr. trop.

**PREVOSTEA**, Choisy (Convolv.).

[*Breweria*, R. Br. l. K.]  
breviflora, *Wildem.* in *Ann. Mus. Congo*, Sér. V. i. 70.—Afr. trop.

**PRIMULA**, Linn. (Primul.).

Aitchisonii, *Pax*, in *Engl. Pflanzenreich, Primul.* 105.—Afghan.  
algida, *Janka*, ex *Pax*, l. c. 80 = frondosa.  
altaica, *Hort.* ex *Pax*, l. c. 53 = amoena.  
americana, *Rydb.* in *Bull. Torr. Bot. Club*, 1901, 500.—Am. bor.  
androsacea, *Pax*, in *Engl. Pflanzenreich, Primul.* 34.—China.  
anglica, *Pax*, l. c. 65.—Hybr.  
angustidens, *Pax*, l. c. 128 = Wilsoni.  
Arendsii, *Pax*, l. c. 346.—Hybr.  
atropurpurea, *Hort.* ex *Pax*, l. c. 56 = acaulis.  
caulescens, *Pax*, l. c. 61.—Hybr.  
Cavanillesii, *Fedde*, in *Allg. Bot. Zeitschr.* 1904, 188 (= *Androsace spathulata*).—Am. austr.  
cordifolia, *Schur*, ex *Pax*, in *Engl. Pflanzenreich, Primul.* 59 = officinalis.  
Courtii, *Hort.* Veitch, ex *Pax*, l. c. 37 = simensis.  
cupularis, *Pax*, l. c. 63.—Hybr.  
decipiens, *Stein*, ex *Pax*, l. c. 141 = hirsuta.  
discolor, *Schur*, ex *Pax*, l. c. 59 = officinalis.  
Dyeriana, *Watt*, in *Journ. Horticult. Soc. Lond.* xxix. 300.—Ind. or.  
Edgeworthii, *Pax*, in *Engl. Pflanzenreich, Primul.* 41.—Reg. Himal.  
efarinosa, *Pax*, l. c. 79.—China.  
Ellisiae, *A. Nelson*, in *Proc. Biol. Soc. Wash.* xv. 178.—Am. bor.  
Falkneriana, *Porta*, ex *Pax*, in *Engl. Pflanzenreich, Primul.* 62.—Hybr.  
fallax, *C. Richter*, ex *Pax*, l. c. 61 = digenea.  
Filchnerae, *Knuth*, in *Engl. Jahrb.* xxxvi. Beibl. lxxxii. 139.—China.  
Franchetii, *Pax*, in *Engl. Pflanzenreich, Primul.* 108 (= *Omphalogramma Souliei*).—China.  
gaisbergensis, *Pax*, l. c. 64.—Hybr.  
Giraldiana, *Pax*, l. c. 92.—China.  
glomerata, *Pax*, l. c.—Reg. Himal.  
Goepfertiana, *Pax*, l. c. 61.—Hybr.  
Harrissii, *Watt*, in *Journ. Horticult. Soc. Lond.* xxix. 299.—Ind. or.  
hazarica, *Duthie*, in *Ann. Bot. Gard. Calc.* ix. 49.—Ind. or.  
Helenae, *Auct.* in *Proc. Biol. Soc. Washington*, xv. 254.—Am. bor.  
Henryi, *Pax*, in *Engl. Pflanzenreich, Primul.* 47 (= *Carolinella Henryi*).—China.  
Hoelscheri, *Pax*, l. c. 347.—Hybr.  
Inayati, *Duthie*, in *Ann. Bot. Gard. Calc.* ix. 49.—Ind. or.  
Juliae, *Kusnez.* in *Trav. Soc. Nat. Pétersb. Bot.* xxxi. (1901) (Fl. Cauc. Crit. i. 75).—Reg. Caucas.

**PRIMULA:**

- Knuthiana, Pax, in *Engl. Pflanzenreich, Primul.* 79.—China.  
*leudrensis*, Porta, ex Pax, l. c. 60 = media.  
*lilacina*, Hort. ex Pax, l. c. 56 = acaulis.  
*longobarda*, Porta, ex Pax, l. c. 136 = glaucescens.  
*macedonica*, Adamov, in *Allg. Bot. Zeitschr.* 1905, 3.—Eur.  
*Mnischeikii*, Bayern, ex Pax, in *Engl. Pflanzenreich, Primul.* 54 = amoena.  
*Nelsoni*, Hort. ex Stein, in *Samenkat. Bot. Gart. Breslau*, 1881 = hirsuta.  
*obovata*, Pax, in *Engl. Pflanzenreich, Primul.* 47 (= *Carolinella obovata*).—China.  
*obtusifolia*, Hort. ex Pax, l. c. 76 = involucrata.  
*odontocalyx*, Pax, l. c. 41.—China.  
*ossetica*, Kusnez. in *Trav. Soc. Nat. Pétersb. Bot.* xxxi. (1901) (*Fl. Cauc. Crit.* i. 112).—Reg. Caucas.  
*Partschiana*, Pax, in *Engl. Pflanzenreich, Primul.* 45 (= *Carolinella cordifolia*).—China.  
*Paxiana*, Gilg, in *Engl. Jahrb. xxxiv. Beibl.* lxxv. 56.—China.  
*peduncularis*, Bornm. in *Bull. Herb. Boiss. Sér. II.* v. 261 = *Dionysia peduncularis*.  
*pseudodenticulata*, Pax, in *Engl. Pflanzenreich, Primul.* 91.—China.  
*pseudoelator*, Kusnez. in *Trav. Soc. Nat. Pétersb. Bot.* xxxi. (1901) (*Fl. Cauc. Crit.* i. 63).—Reg. Caucas.  
*pulcherrima*, Hort. ex Pax, in *Engl. Pflanzenreich, Primul.* 90 = denticulata.  
*pulverulenta*, Duthie, in *Gard. Chron.* 1905, II. 259.—China.  
*purpurea*, Hort. ex Pax, in *Engl. Pflanzenreich, Primul.* 56 = acaulis.  
*Richteri*, Pax, l. c. 63.—Hybr.  
*rosea*, Hort. ex Pax, l. c. 56 = acaulis.  
*Ruprechtii*, Kusnez. in *Trav. Soc. Nat. Pétersb. Bot.* xxxi. (1901) (*Fl. Cauc. Crit.* i. 64).—Reg. Caucas.  
*saxatilis*, Kom. in *Act. Hort. Petrop.* xviii. 429.—Corea.  
*Schlagintweitiana*, Pax, in *Engl. Pflanzenreich, Primul.* 91.—Reg. Himal.  
*squamosa*, Klatt, ex Pax, l. c. 39 = petiolaris.  
*szechuanica*, Pax, l. c. 106.—China.  
*tangutica*, Duthie, in *Gard. Chron.* 1905, II. 42 (Jul. 1905).—China.  
*tangutica*, Pax, in *Engl. Pflanzenreich, Primul.* 108 (Nov. 1905).—China.  
*Trailii*, Watt, in *Journ. Hortic. Soc. Lond.* xxix. 299.—Ind. or.  
*tristis*, Pax, in *Engl. Pflanzenreich, Primul.* 65.—Hybr.  
*Veitchii*, Duthie, in *Gard. Chron.* 1905, I. 344.—China.  
*violodora*, Dunn, in *Gard. Chron.* 1902, II. 129.—China.  
*Warshenewskiana*, B. Fedtsch. in *Trav. Mus. Bot. Acad. Pétersb.* i. 149.—As. cent.  
*Wiesbaurii*, Pax, in *Engl. Pflanzenreich, Primul.* 63.—Hybr.  
*Wilsoni*, Dunn, in *Gard. Chron.* 1902, i. 413.—China.

**PRIONOSCIADIUM**, S. Wats. (Umbellif.).

- diversifolium*, Rose, in *U. S. Dept. Agric. Contrib. Nat. Herb.* viii. 334.—Mexic.  
*moschatum*, Rose, l. c. 335.—Mexic.  
*palustre*, Rose, l. c.—Mexic.  
*Seleri*, Rose, l. c.—Am. cent.  
*Townsendi*, Rose, l. c.—Mexic.

**PRISMATOMERIS**, Thw. (Rubiace.).

- subsessilis*, King & Gamble, in *Journ. As. Soc. Beng.* lxxiii. 91.—Penins. Mal.

**PROBOSCELLA**, Van Tiegh. in *Journ. de Bot.* xvii. (1903) 4. **OCHNACEAE.**

- emarginata*, Van Tiegh. l. c. 5.—Afr. trop.  
*Hoefnieri*, Van Tiegh. l. c. 4.—Afr. trop.

**PROCHNYANTHES**, S. Wats. (Amaryll.).

- mexicana*, Rose, in *U. S. Dept. Agric. Contrib. Nat. Herb.* viii. 14 (= *Polianthes mexicana*).—Mexic.

**PROSERPINACA**, Linn. (Halorag.).

- platycarpa*, Small, in *Bull. N. York Bot. Gard.* iii. 432.—Am. bor.

**PROSOPIS**, Linn. (Legum.).

- Benthani*, Chod. & Wilcz. in *Bull. Herb. Boiss. Sér. II.* ii. 296.—Reg. Argent.  
*Gillesii*, MacL. in *Rep. Princeton Univ. Exped. Patag.* viii. 490 (= *Poinciana Gillesii*).—Am. austr.

**PROSOPIS:**

- schinopoma*, Stuckert, in *Bull. Acad. Géogr. Bot. Sér. III.* xiii. 87.—Reg. Argent.  
*Vinalillo*, Stuckert, in *Ann. Mus. Buenos Aires*, vii. 73.—Reg. Argent.

**PROSTANTHERA**, Labill. (Labiata.).

- atroviolacea*, F. M. Bailey, in *Queensl. Agric. Journ.* xvi. 190.—Austral.  
*granitica*, Maiden & Betche, in *Proc. Linn. Soc. N. S. Wales*, xxx. 369.—Austral.

**PROTARUM**, Engl. in *Engl. Jahrb.* xxx. Beibl. lxvii. 42 (1901). **ARACEAE.**

- Sechellarum*, Engl. l. c.—Ins. Seychell.

**PROTEA**, Linn. (Proteac.).

- Baumii*, Engl. & Gilg, in *Warb. Kunene-Sambesi Exped.* 221.—Afr. trop.  
*Busseana*, Engl. *Jahrb.* xxxiii. 131.—Afr. trop.  
*chionantha*, Engl. & Gilg, in *Warb. Kunene-Sambesi Exped.* 225.—Afr. trop.  
*chrysoplepis*, Engl. & Gilg, l. c. 222.—Afr. trop.  
*congensis*, Engl. *Jahrb.* xxxiii. 129.—Afr. trop.  
*curvata*, N. E. Br. in *Kew Bull.* 1901, 131.—Afr. austr.  
*Dekindtiana*, Engl. *Jahrb.* xxxii. (1902) 128.—Afr. trop.  
*Eickii*, Engl. l. c. xxxiii. 130.—Afr. trop.  
*Goetzeana*, Engl. l. c. xxx. 298.—Afr. trop.  
*haemantha*, Engl. & Gilg, in *Warb. Kunene-Sambesi Exped.* 220.—Afr. trop.  
*Heckmanniana*, Engl. *Jahrb.* xxx. 300.—Afr. trop.  
*kingaensis*, Engl. l. c. 297 (errore *hingaensis*).—Afr. trop.  
*Lemairei*, Wildem. in *Ann. Mus. Congo*, Sér. IV. 30.—Afr. trop.  
*leucoblephara*, K. Schum. in *Just's Jahresb.* xxviii. I. 451 (= *Leucadendron leucoblepharum*).—Afr. trop.  
*linearifolia*, Engl. *Jahrb.* xxx. 296.—Afr. trop.  
*melliodora*, Engl. & Gilg, in *Warb. Kunene-Sambesi Exped.* 224.—Afr. trop.  
*myrsinifolia*, Engl. & Gilg, l. c. 223.—Afr. trop.  
*praticola*, Engl. *Jahrb.* xxx. 297.—Afr. trop.  
*rubrobracteata*, Engl. l. c. 299.—Afr. trop.  
*subvestita*, N. E. Br. in *Kew Bull.* 1901, 132.—Afr. austr.  
*trichophylla*, Engl. & Gilg, in *Warb. Kunene-Sambesi Exped.* 226.—Afr. trop.  
*Wentzeliana*, Engl. *Jahrb.* xxx. 298.—Afr. trop.

**PROTOLIRION**, Ridl. (Triurid.).

- Miyoshia-Sakuraii*, Makino, in *Bot. Mag. Tokyo*, xvii. 208 (= *Miyoshia Sakuraii*).—Japan.

**PRUNELLA**, Linn. (Labiata.).

- [**BRUNELLA**, Linn. D. T. & H.]  
*scaberrima*, Auct. in *Proc. Biol. Soc. Washington*, xiii. 206.—Am. bor.

**PRUNUS**, Linn. (Rosac.).

- alabamensis*, Mohr, in *U. S. Dept. Agric. Contrib. Nat. Herb.* vi. 552.—Am. bor.  
*australis*, Beadle, in *Biltm. Bot. Studies*, i. 162.—Am. bor.  
*bokhariensis*, Schneider, in *Fedde, Repert. Nov. Sp.* i. 51.—Ind. or.  
*brutia*, Terracc. in *Atti Ist. Incor. Napoli*, Ser. IV. i. (1888) n. 7; *Ann. di Bot. Roma*, ii. 175.—Ital.  
*canescens*, Vilm. & Bois, *Frut. Vilm. Cat.* i. 66.—China.  
*clarifolia*, Schneider, in *Fedde, Repert. Nov. Sp.* i. 67.—China.  
*consociiflora*, Schneider, l. c. 54.—China.  
*Cuthbertii*, Small, in *Bull. Torr. Bot. Club*, 1901, 290.—Am. bor.  
*dictyonera*, Diels, in *Engl. Jahrb.* xxxvi. Beibl. lxxxii. 57.—China.  
*discolor*, Schneider, *Ill. Handb. Laubholz.* i. (1905) 591 (= *Amygdalus discolor*).—Oriens.  
*eximia*, Small, in *Torreya*, i. 146.—Am. bor.  
*Giraldiana*, Schneider, in *Fedde, Repert. Nov. Sp.* i. 65.—China.  
*Hausknechti*, Schneider, *Ill. Handb. Laubholz.* i. (1905) 592.—As. Min.  
*ichangana*, Schneider, in *Fedde, Repert. Nov. Sp.* i. 50.—China.  
*integrifolia*, Sarg. *Man. Trees N. Amer.* 531.—Am. bor.  
*itosakura*, Sieb. in *Verh. Batav. Gen. xii.* 68 = pendula, Maxim.

**PRUNUS:**

- lanata*, Mackenzie & Bush, *Fl. Jacks. County*, 109; et in *Trans. Acad. St. Louis*, xii. 83.—Am. bor.  
*leiocarpa*, Schneider, *Ill. Handb. Laubholz.* i. (1905) 591 (= *Amygdalus leiocarpus*).—Persia.  
*litigiosa*, Schneider, in *Fedde, Repert. Nov. Sp.* i. 65.—China.  
*mitis*, Beadle, in *Biltm. Bot. Studies*, i. 162.—Am. bor.  
*myrtifolia*, Urb. *Symb. Antill.* v. 93 (= *Celastrus myrtifolius*).—Ind. occ.  
*nipponica*, Matsum. in *Bot. Mag. Tokyo*, xv. 99.—Japan.  
*normalis*, Small, *Fl. S. E. U. S.* 572.—Am. bor.  
*paniculata*, Edw. in *Bot. Reg.* t. 800 = pseudo-Cerasus.  
*pseudo-Cerasus*, Lindl. in *Trans. Hort. Soc.* vi. (1826) 90.—China; Japon.  
*rufoides*, Schneider, in *Fedde, Repert. Nov. Sp.* i. 55.—China.  
*scoparia*, Schneider, *Ill. Handb. Laubholz.* i. (1905) 590 (= *Amygdalus scoparius*).—Persia.  
*spartioides*, Schneider, l. c. (= *Amygdalus spartioides*).—As. Min.  
*subhirtella*, Miq. *Prol. Fl. Jap.* in *Ann. Mus. Bot. Lugd.-Bat.* ii. 91 = pendula, Maxim.  
*tarda*, Sarg. in *Coult. Bot. Gaz.* xxxiii. 108.—Am. bor.  
*trichopetala*, Blank. in *Montana Agric. Coll. Sci. Studies, Bot.* i. 70 (= *Cerasus trichopetala*).—Am. bor.  
*yedoensis*, Matsum. in *Bot. Mag. Tokyo*, xv. 100.—Japan.

**PSAMMISIA**, Klotzsch (Vaccin.).

- coriacea*, N. E. Br. in *Trans. Linn. Soc. Ser. II.* vi. 42.—Guiana.

**PSAMMOGETON**, Edgew. (Umbell.).

- Borszczowi*, Lipsky, in *Act. Hort. Petrop.* xxiii. 144.—As. cent.

**PSAMMOMOYA**, Diels & Loes. in *Engl. Jahrb.* xxxv. (1904) 339. **CELASTRACEAE.**

- choretroides*, Diels & Loes. l. c. 340.—Austral.  
*ephedroides*, Diels & Loes. l. c.—Austral.

**PSEPELLUS**, Cass. (Compos.).

- [**CENTAUREA**, Linn. I. K.]  
*Bornmuelleri*, Hausskn. in *Mitth. Thüring. Bot. Ver.* n. s. xx. 22 (= *Centaurea Bornmuelleri*).—As. Min.  
*erinavensis*, Lipsky, in *Act. Hort. Tiflis.* vi. 64.—Reg. Caucas.

**PSEUDAEGLE**, Miq. (Rutac.).

- [**CITRUS**, Linn. I. K.]  
*trifoliata*, Makino, in *Bot. Mag. Tokyo*, xvi. 15 (= *Citrus trifoliata*).—Japan.

**PSEUDANTHUS**, Wight (Amarant.).

- [**NOTHOSAERVA**, Wight. I. K.]  
*tasmanicus*, Rodw. in *Papers & Proc. Roy. Soc. Tasm.* 1900–1901 (1902) 107.—Tasm.

**PSEUDARTHRIA**, Wight (Legum.).

- robusta*, Schlechter, ex A. Zahlbr. in *Ann. Nat. Hofmus. Wien*, xx. (1905) 25 (= *Anarthrosyne robusta*).—Afr. austr.

**PSEUDERANTHEMUM**, Radlk. (Acanth.).

- [**ERANTHEMUM**, Linn. I. K. S.]  
*corcovadense*, Lindau, in *Bull. Herb. Boiss. Sér. II.* iii. 632 (= *Eranthemum corcovadense*).—Parag.  
*malaccense*, Lindau, in *Perkins, Frag. Fl. Philipp.* 40.—Ins. Philipp.

**PSEUDIBATIA**, Malme (Asclep.).

- australis*, Malme, in *Arkiv Bot. Stockh.* iv. no. 14, 11.—Am. austr.  
*foetida*, Malme, l. c. 14 (= *Gonolobus foetidus*).—Reg. Argent.  
*hirta*, Malme, l. c. (= *Gonolobus hirtus*).—Reg. Argent.  
*lanata*, Malme, l. c. 13 (= *Gonolobus lanatus*).—Reg. Argent.  
*Stuckertii*, Malme, l. c. 15.—Reg. Argent.

**PSEUDOBLEPHARIS**, Baill. (Acanth.).

- [**SCLEROCHITON**, Harv. I. K. S.]  
*coerulea*, Lindau, in *Engl. Jahrb.* xxx. 111.—Afr. trop.

**PSEUDOCADIA**, Harms, in *Engl. Jahrb.* xxxiii. 162 (1902). **LEGUMINOSAE.**

- anomala*, Harms, l. c. (= *Cadia anomala*).—Afr. trop.



**PSEUDOCONNARUS**, Radlk. (Connar.).  
macrophyllus, Radlk. in *Bull. Herb. Boiss. Sér. II. i.*  
891 (= *Rourea macrophylla*).—Bras.

**PSEUDOCYOPTERUS**, Coult. & Rose (Umbell.).  
aletifolius, Rydb. in *Bull. Torr. Bot. Club*, 1904, 574.  
—Am. bor.  
sylvaticus, A. Nelson, in *Bull. Torr. Bot. Club*, 1901,  
224.—Am. bor.

**PSEUDOEUGENIA**, Scortech. (Myrtac.).  
singaporensis, King, in *Journ. As. Soc. Beng.* lxx.  
133.—Penins. Mal.

**PSEUDOGALTONIA**, Kuntze (Liliac.).  
subspicata, Baker, in *Bull. Herb. Boiss. Sér. II. i.* 853.  
—Afr. trop.

**PSEUDOLACHNOSTYLIS**, Pax (Euphorb.).  
Verdickii, Wildem. in *Ann. Mus. Congo, Sér. IV.*  
205.—Afr. trop.

**PSEUDOPANAX**, C. Koch (Aral.).  
laetevirens, P. Dusen, in *Rep. Princeton Univ. Exped.*  
*Patag.* viii. 21.—Patag.

**PSEUDOPROSOPIS**, Harms, in *Engl. Jahrb.* xxxiii.  
152 (1902). *LEGUMINOSAE.*  
Fischeri, Harms, l. c. (= *Prosopis Fischeri*).—Afr.  
trop.

**PSEUDOSOPUBIA**, Engl. (Scrophul.).  
Delamerei, S. Moore, in *Journ. Bot.* 1901, 261.—  
Afr. trop.

**PSEUDOSPONDIAS**, Engl. (Anacard.).  
longifolia, Engl. in *Engl. Jahrb.* xxxvi. 218.—  
Afr. trop.

**PSEUDOTAENIDIA**, Mackenzie, in *Torreya*, iii.  
(1903) 158. *UMBELLIFERAE.*  
montana, Mackenzie, l. c. 159.—Am. bor.

**PSEUDOTROPHIS**, Warb. (Urtic.).  
mindanaensis, Warb. in *Perkins, Frag. Fl. Philipp.*  
165.—Ins. Philipp.

**PSIDIUM**, Linn. (Myrtac.).  
campicolum, Barb. Rodr. *Myrt. Parag.* 11.—Parag.  
eriophyllum, Barb. Rodr. l. c. 12.—Parag.  
Hasslerianum, Barb. Rodr. l. c. 9.—Parag.  
igatemyense, Barb. Rodr. l. c. 10.—Parag.  
lanatum, Barb. Rodr. l. c. 13.—Parag.  
rufinervum, Barb. Rodr. l. c. 15.—Parag.  
spodophyllum, Barb. Rodr. l. c. 14.—Parag.  
triphyllum, Barb. Rodr. l. c. 12.—Parag.

**PSILANTHELE**, Lindau (Acanth.).  
grandiflora, Lindau, in *Bull. Herb. Boiss. Sér. II. iv.*  
401.—Peruv.

**PSILOCARPHUS**, Nutt. (Compos.).  
chilensis, Reiche, *Fl. Chile*, iv. 36 (= *Bezanilla chilensis*).  
—Chili.  
globuliferus, Speg. Nov. Add. *Fl. Patag.* i. (1901)  
repr. 88 (= *Micropus globuliferus*).—Patag.

**PSILOSTROPHE**, DC. (Compos.).  
[RIDDELLIA, Nutt. I. K.]  
Bakeri, Greene, *Pl. Baker.* iii. 29.—Am. bor.  
biennis, Auct. in *Proc. Biol. Soc. Washington*, xvi.  
186.—Am. bor.  
cerifera, A. Nelson, in *Proc. Biol. Soc. Washington*,  
xvi. 21.—Am. bor.  
lanata, Auct. in *Proc. Biol. Soc. Washington*, xvi. 186.  
—Am. bor.  
pumila, Jones, ex A. Nelson, in *Proc. Biol. Soc.*  
*Washington*, xvi. 22 = P. Bakeri.  
sparsiflora, A. Nelson, l. c. 23.—Am. bor.  
villosa, Rydb. in *Britton, Man. Fl. N. U. S.* 1006.—  
Am. bor.

**PSILOTRICHUM**, Blume (Amarant.).  
capitatum, F. Muell. *Fragm.* i. 238 = *Ptilotus psilo-*  
*trichoides.*  
densiflorum, Loпр. in *Malpighia*, xiv. 453; et in *Engl.*  
*Jahrb.* xxx. 110.—Afr. austr.  
Robecchii, Loпр. in *Malpighia*, xiv. 451.—Afr. trop.  
villosiflorum, Loпр. l. c. 452.—Afr. trop.

VOL. IV.

**PSORALEA**, Linn. (Legum.).  
biovulata, Bolus, in *Trans. S. Afr. Phil. Soc.* xvi. 135.  
—Afr. austr.  
macrophylla, Rowlee, in *Small, Fl. S. E. U. S.* 623.  
—Am. bor.

**PSYCHOTRIA**, Linn. (Rubiace.).  
anacamptopoda, K. Schum. ex Wildem. in *Ann. Mus*  
*Congo, Sér. V. i.* 84, nomen.—Afr. trop.  
anacamptopus, K. Schum. in *Engl. Jahrb.* xxxiii. 360.  
—Afr. trop.  
angustifolia, Panch. ex Beauvis. *Gen. Montrouz.* 53  
(= *Douarrea speciosa*).—N. Caled.  
anomothyrsa, K. Schum. & Donn. *Sm. in Coult. Bot.*  
*Gaz.* xxxv. (1903) 3.—Am. cent.  
arbuscula, Volk. in *Engl. Jahrb.* xxxi. 476.—Ins. Carol.  
aurea, Lauterb. in K. Schum. & Lauterb. *Nachtr. Fl.*  
*Deutsch. Südsee*, 396.—N. Guin.  
avenis, Panch. ex Beauvis. *Gen. Montrouz.* 53 (= *Douarrea speciosa*).—N. Caled.  
bahamensis, Millsp. ex Britton, in *Bull. N. York Bot.*  
*Gard.* iii. 451.—Ind. occ.  
bangweana, K. Schum. in *Engl. Jahrb.* xxxiii. 361.—  
Afr. trop.  
brevistipula, Urb. *Symb. Antill.* iii. 386.—Ind. occ.  
Buchii, Urb. l. c. 385.—Ind. occ.  
cardiochlamys, Schlechter, in *Engl. Jahrb.* xxxvi. 19  
(= *Uragoga cardiochlamys*).—N. Caled.  
cephalidantha, K. Schum. in *Engl. Jahrb.* xxxiii. 361.  
—Afr. trop.  
ceratalabastron, K. Schum. l. c. 362.—Afr. trop.  
chrysoclada, K. Schum. l. c.—Afr. trop.  
coelospermum, F. M. Bailey, in *Queensl. Agric. Journ.*  
xv. 492.—Austral.  
coeruleo-violacea, K. Schum. in *Engl. Jahrb.* xxxiii.  
363.—Afr. trop.  
coffeosperma, K. Schum. l. c.—Afr. trop.  
collicola, K. Schum. l. c. 364.—Afr. trop.  
cyclophylla, Urb. *Symb. Antill.* iii. 383.—Ind. occ.  
Dewevrei, Wildem. in *Ann. Mus. Congo, Sér. V. i.*  
208.—Afr. trop.  
discolor, Huber, in *Bull. Herb. Boiss. Sér. II. i.* 327.—  
Bras.  
distegia, K. Schum. in *Engl. Jahrb.* xxxiv. 337.—Afr.  
trop.  
dolichocarpa, Urb. *Symb. Antill.* iii. 382.—Ind. occ.  
Dusenii, K. Schum. in *Engl. Jahrb.* xxxiii. 364.—Afr.  
trop.  
expansissima, K. Schum. l. c. 365.—Madag.  
faucicola, K. Schum. l. c. xxxiv. 336.—Afr. trop.  
fuscula, K. Schum. l. c. 338.—Afr. trop.  
Garrettii, K. Schum. l. c. xxxiii. 365.—Afr. trop.  
Gilletii, Wildem. in *Ann. Mus. Congo, Sér. V. i.* 208.  
—Afr. trop.  
griseola, K. Schum. in *Engl. Jahrb.* xxxiv. 337.—Afr. trop.  
ionantha, K. Schum. l. c. xxxiii. 366.—Afr. trop.  
lagenocarpa, K. Schum. l. c.—Afr. trop.  
lanceifolia, K. Schum. l. c. 367.—Afr. trop.  
leucocentron, K. Schum. l. c.—Afr. trop.  
monanthos, Schlechter, in *Engl. Jahrb.* xxxvi. 19 (= *Uragoga monanthos*).—N. Caled.  
mornicola, Urb. *Symb. Antill.* iii. 384.—Ind. occ.  
neurodictyon, K. Schum. in *Engl. Jahrb.* xxxiii. 368.—  
Afr. trop.  
paraguariensis, Chod. in *Bull. Herb. Boiss. Sér. II. iv.*  
177.—Parag.  
pleuroneura, K. Schum. in *Engl. Jahrb.* xxxiii. 368.—  
Afr. trop.  
pleuropoda, Donn. *Sm. in Coult. Bot. Gaz.* xl. 5.—Am.  
cent.  
polyphlebia, Donn. *Sm. l. c.* xxxiii. 253.—Am. cent.  
pteropetala, K. Schum. in *Engl. Jahrb.* xxxiii. 369.—  
Afr. trop.  
rubripilis, K. Schum. l. c.—Afr. trop.  
salmoneiflora, K. Schum. in K. Schum. & Lauterb.  
*Nachtr. Fl. Deutsch. Südsee*, 396.—N. Guin.  
semperflorens, Panch. ex Beauvis. *Gen. Montrouz.* 54.  
—N. Caled.  
stenocarpa, Urb. *Symb. Antill.* iii. 382.—Ind. occ.  
subuniflora, Schlechter, in *Engl. Jahrb.* xxxvi. 19 (= *Uragoga subuniflora*).—N. Caled.  
trichanthera, K. Schum. in *Engl. Jahrb.* xxxiii. 370.—  
Afr. trop.

**PSYCHROGETON**, Boiss. (Compos.).  
[ASTER, Tourn. I. K.]  
turkestanicus, O. Hoffm. ex Paulsen, in *Kjoeb. Vidensk.*  
*Meddel.* 1903, 145 (= *Diplopappus turkestanicus*).  
—As. cent.

**PTARMICA**, Neck. (Compos.).  
[ACHILLEA, Linn. I. K.]  
rupestris, Huter, in *Oesterr. Bot. Zeitschr.* 1905, 403.—  
Ital.

**PTELEA**, Linn. (Rutac.).  
carolina, Greene, in *Torreya*, v. 99.—Am. bor.  
mesochora, Greene, v. c. 100.—Am. bor.  
microcarpa, Small, in *Bull. Torr. Bot. Club*, 1901, 293.  
—Am. bor.  
obcordata, Greene, in *Torreya*, v. 99.—Am. bor.  
serrata, Small, in *Bull. Torr. Bot. Club*, 1901, 292.—  
Am. bor.  
Toxicodendron, Small, l. c. 294.—Am. bor.

**PTELEODENDRON**, K. Schum. in *Just. Jahresb.* xxvii. i.  
480, sphalm. = *Pleodendron*, Van Tiegh. (Canell.).

**PTEROCARPUS**, Linn. (Legum.).  
Antunesii, Harms, in *Engl. Jahrb.* xxx. 89 (= *Calpurnia*  
*Antunesii*).—Afr. trop.  
aphyllus, Micheli, in *Mém. Soc. Phys. Hist. Nat.*  
*Genève*, xxxiv. 266.—Mexic.  
Blancoi, Merrill, in *Philipp. Gov. Lab. Bur. Bull.* vi.  
7.—Ins. Philipp.  
Bussei, Harms, in *Engl. Jahrb.* xxxiii. 171.—Afr. trop.  
Cabrac, Wildem. in *Rev. Cult. Colon.* 1902, 43; et in  
*Belgique Coloniale*, viii. 198.—Afr. trop.  
Dekindtianus, Harms, in *Engl. Jahrb.* xxx. 89.—Afr.  
trop.  
Mutondo, Wildem. in *Ann. Mus. Congo, Sér. IV.* 57.  
—Afr. trop.  
odoratus, Wildem. l. c. 58.—Afr. trop.  
salignus, Aresch. in *Svensk. Vet. Akad. Handl.* xxxix.  
no. 2, 82, nomen.—Hab. ?  
Valentini, Speg. Nov. Add. *Fl. Patag.* i. (1901), repr.  
58.—Patag.

**PTEROCAULON**, Ell. (Compos.).  
alopocuroideum, Chod. in *Bull. Herb. Boiss. Sér. II. ii.*  
386 (= *Conyza alopecuroides*).—Parag.  
Balansae, Chod. l. c. 388.—Parag.  
Hassleri, Chod. l. c. 387.—Parag.  
Lorentzii, Malmé, in *Bih. Svensk. Vet. Akad. Handl.*  
xxvii. no. 12, 22.—Bras.  
Malméanum, Chod. in *Bull. Herb. Boiss. Sér. II. ii.*  
388.—Parag.  
purpurascens, Malmé, in *Bih. Svensk. Vet. Akad.*  
*Handl.* xxvii. no. 12, 13.—Parag.  
rugosum, Malmé, l. c. 16 (= *Conyza rugosa*).—Bras.  
subspicatum, Malmé, ex Chod. in *Bull. Herb. Boiss.*  
*Sér. II. ii.* 388.—Parag.  
subvirgatum, Malmé, in *Bih. Svensk. Vet. Akad.*  
*Handl.* xxvii. no. 12, 24.—Parag.

**PTEROCEPHALUS**, Vaill. (Dipsac.).  
[SCABIOSA, Tourn. I. K.]  
Bretschneideri, Diels, in *Engl. Jahrb.* xxix. 601 (= *Scabiosa Bretschneideri*).—China.

**PTEROCYMBIUM**, R. Br. (Stercul.).  
[STERCULIA, Linn. I. K.]  
macrocrater, Warb. in *Perkins, Frag. Fl. Philipp.* i.  
117.—Ins. Philipp.  
Schumannianum, Lauterb. in K. Schum. & Lauterb.  
*Nachtr. Fl. Deutsch. Südsee*, 317.—N. Guin.  
tinctorium, Merrill, in *Philipp. Gov. Lab. Bur. Bull.*  
xxvii. 24 (= *Heritiera tinctoria*).—Malaya.

**PTERODISCUS**, Hook. (Pedal.).  
intermedius, Engl. *Jahrb.* xxxii. (1902) 112.—Afr. trop.  
Ruspolii, Engl. l. c.—Afr. trop.

**PTEROGLOSSASPIS**, Reichb. f. (Orchid.).  
argentina, Rolfe, ex Stuck, in *Anal. Mus. Nac.*  
*Buenos Aires*, ix. 11.—Reg. Argent.  
ecristata, Rolfe, *Orch. Rev.* 1904, 136 (= *Eulophia*  
*ecristata*).—Am. bor.

**PTEROLEPIS**, Miq. (Melast.).  
cearensis, Huber, in *Bull. Herb. Boiss. Sér. II. i.* 318.  
—Bras.  
Glaziovii, Pilg. in *Engl. Jahrb.* xxxiii. *Beibl.* lxxii. 16.  
—Bras.

**PTEROLOBIUM**, R. Br. (Legum.).  
membranulaceum, Merrill, in *Philipp. Gov. Lab. Bur.*  
*Bull.* xxxv. 22 (= *Mimosa membranulacea*).—Ins.  
Philipp.  
Schmidtianum, Harms, in *Bot. Tidsskr.* xxiv. 265.—  
Malaya.

U

**PTERONIA**, Linn. (Compos.).

bromoides, *S. Moore*, in *Bull. Herb. Boiss. Sér. II*. iv 1011.—Afr. trop.  
 Dinteri, *S. Moore*, l. c. 1012.—Afr. trop.  
 Eenii, *S. Moore*, in *Fourn. Linn. Soc.* xxxv. 325.—Afr. trop.  
 unguiculata, *S. Moore*, in *Bull. Herb. Boiss. Sér. II*. iv. 1012.—Afr. trop.

**PTEROSPERMUM**, Schreb. (Stercul.).

formosanum, *Matsum.* in *Bot. Mag. Tokyo*, xv. 53.—Formosa.  
 lanceolatum, *Lignier & Bey*, in *Bull. Soc. Linn. Norm. Sér. V*. viii. 258, nomen.—Hab.?  
 Lamarckianum, *Hochr.* in *Bull. Inst. Buitenz.* xix. 21.—Ind. or.  
 macrocarpum, *Hochr.* l. c. 24; et in *Ik. Bogor.* tt. 152-153.—Ind. or.  
 Proteus, *Burkill*, in *Kew Bull.* 1901, 138.—China.

**PTEROSTEMON**, Schau. (Rosac.).

rotundifolius, *Ramirez*, in *La Naturaleza*, Ser. II. ii. 417.—Mexic.

**PTEROSTYLIS**, R. Br. (Orchid.).

Sargenti, *C. R. P. Andrews*, in *Fourn. W. Austral. Nat. Hist. Soc.* ii. 57.—Austral.  
 semirubra, *F. Muell. Fragm. Phyt. Austral.* viii. 249.—Austral.  
 tristis, *Colenso*, in *Trans. N. Z. Inst.* xviii. 271.—N. Zel.

**PTEROTABERNA**, Stapf, in *Dyer, Fl. Trop. Afr.*

iv. i. 125 (1902). *APOCYNACEAE*.  
 inconspicua, *Stapf*, l. c. 126 (= *Tabernaemontana inconspicua*).—Afr. trop.

**PTEROXYGONUM**, Damm. & Diels, in *Engl. Jahrb.* xxxvi. Beibl. lxxii. (1905) 36. *POLYGONACEAE*.

Giraldii, *Damm. & Diels*, l. c. 36.—China.

**PTERYGODIUM**, Sw. (Orchid.).

deflexum, *Bolus*, in *Trans. S. Afr. Phil. Soc.* xvi. 151.—Afr. austr.  
 leucanthum, *Bolus*, l. c. 150.—Afr. austr.

**PTILORIA**, Rafin. (Compos.).

[*STEPHANOMERIA*, Nutt. I. K.]  
 lygodesmoides, *A. A. Heller, Muhlenbergia*, i. 7 (= *Stephanomeria lygodesmoides*).—Am. bor.  
 ramosa, *Rydb.* in *Britton, Man. Fl. N. U. S.* 894.—Am. bor.

**PTILOTRICHUM**, C. A. Mey. (Crucif.).

[*ABYSSUM*, Tourn. I. K.]  
 Lapeyrousianum, *Jord.* in *Jord. & Fourr. Ic. Fl. Eur.* ii. 47.—Eur.  
 Peyrousi, *Bub.* Fl. Pyren. iii. 211 = *Lapeyrousianum*.

**PTILOTUS**, R. Br. (Amarant.).

chamaecladus, *Diels*, in *Engl. Jahrb.* xxxv. 193.—Austral.  
 depressus, *Fitzger.* in *Fourn. W. Austral. Nat. Hist. Soc.* i. (1904) 33 (= *Trichinium depressum*).—Austral.  
 Macleayi, *F. Muell.* in *Proc. Linn. Soc. N. S. Wales*, Ser. II. iii. 162 = *psilotrichoides*.  
 petiolatus, *Farmar*, in *Bull. Herb. Boiss. Sér. II*. v. 1089.—Austral.  
 roseo-albus, *Farmar*, l. c. 1090.—Austral.  
 Schwartzii, *Tate*, in *Trans. Proc. Roy. Soc. Austral.* xii. (1889) 82 (= *Trichinium Schwartzii*).—Austral.

**PTYCHOPETALUM**, Benth. (Olac.).

alliaceum, *Wildem.* in *Ann. Mus. Congo, Sér. V*. i. 33.—Afr. trop.  
 nigricans, *Wildem.* l. c. 34.—Afr. trop.

**PTYCHORAPHIS**, Becc. (Palm.).

longiflora, *Ridley*, in *Fourn. As. Soc. Straits*, xli. 39.—Penins. Mal.

**PTYCHOSPERMA**, Labill. (Palm.).

discolor, *Becc.* in *Martelli, Webbia*, 300.—N. Guin.  
 Hartmannii, *Becc.* l. c. 301.—N. Guin.  
 josephensis, *Becc.* l. c. 299.—N. Guin.  
 Normanbyi, *Becc.* in *D'Albertis, N. Guinea*, v. II. 399 = *Calyptricalyx Albertisianus*.  
 polyclados, *Becc.* in *Martelli, Webbia*, 301.—N. Guin.

**PTYCHOTIS**, Koch (Umbell.).

saxifraga, *Loret & Barrand*, *Fl. Montpel.* i. 283 (= *Seseli saxifragum*).—Eur.

**PUCCINELLIA**, Parl. (Gramin.).

[*GLYCERIA*, R. Br. I. K.]  
 rubida, *Elmer*, in *Coult. Bot. Gaz.* xxxvi. 56.—Am. bor.

**PUELIA**, Franch. (Gramin.).

acuminata, *Pilg.* in *Engl. Jahrb.* xxx. 125.—Afr. trop.  
 Schumanniana, *Pilg.* l. c. 126.—Afr. trop.  
 subsessilis, *Pilg.* l. c. 124.—Afr. trop.

**PUERARIA**, DC. (Legum.).

Warburgii, *Perkins*, *Frag. Fl. Philipp.* i. 87.—Ins. Philipp.

**PULASSARIUM**, Rumpf. (Apocyn.).

[*ALYXIA*, Banks. I. K. S.]  
 flavescens, *Pierre*, in *L. Planch. Prod. Apocyn.* (1894) 261 (= *Alyxia flavescens*).—Cochinch.  
 pisiforme, *Pierre*, l. c. (= *Alyxia pisiformis*).—Cochinch.

**PULICARIA**, Gaertn. (Compos.).

kouyangensis, *Vaniot*, in *Bull. Acad. Géogr. Bot.* xii. (1903) 490.—China.

**PULSATILLA**, Linn. (Ranunc.).

[*ANEMONE*, Tourn. I. K.]  
 Duthiei, *Gandoger*, in *Bull. Soc. Bot. Fr.* xlv. 417.—Ind. or.

**PULTENAEA**, Sm. (Legum.).

arida, *E. Pritz.* in *Engl. Jahrb.* xxxv. 258.—Austral.  
 barbata, *C. R. P. Andrews*, in *Fourn. W. Austral. Nat. Hist. Soc.* i. 38.—Austral.  
 cinerascens, *Maiden & Betche*, in *Proc. Linn. Soc. N. S. Wales*, xxx. 361.—Austral.  
 Luehmanni, *Maiden*, in *Vict. Nat.* xxii. 100.—Austral.  
 Vrolandi, *Maiden*, l. c. 98.—Austral.  
 Weindorferi, *Reader*, in *Vict. Nat.* xxii. 51.—Austral.  
 Williamsoni, *Maiden*, in *Vict. Nat.* xxii. 99.—Austral.

**PUPALIA**, Juss. (Amarant.).

Robecchii, *Lopr.* in *Malpighia*, xiv. 446.—Afr. trop.

**PUYA**, Molina (Bromel.).

Brittoniana, *Baker*, in *Bull. Torr. Bot. Club*, 1902, 697.—Boliv.  
 Clava-Herculis, *Mez & Sodiro*, in *Bull. Herb. Boiss. Sér. II*. iv. 863.—Ecuador.  
 ferox, *Mez*, l. c. 632.—Peruv.  
 glomerifera, *Mez & Sodiro*, l. c. 630.—Ecuador.  
 gummifera, *Mez & Sodiro*, l. c. 863.—Ecuador.  
 longispala, *Mez*, l. c. 629.—Peruv.  
 oxyantha, *Mez*, l. c. 631.—Peruv.  
 Pichinchae, *Mez & Sodiro*, l. c. 633.—Ecuador.  
 Sodiroana, *Mez*, l. c. 630.—Ecuador.  
 Weberbaueri, *Mez*, l. c. 633.—Peruv.

**PYCNOBOTRYA**, Benth. (Apocyn.).

multiflora, *K. Schum. ex Stapf*, in *Dyer, Fl. Trop. Afr.* iv. i. 203.—Afr. trop.

**PYCNOCOMA**, Benth. (Euphorb.).

trilobata, *Wildem. Enum. Pl. Laurent*, 132.—Afr. trop.

**PYCNOSPHERA**, Gilg, in *Warb. Kunene-Sambesi*

*Exped.* 333 (1903). *GENTIANACEAE*.  
 Buchananii, *N. E. Br.* in *Dyer, Fl. Trop. Afr.* iv. i. 565 (= *Faroa Buchananii*).—Afr. trop.  
 trimera, *Gilg*, in *Warb. Kunene-Sambesi Exped.* 333.—Afr. trop.

**PYCNOSTACHYS**, Hook. (Labiata).

Bussei, *Guerke*, in *Engl. Jahrb.* xxxvi. 131.—Afr. trop.  
 holophylla, *Briq.* in *Bull. Herb. Boiss. Sér. II*. iii. 1000.—Afr. austr.  
 linifolia, *Guerke*, in *Engl. Jahrb.* xxx. 397.—Afr. trop.  
 purpurascens, *Briq.* in *Bull. Herb. Boiss. Sér. II*. iii. 998.—Afr. austr.  
 Schlechteri, *Briq.* l. c. 999.—Afr. austr.  
 uliginosa, *Guerke*, in *Engl. Jahrb.* xxx. 396.—Afr. trop.

**PYCNOSTYLIS**, Pierre (Menisp.).

loucoubensis, *K. Schum.* in *Fust. Jahresb.* xxvii. i. 500 (= *Triclisia loucoubensis*).—Madag.

**PYCNOTHYMUS**, Small, Fl. S. E. U. S. 1042

(1903). *LABIATAE*.  
 rigidus, *Small*, l. c. (= *Satureia rigida*).—Am. bor.

**PYCREUS**, Beauv. (Cyper.).

chorisanthus, *C. B. Clarke*, in *Dyer, Fl. Trop. Afr.* viii. 526.—Afr. trop.  
 Delavayi, *C. B. Clarke*, in *Fourn. Linn. Soc.* xxxvi. 203.—China.  
 fernandezianus, *C. B. Clarke*, in *Engl. Jahrb.* xxx. Beibl. lxviii. 5.—Chili.  
 grammicus, *C. B. Clarke*, l. c. 6.—Chili.  
 intermedius, *C. B. Clarke*, in *Dyer, Fl. Trop. Afr.* viii. 290 (= *Cyperus intermedius*).—Afr. trop.  
 Lagunetto, *C. B. Clarke*, in *Engl. Jahrb.* xxx. Beibl. lxviii. 8 (= *Cyperus Lagunetto*).—Chili; Reg. Argent.  
 melanostachys, *C. B. Clarke*, l. c. 6.—Chili.  
 minimus, *C. B. Clarke*, in *Dyer, Fl. Trop. Afr.* viii. 302 (= *Cyperus minimus*).—Afr. trop.  
 nematodes, *C. B. Clarke*, in *Engl. Jahrb.* xxx. Beibl. lxviii. 5.—Chili.  
 nyasensis, *C. B. Clarke*, in *Dyer, Fl. Trop. Afr.* viii. 304.—Afr. trop.  
 tener, *C. B. Clarke*, in *Bull. Herb. Boiss. Sér. II*. iii. 940.—Parag.  
 unioides, *Makino*, in *Bot. Mag. Tokyo*, xvii. 49 (= *Cyperus unioides*).—Japon.

**PYGHEUM**, Gaertn. (Rosac.).

Henryi, *Dunn*, in *Fourn. Linn. Soc.* xxxv. 493.—China.  
 platyphyllum, *K. Schum.* in *K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 273.—N. Guin.

**PYRENACANTHA**, Wight (Olac.).

Menyharthii, *Schinz*, in *Denkschr. Akad. Wien, Math.-Nat.* lxxviii. 427.—Afr. trop.

**PYRETHRUM**, Hall. (Compos.).

[*CHRYSANTHEMUM*, Tourn. I. K.]  
 Akinfiewi, *Alex.* in *Act. Hort. Tiflis*, vi. i. 58.—Reg. Caucas.  
 Debeauxianum, *Gand.* in *Bull. Soc. Bot. Fr.* lii. 455.—Hispan.  
 Debeauxii, *Degen, Herv. & Reverch.* in *Bull. Acad. Géogr. Bot.* xv. (1905) 99.—Eur.  
 eginense, *Hauskn.* in *Mitth. Thüring. Bot. Ver.* n. s. xx. 18.—As. Min.  
 Hausknechtii, *Bornm.* in *Mitth. Thüring. Bot. Ver.* n. s. xx. 19.—As. Min.  
 heterotomum, *Bornm.* l. c. 17.—As. Min.  
 leucopilodes, *Hauskn.* in *Mitth. Thüring. Bot. Ver.* n. s. xx. 19 (= *Anthemis leucopilodes*).—As. Min.  
 paminicum, *O. Fedtsch. Pl. Pamir*, 37.—As. cent.  
 pectinatum, *Hauskn.* in *Mitth. Thüring. Bot. Ver.* n. s. xx. 16.—As. Min.

**PYROLA**, Linn. (Eric.).

Corbieri, *Léveillé*, in *Bull. Acad. Géogr. Bot.* xii. (1903) 254.—China.

**PYRROCOMA**, Hook. (Compos.).

[*APLOPAPPUS*, Cass. I. K.]  
 brachycephala, *A. Nelson*, in *Coult. Bot. Gaz.* xxxvii. 265.—Am. bor.  
 Hallii, *Howell*, *Fl. N. W. Amer.* i. 299 (= *Aplopappus Hallii*).—Am. bor.  
 insecticruris, *A. A. Heller, Muhlenbergia*, i. 7 (= *Aplopappus insecticruris*).—Am. bor.  
 Kennedyi, *A. Nelson*, in *Coult. Bot. Gaz.* xxxvii. 265.—Am. bor.  
 lagopus, *Rydb.* in *Bull. Torr. Bot. Club*, 1905, 130.—Am. bor.  
 lanceolata, *Howell*, *Fl. N. W. Amer.* i. 299 (= *Aplopappus lanceolatus*).—Am. bor.  
 tenuicaulis, *Howell*, l. c. (= *Aplopappus tenuicaulis*).—Am. bor.

**PYRUS**, Linn. (Rosac.).

acutiloba, *Ilse*, in *Erfurt Jahrb. Akad.* iv. (1866) 110 = *rotundifolia*.  
 bucharica, *Litw.* in *Trav. Mus. Bot. Acad. Pétersb.* i. 18.—Turkestan.  
 Doumeri, *Bois*, in *Bull. Soc. Bot. Fr.* li. 113.—Anam.

**PYRUS:—**

- Korshinskiy, *Litw. in Trav. Mus. Bot. Acad. Pétersb.* i. 17.—Turkestan.  
 Kurzii, *Watt, ex Prain, in Journ. As. Soc. Beng.* lxxiii. 203.—Reg. Himal.  
 Niedzwetzkyana, *Hemsl. Bot. Mag.* t. 7975.—As. cent.  
 Scheideckeri, *Hort. ex Gartenfl.* 1904, 417, t. 1529.—Japan.

**Q****QUALEA**, Aubl. (Vochys.).

- elegans*, *Taub. ex Glaz. in Bull. Soc. Bot. Fr.* lii. Mém. III. nomen, 30.—Bras.  
*excelsa*, *Glaz. l. c.* 31, nomen.—Bras.  
*minaensis*, *Glaz. l. c.*, nomen.—Bras.  
*speciosa*, *Huber, in Bol. Mus. Para.* iii. 425.—Bras.  
*Wittrockii*, *Malmé, in Arkiv Bot. Stockh.* v. no. 6, (1905) 6.—Bras.

**QUAMOCLIDION**, Choisy (Nyctag.).

- [*MIRABILIS*, Riv. I. K.]  
*laeve*, *Rydb. in Bull. Torr. Bot. Club*, 1902, 687 (= *Oxybaphus laevis*).—Am. bor.

**QUEKETIA**, Lindl. (Orchid.).

- carinata*, *Cogn. in Mart. Fl. Bras.* iii. vi. 199 (= *Capanemia carinata*).—Bras.  
*micromera*, *Cogn. l. c.* 198 (= *Capanemia micromera*).—Bras.  
*Theresiae*, *Cogn. l. c.* 200 (= *Capanemia Theresiae*).—Bras.

**QUELCHIA**, N. E. Br. in Trans. Linn. Soc. Ser. II. vi. 41 (1901). **COMPOSITAE.**

- conferta*, *N. E. Br. l. c.*—Guiana.

**QUELTIA**, Salisb. (Amaryll.).

- [*NARCISSUS*, Tourn. I. K.]  
*pallenscens*, *Ford. in Ford. & Fourr. Ic. Fl. Eur.* iii. 36.—Gallia.  
*serotina*, *Ford. l. c.*—Eur.

**QUERCUS**, Linn. (Cupulif.).

- Alexanderi*, *Britton, Man. Fl. N. U. S.* 336.—Am. bor.  
*Alvordiana*, *Eastw. in Occas. Papers Calif. Acad. Sci.* ix. (1905) 48.—Calif.  
*ambigens*, *Ford. in Ford. & Fourr. Ic. Fl. Eur.* iii. 39.—Gallia.  
*aquifolia*, *Trab. in Batt. & Trab. Fl. Algér. Tunis.* 309.—Afr. bor.  
*austrina*, *Small, Fl. S. E. U. S.* 353.—Am. bor.  
*Boyntoni*, *Beadle, in Biltm. Bot. Stud.* i. 47.—Am. bor.  
*brachyloba*, *Ford. in Ford. & Fourr. Ic. Fl. Eur.* iii. 37.—Gallia.  
*Brayi*, *Small, in Bull. Torr. Bot. Club*, 1901, 358.—Am. bor.  
*Carolinae*, *Skan, ex Dunn, in Journ. Linn. Soc.* xxxv. 518.—China.  
*carpostachys*, *Léveillé & Vaniot, in Bull. Soc. Bot. Fr.* lii. 142.—Japan.  
*Cavaleriei*, *Léveillé & Vaniot, l. c.*—China.  
*Eastwoodiae*, *Rydb. in Bull. N. York Bot. Gard.* ii. 210.—Am. bor.  
*ellipsoidea*, *Ford. in Ford. & Fourr. Ic. Fl. Eur.* iii. 38.—Gallia.  
*Gunnisonii*, *Rydb. in Bull. N. York Bot. Gard.* ii. 206.—Am. bor.  
*Havardi*, *Rydb. l. c.* 213.—Am. bor.  
*Hondai*, *Makino, in Bot. Mag. Tokyo*, xvi. 144.—Japan.  
*hybrida*, *Small, Fl. S. E. U. S.* 350.—Am. bor.  
*Kernerii*, *Simk. in Magyar Bot. Lap.* iii. 83.—Eur.  
*Laceyi*, *Small, in Bull. Torr. Bot. Club*, 1901, 358.—Am. bor.  
*leptocarpa*, *Ford. in Ford. & Fourr. Ic. Fl. Eur.* iii. 38.—Gallia.  
*leptophylla*, *Rydb. in Bull. N. York Bot. Gard.* ii. 205.—Am. bor.  
*microcarya*, *Small, in Bull. Torr. Bot. Club*, 1901, 357.—Am. bor.  
*microchlamys*, *Ford. in Ford. & Fourr. Ic. Fl. Eur.* iii. 38.—Gallia.  
*Mohriana*, *Buckley, ex Rydb. in Bull. N. York Bot. Gard.* ii. 219.—Am. bor.

**QUERCUS:—**

- nitescens*, *Rydb. in Bull. N. York Bot. Gard.* ii. 207.—Am. bor.  
*novomexicana*, *Rydb. l. c.* 208.—Am. bor.  
*obtusifolia*, *Rydb. l. c.* 213.—Am. bor.  
*ovigera*, *Ford. in Ford. & Fourr. Ic. Fl. Eur.* iii. 37.—Gallia.  
*pauciloba*, *Rydb. in Bull. N. York Bot. Gard.* ii. 215.—Am. bor.  
*Pilgeriana*, *Seemen, in Bull. Herb. Boiss. Sér. II. iv.* 655.—Am. cent.  
*Pittieri*, *Wesmael, ex Seemen, l. c.* 652.—Am. cent.  
*pumila*, *Sudw. in U. S. Dept. Agric. Bull. Forest.* xiv. 172.—Am. bor.  
*pisiformis*, *Small, in Bull. Torr. Bot. Club*, 1901, 357.—Am. bor.  
*rapurahuensis*, *Pittier, ex Seemen, in Bull. Herb. Boiss. Sér. II. iv.* 654.—Am. cent.  
*Rolsii*, *Small, in Bull. N. York Bot. Gard.* iii. 422.—Am. bor.  
*Rydbergiana*, *Cockerell, in Torreya*, iii. (1903) 7.—Am. bor.  
*Schneekii*, *Britton, Man. Fl. N. U. S.* 333.—Am. bor.  
*subimbricaria*, *Sudw. in U. S. Dept. Agric. Bull. Forest.* xiv. 179.—Am. bor.  
*submollis*, *Rydb. in Bull. N. York Bot. Gard.* ii. 202.—Am. bor.  
*suboculta*, *Ford. in Ford. & Fourr. Ic. Fl. Eur.* iii. 37.—Gallia.  
*succulenta*, *Small, in Bull. N. York Bot. Gard.* iii. 422.—Am. bor.  
*tomentella*, *Ford. in Ford. & Fourr. Ic. Fl. Eur.* iii. 37.—Gallia.  
*Tonduzii*, *Seemen, in Bull. Herb. Boiss. Sér. II. iv.* 656.—Am. cent.  
*truncatula*, *Ford. in Ford. & Fourr. Ic. Fl. Eur.* iii. 38.—Gallia.  
*utahensis*, *Rydb. in Bull. N. York Bot. Gard.* ii. 202.—Am. bor.  
*veneris*, *Kerner, in Schneider, Ill. Handb. Laubholz.* i. (1904) 191.—Cyprus.  
*Vreelandii*, *Rydb. in Bull. N. York Bot. Gard.* ii. 204.—Am. bor.  
*Wilcoxii*, *Rydb. l. c.* 227.—Am. bor.

**QUINA**, Aubl. (Guttif.).

- decastyla*, *Radlk. ex Glaz. in Bull. Soc. Bot. Fr.* lii. Mém. III. 40, nomen.—Bras.  
*lucida*, *Glaz. l. c.*, nomen.—Bras.

**QUIRIVELIA**, Poir. (Apocyn.).

- [*ICHNOCARPUS*, R. Br. I. K.]  
*bantamensis*, *F. N. Williams, in Bull. Herb. Boiss. Sér. II. v.* 949 (= *Ichnocarpus bantamensis*).—Siam.

**R****RADERMACHERA**, Zoll. & Mor. (Bignon.).

- [*STEREOSPERMUM*, Cham. I. K.]  
*Elmeri*, *Merrill, in Philipp. Gov. Lab. Bur. Bull.* xxix. 48.—Ins. Philipp.  
*pentandra*, *Hemsl. in Hook. Ic. Pl.* t. 2728.—China.  
*sinica*, *Hemsl. l. c.*, in indice (= *Stereospermum sinicum*).—China.

**RADICULA**, Dill. (Crucif.).

- [*NASTURTium*, Linn. I. K.]  
*alpina*, *Greene, Leaflets Bot. Obs.* i. 114 (= *Roripa alpina*).—Am. bor.  
*calycina*, *Greene, l. c.* 113 (= *Nasturtium calycinum*).—Am. bor.  
*Columbiae*, *Greene, l. c.* 114 (= *Roripa Columbiae*).—Am. bor.  
*curvipes*, *Greene, l. c.* 113 (= *Roripa curvipes*).—Am. bor.  
*curvisiliqua*, *Greene, l. c.* (= *Sisymbrium curvisiliquum*).—Am. bor.  
*dictyota*, *Greene, l. c.* (= *Nasturtium dictyotum*).—Am. bor.  
*limosa*, *Greene, l. c.* (= *Nasturtium limosum*).—Am. bor.  
*lyrata*, *Greene, l. c.* (= *Nasturtium lyratum*).—Am. bor.  
*multicaulis*, *Greene, l. c.* (= *Roripa multicaulis*).—Am. bor.

**RADICULA:—**

- Nuttallii*, *Greene, Leaflets Bot. Obs.* i. 114 (= *Roripa Nuttallii*).—Am. bor.  
*obtusa*, *Greene, l. c.* 113 (= *Nasturtium obtusum*).—Am. bor.  
*occidentalis*, *Greene, l. c.* (= *Nasturtium occidentale*).—Am. bor.  
*officinalis*, *Groves, in Bab. Man. Brit. Bot.* ed. IX. 26 (= *Nasturtium officinale*).—Reg. bor. temp.  
*pacifica*, *Greene, Leaflets Bot. Obs.* i. 114 (= *Roripa pacifica*).—Am. bor.  
*polymorpha*, *Greene, l. c.* 113 (= *Nasturtium polymorphum*).—Am. bor.  
*sessiliflora*, *Greene, l. c.* (= *Nasturtium sessiliflorum*).—Am. bor.  
*sinuata*, *Greene, l. c.* (= *Nasturtium sinuatum*).—Am. bor.  
*sphaerocarpa*, *Greene, l. c.* (= *Nasturtium sphaerocarpum*).—Am. bor.  
*tenerima*, *Greene, l. c.* (= *Roripa tenerima*).—Am. bor.  
*Walteri*, *Greene, l. c.* 114 (= *Sisymbrium Walteri*).—Am. bor.

**RAILLARDELLA**, Benth. (Compos.).

- scabrada*, *Eastw. in Bull. Torr. Bot. Club*, 1905, 216.—Calif.

**RAIMANNIA**, Rose, in U. S. Dept. Agric. Contrib.

- Nat. Herb. viii. (1905) 330. **ONAGRACEAE.**  
*Colimae*, *Rose, l. c.*—Mexic.  
*confusa*, *Rose, l. c.*—Mexic.  
*coronopifolia*, *Rose, l. c.* (= *Oenothera coronopifolia*).—Am. bor.  
*Curtissii*, *Rose, l. c.*—Am. bor.  
*Drummondii*, *Rose, l. c.* 331 (= *Oenothera Drummondii*).—Am. bor.  
*grandis*, *Rose, l. c.*—Am. bor.  
*heterophylla*, *Rose, l. c.* (= *Oenothera heterophylla*).—Am. bor.  
*humifusa*, *Rose, l. c.* (= *Oenothera humifusa*).—Am. bor.  
*laciniata*, *Rose, l. c.* (= *Oenothera laciniata*).—Am. bor.  
*littoralis*, *Rose, l. c.* (= *Oenothera littoralis*).—Mexic.  
*macroceles*, *Rose, l. c.* (= *Oenothera macroceles*).—Am. bor.  
*rhombipetala*, *Rose, l. c.* (= *Oenothera rhombipetala*).—Am. bor.

**RAJANIA**, Linn. (Dioscor.).

- Sintenisii*, *Uline, in Urb. Symb. Antill.* iii. 281.—Ind. occ.

**RAMIREZELLA**, Rose, in U. S. Dept. Agric. Contrib.

- Nat. Herb. viii. 44 (1903). **LEGUMINOSAE.**  
*glabrata*, *Rose, l. c.* 45.—Mexic.  
*occidentalis*, *Rose, l. c.*—Mexic.  
*pubescens*, *Rose, l. c.*—Mexic.  
*strobilophora*, *Rose, l. c.* 44 (= *Vigna strobilophora*).—Mexic.

**RAMONA**, Greene (Labiata).

- [*AUDIBERTIA*, Benth. I. K. S.]  
*pachystachya*, *A. A. Heller, Muhlenbergia*, i. 4 (= *Audibertia pachystachya*).—Am. bor.  
*Vaseyi*, *A. A. Heller, l. c.* 59 (= *Audibertia Vaseyi*).—Calif.

**RAMONDIA**, Rich. (Gesner.).

- chloropoda*, *Ford. in Ford. & Fourr. Ic. Fl. Eur.* ii. 39.—Eur.  
*crenulata*, *Ford. l. c.* 40.—Eur.  
*floribunda*, *Ford. l. c.* 39.—Eur.  
*lobulosa*, *Ford. l. c.*—Eur.

**RANDIA**, Houst. (Rubiace.).

- armigera*, *K. Schum. in Bot. Tidsskr.* xxiv. 332.—Malaya.  
*bellatula*, *K. Schum. in Engl. Jahrb.* xxxiii. 342.—Afr. austr.  
*binata*, *King & Gamble, in Journ. As. Soc. Beng.* lxxii. 205.—Penins. Mal.  
*brachythamnus*, *K. Schum. in Warb. Kunene-Sambesi Exped.* 384.—Afr. trop.  
*Clarkei*, *King & Gamble, in Journ. As. Soc. Beng.* lxxii. 213.—Penins. Mal.  
*congolana*, *Wildem. & Th. Dur. in Ann. Mus. Congo*, Sér. III. i. 114.—Afr. trop.  
*Crosbyi*, *Burkill, in Journ. Linn. Soc.* xxxv. 41.—Ins. Tonga.

**RANDIA:—**

- Curtisii, King & Gamble, in Journ. As. Soc. Beng. lxxii. 208.—Penins. Mal.  
 curvata, Valet. in Ic. Bogor. t. 146 (= *Tocoyena scandens*).—Java.  
 Cuvelierana, Wildem. in Ann. Mus. Congo, Sér. V. i. 79.—Afr. trop.  
 eucodon, K. Schum. in Bot. Tidsskr. xxiv. 333.—Malaya.  
 exserta, K. Schum. in Engl. Jahrb. xxxiii. 343.—Afr. trop.  
 Forbesii, King & Gamble, in Journ. As. Soc. Beng. lxxii. 207.—Malaya.  
 hedrophylla, K. Schum. in Engl. Jahrb. xxxiii. 343.—Afr. trop.  
 Henryi, E. Pritz. in Engl. Jahrb. xxix. 581.—China.  
 impressinervis, King & Gamble, in Journ. As. Soc. Beng. lxxii. 206.—Malaya.  
 Kunstleri, King & Gamble, l. c. 216.—Malaya.  
 Lemairei, Wildem. in Ann. Mus. Congo, Sér. IV. 155.—Afr. trop.  
 Lujae, Wildem. in Compt. Rend. Acad. Sci. Par. cxxxviii. 913; Notices Pl. Utiles Congo, 283.—Afr. trop.  
 oppositiflora, K. Schum. in Bot. Tidsskr. xxiv. 332 = densiflora.  
 penangiana, King & Gamble, in Journ. As. Soc. Beng. lxxii. 213.—Penins. Mal.  
 perakensis, King & Gamble, l. c. 210.—Penins. Mal.  
 purpureomaculata, C. H. Wright, in Kew Bull. 1901, 123.—Afr. trop.  
 sambesiaca, Schinz, in Bull. Herb. Boiss. Sér. II. ii. 1015.—Afr. trop.  
 Scortechinii, King & Gamble, in Journ. As. Soc. Beng. lxxii. 210.—Malaya.  
 sphaerocoryne, K. Schum. in Engl. Jahrb. xxxiii. 344.—Afr. trop.

**RANEVEA**, L. H. Bailey, in Cycl. Am. Hortic. 1497 (1902). *PALMAE*.

Hildebrandtii, L. H. Bailey, l. c. (= *Ravenea Hildebrandtii*).—Ins. Comor.

**RANUNCULUS**, Lign. (Ranunc.).

- alaiensis, Ostenf. in Vidensk. Medd. Kjöbenh. (1901) 1902, 309.—As. cent.  
 Alboffii, MacL. in Rep. Princeton Univ. Exped. Patag. viii. 405.—Fuegia.  
 Allenii, Robinson, in Rhodora, vii. 220.—Am. bor.  
 amurensis, Kom. in Act. Hort. Petrop. xxii. 294.—China.  
 australis, Eastw. in Zoe, v. 104 (1901).—Calif.  
 Blankinshipii, A. A. Heller, Muhlenbergia, i. 40.—Am. bor.  
 cardiopetalus, Greene, in Ottawa Natural. xvi. 32.—Am. bor.  
 caricetorum, Greene, Pittonia, v. 194.—Am. bor.  
 Chaffanjonii, P. Danguy, ex Finet & Gagnep. in Bull. Soc. Bot. Fr. li. 322.—Turkestan.  
 dulcis, Bub. Fl. Pyren. iii. 384 = Sardous.  
 Duriaei, Beille, ex Sart. in Ann. Sci. Nat. Sér. IX. ii. 4.—Eur.  
 ficariifolia, Léveillé & Vaniot, in Bull. Soc. Bot. Fr. li. 289.—China.  
 Helleri, Rydb. in Bull. Torr. Bot. Club, 1902, 158.—Am. bor.  
 hirtipes, Greene, in Ottawa Natural. xvi. 32.—Am. bor.  
 illinoensis, Greene, Pittonia, v. 195.—Am. bor.  
 intertextus, Greene, in Ottawa Natural. xvi. 33.—Am. bor.  
 Kawakamii, Makino, in Bot. Mag. Tokyo, 1904, 48.—Japan.  
 Komarowii, Freyn, in Bull. Herb. Boiss. Sér. II. iii. 558.—As. cent.  
 kopetdagensis, Litw. in Trav. Mus. Bot. Acad. Pétersb. i. 26.—Turkestan.  
 Labordei, Léveillé & Vaniot, in Bull. Acad. Géogr. Bot. xi. (1902) 50.—China.  
 longilobus, A. A. Heller, Muhlenbergia, ii. 36.—Calif.  
 micropetalus, Rydb. in Bull. Torr. Bot. Club, 1902, 158.—Am. bor.  
 multiformis, Bub. Fl. Pyren. iii. 394 = *parnassifolius*.  
 myssanus, K. Schum. in Just. Jahresb. xxvii. i. 506, sphalm. = *nyssanus*.  
 octopetalus, Greene, in Ottawa Natural. xvi. 33.—Am. bor.  
 oligocarpus, Speg. in Anal. Mus. Buenos Aires, vii. 206.—Patag.

**RANUNCULUS:—**

- oreogenes, Greene, Pl. Baker. iii. 2.—Am. bor.  
 Phillipianus, Wildem. Rés. Voy. Belgica, Bot. 91.—Reg. Magell.  
 politus, Greene, Pittonia, v. 196.—Am. bor.  
 potamogetonoides, Speg. Nov. Add. Fl. Patag. i. (1901), repr. 4.—Patag.  
 pseudo-caltha, Chod. & Wilcz. in Bull. Herb. Boiss. Sér. II. ii. 285.—Reg. Argent.  
 pulsatillifolius, Litw. in Trav. Mus. Bot. Acad. Pétersb. i. 25.—Turkestan.  
 rapaceus, Bub. Fl. Pyren. iii. 386 = *bulbosus*.  
 Rigoii, Huter, in Oesterr. Bot. Zeitschr. 1903, 494.—Eur.  
 rudis, Greene, in Ottawa Natural. xvi. 33.—Am. bor.  
 Shaftoanus, Finet & Gagnep. in Bull. Soc. Bot. Fr. li. 305 (= *Oxygraphis Shaftoana*).—Afghan.  
 Sodiroid, Léveillé, in Bull. Acad. Géogr. Bot. x. (1901) 209.—Am. trop.  
 stenolobus, Rydb. in Bull. Torr. Bot. Club, 1902, 159.—Am. bor.  
 tauricus, Freyn, in Bull. Herb. Boiss. Sér. II. i. 248.—Oriens.  
 tener, Mohr, in U. S. Dept. Agric. Contrib. Nat. Herb. vi. 513.—Am. bor.  
 tenuipes, A. A. Heller, Muhlenbergia, i. 50.—Am. bor.  
 utahensis, Rydb. in Bull. Torr. Bot. Club, 1902, 158.—Am. bor.  
 verticillatus, Eastw. in Coult. Bot. Gaz. xxxiii. 144.—Am. bor.  
 Winkleri, Kom. Mater. Fl. Turkest. 59 = *R. Komarowii*.  
 Wolfianus, Chenev. in Bull. Trav. Soc. Bot. Genève, ix. 121.—Helvet.  
 yukonensis, Britton, in Bull. N. York Bot. Gard. ii. 169.—Am. bor.  
 Yvesii, Burnat, in Rouy, Illustr. Pl. Eur. t. 352.—Eur.

**RAPANEA**, Aubl. (Myrsin.).

- [MYRSINE, Linn. I. K.]  
 achradifolia, Mez, in Engl. Pflanzenreich, Myrsin. 354 (= *Myrsine achradifolia*).—Austral.  
 acrantha, Mez, in Urb. Symb. Antill. ii. 433 (= *Myrsine acrantha*).—Jamaica.  
 acuminata, Mez, in Engl. Pflanzenreich, Myrsin. 386.—Bras.  
 acutiloba, Mez, l. c. 390.—N. Granat.  
 affinis, Mez, l. c. 358 (= *Myrsine affinis*).—Java.  
 ambigua, Mez, l. c. 380.—Venez.  
 andina, Mez, l. c. 378.—Am. trop.  
 asymmetrica, Mez, l. c. 366.—Ins. Fiji.  
 avenis, Mez, l. c. 357 (= *Myrsine avenis*).—Java.  
 Balansae, Mez, l. c. 391.—Parag.  
 Benthamiana, Mez, l. c. 365.—Austral.  
 Boivinii, Mez, l. c. 376 (= *Myrsine Boivinii*).—Afr. austr.  
 borneensis, Mez, l. c. 359 (= *Myrsine borneensis*).—Borneo.  
 buxifolia, Mez, l. c. 362 (= *Myrsine buxifolia*).—China.  
 campanulata, Mez, l. c. 356 (= *Myrsine campanulata*).—Austral.  
 capitellata, Mez, l. c. (= *Myrsine capitellata*).—Ind. or.  
 ceylanica, Mez, l. c. 359.—Zeylan.  
 Cheesemannii, Mez, l. c. 371 (= *Myrsine Cheesemannii*).—N. Zel.  
 citrifolia, Mez, l. c. 368.—N. Caled.  
 cochinchinensis, Mez, l. c. 364 (= *Myrsine cochinchinensis*).—Cochinch.  
 collina, Mez, l. c. 372 (= *Myrsine collina*).—Ins. Tahiti.  
 comorensis, Mez, l. c. 375.—Ins. Comor.  
 cordata, Mez, l. c. 367 (= *Myrsine cordata*).—Malaya.  
 coriacea, Mez, in Urb. Symb. Antill. ii. 428 (= *Samara coriacea*).—Ind. occ.  
 Courboniana, Mez, in Engl. Pflanzenreich, Myrsin. 395.—Urug.  
 crassifolia, Mez, l. c. 365 (= *Myrsine crassifolia*).—Ins. Norfolk.  
 daphnites, Mez, l. c. 390 (= *Myrsine daphnites*).—Bras.  
 daphnoides, Mez, l. c. 357.—Ind. or.  
 dasyphylla, Mez, l. c. 363 (= *Myrsine dasyphylla*).—Borneo.  
 densiflora, Mez, l. c. 365 (= *Myrsine densiflora*).—N. Guin.  
 depauperata, Mez, l. c. 387.—Bras.  
 dependens, Mez, l. c. 377 (= *Myrsine dependens*).—Am. trop.

**RAPANEA:—**

- diminuta, Mez, in Engl. Pflanzenreich, Myrsin. 366.—N. Caled.  
 emarginella, Mez, l. c. 388 (= *Myrsine emarginella*).—Bras.  
 erythroxyloides, Mez, l. c. 375 (= *Myrsine erythroxyloides*).—Madag.  
 exigua, Mez, l. c. 364.—Zeylan.  
 Faberi, Mez, l. c. 358.—China.  
 falcata, Mez, l. c. 372 (= *Myrsine falcata*).—Ins. Tahiti.  
 ferruginea, Mez, in Urb. Symb. Antill. ii. 429 (= *Caballeria ferruginea*).—Am. trop.  
 Forbesii, Mez, in Engl. Pflanzenreich, Myrsin. 362.—Sumatra.  
 Gardneriana, Mez, l. c. 384 (= *Myrsine Gardneriana*).—Bras.  
 Gilliana, Mez, l. c. 376 (= *Myrsine Gilliana*).—Afr. austr.  
 glaucorubens, Mez, l. c. 394.—Bras.  
 Glazioviana, Mez, l. c. 378 (= *Myrsine Glazioviana*).—Bras.  
 glomeriflora, Mez, l. c. 394 (= *Myrsine glomeriflora*).—Bras.  
 Griffithiana, Mez, l. c. 360.—Ind. or.  
 Hasseltii, Mez, l. c. 362 (= *Myrsine Hasseltii*).—Java.  
 Howittiana, Mez, l. c. 354 (= *Myrsine Howittiana*).—Austral.  
 intermedia, Mez, l. c. 388.—Bras.  
 involucrata, Mez, l. c. 370.—N. Guin.  
 Jelskii, Mez, l. c. 379.—Am. trop.  
 Juergensenii, Mez, l. c. 388.—Mexic.  
 kermadecensis, Mez, l. c. 371 (= *Myrsine kermadecensis*).—N. Zel.  
 Korthalsii, Mez, l. c. 363 (= *Myrsine Korthalsii*).—Sumatra.  
 laetevirens, Mez, l. c. 395.—Am. austr.  
 lanceolata, Mez, l. c. 368 (= *Myrsine lanceolata*).—N. Caled.  
 lancifolia, Mez, l. c. 387 (= *Myrsine lancifolia*).—Bras.  
 latifolia, Mez, l. c. (= *Myrsine latifolia*).—Peruv.  
 Lecardii, Mez, l. c. 369.—N. Caled.  
 Lechleri, Mez, l. c. 380.—Peruv.  
 leucantha, K. Schum. in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee, 345.—N. Guin.  
 leuconera, Mez, in Engl. Pflanzenreich, Myrsin. 389 (= *Myrsine leuconera*).—Bras.  
 lifuensis, Mez, l. c. 368.—N. Caled.  
 lineata, Mez, l. c. 385.—Bras.  
 Loeftgrenii, Mez, l. c. 382.—Bras.  
 longifolia, Mez, l. c. 373 (= *Myrsine longifolia*).—Ins. Tahiti.  
 Lorentziana, Mez, l. c. 394.—Bras.  
 lucida, Mez, l. c. 361 (= *Myrsine lucida*).—Ind. or.  
 macrophylla, Mez, l. c. 369 (= *Myrsine macrophylla*).—N. Caled.  
 Mandonii, Mez, l. c. 378.—Boliv.  
 Manglillo, Mez, l. c. 383 (= *Sideroxylon Manglillo*).—Peruv.  
 matensis, Mez, l. c. 391.—Am. trop.  
 megapotamica, Mez, l. c. —Bras.  
 melanophloeos, Mez, l. c. 375 (= *Myrsine melanophloeos*).—Afr. austr.  
 modesta, Mez, l. c. 367.—N. Caled.  
 myricifolia, Mez, l. c. 366 (= *Myrsine myricifolia*).—Ins. Fiji.  
 myrtillina, Mez, l. c. 370.—Austral.  
 myrtoides, Mez, l. c. 377 (= *Myrsine myrtoides*).—N. Granat.  
 Nadeaudii, Mez, l. c. 372 (= *Myrsine coriacea*).—Ins. Tahiti.  
 neriifolia, Mez, l. c. (= *Myrsine neriifolia*).—As. or.  
 neurophylla, Mez, l. c. 374 (= *Myrsine neurophylla*).—Afr. trop.  
 novo-caledonica, Mez, l. c. 368.—N. Caled.  
 oligophylla, Mez, l. c. 392.—Peruv.  
 ovalifolia, Mez, l. c. 391.—Bras.  
 ovalis, Mez, l. c. 373 (= *Myrsine ovalis*).—Ins. Tahiti.  
 papuana, Mez, l. c. 365 (= *Myrsine papuana*).—N. Guin.  
 parvifolia, Mez, l. c. 389 (= *Myrsine parvifolia*).—Bras.  
 parvula, Mez, l. c. 384.—Bras.  
 paulensis, Mez, l. c. 382 (= *Myrsine paulensis*).—Bras.  
 Pearcei, Mez, l. c. 386.—Peruv.  
 pellucida, Mez, l. c. 394 (= *Myrsine pellucida*).—Peruv.  
 perforata, Mez, l. c. 395.—Parag.



**RAPANEA** :—

- philippinensis, Mez, in Engl. Pflanzenreich, Myrsin. 364 (= *Myrsine philippinensis*).—Ins. Philipp.  
 Pittieri, Mez, l. c. 378.—Am. cent.  
 platystigma, Mez, l. c. 370 (= *Myrsine platystigma*).—Austral.  
 Playfairii, Mez, l. c. (= *Myrsine Playfairii*).—China.  
 porosa, Mez, l. c. 355 (= *Myrsine porosa*).—Austral.  
 Porteriana, Mez, l. c. 358 (= *Myrsine Porteriana*).—Penins. Mal.  
 pseudocrenata, Mez, l. c. 393.—Boliv.  
 rawacensis, Mez, l. c. 363 (= *Myrsine rawacensis*).—Ins. Rawak.  
 rhododendroides, Mez, l. c. 374 (= *Myrsine rhododendroides*).—Afr. trop.  
 rivularis, Mez, in Bull. Herb. Boiss. Sér. II. v. 536.—Peruv.  
 robusta, Mez, in Engl. Pflanzenreich, Myrsin. 362.—Zeylan.  
 rotundifolia, Mez, l. c. 382.—Ind. occ.  
 rubens, Mez, l. c. 364.—Zeylan.  
 runssorica, Mez, l. c. 373 (= *Myrsine runssorica*).—Afr. trop.  
 salicina, Mez, l. c. 370 (= *Myrsine salicina*).—N. Zel.  
 Schwackeana, Mez, l. c. 379.—Bras.  
 Seychellarum, Mez, l. c. 376 (= *Myrsine Seychellarum*).—Ins. Seychell.  
 simensis, Mez, l. c. 373 (= *Myrsine simensis*).—Afr. trop.  
 Sodiroana, Mez, l. c. 385.—Ecuador.  
 Sprucei, Mez, l. c. 388 (= *Myrsine Sprucei*).—Am. trop.  
 squarrosa, Mez, l. c. 390.—Bras.  
 stenophylla, Mez, l. c. 370.—N. Caled.  
 striata, Mez, l. c. 357.—Ind. or.  
 subsessilis, Mez, l. c. 354 (= *Myrsine subsessilis*).—Austral.  
 sumatrana, Mez, l. c. 364 (= *Myrsine sumatrana*).—Sumatra.  
 tahitensis, Mez, l. c. 373 (= *Myrsine tahitensis*).—Ins. Tahiti.  
 Thwaitesii, Mez, l. c. 357.—Ind. or.  
 torricellensis, K. Schum. in K. Schum. & Lauterb. Nachr. Fl. Deutsch. Südsee, 346.—N. Guin.  
 Trinitatis, Mez, in Urb. Symb. Antill. ii. 432 (= *Myrsine Trinitatis*).—Ind. occ.  
 ulugurensis, Mez, in Engl. Pflanzenreich, Myrsin. 374 (= *Myrsine ulugurensis*).—Afr. trop.  
 umbellata, Mez, l. c. 384 (= *Myrsine umbellata*).—Bras.  
 umbellulata, Mez, l. c. 362 (= *Myrsine umbellulata*).—Malaya.  
 umbrosa, Mez, l. c. 386 (= *Myrsine umbrosa*).—Bras.  
 urceolata, Mez, l. c. 356 (= *Myrsine urceolata*).—Austral.  
 Urvillei, Mez, l. c. 371 (= *Myrsine Urvillei*).—N. Zel.  
 variabilis, Mez, l. c. 355 (= *Myrsine variabilis*).—Austral.  
 venosa, Mez, l. c. 386 (= *Myrsine venosa*).—Bras.  
 Vescoi, Mez, l. c. 372 (= *Myrsine Vescoi*).—Ins. Tahiti.  
 Vieillardii, Mez, l. c. 369 (= *Myrsine Vieillardii*).—N. Caled.  
 villicaulis, Mez, l. c. 379.—Bras.  
 Wettsteinii, Mez, in Bull. Herb. Boiss. Sér. II. v. 537.—Bras.  
 Wightiana, Mez, in Engl. Pflanzenreich, Myrsin. 360 (= *Myrsine Wightiana*).—Ind. or.  
 yunnanensis, Mez, l. c. 359.—China.

**RAPATEA**, Aubl. (Rapat.).

- spectabilis, Pilg. in Verh. Bot. Ver. Brand. xlvii. (1905) 101.—Peruv.

**RAPHANISTRUM**, Tourn. = **Raphanus**, Tourn. (Crucif.).

- Landra, Bub. Fl. Pyren. iii. 249 = *Raphanus Landra*.  
 innocuum, Bub. l. c. = *Raphanus Raphanistrum*.

**RAPHIA**, Beauv. (Palm.).

- Gentiliana, Wildem. Enum. Pl. Laurent. 29.—Afr. trop.  
 Laurentii, Wildem. l. c. 26.—Afr. trop.  
 Sese, Wildem. l. c. 28.—Afr. trop.

**RAPHIOLEPIS**, Lindl. (Rosac.).

- umbellata, Makino, in Bot. Mag. Tokyo, xvi. 13 = japonica.

**RAPHIONACME**, Harv. (Asclep.).

- denticulata, N. E. Br. in Dyer, Fl. Trop. Afr. iv. 1. 275.—Afr. trop.

**RAPHIONACME** :—

- globosa, N. E. Br. in Dyer, Fl. Trop. Afr. iv. 1. 271 (= *Raphiacme globosa*).—Afr. trop.  
 jurensis, N. E. Br. l. c. 272.—Afr. trop.  
 linearis, N. E. Br. l. c. 270 (= *Raphiacme linearis*).—Afr. trop.  
 Michelii, Wildem. in Ann. Mus. Congo, Sér. V. i. 181.—Afr. trop.  
 Verdictii, Wildem. l. c. 182.—Afr. trop.

**RAPINIA**, Montr. (Verben.).

- triphylla, Montrouz. ex Beauvis. Gen. Montrouz. 67 (= *Vitex Rapini*).—N. Caled.

**RATIBIDA**, Rafin. (Compos.).

- [LEPACHYS, Rafin. I. K.]  
 picta, Small, Fl. S. E. U. S. 1260.—Am. bor.

**RAUWOLFIA**, Plum. (Apocyn.).

- Cumminsii, Stapf, in Dyer, Fl. Trop. Afr. iv. 1. 114.—Afr. trop.  
 Goetzei, Stapf, l. c. 113.—Afr. trop.  
 gonioclada, K. Schum. ex Stapf, l. c. 110 = *macrophylla*.  
 leucopoda, K. Schum. ex Stapf, l. c. = *macrophylla*.  
 liberiensis, Stapf, l. c. 601.—Afr. trop.  
 obliquinervis, Stapf, l. c. 112.—Afr. trop.  
 sambesiaca, Schinz, in Denkschr. Akad. Wien, Math.-Nat. lxxviii. 434.—Afr. trop.  
 sessilifolia, S. Moore, in Journ. Bot. 1904, 103.—Bras.  
 Volkensii, Stapf, in Dyer, Fl. Trop. Afr. iv. 1. 116 (= *Tabernaemontana Volkensii*).—Afr. trop.  
 Welwitschii, Stapf, l. c. 110.—Afr. trop.

**RAWSONIA**, Harv. & Sond. (Bixac.).

- reticulata, Gilg, in Engl. Jahrb. xxx. 357.—Afr. trop.

**RAYNAUDETIA**, Bub. Fl. Pyren. iii. 17 = **Telephium**, Tourn. (Ficoid.).

- mediterranea, Bub. l. c. 18 = *T. Imperati*.

**RAZOUOWSKYA**, Hoffm. (Loranth.).

- [ARCEUTHOBium, Bieb. I. K.]  
 tsugensis, Rosend. in Minnes. Bot. Stud. iii. 272.—Am. bor.

**REBSAMENIA**, Conzatti, Gén. Veget. Mexic. 117 (1903). **MALVACEAE**.

- arborea, Conzatti, l. c. 118.—Mexic.

**REICHARDIA**, Roth (Compos.).

- [PICRIDium, Desf. I. K.]  
 orientalis, Hochr. in Ann. Conserv. & Jard. Bot. Genève, vii-viii. 238 (= *Scorzonera orientalis*).—Alger.

**REINWARDTIODENDRON**, Koord. (Meliac.).

- Merrillii, Perkins, Frag. Fl. Philipp. i. 74.—Ins. Philipp.

**RELBUNium**, Benth. & Hook. f. (Rubiace.).

- alpicola, K. Schum. & R. Fries, in Nov. Act. Soc. Sci. Upsal. Ser. IV. i. no. 1, 101.—Reg. Argent.  
 mazocarpum, Greenm. in Proc. Amer. Acad. xli. 250.—Mexic.

**RENANTHERA**, Lour. (Orchid.).

- moschifera, Knuth, Handb. Blütenb. iii. 214 (= *Arachnanthe moschifera*).—Malaya.

**RENEALMIA**, Linn. f. (Scitam.).

- albo-rosea, K. Schum. in Engl. Pflanzenreich, Zingib. 293.—Afr. trop.  
 angustifolia, K. Schum. l. c. 304.—Bras.  
 antillarum, Gagnep. in Bull. Soc. Bot. Fr. 1. 202 (= *Alpinia antillarum*).—Ind. occ.  
 batangana, K. Schum. in Engl. Pflanzenreich, Zingib. 295.—Afr. trop.  
 brasiliensis, K. Schum. l. c. 305.—Bras.  
 chalcoclora, K. Schum. l. c. 297.—N. Granat.  
 coelobracteata, K. Schum. l. c. 307.—Bras.  
 congoensis, Gagnep. in Bull. Soc. Bot. Fr. xlix. 30.—Afr. trop.  
 dermatopetala, K. Schum. in Engl. Pflanzenreich, Zingib. 304.—Boliv.  
 Dewevrei, Wildem. & Th. Dur. ex Gagnep. in Bull. Soc. Bot. Fr. lii. 543, descr. ampl.—Afr. trop.  
 Engleri, K. Schum. in Engl. Pflanzenreich, Zingib. 293.—Afr. trop.  
 erythronura, Gagnep. in Bull. Soc. Bot. Fr. xlix. 31.—Afr. trop.

**RENEALMIA** :—

- Fischeri, K. Schum. in Engl. Pflanzenreich, Zingib. 294.—Afr. trop.  
 floribunda, K. Schum. l. c. 300.—Bras.  
 geostachys, K. Schum. l. c. 303.—Peruv.  
 goyazensis, K. Schum. & Gagnep. in Bull. Soc. Bot. Fr. xlix. 23.—Bras.  
 hygrophila, K. Schum. in Engl. Pflanzenreich, Zingib. 284.—N. Granat.  
 jalapensis, Gagnep. in Bull. Soc. Bot. Fr. xlix. 29.—Mexic.  
 laxa, K. Schum. in Engl. Pflanzenreich, Zingib. 292.—Afr. trop.  
 Lehmannii, K. Schum. l. c. 298.—N. Granat.  
 longifolia, K. Schum. l. c. 289.—Afr. trop.  
 longipes, K. Schum. l. c. 305.—Bras.  
 lutea, F. R. Johnston, in Proc. Amer. Acad. xl. 683.—Venez.  
 macrocolea, K. Schum. in Engl. Pflanzenreich, Zingib. 294.—Afr. trop.  
 micrantha, K. Schum. l. c. 298.—Boliv.  
 oligosperma, K. Schum. l. c. 300.—Ecuador.  
 Petasites, Gagnep. in Bull. Soc. Bot. Fr. xlix. 26.—Bras.  
 platycolea, K. Schum. in Engl. Pflanzenreich, Zingib. 305.—Venez.  
 polyantha, K. Schum. l. c. 295.—Afr. trop.  
 porphyrobracteata, K. Schum. l. c. 287.—Ecuador.  
 pycnostachys, K. Schum. l. c. 302.—Bras.  
 reticulata, Gagnep. in Bull. Soc. Bot. Fr. xlix. 25.—Bras.  
 rubro-flava, K. Schum. in Engl. Pflanzenreich, Zingib. 297.—Ecuador.  
 sessilifolia, Gagnep. in Bull. Soc. Bot. Fr. xlix. 33.—Am. trop.  
 spicata, Gagnep. l. c. 27.—Peruv.  
 stenostachys, K. Schum. in Engl. Pflanzenreich, Zingib. 306.—Afr. trop.

**RENNELLIA**, Korth. (Rubiace.).

- paniculata, King & Gamble, in Journ. As. Soc. Beng. lxxiii. 89.—Penins. Mal.

**RESEDA**, Tourn. (Resed.).

- bucharica, Litw. in Trav. Mus. Bot. Acad. Pétersb. i. 15.—Turkestan.  
 gracilis, Bub. Fl. Pyren. iii. 254 = *Gayana*.  
 Plinii, Bub. l. c. 253 = *suffruticulosa*.  
 sudanica, A. Chevalier, in Act. Congo, Bot. 1900 (1901) 273.—Afr. trop.

**RESTIO**, Linn. (Restiac.).

- Dielsii, Gilg, ex Diels & Pritz. in Engl. Jahrb. xxxv. 88.—Austral.  
 leucoblephara, Gilg, ex Diels & Pritz. l. c.—Austral.  
 praefixus, Mast. in Bull. Herb. Boiss. Sér. II. i. 778.—Afr. austr.  
 stenostachys, Fitzg. in Proc. Linn. Soc. N. S. Wales, xxviii. 108.—Austral.

**RESTREPIA**, H. B. & K. (Orchid.).

- crassifolia, Edwall, in Revista Centr. Sci. Campinas, ii. 193.—Bras.

**RETINIPHYLLUM**, Humb. & Bonpl. (Rubiace.).

- laxiflorum, N. E. Br. in Trans. Linn. Soc. Ser. II. vi. 36.—Guiana.

**RETINOSPORA**, Sieb. & Zucc. (Conif.).

- [THUYA, Linn. I. K.]  
 Sanderi, Hort. in Gard. Chron. 1903, i. 266, et Suppl. April 25, t. 107.—Hab. ?

**REYNOSIA**, Griseb. (Rhamnace.).

- Northropiana, Urb. Symb. Antill. iii. 315.—Ind. occ.

**RHABDADENIA**, Muell. Arg. (Apocyn.).

- corallicola, Small, in Bull. N. York Bot. Gard. iii. 434.—Am. bor.  
 macrantha, Donn. Sm. in Coult. Bot. Gaz. xl. 7.—Am. cent.

**RHABDODENDRON**, Gilg & Pilg. in Verh. Bot.

- Ver. Brand. xlvii. (1905) 152. **RUTACEAE**.  
 columnare, Gilg & Pilg. l. c.—Reg. Amaz.

**RHABDOPHYLLUM**, Van Tiegh. in Journ. de Bot.

- xvi. 201 (1902); et in Bull. Mus. Hist. Nat. Par. viii. (1902) 216. **OCHNACEAE**.  
 acutissimum, Van Tiegh. in Ann. Sci. Nat. Sér. VIII. xviii. 34.—Afr. trop.

**RHABDOPHYLLUM** :—

- affine, *Van Tiegh. in Journ. de Bot.* xvi. 201 (1902) (= *Gomphia affinis*).—Afr. trop.  
 angustum, *Van Tiegh. in Ann. Sci. Nat. Sér. VIII.* xvi. 324.—Afr. trop.  
 Arnoldianum, *Van Tiegh. in Journ. de Bot.* xvi. 202 (1902) (= *Ouratea Arnoldiana*).—Afr. trop.  
 Barteri, *Van Tiegh. in Ann. Sci. Nat. Sér. VIII.* xvi. 322.—Afr. trop.  
 Buchholzii, *Van Tiegh. l. c.* xviii. 34.—Afr. trop.  
 calophyllum, *Van Tiegh. in Journ. de Bot.* xvi. 201 (1902) (= *Gomphia calophylla*).—Afr. trop.  
 densum, *Van Tiegh. in Ann. Sci. Nat. Sér. VIII.* xvi. 322.—Afr. trop.  
 discolor, *Van Tiegh. l. c.* 321 (= *Gomphia discolor*).—Afr. trop.  
 leptoneurum, *Van Tiegh. l. c.* xviii. 34.—Afr. trop.  
 longipes, *Van Tiegh. l. c.* xvi. 323.—Afr. trop.  
 myrianeurum, *Van Tiegh. l. c.* xviii. 34.—Afr. trop.  
 nutans, *Van Tiegh. l. c.* xvi. 322.—Afr. trop.  
 paniculatum, *Van Tiegh. l. c.* 321.—Afr. trop.  
 pauciflorum, *Van Tiegh. l. c.* 324.—Afr. trop.  
 penicillatum, *Van Tiegh. l. c.* 323.—Afr. trop.  
 Preussi, *Van Tiegh. l. c.* 322.—Afr. trop.  
 Quintasi, *Van Tiegh. l. c.* 324.—Afr. trop.  
 refractum, *Van Tiegh. in Journ. de Bot.* xvi. 201 (1902) (= *Ouratea refracta*).—Afr. trop.  
 rubrum, *Van Tiegh. in Ann. Sci. Nat. Sér. VIII.* xvi. 323.—Afr. trop.  
 Staudti, *Van Tiegh. l. c.* 322.—Afr. trop.  
 stenorachis, *Van Tiegh. l. c.* xviii. 34.—Afr. trop.  
 Tholloni, *Van Tiegh. l. c.* xvi. 323.—Afr. trop.  
 umbellatum, *Van Tiegh. l. c.*—Afr. trop.  
 Viancini, *Van Tiegh. l. c.* 324.—Afr. trop.  
 Welwitschi, *Van Tiegh. l. c.* 322.—Afr. trop.

**RHABDOTHAMNOPSIS**, Hemsl. in *Journ. Linn. Soc.* xxxv. (1903) 517. **CYRTANDRACEAE**.  
 sinensis, *Hemsl. l. c.*—China.

**RHACOMA**, Linn. (Celastr.).

- [MYGINDA, Linn. I. K.]  
 aquifolia, *Urb. Symb. Antill.* v. 77 (= *Myginda aquifolia*).—Ind. occ.  
 coriacea, *Urb. l. c.* 71 (= *Crossopetalum coriaceum*).—Ind. occ.  
 gonoclada, *Urb. l. c.* 75.—Ind. occ.  
 rostrata, *Urb. l. c.* 78.—Ind. occ.  
 spathulifolia, *Urb. l. c.* 70.—Ind. occ.  
 Urbaniana, *Loes. in Fedde, Repert. Nov. Sp.* i. 162.—Peruv.

**RHAMNIDIUM**, Reiss. (Rhamnac.).

- Hasslerianum, *Chod. in Bull. Herb. Boiss. Sér. II.* iii. 541.—Parag.  
 Moreireanum, *Glaz. in Bull. Soc. Bot. Fr.* lii. Mém. III. 110, nomen.—Bras.

**RHAMNUS**, Tourn. (Rhamnac.).

- castorea, *Greene, Leaflets Bot. Obs.* i. 64.—Am. bor.  
 cuspidata, *Greene, l. c.*—Calif.  
 discolor, *Rose, in U. S. Dept. Agric. Contrib. Nat. Herb.* viii. 51.—Am. cent.  
 fasciculata, *Greene, Leaflets Bot. Obs.* i. 63.—Am. bor.  
 hispanorum, *Gand. in Bull. Soc. Bot. Fr.* lii. 440.—Hispan.  
 Nelsoni, *Rose, in U. S. Dept. Agric. Contrib. Nat. Herb.* viii. 50.—Mexic.  
 nevadensis, *A. Nelson, in Proc. Biol. Soc. Washington*, xviii. 174.—Am. bor.  
 nipponica, *Makino, in Bot. Mag. Tokyo*, xviii. 98.—dahurica.  
 obliqua, *Rose, in U. S. Dept. Agric. Contrib. Nat. Herb.* viii. 51.—Mexic.  
 obtusissima, *Greene, Leaflets Bot. Obs.* i. 64.—Calif.  
 Pringlei, *Rose, in U. S. Dept. Agric. Contrib. Nat. Herb.* viii. 51.—Mexic.  
 revoluta, *Rose, l. c.*—Mexic.  
 ursina, *Greene, Leaflets Bot. Obs.* i. 63.—Am. bor.  
 Yoshinoi, *Makino, in Bot. Mag. Tokyo*, xviii. 97.—Japon.

**RHAMPHICARPA**, Benth. (Scrophul.).

- montana, *N. E. Br. in Kew Bull.* 1901, 129.—Afr. trop. & austr.

**RHAMPHIDIA**, Lindl. (Orchid.).

- [HETAERIA, Blume. I. K.]  
 japonica, *Reichb. f. in Bot. Zeit.* xxvi. (1878) 39 = *Myrmechis japonica*.

**RHAPHIDOPHORA**, Hassk. (Arac.).

- Copelandii, *Engl. Jahrb.* xxxvii. 115.—Ins. Philipp.  
 grattissima, *Becc. Nelle Foreste di Borneo*, 604.—Borneo.  
 laetevirens, *Ridley, in Journ. Bot.* 1902, 37.—Penins. Mal.  
 Merrillii, *Engl. Jahrb.* xxxvii. 115.—Ins. Philipp.  
 Perkinsiae, *Engl. l. c.*—Ins. Philipp.  
 Sarasinorum, *Engl. l. c.* 114.—Celebes.  
 Warburgii, *Engl. l. c.* 116.—Ins. Philipp.

**RHAPHIDOSPORA**, Nees (Acanth.).

- [JUSTICIA, Houst. I. K.]  
 oblongifolia, *Lindau, in Engl. Jahrb.* xxxviii. 71.—Afr. trop.

**RHAPHIS**, Lour. (Gramin.).

- [CHRYSOPOGON, Trin. I. K.]  
 pauciflorus, *Nash, in Small, Fl. S. E. U. S.* 67 (= *Sorghum pauciflorum*).—Am. bor.

**RHAPTOPETALUM**, Oliv. (Olac.).

- brachyantherum, *Van Tiegh. in Ann. Sci. Nat. Sér. IX.* i. 373.—Afr. trop.  
 sessilifolium, *Engl. Jahrb.* xxxii. 101.—Afr. trop.  
 Tholloni, *Van Tiegh. in Ann. Sci. Nat. Sér. IX.* i. 372 (= *Braszeia Tholloni*).—Afr. trop.

**RHEKTOPHYLLUM**, N. E. Br. (Arac.).

- congenae, *Wildem. & Th. Dur. in Bull. Herb. Boiss. Sér. II.* i. 844.—Afr. trop.

**RHEXIA**, Linn. (Melast.).

- delicatula, *Small, Fl. S. E. U. S.* 824.—Am. bor.  
 Nashii, *Small, l. c.*—Am. bor.

**RHIGOZUM**, Burch. (Bignon.).

- madagascariense, *Drake, in Bull. Mus. Hist. Nat. Par.* 1903, 98.—Madag.  
 somalense, *Hallier f. in Engl. Jahrb.* xxxii. 127.—Afr. trop.  
 spinosum, *Burch. ex Sprague, in Dyer, Fl. Cap.* iv. II. 451.—Afr. austr.

**RHINANTHUS**, Linn. (Scrophul.).

- Pampaninii, *Chab. in Nuov. Giorn. Bot. Ital. Ser. II.* xii. 199.—Ital.

**RHIPSALIS**, Gaertn. (Cactac.).

- angustissima, *A. Weber, in Bull. Mus. Hist. Nat. Par.* 1902, 465.—Ind. occ.  
 Biolleyi, *A. Weber, l. c.* 467.—Ind. occ.  
 gracilis, *N. E. Br. in Gard. Chron.* 1903, i. 18.—Bras.  
 Novaesii, *Loefgr. in Revista Centr. Sci. Campinas*, iii. 60, nomen.—Bras.  
 pilocarpa, *Loefgr. l. c.* ii. 188; et in *Monatsschr. Kakt.* xiii. 52.—Bras.

**RHIZANTHEMUM**, Van Tiegh. in *Journ. de Bot.*

- xv. 364 (1901). **LORANTHACEAE**.  
 celebicum, *Van Tiegh. l. c.*—Arch. Mal.  
 Forsteni, *Van Tiegh. l. c.*—Arch. Mal.

**RHODIOLA**, Linn. (Crassul.).

- [SEDUM, Tourn. I. K.]  
 alaskana, *Rose, in Bull. N. York Bot. Gard.* iii. 39.—Am. bor.  
 neomexicana, *Britton, in Bull. N. York Bot. Gard.* iii. 38.—Am. bor.  
 polygama, *Britton & Rose, in Bull. N. York Bot. Gard.* iii. 39 (= *Sedum polygamum*).—Am. bor.  
 roanensis, *Britton, in Bull. N. York Bot. Gard.* iii. 39 (= *Sedum roanense*).—Am. bor.

**RHODOCISTUS**, Spach = **Cistus**, Tourn. (Cistac.).

- osbeckiaefolius*, *Webb, ex Gross. in Engl. Pflanzenreich*, Cistac. 12 = *C. ochreatus*.

**RHODODENDRON**, Linn. (Ericac.).

- Baenitzianum, *Lauterb. in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 337.—N. Guin.  
 Cavaleriei, *Léveillé, in Bull. Soc. Agric. Sci. Arts Sarthe*, 1903, 48.—China.  
 Copelandi, *Merrill, in Philipp. Gov. Lab. Bur. Bull.* xxix. 42.—Ins. Philipp.  
 Cuthbertii, *Small, in Torreya*, ii. 9.—Am. bor.  
 Duclouxii, *Léveillé, in Bull. Soc. Agric. Sci. Arts Sarthe*, 1903, 49.—China.  
 Franchetianum, *Léveillé, l. c.* 46.—China.  
 Giulianettii, *Lauterb. in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 338.—N. Guin.

**RHODODENDRON** :—

- Hymenanthus*, *Makino, in Bot. Mag. Tokyo*, xvi. 33 = *Metternichii*.  
 Maximowiczianum, *Léveillé, in Bull. Soc. Agric. Sci. Arts Sarthe*, 1903, 47.—China.  
 mindanaense, *Merrill, in Philipp. Gov. Lab. Bur. Bull.* xxix. 41.—Ins. Philipp.  
 salicifolium, *Becc. Nelle Foreste di Borneo*, 147.—Borneo.  
 Schadenbergii, *Warb. in Perkins, Frag. Fl. Philipp.* 172.—Ins. Philipp.  
 Schlechteri, *Lauterb. in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 338.—N. Guin.  
 spectabile, *Merrill, in Philipp. Gov. Lab. Bur. Bull.* xxix. 42.—Ins. Philipp.  
 xanthopetalum, *Merrill, l. c.* 41.—Ins. Philipp.

**RHODOSPATA**, Poepp. (Arac.).

- longipes, *Engl. Jahrb.* xxxvii. 114.—N. Granat.

**RHODOTYPOS**, Sieb. & Zucc. (Rosac.).

- tetrapetala, *Makino, in Bot. Mag. Tokyo*, xvii. 13 = *R. Kerrioides*.

**RHOEIDIUM**, Greene, *Leaflets Bot. Obs.* i. (1905)

143. **ANACARDIACEAE**.  
 cinereum, *Greene, l. c.* 144.—Mexic.  
 glabellum, *Greene, l. c.* 143.—Am. bor.  
 microphyllum, *Greene, l. c.* (= *Rhus microphylla*).—Am. bor.  
 potosinum, *Greene, l. c.* 144.—Mexic.  
 retusum, *Greene, l. c.*—Mexic.  
 rugulosum, *Greene, l. c.* 143.—Am. bor.  
 vestitum, *Greene, l. c.*—Am. bor.

**RHOICISSUS**, Planch. (Ampelid.).

- [VITIS, Linn. I. K.]  
 edulis, *Wildem. in Ann. Mus. Congo, Sér. IV.* 86.—Afr. trop.  
 Verdickii, *Wildem. l. c.* 85.—Afr. trop.

**RHOMBOLYTRUM**, Link (Gramin.).

- [TRIODIA, R. Br. I. K.]  
 albescens, *Nash, in Britton, Man. Fl. N. U. S.* 129 (= *Sieglingia albescens*).—Am. bor.

**RHOPALANDRIA**, Stapf (Menisperm.).

- lobata, *C. H. Wright, in Kew Bull.* 1901, 119.—Afr. trop.

**RHOPALOCARPUS**, Bojer, in *Trav. Soc. Hist. Nat.*

- Ile Maurice, 1846, 149. **RHOPALOCARPACEAE**.  
 [RHALOCARPUS, Boj. I. K.]  
 longipetiolatus, *Hemsl. in Hook. Ic. Pl. sub t.* 2774.—Madag.  
 similis, *Hemsl. l. c.*—Madag.

**RHUS**, Linn. (Anacard.).

- arenaria, *Engl. Jahrb.* xxxii. 132.—Afr. trop.  
 commiphoroides, *Engl. & Gilg, in Warb. Kunene-Sambesi Exped.* 289.—Afr. trop.  
 floridana, *Mearns, in Proc. Biol. Soc. Wash.* xv. 149.—Am. bor.  
 littoralis, *Mearns, l. c.* 148.—Am. bor.  
 macrothyrsa, *Goodd. in Coult. Bot. Gaz.* xxxvii. 56.—Am. bor.  
 occidentalis, *Blank, in Montana Agric. Coll. Sci. Studies, Bot.* i. 86.—Am. bor.  
 Pentheri, *A. Zahlbr. in Ann. Nat. Hofmus. Wien*, xv. 52.—Afr. austr.  
 polyneura, *Engl. & Gilg, in Warb. Kunene-Sambesi Exped.* 288.—Afr. trop.  
 rhomboidea, *Small, Fl. S. E. U. S.* 727.—Am. bor.  
 Rydbergii, *Small, in Britton, Man. Fl. N. U. S.* 601.—Am. bor.  
 utahensis, *Goodd. in Coult. Bot. Gaz.* xxxvii. 57.—Am. bor.

**RHYNCHANThERA**, DC. (Melast.).

- glabrescens, *Pilg. in Engl. Jahrb.* xxx. 180.—Bras.  
 orinocensis, *Sprague, in Trans. Proc. Bot. Soc. Edinb.* xxii. 431.—Venez.

**RHYNCHODIA**, Benth. (Apocyn.).

- Pierrei, *Spire, in Bull. Soc. Bot. Fr.* lii. 556.—Cochinch.

**RHYNCHOPYLE**, Engl. (Arac.).

- Havilandii, *Engl. Jahrb.* xxxvii. 125.—Borneo.

**RHYNCHOSIA**, Lour. (Legum.).

- affinis, *Wildem. in Ann. Mus. Congo*, Sér. V. i. 152.—Afr. trop.  
*ambacensis*, K. Schum. in *Fust's Jahresb.* xxvii. i. 496 (= *Dolicholus ambacensis*).—Afr. trop.  
*australis*, Rose, in *U. S. Dept. Agric. Contrib. Nat. Herb.* viii. 48.—Mexic.  
*Baumii*, Harms, in *Warb. Kunene-Sambesi Exped.* 263.—Afr. trop.  
*bicolor*, *Micheli*, in *Mem. Soc. Phys. Hist. Nat. Genève*, xxxiv. 264.—Mexic.  
*Buettneri*, Harms, in *Engl. Jahrb.* xxx. 90.—Afr. trop.  
*chrysantha*, *Schlechter*, ex A. Zahlbr. in *Ann. Nat. Hofmus. Wien*, xx. (1905) 27.—Afr. austr.  
*cuernavacana*, Rose, in *U. S. Dept. Agric. Contrib. Nat. Herb.* viii. 313.—Mexic.  
*Dekindtii*, Harms, in *Engl. Jahrb.* xxx. 90.—Afr. trop.  
*Drummondii*, K. Schum. in *Fust's Jahresb.* xxvii. i. 496 (= *Dolicholus Drummondii*).—Am. bor.  
*elachistantha*, *Chiov.* in *Ann. Ist. Bot. Roma*, viii. (1903) 100.—Afr. or. trop.  
*Grevei*, *Drake*, *Hist. Pl. Madag.* i. 121.—Madag.  
*Hagenbeckii*, Harms, in *Engl. Jahrb.* xxxiii. Beibl. lxxii. 29.—Bras.  
*Harmsiana*, *Schlechter*, ex A. Zahlbr. in *Ann. Nat. Hofmus. Wien*, xx. (1905) 26.—Afr. austr.  
*Hassleriana*, *Chod.* in *Bull. Herb. Boiss.* Sér. II. iv. 904.—Parag.  
*huillensis*, K. Schum. in *Fust's Jahresb.* xxvii. i. 496 (= *Dolicholus huillensis*).—Afr. trop.  
*katangensis*, *Wildem. in Ann. Mus. Congo*, Sér. V. i. 153.—Afr. trop.  
*Lewtonii*, K. Schum. in *Fust's Jahresb.* xxvii. i. 496 (= *Dolicholus Lewtonii*).—Am. bor.  
*lutea*, *Dunn*, in *Journ. Linn. Soc.* xxxv. 491.—China.  
*luteola*, K. Schum. in *Fust's Jahresb.* xxvii. i. 496 (= *Dolicholus luteolus*).—Afr. trop.  
*moninensis*, Harms, in *Warb. Kunene-Sambesi Exped.* 264.—Afr. trop.  
*Pentheri*, *Schlechter*, ex A. Zahlbr. in *Ann. Nat. Hofmus. Wien*, xx. (1905) 26.—Afr. austr.  
*procurrens*, K. Schum. in *Fust's Jahresb.* xxvii. i. 496 (= *Dolicholus procurrens*).—Afr. trop.  
*pycnantha*, Harms, in *Engl. Jahrb.* xxx. 332.—Afr. trop.  
*rupicola*, T. S. Brandege, in *Zoe*, v. 202 (1905).—Mexic.  
*sericosemium*, Harms, in *Engl. Jahrb.* xxx. 91.—Afr. trop.  
*uruguayana*, *Arech.* in *Anal. Mus. Montevid.* iii. 395.—Urug.  
*venulosa*, K. Schum. in *Fust's Jahresb.* xxvii. i. 496 (= *Dolicholus venulosus*).—Afr. trop.  
*Verdickii*, *Wildem. in Ann. Mus. Congo*, Sér. IV. 199.—Afr. trop.  
*violacea*, K. Schum. in *Fust's Jahresb.* xxvii. i. 496 (= *Dolicholus violaceus*).—Afr. trop.

**RHYNCHOSPORA**, Vahl (Cyperac.).

- pluricarpa*, *Pilg.* in *Engl. Jahrb.* xxx. 143.—Bras.  
*solitaria*, *Harper*, in *Bull. Torr. Bot. Club*, 1901, 468.—Am. bor.

**RHYNCHOTROPIS**, Harms, in *Engl. Jahrb.* xxx. 86 (1901). **LEGUMINOSAE.**

- Dekindtii*, Harms, l. c. 87.—Afr. trop.  
*Poggei*, Harms, l. c. 86 (= *Indigofera Poggei*).—Afr. trop.

**RHYTACHNE**, Desv. (Gramin.).

- gracilis*, *Stapp*, in *Journ. de Bot.* 1905, 98.—Afr. trop.

**RHYTIDANTHERA**, Van Tiegh. in *Ann. Sci. Nat.*

- Sér. VIII. xix. (1904) 44. **OCHNACEAE.**  
*fragrans*, Van Tiegh. l. c.—N. Granat.  
*splendida*, Van Tiegh. l. c.—N. Granat.  
*sulcata*, Van Tiegh. l. c.—N. Granat.

**RHYTIDOPHYLLUM**, Mart. (Gesner.).

- caribaeum*, *Urb. Symb. Antill.* ii. 386.—Ind. occ.  
*coccineum*, *Urb. l. c.* 385.—Ind. occ.

**RIBES**, Linn. (Saxifr.).

- arcuatum*, *Fancz. ex Vilm. & Bois, Frut. Vilm. Cat. i.* 135.—Hybr.?  
*ascendens*, *Eastw. in Proc. Calif. Acad. Ser. III. ii.* 244.—Am. bor.  
*Brandegei*, *Eastw. l. c.* 242.—Am. bor.

**RIBES**—

- camporum*, *Blank. in Montana Agric. Coll. Sci. Studies, Bot. i.* 63.—Am. bor.  
*Carrierei*, *Schneider*, *Ill. Handb. Laubholz. i.* (1904) 418.—Hybr.  
*ceriferum*, *Coville & Rose, in U. S. Dept. Agric. Contrib. Nat. Herb.* viii. 298.—Mexic.  
*coloradense*, *Coville, in Proc. Biol. Soc. Washington*, xiv. 8.—Am. bor.  
*Congdoni*, A. A. Heller, *Muhlenbergia*, i. 101.—Calif.  
*distans*, *Jancz. ex Vilm. & Bois, Frut. Vilm. Cat. i.* 136 = *mandshuricum*.  
*dubium*, *Fancz. ex Vilm. & Bois, l. c.* 137.—Hybr.  
*Dugesii*, *Greenm. in Proc. Amer. Acad.* xxxix. 78.—Mexic.  
*futurum*, *Fancz. ex Vilm. & Bois, Frut. Vilm. Cat. i.* 131.—Hybr.  
*Gayanum*, *Reiche, Fl. Chile*, iii. 39 = *villosum*.  
*glanduliferum*, A. A. Heller, *Muhlenbergia*, ii. 56.—Calif.  
*glaucescens*, *Eastw. in Proc. Calif. Acad. Ser. III. ii.* 245.—Am. bor.  
*grande*, *Rose, in U. S. Dept. Agric. Contrib. Nat. Herb.* viii. 339.—Mexic.  
*Greeneianum*, A. A. Heller, *Muhlenbergia*, i. 111.—Calif.  
*Hittellianum*, *Eastw. in Proc. Calif. Acad. Ser. III. ii.* 245.—Am. bor.  
*huronense*, *Rydb. in Britton, Man. Fl. N. U. S.* 487.—Am. bor.  
*Hystris*, *Eastw. in Proc. Calif. Acad. Ser. III. ii.* 248.—Am. bor.  
*indecorum*, *Eastw. l. c.* 243.—Am. bor.  
*latifolium*, *Fancz. ex Vilm. & Bois, Frut. Vilm. Cat. i.* 132, nomen.—China, Japon.  
*lentum*, *Coville & Rose, in Proc. Biol. Soc. Washington*, xv. 28.—Am. bor.  
*manshuricum*, *Kom. in Act. Hort. Petrop.* xxii. 437.—China.  
*Maximoviczii*, *Kom. l. c.* 443.—China.  
*melanocarpum*, *Fancz. ex Vilm. & Bois, Frut. Vilm. Cat. i.* 136, nomen.—Tibet.  
*neglectum*, *Rose, in U. S. Dept. Agric. Contrib. Nat. Herb.* viii. 298.—Mexic.  
*Nelsoni*, *Coville & Rose, in U. S. Dept. Agric. Contrib. Nat. Herb.* viii. 297.—Mexic.  
*oligacanthum*, *Eastw. in Proc. Calif. Acad. Ser. III. ii.* 246.—Am. bor.  
*Orizabae*, *Rose, in U. S. Dept. Agric. Contrib. Nat. Herb.* viii. 339.—Mexic.  
*paradoxum*, *Fancz. ex Vilm. & Bois, Frut. Vilm. Cat. i.* 138, nomen.—Reg. Argent.  
*Pringlei*, *Rose, in U. S. Dept. Agric. Contrib. Nat. Herb.* viii. 298.—Mexic.  
*Purpusi*, *Koehne, ex Blank. in Montana Agric. Coll. Sci. Studies, Bot. i.* 64.—Am. bor.  
*rugosum*, *Coville & Rose, in U. S. Dept. Agric. Contrib. Nat. Herb.* viii. 300.—Mexic.  
*Scuphami*, *Eastw. in Proc. Calif. Acad. Ser. III. ii.* 242.—Am. bor.  
*sericeum*, *Eastw. l. c.* 246.—Am. bor.  
*sutchuenense*, *Fancz. ex Vilm. & Bois, Frut. Vilm. Cat. i.* 132, nomen.—China.  
*ussuriense*, *Fancz. ex Vilm. & Bois, l. c.* 138, nomen.—China.  
*vagum*, *Fancz. ex Vilm. & Bois, l. c.* 135.—Hybr.  
*variegatum*, A. Nelson, *Analyt. Key Fl. Pl. Rocky Mts.* 34.—Am. bor.  
*veganum*, *Auct. in Proc. Biol. Soc. Washington*, xv. 255.—Am. bor.  
*Vilmorini*, *Fancz. ex Vilm. & Bois, Frut. Vilm. Cat. i.* 136, nomen.—Tibet.  
*viridifolium*, A. A. Heller, *Muhlenbergia*, i. 77.—Calif.  
*Warszewiczii*, *Fancz. ex Vilm. & Bois, Frut. Vilm. Cat. i.* 133.—Sibir.  
**RICHARDIA**, Kunth (Arac.).  
*cantabrigiensis*, *Lynch, in Gard. Chron.* 1904, i. 226.—Hybr.  
*Rossii*, *Chalwin, in Gard. Chron.* 1897, i. 259 (descr. 58).—Afr. austr.  
*Sprengeri*, *Comes, in Atti Ist. Incorazz. Napoli*, Ser. V. iii. no. 7; *fide Terrac. in Bot. Centralbl.* lxxxix. 660.—Afr. austr.  
*Stehmannii*, *Sprenger, in Wien, Ill. Gart. Zeit.* 1901, 415, sphalm.—Rehmannii.

**RICINOCARPOS**, Desf. (Euphorb.).

- stylosus*, *Diels, in Engl. Jahrb.* xxxv. 335.—Austral.

**RIEDELIA**, Oliv. (Scitamin.).

- affinis, K. Schum. in *Engl. Pflanzenreich, Zingib.* 373 (= *Alpinia affinis*).—N. Guin.  
*Albertisii*, K. Schum. l. c. (= *Alpinia Albertisii*).—N. Guin.  
*Bismarckii-montium*, K. Schum. l. c. 440.—N. Guin.  
*macrantha*, K. Schum. l. c. 373 (= *Alpinia macrantha*).—N. Guin.  
*monophylla*, K. Schum. l. c. 439.—N. Guin.  
*Nymanii*, K. Schum. l. c. 374.—N. Guin.  
*stricta*, K. Schum. l. c. 439.—N. Guin.

**RIEDELIELLA**, Harms, in *Engl. Jahrb.* xxxiii. Beibl. lxxii. (1903) 25. **LEGUMINOSAE.**

- graciliflora*, Harms, l. c.—Bras.

**RIEDLEA**, Vent. (Stercul.).

- [*MELOCHIA*, Dill. I. K.]  
*glabrescens*, *Small, Fl. S. E. U. S.* 780.—Am. bor.

**RIGIOSTACHYS**, Planch. (Simarub.).

- connaroides*, *Loes. & Soler. in Verh. Bot. Ver. Brand.* xlvii. (1905) 37.—Mexic.  
*roureoides*, *Loes. & Soler. l. c.* 39.—Mexic.

**RINOREA**, Aubl. (Violac.).

- [*ALSODEIA*, Thou. I. K.]  
*Afzelii*, *Engl. Jahrb.* xxxiii. 138.—Afr. trop.  
*Albersii*, *Engl. l. c.* 135.—Afr. trop.  
*Batangae*, *Engl. l. c.* 134.—Afr. trop.  
*bipindensis*, *Engl. l. c.* 145.—Afr. trop.  
*comorensis*, *Engl. l. c.* 136.—Ins. Comoro.  
*Copelandi*, *Merrill, in Philipp. Gov. Lab. Bur. Bull.* xxxv. 45.—Ins. Philipp.  
*Dinklagei*, *Engl. Jahrb.* xxxiii. 141.—Afr. trop.  
*Elliotii*, *Engl. l. c.*—Afr. trop.  
*Engleriana*, *Wildem. & Th. Dur. in Ann. Mus. Congo*, Sér. III. i. 11.—Afr. trop.  
*ferruginea*, *Engl. Jahrb.* xxxiii. 144.—Afr. trop.  
*gabunensis*, *Engl. l. c.* 140.—Afr. trop.  
*gracilipes*, *Engl. l. c.* 136.—Afr. trop.  
*Holtzii*, *Engl. l. c.* xxxiv. 317.—Afr. trop.  
*insularis*, *Engl. l. c.* xxxiii. 145.—Afr. trop.  
*juruana*, *Ule, in Verh. Bot. Ver. Brand.* xlvii. (1905) 158.—Bras.  
*Kaessneri*, *Engl. in Engl. Jahrb.* xxxiv. 317.—Afr. trop.  
*kamerunensis*, *Engl. l. c.* xxxiii. 139.—Afr. trop.  
*liberica*, *Engl. l. c.* 142.—Afr. trop.  
*longicuspis*, *Engl. l. c.* 137.—Afr. trop.  
*longispala*, *Engl. l. c.* 143.—Afr. trop.  
*micrantha*, *Ule, in Verh. Bot. Ver. Brand.* xlvii. (1905) 157.—Bras.  
*natalensis*, *Engl. Jahrb.* xxxiii. 135.—Afr. austr.  
*Poggei*, *Engl. l. c.* 137.—Afr. trop.  
*Preussii*, *Engl. l. c.* 138.—Afr. trop.  
*scandens*, *Ule, in Verh. Bot. Ver. Brand.* xlvii. (1905) 157.—Bras.  
*Scheffleri*, *Engl. Jahrb.* xxxiii. 142.—Afr. trop.  
*Stuhlmannii*, *Engl. l. c.* 138 (= *Alsodeia Stuhlmannii*).—Afr. trop.  
*umbricola*, *Engl. l. c.* 144.—Afr. trop.  
*yaundensis*, *Engl. l. c.* 146.—Afr. trop.  
*Zenkeri*, *Engl. l. c.*—Afr. trop.

**RITCHIEA**, R. Br. (Capparid.).

- Afzelii*, *Gilg, in Engl. Jahrb.* xxxiii. 212.—Afr. trop.  
*agelaefolia*, *Gilg, l. c.* 207.—Afr. trop.  
*Albersii*, *Gilg, l. c.* 208.—Afr. trop.  
*brachypoda*, *Gilg, l. c.* 213.—Afr. trop.  
*Bussei*, *Gilg, l. c.* 209.—Afr. trop.  
*caloneura*, *Gilg, l. c.* 210.—Afr. trop.  
*fragariodora*, *Gilg, l. c.* 207.—Afr. trop.  
*glossopetala*, *Gilg, l. c.* 210.—Afr. trop.  
*grandiflora*, *Gilg, l. c.* 213 (= *Maerua grandiflora*).—Afr. trop.  
*heterophylla*, *Gilg, l. c.* 212.—Afr. trop.  
*insignis*, *Gilg, l. c.* 209 (= *Maerua insignis*).—Afr. trop.  
*longipedicellata*, *Gilg, l. c.* 211.—Afr. trop.  
*macrantha*, *Pax & Gilg, ex Gilg, l. c.* 210.—Afr. trop.  
*macrocarpa*, *Gilg, l. c.* 211.—Afr. trop.  
*Steudneri*, *Gilg, l. c.* 208.—Afr. trop.  
*Werthiana*, *Gilg, in Mitth. Sem. Or. Sprachen*, 1901, Abt. III; *et in Engl. Jahrb.* xxxiii. 209.—Afr. trop.

**RIVEA**, Choisy (Convolv.).

- Barnesii*, *Merrill, in Philipp. Gov. Lab. Bur. Bull.* xvii. 40.—Ins. Philipp.

**ROBINSONELLA**, Rose & Baker f. (Malvac.).  
edentula, *Rose & Donn. Sm. in Coult. Bot. Gaz.* xxxvii. 417.—Am. cent.  
pilosa, *Rose, in U. S. Dept. Agric. Contrib. Nat. Herb.* viii. 320.—Am. cent.

**ROCHELIA**, Reichb. (Borag.).  
disperma, *Hochr. in Ann. Conserv. & Jard. Bot. Genève*, vii-viii. 195 (= *Lithospermum dispernum*).—Alger.

**RODGERSIA**, A. Gray (Saxifr.).  
tabularis, *Kom. in Act. Hort. Petrop.* xxii. 410 (= *Saxifraga tabularis*).—China.

**RODRIGUEZIA**, Ruiz & Pav. (Orchid.).  
negrensis, *Cogn. in Mart. Fl. Bras.* iii. vi. 158 (= *Burlingtonia negrensis*).—Bras.  
uliginosa, *Cogn. l. c.* 169 (= *Capanemia uliginosa*).—Bras.

**ROELLA**, Linn. (Campan.).  
amplexicaule, *Dod. in Journ. Bot.* 1901, 400.—Afr. austr.  
Insizwae, *A. Zahlbr. in Ann. Nat. Hofmus. Wien*, xviii. 401.—Afr. austr.

**ROEMERIA**, Medic. (Papav.).  
macrostigma, *Fedde, in Bull. Herb. Boiss. Sér. II. v.* 168.—Persia.

**ROEPEROCHARIS**, Reichb. f. (Orchid.).  
[*HABENARIA*, Willd. I. K.]  
Rendlei, *Kraenzl. Orchid. Gen. et Sp.* i. 926 (= *Habenaria Rendlei*).—Afr. trop.  
Wentzeliana, *Kraenzl. in Engl. Jahrb.* xxx. 283.—Afr. trop.

**ROJASIA**, Malme, in *Arkiv Bot. Stockh.* iv. (1905) no. 14, 10. *ASCLEPIADACEAE*.  
gracilis, *Malme, l. c.* (= *Gothofreda gracilis*).—Am. austr.

**ROLLINIA**, A. St. Hil. (Anonac.).  
cardiantha, *Diels, in Verh. Bot. Ver. Brand.* xlvii. (1905) 134.—Reg. Amaz.  
Hassleriana, *R. Fries, in Bull. Herb. Boiss. Sér. II. iv.* 1172.—Parag.  
intermedia, *R. Fries, l. c.*—Parag.  
longipetala, *R. Fries, l. c.* 1273.—Parag.  
peruviana, *Diels, in Verh. Bot. Ver. Brand.* xlvii. (1905) 135.—Peruv.  
Ulei, *Diels, l. c.* 136.—Peruv.

**ROMANOVIA**, Hort. ex Gard. Chron. 1903, i. 245; et Suppl. Apr. 25, t. 108 (Palmae).  
Nicolai, *Hort. l. c.*—Hab.

**ROMANZOFFIA**, Cham. (Hydrophyll.).  
californica, *Greene, Pittonia*, v. 39.—Calif.  
glauca, *Greene, l. c.* 38.—Am. bor.  
Leibergii, *Greene, l. c.*—Am. bor.  
Macounii, *Greene, l. c.* 37.—Am. bor.  
mendocina, *Greene, l. c.* 40.—Calif.  
rubella, *Greene, l. c.* 37.—Am. bor.  
spargulina, *Greene, l. c.* 41.—Calif.  
Suksdorffii, *Greene, l. c.* 38.—Am. bor.

**ROMNEYA**, Harv. (Papav.).  
Coulteri, *Parsons, Wild Flow. Calif.* 64 = trichocalyx.

**ROMULEA**, Maratti (Irid.).  
acutiflora, *Ford. in Ford. & Fourr. Ic. Fl. Eur.* ii. 45.—Alger.  
affinis, *Ford. & Fourr. l. c.* 42.—Corsica.  
armoricana, *Ford. l. c.* 44.—Gallia.  
atroviolacea, *Ford. l. c.*—Corsica.  
corsica, *Ford. & Fourr. l. c.* 43.—Corsica.  
diluta, *Ford. l. c.* 46.—Alger.  
erythropoda, *Ford. l. c.* 42.—Corsica.  
flexifolia, *Ford. l. c.* 45.—Alger.  
lepida, *Ford. l. c.* 46.—Alger.  
longistyla, *Ford. l. c.* 44.—Alger.  
obtusiflora, *Ford. l. c.* 46.—Alger.  
pallida, *Ford. l. c.* 45.—Alger.  
parviflora, *Bub. Fl. Pyren.* iv. 150 (non Eckl.) = Columnae.  
planifolia, *Ford. in Ford. & Fourr. Ic. Fl. Eur.* ii. 46.—Hab.?  
tortilis, *Baker, in Bull. Herb. Boiss. Sér. II. iv.* 1003.—Afr. austr.

**RONDELETIA**, Linn. (Rubiace.).  
Christii, *Urb. Symb. Antill.* iii. 377.—Ind. occ.

**ROBIPA**, Scop. (Crucif.).  
[*NASTURTIIUM*, R. Br. I. K.]  
bonariensis, *MacL. in Rep. Princeton Univ. Exped. Patag.* viii. 434 (= *Nasturtium bonariense*).—Am. austr.  
clavata, *Rydb. in Bull. Torr. Bot. Club*, 1902, 235.—Am. bor.  
integra, *Rydb. l. c.* 236.—Am. bor.  
Philippiana, *MacL. in Rep. Princeton Univ. Exped. Patag.* viii. 434 (= *Nasturtium Philippianum*).—Patag.  
Underwoodii, *Rydb. in Bull. Torr. Bot. Club*, 1902, 235.—Am. bor.  
Williamsii, *Britton, in Bull. N. York Bot. Gard.* ii. 171.—Am. bor.

**ROSA**, Tourn. (Rosac.).  
aciculata, *Cockerell, in Proc. Acad. Philad.* lvi. 114.—Am. bor.  
Aldersonii, *Greene, Pittonia*, v. 110.—Calif.  
annisiensis, *Fouill. in Bull. Acad. Géogr. Bot.* xiii. (1904) 335.—Gallia.  
cainonensis, *Tourlet, in Bull. Soc. Bot. Fr.* xlix. 199.—Eur.  
decipiens, *Linton, Fl. Derby.* 137.—Anglia.  
Dybowski, *H. Braun, in Wolsz. Fl. Polon. Exsicc.* no. 942.—Polonia.  
Gravereauxiana, *Duffort; vide Malinvaud, in Bull. Soc. Bot. Fr.* li. 374.—Hybr.  
Guineti, *Schmidely, in Bull. Trav. Soc. Bot. Genève*, viii. 48.—Hybr.  
Hergtiana, *Schulze, in Allg. Bot. Zeitschr.* 1905, 197.—Hybr.  
Hugonis, *Hemsl. in Bot. Mag.* t. 8004.—China.  
jaluana, *Kom. in Act. Hort. Petrop.* xxii. 537.—China.  
koreana, *Kom. l. c.* xviii. 434.—Corea.  
lancifolia, *Small, Fl. S. E. U. S.* 527.—Am. bor.  
macrocarpa, *Watt, ex Crépin, in Compt. Rend. Soc. Bot. Belg.* xxviii. 13 = gigantea.  
mohavensis, *Parish, in Bull. S. Calif. Acad. Sci.* i. (1902) 87.—Calif.  
Miyoshii, *Focke, in Abh. Nat. Ver. Brem.* xvii. 435.—Japan.  
mutsuana, *Makino, in Bot. Mag. Tokyo*, xix. 150 = yesoensis.  
oreophila, *Rydb. in Bull. Torr. Bot. Club*, 1904, 561.—Am. bor.  
pecosensis, *Cockerell, in Proc. Acad. Philad.* lvi. 110.—Am. bor.  
permiscibilis, *Schmidely, in Bull. Trav. Soc. Bot. Genève*, ix. 132.—Hybr.  
pinetrum, *A. A. Heller, Muhlenbergia*, i. 53.—Calif.  
praetincta, *Cockerell, in Proc. Acad. Philad.* lvi. 110.—Am. bor.  
pseudoformosa, *Tourlet, in Bull. Soc. Bot. Fr.* xlix. 202.—Eur.  
pseudointromissa, *Schmidely, in Bull. Trav. Soc. Bot. Genève*, viii. 46.—Helvet.  
rivalis, *Eastw. in Bull. Torr. Bot. Club*, 1905, 198.—Calif.  
Seraphini, *Viv. Fl. Cors. Sp. Nov.* 8.—Eur.  
sorbiflora, *Focke, in Gard. Chron.* 1905, i. 227.—China.  
styriaca, *Sabr. in Verh. Zool.-Bot. Ges. Wien*, liv. 551.—Eur.  
ultramontana, *A. A. Heller, Muhlenbergia*, i. 107.—Calif.  
Underwoodii, *Rydb. in Bull. Torr. Bot. Club*, 1904, 560.—Am. bor.  
yainacensis, *Greene, Pittonia*, v. 109.—Am. bor.  
yesoensis, *Makino, in Bot. Mag. Tokyo*, xix. 150.—Hybr.

**ROSCOEIA**, Sm. (Scitamin.).  
auriculata, *K. Schum. in Engl. Pflanzenreich, Zingib.* 118.—Reg. Himal.  
blanda, *K. Schum. l. c.* 121.—China.  
Brandisii, *K. Schum. l. c.* 119.—Reg. Himal.  
cautleoides, *Gagnep. in Bull. Soc. Bot. Fr.* xlviii. p. lxxv.—China.  
Chamaeleon, *Gagnep. l. c.* p. lxxvi.—China.  
debilis, *Gagnep. l. c.*—China.  
intermedia, *Gagnep. l. c.* p. lxxiii.—China.  
praecox, *K. Schum. in Engl. Pflanzenreich, Zingib.* 122.—China.

**ROSEANTHUS**, Cogn. (Cucurb.).  
elongatus, *Rose, in U. S. Dept. Agric. Contrib. Nat. Herb.* viii. 337.—Calif.

**ROOTALA**, Linn. (Lythrac.).  
cryptantha, *Koehne, in Engl. Pflanzenreich, Lythrac.* 42 (= *Ammannia cryptantha*).—Madag.  
brevistyla, *Baker, f. in Journ. Linn. Soc.* xxxvii. 153.—Afr. trop.

**ROTHROCKIA**, A. Gray (Asclep.).  
fruticosa, *T. S. Brandegee, in Zoe*, v. 165 (1903).—Calif.  
umbellata, *T. S. Brandegee, l. c.*—Calif.

**ROTTBOELLIA**, Linn. f. (Gramin.).  
Kerstingii, *Pilg. in Engl. Jahrb.* xxxiv. 126.—Afr. trop.

**ROULINIELLA**, Vail, in *Bull. Torr. Bot. Club*, xxix. (1902) 662. *ASCLEPIADACEAE*.  
columbiana, *Vail, l. c.* 663.—N. Granat.  
foetida, *Vail, l. c.* 667 (= *Roulinia jacquinii*).—Mexic.  
jaliscana, *Vail, l. c.* 668.—Mexic.  
lignosa, *Vail, l. c.* 665.—Mexic.  
Palmeri, *Vail, l. c.* 664 (= *Roulinia Palmeri*).—N. Mexic.  
racemosa, *Vail, l. c.* 665 (= *Roulinia racemosa*).—Mexic.  
unifaria, *Vail, l. c.* 663 (= *Roulinia unifaria*).—Am. bor.

**ROUPALA**, Aubl. (Proteac.).  
pallida, *K. Schum. in Engl. Jahrb.* xxx. Beibl. lxvii. 29.—Bras.

**ROUREA**, Aubl. (Connar.).  
albidoflavescens, *Gilg, in Engl. Jahrb.* xxx. 316.—Afr. trop.  
hondurensis, *Donn. Sm. in Coult. Bot. Gaz.* xl. 2.—Am. cent.  
volubilis, *Merrill, in Philipp. Gov. Lab. Bur. Bull.* xxvii. 36 = heterophylla.

**ROUSSELLIA**, Gaudich. (Urtic.).  
humilis, *Urb. Symb. Antill.* iv. 205 = lappulacea.

**ROUYA**, Coincy, in *Le Natural. Sér. II.* cccclix. 213 (1901), fide Ind. Bot. Univ. No. 656. *UMBELLIFERAE*.  
polygama, *Coincy, in Le Natural. l. c.*, fide Ind. Bot. Univ. No. 656 (= *Thapsia polygama*).—Reg. Medit.

**ROYENA**, Linn. (Eben.).  
Goetzei, *Guerke, in Engl. Jahrb.* xxx. 372.—Afr. trop.  
Nyassae, *Guerke, l. c.* 373.—Afr. trop.

**ROYSTONEA**, O. F. Cook, in *Science*, ii. (1900) 479; et in *Bull. Torr. Bot. Club*, 1901, 549. *PALMAE*.  
borinquena, *O. F. Cook, in Bull. Torr. Bot. Club*, 1901, 552.—Ind. occ.  
floridana, *O. F. Cook, l. c.* 554.—Am. bor.

**RUBACER**, Rydberg, in *Bull. Torr. Bot. Club*, 1903, 274. *ROSACEAE*.  
columbianum, *Rydberg, l. c.*—Am. bor.  
odoratum, *Rydberg, l. c.* (= *Rubus odoratus*).—Am. bor.  
parviflorum, *Rydberg, l. c.* (= *Rubus parviflorus*).—Am. bor.  
tomentosum, *Rydberg, l. c.* (= *Rubus velutinus*).—Am. bor.  
velutinum, *A. A. Heller, Muhlenbergia*, i. 106.—Calif.

**RUBIA**, Linn. (Rubiace.).  
margaritifera, *Reiche, Fl. Chile*, iii. 138.—Chili.  
Schumanniana, *E. Pritz. in Engl. Jahrb.* xxix. 583.—China.

**RUBUS**, Linn. (Rosac.).  
abieticolus, *Sudre, in Bull. Acad. Géogr. Bot.* xii. (1903) 90.—Eur.  
abruptifolius, *Sudre, in Bull. Soc. Bot. Fr.* lii. 323.—Eur.  
acanthophorus, *Sudre, in Bull. Acad. Géogr. Bot.* xii. (1903) 80.—Eur.  
accedens, *Sudre, in Bull. Soc. Bot. Fr.* lii. 329.—Eur.  
accessivus, *Sudre, in Bull. Acad. Géogr. Bot.* xii. (1903) 63.—Eur.  
aceratispinus, *Sudre, in Bull. Soc. Bot. Fr.* li. 23.—Eur.  
acuminifer, *Sudre, l. c.* lii. 343.—Eur.



## RUBUS:—

- agnatus, *Sudre, in Bull. Acad. Géogr. Bot.* xii. (1903) 58.—Hybr.  
 alnicolus, *Sudre, l. c.* 62.—Eur.  
 altbergensis, *Keller, in Bull. Herb. Boiss. Sér. II.* iv. 339.—Eur.  
 altipratensis, *Sprib. in Urb. & Graebn. Festschr. Aschers.* 342.—Germania.  
 altissimus, *Fritsch, in Hayek, Sched. Fl. Stir.* v-vi. 11.—Styria.  
 amabilis, *Focke, in Engl. Jahrb. xxxvi. Beibl.* lxxxii. 53.—China.  
 amoeniflorens, *Sudre, in Bull. Acad. Géogr. Bot.* xii. (1903) 64.—Eur.  
 amphilogus, *Keller, in Bull. Herb. Boiss. Sér. II.* iv. 344.—Hybr.  
 ampliflorus, *Léveillé & Vaniot, in Bull. Soc. Bot. Fr.* li. 218.—China.  
 amplifoliatus, *Sudre, in Bull. Soc. Étud. Sci. Angers,* xxxi. (1902) 137.—Eur.  
 anglesensis, *Sudre, in Bull. Soc. Bot. Fr.* li. 18.—Eur.  
 anisacanthoides, *Sudre, l. c.* lii. 328.—Eur.  
 anoplocadus, *Sudre, l. c.* 337.—Eur.  
 apum, *Fritsch, in Oesterr. Bot. Zeitschr.* 1905, 85.—Styria.  
 Arbor, *Léveillé & Vaniot, in Bull. Soc. Bot. Fr.* li. 217.—China.  
 arcanus, *Sudre, in Bull. Acad. Géogr. Bot.* xii. (1903) 71.—Hybr.  
 ardens, *Sudre, l. c.* 67.—Eur.  
 arduennensis, *Libert, ex Erichsen, in Verh. Nat. Ver. Hamburg,* iii. viii. 20.—Eur.  
 argutifrons, *Sudre, in Bull. Soc. Bot. Fr.* lii. 321.—Eur.  
 argutipilus, *Sudre, in Bull. Acad. Géogr. Bot.* xii. (1903) 88.—Eur.  
 arvernensis, *Sudre, in Bull. Soc. Bot. Fr.* li. 22.—Eur.  
 Aschersoniellus, *Borb. in Urb. & Graebn. Festschr. Aschers.* 278.—Hungar.  
 asclepiadeus, *Borb. in Magyar Bot. Lap.* ii. 337.—Eur.  
 aspernatus, *Sudre, in Bull. Acad. Géogr. Bot.* xii. (1903) 77.—Eur.  
 aulonensis, *Sudre, l. c.* 91.—Eur.  
 aureliacensis, *Sudre, in Bull. Soc. Bot. Fr.* li. 17.—Hybr.  
 aurensis, *Sudre, in Bull. Assoc. Fr. Bot.* iv. 230.—Eur.  
 Baenitzii, *Sudre, in Bull. Soc. Bot. Fr.* lii. 316.—Hybr.  
 balneariensis, *Sudre, in Bull. Acad. Géogr. Bot.* xii. (1903) 68.—Eur.  
 basalticarum, *Sudre, in Bull. Soc. Bot. Fr.* li. 20.—Gallia.  
 bedaticus, *Sudre, in Bull. Acad. Géogr. Bot.* xii. (1903) 57.—Hybr.  
 belophoroides, *Sudre, in Bull. Soc. Étud. Sci. Angers,* xxxi. (1902) 70.—Eur.  
 betulifolius, *Small, Fl. S. E. U. S.* 518.—Am. bor.  
 bigeneris, *Sudre, in Bull. Acad. Géogr. Bot.* xii. (1903) 93.—Hybr.  
 biturigensis, *Sudre, in Bull. Soc. Étud. Sci. Angers,* xxxi. (1902) 95.—Eur.  
 blandus, *Sudre, in Bull. Acad. Géogr. Bot.* xii. (1903) 60.—Eur.  
 Bodinieri, *Léveillé & Vaniot, in Bull. Acad. Géogr. Bot.* xi. (1902) 97.—China.  
 bortensis, *Sudre, in Bull. Soc. Bot. Fr.* li. 16.—Hybr.  
 botryoides, *Keller, in Bull. Herb. Boiss. Sér. II.* iv. 431.—Eur.  
 Boyntoni, *Ashe, in Journ. E. Mitchell Sci. Soc.* xix. 9.—Am. bor.  
 brachyanchus, *Sudre, in Bull. Soc. Bot. Fr.* li. 19.—Hybr.  
 brachythyrus, *Sudre, in Bull. Assoc. Fr. Bot.* iv. 234.—Eur.  
 Brevierei, *Sudre, in Bull. Soc. Bot. Fr.* li. 27.—Hybr.  
 brigantinus, *Sampaio, in Ann. Sci. Nat. Porto,* viii. 120.—Lusitan.  
 brumalis, *Sudre, Rub. Pyr.* 83; *ex Bull. Soc. Bot. Fr.* lii. 341.—Eur.  
 Caldasianus, *Sampaio, in Ann. Sci. Nat. Porto,* viii. 8.—Lusitan.  
 caliginosus, *Sudre, in Bull. Soc. Bot. Fr.* li. 24.—Eur.  
 callignus, *Sudre, in Bull. Acad. Géogr. Bot.* xii. (1903) 82.—Eur.  
 callimorphus, *Sudre, in Bull. Soc. Bot. Fr.* li. 14.—Gallia.  
 calvifolius, *Sudre, in Bull. Assoc. Fr. Bot.* iv. 228.—Eur.  
 cantalis, *Sudre, in Bull. Soc. Bot. Fr.* li. 14.—Hybr.  
 carpinifolius, *Rydb. in Small, Fl. S. E. U. S.* 519.—Am. bor.

VOL. IV.

## RUBUS:—

- catractarum, *Sudre, in Bull. Acad. Géogr. Bot.* xii. (1903) 69.—Eur.  
 caudatus, *Keller, in Bull. Herb. Boiss. Sér. II.* iv. 420.—Eur.  
 Cavaleriei, *Léveillé & Vaniot, in Bull. Soc. Bot. Fr.* li. 218.—China.  
 centiformis, *Frieder. ex Erichsen, in Verh. Nat. Ver. Hamburg,* iii. viii. 55.—Eur.  
 cereinus, *Sudre, in Bull. Soc. Bot. Fr.* li. 26.—Hybr.  
 Chaffanjonii, *Léveillé & Vaniot, in Bull. Acad. Géogr. Bot.* xi. (1902) 98.—China.  
 Chateau, *Sudre, in Bull. Soc. Bot. Fr.* li. 26.—Hybr.  
 Chedaeanus, *Sudre, in Bull. Soc. Étud. Sci. Angers,* xxxi. (1902) 101.—Eur.  
 chenensis, *Schmidely, in Bull. Herb. Boiss. Sér. II.* iii. 77.—Eur.  
 chenevardianus, *Schmidely, l. c.* 80.—Eur.  
 chlorobelus, *Sudre, in Bull. Soc. Bot. Fr.* lii. 319.—Eur.  
 chlorocephalus, *Sudre, l. c.* 338.—Eur.  
 chnoostachyoides, *Keller, in Bull. Herb. Boiss. Sér. II.* iv. 335.—Hybr.  
 clivicolus, *Sudre, in Bull. Acad. Géogr. Bot.* xii. (1903) 73.—Eur.  
 cognominatus, *Sudre, in Bull. Soc. Étud. Sci. Angers,* xxxi. (1902) 108.—Eur.  
 collium, *Sudre, Rub. Pyr.* 123; *ex Bull. Soc. Bot. Fr.* li. 17.—Hybr.  
 columbianus, *Rydb. in Britton, Man. Fl. N. U. S.* 495.—Am. bor.  
 columnaris, *Sudre, in Bull. Soc. Étud. Sci. Angers,* xxxi. (1902) 64.—Eur.  
 complanatispinus, *Sudre, in Bull. Assoc. Fr. Bot.* iv. 231.—Eur.  
 consanguineus, *Schmidely, in Bull. Herb. Boiss. Sér. II.* iii. 76 (1902).—Eur.  
 consanguineus, *Sudre, in Bull. Acad. Géogr. Bot.* xii. (1903) 58.—Hybr.  
 conterminus, *Sudre, in Bull. Assoc. Fr. Bot.* iv. 6.—Eur.  
 coruscus, *Sudre, in Bull. Soc. Étud. Sci. Angers,* xxxi. (1902) 93; *Rub. Herb. Bor.* 45; *ex Bull. Soc. Bot. Fr.* li. 16.—Hybr.  
 corymbulifer, *Sudre, in Bull. Soc. Bot. Fr.* lii. 334.—Eur.  
 corymbulosus, *Sudre, in Bull. Acad. Géogr. Bot.* xii. (1903) 86.—Hybr.  
 Coutinhi, *Sampaio, in Ann. Sci. Nat. Porto,* viii. 117.—Lusitan.  
 craponensis, *Schmidely, in Bull. Herb. Boiss. Sér. II.* iii. 77.—Eur.  
 crebrifolius, *Borb. in Urb. & Graebn. Festschr. Aschers.* 277.—Hungar.  
 crinitus, *Sudre, in Bull. Acad. Géogr. Bot.* xii. (1903) 83.—Eur.  
 Crux, *Ashe, in Journ. E. Mitchell Sci. Soc.* xix. 8.—Am. bor.  
 cuneifer, *Sudre, in Bull. Acad. Géogr. Bot.* xii. (1903) 67.—Hybr.  
 curtiglandulosus, *Sudre, in Bull. Acad. Géogr. Bot.* xii. (1903) 87.—Eur.  
 curtistamineus, *Sudre, l. c.* 84.—Eur.  
 curvifolius, *Schmidely, in Bull. Herb. Boiss. Sér. II.* iii. 78.—Eur.  
 debilispinus, *Sudre, Ass. Pyr.* (1902); *ex Bull. Soc. Bot. Fr.* lii. 333.—Eur.  
 deceptiosus, *Sudre, in Bull. Soc. Étud. Sci. Angers,* xxxi. (1902) 144.—Eur.  
 densiglandulosus, *Sudre, in Bull. Acad. Géogr. Bot.* xii. (1903) 85.—Eur.  
 densispinus, *Sudre, l. c.* 94.—Eur.  
 derasifolius, *Sudre, in Bull. Soc. Bot. Fr.* lii. 335.—Eur.  
 derasiformis, *Sudre, l. c.* 334.—Eur.  
 disjunctiflorus, *Sudre, l. c.* 322.—Eur.  
 Doggettii, *C. H. Wright, in Johnston, Uganda Prot.* i. 325.—Afr. trop.  
 doranus, *Sudre, Batotheca europ. fasc. i. Notes,* 13; *ex Bull. Soc. Bot. Fr.* li. 23.—Eur.  
 drepanophorus, *Sudre, in Bull. Soc. Bot. Fr.* li. 24.—Eur.  
 dunensis, *Rogers, in Journ. Bot.* 1901, 382.—Hibern.  
 durimontanus, *Sabransky, in Hayek, Sched. Fl. Stir.* v-vi. 13.—Hybr.  
 echinocalyx, *Erichsen, in Verh. Nat. Ver. Hamburg,* iii. viii. 31.—Eur.  
 elzinus, *Sudre, in Bull. Soc. Bot. Fr.* lii. 340.—Eur.  
 eosinus, *Sabransky, in Oesterr. Bot. Zeitschr.* 1905, 391.—Hybr.

## RUBUS:—

- erectiflorens, *Sudre, in Bull. Acad. Géogr. Bot.* xii. (1903) 86.—Eur.  
 erraticus, *Sudre, Rév. Rub. Herb. du Tarn;* *ex Bull. Soc. Bot. Fr.* lii. 333.—Eur.  
 erubescens, *Lidforss, in Arkiv Bot.* iv. no. 6, 35.—Eur.  
 Erythrandus, *Sudre, in Bull. Soc. Étud. Sci. Angers,* xxxi. (1902) 61.—Eur.  
 erythrinellus, *Sudre, in Bull. Soc. Bot. Fr.* lii. 341.—Eur.  
 euchloos, *Focke, in Aschers & Graebn. Syn. Mitteleur. Fl.* vi. i. 470.—Eur.  
 eustephanos, *Focke, in Engl. Jahrb. xxxvi. Beibl.* lxxxii. 54.—China.  
 evagatus, *Sudre, Batotheca europ. fasc. i. no. 23;* *ex Bull. Soc. Bot. Fr.* li. 16.—Eur.  
 excavataulis, *Sudre, in Bull. Soc. Bot. Fr.* li. 12.—Hybr.  
 excultus, *Sudre, in Bull. Acad. Géogr. Bot.* xii. (1903) 66.—Eur.  
 exilis, *Sudre, in Bull. Soc. Bot. Fr.* lii. 340.—Eur.  
 eximius, *Erichsen, in Verh. Nat. Ver. Hamburg,* iii. viii. 61.—Eur.  
 expolitus, *Sudre, in Bull. Acad. Géogr. Bot.* xii. (1903) 66.—Eur.  
 fallens, *Keller, in Bull. Herb. Boiss. Sér. II.* iv. 424.—Eur.  
 fasciculatus, *Duthie, in Ann. Bot. Gard. Calc.* ix. 39.—Ind. or.  
 Fastigii, *Keller, in Bull. Herb. Boiss. Sér. II.* iv. 421.—Hybr.  
 faucium, *Sudre, in Bull. Acad. Géogr. Bot.* xii. (1903) 39.—Eur.  
 Fauriei, *Léveillé & Vaniot, in Bull. Soc. Agric. Sci. Arts Sarthe,* 1905, 60.—Japon.  
 Figertii, *Sprib. in Urb. & Graebn. Festschr. Aschers.* 345.—Germania.  
 Fioniae, *Frieder, ex Erichsen, in Verh. Nat. Ver. Hamburg,* iii. viii. 58.—Eur.  
 fissuratum, *Sudre, in Bull. Acad. Géogr. Bot.* xii. (1903) 75.—Eur.  
 flaviflorens, *Sudre, l. c.* 85.—Eur.  
 flaviramus, *Sudre, l. c.* 74.—Eur.  
 florentulus, *Schmidely, in Bull. Herb. Boiss. Sér. II.* iv. 96.—Hybr.  
 foliosiformis, *Sudre, in Bull. Soc. Étud. Sci. Angers,* xxxi. (1902) 145.—Eur.  
 fragilipes, *Sudre, in Bull. Acad. Géogr. Bot.* xii. (1903) 88.—Eur.  
 friburgensis, *Schmidely, in Bull. Herb. Boiss. Sér. II.* iii. 77.—Eur.  
 fruticetorum, *Sudre, in Bull. Assoc. Fr. Bot.* iv. 236.—Eur.  
 fulgens, *Schmidely, in Bull. Herb. Boiss. Sér. II.* iv. 95.—Hybr.  
 furvus, *Sudre, in Bull. Assoc. Fr. Bot.* iv. 3; *et in Bull. Acad. Géogr. Bot.* xii. (1903) 70.—Eur.  
 galbinifolius, *Sudre, in Bull. Assoc. Fr. Bot.* iv. 7.—Eur.  
 galbinifrons, *Sudre, in Bull. Acad. Géogr. Bot.* xii. (1903) 84.—Eur.  
 Gentilianus, *Léveillé & Vaniot, in Bull. Acad. Géogr. Bot.* xi. (1902) 99.—China.  
 glabellus, *Sudre, l. c.* xii. (1903) 76.—Eur.  
 glaucinellus, *Sudre, in Bull. Soc. Bot. Fr.* lii. 341.—Eur.  
 graciliflorens, *Sudre, in Bull. Acad. Géogr. Bot.* xii. (1903) 89.—Eur.  
 grandiformis, *Sudre, in Bull. Soc. Bot. Fr.* lii. 328.—Eur.  
 gratiflorens, *Sudre, in Bull. Acad. Géogr. Bot.* xii. (1903) 82.—Eur.  
 Grossularia, *Léveillé & Vaniot, in Bull. Soc. Agric. Sci. Arts Sarthe,* 1905, 61.—Japon.  
 Guilhoti, *Sudre, in Bull. Soc. Étud. Sci. Angers,* xxxi. (1902) 88.—Eur.  
 gymnothyrsus, *Sudre, Rub. Herb. Bor.; ex Bull. Soc. Bot. Fr.* li. 15.—Eur.  
 hanovrensis, *Sudre, in Bull. Soc. Bot. Fr.* lii. 325.—Eur.  
 harpactor, *Sabransky, in Oesterr. Bot. Zeitschr.* 1905, 386.—Austria.  
 hastifolius, *Léveillé & Vaniot, in Bull. Soc. Bot. Fr.* li. 218.—China.  
 Hayekii, *Sabransky, in Oesterr. Bot. Zeitschr.* 1905, 388.—Hybr.  
 hebecaulis, *Sudre, in Bull. Soc. Étud. Sci. Angers,* xxxi. (1902) 105.—Eur.

X

**RUBUS:—**

- heterocolor, *Sudre*, in *Bull. Acad. Géogr. Bot.* xii. (1903) 79.—Hybr.
- heterophylloides, *Sudre*, *Rub. Pyr.* 168; ex *Bull. Soc. Bot. Fr.* lii. 328; et in *Bull. Acad. Géogr. Bot.* xii. (1903) 82.—Eur.
- Hiraseanus, *Makino*, in *Bot. Mag. Tokyo*, xvi. 144.—Japon.
- hirsutulus, *Schmidely*, in *Bull. Herb. Boiss. Sér. II.* iv. 95 (1903).—Hybr.
- hirsutulus, *Sudre*, in *Bull. Soc. Bot. Fr.* li. 21 (1904).—Eur.
- holochloros, *Sabransky*, in *Verh. Zool.-Bot. Ges. Wien*, liv. 543.—Eur.
- holsaticus, *Erichsen*, in *Verh. Nat. Ver. Hamburg*, iii. viii. 14.—Eur.
- Holubi, *Toel*, in *Sitz. Böhm. Ges. Wiss.* 1903, no. 24, 17.—Hab.?
- Holzfußii, *Sprb.* in *Urb. & Graebn. Festschr. Aschers*, 344.—Germania.
- Honigii, *Sudre*, in *Bull. Soc. Bot. Fr.* lii. 337.—Eur.
- hoplophorus, *Sabransky*, in *Oesterr. Bot. Zeitschr.* 1905, 387.—Hybr.
- horriduliformis, *Sudre*, in *Bull. Soc. Bot. Fr.* lii. 318.—Eur.
- humiliformis, *Sudre*, in *Bull. Acad. Géogr. Bot.* xii. (1903) 93.—Eur.
- humilifrons, *Sudre*, in *Bull. Soc. Bot. Fr.* lii. 335.—Eur.
- hypochlorus, *Sudre*, l. c. 342.—Eur.
- illegitimus, *Sabransky*, in *Oesterr. Bot. Zeitschr.* 1905, 394.—Hybr.
- illepidus, *Schmidely*, in *Bull. Herb. Boiss. Sér. II.* iv. 94.—Hybr.
- immanis, *Ashe*, in *Journ. E. Mitchell Sci. Soc.* xix. 8.—Am. bor.
- inaequabilis, *Sudre*, in *Bull. Acad. Géogr. Bot.* xii. (1903) 78.—Eur.
- incisus, *Keller*, in *Bull. Herb. Boiss. Sér. II.* iv. 429.—Eur.
- infestiformis, *Sudre*, in *Bull. Soc. Bot. Fr.* lii. 342.—Eur.
- informis, *Sabransky*, in *Oesterr. Bot. Zeitschr.* 1905, 396.—Hybr.
- infrapubens, *Sudre*, in *Bull. Soc. Étud. Sci. Angers*, xxxi. (1902) 107.—Eur.
- innocens, *Borb.* in *Magyar Bot. Lap.* ii. 335.—Eur.
- innoxius, *Sudre*, in *Bull. Acad. Géogr. Bot.* xii. (1903) 74.—Eur.
- iseranus, *Barber*, in *Abh. Nat. Ges. Görlitz*, xxxiii; ex *Just, Jahresh.* xxix. 1. 557.—Eur.
- itoensis, *Léveillé & Vaniot*, in *Bull. Soc. Agric. Sci. Arts Sarthe*, 1905, 62.—Japon.
- jactabundus, *Sudre*, in *Bull. Acad. Géogr. Bot.* xii. (1903) 91.—Eur.
- Jamini, *Léveillé & Vaniot*, in *Bull. Acad. Géogr. Bot.* xi. (1902) 102.—China.
- Johannis-Ulrici, *Keller*, in *Bull. Herb. Boiss. Sér. II.* iv. 335.—Hybr.
- jordanninus, *Sudre*, in *Bull. Soc. Bot. Fr.* li. 22.—Hybr.
- kerriifolius, *Léveillé & Vaniot*, in *Bull. Acad. Géogr. Bot.* xi. (1902) 100.—China.
- Kinashii, *Léveillé & Vaniot*, in *Bull. Soc. Agric. Sci. Arts Sarthe*, 1905, 66.—Japon.
- kingaensis, *Engl. Jahrb.* xxx. 313.—Afr. trop.
- labans, *Sudre*, in *Bull. Acad. Géogr. Bot.* xii. (1903) 71.—Hybr.
- lachnocarpus, *Focke*, in *Engl. Jahrb.* xxxvi. Beibl. lxxxii. 56.—China.
- lanceifolius, *Sudre*, in *Bull. Soc. Bot. Fr.* lii. 336.—Eur.
- latidentatus, *Sudre*, l. c. li. 16.—Hybr.
- laticifolius, *Sudre*, l. c. lii. 342.—Eur.
- laticifrons, *Sudre*, l. c. li. 12.—Hybr.
- laxipilus, *Sudre*, l. c. 14.—Hybr.
- Legrandianus, *Sudre*, in *Bull. Soc. Étud. Sci. Angers*, xxxi. (1902) 143.—Eur.
- leptosepalus, *Sudre*, in *Bull. Soc. Bot. Fr.* lii. 324.—Eur.
- Letii, *Rogers*, in *Journ. Bot.* 1901, 381.—Hibern.
- leucanthemoides, *Sudre*, in *Bull. Soc. Bot. Fr.* li. 19.—Hybr.
- longiglandulosus, *Sudre*, in *Bull. Acad. Géogr. Bot.* xii. (1903) 86.—Eur.
- lumetorum, *Sudre*, in *Bull. Soc. Étud. Sci. Angers*, xxxi. (1902) 134.—Eur.

**RUBUS:—**

- lupimontanus, *Figert*, ex *Sprb.* in *Urb. & Graebn. Festschr. Aschers*, 347.—Germania.
- luteicaulis, *Sudre*, in *Bull. Soc. Bot. Fr.* lii. 336.—Eur.
- Makinoensis, *Léveillé & Vaniot*, in *Bull. Soc. Agric. Sci. Arts Sarthe*, 1905, 60.—Japon.
- marmoratus, *Léveillé & Vaniot*, l. c. 64.—Japon.
- Matouschekii, *Sabransky*, in *Oesterr. Bot. Zeitschr.* 1905, 356.—Austria.
- Matsumuranus, *Léveillé & Vaniot*, in *Bull. Soc. Agric. Sci. Arts Sarthe*, 1905, 66.—Japon.
- meionodontus, *Borb.* in *Magyar Bot. Lap.* ii. 337.—Hybr.
- melanocaulon, *Sudre*, in *Bull. Assoc. Fr. Bot.* iv. 293.—Eur.
- Merinoi, *Pau*, ex *Merino*, in *Bot. Soc. Arag.* iii. 188.—Hispan.
- microbelus, *Sudre*, in *Bull. Soc. Bot. Fr.* lii. 341.—Eur.
- minusculus, *Léveillé & Vaniot*, in *Bull. Soc. Agric. Sci. Arts Sarthe*, 1905, 63.—Japon.
- minutidentatus, *Sudre*, in *Bull. Soc. Bot. Fr.* lii. 323.—Eur.
- Monguilloni, *Léveillé & Vaniot*, in *Bull. Acad. Géogr. Bot.* xi. (1902) 101.—China.
- mucronifer, *Sudre*, in *Bull. Soc. Étud. Sci. Angers*, xxxi. (1902) 104.—Eur.
- multibracteatus, *Léveillé & Vaniot*, l. c. 99.—China.
- mundiflorus, *Sudre*, in *Bull. Acad. Géogr. Bot.* xii. (1903) 80.—Eur.
- murivagum, *Sudre*, l. c. 94.—Eur.
- myriadenus, *Léveillé & Vaniot*, in *Bull. Soc. Bot. Fr.* li. 218.—China.
- nanus, *Sudre*, in *Bull. Soc. Bot. Fr.* lii. 327.—Eur.
- napophiloides, *Sudre*, l. c. li. 25.—Eur.
- nigricans, *Rydb.* in *Britton, Man. Fl. N. U. S.* 498.—Am. bor.
- notabilis, *Sudre*, in *Bull. Acad. Géogr. Bot.* xii. (1903) 71.—Eur.
- Nothus, *Sudre*, in *Bull. Soc. Étud. Sci. Angers*, xxxi. (1902) 91.—Eur.
- nudistylus, *Sudre*, in *Bull. Soc. Bot. Fr.* lii. 339.—Eur.
- oblongulus, *Sudre*, l. c. 338.—Eur.
- omalus, *Sudre*, *Rub. Pyr.* 142; ex *Bull. Soc. Bot. Fr.* lii. 324, 335.—Eur.
- onayensis, *Schmidely*, in *Bull. Herb. Boiss. Sér. II.* iii. 77.—Eur.
- oreiformis, *Sudre*, *Batotheca europ. fasc. i. Notes*, 15; ex *Bull. Soc. Bot. Fr.* li. 28.—Hybr.
- oreigenus, *Sudre*, in *Bull. Soc. Bot. Fr.* li. 13.—Gallia.
- oreus, *Sudre*, *Batotheca europ. fasc. i. Notes*, 11; ex *Bull. Soc. Bot. Fr.* li. 22.—Eur.
- orthopus, *Sudre*, in *Bull. Acad. Géogr. Bot.* xii. (1903) 78.—Eur.
- ossalensis, *Sudre*, in *Bull. Assoc. Fr. Bot.* iv. 229.—Eur.
- ostensu, *Schmidely*, in *Bull. Herb. Boiss. Sér. II.* iv. 94.—Hybr.
- ostriyifolius, *Rydb.* in *Britton, Man. Fl. N. U. S.* 497.—Am. bor.
- ouensanensis, *Léveillé & Vaniot*, in *Bull. Soc. Agric. Sci. Arts Sarthe*, 1905, 62.—Corea.
- pallidiflorus, *Sudre*, in *Bull. Acad. Géogr. Bot.* xii. (1903) 89.—Eur.
- pallidulifolius, *Sudre*, in *Bull. Soc. Bot. Fr.* lii. 329.—Eur.
- parviflorens, *Sudre*, l. c. 325.—Eur.
- parviflorus, *Figert*, ex *Sprb.* in *Urb. & Graebn. Festschr. Aschers*, 343.—Germania.
- parviserratus, *Sudre*, in *Bull. Soc. Bot. Fr.* lii. 322.—Eur.
- parviserrulatus, *Sudre*, l. c. 340.—Eur.
- parvulidens, *Sudre*, l. c. 327.—Eur.
- patulispinus, *Sudre*, in *Bull. Acad. Géogr. Bot.* xii. (1903) 72.—Hybr.
- peracutidens, *Sudre*, in *Bull. Soc. Bot. Fr.* lii. 331.—Eur.
- perconfertus, *Sudre*, l. c. li. 18.—Hybr.
- pergratiosus, *Sudre*, l. c. lii. 328.—Eur.
- persistens, *Rydb.* in *Small, Fl. S. E. U. S.* 519.—Am. bor.
- personatus, *Schmidely*, in *Bull. Herb. Boiss. Sér. II.* iv. 96.—Hybr.
- piletodermis, *Sudre*, *Batotheca europ. fasc. i. Notes*, 7; ex *Bull. Soc. Bot. Fr.* li. 15.—Hybr.
- pilluliferus, *Focke*, in *Engl. Jahrb.* xxxvi. Beibl. lxxxii. 55.—China.
- pinfaensis, *Léveillé & Vaniot*, in *Bull. Soc. Agric. Sci. Arts Sarthe*, 1904, repr. 5.—China.
- planicaulis, *Sudre*, in *Bull. Acad. Géogr. Bot.* xii. (1903) 62.—Hybr.

**RUBUS:—**

- Pleiopton, *Sudre*, in *Bull. Soc. Étud. Sci. Angers*, xxxi. (1902) 64.—Eur.
- plicatifloris, *Sabransky*, in *Oesterr. Bot. Zeitschr.* 1905, 316.—Austria.
- podophylloides, *Sudre*, *Rub. Herb. Bor.* 57; ex *Bull. Soc. Bot. Fr.* lii. 323.—Eur.
- polyacanthoides, *Sudre*, in *Bull. Soc. Bot. Fr.* lii. 319.—Eur.
- polycardius, *Borb. & Sabr.* in *Magyar Bot. Lap.* ii. 337.—Eur.
- polysetosus, *Keller*, in *Bull. Herb. Boiss. Sér. II.* iv. 427.—Eur.
- portuensis, *Sampaio*, in *Ann. Sci. Nat. Porto*, viii. 10.—Lusitan.
- praedatus, *Schmidely*, in *Bull. Herb. Boiss. Sér. II.* iii. 79.—Eur.
- progenerans, *Lidforss*, in *Arkiv Bot.* iv. no. 6, 20.—Hybr.
- propinquoformis, *Sudre & Bouwet*, in *Bull. Soc. Étud. Sci. Angers*, xxxi. (1902) 92.—Eur.
- propinquus, *Keller*, in *Bull. Herb. Boiss. Sér. II.* iv. 340.—Eur.
- provisus, *Sudre*, in *Bull. Acad. Géogr. Bot.* xii. (1903) 92.—Hybr.
- pullatifolius, *Sudre*, l. c. 83.—Eur.
- puripulvis, *Sudre*, l. c. 81.—Eur.
- purpuratifloris, *Sudre*, l. c. 73.—Hybr.
- purpuratus, *Sudre*, *Rub. Pyr.* 82; ex *Bull. Soc. Bot. Fr.* lii. 339; et in *Bull. Assoc. Fr. Bot.* iv. 4.—Eur.
- pseudo-degener, *Sudre*, in *Bull. Soc. Étud. Sci. Angers*, xxxi. (1902) 142.—Eur.
- pseudodenticulatus, *Sabransky*, in *Verh. Zool.-Bot. Ges. Wien*, liv. 542.—Hybr.
- pseudo-inermis, *Motelay*, in *Act. Soc. Linn. Bordeaux*, lviii. 61.—Gallia.
- pseudomacrophyllus, *Schmidely*, in *Bull. Herb. Boiss. Sér. II.* iii. 77.—Eur.
- pseudo-oreus, *Schmidely*, l. c. iv. 95.—Hybr.
- pseudo-propinquus, *Sudre*, in *Bull. Soc. Étud. Sci. Angers*, xxxi. (1902) 93.—Eur.
- pseudo-villarsianus, *Schmidely*, in *Bull. Herb. Boiss. Sér. II.* iii. 80.—Eur.
- Randii, *Rydb.* in *Britton, Man. Fl. N. U. S.* 497.—Am. bor.
- recondiformis, *Sudre*, in *Bull. Acad. Géogr. Bot.* xii. (1903) 92.—Eur.
- recurvans, *Blanchard*, in *Rhodora*, vi. 224.—Am. bor.
- retentus, *Sudre*, in *Bull. Acad. Géogr. Bot.* xii. (1903) 72.—Hybr.
- Rheni, *Keller*, in *Bull. Herb. Boiss. Sér. II.* iv. 343.—Hybr.
- rhodius, *Keller*, l. c. 433.—Eur.
- rhodophyllus, *Rydb.* in *Small, Fl. S. E. U. S.* 518.—Am. bor.
- ribisoideus, *Matsum.* in *Bot. Mag. Tokyo*, xv. 159.—Japon.
- rigidulatus, *Sudre*, in *Bull. Soc. Bot. Fr.* lii. 319.—Eur.
- rigiduliformis, *Sudre*, in *Bull. Acad. Géogr. Bot.* xii. (1903) 39.—Eur.
- rimmersbergensis, *Keller*, in *Bull. Herb. Boiss. Sér. II.* iv. 428.—Eur.
- robustramus, *Sudre*, in *Bull. Soc. Bot. Fr.* lii. 333.—Hybr.
- Rohlenae, *Toel*, in *Sitz. Böhm. Ges. Wiss.* 1903, no. 24, 19.—Hab.?
- roribaccus, *Rydb.* in *Britton, Man. Fl. N. U. S.* 498.—Am. bor.
- roseipetalus, *Sudre*, in *Bull. Soc. Étud. Sci. Angers*, xxxi. (1902) 91.—Eur.
- rosellus, *Sudre*, in *Bull. Acad. Géogr. Bot.* xii. (1903) 72.—Eur.
- rotundellus, *Sudre*, in *Bull. Soc. Bot. Fr.* li. 23.—Eur.
- rubricundiflorus, *Sudre*, in *Bull. Acad. Géogr. Bot.* xii. (1903) 58.—Hybr.
- rubrisetus, *Rydb.* in *Britton, Man. Fl. N. U. S.* 497.—Am. bor.
- rugosulus, *Sabransky*, in *Oesterr. Bot. Zeitschr.* 1905, 392.—Hybr.
- rungwensis, *Engl. Jahrb.* xxx. 314.—Afr. trop.
- saboienis, *Schmidely*, in *Bull. Herb. Boiss. Sér. II.* iii. 80.—Eur.
- saluivagus, *Sudre*, in *Bull. Assoc. Fr. Bot.* iv. 237.—Eur.
- salvanensis, *Schmidely*, in *Bull. Trav. Soc. Bot. Genève*, viii. 51, nomen.—Helvet.

**RUBUS:**

- sanguineus, *Schmidely*, in *Bull. Herb. Boiss. Sér. II.* iv. 94.—Hybr.  
 sanzenbergensis, *Keller*, in *Bull. Herb. Boiss. Sér. II.* iv. 333.—Hybr.  
 scabricaulis, *Sudre*, *Rub. Herb. Bor.* 71; ex *Bull. Soc. Bot. Fr.* lii. 322.—Eur.  
 scabriformis, *Sudre*, in *Bull. Soc. Bot. Fr.* lii. 322.—Eur.  
 scabrosiformis, *Sudre*, in *Bull. Soc. Étud. Sci. Angers*, xxxi. (1902) 133.—Eur.  
 scalarostachys, *Sudre*, in *Bull. Soc. Bot. Fr.* lii. 329.—Eur.  
 schaubergensis, *Keller*, in *Bull. Herb. Boiss. Sér. II.* iv. 430.—Eur.  
 Schmidelyanus, *Sudre*, in *Bull. Soc. Bot. Fr.* li. 21.—Eur.  
 Schubei, *Sprib.* in *Urb. & Graebn. Festschr. Aschers.* 347.—Germania.  
 scitulus, *Sudre*, *Rub. Pyr.* 75; ex *Bull. Soc. Bot. Fr.* lii. 317, 328.—Eur.  
 secophiloides, *Sudre*, in *Bull. Soc. Étud. Sci. Angers*, xxxi. (1902) 125.—Eur.  
 semicalvus, *Sudre*, in *Bull. Soc. Bot. Fr.* lii. 333.—Eur.  
 semiticolus, *Sudre*, in *Bull. Acad. Géogr. Bot.* xii. (1903) 77.—Eur.  
 separinoides, *Sudre*, in *Bull. Soc. Étud. Sci. Angers*, xxxi. (1902) 100.—Eur.  
 sericatifrons, *Sudre*, in *Bull. Soc. Bot. Fr.* lii. 336.—Eur.  
 serraticuspis, *Sudre*, l. c. 340.—Eur.  
 serrigerus, *Schmidely*, in *Bull. Herb. Boiss. Sér. II.* iv. 95.—Hybr.  
 sessiliglandulosus, *Sudre*, in *Bull. Acad. Géogr. Bot.* xii. (1903) 76, 598.—Hybr.  
 silvisparsus, *Sudre*, in *Bull. Soc. Étud. Sci. Angers*, xxxi. (1902) 75.—Eur.  
 similigens, *Sudre*, in *Bull. Soc. Bot. Fr.* li. 19.—Hybr.  
 soechaviensis, *Sabransky*, in *Verh. Zool.-Bot. Ges. Wien*, liv. 545.—Eur.  
 Sonderi, *Keller*, in *Bull. Herb. Boiss. Sér. II.* iv. 419.—Eur.  
 sparseglandulosus, *Hayek*, in *Oesterr. Bot. Zeitschr.* 1901, 355.—Eur.  
 spinifer, *Sudre*, in *Bull. Soc. Bot. Fr.* lii. 343.—Eur.  
 spinosellus, *Sudre*, l. c. 317.—Eur.  
 spinosulus, *Sudre*, in *Bull. Assoc. Fr. Bot.* iv. 6.—Eur.  
 spissifolius, *Sudre*, in *Bull. Acad. Géogr. Bot.* xii. (1903) 69 (*Rub. Pyr.* 155).—Eur.  
 status, *Sudre*, l. c. 76.—Eur.  
 stereacanthoides, *Sudre*, in *Bull. Soc. Étud. Sci. Angers*, xxxi. (1902) 71.—Eur.  
 strictispinus, *Sudre*, in *Bull. Soc. Bot. Fr.* lii. 327.—Eur.  
 snavedrianus, *Sudre*, in *Bull. Soc. Étud. Sci. Angers*, xxxi. (1902) 124.—Eur.  
 subalbicans, *Sudre*, in *Bull. Assoc. Fr. Bot.* v. 210.—Eur.  
 subcrenatus, *Schmidely*, in *Bull. Herb. Boiss. Sér. II.* iv. 95.—Helvetia.  
 subhercynus, *Borb.* in *Magyar Bot. Lap.* ii. 335.—Eur.  
 subhirtus, *Keller*, in *Bull. Herb. Boiss. Sér. II.* iv. 343.—Eur.  
 subhystris, *Borb. & Holuby*, ex *Borb.* in *Urb. & Graebn. Festschr. Aschers.* 279.—Hungar.  
 submitis, *Schmidely*, in *Bull. Herb. Boiss. Sér. II.* iii. 77.—Eur.  
 subriglandulosus, *Sudre*, in *Bull. Soc. Bot. Fr.* lii. 327.—Eur.  
 subrosilis, *Sudre*, l. c. li. 15.—Hybr.  
 substiriacus, *Borb.* in *Urb. & Graebn. Festschr. Aschers.* 277.—Hybr.  
 subtilissimus, *Sudre*, *Rub. Pyr.* 87; ex *Bull. Soc. Bot. Fr.* lii. 339, 344.—Eur.  
 subuniflorus, *Rydb.* in *Britton, Man. Fl. N. U. S.* 498.—Am. bor.  
 Sudreanus, *Sabransky*, in *Verh. Zool.-Bot. Ges. Wien*, liv. 546.—Hybr.  
 Sudrei, *Bouvet*, in *Compt. Rend. Assoc. Fr. Avanc. Sci.* 1903, ii. 683 (1904).—Gallia.  
 superflus, *Sabransky*, in *Oesterr. Bot. Zeitschr.* 1905, 389.—Hybr.  
 supinus, *Sabransky*, l. c. 357.—Austria.  
 Tabanimontanus, *Figert*, in *Allg. Bot. Zeitschr.* 1905, 178.—Eur.  
 taiwanianus, *Matsum.* in *Bot. Mag. Tokyo*, xvi. 3.—Japan.  
 tenuidentatus, *Sudre*, *Rub. Pyr.* 92; ex *Bull. Soc. Bot. Fr.* lii. 344.—Eur.

**RUBUS:**

- thyrsifloroglandulosus, *Keller*, in *Bull. Herb. Boiss. Sér. II.* iv. 426.—Eur.  
 thyrsifloroides, *Keller*, l. c. 425.—Eur.  
 Toclii, *Domin*, in *Magyar Bot. Lap.* iv. 135.—Hybr.  
 torrentium, *Sudre*, in *Bull. Acad. Géogr. Bot.* xii. (1903) 75.—Eur.  
 Toussainti, *Sudre*, in *Bull. Soc. Étud. Sci. Angers*, xxxi. (1902) 101.—Eur.  
 trachycaulon, *Sudre*, in *Bull. Soc. Bot. Fr.* lii. 324.—Eur.  
 trichopoides, *Sudre*, l. c. 335.—Eur.  
 trifolius, *Sampaio*, in *Ann. Sci. Nat. Porto*, viii. 13.—Lusitan.  
 truncifactus, *Sudre*, in *Bull. Soc. Bot. Fr.* lii. 344.—Eur.  
 turicensis, *Keller*, in *Bull. Herb. Boiss. Sér. II.* iv. 423.—Eur.  
 umbraculorum, *Sudre*, in *Bull. Acad. Géogr. Bot.* xii. (1903) 92.—Hybr.  
 uncinulatus, *Sudre*, in *Bull. Soc. Bot. Fr.* lii. 330.—Eur.  
 Vahlil, *Frider.* in *Bot. Tidsskr.* xxvii. 108.—Ins. Mader.  
 valdepius, *Schmidely*, in *Bull. Herb. Boiss. Sér. II.* iii. 78.—Eur.  
 valdeproximus, *Sudre*, in *Bull. Assoc. Fr. Bot.* iv. 232.—Eur.  
 valdespinosus, *Sudre*, in *Bull. Acad. Géogr. Bot.* xii. (1903) 81.—Eur.  
 valesiensis, *Sudre*, in *Bull. Soc. Étud. Sci. Angers*, xxxi. (1902) 136.—Eur.  
 validispinus, *Sudre*, in *Bull. Acad. Géogr. Bot.* xii. (1903) 69.—Eur.  
 vallicularum, *Sudre*, in *Bull. Assoc. Fr. Bot.* iv. 237.—Eur.  
 venustulus, *Sudre*, l. c. 5.—Eur.  
 vepallidus, *Sudre*, *Rub. Pyr.* 175; ex *Bull. Soc. Bot. Fr.* lii. 330; et in *Bull. Acad. Géogr. Bot.* xii. (1903) 89.—Eur.  
 vermontanus, *Blanchard*, in *Amer. Bot.* viii. (1904) 1.—Am. bor.  
 vesprimiensis, *Borb.* in *Urb. & Graebn. Festschr. Aschers.* 274.—Hungar.  
 vestitoides, *Keller*, in *Bull. Herb. Boiss. Sér. II.* iv. 341.—Hybr.  
 vitodurensis, *Keller*, l. c.—Eur.  
 Wartmanni, *Keller*, l. c. 422.—Eur.  
 Yabei, *Léveillé & Vaniot*, in *Bull. Soc. Agric. Sci. Arts Sarthe*, 1905, 65.—Japon.  
 zobothicus, *Figert & Sprib.* ex *Sprib.* in *Urb. & Graebn. Festschr. Aschers.* 346.—Germania.

**RUDBECKIA**, Linn. (Compos.).

- acuminata, *Boynton & Beadle*, in *Small, Fl. S. E. U. S.* 1256.—Am. bor.  
 ampla, *A. Nelson*, in *Bull. Torr. Bot. Club*, 1901, 234.—Am. bor.  
 Chapmani, *Boynton & Beadle*, in *Biltm. Bot. Studies*, i. 14.—Am. bor.  
 foliosa, *Boynton & Beadle*, in *Small, Fl. S. E. U. S.* 1256.—Am. bor.  
 graminifolia, *Boynton & Beadle*, in *Biltm. Bot. Studies*, i. 12.—Am. bor.  
 missouriensis, *Engelm.* ex *Boynton & Beadle*, l. c. 17.—Am. bor.  
 monticola, *Small*, in *Torreya*, i. 67.—Am. bor.  
 palustris, *Eggert*, ex *Boynton & Beadle*, in *Biltm. Bot. Studies*, i. 16.—Am. bor.  
 palustris, *Eggert*, in *Britton, Man. Fl. N. U. S.* 987.—Am. bor.  
 Sullivantii, *Boynton & Beadle*, in *Biltm. Bot. Studies*, i. 15.—Am. bor.  
 tenax, *Boynton & Beadle*, in *Small, Fl. S. E. U. S.* 1257.—Am. bor.  
 umbrosa, *Boynton & Beadle*, in *Biltm. Bot. Studies*, i. 16.—Am. bor.

**RUDGEA**, Salisb. (Rubiace.).

- ceratopetala, *Donn. Sm.* in *Coult. Bot. Gaz.* xxxv. (1903) 3.—Am. cent.  
 ceriantha, *K. Schum.* in *Verh. Bot. Ver. Brand.* xlvii. (1905) 190.—Peruv.  
 Hassleriana, *Chod.* in *Bull. Herb. Boiss. Sér. II.* iv. 179.—Parag.

**RUELLIA**, Plum. (Acanth.).

- alboviolacea, *Lindau*, in *Bull. Herb. Boiss. Sér. II.* iv. 318.—Mexic.  
 Baurii, *C. B. Clarke*, in *Dyer, Fl. Cap.* v. 13.—Afr. austr.

**RUELLIA:**

- Beyrichiana, *S. Moore*, in *Journ. Bot.* 1904, 34 (= *Dipteracanthus Beyrichianus*).—Bras.  
 consocialis, *Lindau*, in *Bull. Herb. Boiss. Sér. II.* iv. 319.—Bras.  
 cordata, *T. S. Brandege*, in *Zoe*, v. 173 (1903).—Calif.  
 cupheoides, *Fernald*, in *Proc. Amer. Acad.* xxxvi. 502.—Mexic.  
 cygniflora, *Lindau*, in *Engl. Jahrb.* xxxiii. 186.—Afr. trop.  
 glanduloso-notata, *Lindau*, in *Bull. Herb. Boiss. Sér. II.* v. 367.—Bras.  
 glanduloso-punctata, *Lindau*, in *Engl. Jahrb.* xxx. 196 (= *Dipteracanthus glanduloso-punctatus*).—Bras.  
 glischrocalyx, *Lindau*, in *Bull. Herb. Boiss. Sér. II.* iv. 321.—Peruv.  
 gloeocalyx, *K. Schum.* in *K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 386.—N. Guin.  
 gongodes, *Lindau*, in *Engl. Jahrb.* xxxiii. 187.—Afr. trop.  
 haematantha, *Lindau*, in *Bull. Herb. Boiss. Sér. II.* iv. 322.—Peruv.  
 humilis, *Lindau*, l. c. iii. 629 (= *Dipteracanthus humilis*).—Parag.  
 hypericoides, *Lindau*, l. c. (= *Dipteracanthus hypericoides*).—Parag.  
 leucantha, *T. S. Brandege*, in *Zoe*, v. 109 (1901).—Calif.  
 lithophila, *Lindau*, in *Engl. Jahrb.* xxxiii. 187.—Afr. trop.  
 malacophylla, *C. B. Clarke*, in *Dyer, Fl. Cap.* v. 14.—Afr. austr.  
 microphylla, *Lindau*, in *Bull. Herb. Boiss. Sér. II.* iii. 630 (= *Arrhoxystylum microphyllum*).—Parag.  
 multifolia, *Lindau*, l. c. (= *Dipteracanthus multifolius*).—Parag.  
 oxysepala, *C. B. Clarke*, ex *Schinz*, in *Denkschr. Akad. Wien, Math.-Nat.* lxxviii. 73.—Afr. trop.  
 parviflora, *Britton, Man. Fl. N. U. S.* 854.—Am. bor.  
 phyllocalyx, *Lindau*, in *Bull. Herb. Boiss. Sér. II.* iv. 320.—Peruv.  
 stenophylla, *C. B. Clarke*, in *Dyer, Fl. Cap.* v. 14.—Afr. austr.  
 succulenta, *Small*, in *Bull. N. York Bot. Gard.* iii. 437.—Am. bor.  
 tarapotana, *Lindau*, in *Bull. Herb. Boiss. Sér. II.* iv. 318.—Peruv.  
 thyrsostachya, *Lindau*, l. c. 320.—Peruv.  
 Woodii, *C. B. Clarke*, in *Dyer, Fl. Cap.* v. 13.—Afr. austr.  
 yurimagnensis, *Lindau*, l. c. 317.—Peruv.

**RULAC**, Adans. (Sapind.).

- [ACER, Tourn. I. K.]  
 texana, *Small, Fl. S. E. U. S.* 743 (= *Acer texana*).—Am. bor.

**RULINGIA**, R. Br. (Stercul.).

- luteiflora, *E. Pritz.* in *Engl. Jahrb.* xxxv. 369.—Austral.  
 Tratmanni, *C. R. P. Andrews*, in *Journ. W. Austral. Nat. Hist. Soc.* i. 37.—Austral.

**RUMEX**, Linn. (Polygon.).

- Areschougii, *Beck, Ic. Fl. Germ.* xxiv. 44.—Hybr.  
 Bakeri, *Greene, Pl. Baker.* iii. 15.—Am. bor.  
 confinis, *Greene, Pittonia*, iv. (1901) 306.—Am. bor.  
 Daiwoo, *Makino*, in *Bot. Mag. Tokyo*, xv. 124 (= *Lapathum Daiwoo*).—Japon.  
 digeneus, *Beck, Ic. Fl. Germ.* xxiv. 31.—Hybr.  
 Ellenbeckii, *Damm*, in *Engl. Jahrb.* xxxviii. 61.—Afr. trop.  
 ellipticus, *Greene, Pittonia*, iv. 234.—Am. bor.  
 fenestratus, *Greene*, l. c. (1901) 306.—Am. bor.  
 garsensis, *Teyber*, in *Verh. Zool.-Bot. Ges. Wien*, lv. 14.—Hybr.  
 gracilipes, *Greene, Pittonia*, iv. (1901) 304.—Am. bor.  
 hararensis, *Damm*, in *Engl. Jahrb.* xxxviii. 61.—Afr. trop.  
 Haussknechtii, *Beck, Ic. Fl. Germ.* xxiv. 28.—Hybr.  
 hesperius, *Greene, Pittonia*, iv. 234.—Am. bor.  
 Jungneri, *Camus*, in *Bull. Herb. Boiss. Sér. II.* iv. 1236.—Hybr.  
 Murbeckii, *Beck, Ic. Fl. Germ.* xxiv. 32.—Hybr.  
 Niesslii, *Wildt.* in *Oesterr. Bot. Zeitschr.* liv. 381.—Hybr.

**RUMEX:—**

- polyrrhizus, *Greene, Pittonia*, iv. (1901) 305.—Am. bor.  
 procerus, *Greene, l. c.*—Am. bor.  
 scandicus, *Beck, Ic. Fl. Germ.* xxiv. 45.—Hybr.  
 spurius, *Camus, in Bull. Herb. Boiss. Sér. II.* iv. 1233.—Hybr.  
 thuringiacus, *Beck, Ic. Fl. Germ.* xxiv. 27.—Hybr.  
 Trimenii, *Camus, in Bull. Herb. Boiss. Sér. II.* iv. 1239.—Hybr.  
 Wettsteinii, *Wildt, in Oesterr. Bot. Zeitschr.* liv. 380.—Hybr.  
 Wirtgeni, *Beck, Ic. Fl. Germ.* xxiv. 44.—Hybr.

**RUMFORDIA**, DC. (Compos.).

- aragonensis, *Greenm. in Proc. Amer. Acad.* xl. 38.—Am. cent.  
 polymnioides, *Greenm. l. c.* xxxix. 99.—Am. cent.

**RUNGIA**, Nees (Acanth.).

- eristachya, *Hua, in Bull. Mus. Hist. Nat. Par.* 1905, 62.—Afr. trop.  
 obcordata, *Lindau, in Engl. Jahrb.* xxxviii. 71.—Afr. trop.  
 philippinensis, *C. B. Clarke, in Philipp. Gov. Lab. Bur. Bull.* xxxv. 92.—Ins. Philipp.

**RUPPIA**, Linn. (Naiad.).

- rostellata, *Koch, ex Reichb. Ic. Pl. Crit.* ii. 66 = maritima.

**RUSSELIA**, Jacq. (Scrophul.).

- Deamii, *Robinson, in Proc. Amer. Acad.* xxxvi. 474.—Mexic.  
 furfuracea, *T. S. Brandegee, in Zoe*, v. 219 (1905).—Mexic.  
 trachypneura, *Robinson, in Proc. Amer. Acad.* xxxvi. 474.—Mexic.

**RUTA**, Linn. (Rutac.).

- tenuifolia, *Bub. Fl. Pyr.* iii. 357 = chalepensis.

**RUTIDEA**, DC. (Rubiace.).

- brachyantha, *K. Schum. in Engl. Jahrb.* xxxiii. 359.—Afr. trop.

**RUYSCHIA**, Jacq. (Ternstroem.).

- platyadenia, *Gilg, ex Glaz. in Bull. Soc. Bot. Fr.* lii. Mém. III. 41, nomen.—Bras.

**RYNCHOSPORA**, Vahl (Cyper.).

- Curtissii, *Britton, in Small, Fl. S. E. U. S.* 195.—Am. bor.  
 dolichostyla, *K. Schum. in Warb. Kunene-Sambesi Exped.* 179.—Afr. trop.  
 Earlei, *Britton, in Small, Fl. S. E. U. S.* 197.—Am. bor.  
 ecuadorensis, *C. B. Clarke, in Engl. Jahrb.* xxxiv. Beibl. lxxviii. 5.—Ecuador.  
 Faberi, *C. B. Clarke, in Journ. Linn. Soc.* xxxvi. 259.—China.  
 Fauriei, *C. B. Clarke, ex Léveillé, in Bull. Acad. Géogr. Bot.* xiv. (1904) 197.—China.  
 Franchetiana, *C. B. Clarke, ex Léveillé, l. c.*—Japon.  
 Fujiana, *Makino, in Bot. Mag. Tokyo*, xvii. 183.—Japon.  
 Hassleri, *C. B. Clarke, in Bull. Herb. Boiss. Sér. II.* iii. 1023.—Parag.  
 Hattoriana, *Makino, in Bot. Mag. Tokyo*, xvii. 189.—Japon.  
 indianolensis, *Small, Fl. S. E. U. S.* 193.—Am. bor.  
 intermedia, *Britton, in Small, l. c.* 194.—Am. bor.  
 japonica, *Makino, in Bot. Mag. Tokyo*, xvii. 184.—Japon.  
 locuples, *C. B. Clarke, in Engl. Jahrb.* xxxiv. Beibl. lxxviii. 5.—Ecuador.  
 microcephala, *Britton, in Small, Fl. S. E. U. S.* 195.—Am. bor.  
 mixta, *Britton, l. c.* 197.—Am. bor.  
 Miyakeana, *Makino, in Bot. Mag. Tokyo*, xvii. 184.—Japon.  
 nipponica, *Makino, l. c.* xviii. 145.—Japon.  
 perplexa, *Britton, in Small, Fl. S. E. U. S.* 197.—Am. bor.  
 Plankii, *Britton, l. c.* 196.—Am. bor.  
 Pringlei, *Greenm. in Proc. Amer. Acad.* xxxix. 69.—Mexic.  
 prolifera, *Small, Fl. S. E. U. S.* 198.—Am. bor.  
 rubra, *Makino, in Bot. Mag. Tokyo*, xvii. 180 = Wallichiana.

**RYNCHOSPORA:—**

- Smallii, *Britton, in Small, Fl. S. E. U. S.* 1321.—Am. bor.  
 solitaria, *Harper, in Bull. Torr. Bot. Club*, xxviii. 468.—Am. bor.  
 Umemurae, *Makino, in Bot. Mag. Tokyo*, xvii. 187.—Japon.  
 Yasudana, *Makino, l. c.* 188.—Japon.

**RYSSOPTERYS**, Blume (Malpigh.).

- intermedia, *Hochr. in Bull. Inst. Buitenz.* xix. 45; *Pl. Bogor Exsicc.* 21.—Malaya.

**S****SABAL**, Adans. (Palmae).

- megacarpa, *Small, Fl. S. E. U. S.* 223.—Am. bor.  
 princeps, *Hort. ex Knuth, Handb. Blütenb.* iii. 65.—Hab. ?  
 uresana, *Trel. in Missouri, Bot. Gard. Rep.* xii. 80.—Mexic.

**SABAZIA**, Cass. (Compos.).

- anomala, *Greenm. in Proc. Amer. Acad.* xli. 262.—Mexic.  
 Purpusi, *T. S. Brandegee, in Zoe*, v. 162 (1903).—Calif.

**SABBATIA**, Adans. (Gentian.).

- foliosa, *Fernald, in Coult. Bot. Gaz.* xxxiii. 155.—Am. bor.  
 grandiflora, *Small, Fl. S. E. U. S.* 928.—Am. bor.  
 Harperi, *Small, l. c.*—Am. bor.  
 simulata, *Britton, in Bull. N. York Bot. Gard.* iii. 448.—Ind. occ.

**SABICEA**, Aubl. (Rubiace.).

- affinis, *Wildem. in Ann. Mus. Congo, Sér. V.* i. 77.—Afr. trop.  
 bicarpellata, *K. Schum. in Engl. Jahrb.* xxxiii. 337.—Afr. trop.  
 camporum, *Sprague, in Trans. Proc. Bot. Soc. Edinb.* xxii. 434.—N. Granat.  
 Dewevrei, *Wildem. & Th. Dur. in Ann. Mus. Congo, Sér. III.* i. 112.—Afr. trop.  
 discolor, *Stapf, in Journ. Linn. Soc.* xxxvii. 105.—Afr. trop.  
 gigantostipula, *K. Schum. in Engl. Jahrb.* xxxiii. 337.—Afr. trop.  
 Gilletii, *Wildem. in Ann. Mus. Congo, Sér. V.* i. 78.—Afr. trop.  
 lasiocalyx, *Stapf, in Journ. Linn. Soc.* xxxvii. 106.—Afr. trop.  
 longepetiolata, *Wildem. in Ann. Mus. Congo, Sér. V.* i. 78.—Afr. trop.  
 speciosissima, *K. Schum. in Engl. Jahrb.* xxxiii. 338.—Afr. trop.  
 trichochlamys, *K. Schum. l. c.*—Afr. trop.

**SABINA**, Hall (Conif.).

- [JUNIPERUS, Tourn. I. K.]  
 alpestris, *Ford. in Ford. & Fourn. Ic. Fl. Eur.* iii. 5.—Eur.  
 barbadensis, *Small, Fl. S. E. U. S.* 33 (= *Juniperus barbadensis*).—Am. bor.  
 Knightii, *Rydb. in Bull. Torr. Bot. Club*, 1905, 598 (= *Juniperus Knightii*).—Am. bor.  
 monosperma, *Rydb. l. c.*—Am. bor.  
 occidentalis, *A. A. Heller, Muhlenbergia*, i. 47 (= *Juniperus occidentalis*).—Calif.  
 sabinoides, *Small, Fl. S. E. U. S.* 33 (= *Cupressus sabinoides*).—Am. bor.  
 scopulorum, *Rydb. in Bull. Torr. Bot. Club*, 1905, 598 (= *Juniperus scopulorum*).—Am. bor.  
 utahensis, *Rydb. l. c.*—Am. bor.  
 Villarsii, *Ford. in Ford. & Fourn. Ic. Fl. Eur.* iii. 4.—Eur.

**SABULINA**, Reichb. (Caryophyll.).

- [ARENARIA, Rupp. I. K.]  
 aretioides, *Hayek, Sched. Fl. Stir.* iii-iv. 6 (= *Arenaria aretioides*).—Eur.  
 cerastifolia, *Bub. Fl. Pyren.* iii. 45 (= *Arenaria cerastifolia*).—Pyren.  
 recurva, *Bub. l. c.* 47 (= *Arenaria recurva*).—Eur.; Oriens.  
 verna, *Bub. l. c.* 45 (= *Arenaria verna*).—Eur.; Am. bor.

**SACCARDOPHYTUM**, Speg. Nov. Add. Fl. Patag. ii. (1902), repr. 61. **SOLANACEAE.**

- pycnophylloides, *Speg. Nov. Add. Fl. Patag.* ii. (1902) repr. 61.—Patag.

**SACCIOLEPIS**, Nash, in Bull. Torr. Bot. Club, 1903, 383 = **Saccollepis**, Nash (Gramin.).**SACCOLABIUM**, Blume (Orchid.).

- amboinense, *J. J. Sm. Orch. Ambon*, 106.—Ins. Ambon.  
 arachnanthe, *Ridley, in Journ. As. Soc. Straits*, xxxix. 83.—Penins. Mal.  
 camptocentrum, *Schlechter, in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 225.—N. Guin.  
 cladophylax, *Schlechter, l. c.* 226.—N. Guin.  
 Fargesii, *Kraenzl. in Journ. de Bot.* 1903, 423.—China.  
 gracilistipes, *Schlechter, in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 227.—N. Guin.  
 hortense, *Ridley, in Journ. As. Soc. Straits*, xxxix. 83.—Penins. Mal.  
 insectiferum, *J. J. Sm. Orchid. Java*, 641.—Java.  
 javanicum, *J. J. Sm. in Ic. Bogor. t.* 122 B. (= *Oeceoclades javanica*).—Java.  
 juncifolium, *J. J. Sm. Orchid. Java*, 636 (= *Schoenorchis juncifolia*).—Java.  
 latifolium, *Schlechter, in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 230 (= *Cleisostoma latifolium*).—Malaya.  
 leucanthum, *Schlechter, l. c.* 227.—N. Guin.  
 luteum, *Volk, in Engl. Jahrb.* xxxi. 461.—Ins. Carol.  
 Machadonis, *Ridley, in Journ. As. Soc. Straits*, xxxix. 82.—Penins. Mal.  
 micranthum, *J. J. Sm. Orchid. Java*, 646 (= *Omoeca micrantha*).—Java.  
 microphyton, *Schlechter, in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 228.—Ins. Bismarck.  
 Myosurus, *Ridley, in Journ. As. Soc. Straits*, xxxix. 84.—Penins. Mal.  
 odoratissimum, *J. J. Sm. Orchid. Java*, 645.—Java.  
 pallidum, *Schlechter, in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 229.—N. Guin.  
 paniculatum, *Schlechter, l. c.* 228 (= *Carteretia paniculata*).—Ins. Bismarck.  
 patinatum, *Ridley, in Journ. As. Soc. Straits*, xxxix. 84.—Malaya.  
 porphyrodesme, *Schlechter, in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 229.—N. Guin.  
 purpureum, *J. J. Sm. in Bull. Inst. Buitenz.* vii. 4.—Arch. Mal.  
 rhopalorrhachis, *J. J. Sm. Orchid. Java*, 644 (= *Dendrocolla rhopalorrhachis*).—Java.  
 rugosulum, *Ridley, in Journ. As. Soc. Straits*, xxxix. 82.—Penins. Mal.  
 serpentinum, *J. J. Sm. in Rec. Trav. Bot. Néerl.* i. 157.—Borneo.  
 sphaeroceras, *Schlechter, in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 230.—N. Guin.  
 squamatum, *Frapp. in Cord. Fl. Réunion*, 195 = *Listrostachys bracteosa*.  
 Toramanum, *Makino, in Bot. Mag. Tokyo*, xix. 141.—Japon.

**SACCOLEPIS**, Nash, in Britton, Man. Fl. N. U. S. 89 (1901). **GRAMINEAE.**

- gibba, *Nash, l. c.* = striata.  
 striata, *Nash, in Bull. Torr. Bot. Club*, 1903, 383.—Am. bor.

**SACHSIA**, Griseb. (Compos.).

- bahamensis, *Urb. Symb. Antill.* iii. 408.—Ind. occ.

**SADIRIA**, Mez, in Encl. Pflanzenreich, Myrsin. (1902) 181. **MYRSINACEAE.**

- erecta, *Mez, l. c.* 183 (= *Pimelandra erecta*).—Ind. or.  
 eugeniifolia, *Mez, l. c.* 182 (= *Pimelandra eugeniifolia*).—Ind. or.  
 Griffithii, *Mez, l. c.* 183 (= *Pimelandra Griffithii*).—Ind. or.  
 solanifolia, *Mez, l. c.* 182.—Ind. or.

**SAGERAEAE**, Dalz. (Anonac.).

- [BOCAGEA, A. St. Hil. I. K.]  
 glabra, *Merrill, in Philipp. Gov. Lab. Bur. Bull.* xxxv. 12.—Ins. Philipp.

**SAGINA**, Linn. (Caryophyll.).

- alpina, *Don, ex Garry, Notes, Engl. Bot.* 36.—Anglia.  
 ciliata, *A. A. Heller, Muhlenbergia*, i. 50 (= *Alsinella ciliata*).—Calif.  
 lemoviscensis, *Auct. in Bull. Soc. Bot. Deux-Sèvres*, xvi. (1904); *ex Bot. Centralbl.* xcix. 72.—Hybr.



**SAGITTA**, Adans. = *Sagittaria*, Rupp. (Alism.).

*palustris*, Bub. Fl. Pyren. iv. 4 = *Sagittaria sagittifolia*.

**SAGITTARIA**, Rupp. (Alism.).

Aginashi, Makino, in *Bot. Mag. Tokyo*, xv. 104.—Japon.  
australis, Small, Fl. S. E. U. S. 45.—Am. bor.  
brevirostra, Mackenzie & Bush, in *Rep. Missouri Bot. Gard.* 1905, 102.—Am. bor.  
esculenta, Howell, Fl. N. W. Amer. i. 679.—Am. bor.  
paniculata, Blank, in *Montana Agric. Coll. Sci. Studies*, Bot. i. 40.—Am. bor.  
spatulata, Buchenau, in *Engl. Pflanzenreich*, *Alismat.* 40 (= *Lophotocarpus spatulatus*).—Am. bor.

**SAHAGUNIA**, Liebm. (Urtic.).

urophylla, Donn. Sm. in *Coult. Bot. Gaz.* xl. 11.—Am. cent.

**SALACIA**, Linn. (Celastr.).

bipindensis, Loes. ex Fritsch, in *Bot. Centralbl. Beih.* xi. 346.—Afr. trop.  
corcovadensis, Glas. in *Bull. Soc. Bot. Fr.* lii. Mém. III. 108, nomen.—Bras.  
macrocarpa, Welw. ex Fritsch, in *Bot. Centralbl. Beih.* xi. 351.—Afr. trop.  
nitida, N. E. Br. in *Dyer, Fl. Trop. Afr.* iv. i. 415.—Afr. trop.  
Parkinsonii, K. Schum. in K. Schum. & Lauterb. *Nachtr. Fl. Deutsch. Südsee*, 304.—Ins. Bismarck.  
Staudtiana, Loes. ex Fritsch, in *Bot. Centralbl. Beih.* xi. 355.—Afr. trop.

**SALICORNIA**, Linn. (Chenopod.).

pulvinata, R. Fries, in *Nov. Act. Soc. Sci. Upsal. Ser. IV. i. no. 1*, 157.—Reg. Argent.

**SALIX**, Linn. (Salic.).

aberrans, A. & G. Camus, *Class. Monog. Saules d'Eur.* ii. 267.—Hybr.  
accedens, Rouy, in *Rev. Bot. Syst. Géogr. Bot.* ii. 175.—Hybr.  
acutidens, Rydb. in *Britton, Man. Fl. N. U. S.* 315.—Am. bor.  
albicans, Bonjean, in A. & G. Camus, *Class. Monog. Saules d'Eur.* i. 359.—Hybr.  
ambigens, A. & G. Camus, l. c. ii. 272.—Hybr.  
arbusculoides, Rouy, in *Rev. Bot. Syst. Géogr. Bot.* ii. 183.—Hybr.  
Bakeri, Seemen, in *Bull. Torr. Bot. Club*, 1903, 635.—Calif.  
Biondiana, Seemen, in *Engl. Jahrb.* xxxvi. Beibl. lxxxii. 32.—China.  
bottnica, Rouy, in *Rev. Bot. Syst. Géogr. Bot.* ii. 173.—Hybr.  
boutigniana, A. & G. Camus, *Class. Monog. Saules d'Eur.* i. 336.—Hybr.  
Camusi, Lévillé, in *Bull. Soc. Agric. Sci. Arts Sarthe*, 1904, repr. 11.—China.  
chlorolepis, Fernald, in *Rhodora*, vii. 186.—Am. bor.  
coerulea, E. Wolf, in *Engl. Jahrb.* xxxii. 275; et in *Act. Hort. Petrop.* xxi. 157.—As. cent.  
Coesteri, Rouy, in *Rev. Bot. Syst. Géogr. Bot.* ii. 169.—Hybr.  
confinis, A. & G. Camus, *Class. Monog. Saules d'Eur.* ii. 268.—Hybr.  
congesta, Howell, Fl. N. W. Amer. i. 617.—Am. bor.  
Cornuaulti, Rouy, in *Rev. Bot. Syst. Géogr. Bot.* ii. 175.—Hybr.  
Covillei, Eastw. in *Zoe*, v. 80 (1900).—Calif.  
cyclophylla, Seemen, in *Engl. Jahrb.* xxx. Beibl. lxvii. 41.—Japon.  
daiseniensis, Seemen, *Salic. Japon.* 65.—Japon.  
Dalecarlica, Rouy, in *Rev. Bot. Syst. Géogr. Bot.* ii. 181.—Hybr.  
dodecandra, Lévillé & Vaniot, in *Bull. Soc. Bot. Fr.* lii. 141.—China.  
dolichostyla, Seemen, in *Engl. Jahrb.* xxx. Beibl. lxvii. 39.—Japon.  
fastidiosa, A. & G. Camus, *Class. Monog. Saules d'Eur.* ii. 266.—Hybr.  
Fauriei, Seemen, in *Engl. Jahrb.* xxx. Beibl. lxvii. 40.—Japon.  
Fernaldii, Blank, in *Montana Agric. Coll. Sci. Studies*, Bot. i. 46.—Am. bor.  
Figerti, A. & G. Camus, *Class. Monog. Saules d'Eur.* ii. 213.—Hybr.  
flava, Rydb. in *Bull. Torr. Bot. Club*, 1901, 273.—Am. bor.

**SALIX** :—

franciscana, Seemen, in *Bull. Torr. Bot. Club*, 1903, 634.—Calif.  
futura, Seemen, *Salic. Japon.* 71.—Japon.  
germanorum, Rouy, in *Rev. Bot. Syst. Géogr. Bot.* ii. 170.—Hybr.  
Gilgiana, Seemen, *Salic. Japon.* 59.—Japon.  
Gilloti, A. & G. Camus, *Class. Monog. Saules d'Eur.* i. 355.—Hybr.  
glaucovillosa, Mazzetti, in *Verh. Zool.-Bot. Ges. Wien*, liii. 358.—Hybr.  
Gooddingi, C. R. Ball, in *Coult. Bot. Gaz.* xl. 376.—Am. bor.  
Harmsiana, Seemen, *Salic. Japon.* 73.—Japon.  
Heidenreichii, Rouy, in *Rev. Bot. Syst. Géogr. Bot.* ii. 180.—Hybr.  
heteromorpha, A. & G. Camus, *Class. Monog. Saules d'Eur.* ii. 264.—Hybr.  
hirsutophylla, A. & G. Camus, l. c. 270.—Hybr.  
hypoleuca, Seemen, in *Engl. Jahrb.* xxxvi. Beibl. lxxxii. 31.—China.  
indagata, A. & G. Camus, *Class. Monog. Saules d'Eur.* ii. 103.—Hybr.  
iterata, A. & G. Camus, l. c. 264.—Hybr.  
jessoensis, Seemen, *Salic. Japon.* 31.—Japon.  
Khekii, Treffer, in A. & G. Camus, *Class. Monog. Saules d'Eur.* ii. 217.—Hybr.  
Kinashii, Lévillé & Vaniot, in *Bull. Soc. Bot. Fr.* lii. 141.—Japon.  
Komarowi, E. Wolf, in *Engl. Jahrb.* xxxii. 279; et in *Act. Hort. Petrop.* xxi. 195.—As. cent.  
lanatella, Rouy, in *Rev. Bot. Syst. Géogr. Bot.* ii. 173.—Hybr.  
Langeana, Rouy, l. c. 180.—Hybr.  
lasiogyne, Seemen, *Salic. Japon.* 32.—Japon.  
leiocarpa, Coville, in *Proc. Washington Acad. Sci.* iii. 338.—Am. bor.  
leiophylla, A. & G. Camus, *Class. Monog. Saules d'Eur.* ii. 108.—Hybr.  
liegnitzensis, A. & G. Camus, l. c. 105.—Hybr.  
linearifolia, Rydb. in *Britton, Man. Fl. N. U. S.* (1901) 316.—Am. bor.  
linearifolia, E. Wolf, in *Engl. Jahrb.* xxxii. 276 (1903); et in *Act. Hort. Petrop.* xxi. 160.—As. cent.  
Lintoni, A. & G. Camus, *Class. Monog. Saules d'Eur.* ii. 214.—Hybr.  
litigiosa, A. & G. Camus, l. c. 106.—Hybr.  
Lloydii, A. & G. Camus, l. c. i. 279.—Hybr.  
longistylis, Rydb. in *Bull. N. York Bot. Gard.* ii. 163.—Am. bor.  
ladibunda, A. & G. Camus, *Class. Monog. Saules d'Eur.* ii. 275.—Hybr.  
luteosericea, Rydb. in *Britton, Man. Fl. N. U. S.* 316.—Am. bor.  
macror, Rouy, in *Rev. Bot. Syst. Géogr. Bot.* ii. 187.—Hybr.  
macrostachya, E. Wolf, in *Engl. Jahrb.* xxxii. 278; et in *Act. Hort. Petrop.* xxi. 165.—As. cent.  
Makinoana, Seemen, in *Fedde, Repert. Nov. Sp.* i. 173.—Japon.  
margaritifera, E. Wolf, in *Engl. Jahrb.* xxxii. 276; et in *Act. Hort. Petrop.* xxi. 162.—As. cent.  
Matsumuraei, Seemen, *Salic. Japon.* 71.—Japon.  
Maximoviczii, Kom. in *Act. Hort. Petrop.* xviii. 442; et l. c. xxii. 25.—China.  
Meinshauseni, A. & G. Camus, *Class. Monog. Saules d'Eur.* ii. 163.—Hybr.  
melanostachys, Makino, in *Bot. Mag. Tokyo*, xviii. 141 = Thunbergiana.  
mirifica, Rouy, in *Rev. Bot. Syst. Géogr. Bot.* ii. 178.—Hybr.  
Nelsoni, C. R. Ball, in *Coult. Bot. Gaz.* xl. 379.—Am. bor.  
nigrolepis, Shirai, ex Makino, in *Bot. Mag. Tokyo*, xviii. 141 = Thunbergiana.  
norvegica, Rouy, in *Rev. Bot. Syst. Géogr. Bot.* ii. 186.—Hybr.  
ormsbyensis, Seemen, in *Bull. Torr. Bot. Club*, 1903, 635.—Am. bor.  
pachnophora, Rydb. in *Bull. Torr. Bot. Club*, 1904, 403.—Am. bor.  
padifolia, Rydb. l. c. 1901, 272 (non Anderss.) = padophylla.  
padophylla, Rydb. l. c. 499.—Am. bor.  
paludum, Rouy, in *Rev. Bot. Syst. Géogr. Bot.* ii. 171.—Hybr.  
paracalliantha, A. & G. Camus, *Class. Monog. Saules d'Eur.* ii. 121.—Hybr.

**SALIX** :—

parapunctata, A. & G. Camus, *Class. Monog. Saules d'Eur.* ii. 276.—Hybr.  
parcipila, Rehm. ex A. & G. Camus, l. c. 144 = subaurita.  
pentandroides, Rouy, in *Rev. Bot. Syst. Géogr. Bot.* ii. 168.—Hybr.  
perobscura, A. & G. Camus, *Class. Monog. Saules d'Eur.* ii. 194.—Hybr.  
perrostrata, Rydb. in *Bull. N. York Bot. Gard.* ii. 163; et in *Britton, Man. Fl. N. U. S.* 317.—Am. bor.  
pithoensis, Rouy, in *Rev. Bot. Syst. Géogr. Bot.* ii. 180.—Hybr.  
polyandra, Lévillé, in *Bull. Soc. Agric. Sci. Arts Sarthe*, 1904, repr. 10.—China.  
propinqua, A. & G. Camus, *Class. Monog. Saules d'Eur.* ii. 213.—Hybr.  
pseudo-alba, E. Wolf, in *Engl. Jahrb.* xxxii. 278; et in *Act. Hort. Petrop.* xxi. 167.—As. cent.  
pseudo-caerulescens, Rouy, in *Rev. Bot. Syst. Géogr. Bot.* ii. 172.—Hybr.  
pseudo-doniana, Rouy, l. c.—Hybr.  
pseudospuria, Rouy, l. c. 181.—Hybr.  
purpureoformis, Rouy, l. c. 188 = rubroformis.  
Pustoriae, Rouy, l. c. 174.—Hybr.  
pygmaea, A. & G. Camus, *Class. Monog. Saules d'Eur.* ii. 260.—Hybr.  
recognita, Rouy, in *Rev. Bot. Syst. Géogr. Bot.* ii. 176.—Hybr.  
rhaetica, Rouy, l. c. 174.—Hybr.  
Richteri, Rouy, l. c. 177.—Hybr.  
rubrifomis, Tourl. in *Bull. Soc. Bot. Fr.* i. 311 (1903).—Hybr.?  
rubroformis, Rouy, in *Rev. Bot. Syst. Géogr. Bot.* ii. 174 (1904).—Hybr.  
Saidaeana, Seemen, *Salic. Japon.* 68.—Japon.  
scandica, Rouy, in *Rev. Bot. Syst. Géogr. Bot.* ii. 172.—Hybr.  
Scholzi, Rouy, l. c. 174.—Hybr.  
Seemannii, Rydb. in *Bull. N. York Bot. Gard.* ii. 164.—Am. bor.  
semihastata, A. & G. Camus, *Class. Monog. Saules d'Eur.* ii. 234.—Hybr.  
semilanata, A. & G. Camus, l. c. 205.—Hybr.  
semilapponum, A. & G. Camus, l. c. 251.—Hybr.  
semimyrsinites, A. & G. Camus, l. c. 139.—Hybr.  
semimyrtilloides, A. & G. Camus, l. c. 188.—Hybr.  
seminigricans, A. & G. Camus, l. c. 130.—Hybr.  
semiphylicifolia, A. & G. Camus, l. c. 131.—Hybr.  
serissima, Fernald, in *Rhodora*, vi. 6.—Am. bor.  
serrulatifolia, E. Wolf, in *Engl. Jahrb.* xxxii. 277; et in *Act. Hort. Petrop.* xxi. 163.—As. cent.  
Shiraii, Seemen, in *Engl. Jahrb.* xxx. Beibl. lxvii. 40.—Japon.  
Sonderiana, Funge, in *Jahrb. Hamb. Wiss. Anst.* xxii. Beih. 79.—Hybr.  
spatulifolia, Seemen, in *Engl. Jahrb.* xxxvi. Beibl. lxxxii. 31.—China.  
squamata, Rydb. in *Britton, Man. Fl. N. U. S.* 317.—Am. bor.  
stenophylla, Rydb. in *Bull. Torr. Bot. Club*, 1901, 271.—Am. bor.  
stolonifera, Coville, in *Proc. Washington Acad. Sci.* iii. 333.—Am. bor.  
subnuda, Rouy, in *Rev. Bot. Syst. Géogr. Bot.* ii. 181.—Hybr.  
subversifolia, A. & G. Camus, *Class. Monog. Saules d'Eur.* ii. 203.—Hybr.  
tomentella, A. & G. Camus, l. c. 270.—Hybr.  
Tweedyi, C. R. Ball, in *Coult. Bot. Gaz.* xl. 377.—Am. bor.  
turfosa, A. & G. Camus, *Class. Monog. Saules d'Eur.* ii. 267.—Hybr.  
Uechtritzi, Rouy, in *Rev. Bot. Syst. Géogr. Bot.* ii. 177.—Hybr.  
Ulothii, Rouy, l. c. 173.—Hybr.  
vacciniformis, Rydb. in *Britton, Man. Fl. N. U. S.* 319.—Am. bor.  
variifolia, Freyn & Sint. in *Bull. Herb. Boiss. Sér. II.* ii. 907.—Oriens.  
Whiteana, A. & G. Camus, *Class. Monog. Saules d'Eur.* ii. 239.—Hybr.  
Wilsoni, Seemen, in *Engl. Jahrb.* xxxvi. Beibl. lxxxii. 28.—China.  
Wolfiana, Rouy, in *Rev. Bot. Syst. Géogr. Bot.* ii. 187.—Hybr.

**SALIX** :—

Wolfii, *Christ, in A. & G. Camus, Class. Monog. Saules d'Eur.* ii. 228.—Hybr.  
wyomingensis, *Rydb. in Bull. Torr. Bot. Club*, 1901, 271.—Am. bor.

**SALMASIA**, Bub. = **Aira**, Linn. (Gramin.).

*Cupanii*, Bub. Fl. Pyren. iv. 317 = *A. caryophylla*.  
*elegans*, Bub. l. c. 318 = *A. capillaris*.  
*flexuosa*, Bub. l. c. 319 = *A. flexuosa*.  
*lendigera*, Bub. l. c. 407 = *A. lendigera*.  
*multiculmis*, Bub. l. c. 317 = *A. caryophylla*.  
*praecox*, Bub. l. c. 316 = *A. praecox*.  
*vulgaris*, Bub. l. c. = *A. caryophylla*.

**SALMEA**, DC. (Compos.).

*Gaumeri*, *Greenm. ex Millsp. & Chase, in Field Columb. Mus. Bot.* iii. 124.—Mexic.

**SALOMONIA**, Heist. ex Fabricius, Enum. Pl. Hort. Helmstad. ed. 2. (1763) 38. **LILIACEAE**.

[**POLYGONATUM**, Adans. D. T. & H.]  
*biflora*, Britton, *Man. Fl. N. U. S.* 273 (= *Polygonatum biflorum*).—Am. bor.  
*commutata*, Britton, l. c. (= *Polygonatum commutatum*).—Am. bor.

**SALOMONIA**, Lour. (Polygal.).

*Cavaleriei*, *Léveillé, in Bull. Soc. Bot. Fr.* li. 291.—China.  
*Martini*, *Léveillé*, l. c. 290.—China.  
*Seguini*, *Léveillé*, l. c. 291.—China.

**SALPINGA**, Mart. (Melast.).

*ciliata*, *Pilg. in Verh. Bot. Ver. Brand.* xlvii. (1905) 167.—Peruv.

**SALPINGACANTHUS**, S. Moore, in Journ. Bot. 1904, 107. **ACANTHACEAE**.

*nobilis*, S. Moore, l. c.—Bras.

**SALSOLA**, Linn. (Chenopod.).

*aperta*, *Paulsen, in Kjoeb. Vidensk. Meddel.* 1903, 197.—As. cent.  
*semihahensis*, *Vierh. in Oesterr. Bot. Zeitschr.* liii. 434.—Socotra.  
*Toseffii*, *Urumoff, in Period. Spisan.* lxiii. (1902); *ex Bot. Centralbl.* xcii. (1903) 207.—Eur.

**SALVIA**, Linn. (Labiata).

*ageratifolia*, *Fernald, in Proc. Amer. Acad.* xxxvi. 499.—Mexic.  
*albicans*, *Fernald*, l. c. 501.—Mexic.  
*ancistrocarpha*, *Fernald*, l. c. xl. 55.—Mexic.  
*anomala*, *Vaniot, in Bull. Acad. Géogr. Bot.* xiv. (1904) 190.—China.  
*Bodinieri*, *Vaniot*, l. c. 191.—China.  
*brachyphylla*, *Urb. Symb. Antill.* iii. 368.—Ind. occ.  
*Buchii*, *Urb.* l. c. 369.—Ind. occ.  
*bulgarica*, *Davidoff, in Magyar Bot. Lap.* iv. 29.—Bulgar.  
*Burchellii*, *N. E. Br. in Kew Bull.* 1901, 130.—Afr. austr.  
*chlorophylla*, *Briq. in Bull. Herb. Boiss. Sér. II.* iii. 1080.—Afr. trop.  
*chrysadenia*, *Frey, in Bull. Herb. Boiss. Sér. II.* i. 279.—Oriens.  
*Davidsonii*, *Greenm. in Proc. Amer. Acad.* xli. 246.—Am. bor.  
*Dinteri*, *Briq. in Bull. Herb. Boiss. Sér. II.* iii. 1075.—Afr. austr.  
*Dugesii*, *Fernald, in Proc. Amer. Acad.* xxxvi. 500.—Mexic.  
*exigua*, *Adamov, in Allg. Bot. Zeitschr.* 1905, 3.—Eur.  
*fasciculata*, *Fernald, in Proc. Amer. Acad.* xl. 54.—Mexic.  
*grewiaefolia*, S. Moore, in Journ. Bot. 1904, 109.—Bras.  
*igualensis*, *Fernald, in Proc. Amer. Acad.* xxxvi. 500.—Mexic.  
*Lobryana*, *Aznav. in Magyar Bot. Lap.* i. 195.—Eur.  
*mattogrossensis*, *Pilg. in Engl. Jahrb.* xxx. 188.—Bras.  
*molina*, *Fernald, in Proc. Amer. Acad.* xl. 53.—Mexic.  
*natalensis*, *Briq. & Schinz, in Bull. Herb. Boiss. Sér. II.* iii. 1078.—Afr. austr.  
*orophila*, *Briq. in Beih. Bot. Centralbl.* xiii. 81.—N. Granat.  
*pannosa*, *Fernald, in Proc. Amer. Acad.* xl. 54.—Mexic.

**SALVIA** :—

*peninsularis*, T. S. Brandegee, in *Zoe*, v. 108 (1901).—Calif.  
*pseudo-jaminiana*, *Chevall. in Bull. Herb. Boiss. Sér. II.* v. 442.—Afr. bor.  
*Regnelliana*, *Briq. in Arkiv Bot. Stockh.* ii. no. 10, 3.—Bras.  
*Schenckii*, *Briq. in Bull. Herb. Boiss. Sér. II.* iii. 1079.—Afr. austr.  
*Schlechteri*, *Briq. l. c.* 1077.—Afr. austr.  
*setulosa*, *Fernald, in Proc. Amer. Acad.* xxxvi. 499.—Mexic.  
*similis*, T. S. Brandegee, in *Zoe*, v. 108 (1901).—Calif.  
*tehuacana*, *Fernald, in Proc. Amer. Acad.* xl. 53.—Mexic.  
*Theresae*, *Briq. in Beih. Bot. Centralbl.* xiii. 82.—Ecuador.  
*Townsendii*, *Fernald, in Proc. Amer. Acad.* xl. 55.—Mexic.  
*xerobia*, *Briq. in Bull. Herb. Boiss. Sér. II.* iii. 1076.—Afr. austr.

**SAMADERA**, Gaertn. (Simarub.).

*Harmandii*, F. N. Williams, in *Bull. Herb. Boiss. Sér. II.* v. 218.—Siam.

**SAMBUCUS**, Tourn. (Caprifol.).

*microbotrys*, *Rydb. in Bull. Torr. Bot. Club*, 1901, 503.—Am. bor.

**SAMERARIA**, Desv. (Crucif.).

[**ISATIS**, Linn. I. K.]  
*nummularia*, *Bornm. in Bull. Herb. Boiss. Sér. II.* v. 53.—Persia.

**SAMOLUS**, Linn. (Primul.).

*cinerascens*, *Pax & Knuth, in Engl. Pflanzenreich, Primul.* 340 (= *Androsace cinerascens*).—Mexic.  
*flexuosus*, *Baudo, ex Knuth, in Engl. Pflanzenreich, Primul.* 342 = *porosus*.

**SAMUELA**, Trelease, in Missouri Bot. Gard. Rep.

1902, 116. **LILIACEAE**.  
*carnerosana*, *Trelease, l. c.* 118.—Mexic.  
*Faxoniana*, *Trelease, l. c.* 117.—Am. bor.

**SANCHEZIA**, Ruiz & Pav. (Acanth.).

*filamentosa*, *Lindau, in Bull. Herb. Boiss. Sér. II.* iv. 314.—Peruv.  
*loranthifolia*, *Lindau, l. c.*—Peruv.

**SANDERELLA**, Kuntze (Orchid.).

[**PARLATOREA**, Barb. Rodr. I. K. S. I.]  
*discolor*, *Cogn. in Mart. Fl. Bras.* iii. vi. 239 (= *Parlatorea discolor*).—Bras.

**SANDORICUM**, Cav. (Meliac.).

*Harmsianum*, *Perkins, Frag. Fl. Philipp.* 31.—Ins. Philipp.  
*Vidalii*, *Merrill, in Philipp. Gov. Lab. Bur. Bull.* vi. 8.—Ins. Philipp.

**SANGUINARIA**, Bub. Fl. Pyren. iv. 256 = **Digitaria**,

Heist. (Gramin.).  
*ciliaris*, Bub. l. c. 257 = *D. ciliaris*.  
*humifusa*, Bub. l. c. = *D. glabra*.  
*Nevenarae*, Bub. l. c. 256 = *D. sanguinalis*.  
*vaginata*, Bub. l. c. 258 = *D. paspaloides*.

**SANGUINARIA**, Dill. (Papav.).

*australis*, *Greene, Pittonia*, v. 307.—Am. bor.  
*Dilleniana*, *Greene, l. c.*—Am. bor.  
*mesochora*, *Greene, l. c.* 308.—Am. bor.  
*rotundifolia*, *Greene, l. c.* 307.—Am. bor.

**SANICULA**, Linn. (Umbell.).

*patagonica*, *Speg. in Anal. Mus. Buenos Aires*, vii. 295.—Patag.  
*Smallii*, E. P. Bickn. in Britton, *Man. Fl. N. U. S.* 1049.—Am. bor.

**SANSEVIERIA**, Thunb. (Haemodor.).

*Andradae*, *Godef. Leb. Sansev. Gigant. Afr. Or.* 17 (d'Andradae); *ex Gérôme, in Bull. Mus. Hist. Nat. Par.* 1903, 171.—Afr. trop.  
*Cornui*, *Hort. ex Gérôme & Labroy, in Bull. Mus. Hist. Nat. Par.* 1903, 173.—Hab.?  
*fasciata*, *Cornu, ex Gérôme & Labroy, l. c.*—Afr. trop.  
*grandis*, *Hook. f. Bot. Mag.* t. 7877.—Afr. trop.?  
*Laurentii*, *Wildem. in Rev. Cult. Colon.* xiv. 234.—Afr. trop.

**SANSEVIERIA** :—

*liberica*, *Hort. ex Gérôme & Labroy, in Bull. Mus. Hist. Nat. Par.* 1903, 173.—Afr. trop.  
*metallica*, *Hort. ex Gérôme & Labroy, l. c.*—Hab.?  
*Perrotti*, *Warb. in Tropenpf.* 1901, 191.—Afr. trop.  
*Stuckyi*, *Godef. Leb. Sansev. Gigant. Afr. Or.* 33; *ex Gérôme, in Bull. Mus. Hist. Nat. Par.* 1903, 173.—Afr. trop.

**SANTIRIA**, Blume (Burser.).

*nitida*, *Merrill, in Philipp. Gov. Lab. Bur. Bull.* xxxv. 29.—Ins. Philipp.

**SANVITALIOPSIS**, Sch. Bip. (Compos.).

[**ZINNIA**, Linn. I. K.]  
*Nelsonii*, *Greenm. in Proc. Amer. Acad.* xli. 261 (= *Grypocarpa Nelsonii*).—Mexic.

**SAPIUM**, P. Br. (Euphorb.).

*Bussei*, *Pax, in Engl. Jahrb.* xxxiii. 284.—Afr. trop.  
*caribaeum*, *Urb. Symb. Antill.* iii. 308.—Ind. occ.  
*ciliatum*, *Hemsl. in Hook. Ic. Pl.* t. 2683.—Bras.  
*cupuliferum*, *Hemsl. l. c.* 2679.—Reg. Argent.  
*eglandulosum*, *Ule, in Engl. Jahrb.* xxxv. 673.—Reg. Amaz.  
*lateriflorum*, *Hemsl. in Hook. Ic. Pl.* sub t. 2680.—Mexic.  
*Marmieri*, *Huber, in Bull. Soc. Bot. Fr.* xlix. 49; *et in Bol. Mus. Para.* iii. 367.—Bras.  
*mexicanum*, *Hemsl. in Hook. Ic. Pl.* t. 2680.—Mexic.  
*Poeppigii*, *Hemsl. l. c.* 2678.—Peruv.  
*rhombifolium*, *Rusby, in Bull. Torr. Bot. Club*, 1901, 307.—Bras.  
*subsessile*, *Hemsl. in Hook. Ic. Pl.* t. 2684 (1901).—Am. austr.  
*subsessile*, *Chod. & Hassl. in Bull. Herb. Boiss. Sér. II.* v. (1905) 677 (= *Excoecaria subsessilis*).—Parag.  
*subulatum*, *Chod. & Hassl. l. c.* 678 (= *Excoecaria subulata*).—Parag.  
*suffruticosum*, *Pax, in Warb. Kunene-Sambesi Exped.* 284.—Afr. trop.  
*Taburu*, *Ule, in Engl. Jahrb.* xxxv. 671.—Reg. Amaz.  
*Thomsonii*, *Godef. Leb. ex Jumelle, Pl. Caoutch. Gutta*, 151 = *tolimense*.  
*tolimense*, *Hort. ex Jumelle, Pl. Caoutch. Gutta*, 151.—N. Granat.  
*Warmingii*, *Chod. & Hassl. in Bull. Herb. Boiss. Sér. II.* v. 677 (= *Excoecaria Warmingii*).—Parag.

**SAPONARIA**, Linn. (Caryophyll.).

*silenoides*, H. Winkl. in *Vidensk. Medd. Kjöbenh.* (1901) 1902, 50.—As. cent.

**SAPOTA**, Plum. (Sapot.).

[**ACHRAS**, Linn. I. K.]  
*Zapotilla*, *Coville, ex Safford, in U. S. Dept. Agric. Contrib. Nat. Herb.* ix. 370 (= *Achras Sapota*).—Am. austr.

**SAPROSMA**, Blume. (Rubiace.).

*glomerulatum*, *King & Gamble, in Journ. As. Soc. Beng.* lxxiii. 98.—Penins. Mal.  
*Ridleyi*, *King & Gamble, l. c.* 100.—Penins. Mal.  
*Scortechinii*, *King & Gamble, l. c.* 99.—Penins. Mal.

**SARANTHE**, Eichl. (Scitam.).

[**MYROSMA**, Linn. f. I. K.]  
*composita*, K. Schum. in Engl. Pflanzenreich, Marant. 139 = *Riedeliana*.  
*gladioli*, K. Schum. l. c. 138 (= *Maranta gladioli*).—Hort.  
*glumacea*, K. Schum. l. c. 139 = *pygmaea*.

**SARARANGA**, Hemsl. (Pandanae.).

*philippinensis*, *Merrill, in Philipp. Gov. Lab. Bur. Bull.* xxix. 5.—Ins. Philipp.

**SARCANTHUS**, Lindl. (Orchid.).

*apiculatus*, J. J. Sm. *Orchid. Java*, 598 (= *Camarotis apiculata*).—Java.  
*cerinus*, *Rolfe, in Journ. Linn. Soc.* xxxvi. 36 (= *Cleisostoma cerinus*).—China.  
*elongatus*, *Rolfe, l. c.*—China.  
*Fordii*, *Rolfe, l. c.* 37 (= *Cleisostoma Fordii*).—Hong-kong.  
*javanicus*, J. J. Sm. *Orchid. Java*, 600 (= *Echioglossum javanicum*).—Java.  
*muticus*, J. J. Sm. l. c. 602 (= *Echioglossum muticum*).—Java.  
*pachyacris*, J. J. Sm. l. c. 603.—Java.

**SARCANTHUS** :—

quartus, *J. J. Sm. Orchid. Java*, 608 (= *Echioglossum quartum*).—Java.  
 rigidus, *J. J. Sm. l. c.* 599 = uniflorus.  
 sagittatus, *J. J. Sm. l. c.* 607 (= *Cleisostoma sagittatum*).—Java.  
 uniflorus, *J. J. Sm. in Ic. Bogor. t.* 123 B.—Java.

**SARCOCEPHALUS**, Afzel. (Rubiaceae).

Diderrichii, *Wildem. in Masui, État. Indép. Congo Expos. Brux. 1897*, 439; *et in Rev. Cult. Colon. ix.* 7.—Afr. trop.  
 Gilletii, *Wildem. in Rev. Cult. Colon. ix.* 8.—Afr. trop.  
 Trillesii, *Pierre, ex Wildem. Notices Pl. Utiles Congo*, 37.—Afr. trop.

**SARCOCHILUS**, R. Br. (Orchid.).

appendiculatus, *J. J. Sm. Orchid. Java*, 564 = pusillus.  
 auriferus, *Rolfe, in Journ. Linn. Soc. xxxvi.* 34 (= *Dendrobium auriferum*).—China.  
 leucarachne, *F. N. Williams, in Bull. Herb. Boiss. Sér. II. iv.* 372 (= *Thrixspermum leucarachne*).—Penins. Mal.  
 major, *F. N. Williams, l. c.* (= *Adenoccos major*).—Penins. Mal.  
 Newportii, *F. M. Bailey, Queensl. Fl.* 2014.—Austral.  
 ramuanus, *Schlechter, in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 232 (= *Renanthera ramuana*).—Ins. Bismarck.  
 Taeniophyllum, *J. J. Sm. Orch. Ambon*, 93.—Ins. Ambon.  
 Teysmannii, *J. J. Sm. Orchid. Java*, 557 (= *Aerides Teysmannii*).—Java.  
 virescens, *Ridley, in Journ. As. Soc. Straits*, xxxix. 85.—Penins. Mal.  
 Weinthalii, *F. M. Bailey, in Queensl. Agric. Journ.* xiii. 346.—Austral.

**SARCOGLOTTIS**, Presl (Orchid.).

gutturosa, *Ames, in Donn. Sm. Enum. Pl. Guatem.* vii. 49 (= *Spiranthes gutturosa*).—Am. cent.  
 Schaffneri, *Ames, l. c.* 50 (= *Spiranthes Schaffneri*).—Am. cent.

**SARCOMPHALUS**, P. Br. (Rhamnaceae).

crenatus, *Urb. Symb. Antill.* iii. 316.—Ind. occ.  
 Taylori, *Britton, in Bull. N. York Bot. Gard.* iii. 445.—Ind. occ.

**SARCOPHYRNIUM**, K. Schum. in Engl. Pflanzenreich, Marant. 35. MARANTACEAE.

adenocarpum, *K. Schum. l. c.* 37 (= *Phrynium adenocarpum*).—Afr. trop.  
 Arnoldianum, *Wildem. in Ann. Mus. Congo, Sér. V.* i. 107.—Afr. trop.  
 baccatum, *K. Schum. in Engl. Pflanzenreich, Marant.* 39 (= *Phrynium baccatum*).—Afr. trop.  
 bisubulatum, *K. Schum. l. c.* 37 (= *Phrynium bisubulatum*).—Afr. trop.  
 brachystachyum, *K. Schum. l. c.* 1902, 36 (= *Phrynium brachystachyum*).—Afr. trop.  
 leiogonium, *K. Schum. l. c.* 39 (= *Phrynium leiogonium*).—Afr. trop.  
 macrostachyum, *K. Schum. l. c.* 37 (= *Phrynium macrostachyum*).—Afr. trop.  
 oxycarpum, *K. Schum. l. c.* 38 (= *Phrynium oxycarpum*).—Afr. trop.  
 prionogonium, *K. Schum. l. c.* 39 (= *Phrynium prionogonium*).—Afr. trop.  
 spicatum, *K. Schum. l. c.* 40.—Afr. trop.  
 velutinum, *K. Schum. l. c.* 38 (= *Phrynium velutinum*).—Afr. trop.  
 villosium, *K. Schum. l. c.* (= *Phrynium villosium*).—Afr. trop.

**SARCOSPERMA**, Hook. f. (Sapot.).

paniculatum, *Staff & King, in Hook. Ic. Pl.* t. 2690 (= *Braceia paniculata*).—Penins. Mal.

**SAROTHAMNUS**, Wimm. (Legum.).

[CYTISUS, Linn. I. K.]  
 ochroleucus, *Gandoger, in Bull. Soc. Bot. Fr.* xlviii. 416.—Hispan.

**SASA**, Makino & Shibata, in Bot. Mag. Tokyo, xv.

(1901) 18. GRAMINEAE.  
 albomarginata, *Makino & Shibata, l. c.* 25 (= *Bambusa albomarginata*).—Japon.  
 borealis, *Makino & Shibata, l. c.* 24 (= *Bambusa borealis*).—Japon.

**SASA** :—

chartacea, *Makino & Shibata, in Bot. Mag. Tokyo*, xv. 27 (= *Arundinaria chartacea*).—Japon.  
 kurilensis, *Makino & Shibata, l. c.* (= *Arundinaria kurilensis*).—Japon.  
 nipponica, *Makino & Shibata, l. c.* 24 (= *Bambusa nipponica*).—Japon.  
 paniculata, *Makino & Shibata, l. c.* 25 (= *Bambusa paniculata*).—Japon.  
 ramosa, *Makino & Shibata, l. c.* 24 (= *Bambusa ramosa*).—Japon.  
 tessellata, *Makino & Shibata, l. c.* 27 (= *Bambusa tessellata*).—Japon.

**SASSAFRAS**, Linn. (Lauraceae).

Laurus, *Macl. in Torreya*, 1905, 198 (= *Laurus Sassafra*).—Patag.

**SATUREIA**, Linn. (Labiata).

debilis, *Brig. in Ann. Conserv. & Jard. Bot. Genève*, vii-viii. 203 (= *Micromeria debilis*).—Alger.  
 Ellenbeckii, *Guerke, in Engl. Jahrb.* xxxvi. 129.—Afr. trop.  
 eugenioides, *Loes. ex R. Fries, in Nov. Act. Soc. Sci. Upsal. Ser. IV. i.* 107 (= *Xenopoma eugenioides*).—Reg. Argent.  
 Hochreutneri, *Brig. in Ann. Conserv. & Jard. Bot. Genève*, vii-viii. 201.—Alger.  
 pilosa, *Velen. in Sitzb. Böhm. Akad.* 1899, no. 40, 6.—Bulgar.  
 procumbens, *Greenm. in Proc. Amer. Acad.* xli. 245.—Mexic.  
 pusilla, *Macl. in Rep. Princeton Univ. Exped. Patag.* viii. 698 (= *Micromeria pusilla*).—Reg. Magell.  
 silvatica, *Maly, in Verh. Zool.-Bot. Ges. Wien*, 1904, 250 (= *Calamintha silvatica*).—Eur.  
 taurica, *Velen. in Sitz. Böhm. Ges. Wiss.* 1903, no. 28, 9.—Bulgar.  
 Uhlighii, *Guerke, in Engl. Jahrb.* xxxvi. 128.—Afr. trop.  
 varbossania, *Maly, in Wiss. Mitth. Bosn. u. Hercegov.* viii. 444.—Eur.  
 vulgaris, *Béguin. Fl. Anal. Ital.* iii. 61 (= *Clinopodium vulgare*).—Ital.

**SATYRIUM**, Linn. (Orchid.).

Gilletii, *Wildem. Notices Pl. Utiles Congo*, 153.—Afr. trop.  
 kermesinum, *Kraenzl. Orch. Gen. et Sp.* i. 945; *et in Engl. Jahrb.* xxx. 283.—Afr. trop.  
 leptopetalum, *Kraenzl. l. c.* xxxvi. 119.—Afr. trop.  
 miserum, *Kraenzl. l. c.* xxx. 284.—Afr. trop.  
 monophyllum, *Kraenzl. l. c.*—Afr. trop.  
 morumbalaensis, *Wildem. in Pl. Nov. Hort. Then.* t. 14.—Afr. trop.  
 Penterianum, *Kraenzl. Orch. Gen. et Sp.* i. 944.—Afr. austr.  
 Princeae, *Kraenzl. in Engl. Jahrb.* xxxiii. 56.—Afr. trop.  
 Proschii, *Brig. in Ann. Conserv. & Jard. Bot. Genève*, 1902, 2.—Afr. trop.  
 sethuenicum, *Kraenzl. Orch. Gen. et Sp.* i. 946.—China.  
 Stolizianum, *Kraenzl. in Engl. Jahrb.* xxxiii. 57.—Afr. trop.  
 Usambarae, *Kraenzl. l. c.* xxxiii. 56.—Afr. trop.

**SAURAUJA**, Willd. (Ternstroem.).

aequatoriensis, *Sprague, in Trans. Proc. Bot. Soc. Edinb.* xxii. 426.—Ecuador.  
 bibracteata, *Lauterb. in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 318.—N. Guin.  
 cinnamomea, *Merrill, in Philipp. Gov. Lab. Bur. Bull.* xxxv. 42.—Ins. Philipp.  
 floribunda, *Benth. ex Sprague, in Trans. Proc. Bot. Soc. Edinb.* xxii. 426.—Ecuador.  
 involuocrata, *Merrill, in Philipp. Gov. Lab. Bur. Bull.* xxxv. 41.—Ins. Philipp.  
 Nelsoni, *Rose, in U. S. Dept. Agric. Contrib. Nat. Herb.* viii. 52.—Mexic.  
 pauciflora, *Rose, l. c.*—Mexic.  
 Pringlei, *Rose, l. c.*—Mexic.  
 pulchra, *Sprague, in Trans. Proc. Bot. Soc. Edinb.* xxii. 426.—N. Granat.  
 reticulata, *Rose, in U. S. Dept. Agric. Contrib. Nat. Herb.* viii. 52.—Mexic.  
 Schlimii, *Sprague, in Trans. Proc. Bot. Soc. Edinb.* xxii. 427.—N. Granat.  
 Sprucei, *Sprague, l. c.*—Ecuador.

**SAURAUJA** :—

subglabra, *Merrill, in Philipp. Gov. Lab. Bur. Bull.* xxxv. 43.—Ins. Philipp.  
 Whitfordi, *Merrill, l. c.* 42.—Ins. Philipp.

**SAUROGLOSSUM**, Lindl. (Orchid.).

[SPIRANTHES, Rich. I. K.]  
 cranichoides, *Ames, in Proc. Biol. Soc. Washington*, xvii. 117 (= *Pelexia cranichoides*).—Am. bor.

**SAUROMATUM**, Schott (Arac.).

angolense, *N. E. Br. in Dyer, Fl. Trop. Afr.* viii. 142.—Afr. trop.  
 brevipes, *N. E. Br. in Gard. Chron.* 1903, II. 93.—Reg. Himal.

**SAUROPUS**, Blume (Euphorb.).

androgynus, *Merrill, in Forest. Bur. Philipp. Bull.* i. 30 (= *Cluytia androgyna*).—As. austr. or.

**SAUSSUREA**, DC. (Compos.).

acrophila, *Diels, in Engl. Jahrb.* xxxvi. Beibl. lxxxii. 108.—China.  
 Baroniana, *Diels, in Engl. Jahrb.* xxix. 625.—China.  
 Bullockii, *Dunn, in Journ. Linn. Soc.* xxxv. 509.—China.  
 chitralica, *Duthie, in Ann. Bot. Gard. Calc.* ix. 45.—Ind. or.  
 crispa, *Vaniot, in Bull. Acad. Géogr. Bot.* xii. (1903) 21.—China.  
 dolichopoda, *Diels, in Engl. Jahrb.* xxix. 623.—China.  
 dubia, *Freyn, in Oesterr. Bot. Zeitschr.* 1902, 282.—As. bor.  
 Giraldii, *Diels, in Engl. Jahrb.* xxxvi. Beibl. lxxxii. 108.—China.  
 graminea, *Dunn, in Journ. Linn. Soc.* xxxv. 509.—China.  
 intermedia, *Freyn, in Oesterr. Bot. Zeitschr.* 1902, 280.—As. bor.  
 Karoi, *Freyn, l. c.* 279.—As. bor.  
 lanuginosa, *Vaniot, in Bull. Acad. Géogr. Bot.* xii. (1903) 20.—China.  
 Leontodon, *Dunn, in Journ. Linn. Soc.* xxxv. 509.—China.  
 manshurica, *Kom. in Act. Hort. Petrop.* xviii. 424.—As. or.  
 microcephala, *Diels, in Engl. Jahrb.* xxix. 624.—China.  
 mutabilis, *Diels, l. c.* xxxvi. Beibl. lxxxii. 109.—China.  
 odontophylla, *Freyn, in Oesterr. Bot. Zeitschr.* 1902, 282.—As. bor.  
 otophylla, *Diels, in Engl. Jahrb.* xxxvi. Beibl. lxxxii. 109.—China.  
 Porcii, *Degen, in Magyar Bot. Lap.* iii. 311.—Eur. cent.  
 Rosthornii, *Diels, in Engl. Jahrb.* xxix. 625.—China.  
 saxatilis, *Kom. in Act. Hort. Petrop.* xviii. 422.—As. or.  
 sobarocephala, *Diels, in Engl. Jahrb.* xxxvi. Beibl. lxxxii. 108.—China.  
 splendida, *Kom. in Act. Hort. Petrop.* xviii. 424.—As. or.  
 stenophylla, *Freyn, in Oesterr. Bot. Zeitschr.* 1902, 280.—As. bor.  
 umbrosa, *Kom. in Act. Hort. Petrop.* xviii. 423.—As. or.  
 vaginata, *Dunn, in Journ. Linn. Soc.* xxxv. 510.—China.  
 virescens, *Freyn, in Oesterr. Bot. Zeitschr.* 1902, 283.—As. bor.  
 zeensis, *Freyn, l. c.* 282.—As. bor.

**SAVASTANA**, Schrank (Gramin.).

[HIEROCHLOE, S. G. Gmel. I. K.]  
 antarctica, *Speg. in Anal. Mus. Buenos Aires*, vii. 184 (= *Hierochloe antarctica*).—Patag.

**SAVIA**, Willd. (Euphorb.).

bahamensis, *Britton, in Torreya*, iv. 104.—Ind. occ.

**SAXIFRAGA**, Tourn. (Saxifr.).

aequidentata, *Rosend. in Engl. Jahrb.* xxxvii. Beibl. lxxxiii. 70 (= *Micranthes aequidentata*).—Am. bor.  
 asiatica, *Hayek, in Denkschr. Akad. Wien, Math.-Nat.* lxxvii. 672.—As. cent.  
 capillaris, *Hort. ex Guenthart, Beitr. Blütenb.* 73.—Hab.?  
 cebennensis, *Rouy & Cam. Fl. de Fr.* vii. 55.—Eur.  
 Churchillii, *Hort. ex Guenthart, Beitr. Blütenb.* (1902) 70.—Hab.?  
 Churchillii, *Huter, in Oesterr. Bot. Zeitschr.* 1905, 193.—Hybr.

**SAXIFRAGA**—

- Duthiei, *Gandoger*, in *Bull. Soc. Bot. Fr.* xlvi. 419.—Ind. or.  
 Engleri, *Huter*, in *Oesterr. Bot. Zeitschr.* 1905, 193.—Hybr.  
 fassana, *Hand.-Mazz.* in *Oesterr. Bot. Zeitschr.* 1904, 217.—Eur. cent.  
 Ferdinandi-Coburgi, *Kellerer & Sündermann*, in *Allg. Bot. Zeitschr.* 1901, 116.—Eur.  
 galacifolia, *Small*, in *Bull. N. York Bot. Gard.* ii. 172.—Am. bor.  
 Greenei, *Blank*, in *Montana Agric. Coll. Sci. Studies*, Bot. i. 65.—Am. bor.  
 Huteri, *Auszerd. ex Huter*, in *Oesterr. Bot. Zeitschr.* 1905, 194.—Hybr.  
 ingrata, *Huter*, l. c. 195.—Hybr.  
 Korshinskii, *Kom.* in *Act. Hort. Petrop.* xviii. 436.—As. or.  
 latina, *Hayek*, in *Denkschr. Akad. Wien, Math.-Nat.* lxxvii. 678.—Ital.  
 lilacina, *Duthie*, in *Gard. Chron.* 1904, I. 290.—Ind. or.  
 luteopurpureum, *Hort.* ex *Gard. Chron.* 1894, I. 556 = apiculata x.  
 Malyi, *Hort.* ex *Gard. Chron.* I. c. = apiculata x.  
 manshuriensis, *Kom.* in *Act. Hort. Petrop.* xxii. 415.—China.  
 meridionalis, *Hayek*, in *Denkschr. Akad. Wien, Math.-Nat.* lxxvii. 671.—Montenegr.  
 micranthifolia, *Rosend.* in *Engl. Jahrb.* xxxvii. Beibl. lxxxiii. 66 (= *Robertsonia micranthifolia*).—Am. bor.  
 Nathorsti, *Hayek*, in *Denkschr. Akad. Wien, Math.-Nat.* lxxvii. 661.—Am. arct.  
 Newcombei, *Small*, in *Torreya*, ii. 55.—Am. bor.  
 nipponica, *Makino*, in *Bot. Mag. Tokyo*, xv. 10.—Japan.  
 pulvinata, *Small*, in *Bull. N. York Bot. Gard.* ii. 172.—Am. bor.  
 radiata, *Small*, in *N. Am. Fl.* xxii. 128.—Reg. arct.  
 Reyeri, *Huter*, in *Oesterr. Bot. Zeitschr.* 1905, 194.—Hybr.  
 simulata, *Small*, in *N. Am. Fl.* xxii. 128.—Am. bor.  
 Souliei, *Coste*, in *Bull. Soc. Bot. Fr.* lii. 396.—Hybr.  
 speciosa, *Doerfl. & Hayek*, in *Denkschr. Akad. Wien, Math.-Nat.* lxxvii. 677.—Ital.  
 Vierhapperi, *Hand.-Mazz.* in *Oesterr. Bot. Zeitschr.* 1905, 70.—Hybr.  
 zermattensis, *Hayek*, in *Denkschr. Akad. Wien, Math.-Nat.* lxxvii. 695.—Hybr.

**SCABIOSA**, Linn. (Dipsac.).

- calicicola, *Blonski*, in *Magyar Bot. Lap.* iv. 38.—Eur.  
 cephalarioides, *Lofac*, *Fl. Sic.* ii. I. 42.—Sicil.  
 communis, *Rouy*, *Fl. Fr.* viii. 122.—Eur.  
 malacitanus, *Huter*, in *Oesterr. Bot. Zeitschr.* 1905, 402.—Hispan.  
 nevadensis, *Huter*, l. c.—Hispan.

**SCAEVOLA**, Linn. (Gooden.).

- arenaria, *E. Pritz.* in *Engl. Jahrb.* xxxv. 572.—Austral.  
 decurrens, *Fitzg.* in *Journ. W. Austral. Nat. Hist. Soc.* i. 26.—Austral.  
 Dielsii, *E. Pritz.* in *Engl. Jahrb.* xxxv. 571.—Austral.  
 Helmsii, *E. Pritz.* l. c. 572.—Austral.

**SCALESIA**, Arn. (Compos.).

- Helleri, *Robinson*, in *Proc. Amer. Acad.* xxxviii. (1902) 217.—Ins. Galap.  
 Hopkinsii, *Robinson*, l. c.—Ins. Galap.  
 microcephala, *Robinson*, l. c. 218.—Ins. Galap.  
 narbonensis, *Robinson*, l. c.—Ins. Galap.  
 retroflexa, *Hemsl.* in *Hook. Ic. Pl.* t. 2715.—Ins. Galap.  
 Snodgrassii, *Robinson*, in *Proc. Amer. Acad.* xxxviii. 219.—Ins. Galap.

**SCALIGERIA**, DC. (Umbell.).

- [*CONOPODIUM*, Koch. I. K.]  
 ferganensis, *Lipsky*, in *Act. Hort. Petrop.* xxiii. 136.—As. cent.  
 hirtula, *Lipsky*, l. c. 134 (= *Conopodium hirtulum*).—As. cent.

**SCANDIX**, Tourn. (Umbell.).

- bulgarica, *Davidoff*, in *Magyar Bot. Lap.* iv. 28.—Bulgar.

**SCAPHOPETALUM**, Mast. (Stercul.).

- Dewevrei, *Wildem. & Th. Dur.* in *Bull. Soc. Bot. Belg.* xxxix. 97.—Afr. trop.

**SCAPHYGLOTTIS**, Poepp. & Endl. (Orchid.).

- Cogniauxiana, *Wildem.* in *Gard. Chron.* 1905, I. 33, 121.—Mexic.  
 guatemalensis, *Ames*, in *Donn. Sm. Enum. Pl. Guatem.* vii. 36, nomen.—Am. cent.

**SCHAEFFERIA**, Jacq. (Celastr.).

- ephedroides, *Urb. Symb. Antill.* v. 87.—Ind. occ.  
 Marchii, *Griseb.* in *Urb. Symb. Antill.* v. 87, descr.—Ind. occ.  
 serrata, *Loes.* in *Fedde, Repert. Nov. Sp.* i. 162.—Peruv.

**SCHEELEA**, Karst. (Palm.).

- corumbaensis, *Barb. Rodr. Sert. Palm. Bras.* i. 54.—Bras.  
 parviflora, *Barb. Rodr. l. c.* 53.—Bras.

**SCHIEFFLERA**, Forst. (Aral.).

- angustifolia, *Merrill*, in *Philipp. Gov. Lab. Bur. Bull.* xxxv. 53.—Ins. Philipp.  
 Koordersii, *Harms*, in *Ann. Jard. Buitenz.* xix. 17; et ex *Koord.* in *Natuurk. Tijdschr. Ned. Ind.* lxiii. 92.—Celebes.  
 Minahasae, *Harms*, l. c. 17; et l. c. 93.—Celebes.  
 Sarasinorum, *Harms*, ex *Koord.* in *Natuurk. Tijdschr. Ned. Ind.* lxiii. 93.—Celebes.  
 Schumanniana, *Harms*, in *K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 331.—N. Guin.  
 Ulei, *Pilg.* in *Verh. Bot. Ver. Brand.* xlvii. (1905) 186.—Peruv.

**SCHIEFFLERODENDRON**, Harms, in *Engl. Jahrb.* xxx. 87 (1901). **LEGUMINOSAE.**

- adenopetalum, *Harms*, l. c. 88 (= *Milletia adeno-*  
*petala*).—Afr. trop.  
 usambarense, *Harms*, l. c.—Afr. trop.

**SCHICKENDANTZIA**, Pax (Amaryll.).

- pygmaea, *Speg.* in *Anal. Mus. Buenos Aires*, ix. 8 (= *Alstroemeria pygmaea*).—Reg. Argent.

**SCHICKENDANTZIELLA**, Speg. in *Anal. Mus.*

- Buenos Aires, ix. (1903) 8. **LILIACEAE.**  
 [SCHICKENDANTZIA, Speg., non Pax.]  
 trichosepala, *Speg.* l. c. (= *Schickendantzia trichose-*  
*pala*).—Reg. Argent.

**SCHINZIELLA**, Gilg (Gentian.).

- tetragona, *Gilg*, in *Warb. Kunene-Sambesi Exped.* 334.—Afr. trop.

**SCHISMATOGLOTTIS**, Zoll. & Mor. (Arac.).

- bitaeniata, *Engl. Jahrb.* xxxvii. 124.—Celebes.  
 longicaulis, *Ridley*, in *Journ. Bot.* 1902, 37.—Sumatra.  
 longifolia, *Ridley*, l. c.—Penins. Mal.  
 marginata, *Ridley*, l. c. 36.—Penins. Mal.

**SCHISTOSTIGMA**, Lauterb. in *K. Schum. & Lauterb.*

- Nachtr. Fl. Deutsch. Südsee* (1905) 299. **EUPHOR-**  
**BIACEAE.**  
 papuanum, *Lauterb.* l. c.—N. Guin.

**SCHIVERECKIA**, Andr. (Crucif.).

- [*ALYSSUM*, Tourn. I. K.]  
 Bornmuelleri, *Prantl*, ex *Bornm.* in *Mitth. Thüring. Bot. Ver. n. s.* xx. 6, descr.—As. Min.

**SCHIZACHYRIUM**, Nees (Gramin.).

- [*ANDROPOGON*, Linn. I. K.]  
 acuminatum, *Nash*, in *Small, Fl. S. E. U. S.* 59.—Am. bor.  
 gracile, *Nash*, l. c. 60 (= *Andropogon gracilis*).—Am. bor.  
 maritimum, *Nash*, l. c. 59 (= *Andropogon maritimus*).—Am. bor.  
 oligostachyum, *Nash*, l. c. (= *Andropogon oligo-*  
*stachyus*).—Am. bor.  
 scoparium, *Nash*, l. c. (= *Andropogon scoparius*).—Am. bor.  
 stoloniferum, *Nash*, l. c.—Am. bor.  
 triaristatum, *Nash*, l. c. 60.—Am. bor.  
 villosissimum, *Nash*, l. c. 59.—Am. bor.

**SCHIZANDRA**, Michx. (Magnol.).

- Henryi, *C. B. Clarke*, in *Gard. Chron.* 1905, II. 162.—China.

**SCHIZOBASIS**, Baker (Liliac.).

- Schlechteri, *Baker*, in *Bull. Herb. Boiss. Sér. II.* i. 783.—Afr. austr.

**SCHIZOCARPUM**, Schrad. (Cucurb.).

- jaliscanum, *Rose*, in *U. S. Dept. Agric. Contrib. Nat. Herb.* viii. 337.—Mexic.  
 reflexum, *Rose*, l. c. 55.—Mexic.

**SCHIZOGLOSSUM**, E. Mey. (Asclep.).

- aciculare, *N. E. Br.* in *Dyer, Fl. Trop. Afr.* iv. I. 363.—Afr. trop.  
 alpestre, *K. Schum.* in *Engl. Jahrb.* xxx. 384.—Afr. trop.  
 Baumii, *Schlechter*, ex *N. E. Br.* in *Dyer, Fl. Trop. Afr.* iv. I. 361; et in *Warb. Kunene-Sambesi Exped.* 340.—Afr. trop.  
 biauriculatum, *Schlechter*, in *Engl. Jahrb.* xxxviii. 29.—Afr. austr.  
 Cabrae, *Wildem.* in *Ann. Mus. Congo, Sér. V.* i. 182.—Afr. trop.  
 Carsoni, *N. E. Br.* in *Dyer, Fl. Trop. Afr.* iv. I. 366 (= *Xysmalobium Carsoni*).—Afr. trop.  
 chlorojodium, *N. E. Br.* l. c. (= *Gomphocarpus chlorojodina*).—Afr. trop.  
 Contrahii, *Schlechter*, in *Engl. Jahrb.* xxxviii. 27.—Afr. austr.  
 crassipes, *S. Moore*, in *Journ. Bot.* 1902, 383.—Afr. austr.  
 Debeersianum, *K. Schum.* in *Engl. Jahrb.* xxxiii. 323.—Afr. trop.  
 distinctum, *N. E. Br.* in *Dyer, Fl. Trop. Afr.* iv. I. 371 (= *Margaretta distincta*).—Afr. trop.  
 dolichoglossum, *N. E. Br.* l. c. 367 (= *Xysmalobium dolichoglossum*).—Afr. trop.  
 eximium, *N. E. Br.* l. c. 370 (= *Asclepias eximia*).—Afr. trop.  
 garcianum, *Schlechter*, in *Engl. Jahrb.* xxxviii. 28.—Afr. austr.  
 gwelense, *N. E. Br.* in *Dyer, Fl. Trop. Afr.* iv. I. 360.—Afr. trop.  
 Huttonae, *S. Moore*, in *Journ. Bot.* 1902, 383.—Afr. austr.  
 lasiopetalum, *Schlechter*, in *Engl. Jahrb.* xxxviii. 29.—Afr. austr.  
 loreum, *S. Moore*, in *Journ. Bot.* 1903, 310.—Afr. austr.  
 macroglossum, *K. Schum.* in *Engl. Jahrb.* xxxiii. 324.—Afr. trop.  
 monticola, *Schlechter*, in *Engl. Jahrb.* xxxviii. 27.—Afr. austr.  
 morumbense, *Schlechter*, l. c. 28.—Afr. trop.  
 Pentheri, *Schlechter*, in *Ann. Nat. Hofmus. Wien*, xviii. 397.—Afr. trop.  
 polynema, *Schlechter*, in *Engl. Jahrb.* xxxviii. 30.—Afr. austr.  
 propinquum, *S. Moore*, in *Journ. Bot.* 1903, 311.—Afr. austr.  
 Randii, *S. Moore*, l. c. 310.—Afr. austr.  
 scyphostigma, *K. Schum.* in *Engl. Jahrb.* xxx. 384.—Afr. trop.  
 simulans, *N. E. Br.* in *Dyer, Fl. Trop. Afr.* iv. I. 369.—Afr. trop.  
 spurium, *N. E. Br.* l. c. 367 (= *Xysmalobium spurium*).—Afr. trop.  
 strictissimum, *S. Moore*, in *Journ. Bot.* 1902, 254.—Afr. trop.  
 togoense, *Schlechter*, in *Engl. Jahrb.* xxxviii. 31.—Afr. trop.  
 Welwitschii, *N. E. Br.* in *Dyer, Fl. Trop. Afr.* iv. I. 365 (= *Odontostelma Welwitschii*).—Afr. trop.  
 Whytei, *N. E. Br.* l. c. 357.—Afr. trop.

**SCHIZOSTACHYUM**, Nees (Gramin.).

- chinense, *Rendle*, in *Journ. Linn. Soc.* xxxvi. 448.—China.

**SCHLECHTERINA**, Harms, in *Engl. Jahrb.* xxxiii. 148 (1902). **PASSIFLORACEAE.**

- mitostemmatoides, *Harms*, l. c.—Afr. austr.

**SCHMALZIA**, Desv. (Anacard.).

- [*RHUS*, Tourn. I. K.]  
 affinis, *Greene*, *Leaflets Bot. Obs.* i. 135.—Am. bor.  
 anisophylla, *Greene*, l. c. 136.—Calif.  
 anomala, *Greene*, l. c. 139.—Calif.  
 arenaria, *Greene*, l. c. 130.—Am. bor.  
 Ashei, *Small, Fl. S. E. U. S.* 729.—Am. bor.  
 Bakeri, *Greene*, *Leaflets Bot. Obs.* i. 132.—Am. bor.  
 botryoides, *Greene*, l. c. 138.—Am. bor.  
 cissodes, *Greene*, l. c. 136.—Am. bor.  
 cognata, *Greene*, l. c. 141.—Am. bor.



**SCHMALZIA** :—

- copallina, *Small, Fl. S. E. U. S.* 728 (= *Rhus copallina*).—Am. bor.  
 crataegifolia, *Greene, Leaflets Bot. Obs.* i. 130.—Am. bor.  
 crenata, *Greene, l. c.* 128 (= *Toxicodendron crenatum*).—Am. bor.  
 cruciata, *Greene, l. c.* 139.—Calif.  
 elegantula, *Greene, l. c.* 136.—Am. bor.  
 Emoryi, *Greene, l. c.* 133.—Am. bor.  
 formosa, *Greene, l. c.* 131.—Am. bor.  
 glabra, *Small, Fl. S. E. U. S.* 729 (= *Rhus glabra*).—Am. bor.  
 glabrata, *Greene, Leaflets Bot. Obs.* i. 132.—Am. bor.  
 glauca, *Greene, l. c.* 138.—Mexic.  
 glomerata, *Greene, l. c.* 140.—Am. bor.  
 hederacea, *Greene, l. c.* 135.—Am. bor.  
 hirta, *Small, Fl. S. E. U. S.* 729 (= *Rhus hirta*).—Am. bor.  
 hirtella, *Greene, Leaflets Bot. Obs.* i. 137.—Am. bor.  
 illinoensis, *Greene, l. c.* 131.—Am. bor.  
 lanceolata, *Small, Fl. S. E. U. S.* 728.—Am. bor.  
 lasiocarpa, *Greene, Leaflets Bot. Obs.* i. 141.—Am. bor.  
 leiocarpa, *Greene, l. c.* 133.—Am. bor.  
 malacophylla, *Greene, l. c.* 138.—Calif.  
 Michauxii, *Small, Fl. S. E. U. S.* 729 (= *Rhus Michauxii*).—Am. bor.  
 microphylla, *Small, l. c.* 728 (= *Rhus microphylla*).—Am. bor.  
 Nortonii, *Greene, Leaflets Bot. Obs.* i. 132.—Am. bor.  
 obtusifolia, *Small, Fl. S. E. U. S.* 729.—Am. bor.  
 oregana, *Greene, Leaflets Bot. Obs.* i. 140.—Am. bor.  
 oxyacanthoides, *Greene, l. c.* 134.—Am. bor.  
 pulchella, *Greene, l. c.*—Am. bor.  
 puncticulata, *Greene, l. c.* 137.—Am. bor.  
 quercifolia, *Greene, l. c.* 141.—Am. bor.  
 quinata, *Greene, l. c.* 139.—Calif.  
 racemulosa, *Greene, l. c.* 142.—Am. bor.  
 sabulosa, *Greene, l. c.* 135.—Am. bor.  
 scaberula, *Greene, l. c.* 138.—Mexic.  
 serotina, *Greene, l. c.* 131.—Am. bor.  
 serrata, *Greene, l. c.* 129.—Am. bor.  
 simplicifolia, *Greene, l. c.* 135.—Am. bor.  
 straminea, *Greene, l. c.* 139.—Calif.  
 subpinnata, *Greene, l. c.* 133.—Am. bor.  
 tridophylloides, *Greene, l. c.* 141.—Am. bor.  
 trilobata, *Small, Fl. S. E. U. S.* 728; *Greene, Leaflets Bot. Obs.* i. 132 (= *Rhus trilobata*).—Am. bor.  
 trinervata, *Greene, l. c.* 137.—Am. bor.  
 virens, *Small, Fl. S. E. U. S.* 729 (= *Rhus virens*).—Am. bor.

**SCHOENOBIBLUS**, Mart. (Thymel.).

- elliptica, *Pilg. in Verh. Bot. Ver. Brand.* xlvii. (1905) 162.—Reg. Amaz.  
 grandifolia, *Urb. Symb. Antill.* ii. 455.—Ind. occ.

**SCHOENOCAULON**, A. Gray (Liliac.).

- dubium, *Small, Fl. S. E. U. S.* 250 (= *Helonias dubia*).—Am. bor.

**SCHOENOCRAMBE**, Greene (Crucif.).

- decumbens, *Rydb. in Bull. Torr. Bot. Club*, 1904, 409.—Am. bor.

**SCHOENOPLECTUS**, Palla (Cyper.).

- [SCIRPUS, Linn. I. K.]  
 americanus, *Volkart, in Schinz & Keller, Fl. Schweiz*, ed. II. 75 (= *Scirpus americanus*).—Helvetia.  
 fluitans, *Palla, in Koch, Syn. Deutsch. Fl.* ed. III. 2539 (= *Scirpus fluitans*).—Eur.  
 Savii, *Palla, l. c.* (= *Scirpus Savii*).—Eur.

**SCHOENOXIPHUM**, Nees (Cyper.).

- caricinum, *Kuek. in Bull. Herb. Boiss. Sér. II.* iv. 49.—Tibet.  
 Clarkeanum, *Kuek. l. c.*—Reg. Himal.

**SCHOENUS**, Linn. (Cyper.).

- Andrewsii, *Fitzg. in Proc. Linn. Soc. N. S. Wales*, xxviii. 112.—Austral.  
 caespititius, *Fitzg. l. c.* 110.—Austral.  
 fuscescens, *C. B. Clarke, in Engl. Jahrb.* xxxv. 79.—Austral.  
 Jamesonianus, *Fitzg. in Proc. Linn. Soc. N. S. Wales*, xxvii. 245.—Austral.  
 laevigatus, *Fitzg. l. c.* xxviii. 111.—Austral.  
 laxus, *Fitzg. l. c.*—Austral.  
 Medwedewi, *Meinsh. in Act. Hort. Petrop.* xviii. 272.—Rossia.

VOL. IV.

**SCHOENUS** :—

- Rodwayanus, *Fitzg. in Proc. Linn. Soc. N. S. Wales*, xxvii. 243.—Austral.  
 sesquispicula, *C. B. Clarke, in Engl. Jahrb.* xxxv. 80.—Austral.  
 triangularis, *Volk. in Engl. Jahrb.* xxxi. 458.—Ins. Carol.

**SCHOLTZIA**, Schau. (Myrtac.).

- decussata, *Fitzg. in Journ. W. Austral. Nat. Hist. Soc.* i. 19.—Austral.

**SCHOMBOCATTLEYA**, Hort. ex Orch. Rev. 1905, 249

- = **Schomburgkio-cattleya**, Hort. (Orchid.).  
*spiralis*, Hort. ex Orch. Rev. l. c. = *Schomburgkio-cattleya spiralis*.

**SCHOMBURGKIA**, Lindl. (Orchid.).

- campecheana, *Kraenzl. in Gard. Chron.* 1903, II. 381.—Am. cent.

**SCHOMBURGKIO-CATTLEYA**, Hort. ex Journ. Soc. Hort. Fr. 1903, 534. Gen. hybr. **ORCHIDACEARUM**.

- spiralis*, Hort. l. c.—Hybr.

**SCHREBERA**, Roxb. (Oleac.).

- americana, *Gilg, in Engl. Jahrb.* xxx. 71 (= *Nathusia americana*).—Peruv.  
 argyrotricha, *Gilg, l. c.* 74.—Afr. austr.  
 Holstii, *Gilg, l. c.* 72 (= *Nathusia Holstii*).—Afr. trop.  
 latialata, *Gilg, l. c.* 73.—Afr. austr.  
 obliquifoliolata, *Gilg, l. c.* 72.—Afr. trop.  
 oligantha, *Gilg, l. c.* 71.—Afr. trop.  
 tomentella, *Gilg, l. c.* 74.—Afr. trop.  
 Welwitschii, *Gilg, l. c.* 73.—Afr. trop.

**SCHRENKIA**, Fisch. & Mey. (Umbell.).

- songarica, *Lipsky, in Act. Hort. Petrop.* xxiii. 163.—As. cent.  
 syrdarjensis, *Lipsky, l. c.* 160.—As. cent.

**SCHULTESIA**, Mart. (Gentian.).

- guyanensis, *Malmé, in Arkiv Bot. Stockh.* iii. no. 12, 9 (= *Exacum guianense*).—Bras.  
 Hassleriana, *Chod. in Bull. Herb. Boiss. Sér. II.* iii. 549.—Parag.

**SCHUMANNIANTHUS**, Gagnep. in Bull. Soc. Bot. Fr. li. (1904) 169. **MARANTACEAE**.

- dichotomus, *Gagnep. l. c.* 176 (= *Phrynium dichotomum*).—As. or. austr.

**SCHUURMANSIA**, Blume, (Violac.).

- Gilgiana, *Lauterb. in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 319.—N. Guin.

**SCHAWBEEA**, Endl. (Acanth.).

- salicifolia, *Lindau, in Engl. Jahrb.* xxxiii. (1902) 191.—Afr. trop.

**SCHYCHOWSKYA**, Endl. (Urtic.).

- [FLEURYA, Gaudich. I. K.]  
 interrupta, *W. F. Wight, in U. S. Dept. Agric. Contrib. Nat. Herb.* ix. 371 (= *Urtica interrupta*).—Geront. trop.

**SCIADOPANAX**, Seem. (Aral.).

- [PANAX, Linn. I. K.]  
 Albersiana, *Viguier, in Bull. Soc. Bot. Fr.* lii. 305 (= *Polyscias Albersiana*).—Afr. trop.  
 Elliotii, *Viguier, l. c.* (= *Polyscias Elliotii*).—Afr. trop.  
 farinosa, *Viguier, l. c.* 304 (= *Aralia farinosa*).—Afr. trop.  
 ferruginea, *Viguier, l. c.* (= *Panax ferrugineum*).—Afr. trop.  
 floccosa, *Viguier, l. c.* (= *Panax floccosum*).—Madag.  
 fulva, *Viguier, l. c.* (= *Panax fulvum*).—Afr. trop.  
 Grevei, *Viguier, l. c.* (= *Panax Grevei*).—Madag.  
 malosana, *Viguier, l. c.* 305 (= *Polyscias malosana*).—Afr. trop.  
 polybotrya, *Viguier, l. c.* (= *Polyscias polybotrya*).—Afr. trop.  
 Preussii, *Viguier, l. c.* (= *Polyscias Preussii*).—Afr. trop.

**SCIADOPHYLLUM**, P. Br. (Aral.).

- systylum, *Donn. Sm. in Coult. Bot. Gaz.* xxxi. 113.—Am. cent.  
 umbellatum, *N. E. Br. in Trans. Linn. Soc. Ser. II.* vi. 32.—Guian.

**SCIAPHILA**, Blume, (Triurid.).

- corallophyton, *K. Schum. & Schlechter, in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 54.—Ins. Bismarck.  
 flosculosa, *K. Schum. in Mart. Fl. Bras.* iii. III. 650, in obs.—Ins. Philipp.  
 japonica, *Makino, in Bot. Mag. Tokyo*, xvi. (1902) 211.—Japon.  
 macra, *K. Schum. & Schlechter, in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 55.—I s. Bismarck.  
 monticola, *K. Schum. & Schlechter, l. c.*—Ins. Bismarck.  
 torricellensis, *K. Schum. & Schlechter, l. c.* 54.—N. Guin.  
 tosaensis, *Makino, in Bot. Mag. Tokyo*, xix. 140.—Japon.

**SCILLA**, Linn. (Liliac.).

- aggregata, *Baker, in Bull. Herb. Boiss. Sér. II.* iv. 1001.—Afr. austr.  
 Antunesii, *Engl. Jahrb.* xxxii. 94.—Afr. trop.  
 axillaris, *C. H. Wright, in Gard. Chron.* 1903, I. 386.—Hab. ?  
 Baumiana, *Engl. & Gilg, in Warb. Kunene-Sambesi Exped.* 195.—Afr. trop.  
 Conrathii, *Baker, in Bull. Herb. Boiss. Sér. II.* iv. 1002.—Afr. austr.  
 eriospermoides, *Engl. & Gilg, in Warb. Kunene-Sambesi Exped.* 195.—Afr. trop.  
 Fehri, *Baker, in Bull. Herb. Boiss. Sér. II.* i. 788.—Afr. austr.  
 graminifolia, *Baker, l. c.* iv. 1001.—Afr. austr.  
 hypoxidioides, *Schoenl. in Rec. Albany Mus.* i. 48.—Afr. austr.  
 londonensis, *Baker, in Bull. Herb. Boiss. Sér. II.* iv. 1002.—Afr. austr.  
 marginata, *Baker, l. c.*—Afr. austr.  
 Neumannii, *Engl. Jahrb.* xxxii. 95.—Afr. trop.  
 pubescens, *Baker, in Bull. Herb. Boiss. Sér. II.* i. 853.—Afr. austr.  
 Radkae, *Davidoff, in Magyar Bot. Lap.* iv. 29.—Bulgar.  
 Rehmannii, *Baker, in Bull. Herb. Boiss. Sér. II.* i. 853.—Afr. austr.  
 Schlechteri, *Baker, l. c.* iv. 1002.—Afr. austr.  
 tristachya, *Baker, l. c.* 1001.—Afr. austr.

**SCINDAPSUS**, Schott (Arac.).

- falcifolius, *Engl. Jahrb.* xxxvii. 119.—Celebes.  
 siamensis, *Engl. in Bot. Tidsskr.* xxiv. 273.—Malaya.

**SCIRPUS**, Linn. (Cyperac.).

- atrocinctus, *Fernald, in Britton, Man. Fl. N. U. S.* 1045.—Am. bor.  
 depauperatus, *Kom. in Act. Hort. Petrop.* xx. 345.—As. bor.  
 equisetiformis, *Meinsh. in Act. Hort. Petrop.* xviii. 261.—Turkest.  
 Fernaldi, *E. P. Bickn. in Torreya*, i. 96.—Am. bor.  
 filipes, *C. B. Clarke, in Journ. Linn. Soc.* xxxvi. 249.—China.  
 fimbristylloides, *K. Schum. ex C. B. Clarke, in Dyer, Fl. Trop. Afr.* viii. 436 = *Bulbostylis Schimperiana*.  
 fontinalis, *Harper, in Bull. Torr. Bot. Club*, 1903, 322.—Am. bor.  
 fuirenoides, *Maxim. ex C. B. Clarke, in Journ. Linn. Soc.* xxxvi. 250.—China.  
 hemiuncialis, *C. B. Clarke, in Wildem. Pl. Nov. Hort. Then.* 23, t. 6.—Afr. austr.  
 heterochaetus, *Chase, in Rhodora*, vi. 70.—Am. bor.  
 kamerunensis, *K. Schum. ex C. B. Clarke, in Dyer, Fl. Trop. Afr.* viii. 435 = *Bulbostylis erraticus*.  
 karuisawensis, *Makino, in Bot. Mag. Tokyo*, xviii. 119.—Japon.  
 Klingei, *Meinsh. in Act. Hort. Petrop.* xviii. 262.—As. cent.  
 Kuekenthalianus, *Funge, in Jahrb. Hamb. Wiss. Anst.* xxii. (1905) Beiheft. 73.—Hybr.  
 leiocarpus, *Meinsh. in Act. Hort. Petrop.* xviii. 249 (= *Fimbristylis leiocarpus*).—As. bor.  
 Lugardi, *C. B. Clarke, in Dyer, Fl. Trop. Afr.* viii. 458.—Afr. trop.  
 Macounii, *Holm, in Amer. Journ. Sci. Ser. IV.* xviii. 21.—Am. bor.  
 Michellii, *Bub. Fl. Pyren.* iv. 204 = *Michelianus*.

Y

**SCIRPUS:**

- mitsukurianus, Makino, in *Bot. Mag. Tokyo*, xvii. 7.—Japan.  
*multicalamis*, Bub. Fl. Pyren. iv. 204 = *Eleocharis multicaulis*.  
*multiculmeus*, Bub. l. c. = *Eleocharis multicaulis*.  
*occidentalis*, Chase, in *Rhodora*, vi. 68.—Am. bor.  
*oxylepis*, Meinsh. in *Act. Hort. Petrop.* xviii. 263.—Rossia.  
*Philippii*, C. B. Clarke, in *Engl. Jahrb.* xxx. Beibl. lxviii. 32.—Chili.  
*polyopsis*, Bub. Fl. Pyren. iv. 197 = *maritimus*.  
*pseudo-fluitans*, Makino, in *Bot. Mag. Tokyo*, xix. 28.—Japan.  
*sachalinensis*, Meinsh. in *Act. Hort. Petrop.* xviii. 260.—Sibir.  
*saximontanus*, Fernald, in *Rhodora*, iii. 251.—Am. bor.  
*Schmidtianus*, Junge, in *Jahrb. Hamb. Wiss. Anst.* xxii. Beiheft. 72.—Hybr.  
*schantensis*, Meinsh. in *Act. Hort. Petrop.* xviii. 248.—Sibir.  
*Stauntoni*, C. B. Clarke, in *Journ. Linn. Soc.* xxxvi. 253.—China.  
*turkestanicus*, Meinsh. in *Act. Hort. Petrop.* xviii. 247 (= *Isolepis turkestanica*).—Turkest.  
*verruciferus*, Meinsh. l. c. 246 (= *Isolepis verrucifera*).—Manchuria.  
*Wardianus*, J. R. Drummond, in *Journ. As. Soc. Beng.* lxxiii. 147.—Baluch.  
*xerophilus*, Pilg. in *Engl. Jahrb.* xxx. 142.—Bras.

**SCLERIA**, Berg (Cyperac.).

- Acriulus*, C. B. Clarke, in *Dyer, Fl. Trop. Afr.* viii. 509 (= *Acriulus madagascariensis*).—Afr. trop.  
*Curtissii*, Britton, in *Small, Fl. S. E. U. S.* 200.—Am. bor.  
*cuyabensis*, Pilg. in *Engl. Jahrb.* xxx. 144.—Bras.  
*glabra*, Britton, in *Small, Fl. S. E. U. S.* 200.—Am. bor.  
*griegifolia*, C. B. Clarke, in *Dyer, Fl. Trop. Afr.* viii. 509 (= *Acriulus griegifolius*).—Afr. trop.  
*nyasensis*, C. B. Clarke, l. c. 504.—Afr. trop.  
*pusilla*, Pilg. in *Engl. Jahrb.* xxx. 144.—Bras.  
*violacea*, Pilg. l. c.—Bras.

**SCLEROCARPUS**, Jacq. (Compos.).

- major*, Small, Fl. S. E. U. S. 1250.—Am. bor.  
*sessilifolius*, Greenm. in *Proc. Amer. Acad.* xl. 38.—Mexico.

**SCLEROLOBIUM**, Vog. (Legum.).

- Beaurepairei*, Harms, in *Engl. Jahrb.* xxxiii. Beibl. lxxii. 23.—Bras.  
*Melinonii*, Harms, l. c. 24.—Guiana.  
*Pilgerianum*, Harms, l. c.—Bras.  
*Urbanianum*, Harms, l. c. 23.—Bras.

**SCLEROTHECA**, A. DC. (Campan.).

- viridiflora*, Cheesem. in *Trans. Linn. Soc. Ser. II.* vi. 285.—Ins. Cook.

**SCOLOPIA**, Schreb. (Bixac.).

- theifolia*, Gilg, in *Engl. Jahrb.* xxx. 359.—Afr. trop.

**SCOLOSANTHUS**, Vahl (Rubiace.).

- bahamensis*, Britton, in *Bull. N. York Bot. Gard.* iii. 452.—Ind. occ.  
*densiflorus*, Urb. Symb. Antill. iii. 381.—Ind. occ.

**SCOPARIA**, Linn. (Scrophul.).

- Hassleriana*, Chod. in *Bull. Herb. Boiss. Sér. II.* iv. 291.—Parag.  
*nudicaulis*, Chod. & Hassl. l. c.—Parag.

**SCORODOPHLOEUS**, Harms, in *Engl. Jahrb.* xxx.

- 77 (1901). **LEGUMINOSAE.**  
*Zenkeri*, Harms, l. c. 78.—Afr. trop.

**SCORZONERA**, Linn. (Compos.).

- amasiana*, Hausskn. & Bornm. in *Mitth. Thüring. Bot. Ver. n. s.* xx. 24, descr.—As. Min.  
*multiceps*, Freyn, in *Bull. Herb. Boiss. Sér. II.* i. 272.—Oriens.  
*Reverchonii*, O. Debeaux, ex Hervier, in *Bull. Acad. Géogr. Bot.* xv. (1905) 107.—Eur.  
*rupicola*, Hausskn. in *Mitth. Thüring. Bot. Ver. n. s.* xx. 25, descr.—Persia.

**SCROPHULARIA**, Tourn. (Scrophul.).

- glabrata*, Davidson, in *Bull. S. Calif. Acad. Sci.* i. (1902) 26.—Am. bor.

**SCROPHULARIA:**

- micradenia*, Freyn, in *Bull. Herb. Boiss. Sér. II.* i. 277.—Oriens.  
*neglecta*, Rydb. in *Small, Fl. S. E. U. S.* 1058.—Am. bor.  
*pallescens*, Lowe, ex Menez. in *Ann. Sci. Nat. Porto*, viii. 96.—Ins. Mader.  
*serrulata*, Small, Fl. S. E. U. S. 1058.—Am. bor.

**SCULERTIA**, K. Schum. in Just, Jahresb. xxvii. i. 463, sphalm. = **Seubertia**, Kunth (Liliac.).**SCUTELLARIA**, Riv. (Labiata.).

- Austinae*, Eastw. in *Bull. Torr. Bot. Club*, 1903, 493.—Calif.  
*Bushii*, Britton, Man. Fl. N. U. S. 785.—Am. bor.  
*Bussei*, Guerke, in *Engl. Jahrb.* xxxvi. 120.—Afr. trop.  
*Churchilliana*, Fernald, in *Rhodora*, iv. 138.—Am. bor.  
*glabruscula*, Fernald, in *Coult. Bot. Gaz.* xxxiii. 156.—Am. bor.  
*Helleri*, Small, Fl. S. E. U. S. 1024.—Am. bor.  
*leucantha*, Loes. in *Verh. Bot. Ver. Brand.* xlvii. (1905) 187.—Reg. Amaz.  
*linearifolia*, Eastw. in *Bull. Torr. Bot. Club*, 1903, 493.—Calif.  
*longiflora*, Small, in *Bull. N. York Bot. Gard.* iii. 437.—Am. bor.; Ind. occ.  
*Mellichampii*, Small, Fl. S. E. U. S. 1022.—Am. bor.  
*nevadensis*, Eastw. in *Bull. Torr. Bot. Club*, 1903, 492.—Am. bor.  
*nipponica*, Makino, in *Bot. Mag. Tokyo*, vi. 54 = *transita*.  
*platensis*, Speg. in *Com. Mus. Buenos Aires*, i. 320.—Reg. Argent.  
*pusilla*, Guerke, in *Engl. Jahrb.* xxx. 393.—Afr. trop.  
*sanhedrinus*, A. A. Heller, *Muhlenbergia*, i. 31.—Calif.  
*semicircularis*, S. Moore, in *Journ. Bot.* 1905, 146.—Burma.  
*transita*, Makino, in *Bot. Mag. Tokyo*, xviii. 70.—Japan.  
*trinervata*, Vaniot, in *Bull. Acad. Géogr. Bot.* xiv. (1904) 189.—China.  
*tuberosa*, Vaniot, l. c. 188.—China.  
*viarium*, A. A. Heller, *Muhlenbergia*, i. 32.—Calif.  
*violascens*, Guerke, in *Engl. Jahrb.* xxx. 392.—Afr. trop.

**SCUTINANTHE**, Thwaites (Burser.).

- [CANARIUM, Linn. I. K.]  
*Boerlagii*, Hochr. Pl. Bogor. Exsicc. 64.—Hab. ?

**SCYPHOSE**, Baill. (Urtic.).

- Gilletii*, Wildem. in *Ann. Mus. Congo, Sér. V.* i. 26.—Afr. trop.

**SCYTANTHUS**, Liebm. (Raffles.).

- [CYTINUS, Tourn. I. K.]  
*americanus*, Solms, in *Engl. Pflanzenreich, Raffles.* 17 (= *Cytinus americanus*).—Mexic.  
*Andrieuxii*, Solms, l. c. 18 (= *Bdallophyton Andrieuxii*).—Mexic.  
*oxylepis*, Solms, l. c. (= *Cytinus oxylepis*).—Mexic.

**SCYTOPETALUM**, Pierre (Olac.).

- brevipes*, Pierre, ex Van Tiegh. in *Ann. Sci. Nat. Sér. IX.* i. 343.—Afr. trop.  
*Duchesnei*, *Engl. Jahrb.* xxxii. 101.—Afr. trop.  
*latifolium*, Van Tiegh. in *Ann. Sci. Nat. Sér. IX.* i. 342.—Afr. trop.  
*Pierreanum*, Van Tiegh. l. c. 343 (= *Egassea Pierreana*).—Afr. trop.

**SEBAEA**, Soland. (Gentian.).

- Baumii*, Schinz, in *Mitth. Geogr. Gesell. Lübeck*, Heft xvii. 27.—Afr. trop.  
*Brehmeri*, Schinz, l. c. 50.—Afr. austr.  
*confertiflora*, Schinz, l. c. 52.—Afr. austr.  
*Conrathii*, Schinz, l. c. 31.—Afr. austr.  
*cuspidata*, Schinz, l. c. 28.—Afr. austr.  
*Dregei*, Schinz, l. c. 51.—Afr. austr.  
*exigua*, Schinz, l. c. 26 (= *Chironia exigua*).—Afr. austr.  
*Flanaganii*, Schinz, l. c. 47.—Afr. austr.  
*gibbosa*, Dod, in *Journ. Bot.* 1901, 401.—Afr. austr.  
*Gilgii*, Schinz, in *Mitth. Geogr. Gesell. Lübeck*, Heft xvii. 27.—Afr. austr.  
*grandiflora*, Schinz, l. c. 45.—Afr. austr.  
*humilis*, N. E. Br. in *Kew Bull.* 1901, 127.—Afr. austr.  
*laxa*, N. E. Br. l. c. 128.—Afr. austr.  
*Macowanii*, Gilg, ex Schinz, in *Mitth. Geogr. Gesell. Lübeck*, Heft xvii. 47.—Afr. austr.

**SEBAEA:**

- Marlothii*, Gilg, in *Engl. Jahrb.* xxxviii. 83.—Afr. austr.  
*multiflora*, Schinz, in *Mitth. Geogr. Gesell. Lübeck*, Heft xvii. 44.—Afr. austr.  
*multinodis*, N. E. Br. in *Dyer, Fl. Trop. Afr.* iv. i. 548.—Afr. trop.  
*ochroleuca*, Dod, in *Journ. Bot.* 1901, 400.—Afr. austr.  
*oreophila*, Gilg, in *Engl. Jahrb.* xxx. 377.—Afr. trop.  
*pratensis*, Gilg, l. c.—Afr. trop.  
*rara*, Dod, in *Journ. Bot.* 1901, 401.—Afr. austr.  
*rhomboidea*, Schinz, in *Mitth. Geogr. Gesell. Lübeck*, Heft xvii. 15.—Afr. austr.  
*saccata*, Schinz, l. c. 25.—Afr. austr.  
*scabra*, Schinz, l. c. 37.—Afr. austr.  
*Schimperiana*, Buching. ex Schinz, in *Mitth. Geogr. Gesell. Lübeck*, Heft xvii. 28 = *brachyphylla*.  
*sclerosepala*, Gilg, ex Schinz, l. c. 23.—Afr. austr.  
*transvaalensis*, Schinz, l. c. 49.—Afr. austr.  
*vitellina*, Schinz, l. c. 38.—Afr. austr.  
*wittebergensis*, Schinz, l. c. 45.—Afr. austr.

**SEBASTIANIA**, Spreng. (Euphorb.).

- hexaptera*, Urb. Symb. Antill. iii. 303.—Ind. occ.  
*mexicana*, T. S. Brandegee, in *Zoe*, v. 205 (1905).—Mexic.  
*Picardae*, Urb. Symb. Antill. iii. 304.—Ind. occ.  
*Ramirezii*, Maury, in *La Naturaleza*, Ser. II. ii. 405.—Mexic.

**SECAMONE**, R. Br. (Asclep.).

- delagoensis*, Schlechter, in *Engl. Jahrb.* xxxviii. 35.—Afr. austr.  
*Dewevrei*, Wildem. in *Ann. Mus. Congo, Sér. V.* i. 191.—Afr. trop.  
*dolichorhachys*, K. Schum. in *Engl. Jahrb.* xxxiii. 326.—Madag.  
*floribunda*, N. E. Br. in *Dyer, Fl. Trop. Afr.* iv. i. 282.—Afr. trop.  
*leonensis*, N. E. Br. l. c. 281 (= *Toxocarpus leonensis*).—Afr. trop.  
*mombasica*, N. E. Br. l. c. 284.—Afr. trop.  
*phillyreoides*, S. Moore, in *Journ. Linn. Soc.* xxxvii. 182.—Afr. trop.  
*rariflora*, S. Moore, l. c. 183.—Afr. trop.  
*usambarica*, N. E. Br. in *Dyer, Fl. Trop. Afr.* iv. i. 281.—Afr. trop.

**SECURIDACA**, Linn. (Polygal.).

- amazonica*, Chod. in *Trans. Proc. Bot. Soc. Edinb.* xxii. 427.—N. Granat.  
*cordata*, J. R. Johnston, in *Proc. Amer. Acad.* xl. 688.—Venez.  
*fallax*, Chod. in *Bull. Herb. Boiss. Sér. II.* iii. 57.—Parag.

**SEDASTRUM**, Rose, in N. Am. Fl. xxii. 58 (1905).

- CRASSULACEAE.**  
*chapalense*, Rose, l. c. 59 (= *Sedum chapalense*).—Mexic.  
*ebracteatum*, Rose, l. c. (= *Sedum ebracteatum*).—Mexic.  
*glabrum*, Rose, l. c. 58.—Mexic.  
*Hemsleyanum*, Rose, l. c. (= *Sedum Hemsleyanum*).—Mexic.  
*incertum*, Rose, l. c. 59 (= *Sedum incertum*).—Mexic.  
*Painteri*, Rose, l. c. 58.—Mexic.  
*rubricaulis*, Rose, l. c. 59.—Mexic.

**SEDELLA**, Britton & Rose, in Bull. N. York Bot. Gard. iii. (1903) 45. **CRASSULACEAE.**

- Congdoni*, Britton & Rose, l. c. (= *Sedum Congdoni*).—Calif.  
*pumila*, Britton & Rose, l. c. (= *Sedum pumilum*).—Calif.

**SEDUM**, Tourn. (Crassul.).

- albanicum*, Beck, in *Ann. Nat. Hofmus. Wien*, xix. 74.—Graecia.  
*anomalum*, Britton, in *N. Am. Fl.* xxii. 72 (= *Gormania anomala*).—Calif.  
*australe*, Rose, in *Bull. N. York Bot. Gard.* iii. 41 (1903).—Am. cent.  
*australe*, Merrill, in *Philipp. Gov. Lab. Bur. Bull.* xxix. (1905) 16.—Ins. Philipp.  
*Bodinieri*, Léveillé & Vaniot, in *Bull. Soc. Agric. Sci. Arts Sarthe*, 1904, repr. 2.—China.  
*boreale*, Hort. ex Guenthart, Beitr. Blütenb. 49.—Hab. ?

**SEDUM** :—

- bulbiferum, *Makino*, in *Bot. Mag. Tokyo*, xvii. (145), nomen. Hab. ?  
 Burnatii, *Briq.* in *Ann. Conserv. & Jard. Bot. Genève*, v. 100.—Corsica.  
 caeruleum, *Léveillé & Vaniot*, in *Bull. Soc. Agric. Sci. Arts Sarthe*, 1904, 4.—China.  
 calcaratum, *Rose*, in *Bull. N. York Bot. Gard.* iii. 40.—Mexico.  
 californicum, *Britton*, in *Bull. N. York Bot. Gard.* iii. 44.—Calif.  
 Cockerellii, *Britton*, l. c. 41.—Am. bor.  
 Conzattii, *Rose*, in *Bull. N. York Bot. Gard.* iii. 42.—Mexico.  
 definitum, *Léveillé*, in *Bull. Soc. Agric. Sci. Arts Sarthe*, 1904, repr. 4.—China.  
 diversifolium, *Rose*, in *Bull. N. York Bot. Gard.* iii. 44.—Mexico.  
 frigidum, *Rydb.* in *Bull. Torr. Bot. Club*, 1901, 282.—Am. bor.  
 Griffithsii, *Rose*, in *N. Am. Fl.* xxii. 71.—Am. bor.  
 guttatum, *Rose*, in *Bull. N. York Bot. Gard.* iii. 42.—Mexico.  
 habonense, *Makino*, in *Bot. Mag. Tokyo*, xv. (1901) 35.—Japan.  
 Havardi, *Rose*, in *N. Am. Fl.* xxii. 74.—Am. bor.  
 Hemsleanum, *Rose*, in *Bull. N. York Bot. Gard.* iii. 41.—Mexico.  
 Horakii, *Rohl.* in *Sitz. Böhm. Ges. Wiss.* 1904, no. 38, 50.—Montenegr.  
 kuisianum, *Makino*, in *Bot. Mag. Tokyo*, xvii. 60.—Japan.  
 Leibergii, *Britton*, in *N. Am. Fl.* xxii. 73.—Am. bor.  
 longipes, *Rose*, in *Bull. N. York Bot. Gard.* iii. 43.—Mexico.  
 luteovirens, *Briq.* in *Ann. Conserv. & Jard. Bot. Genève*, v. 100.—Corsica.  
 minimum, *Rose*, in *Bull. N. York Bot. Gard.* iii. 40.—Mexico.  
 muscoideum, *Rose*, l. c. 39.—Mexico.  
 naviculare, *Rose*, l. c. 42.—Mexico.  
 Nelsonii, *Rose*, l. c. 43.—Mexico.  
 nutans, *Rose*, l. c.—Mexico.  
 oxycoccoides, *Rose*, l. c. 40.—Mexico.  
 pekinense, *Léveillé & Vaniot*, in *Bull. Soc. Agric. Sci. Arts Sarthe*, 1904, repr. 3.—China.  
 phyllanthum, *Léveillé & Vaniot*, l. c.—China.  
 polygamum, *Rydb.* in *Bull. Torr. Bot. Club*, 1901, 283.—Am. bor.  
 pruinatum, *Britton*, in *N. Am. Fl.* xxii. 72.—Calif.  
 Purpusii, *Rose*, in *N. Am. Fl.* xxii. 69.—Mexico.  
 racemiferum, *Halacsy*, *Consp. Fl. Graec.* i. 592 = *Grisebachii*.  
 roanense, *Britton*, in *Small, Fl. S. E. U. S.* 497.—Am. bor.  
 Scallanii, *Diels*, in *Engl. Jahrb.* xxxvi. Beibl. lxxxii. 48.—China.  
 senanense, *Makino*, in *Bot. Mag. Tokyo*, xvi. 213.—Japan.  
 shastense, *Britton*, in *Bull. N. York Bot. Gard.* iii. 41.—Calif.  
 subalpinum, *Blank*, in *Montana Agric. Coll. Sci. Studies*, Bot. i. 61.—Am. bor.  
 submontanum, *Rose*, in *Bull. N. York Bot. Gard.* iii. 40.—Mexico.  
 Woodii, *Britton*, in *N. Am. Fl.* xxii. 73.—Am. bor.  
 Wootonii, *Britton*, in *Bull. N. York Bot. Gard.* iii. 44.—Am. bor.  
 Yabeianum, *Makino*, in *Bot. Mag. Tokyo*, xvii. 10.—Japan.  
 yedoense, *Makino*, l. c. xix. 67 = japonicum.  
 yosemitense, *Britton*, in *Bull. N. York Bot. Gard.* iii. 44.—Calif.

**SELAGO**, Linn. (Selagin.).

- aggregata, *Rolfe*, in *Dyer, Fl. Cap.* v. 152.—Afr. austr.  
 Atherstonei, *Rolfe*, l. c. 156.—Afr. austr.  
 Barbula, *Harv. ex Rolfe*, l. c. 137.—Afr. austr.  
 Bolusii, *Rolfe*, l. c. 145.—Afr. austr.  
 brevifolia, *Rolfe*, l. c. 150.—Afr. austr.  
 Burchellii, *Rolfe*, l. c. 139.—Afr. austr.  
 Burkei, *Rolfe*, l. c. 146.—Afr. austr.  
 compacta, *Rolfe*, l. c. 155.—Afr. austr.  
 Cooperi, *Rolfe*, l. c. 136.—Afr. austr.  
 corrigioloides, *Rolfe*, l. c. 163.—Afr. austr.  
 curvifolia, *Rolfe*, l. c. 173.—Afr. austr.  
 diosmoides, *Rolfe*, l. c. 169.—Afr. austr.  
 elata, *Rolfe*, l. c. 156.—Afr. austr.

**SELAGO** :—

- ferruginea, *Rolfe*, in *Dyer, Fl. Cap.* v. 147.—Afr. austr.  
 Flanaganii, *Rolfe*, l. c. 138.—Afr. austr.  
 foliosa, *Rolfe*, l. c. 152.—Afr. austr.  
 Forbesii, *Rolfe*, l. c. 139.—Afr. austr.  
 fruticulosa, *Rolfe*, l. c. 169.—Afr. austr.  
 Goetzei, *Rolfe*, ex *Engl. in Engl. Jahrb.* xxx. 403.—Afr. trop.  
 humilis, *Rolfe*, in *Dyer, Fl. Cap.* v. 168.—Afr. austr.  
 Junodii, *Rolfe*, in *Vierteljahrsschr. Nat. Ges. Zürich*, xlix. 196.—Afr. austr.  
 lamprocarpa, *Schlechter*, ex *Rolfe*, in *Dyer, Fl. Cap.* v. 170.—Afr. austr.  
 lepidioides, *Rolfe*, l. c. 157.—Afr. austr.  
 linearifolia, *Rolfe*, l. c. 144.—Afr. austr.  
 linearis, *Rolfe*, l. c. 140.—Afr. austr.  
 lithospermoides, *Rolfe*, l. c. 138.—Afr. austr.  
 longiflora, *Rolfe*, l. c. 159.—Afr. austr.  
 longipedicellata, *Rolfe*, l. c.—Afr. austr.  
 longituba, *Rolfe*, l. c. 151.—Afr. austr.  
 lydenbergensis, *Rolfe*, l. c. 156.—Afr. austr.  
 Morrisii, *Rolfe*, l. c. 170.—Afr. austr.  
 Muddii, *Rolfe*, l. c. 157.—Afr. austr.  
 Mundii, *Rolfe*, l. c. 168.—Afr. austr.  
 natalensis, *Rolfe*, l. c. 151.—Afr. austr.  
 Nelsonii, *Rolfe*, l. c. 152.—Afr. austr.  
 ovata, *Rolfe*, l. c. 143.—Afr. austr.  
 pachypoda, *Rolfe*, l. c. 136.—Afr. austr.  
 pubescens, *Rolfe*, l. c. 138.—Afr. austr.  
 punctata, *Rolfe*, l. c. 151.—Afr. austr.  
 ramosissima, *Rolfe*, l. c. 170.—Afr. austr.  
 Rehmannii, *Rolfe*, l. c. 157.—Afr. austr.  
 rigida, *Rolfe*, l. c. 147.—Afr. austr.  
 robusta, *Rolfe*, l. c. 143.—Afr. austr.  
 Rustii, *Rolfe*, l. c. 158.—Afr. austr.  
 Sandersonii, *Rolfe*, l. c. 136.—Afr. austr.  
 Saundersiae, *Rolfe*, l. c. 144.—Afr. austr.  
 Schlechteri, *Rolfe*, l. c. 139.—Afr. austr.  
 setulosa, *Rolfe*, l. c. 150.—Afr. austr.  
 speciosa, *Rolfe*, l. c. 144.—Afr. austr.  
 Thomii, *Rolfe*, l. c. 171.—Afr. austr.  
 transvaalensis, *Rolfe*, l. c. 153.—Afr. austr.  
 Tysonii, *Rolfe*, l. c. 158.—Afr. austr.  
 villicalyx, *Rolfe*, l. c. 135.—Afr. austr.  
 villicaulis, *Rolfe*, l. c. 140.—Afr. austr.  
 villosa, *Rolfe*, l. c. 156.—Afr. austr.  
 Wilmsii, *Rolfe*, l. c. 151.—Afr. austr.  
 Woodii, *Rolfe*, l. c. 155.—Afr. austr.  
 Zeyheri, *Rolfe*, l. c. 147.—Afr. austr.

**SELENIA**, Nutt. (Crucif.).

- aperta, *Small, Fl. S. E. U. S.* 486.—Am. bor.

**SELINUM**, Linn. (Umbell.).

- coreanum, *Boissieu*, in *Bull. Herb. Boiss. Sér. II.* iii. 956.—China.  
 cryptotaenium, *Boissieu*, l. c. 847.—China.  
 melanotilingia, *Boissieu*, l. c. 956.—China.  
 Oliverianum, *Boissieu*, l. c. 846.—China.

**SEMECARPUS**, Linn. f. (Anacard.).

- Elmeri, *Perkins, Frag. Fl. Philipp.* 26.—Ins. Philipp.  
 Engleriana, *Lauterb. in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 303.—N. Guin.  
 laxiflora, *K. Schum.* l. c. 302.—N. Guin.  
 macrophylla, *Merrill*, in *Forest. Bur. Philipp. Bull.* i. 33.—Ins. Philipp.  
 macrothyras, *Perkins, Frag. Fl. Philipp.* 26.—Ins. Philipp.  
 Merrilliana, *Perkins*, l. c. 27.—Ins. Philipp.  
 micrantha, *Perkins*, l. c.—Ins. Philipp.  
 sideroxyloides, *Perkins*, l. c. 28.—Ins. Philipp.  
 Taftiana, *Perkins*, l. c.—Ins. Philipp.  
 trachyphylla, *Perkins*, l. c. 29.—Ins. Philipp.  
 venenosa, *Volk*, in *Engl. Jahrb.* xxxi. 467.—Ins. Carol.

**SEMIQUILEGIA**, Makino, in *Bot. Mag. Tokyo*, xvi. 119 (1902).

- RANUNCULACEAE.*  
 adoxoides, *Makino*, l. c. (= *Isopyrum adoxoides*).—Japan.

**SEMPERVIVUM**, Rupp. (Crassul.).

- Candollei, *Rouv. & Cam. Fl. de Fr.* vii. 139.—Eur.  
 Kindingeri, *Adam*, in *Denkschr. Akad. Wien, Math.-Nat.* lxxiv. 125.—Turcia.  
 Simonkaianum, *Degen*, in *Magyar Bot. Lap.* i. 134.—Eur.  
 velutinum, *N. E. Br.* in *Gard. Chron.* 1901, II. 318.—Ins. Canar. ?  
 Wolfianum, *Chenev.* in *Bull. Trav. Soc. Bot. Genève*, ix. 130.—Hybr.

**SENEBIERA**, DC. (Crucif.).

- Ruellii*, *Bub.* *Fl. Pyren.* iii. 246 = *S. Coronopus*.

**SENECIO**, Linn. (Compos.).

- achyrotrichus, *Diels*, in *Engl. Jahrb.* xxxvi. Beibl. lxxxii. 105.—China.  
 Adamsi, *Howell*, *Fl. N. W. Amer.* i. 379.—Am. bor.  
 affinis, *Greenm.* in *Engl. Jahrb.* xxxii. 22, nomen.—Am. bor.  
 alatipes, *Greenm.* l. c. 21, nomen.—Am. bor.  
 albescens, *Burb. & Colgan*, ex *Burb.* in *Ir. Nat. & Journ. Bot.* Dec. 1902.—Hybr.  
 albonervius, *Greenm.* in *Engl. Jahrb.* xxxii. 22, nomen.—Am. bor.  
 amadorensis, *Greenm.* l. c. 20, nomen.—Am. bor.  
 ambifarius, *S. Moore*, in *Journ. Bot.* 1903, 134.—Afr. trop.  
 Ameghinoi, *Speg. Nov. Add. Fl. Patag.* ii. (1902), repr. 7.—Patag.  
 anacletus, *Greene*, in *Pittonia*, iv. (1901) 307.—Am. bor.  
 Antunesii, *O. Hoffm.* in *Engl. Jahrb.* xxxii. 151.—Afr. trop.  
 appendiculatus, *Greenm.* in *Engl. Jahrb.* xxxii. 90, nomen.—Am. bor.  
 arenicola, *Reiche*, *Fl. Chile*, iv. 161.—Chili.  
 argentatus, *S. Moore*, in *Journ. Bot.* 1904, 373.—Patag.  
 Aschersonianus, *Hieron.* in *Engl. Jahrb.* xxviii. 642.—N. Granat.  
 atripiculatus, *Rydb.* in *Britton, Man. Fl. N. U. S.* 1026.—Am. bor.  
 Bagshawei, *S. Moore*, in *Journ. Linn. Soc.* xxxvii. 173.—Afr. trop.  
 Bakeri, *Reiche*, *Fl. Chile*, iv. 205.—Chili.  
 Baumii, *O. Hoffm.* in *Warb. Kunene-Sambesi Exped.* 422.—Afr. trop.  
 Bernoullianus, *Greenm.* in *Engl. Jahrb.* xxxii. 22, nomen.—Am. bor.  
 Bodinieri, *Vaniot*, in *Bull. Acad. Géogr. Bot.* xi. (1902) 348.—China.  
 brachyanthus, *Greenm.* in *Engl. Jahrb.* xxxii. 22, nomen.—Am. bor.  
 breviligulatus, *Hieron.* in *Engl. Jahrb.* xxviii. 639.—N. Granat.  
 brevilimbus, *S. Moore*, in *Bull. Herb. Boiss. Sér. II.* iv. 1021.—Afr. trop.  
 calyculatus, *Greenm.* in *Coult. Bot. Gaz.* xxxvii. 419.—Am. cent.  
 camporum, *Greenm.* in *Engl. Jahrb.* xxxii. 20, nomen.—Am. bor.  
 capillarifolius, *Speg. Nov. Add. Fl. Patag.* ii. (1902), repr. 8.—Patag.  
 carnerensis, *Greenm.* in *Engl. Jahrb.* xxxii. 21, nomen.—Am. bor.  
 Chaberti, *Petit.* in *Monde des Pl. Sér. II.* vi. 46.—Hybr.  
 chersodomus, *Reiche*, *Fl. Chile*, iv. 261 (= *Chersodoma candida*).—Chili.  
 chicharrensis, *Greenm.* in *Engl. Jahrb.* xxxii. 22, nomen.—Am. bor.  
 choiquelaunensis, *Speg. Nov. Add. Fl. Patag.* ii. (1902), repr. 6.—Patag.  
 chrismarii, *Greenm.* in *Engl. Jahrb.* xxxii. 22, nomen.—Am. bor.  
 chrysanthus, *Greenm.* l. c. 21, nomen.—Am. bor.  
 chubutensis, *Speg. Nov. Add. Fl. Patag.* ii. (1902), repr. 9.—Patag.  
 coahuilensis, *Greenm.* in *Engl. Jahrb.* xxxii. 19, nomen.—Am. bor.  
 colu-huapiensis, *Speg. Nov. Add. Fl. Patag.* ii. (1902), repr. 5.—Patag.  
 conchilobus, *Engelm.* ex *Greenm.* in *Engl. Jahrb.* xxxii. 21, nomen.—Am. bor.  
 congolensis, *Wildem.* in *Ann. Mus. Congo, Sér. V.* i. 86.—Afr. trop.  
 contristatus, *Greene*, *Pl. Baker.* iii. 24.—Am. bor.  
 convallium, *Greenm.* in *Engl. Jahrb.* xxxii. 20, nomen.—Am. bor.  
 convolvuloides, *Greenm.* l. c. 22, nomen.—Am. bor.  
 Conzattii, *Greenm.* l. c. 21, nomen.—Am. bor.  
 copeyensis, *Greenm.* l. c. 22, nomen.—Am. bor.  
 cotuloides, *Reiche*, *Fl. Chile*, iv. 155.—Chili.  
 Coulteri, *Greenm.* in *Engl. Jahrb.* xxxii. 21, nomen.—Am. bor.  
 Crawfordii, *Britton*, in *Torrey*, i. 21.—Am. bor.  
 crepidineus, *Greene*, in *Ottawa Naturalist*, xv. 250.—Am. bor.  
 cristobalensis, *Greenm.* in *Engl. Jahrb.* xxxii. 22, nomen.—Am. bor.

## SENECIO:—

- cryptiactis, *O. Hoffm. in Warb. Kunene-Sambesi Exped.* 423.—Afr. trop.  
 decompositus, *Hieron. in Engl. Jahrb.* xxviii. 634.—Venez.  
 decorus, *Greenm. in Engl. Jahrb.* xxxii. 21, nomen.—Am. bor.  
 Dekindtianus, *Volkens & O. Hoffm. in Engl. Jahrb.* xxxii. 151.—Angola.  
 diabolicus, *Speg. Nov. Add. Fl. Patag.* ii. (1902), repr. 10.—Patag.  
 dididymantha, *Dunn, in Journ. Linn. Soc.* xxxv. 503.—China.  
 diffusus, *Greenm. in Engl. Jahrb.* xxxii. 20, nomen.—Am. bor.  
 dileptiifolius, *Greene, in Ottawa Naturalist*, xv. 251.—Am. bor.  
 dolichopappus, *O. Hoffm. in Engl. Jahrb.* xxx. 438.—Afr. trop.  
 Dryas, *Dunn, in Journ. Linn. Soc.* xxxv. 504.—China.  
 Duclouxii, *Dunn, l. c.*—China.  
 Dusenii, *O. Hoffm. ex P. Dusen, in Rep. Princeton Univ. Exped. Patag.* viii. 21.—Patag.  
 Eggersii, *Hieron. in Engl. Jahrb.* xxviii. 645.—Ecuador.  
 Elliotii, *S. Moore, in Journ. Linn. Soc.* xxxv. 360.—Afr. trop.  
 ellipticifolius, *Hieron. in Engl. Jahrb.* xxviii. 637.—N. Granat.  
 Engleri, *Hieron. l. c.* 644.—Ecuador.  
 ericoides, *Reiche, Fl. Chile*, iv. 264.—Chili.  
 Ervendbergii, *Greenm. in Engl. Jahrb.* xxxii. 19, nomen.—Am. bor.  
 fibrillosus, *Dunn, in Journ. Linn. Soc.* xxxv. 505.—China.  
 filicifolius, *Greenm. in Engl. Jahrb.* xxxii. 21, nomen.—Am. bor.  
 firmipes, *Greenm. in Proc. Amer. Acad.* xxxix. 119.—Am. cent.  
 foetidus, *Howell, Fl. N. W. Amer.* i. 377.—Am. bor.  
 foliolosus, *Reiche, Fl. Chile*, iv. 236.—Chili.  
 Fremontii, *Rydb. in Britton, Man. Fl. N. U. S.* 1028.—Am. bor.  
 ganpinensis, *Vaniot, in Bull. Acad. Géogr. Bot.* xii. (1903) 19.—China.  
 Gentilianus, *Vaniot, l. c.* xi. (1902) 350.—China.  
 Gilgii, *Greenm. in Engl. Jahrb.* xxxii. 22, nomen.—Am. bor.  
 glanduloso-hirtellus, *Reiche, Fl. Chile*, iv. 172.—Chili.  
 glumaceus, *Dunn, in Journ. Linn. Soc.* xxxv. 505.—China.  
 Greenmanianus, *Hieron. in Engl. Jahrb.* xxviii. 643.—Venez.  
 Guerkei, *Hieron. l. c.* 646.—N. Granat.  
 Hartmannii, *Greenm. in Engl. Jahrb.* xxxii. 20, nomen.—Am. bor.  
 hederoides, *Greenm. l. c.* 22, nomen.—Am. bor.  
 Henrici, *Vaniot, in Bull. Acad. Géogr. Bot.* xi. (1902) 351.—China.  
 hirsuticaulis, *Greenm. in Engl. Jahrb.* xxxii. 22, nomen.—Am. bor.  
 Hoi, *Dunn, in Journ. Linn. Soc.* xxxv. 506.—China.  
 Hugonis, *S. Moore, in Journ. Bot.* 1905, 142.—China.  
 hypomalacus, *Greenm. in Engl. Jahrb.* xxxii. 22, nomen.—Am. bor.  
 incisus, *Lojac. Fl. Sic.* ii. 1. 61 (= *Jacobaea incisa*).—Sicil.  
 inutilis, *Speg. Nov. Add. Fl. Patag.* ii. (1902), repr. 11.—Patag.  
 iodanthus, *Greenm. in Engl. Jahrb.* xxxii. 21, nomen.—Am. bor.  
 jacalensis, *Greenm. l. c.* nomen.—Am. bor.  
 Jacksoni, *S. Moore, in Journ. Linn. Soc.* xxxv. 358.—Afr. trop.  
 Jelskii, *Hieron. in Engl. Jahrb.* xxxvi. 509.—Peruv.  
 johannesburgensis, *S. Moore, in Journ. Bot.* 1903, 401.—Afr. austr.  
 Julianus, *Speg. Nov. Add. Fl. Patag.* ii. (1902), repr. 3.—Patag.  
 Karstenii, *Hieron. in Engl. Jahrb.* xxviii. 641.—N. Granat.  
 katangensis, *O. Hoffm. ex Wildem. in Ann. Mus. Congo, Sér. IV.* (1903), p. xi.—Afr. trop.  
 kematongensis, *Vaniot, in Bull. Acad. Géogr. Bot.* xi. (1902) 347.—China.  
 Kerberi, *Greenm. in Engl. Jahrb.* xxxii. 22, nomen.—Am. bor.

## SENECIO:—

- kernensis, *Greenm. in Engl. Jahrb.* xxxii. 20, nomen.—Am. bor.  
 Kingii, *Greenm. l. c.* nomen.—Am. bor.  
 koreanus, *Kom. in Act. Hort. Petrop.* xviii. 421.—China.  
 Labordei, *Vaniot, in Bull. Acad. Géogr. Bot.* xi. (1902) 345.—China.  
 lachnorhizus, *O. Hoffm. in Engl. Jahrb.* xxxii. 150.—Afr. trop.  
 lanatifolius, *Osterh. in Bull. Torr. Bot. Club*, 1905, 612.—Am. bor.  
 Langlassei, *Greenm. in Engl. Jahrb.* xxxii. 22, nomen.—Am. bor.  
 lanicaulis, *Greenm. l. c.* 22, nomen.—Am. bor.  
 lapathifolius, *Greene, Pl. Baker.* iii. 25.—Am. bor.  
 latipes, *Greenm. in Engl. Jahrb.* xxxii. 21, nomen.—Am. bor.  
 lentior, *S. Moore, in Bull. Herb. Boiss. Sér. II.* iv. 1022.—Afr. trop.  
 leonensis, *Greenm. in Engl. Jahrb.* xxxii. 19, nomen.—Am. bor.  
 leucanthemus, *Dunn, in Journ. Linn. Soc.* xxxv. 506.—China.  
 leucanthus, *Greenm. in Engl. Jahrb.* xxxii. 21, nomen.—Am. bor.  
 Leveillei, *Vaniot, in Bull. Acad. Géogr. Bot.* xi. (1902) 346.—China.  
 limosus, *O. Hoffm. in Warb. Kunene-Sambesi Exped.* 422.—Afr. trop.  
 Lindheimeri, *Greenm. in Engl. Jahrb.* xxxii. 20, nomen.—Am. bor.  
 lividovulgaris, *Lojac. Fl. Sic.* ii. 1. 68.—Sicil.  
 Loeseneri, *Hieron. in Engl. Jahrb.* xxxvi. 510.—Peruv.  
 longipedunculatus, *Halacsy, in Verh. Zool.-Bot. Ges. Wien*, liv. 484.—Graecia.  
 lucens, *Urb. Symb. Antill.* iii. 413.—Ind. occ.  
 laticola, *Dunn, in Journ. Linn. Soc.* xxxv. 507.—China.  
 macropus, *Greenm. in Engl. Jahrb.* xxxii. 20, nomen.—Am. bor.  
 Magnusi, *Hieron. in Engl. Jahrb.* xxviii. 642.—N. Granat.  
 majus, *A. A. Heller, Muhlenbergia*, i. 118 = *Whippleanus*.  
 Martini, *Vaniot, in Bull. Acad. Géogr. Bot.* xi. (1902) 346.—China.  
 maulinus, *Reiche, Fl. Chile*, iv. 270.—Chili.  
 metallicorum, *S. Moore, in Journ. Bot.* 1903, 134.—Afr. austr.  
 milanensis, *S. Moore, in Journ. Linn. Soc.* xxxv. 359.—Afr. trop.  
 mohinorensis, *Greenm. in Engl. Jahrb.* xxxii. 21, nomen.—Am. bor.  
 monanthos, *Diels, in Engl. Jahrb.* xxix. 621.—China.  
 montuosus, *S. Moore, in Journ. Linn. Soc.* xxxv. 354.—Afr. trop.  
 multicapitatus, *Greenm. in Engl. Jahrb.* xxxii. 21, nomen.—Am. bor.  
 multinomensis, *Greenm. l. c.* 20, nomen.—Am. bor.  
 Murrayi, *Bornm. in Engl. Jahrb.* xxxiii. Beibl. lxxii. 1.—Ins. Canar.  
 Mustersi, *Speg. Nov. Add. Fl. Patag.* ii. (1902), repr. 12.—Patag.  
 nandensis, *S. Moore, in Journ. Linn. Soc.* xxxv. 360.—Afr. trop.  
 oreganus, *Howell, Fl. N. W. Amer.* i. 377.—Am. bor.  
 oreophilus, *Greenm. in Engl. Jahrb.* xxxii. 20, nomen.—Am. bor.  
 oreopolus, *Greenm. l. c.* nomen.—Am. bor.  
 pachyrhizus, *O. Hoffm. in Engl. Jahrb.* xxx. 435.—Afr. trop.  
 paeninsularis, *S. Moore, in Journ. Bot.* 1904, 374.—Patag.  
 pagosanus, *A. A. Heller, Muhlenbergia*, i. 7.—Am. bor.  
 paucinervis, *Dunn, in Journ. Linn. Soc.* xxxv. 507.—China.  
 Paulsenii, *O. Hoffm. ex Paulsen, in Kjoeb. Vidensk. Meddel.* 1903, 152.—As. cent.  
 pembrinensis, *Greenm. in Engl. Jahrb.* xxxii. 19, nomen.—Am. bor.  
 pentodontus, *Greene, Pl. Baker.* iii. 26.—Am. bor.  
 petasioides, *Greenm. in Coult. Bot. Gaz.* xxxvii. 419.—Am. cent.  
 Philippii, *Wildem. Rés. Voy. Belgica, Bot.* 172.—Reg. Magell.  
 Pilgerianus, *Diels, in Engl. Jahrb.* xxxvi. Beibl. lxxxii. 106.—China.

## SENECIO:—

- platanis, *Arech. in Anal. Mus. Montevidei. Sér. II.* i. 11.—Urug.  
 pleistocephalus, *S. Moore, in Journ. Bot.* 1905, 170.—Afr. austr.  
 poculiferus, *S. Moore, l. c.* 1904, 375.—Patag.  
 popayanensis, *Hieron. in Engl. Jahrb.* xxviii. 638.—N. Granat.  
 potosinus, *Greenm. in Engl. Jahrb.* xxxii. 21, nomen.—Am. bor.  
 Prichardi, *S. Moore, in Journ. Bot.* 1904, 375.—Patag.  
 prionophyllus, *Greene, in Ottawa Naturalist*, xv. 250.—Am. bor.  
 profundorum, *Dunn, in Journ. Linn. Soc.* xxxv. 507.—China.  
 pseudosonchus, *Vaniot, in Bull. Acad. Géogr. Bot.* xi. (1902) 349.—China.  
 pseudosylvaticus, *Lojac. Fl. Sic.* ii. 1. 68 = *aegyptius*.  
 pseudotomentosus, *Mackenzie & Bush, in Trans. Acad. St. Louis*, xii. 87.—Am. bor.  
 psiadioides, *O. Hoffm. in Engl. Jahrb.* xxx. 436.—Afr. trop.  
 pterocaulis, *Greenm. in Proc. Amer. Acad.* xxxix. 119.—Mexic.  
 putcalensis, *Hieron. in Engl. Jahrb.* xxviii. 635.—Ecuador.  
 pyrrhocrous, *Greene, Pl. Baker.* iii. 24.—Am. bor.  
 pyroloides, *Greenm. in Engl. Jahrb.* xxxii. 20, nomen.—Am. bor.  
 Ragazzii, *Chiov. in Ann. Ist. Bot. Roma*, viii. 190.—Afr. trop.  
 Rautanenii, *S. Moore, in Bull. Herb. Boiss. Sér. II.* iv. 1022.—Afr. trop.  
 reglensis, *Greenm. in Engl. Jahrb.* xxxii. 22, nomen.—Am. bor.  
 rhyacophilus, *Greenm. l. c.* 21, nomen.—Am. bor.  
 Robinsonianus, *Greenm. l. c.* 22, nomen.—Am. bor.  
 Rolandi-Bonaparte, *Wolf, in Rev. Bot. Syst. Géogr. Bot.* ii. 20.—Eur.  
 Rosei, *Greenm. in Engl. Jahrb.* xxxii. 20, nomen.—Am. bor.  
 Rothschildianus, *Greenm. l. c.* xxxii. 22, nomen.—Am. bor.  
 Rothrockii, *Greenm. l. c.* 20, nomen.—Am. bor.  
 rotundus, *Small, Fl. S. E. U. S.* 1304.—Am. bor.  
 ruwenzoriensis, *S. Moore, in Journ. Linn. Soc.* xxxv. 355.—Afr. trop.  
 Santarosae, *Greenm. in Engl. Jahrb.* xxxii. 22, nomen.—Am. bor.  
 semicordatus, *Mackenzie & Bush, in Rep. Missouri Bot. Gard.* 1905, 107.—Am. bor.  
 seminivea, *Wood & Evans, in Natal Colon. Herb. Rep.* 1900 (1901), 8; et in *Journ. Bot.* 1901, 169.—Afr. austr.  
 sericeo-nitens, *Speg. Nov. Add. Fl. Patag.* ii. (1902), repr. 5.—Patag.  
 serraquitchensis, *Greenm. in Engl. Jahrb.* xxxii. 22, nomen.—Am. bor.  
 Sieheanus, *Busch, in Bull. Jard. Bot. Pétersb.* v. 135.—As. Min.  
 solenoides, *Dunn, in Journ. Linn. Soc.* xxxv. 508.—China.  
 sonchoides, *Lojac. Fl. Sic.* ii. 1. 66.—Sicil.  
 sordidus, *Greenm. in Engl. Jahrb.* xxxii. 20, nomen.—Am. bor.  
 sotikensis, *S. Moore, in Journ. Linn. Soc.* xxxv. 357.—Afr. trop.  
 sparsilobatus, *Parish, in Coult. Bot. Gaz.* xxxviii. 462.—Calif.  
 spartareus, *S. Moore, in Journ. Linn. Soc.* xxxv. 358.—Afr. trop.  
 streptothamnus, *Greenm. in Engl. Jahrb.* xxxii. 22, nomen.—Am. bor.  
 subauriculatus, *Greenm. l. c.* 21, nomen.—Am. bor.  
 Szyzylowiczii, *Hieron. in Engl. Jahrb.* xxxvi. 508.—Peruv.  
 teliformis, *Greenm. in Engl. Jahrb.* xxxii. 22, nomen.—Am. bor.  
 telmatophilus, *O. Hoffm. in Warb. Kunene-Sambesi Exped.* 423.—Afr. trop.  
 tener, *O. Hoffm. in Engl. Jahrb.* xxx. 434.—Afr. trop.  
 Theresiae, *O. Hoffm. in Beih. Bot. Centralbl.* xiii. 85.—Peruv.  
 Tonduzii, *Greenm. in Engl. Jahrb.* xxxii. 22, nomen.—Am. bor.  
 transmarinus, *S. Moore, in Journ. Linn. Soc.* xxxv. 356.—Afr. trop.



**SENECIO** :—

- trianthemus, *O. Hoffm. in Engl. Jahrb.* xxx. 437.—Afr. trop.  
 tripinnatifidus, *Reiche, Fl. Chile*, iv. 466.—Chili.  
 trixioides, *Greenm. in Engl. Jahrb.* xxxii. 22, nomen.—Am. bor.  
 tropaeolifolius, *O. Hoffm. in Engl. Jahrb.* xxx. 437.—Afr. trop.  
 tugelensis, *Wood & Evans, in Natal Colon. Herb. Rep.* 1900 (1901), 8; *et in Journ. Bot.* 1901, 169.—Afr. austr.  
 uintahensis, *Greenm. in Engl. Jahrb.* xxxii. 20, nomen.—Am. bor.  
 ukingensis, *O. Hoffm. in Engl. Jahrb.* xxx. 435.—Afr. trop.  
 ullucosanus, *Hieron. in Engl. Jahrb.* xxviii. 637.—N. Granat.  
 Urbani, *Hieron. l. c.* 640.—N. Granat.  
 Urumovi, *Velen. in Oesterr. Bot. Zeitschr.* 1902, 52.—Eur.  
 urundensis, *S. Moore, in Journ. Linn. Soc.* xxxv. 355.—Afr. trop.  
 uspantanensis, *Greenm. in Engl. Jahrb.* xxxii. 22, nomen.—Am. bor.  
 ussanguensis, *O. Hoffm. in Engl. Jahrb.* xxx. 438.—Afr. trop.  
 Vaseyi, *Greenm. in Engl. Jahrb.* xxxii. 21, nomen.—Am. bor.  
 Veitchianus, *Hemsl. in Gard. Chron.* 1905, II. 212.—China.  
 viejensis, *Greenm. in Engl. Jahrb.* xxxii. 21, nomen.—Am. bor.  
 viscidus, *N. E. Br. in Kew Bull.* 1901, 124.—Afr. austr.  
 vittatus, *Reiche, Fl. Chile*, iv. 169.—Chili.  
 vulgari-humilis, *Batt. & Trab. Fl. Algér. Tunis*, 187.—Afr. bor.  
 Watsoni, *Greenm. in Engl. Jahrb.* xxxii. 19, nomen.—Am. bor.  
 willowensis, *Greenm. l. c.* 20, nomen.—Am. bor.  
 Wilsonianus, *Hemsl. in Gard. Chron.* 1905, II. 212.—China.  
 Wolfii, *Greenm. in Engl. Jahrb.* xxxii. 20, nomen.—Am. bor.  
 Wrightii, *Greenm. l. c.* nomen.—Am. bor.  
 xenostylus, *O. Hoffm. in Engl. Jahrb.* xxxii. 150.—Afr. trop.

**SEPTILIA** Rafin. (Scrophul.).

- [HERPESTIS, Gaertn. f. I. K.]  
 caroliniana, *Small, Fl. S. E. U. S.* 1064 (= *Obolaria caroliniana*).—Am. bor.  
 crenulata, *Small, l. c.* (= *Monniera crenulata*).—Am. bor.

**SEQUOIA**, Endl. (Conif.).

- Washingtoniana, *Sudw. in U. S. Dept. Agric. Bull. Forest.* xiv. 61 (= *Wellingtonia gigantea*).—Calif.

**SERAPIAS**, Linn. (Orchid.).

- Garbariorum, *Murr. in Deutsch. Bot. Monatsschr.* 1901, 117; *et ex M. Schulse, in Mitth. Thüring. Bot. Ver.* n. s. xvii. 40.—Hort.

**SERICOCARPUS**, Nees (Compos.).

- acutisquamosus, *Small, Fl. S. E. U. S.* 1206.—Am. bor.

**SERICOCOMA**, Fenzl (Amarant.).

- heterochiton, *Lopr. in Malpighia*, xiv. 441.—Afr. trop.  
 leucoclada, *Lopr. l. c.* 440.—Afr. trop.  
 shepperioides, *Schinz, in Bull. Herb. Boiss. Sér. II. i.* 872.—Afr. trop.

**SERICOSTACHYS**, Gilg & Lopr. in Malpighia,

- xiv. (1901) 448. **AMARANTACEAE.**  
 scandens, *Gilg & Lopr. l. c.* 449.—Afr. trop.  
 tomentosa, *Lopr. l. c.* 450.—Afr. trop.

**SERJANIA**, Plum. (Sapind.).

- brachyptera, *Radlk. in Engl. Jahrb.* xxxvii. 145.—Peruv.  
 columbiana, *Radlk. l. c.* 149.—N. Granat.  
 corindifolia, *Radlk. in Bull. Herb. Boiss. Sér. II. iii.* (1903) 210.—Mexic.  
 flaviflora, *Radlk. l. c.* 211.—Mexic.  
 fuscocoriata, *Radlk. in Engl. Jahrb.* xxxvii. 147.—Peruv.  
 grandidens, *Radlk. l. c.* 144.—N. Granat.  
 incana, *Radlk. in Bull. Herb. Boiss. Sér. II. iii.* 805.—Parag.  
 inscripta, *Radlk. in Engl. Jahrb.* xxxvii. 145.—Bras.

**SERJANIA** :—

- longistipula, *Radlk. in Engl. Jahrb.* xxxvii. 148.—Peruv.  
 pannifolia, *Radlk. l. c.* 146.—Boliv.  
 striolata, *Radlk. l. c.* 147.—Peruv.

**SERRATULA**, Dill. (Compos.).

- lycopifolia, *Fiori, in Fiori & Paol. Fl. Ital.* iii. 320; *Fiori & Paol. l. c.* 441.—Ital.  
 Martini, *Variot, in Bull. Acad. Géogr. Bot.* xii. (1903) 21.—China.

**SERSALISIA**, R. Br. (Sapot.).

- [LUCUMA, Molina. I. K.]  
 Afzelii, *Engl. Monogr. Afr. Pfl.* viii. 30.—Afr. trop.  
 cerasifera, *Engl. l. c.* (= *Sapota cerasifera*).—Afr. trop.  
 disaco, *Engl. l. c.* (= *Chrysophyllum disaco*).—Afr. trop.  
 Kaessneri, *Engl. l. c.* 31.—Afr. trop.  
 usambarensis, *Engl. l. c.*—Afr. trop.

**SESAMOTHAMNUS**, Welw. (Pedal.).

- Erlangeri, *Engl. Jahrb.* xxxii. 113.—Afr. trop.  
 Busceanus, *Engl. l. c.* 114.—Afr. trop.  
 Rivae, *Engl. l. c.*—Afr. trop.

**SESAMUM**, Linn. (Pedal.).

- repens, *Engl. & Gilg, in Warb. Kunene-Sambesi Exped.* 371.—Afr. trop.

**SESBANIA**, Scop. (Legum.).

- affinis, *Wildem. in Ann. Mus. Congo, Sér. V. i.* 141.—Afr. trop.  
 coerulescens, *Harms, in Warb. Kunene-Sambesi Exped.* 260.—Afr. trop.  
 Goetzei, *Harms, in Engl. Jahrb.* xxx. 327.—Afr. trop.  
 microphylla, *Harms, in Warb. Kunene-Sambesi Exped.* 260.—Afr. trop.  
 paludosa, *Prairie, in Journ. As. Soc. Beng.* lxvi. 82 (1897) (= *Aeschynomene paludosa*).—Ind. or.

**SESELI**, Linn. (Umbell.).

- Alexeenkoi, *Lipsky, in Act. Hort. Tiflis*, vi. i. 55.—Reg. Caucas.  
 anomalum, *Huter, in Oesterr. Bot. Zeitschr.* 1905, 359.—Hispan.  
 arcticum, *Calest. in Martelli, Webbia*, 203 (= *Libanotis arctica*).—Rossia.  
 giganteum, *Lipsky, in Act. Hort. Petrop.* xxiii. 140.—As. cent.  
 karateginum, *Lipsky, l. c.* 141.—As. cent.  
 Provostii, *Boissieu, in Bull. Herb. Boiss. Sér. II. iii.* 842.—China.  
 pubicarpum, *Sink. in Magyar Bot. Lap.* iii. 84.—Eur.  
 splendens, *Calest. in Martelli, Webbia*, 199 (= *Ligusticum splendens*).—Reg. Pyren.

**SESELINIA**, G. Beck (Umbell.).

- [SESELI, Linn. I. K. S. I.]  
 serbica, *Calest. in Martelli, Webbia*, 182 (= *Seseli serbicum*).—Eur.

**SESLERIA**, Scop. (Gramin.).

- insularis, *Sommier, in Bull. Soc. Bot. Ital.* 1905, 126.—Ins. Balear.  
 latifolia, *Degen, in Magyar Bot. Lap.* iv. 133.—Serbia.

**SETARIA**, Beauv. (Gramin.).

- abyssinica, *Hack. in Oesterr. Bot. Zeitschr.* 1901, 460.—Afr. trop.  
 apiculata, *K. Schum. in Just's Jahresb.* xxviii. i. 417 (= *Chaetochloa apiculata*).—Austral.  
 brevispica, *K. Schum. l. c.* (= *Chaetochloa brevispica*).—Eur.  
 gibbosa, *K. Schum. l. c.* (= *Chaetochloa gibbosa*).—Am. bor.  
 Glaziovii, *Hack. in Oesterr. Bot. Zeitschr.* 1901, 460.—Bras.  
 Hassleri, *Hack. in Bull. Herb. Boiss. Sér. II. iv.* 275.—Parag.  
 hispida, *K. Schum. in Just's Jahresb.* xxviii. i. 417 (= *Chaetochloa hispida*).—Ind. occ.  
 leiantha, *Hack. ex Stuck. in Anal. Mus. Buenos Aires*, xi. 78.—Reg. Argent.  
 leucopila, *K. Schum. in Just's Jahresb.* xxviii. i. 417 (= *Chaetochloa leucopila*).—Mexic.  
 macrosperma, *K. Schum. l. c.* (= *Chaetochloa macrosperma*).—Am. bor.  
 panis, *Jessen, Deutsch. Graeser*, 248.—Eur.  
 rigida, *K. Schum. in Just's Jahresb.* xxviii. i. 417 (= *Chaetochloa rigida*).—Am. bor.  
 villosissima, *K. Schum. l. c.* (= *Chaetochloa villosissima*).—Am. bor.

**SETOURATEA**, Van Tiegh. in Journ. de Bot. 1902, 35; *et in Ann. Sci. Nat. Sér. VIII. xvi.* 192. **OCHNACEAE.**

- angusta, *Van Tiegh. in Ann. Sci. Nat. Sér. VIII. xvi.* (1902) 287.—Bras.  
 Glazioviana, *Van Tiegh. in Journ. de Bot.* 1902, 40; *et in Ann. Sci. Nat. Sér. VIII. xvi.* (1902) 287.—Bras.  
 lata, *Van Tiegh. in Ann. Sci. Nat. Sér. VIII. xvi.* (1902) 286.—Bras.  
 linearis, *Van Tiegh. l. c.* xviii. 13 (= *Gomphia linearis*).—Bras.  
 stipulata, *Van Tiegh. in Journ. de Bot.* 1902, 39 (= *Ochna stipulata*).—Bras.  
 tridentata, *Van Tiegh. l. c.*—Bras.  
 Vellozii, *Van Tiegh. l. c.* 40.—Bras.  
 Weddelliana, *Van Tiegh. in Ann. Sci. Nat. Sér. VIII. xvi.* (1902) 287 (= *Microuratea Weddelliana*).—Bras.

**SEYMERIA**, Pursh (Scrophul.).

- integrifolia, *Greenm. in Proc. Amer. Acad.* xxxix. 89.—Mexic.

**SHAWIA**, Forst. (Compos.).

- [OLEARIA, Moench. I. K.]  
 arguta, *J. Britten, Bot. Cook Voy.* 49 (= *Olearia arguta*).—Austral.

**SHERBOURNIA**, G. Don (Rubiace.).

- bignoniaefolia, *Hua, in Bull. Soc. Hist. Nat. Autun*, xiv. 394 (= *Gardneria bignoniaefolia*).—Afr. trop.  
 Brazzaei, *Hua, l. c.*—Afr. trop.  
 calycina, *Hua, l. c.* (= *Gardneria calycina*).—Afr. trop.  
 Zenkeri, *Hua, l. c.* (= *Gardneria Zenkeri*).—Afr. trop.

**SHOREA**, Roxb. (Dipterocarpace.).

- balangeroides, *Boerl. Cat. Hort. Bogor.* 108.—Arch. Mal.  
 mollis, *Boerl. l. c.* 110.—Arch. Mal.  
 obtusoides, *Boerl. l. c.* 107.—Arch. Mal.

**SIBBALDIOPSIS**, Rydb. in Britton, Man. Fl. N. U. S. 499 (1901). **ROSACEAE.**

- tridentata, *Rydb. l. c.* 500 (= *Potentilla tridentata*).—Am. bor.

**SIBIRAEAE**, Maxim. (Rosac.).

- [SPIRAEA, Linn. I. K.]  
 altaiensis, *Schneider, Ill. Handb. Laubholz.* i. (1905) 485 (= *Spiraea altaiensis*).—As. cent.  
 croatica, *Degen, in Magyar Bot. Lap.* iv. 255.—Croatia.

**SICKINGIA**, Willd. (Rubiace.).

- hexandra, *S. Moore, in Journ. Bot.* 1904, 38.—Bras.

**SICYOS**, Linn. (Cucurb.).

- peninsularis, *T. S. Brandegee, in Zoe*, v. 159 (1903).—Calif.

**SIDA**, Linn. (Malvac.).

- Ameghinoi, *Speg. Nov. Add. Fl. Patag.* i. (1901), repr. 20.—Patag.  
 Boivini, *Hochr. in Ann. Conserv. & Jard. Bot. Genève*, 1902, 40.—Ins. Comor.  
 brachystachys, *E. Pritz. in Engl. Jahrb.* xxxv. 362.—Austral.  
 callimorpha, *Hochr. in Bull. Herb. Boiss. Sér. II. v.* 295.—Parag.  
 cardiophylla, *Pritz. in Engl. Jahrb.* xxxv. 362.—Austral.  
 chubutensis, *Speg. in Anal. Mus. Buenos Aires*, vii. 246.—Patag.  
 cymbalaria, *Hochr. in Bull. Herb. Boiss. Sér. II. v.* 291.—Parag.  
 Dinteriana, *Hochr. l. c.* ii. 1001.—Afr. trop.  
 Hassleri, *Hochr. in Ann. Conserv. & Jard. Bot. Genève*, 1902, 33.—Parag.  
 linoides, *Speg. in Anal. Mus. Buenos Aires*, vii. 245 (= *Malvastrum linoides*).—Patag.  
 longifolia, *T. S. Brandegee, in Zoe*, v. 212 (1905).—Mexic.  
 menispermiifolia, *Lignier & Bey, in Bull. Soc. Linn. Norm. Sér. V. viii.* (1904) 248, nomen.—Ind. or.  
 multicrena, *Hochr. in Bull. Herb. Boiss. Sér. II. v.* 295.—Parag.  
 paraguayensis, *Hochr. l. c.* 294.—Parag.  
 tehuelches, *Speg. in Anal. Mus. Buenos Aires*, vii. 247.—Patag.  
 texana, *Small, Fl. S. E. U. S.* 772.—Am. bor.

**SIDALCEA**, A. Gray (Malvac.).

crenulata, A. Nelson, in *Proc. Biol. Soc. Washington*, xvii. 93.—Am. bor.  
 hydrophila, A. A. Heller, *Muhlenbergia*, i. 107.—Calif.  
 interrupta, Greene, *Leaflets Bot. Obs.* i. 75.—Calif.  
 nervata, A. Nelson, in *Proc. Biol. Soc. Washington*, xvii. 94.—Am. bor.  
 ranunculacea, Greene, *Leaflets Bot. Obs.* i. 75.—Calif.  
 rostrata, Eastw. in *Bull. Torr. Bot. Club*, 1902, 80.—Am. bor.

**SIDERANTHUS**, Nutt. (Compos.).

[*APLOPAPPUS*, Cass. I. K.]  
 annuus, Rydb. in *Bull. Torr. Bot. Club*, 1904, 653.—Am. bor.  
 aureus, Small, *Fl. S. E. U. S.* 1186 (= *Aplopappus aureus*).—Am. bor.  
 australis, Rydb. in *Small, l. c.* (= *Eriocarpum australe*).—Am. bor.  
 Cotula, Small, *l. c.*—Am. bor.  
 glaberrimus, Rydb. in *Britton, Man. Fl. N. U. S.* 933.—Am. bor.  
 Gooddingi, A. Nelson, in *Coult. Bot. Gaz.* xxxvii. 266.—Am. bor.  
 grindelioides, Britton, *Man. Fl. N. U. S.* 932 (= *Eriocarpum grindelioides*).—Am. bor.  
 Machaeranthera, Small, *Fl. S. E. U. S.* 1186.—Am. bor.  
 megacephalus, Small, *l. c.* 1185 (= *Eriocarpum megacephalum*).—Am. bor.  
 phyllocephalus, Small, *l. c.* 1186 (= *Aplopappus phyllocephalus*).—Am. bor.  
 rubiginosus, Britton, *Man. Fl. N. U. S.* 932 (= *Eriocarpum rubiginosum*).—Am. bor.

**SIDERITIS**, Tourn. (Labiata.).

euboea, Heldr. in *Delt. Syll. Parn.* 1900, 4; ex Halacsy, *Consp. Fl. Graec.* ii. 499.—Graecia.  
 gaditana, Rouy, *Illustr. Pl. Eur. Rar.* t. 418.—Eur.  
 Ibanyenzii, Pau, in *Bol. Soc. Arag.* ii. 68; et ex Munuera, in *Mem. Soc. Esp. Hist. Nat.* ii. 103.—Hispan.

**SIDEROCARPOS**, Small, in *Bull. N. York Bot. Gard.* ii. 91. **LEGUMINOSAE.**

flexicaulis, Small, *l. c.* (= *Acacia flexicaulis*).—Am. bor.; Mexic.

**SIDEROXYLON**, Linn. (Sapot.).

Abernium, Merrill, in *Philipp. Gov. Lab. Bur. Bull.* xxxv. 55.—Ins. Philipp.  
 angustifolium, Merrill, *l. c.* 56.—Ins. Philipp.  
 chrysophylloides, Pierre, in *Urb. Symb. Antill.* v. 122 (= *Micropholis dominicensis*).—Ind. occ.  
 coriaceum, Merrill, in *Philipp. Gov. Lab. Bur. Bull.* xxix. 44.—Ins. Philipp.  
 cryptophlebium, Engl. *Monogr. Afr. Pfl.* viii. 26 (= *Myrsine cryptophlebia*).—Ins. Aldabra.  
 domingense, Urb. *Symb. Antill.* v. 135.—Ind. occ.  
 glomeratum, Volk, in *Engl. Jahrb.* xxxi. 472.—Ins. Carol.  
 jamaicense, Urb. *Symb. Antill.* v. 134.—Ind. occ.  
 longepetiolatum, King & Prain, in *Ann. Bot. Gard. Calc.* ix. 50.—Ind. or.  
 macranthum, Merrill, in *Philipp. Gov. Lab. Bur. Bull.* xxxv. 56.—Ins. Philipp.  
 portoricense, Pierre, in *Urb. Symb. Antill.* v. 134.—Ind. occ.  
 quadriloculare, Pierre, *l. c.* 133.—Ind. occ.  
 Randii, S. Moore, in *Fourn. Bot.* 1903, 402.—Afr. austr.  
 ramiflorum, Merrill, in *Philipp. Gov. Lab. Bur. Bull.* xvii. 43.—Ins. Philipp.  
 uniloculare, Donn. *Sm. in Coult. Bot. Gaz.* xxxv. (1903) 5.—Am. cent.  
 vitiense, Burkill, in *Fourn. Linn. Soc.* xxxv. 44 (= *Sapota vitiensis*).—Ins. Tonga.

**SIEGESBECKIA**, Linn. (Compos.).

somalensis, S. Moore, in *Fourn. Linn. Soc.* xxxv. 342.—Afr. trop.

**SIEGLINGIA**, Bernh. (Gramin.).

[*TRIODIA*, R. Br. I. K.]  
 antarctica, MacL. in *Rep. Princeton Univ. Exped. Patag.* viii. 214 (= *Triodia antarctica*).—Reg. Magell.

**SIEVERSIA**, Willd. (Rosac.).

[*GEUM*, Linn. I. K.]  
 ciliata, Rydb. in *Britton, Man. Fl. N. U. S.* 509 (= *Geum ciliatum*).—Am. bor.

**SIEVERSIA** :—

gracilipes, Greene, *Leaflets Bot. Obs.* i. 4 (= *Potentilla gracilipes*).—Am. bor.  
 Peckii, Rydb. in *Britton, Man. Fl. N. U. S.* 508 (= *Geum Peckii*).—Am. bor.

**SILENE**, Linn. (Caryophyll.).

aperta, Greene, *Leaflets Bot. Obs.* i. 75.—Calif.  
 Battandierana, Hochr. in *Ann. Conserv. & Jard. Bot. Genève*, vii-viii. 136.—Alger.  
 capitata, Kom. in *Act. Hort. Petrop.* xviii. 440.—As. or.  
 concolor, Greene, *Leaflets Bot. Obs.* i. 153.—Am. bor.  
 demawendica, Bornm. in *Bull. Herb. Boiss. Sér. II.* v. 118.—Persia.  
 eldana, Huter, in *Oesterr. Bot. Zeitschr.* 1904, 338.—Eur.  
 emarginata, Pantu & Procop. in *Bul. Erb. Inst. Bot. Bucarest*, i. 94.—Eur.  
 glaucina, F. N. Williams, in *Fourn. Bot.* 1905, 282.—Chili.  
 grandis, Eastw. in *Bull. Torr. Bot. Club*, 1903, 487.—Calif.  
 Hayekiana, Hand.-Mazz. & Janchen, in *Oesterr. Bot. Zeitschr.* 1905, 429.—Eur.  
 jennensis, Gand. in *Bull. Soc. Bot. Fr.* lii. 449.—Hispan.  
 koreana, Kom. in *Act. Hort. Petrop.* xviii. 440.—Corea.  
 oranensis, Hochr. in *Ann. Conserv. & Jard. Bot. Genève*, vii-viii. 137.—Alger.  
 Pomeli, Batt. in *Batt. & Trab. Fl. Alger. Tunis*, 56.—Afr. bor.  
 salsuginosa, Fomine, in *Act. Hort. Tiflis*, vi. III. 34.—Reg. Caucas.  
 schuganica, B. Fedtsch. in *Trav. Mus. Bot. Acad. Petersb.* i. 119.—As. cent.  
 ventricosa, Adam, in *Oesterr. Bot. Zeitschr.* 1905, 180.—Turcia.  
 Williamsii, Britton, in *Britton & Rydb. in Bull. N. York Bot. Gard.* ii. 168.—Am. bor.

**SILPHIUM**, Linn. (Compos.).

angustum, Small, *Fl. S. E. U. S.* 1244.—Am. bor.  
 confertifolium, Small, *l. c.* 1243.—Am. bor.  
 Elliottii, Small, *l. c.*—Am. bor.  
 Gatesii, Mohr, in *U. S. Dept. Agric. Contrib. Nat. Herb.* vi. 793.—Am. bor.  
 glabrum, Eggert, in *Small, Fl. S. E. U. S.* 1243.—Am. bor.  
 ovatifolium, Small, in *Fl. S. E. U. S.* 1242.—Am. bor.

**SILVIA**, Allem. (Laurac.).

[*ENDIANDRA*, R. Br. I. K.]  
 polyantha, Mez, in *Bull. Herb. Boiss. Sér. II.* v. 233.—Bras.

**SIMBULETA**, Forsk. (Scrophul.).

[*ANARRHINUM*, Desf. I. K.]  
 composita, Pau, in *Bull. Acad. Géogr. Bot.* xiv. (1904) 211.—Hybr.  
 fruticosa, Hochr. in *Ann. Conserv. & Jard. Bot. Genève*, vii-viii. 208 (= *Anarrhinum fruticosum*).—Alger.  
 pedata, Hochr. *l. c.* 207 (= *Anarrhinum pedatum*).—Alger.

**SINNINGIA**, Nees (Gesner.).

discolor, Sprague, in *Gard. Chron.* 1904, II. 87 (= *Ligeria discolor*).—Bras.  
 Regina, Sprague, *l. c.*—Bras.

**SIPANEA**, Aubl. (Rubiace.).

acinifolia, Spruce, ex Sprague, in *Trans. Proc. Bot. Soc. Edinb.* xxii. 433.—Venez.

**SIPARUNA**, Aubl. (Monim.).

argyrochrysea, Perkins, in *Engl. Jahrb.* xxviii. 702.—Guiana.  
 calocarpa, Perkins, in *Fedde, Repert. Nov. Sp.* i. 153.—Peruv.  
 caloneura, Perkins, in *Engl. Jahrb.* xxviii. 681.—Ind. occ.  
 cervicornis, Perkins, in *Verh. Bot. Ver. Brand.* xlvii. (1905) 145.—Reg. Amaz.  
 chlorantha, Perkins, in *Engl. Jahrb.* xxviii. 677.—Bras.  
 chrysantha, Perkins, *l. c.* 686.—Boliv.  
 chrysothrix, Perkins, *l. c.* xxxi. 746.—Am. cent.  
 cinerea, Perkins, *l. c.* xxviii. 695.—Boliv.  
 crassiflora, Perkins, *l. c.* 702.—Peruv.  
 davillifolia, Perkins, *l. c.* 681.—Am. cent.

**SIPARUNA** :—

exsculpta, Perkins, in *Verh. Bot. Ver. Brand.* xlvii. (1905) 144.—Peruv.  
 glossostyla, Perkins, in *Engl. Jahrb.* xxviii. 704.—Bras.  
 grandiflora, Perkins, *l. c.* 685 (= *Citrosma grandiflora*).—N. Granat.  
 grisea, Perkins, *l. c.* xxxi. 747.—Am. cent.  
 griseo-flavescens, Perkins, *l. c.* xxviii. 693.—Am. cent.  
 harongifolia, Perkins, *l. c.* 686.—Peruv.  
 hylophila, Perkins, *l. c.* 685.—Bras.  
 hypoglaucia, Perkins, *l. c.* 691.—Boliv.  
 lepidantha, Perkins, *l. c.* 701.—Am. trop. austr.  
 lorentensis, Perkins, in *Verh. Bot. Ver. Brand.* xlvii. (1905) 143.—Peruv.  
 lyrata, Perkins, *l. c.* 142.—Peruv.  
 macrotepala, Perkins, *l. c.* 140.—Peruv.  
 magnifica, Perkins, in *Engl. Jahrb.* xxviii. 699.—Peruv.  
 Mathewsii, Perkins, *l. c.* 680.—Peruv.  
 microphylla, Perkins, in *Verh. Bot. Ver. Brand.* xlvii. (1905) 140.—Reg. Amaz.  
 minutiflora, Perkins, in *Engl. Jahrb.* xxviii. 674.—Bras.  
 Mourae, Perkins, *l. c.* 675.—Bras.  
 parallelopora, Perkins, *l. c.* 688.—Am. cent.  
 parviflora, Perkins, in *Verh. Bot. Ver. Brand.* xlvii. (1905) 141.—Peruv.  
 patelliformis, Perkins, in *Engl. Jahrb.* xxviii. 692.—Am. cent.  
 pyricarpa, Perkins, *l. c.* 690 (= *Citrosma pyricarpa*).—Peruv.  
 salvioidea, Perkins, *l. c.* 697.—Ecuador.  
 Santae-Lucia, Perkins, *l. c.* 677.—Ind. occ.  
 sarmentosa, Perkins, in *Verh. Bot. Ver. Brand.* xlvii. (1905) 145.—Reg. Amaz.  
 saurauifolia, Perkins, in *Fedde, Repert. Nov. Sp.* i. 155.—Peruv.  
 scabra, Perkins, in *Engl. Jahrb.* xxviii. 684.—Ind. occ.  
 spectabilis, Perkins, *l. c.* 686.—Boliv.  
 steleandra, Perkins, *l. c.* 700.—N. Granat.  
 stellulata, Perkins, *l. c.* 689.—Venez.  
 Sumichrastii, Perkins, *l. c.* 682.—Mexic.  
 tabacifolia, Perkins, in *Verh. Bot. Ver. Brand.* xlvii. (1905) 144.—Peruv.  
 tenuipes, Perkins, in *Engl. Jahrb.* xxviii. 680.—Bras.  
 ternata, Perkins, *l. c.* 691.—N. Granat.  
 tetraceroides, Perkins, *l. c.* 689.—Am. cent.  
 tomentosa, Perkins, *l. c.* 691 (= *Citrosma tomentosa*).—Peruv.  
 Tonduziana, Perkins, *l. c.* xxxi. 746.—Am. cent.  
 Tulasnei, Perkins, *l. c.* xxviii. 688.—Peruv.  
 Uleana, Perkins, in *Verh. Bot. Ver. Brand.* xlvii. (1905) 142.—Peruv.  
 umbelliflora, Perkins, in *Fedde, Repert. Nov. Sp.* i. 153.—Peruv.  
 Urbaniana, Perkins, in *Engl. Jahrb.* xxviii. 683.—Ind. occ.  
 venezuelensis, Perkins, *l. c.* 679.—Venez.  
 Weberbaueri, Perkins, in *Fedde, Repert. Nov. Sp.* i. 154.—Peruv.

**SIPHONANDRIUM**, K. Schum. in K. Schum. & Lauterb. Nachtr. *Fl. Deutsch. Südsee* (1905) 394. **RUBIACEAE.**

intricatum, K. Schum. *l. c.* 395.—N. Guin.

**SIPHONANTHUS**, Linn. (Verben.).

[*CLERODENDRON*, Linn. I. K.]  
 capitata, S. Moore, in *Fourn. Linn. Soc.* xxxvii. 198 (= *Clerodendron capitatum*).—Afr. trop.  
 floribunda, J. Britten, *Bot. Cook Voy.* 75 (= *Clerodendron floribundum*).—Austral.  
 nuxioides, S. Moore, in *Fourn. Linn. Soc.* xxxvii. 197.—Afr. trop.  
 rotundifolia, S. Moore, *l. c.* 198 (= *Clerodendron rotundifolium*).—Afr. trop.  
 triphylla, Hiern, ex S. Moore, in *Fourn. Bot.* 1903, 405 (= *Clerodendron triphyllum*).—Afr. austr.

**SIPHONELLA**, Small, *Fl. S. E. U. S.* 1129 (1903). **VALERIANACEAE.**

longiflora, Small, *l. c.* (= *Fedia longiflora*).—Am. bor.  
 Nuttallii, Small, *l. c.* (= *Fedia Nuttallii*).—Am. bor.

**SIPHONOGLLOSSA**, Oerst. (Acanth.).

gentianifolia, Lindau, in *Bull. Herb. Boiss. Sér. II.* v. 370.—Parag.  
 linifolia, C. B. Clarke, in *Dyer, Fl. Cap.* v. 75 (= *Aulostictia linifolia*).—Afr. austr.

**SIPHONYCHIA**, Torr. & Gray (Illecebr.).

pauciflora, Small, *Fl. S. E. U. S.* 402.—Am. bor.

**SISYMBRIUM**, Linn. (Crucif.).

- Ameghinoi, *Speg. in Anal. Mus. Buenos Aires*, vii. 217.—Patag.  
 decumbens, *Blank. in Montana Agric. Coll. Sci. Studies, Bot.* i. 60 (= *Schoenocrambe decumbens*).—Am. bor.  
 erucastroides, *Bornm. in Bull. Herb. Boiss. Sér. II. iv.* 1263 (= *Brassica erucastroides*).—Persia.  
 fuegianum, *Speg. Nov. Add. Fl. Patag.* i. (1901), repr. 9 (= *Schisopetalum fuegianum*).—Patag.  
 hararensis, *Engl. Jahrb.* xxxii. 98.—Afr. trop.  
 Kneuckeri, *Bornm. in Allg. Bot. Zeitschr.* 1903, 45, 127.—Sinai.  
 maclovianum, *Speg. in Anal. Mus. Buenos Aires*, vii. 216 = fuegianum.  
 Morenoanum, *Chod. & Wilcz. in Bull. Herb. Boiss. Sér. II. ii.* 291.—Reg. Argent.  
 parvulum, *Lipsky, in Act. Hort. Petrop.* xxiii. 25.—As. cent.  
 pinnatum, *Jepson, Fl. W. Mid. Calif.* 215 = canescens.  
 procerum, *K. Schum. in Just's Jahrb.* xxviii. i. 434 (= *Sophia procera*).—Am. bor.  
 pseudo-Boissieri, *Degen, in Bull. Acad. Géogr. Bot.* xv. (1905) 170.—Hispan.  
 robustum, *Chod. & Wilcz. in Bull. Herb. Boiss. Sér. II. ii.* 290.—Reg. Argent.  
 subscaudens, *Speg. Nov. Add. Fl. Patag.* i. (1901), repr. 11.—Patag.  
 tehuelches, *Speg. in Anal. Mus. Buenos Aires*, vii. 218.—Patag.  
 turcomanicum, *Litw. in Trav. Mus. Bot. Acad. Pétersb.* i. 36.—Turkestan.  
 turritoides, *Loesen. in Bull. Herb. Boiss. Sér. II. iii.* 90.—Am. cent.  
 viscosum, *Blank. in Montana Agric. Coll. Sci. Studies, Bot.* i. 60 (= *Sophia viscosa*).—Am. bor.

**SISYRANTHUS**, E. Mey. (Asclep.).

- Randii, *S. Moore, in Journ. Bot.* 1903, 200.—Afr. austr.

**SISYRINCHIUM**, Linn. (Irid.).

- amethystinum, *E. P. Bickn. in Bull. Torr. Bot. Club*, 1901, 581.—Am. bor.  
 amoenum, *E. P. Bickn. l. c.* 584.—Am. bor.  
 apiculatum, *E. P. Bickn. in Britton, Man. Fl. N. U. S.* 287.—Am. bor.  
 arenicola, *E. P. Bickn. l. c.*—Am. bor.  
 bifforme, *E. P. Bickn. in Bull. Torr. Bot. Club*, 1901, 575.—Am. bor.  
 bracteatum, *Greenm. in Proc. Amer. Acad.* xxxix. 74.—Mexic.  
 Brayi, *E. P. Bickn. in Bull. Torr. Bot. Club*, 1901, 585.—Am. bor.  
 Bushii, *E. P. Bickn. l. c.* 587.—Am. bor.  
 campestre, *E. P. Bickn. in Britton, Man. Fl. N. U. S.* 286.—Am. bor.  
 Canbyi, *E. P. Bickn. in Bull. Torr. Bot. Club*, 1901, 588.—Am. bor.  
 capillare, *Baker, in Bull. Herb. Boiss. Sér. II. iii.* 1105.—Parag.  
 colubriferum, *E. P. Bickn. in Bull. Torr. Bot. Club*, 1901, 589.—Am. bor.  
 Eastwoodiae, *E. P. Bickn. l. c.* 1904, 385.—Calif.  
 ensigerum, *E. P. Bickn. l. c.* 1901, 580.—Am. bor.  
 exile, *E. P. Bickn. l. c.* 573.—Am. bor.  
 Farwellii, *E. P. Bickn. in Britton, Man. Fl. N. U. S.* 287.—Am. bor.  
 flaccidum, *E. P. Bickn. in Bull. Torr. Bot. Club*, 1901, 591.—Am. bor.  
 flaviflorum, *E. P. Bickn. in Britton, Man. Fl. N. U. S.* 286.—Am. bor.  
 fibrosum, *E. P. Bickn. in Small, Fl. S. E. U. S.* 298.—Am. bor.  
 funereum, *E. P. Bickn. in Bull. Torr. Bot. Club*, 1904, 387.—Calif.  
 grande, *Baker, in Bull. Herb. Boiss. Sér. II. iii.* 1106.—Parag.  
 Greenei, *E. P. Bickn. in Bull. Torr. Bot. Club*, 1904, 388.—Am. bor.  
 Hasslerianum, *Baker, in Bull. Herb. Boiss. Sér. II. iii.* 1106.—Parag.  
 hostile, *E. P. Bickn. in Britton, Man. Fl. N. U. S.* 285.—Am. bor.  
 Helleri, *E. P. Bickn. in Bull. Torr. Bot. Club*, 1901, 590.—Am. bor.  
 hesperium, *E. P. Bickn. l. c.* 1904, 390.—Calif.  
 hirsutum, *Baker, in Bull. Herb. Boiss. Sér. II. iii.* 1106.—Parag.

**SISYRINCHIUM**—

- intermedium, *E. P. Bickn. in Britton, Man. Fl. N. U. S.* 286.—Am. bor.  
 longifolium, *E. P. Bickn. in Small, Fl. S. E. U. S.* 300.—Am. bor.  
 longipedunculatum, *E. P. Bickn. in Bull. Torr. Bot. Club*, 1901, 577.—Am. bor.  
 macrocarpon, *E. P. Bickn. l. c.* 576.—Am. bor.  
 macrophyllum, *Greenm. in Proc. Amer. Acad.* xl. 28.—Mexic.  
 maritimum, *A. A. Heller, Muhlenbergia*, i. 48.—Calif.  
 oreophilum, *E. P. Bickn. in Bull. Torr. Bot. Club*, 1904, 381.—Calif.  
 Palmeri, *Greenm. in Proc. Amer. Acad.* xxxix. 75.—Mexic.  
 pruinatum, *E. P. Bickn. in Bull. Torr. Bot. Club*, 1901, 578.—Am. bor.  
 radicum, *E. P. Bickn. l. c.* 576.—Am. bor.  
 recurvatum, *E. P. Bickn. in Small, Fl. S. E. U. S.* 299.—Am. bor.  
 strictum, *E. P. Bickn. in Britton, Man. Fl. N. U. S.* 288.—Am. bor.  
 texanum, *E. P. Bickn. in Bull. Torr. Bot. Club*, 1901, 576.—Am. bor.  
 varians, *E. P. Bickn. l. c.* 583.—Am. bor.  
 violaceum, *E. P. Bickn. in Small, Fl. S. E. U. S.* 301.—Am. bor.

**SISYROLEPIS**, Radlk. apud F. N. Williams, in *Bull. Herb. Boiss. Sér. II. v.* (1905) 222. **SAPIN-DACEAE.****siamensis**, Radlk. l. c.—Siam.**SITANION**, Rafn. (Gramin.).

- [ELYMUS, Linn. i. K.]  
 albescens, *Elmer, in Coult. Bot. Gaz.* xxxvi. 57.—Am. bor.  
 basalticola, *Piper, in Bull. Torr. Bot. Club*, 1903, 234.—Am. bor.  
 ciliatum, *Elmer, in Coult. Bot. Gaz.* xxxvi. 58.—Am. bor.  
 marginatum, *Scribn. in Bull. Torr. Bot. Club*, 1902, 469.—Am. bor.  
 rubescens, *Piper, in Bull. Torr. Bot. Club*, 1903, 234.—Am. bor.  
 strictum, *Elmer, in Coult. Bot. Gaz.* xxxvi. 59.—Am. bor.  
 velutinum, *Piper, in Bull. Torr. Bot. Club*, 1903, 233.—Am. bor.

**SLOANEA**, Linn. (Tiliac.).

- meianthera, *Donn. Sm. in Coult. Bot. Gaz.* xxxvii. 208.—Am. cent.  
 Nymanii, *K. Schum. in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 314.—N. Guin.

**SMELOWSKIA**, C. A. Mey. (Crucif.).

- alba, *B. Fedtsch, in Act. Hort. Petrop.* xxiii. 423 = cinerea.  
 americana, *Rydb. in Bull. Torr. Bot. Club*, 1902, 239.—Am. bor.  
 lineariloba, *Rydb. l. c.* 1904, 555.—Am. bor.  
 sisymbrioides, *Paulsen, in Kjoeb. Vidensk. Meddel.* 1903, 137 (= *Hutchinsia sisymbrioides*).—As. cent.  
 tibetica, *Lipsky, in Act. Hort. Petrop.* xxiii. 76 (= *Capsella Thomsoni*).—As. cent.

**SMILAX**, Linn. (Liliac.).

- brevipes, *Ford. in Ford. & Fourr. Ic. Fl. Eur.* iii. 42.—Corsica.  
 conferta, *Ford. l. c.* 43.—Corsica.  
 Goetzeana, *Engl. Jahrb.* xxx. 275.—Afr. trop.  
 inermis, *Ford. in Ford. & Fourr. Ic. Fl. Eur.* iii. 43.—Corsica.  
 intricatissima, *Ford. l. c.* 44.—Gallia.  
 lata, *Small, Fl. S. E. U. S.* 284.—Am. bor.  
 Nebelii, *Gilg, in Engl. Jahrb.* xxxiv. Beibl. lxxv. 26.—China.  
 oxycarpa, *Ford. in Ford. & Fourr. Ic. Fl. Eur.* iii. 43.—Corsica.  
 peduncularis, *Ford. l. c.* 42.—Corsica.  
 platyphylla, *Ford. l. c.* 43.—Corsica.  
 subarmata, *O. E. Schulz, in Urb. Symb. Antill.* v. 28.—Ind. occ.

**SMITHIA**, Ait. (Legum.).

- Goetzei, *Harms, in Engl. Jahrb.* xxx. 329.—Afr. trop.  
 Harmsiana, *Wildem. in Ann. Mus. Congo, Sér. IV.* 52.—Afr. trop.

**SOBOLEWSKIA**, Bieb. (Crucif.).

- caucasica, *Busch, in Bull. Jard. Bot. Pétersb.* v. 72.—Reg. Caucas.  
 truncata, *Busch, l. c.*—Reg. Caucas.

**SOBRALIA**, Ruiz & Pav. (Orchid.).

- pubescens, *Cogn. in Mart. Fl. Bras.* iii. v. 347 (= *Palmorchis pubescens*).—Bras.  
 Rodriguesii, *Cogn. l. c.* 340 (= *Palmorchis sobralioides*).—Bras.  
 Weberbaueriana, *Kraenzl. in Fedde, Repert. Nov. Sp.* i. 188.—Peruv.

**SOLANUM**, Linn. (Solan.).

- amatitlanense, *Coult. & Donn. Sm. in Coult. Bot. Gaz.* xxxvii. 420.—Am. cent.  
 arizonicum, *Parish, in Proc. Calif. Acad.* Ser. III. ii. 165.—Am. bor.  
 arrazolense, *Coult. & Donn. Sm. in Coult. Bot. Gaz.* xxxvii. 421.—Am. cent.  
 Brownii, *Chod. in Bull. Herb. Boiss. Sér. II. ii.* 747.—Parag.  
 Buettneri, *Damm. in Engl. Jahrb.* xxxviii. 59.—Afr. trop.  
 Concepcionis, *Chod. & Hassl. in Bull. Herb. Boiss. Sér. II. iv.* 82.—Parag.  
 darassumense, *Damm. in Engl. Jahrb.* xxxviii. 57.—Afr. trop.  
 dennekense, *Damm. l. c.*—Afr. trop.  
 Dewevrei, *Damm. ex Wildem. & Th. Dur. in Ann. Mus. Congo, Sér. III. i.* 290.—Afr. trop.  
 dimorphum, *Matsum. in Bot. Mag. Tokyo*, xv. 56.—Hort.  
 Durandii, *Damm. ex Wildem. & Th. Dur. in Ann. Mus. Congo, Sér. III. i.* 290.—Afr. trop.  
 Ellenbeckii, *Damm. in Engl. Jahrb.* xxxviii. 58.—Afr. trop.  
 evolvulifolium, *Greenm. in Coult. Bot. Gaz.* xxxvii. 211.—Am. cent.  
 Hasslerianum, *Chod. in Bull. Herb. Boiss. Sér. II. ii.* 747.—Parag.  
 interius, *Rydb. in Bull. Torr. Bot. Club*, 1904, 641.—Am. bor.  
 ipomaeoides, *Chod. & Hassl. in Bull. Herb. Boiss. Sér. II. iv.* 80.—Parag.  
 Laurentii, *Wildem. Enum. Pl. Laurent*, 176.—Afr. trop.  
 longestamineum, *Damm. in Engl. Jahrb.* xxxviii. 58.—Afr. trop.  
 lyciiforme, *Damm. l. c.* xxxvii. 168.—Reg. Argent.  
 margaritense, *J. R. Johnston, in Proc. Amer. Acad.* xl. 695.—Venez.  
 mazatenangense, *Coult. & Donn. Sm. in Coult. Bot. Gaz.* xxxvii. 421.—Am. cent.  
 mitratum, *Greenm. in Coult. Bot. Gaz.* xxxvii. 211.—Am. cent.  
 molinum, *Fernald, in Sargent, Trees & Shrubs*, i. 97.—Mexic.  
 paraguariense, *Chod. in Bull. Herb. Boiss. Sér. II. ii.* 814.—Parag.  
 polyadenium, *Greenm. in Proc. Amer. Acad.* xxxix. 89.—Mexic.  
 pseudoauriculatum, *Chod. & Hassl. in Bull. Herb. Boiss. Sér. II. iv.* 81.—Parag.  
 pseudolycioides, *Chod. & Hassl. l. c.* 84.—Parag.  
 quichense, *Coult. & Donn. Sm. in Coult. Bot. Gaz.* xxxvii. 422.—Am. cent.  
 quindiuense, *A. Zahlbr. in Beih. Bot. Centralbl.* xiii. 82.—N. Granat.  
 racemigerum, *Zodda, in Ann. di Bot. Roma*, ii. 272 (= *Lycopersicum racemigerum*).—Am. bor.  
 runsoriense, *C. H. Wright, in Johnston, Uganda Prot.* i. 326.—Afr. trop.  
 Sanctaeclarae, *Greenm. in Coult. Bot. Gaz.* xxxvii. 211.—Am. cent.  
 sapiaceum, *Damm. in Engl. Jahrb.* xxxviii. 60.—Afr. trop.  
 tenuilobatum, *Parish, in Proc. Calif. Acad.* Ser. III. ii. 165.—Am. bor.  
 Theresiae, *A. Zahlbr. in Beih. Bot. Centralbl.* xiii. 83.—Boliv.  
 togoense, *Damm. in Engl. Jahrb.* xxxviii. 59.—Afr. trop.  
 Tuerckheimii, *Greenm. in Coult. Bot. Gaz.* xxxvii. 212.—Am. cent.  
 turneroides, *Chod. in Bull. Herb. Boiss. Sér. II. ii.* 814.—Parag.

**SOLANUM** :—

- umbatile, *J. R. Johnston*, in *Proc. Amer. Acad.* xl. 695.—Venez.  
 Wallacei, *Parish*, in *Proc. Calif. Acad. Ser.* III. ii. 166.—Am. bor.  
 Wildemanii, *Damm*, ex *Wildem. & Th. Dur.* in *Ann. Mus. Congo*, Sér. III. i. 291.—Afr. trop.  
 wissaduloides, *S. Moore*, in *Journ. Bot.* 1904, 105.—Parag.  
 withaniifolium, *Damm*, in *Engl. Jahrb.* xxxviii. 58.—Afr. trop.  
 Zuccagnianum, *Damm*, in *Wildem. Enum. Pl. Laurent*, 177, nomen.—Afr. trop.

**SOLDANELLA**, Linn. (Primul.).

- austriaca, *Vierh.* in *Urb. & Graebn. Festschr. Aschers.* 502.—Eur.  
 carpatica, *Vierh.* l. c. 504.—Eur.  
 Jancheni, *Vierh.* l. c. 506.—Hybr.  
 lungoviensis, *Vierh.* in *Oesterr. Bot. Zeitschr.* 1904, 349.—Hybr.  
 mixta, *Vierh.* in *Urb. & Graebn. Festschr. Aschers.* 506.—Hybr.  
 occidentalis, *Vierh.* l. c. 503.—Eur.  
 uremanniana, *Vierh.* l. c. 508.—Hybr.  
 Wettsteinii, *Vierh.* l. c. 507.—Hybr.

**SOLENANTHUS**, Ledeb. (Borag.).

- albanicus, *Degen & Baldacci*, in *Magyar Bot. Lap.* ii. 315 (= *Cynoglossum albanicum*).—Albania.  
 karateginus, *Lipsky*, in *Act. Hort. Petrop.* xxiii. 196.—As. cent.  
 Kuschakewiczii, *Lipsky*, l. c. 182 (= *Kuschakewiczia turkestanica*).—As. cent.  
 plantaginifolius, *Lipsky*, l. c. 198.—As. cent.  
 Reverchonii, *Degen*, in *Magyar Bot. Lap.* ii. 311 (= *Cynoglossum Reverchonii*).—Hispan.  
 stylosus, *Lipsky*, in *Act. Hort. Petrop.* xxiii. 193 (= *Cynoglossum stylosum*).—As. cent.

**SOLIDAGO**, Linn. (Compos.).

- aureola, *Greene*, in *Pittonia*, iv. 236.—Am. bor.  
 austrina, *Small*, *Fl. S. E. U. S.* 1200.—Am. bor.  
 caurina, *Piper*, in *Bull. Torr. Bot. Club*, 1901, 40.—Am. bor.  
 celtidifolia, *Small*, *Fl. S. E. U. S.* 1198.—Am. bor.  
 chrysolepis, *Fernald*, in *Ottawa Naturalist*, xix. 168.—Am. bor.  
 Earlei, *Small*, *Fl. S. E. U. S.* 1197.—Am. bor.  
 hesperius, *Howell*, *Fl. N. W. Amer.* i. 303.—Am. bor.  
 laeta, *Greene*, *Pittonia*, v. 138.—Am. bor.  
 laevicaulis, *Rydb.* in *Bull. Torr. Bot. Club*, 1904, 649.—Am. bor.  
 longipetiolata, *Mackenzie & Bush*, *Fl. Jacks. County*, 194; et in *Trans. Acad. St. Louis*, xii. 87.—Am. bor.  
 ludoviciana, *Small*, *Fl. S. E. U. S.* 1199.—Am. bor.  
 Niederederi, *Khek*, in *Allg. Bot. Zeitschr.* 1905, 22.—Hybr.  
 pallescens, *Mohr*, in *U. S. Dept. Agric. Contrib. Nat. Herb.* vi. 776.—Am. bor.  
 pendula, *Small*, *Fl. S. E. U. S.* 1197.—Am. bor.  
 pinetorum, *Small*, l. c. 1200.—Am. bor.  
 polyphylla, *Rydb.* in *Bull. Torr. Bot. Club*, 1904, 651.—Am. bor.  
 Porteri, *Small*, *Fl. S. E. U. S.* 1194.—Am. bor.  
 Pringlei, *Fernald*, in *Proc. Amer. Acad.* xxxvi. 505.—Mexic.  
 radulina, *Rydb.* in *Bull. Torr. Bot. Club*, 1904, 650.—Am. bor.  
 Randii, *Britton*, *Man. Fl. N. U. S.* 937.—Am. bor.  
 rubra, *Rydb.* in *Bull. Torr. Bot. Club*, 1904, 649.—Am. bor.  
 scopulorum, *A. Nelson*, in *Coult. Bot. Gaz.* xxxvii. 264.—Am. bor.  
 serra, *Rydb.* in *Bull. Torr. Bot. Club*, 1904, 650.—Am. bor.  
 strigosa, *Small*, *Fl. S. E. U. S.* 1198.—Am. bor.  
 Vaseyi, *A. A. Heller*, *Muhlenbergia*, i. 7 (1900); *Mohr*, in *U. S. Dept. Agric. Contrib. Nat. Herb.* vi. 776.—Am. bor.  
 venulosa, *Greene*, *Pittonia*, v. 138.—Am. bor.  
 viscidula, *Rydb.* in *Bull. Torr. Bot. Club*, 1904, 651.—Am. bor.  
 Wardii, *Britton*, *Man. Fl. N. U. S.* 935.—Am. bor.  
 yukonensis, *Gandoger*, in *Bull. Soc. Bot. Fr.* l. 213.—Am. arct.

**SOLLYA**, Lindl. (Pittosp.).

- erecta, *Andrews*, in *Journ. Muell. Soc. W. Austral.* i. 38.—Austral.

**SONCHUS**, Linn. (Compos.).

- Dianthoseris, *Chiov.* in *Ann. Ist. Bot. Roma*, viii. 200 (= *Dianthoseris Rueppellii*).—Afr. trop.  
 lasiorhizus, *O. Hoffm.* in *Engl. Jahrb.* xxx. 444.—Afr. trop.  
 violaceus, *O. Hoffm.* l. c. 443.—Afr. trop.  
 vulgaris, *Rouy*, *Fl. Fr.* ix. 204.—Gallia.

**SOPHIA**, Linn. (Crucif.).

- [*SISYMBRIUM*, Tourm. I. K.]  
 andrenarum, *Piper*, in *Bull. Torr. Bot. Club*, 1901, 48.—Am. bor.  
 brachycarpa, *Rydb.* in *Britton*, *Man. Fl. N. U. S.* 462 (= *Sisymbrium brachycarpon*).—Am. bor.  
 brevipes, *Rydb.* in *Bull. Torr. Bot. Club*, xxix. 238.—Am. bor.  
 californica, *Rydb.* l. c.—Am. bor.  
 Cumingiana, *Macl.* in *Rep. Princeton Univ. Exped. Patag.* viii. 447 (= *Sisymbrium Cumingianum*).—Am. austr.  
 deserticola, *Macl.* l. c. 448 (= *Sisymbrium deserticum*).—Patag.  
 glandulifera, *Rydb.* in *Bull. Torr. Bot. Club*, 1901, 281.—Am. bor.  
 glaucescens, *Macl.* in *Rep. Princeton Univ. Exped. Patag.* viii. 448 (= *Sisymbrium glaucescens*).—Patag.  
 heterotricha, *Macl.* l. c. (= *Descurainia heterotricha*).—Patag.  
 intermedia, *Rydb.* in *Britton*, *Man. Fl. N. U. S.* 462.—Am. bor.  
 leptophylla, *Rydb.* in *Bull. Torr. Bot. Club*, xxix. 239.—Am. bor.  
 myriophylla, *Rydb.* in *Britton*, *Man. Fl. N. U. S.* 462 (= *Sisymbrium myriophyllum*).—Am. bor.  
 obtusa, *Greene*, *Leaflets Bot. Obs.* i. 96.—Am. bor.  
 purpurascens, *Rydb.* in *Bull. Torr. Bot. Club*, 1904, 556.—Am. bor.  
 ramosa, *Rydb.* l. c.—Am. bor.  
 serrata, *Greene*, *Leaflets Bot. Obs.* i. 96.—Am. bor.  
 tenuissima, *Macl.* in *Rep. Princeton Univ. Exped. Patag.* viii. 450 (= *Sisymbrium tenuissimum*).—Patag.  
 viscosa, *Rydb.* in *Bull. Torr. Bot. Club*, xxix. 238.—Am. bor.

**SOPHORA**, Linn. (Legum.).

- Bakeri, *C. B. Clarke*, ex *Baker*, in *Kew Bull.* 1901, 139 (vide citationem priorem in supplemento secundo).—Ind. or.  
 chathamica, *Cockayne*, in *Trans. N. Z. Inst.* xxxiv. 319.—Ins. Chatham.

**SOPHRONANTHE**, Benth. (Scrophul.).

- [*GRATIOLA*, Rupp. I. K.]  
 pilosa, *Small*, *Fl. S. E. U. S.* 1067 (= *Gratiola pilosa*).—Am. bor.

**SOPHRONITIS**, Lindl. (Orchid.).

- australis, *Cogn.* in *Mart. Fl. Bras.* iii. v. 322.—Bras.  
 rupestris, *Cogn.* l. c. (= *Constantia rupestris*).—Bras.

**SOPUBIA**, Buch.-Ham. (Scrophul.).

- conferta, *S. Moore*, in *Journ. Linn. Soc.* xxxvii. 191.—Afr. trop.  
 fastigiata, *Hiern*, in *Dyer, Fl. Cap.* iv. II. 387.—Afr. austr.  
 ugandensis, *S. Moore*, in *Journ. Linn. Soc.* xxxvii. 192.—Afr. trop.

**SORBARIA**, A. Br. (Rosac.).

- [*SPIRAEA*, Linn. I. K.]  
 arborea, *Schneider*, *Ill. Handb. Laubholzsk.* i. (1904) 490.—China.  
 assurgens, *Vilm. & Bois*, *Fruit. Vilm. Cat.* i. 75.—China.  
 stellipila, *Schneider*, *Ill. Handb. Laubholzsk.* i. (1904) 489.—Japan.

**SORBUS**, Linn. (Rosac.).

- [*PYRUS*, Tourm. I. K.]  
 acutiloba, *Hedl.* in *Svensk. Vet. Akad. Handl.* xxxv. No. 1, 106 (= *Pyrus acutiloba*).—Germania.  
 alpina, *Hedl.* l. c. 115 (= *Pyrus alpina*).—Hybr.?  
 americana, *Herb. L. B.* ex *Hedl.* l. c. = commixta.  
 armeniaca, *Hedl.* l. c. 69.—Armenia.  
 arranensis, *Hedl.* l. c. 60.—Scotia.  
 austriaca, *Hedl.* l. c. 65.—Eur.  
 carpinifolia, *Hedl.* l. c. 85.—Eur.  
 cashmiriana, *Hedl.* l. c. 35.—Reg. Himal.  
 commixta, *Hedl.* l. c. 38.—Japan.  
 cuspidata, *Hedl.* l. c. 89 (= *Crataegus cuspidata*).—Reg. Himal.

**SORBUS** :—

- decipiens, *Hedl.* in *Svensk. Vet. Akad. Handl.* xxxv. no. 1, 98 (= *Pyrus decipiens*).—Eur.; Oriens.  
 decurrens, *Hedl.* l. c. 48.—Hybr.?  
 discolor, *Hedl.* l. c. 37 (= *Pyrus discolor*).—China.  
 dubia, *Hedl.* l. c. 96.—Hybr.?  
 glabrata, *Hedl.* l. c. 45.—Eur.  
 incana, *Hedl.* l. c. 105.—Hybr.?  
 incisa, *Hedl.* l. c. 82.—Eur.  
 insignis, *Hedl.* l. c. 32 (= *Pyrus insignis*).—Reg. Himal.  
 japonica, *Koehne*, in *Wittm. Gartenfl.* 1901, 408.—Japan.  
 longifolia, *Hedl.* in *Svensk. Vet. Akad. Handl.* xxxv. no. 1, 82.—Eur.  
 Matsumurana, *Koehne*, in *Wittm. Gartenfl.* 1901, 407 (= *Pyrus Matsumurana*).—Japan.  
 Meinichii, *Hedl.* in *Svensk. Vet. Akad. Handl.* xxxv. no. 1, 49.—Hybr.  
 minima, *Hedl.* l. c. 61 (= *Pyrus minima*).—Cambria.  
 nepalensis, *Hort. ex. Hedl.* l. c. 89 = cuspidata.  
 obtusata, *Hedl.* l. c. 92 (= *Crataegus obtusata*).—Hort.  
 obtusifolia, *Hedl.* l. c. 80.—Eur.  
 parviflora, *Hedl.* l. c. 39 (= *Pyrus micrantha*).—Japan.  
 paucicrenata, *Hedl.* l. c. 98 (= *Pyrus paucicrenata*).—Hybr.?  
 pekinensis, *Koehne*, in *Wittm. Gartenfl.* 1901, 406.—China.  
 persica, *Hedl.* in *Svensk. Vet. Akad. Handl.* xxxv. no. 1, 70.—Persia.  
 pohuashanensis, *Hedl.* l. c. 33 (= *Pyrus pohuashanensis*).—China.  
 pseudaria, *Hedl.* l. c. 110 (= *Crataegus pseudaria*).—Gallia.  
 pubescens, *Hedl.* l. c. 116.—Hybr.?  
 quercifolia, *Hedl.* l. c. 50.—Hybr.?  
 rotundifolia, *Hedl.* l. c. 104 (= *Pyrus rotundifolia*, *Bechstein*).—Eur.  
 salicifolia, *Hedl.* l. c. 78.—Eur.  
 semipinnata, *Hedl.* l. c. 55 (= *Pyrus semipinnata*).—Eur.  
 semitormalis, *Hedl.* l. c. 107.—Hybr.?  
 sibirica, *Hedl.* l. c. 44.—Sibiria.  
 sorbifolia, *Hedl.* l. c. 114.—Am. bor.  
 splendida, *Hedl.* l. c. 43.—Hybr.?  
 tomentosa, *Hedl.* l. c. 76 = *Pyrus Aria*.  
 turkestanica, *Hedl.* l. c. 69 = *Pyrus turkestanica*.

**SORGHASTRUM**, Nash, in *Britton*, *Man. Fl. N. U.*

- S. 71 (1901). *GRAMINEAE*.  
 avenaceum, *Nash*, l. c. (= *Chrysopogon avenaceus*).—Am. bor.  
 Linnaeanum, *Nash*, in *Small*, *Fl. S. E. U. S.* 66.—Am. bor.  
 nutans, *Nash*, l. c. (= *Andropogon nutans*).—Am. bor.  
 secundum, *Nash*, l. c. 67 (= *Andropogon secundus*).—Am. bor.

**SORINDEIA**, Thou. (Anacard.).

- nitidula, *Engl.* in *Engl. Jahrb.* xxxvi. 221.—Afr. trop.  
 Schweinfurthii, *Engl.* l. c. 220.—Afr. trop.  
 Warneckeii, *Engl.* l. c. 221.—Afr. trop.  
 Zenkeri, *Engl.* l. c. 220.—Afr. trop.

**SOWERBAEA**, Sm. (Liliac.).

- multicaulis, *E. Pritz.* in *Engl. Jahrb.* xxxv. 99.—Austral.

**SOYAUXIA**, Oliv. (Passifl.).

- grandifolia, *Gilg & Stapf*, in *Journ. Linn. Soc.* xxxvii. 102.—Afr. trop.

**SOYERIA**, Monn. (Compos.).

- [*CREPIS*, Vaill. I. K.]  
 jubata, *Rouy*, *Fl. Fr.* ix. 232.—Eur.

**SPARGANUM**, Linn. (Typhac.).

- macrocarpum, *Makino*, in *Matsum. Ind. Pl. Jap.* ii. 23, nomen.—Japan.  
 multipedunculatum, *Rydb.* in *Bull. Torr. Bot. Club*, 1905, 598.—Am. bor.  
 nipponicum, *Makino*, in *Matsum. Ind. Pl. Jap.* ii. 23, nomen.—Japan.  
 yamatense, *Makino*, l. c. 24, nomen.—Japan.

**SPARTINA**, Schreb. (Gramin.).

- Bakeri, *Merrill*, in *U. S. Dept. Agric. Pl. Industry Bull.* ix. 14.—Am. bor.  
 Pittieri, *Hack.* in *Oesterr. Bot. Zeitschr.* 1902, 237.—Am. cent.



**SPATHICARPA**, Hook. (Arac.).

Burchelliana, *Engl. Jahrb.* xxxvii. 142.—Bras.

**SPATHIDOLEPIS**, Schlechter, in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee (1905) 356. **ASCLEPIADACEAE**.

torricellensis, Schlechter, l. c.—N. Guin.

**SPATHIPHYLLUM**, Schott (Arac.).

grandifolium, *Engl. Jahrb.* xxxvii. 119.—N. Granat.

Huberi, *Engl. l. c.* 120.—Peruv.

laeve, *Engl. l. c.*—Am. cent.

quindiense, *Engl. l. c.*—N. Granat.

tenerum, *Engl. l. c.*—Peruv.

**SPATHOGLOTTIS**, Blume (Orchid.).

pulchra, Schlechter, in K. Schum. & Lauterb. Nachtr.

Fl. Deutsch. Südsee, 147.—Ins. Bismarck.

unguiculata, Reichb. f. in Seem. Fl. Vit. (1865) 300

(= *Limodorum unguiculatum*).—N. Caled.

**SPATHOLOBUS**, Hassk. (Legum.).

pulcher, Dunn, in *Journ. Linn. Soc.* xxxv. 489.—

China.

suberectus, Dunn, l. c.—China.

varians, Dunn, l. c. 490.—China.

**SPATULARIA**, Haw. (Saxifr.).

[*SAXIFRAGA*, Linn. I. K.]

Brunoniana, Small, in *N. Am. Fl.* xxii. 149.—Am. bor.

bryophora, Small, l. c. 148 (= *Saxifraga bryophora*).—

Calif.

ferruginea, Small, l. c. 150 (= *Saxifraga ferruginea*).—

Am. bor.

foliolosa, Small, l. c. 149 (= *Saxifraga foliolosa*).—

Reg. arct.

Michauxii, Small, Fl. S. E. U. S. 502 (= *Saxifraga*

*Michauxii*).—Am. bor.

Newcombei, Small, in *N. Am. Fl.* xxii. 149 (= *Saxi-*

*fraga Newcombei*).—Am. bor.

petiolaris, Small, l. c. 150 (= *Hexaphoma petiolaris*).—

Am. bor.

Vreelandii, Small, l. c. 149.—Am. bor.

**SPECULARIA**, Heist. (Campan.).

calycina, Lojac. Fl. Sic. ii. 1. 229.—Sicil.

Juliani, Batt. in Batt. & Trab. Fl. Algér. Tunis. 222.

—Afr. bor.

**SPERGULARIA**, J. & C. Presl (Caryophyll.).

advena, Hy, in *Bull. Soc. Bot. Fr.* li. 338.—Gallia.

arenosa, Foucaud, ex Merino, in *Mem. Soc. Esp. Hist.*

Nat. ii. 496.—Hispan.

australis, Sampaio, in *Ann. Acad. Poly. Porto*, xxvii.

163.—Lusitan.

Bocconi, Foucaud, ex Merino, in *Mem. Soc. Esp. Hist.*

Nat. ii. 496.—Hispan.

Heldrichi, Foucaud, ex Munuera, in *Mem. Soc. Esp.*

*Hist. Nat.* ii. 79.—Hispan.

Langei, Foucaud, ex Merino, in *Mem. Soc. Esp. Hist.*

Nat. ii. 496.—Hispan.

rupicola, Towns. Fl. Hamp. ed. II. 72=rupestris.

**SPERMACOCE**, Dill. (Rubiace.).

ambigua, T. S. Brandege, in *Zoe*, v. 180 (1904).—

Mexic.

**SPHACELE**, Benth. (Labiata.).

Blochmanae, Eastw. in *Bull. Torr. Bot. Club*, 1903,

495.—Calif.

gracilis, Eastw. in *Zoe*, v. 83 (1900).—Calif.

**SPHAERALCEA**, A. St. Hil. (Malvac.).

australis, Speg. in *Anal. Mus. Buenos Aires*, vii. 249.

—Patag.

Crandallii, Rydb. in *Bull. Torr. Bot. Club*, 1904, 564.

—Am. bor.

grandiflora, Rydb. l. c. 565.—Am. bor.

Margaritae, T. S. Brandege, in *Zoe*, v. 156 (1903).—

Calif.

Martii, Cockerell, in *Coult. Bot. Gaz.* xxxii. 60.—

Am. bor.

parvifolia, A. Nelson, in *Proc. Biol. Soc. Washington*,

xvii. 94.—Am. bor.

patagonica, Speg. in *Anal. Mus. Buenos Aires*, vii.

251 (= *Malva patagonica*).—Patag.

**SPHAERANTHUS**, Vaill. (Compos.).

flexuosus, O. Hoffm. ex Wildem. in *Ann. Mus. Congo*,

Sér. IV. p. x.—Afr. trop.

VOL. IV.

**SPHAERANTHUS**—

humilis, O. Hoffm. in *Warb. Kunene-Sambesi Exped.*

410.—Afr. trop.

Taylorii, S. Moore, in *Journ. Linn. Soc.* xxxv. 330.—

Afr. trop.

**SPHAERELLA**, Bub. Fl. Pyren. iv. 320 (1901) =

*Airopsis*, Desv. (Gramin.).

pumila, Bub. l. c. = *A. globosa*.

**SPHAEROCODON**, Benth. (Asclep.).

melananthum, N. E. Br. in *Dyer, Fl. Trop. Afr.* iv. 1.

412.—Afr. trop.

platypodium, K. Schum. ex Wildem. in *Ann. Mus.*

*Congo*, Sér. IV. 225.—Afr. trop.

**SPHAEROMERIA**, Nutt. (Compos.).

[*TANACETUM*, Tourn. I. K.]

cana, A. A. Heller, Muhlenbergia, i. 7 (= *Tanacetum*

*canum*).—Am. bor.

capitata, A. A. Heller, l. c. (= *Tanacetum capitatum*).—

Am. bor.

potentilloides, A. A. Heller, l. c. (= *Tanacetum poten-*

*tilloides*).—Am. bor.

simplex, A. A. Heller, l. c. (= *Tanacetum simplex*).—

Am. bor.

**SPHAEROSTIGMA**, Fisch. & Mey. (Onagr.).

[*OENOTHERA*, Linn. I. K.]

angelorum, A. Nelson, in *Coult. Bot. Gaz.* xl. 62 (= *Oe-*

*nothra angelorum*).—Calif.

arenicolum, A. Nelson, l. c. 58.—Calif.

erythrum, Davidson, in *Bull. S. Calif. Acad. Sci.* i.

(1902) 118.—Am. bor.

filiforme, A. Nelson, in *Coult. Bot. Gaz.* xl. 57.—Am.

bor.

Hitchcockii, A. Nelson, l. c. 62.—Am. bor.

Lemmoni, A. Nelson, l. c. 61.—Calif.

Nelsonii, A. A. Heller, Muhlenbergia, i. 1 = minor.

pallidum, Abrams, in *Bull. Torr. Bot. Club*, 1905, 539.

—Calif.

pterospermum, A. Nelson, in *Coult. Bot. Gaz.* xl. 63

(= *Oenothera pterosperma*).—Calif.

rutilum, A. Nelson, l. c. (= *Oenothera rutila*).—Calif.

senex, A. Nelson, in *Proc. Biol. Soc. Washington*,

xviii. 178.—Am. bor.

tortum, A. Nelson, in *Coult. Bot. Gaz.* xl. 60.—Am. bor.

tortuosum, A. Nelson, in *Proc. Biol. Soc. Washington*,

xvii. 95.—Am. bor.

**SPHAEROTHYLAX**, Bisch. (Podost.).

Warmingiana, Gilg, in *Danske Vid. Selsk. Skr.* Ser. VI.

xi. 1. 17; et in *Warb. Kunene-Sambesi Exped.* 240.

—Afr. trop.

**SPHEDAMNOCARPUS**, Planch. (Malpigh.).

pulcherrimus, Engl. & Gilg, in *Warb. Kunene-Sambesi*

*Exped.* 272.—Afr. trop.

Wilmsii, Engl. in *Engl. Jahrb.* xxxvi. 249.—Afr. austr.

**SPHENOSTYLIS**, E. Mey. (Legum.).

[*VIGNA*, Savi. I. K.]

holosericea, Harms, in *Engl. Jahrb.* xxxiii. 176

(= *Vigna holosericea*).—Afr. trop.

Kerstingii, Harms, l. c.—Afr. trop.

**SPHINCTANTHUS**, Benth. (Rubiace.).

Hasslerianus, Chod. in *Bull. Herb. Boiss. Sér. II.* iv.

170.—Parag.

**SPIGELIA**, Linn. (Logan.).

guaranitica, Chod. & Hassl. in *Bull. Herb. Boiss. Sér.*

II. iii. 917.—Parag.

Hassleriana, Chod. in *Bull. Herb. Boiss. Sér. II.* i.

407.—Parag.

nicotianaeiflora, Chod. & Hassl. in *Bull. Herb. Boiss.*

Sér. II. iii. 917.—Parag.

paraguayensis, Chod. in *Bull. Herb. Boiss. Sér. II.*

i. 408.—Parag.

Valenzuelae, Chod. & Hassl. in *Bull. Herb. Boiss.*

Sér. II. iii. 917.—Parag.

**SPILANTHES**, Jacq. (Compos.).

Eggersii, Hieron. in *Engl. Jahrb.* xxviii. 608.—Ecuador.

macrophylla, Greenm. in *Proc. Amer. Acad.* xxxix.

109.—Am. cent.

nervosa, Chod. in *Bull. Herb. Boiss. Sér. II.* iii. 724.—

Parag.

popayanensis, Hieron. in *Engl. Jahrb.* xxviii. 610.—

N. Granat.

**SPIRAEA**, Linn. (Rosac.).

Aemiliana, Schneid. in *Bull. Herb. Boiss. Sér. II.* v.

347.—Japon.

angulata, Fritsch, ex Schneid. l. c.—China.

Beauverdiana, Schneid. l. c. 348.—Japon.

Billardi, Meehan; cf. *Gard. Chron.* 1904, II. 400.—Hybr.

Boissieri, Schneid. in *Bull. Herb. Boiss. Sér. II.* v. 341.

—Afghan.

Fauriana, Schneid. l. c. 337.—Japon.

Fritschiana, Schneid. l. c. 347.—China.

hirsuta, Schneid. l. c. 342.—China.

Maximowicziana, Schneid. l. c. 341.—China.

pachystachys, Hort. ex Worsley, in *Gard. Chron.* 1905,

II. 322.—Hybr.

Pratti, Schneid. in *Bull. Herb. Boiss. Sér. II.* v. 345.—

China.

Veitchi, Hemsl. in *Gard. Chron.* 1903, I. 258.—China.

Zabeliana, Schneid. in *Bull. Herb. Boiss. Sér. II.* v. 343.

—Ind. or.

**SPIRAEANTHEMUM**, A. Gray (Saxifr.).

ellipticum, Vieill. ex Pampan. in *Ann. di Bot. Roma*,

II. 50.—N. Caled.

pubescens, Pampan, l. c.—N. Caled.

**SPIRANTHES**, Rich. (Orchid.).

Arechavaletae, Kraenzl. in *Engl. Jahrb.* xxxvi. Beibl.

lxxx. 9.—Urug.

delicatula, Kraenzl. l. c.—Parag.

Grayi, Ames, in *Rhodora*, vi. 44.—Am. bor.

intermedia, Ames, l. c. v. 262.—Hybr.

laciniata, Ames, *Orchid.* i. 120 (= *Gyrostachys laciniata*).

—Am. bor.

neglecta, Ames, in *Rhodora*, vi. 30.—Am. bor.

parviflora, Ames, *Orchid.* i. 137 (= *Gyrostachys parvi-*

*flora*).—Am. bor.

**SPIROPETALUM**, Gilg (Connar.).

triplinerve, Staff, in *Journ. Linn. Soc.* xxxvii. 98.—

Afr. trop.

**SPIROSTACHYS**, S. Wats. (Chenopod.).

olivascens, Speg. in *Anal. Mus. Buenos Aires*, vii. 149.

—Patag.

**SPODIOPOGON**, Trin. (Gramin.).

formosanus, Rendle, in *Journ. Linn. Soc.* xxxvi. 351.

—China.

sagittifolius, Rendle, l. c. 352.—China.

**SPONDIANTHUS**, Engl. in *Engl. Jahrb.* xxxvi.

(1905) 215. **ANACARDIACEAE**.

glaber, Engl. l. c. 216.—Afr. trop.

Preussii, Engl. l. c.—Afr. trop.

**SPONDIAS**, Linn. (Anacard.).

Klaineana, Engl. in *Engl. Jahrb.* xxxvi. 215 (= *Antro-*

*caryon Klaineana*).—Afr. trop.

Soyauxii, Engl. l. c.—Afr. trop.

**SPONGOPYRENA**, Van Tiegh. in *Bull. Mus. Hist.*

Nat. Par. viii. (1902) 216; et in *Journ. de Bot.* xvi.

200. **OCHNACEAE**.

cyanescens, Van Tiegh. in *Journ. de Bot.* xvi. 201.—

Afr. trop.

elongata, Van Tiegh. l. c. (= *Ochna elongata*).—Afr.

trop.

reniformis, Van Tiegh. in *Ann. Sci. Nat. Sér. VIII.*

xvi. 319.—Afr. trop.

Staudtii, Van Tiegh. l. c.—Afr. trop.

**SPOROBOLUS**, R. Br. (Gramin.).

attenuatus, Nash, in *Small, Fl. S. E. U. S.* 123.—Am. bor.

bahamensis, Hack. in *Oesterr. Bot. Zeitschr.* 1902, 56.

—Ins. Baham.

Baumianus, Pilg. in *Warb. Kunene-Sambesi Exped.*

175.—Afr. trop.

brasiliensis, Hack. in *Bull. Herb. Boiss. Sér. II.* iv.</

**SPOROBOLUS** :—

- japonicus, Maxim, ex Rendle, in Journ. Linn. Soc. xxxvi. 388 (= *Agrostis japonica*).—China; Japon.  
ligularis, Hack. in Oesterr. Bot. Zeitschr. 1902, 57.—Ecuador.  
Menyarthii, Hack. in Bull. Herb. Boiss. Sér. II. i. 769.—Afr. trop.  
micranthus, Conr. & Hack. in Oesterr. Bot. Zeitschr. liii. 198.—Afr. austr.  
patulus, Hack. l. c. 1902, 58.—Madag.  
pectinatus, Hack. l. c. liii. 198.—Afr. austr.  
polycladus, Hack. in Bull. Herb. Boiss. Sér. II. i. 769.—Afr. trop.  
Richardsonii, Merrill, in Rhodora, iv. 46 (= *Vilfa Richardsonii*).—Am. bor.  
tenuissimus, Hack. in Bull. Herb. Boiss. Sér. II. iv. 278 = *minutiflorus*.  
Torreyanus, Nash, in Britton, Man. Fl. N. U. S. 107.—Am. bor.

**SPRAGUEA**, Torr. (Portul.).

- eximia, Eastw. in Bull. Torr. Bot. Club, 1903, 486.—Calif.  
pulchella, Eastw. l. c. 1902, 79.—Am. bor.

**SPYRIDIDIUM**, Fenzl (Rhamnac.).

- denticuliferum, Diels, in Engl. Jahrb. xxxv. 355.—Austral.  
kalganense, Diels, l. c.—Austral.

**STAAVIA**, Dahl (Bruniac.).

- comosa, Colozza, in Ann. di Bot. Roma, ii. 35 (= *Brunia comosa*).—Afr. austr.  
lateriflora, Colozza, l. c. 36; et in Nuov. Giorn. Bot. Ital. x. 397.—Afr. austr.

**STACHYDEOMA**, Small, Fl. S. E. U. S. 1040 (1903). LABIATAE.

- ciliata, Small, l. c. (= *Hedeoma ciliata*).—Am. bor.  
graveolens, Small, l. c. 1041 (= *Hedeoma graveolens*).—Am. bor.

**STACHYPHYRNIUM**, K. Schum. in Engl. Pflanzenreich, Marant. (1902) 45. MARANTACEAE.

- cylindricum, K. Schum. l. c. 49 (= *Phrynium cylindricum*).—Ind. or.  
Griffithii, K. Schum. l. c. (= *Phrynium Griffithii*).—Ind. or.  
Jagorianum, K. Schum. l. c. 48 (= *Phrynium jagorianum*).—Ind. or.  
latifolium, K. Schum. l. c. 49 (= *Phrynium latifolium*).—Java.  
minus, K. Schum. l. c. 48 (= *Phrynium minus*).—Ind. or.  
spicatum, K. Schum. l. c. 46 (= *Phrynium spicatum*).—Ind. or.  
sumatranum, K. Schum. l. c. 48 (= *Phrynium sumatranum*).—Sumatra.  
zeylanicum, K. Schum. l. c. 46 (= *Phrynium zeylanicum*).—Ind. or.

**STACHYS**, Linn. (Labiata).

- albiflora, N. E. Br. in Kew Bull. 1901, 131.—Afr. austr.  
arenicola, Britton, Man. Fl. N. U. S. 792.—Am. bor.  
aristata, Greenm. in Proc. Amer. Acad. xxxix. 87.—Mexic.  
atlantica, Britton, Man. Fl. N. U. S. 792.—Am. bor.  
Clingmanii, Small, Fl. S. E. U. S. 1032.—Am. bor.  
cymbalaria, Briq. in Bull. Herb. Boiss. Sér. II. ii. 1088.—Afr. austr.  
dolichodeira, Briq. l. c. 1081.—Afr. austr.  
Doriae-hirta, Batt. in Batt. & Trab. Fl. Algér. Tunis. 268.—Afr. bor.  
flaccida, Eastw. in Bull. Torr. Bot. Club, 1902, 80.—Am. bor.  
fruticetorum, Briq. in Bull. Herb. Boiss. Sér. II. iii. 1083.—Afr. austr.  
Galpini, Briq. l. c. 1082.—Afr. austr.  
hantamensis, Vatke, in Bot. Zeit. xxxiii. (1875) 462.—Afr. austr.  
latidens, Small, in Britton, Man. Fl. N. U. S. 793.—Am. bor.  
latipes, Greenm. in Proc. Amer. Acad. xxxix. 87.—Mexic.  
leptoclada, Briq. in Bull. Herb. Boiss. Sér. II. iii. 1084.—Afr. austr.  
lupulina, Briq. l. c. 1082.—Afr. austr.

**STACHYS** :—

- lythroides, Small, Fl. S. E. U. S. 1031.—Am. bor.  
marrubifolio-hirta, Batt. in Batt. & Trab. Fl. Algér. Tunis. 268.—Afr. bor.  
Martini, Vaniot, in Bull. Acad. Géogr. Bot. xiv. (1904) 187.—China.  
pachycalympna, Briq. in Bull. Herb. Boiss. Sér. II. iii. 1087.—Afr. trop.  
parilis, N. E. Br. in Kew Bull. 1901, 131.—Afr. austr.  
pascuicola, Briq. in Bull. Herb. Boiss. Sér. II. iii. 1086.—Afr. austr.  
petrogenes, Briq. l. c. 1085.—Afr. austr.  
Pringlei, Greenm. in Proc. Amer. Acad. xli. 245.—Mexic.  
ramosa, A. A. Heller, Muhlenbergia, i. 116.—Calif.  
rivularis, A. A. Heller, l. c. 33.—Calif.  
salvioides, Small, Fl. S. E. U. S. 1032.—Am. bor.  
sericophylla, Halacsy, Consp. Fl. Graec. ii. 519.—Eur.  
sidamoensis, Guerke, in Engl. Jahrb. xxxvi. 126.—Afr. trop.  
teucrifolmis, Rydb. in Bull. Torr. Bot. Club, 1904, 640.—Am. bor.  
vestita, Howell, Fl. N. W. Amer. i. 558.—Am. bor.

**STACHYTARPHETA**, Vahl (Verben.).

- Hassleri, Briq. in Bull. Herb. Boiss. Sér. II. iv. 1164.—Parag.

**STACKHOUSIA**, Sm. (Stackhous.).

- aphylla, Pampan. in Bull. Herb. Boiss. Sér. II. v. 1147.—Austral.  
Dielsi, Pampan. l. c. 1052.—Austral.  
Georgei, Diels, in Engl. Jahrb. xxxv. 340.—Austral.  
Guiratii, Pampan. in Bull. Herb. Boiss. Sér. II. v. 1055.—Austral.  
linarioides, Huegel, ex Pampan. & Barg. Petr. in Bull. Herb. Boiss. Sér. II. v. 1146 = *muricata*.  
Maideni, Pampan. in Bull. Herb. Boiss. Sér. II. v. 1049.—Austral.  
micrantha, Pampan. l. c. 1150.—Austral.  
tenuissima, Pampan. l. c. 1147.—Austral.  
virgata, Pampan. l. c. 1148.—Austral.

**STAEHELINA**, Linn. (Compos.).

- Sintenisii, Bornm. in Mitth. Thüring. Bot. Ver. n. s. xviii. 50.—Reg. Casp.

**STAELIA**, Cham. & Schlecht. (Rubiace.).

- filifolia, Chod. in Bull. Herb. Boiss. Sér. II. iv. 190.—Parag.

**STANFIELDIA**, Small, Fl. S. E. U. S. 1187 (1903). COMPOSITAE.

- Nealleyi, Small, l. c. 1188 (= *Aplopappus Nealleyi*).—Am. bor.

**STANHOPEA**, Frost (Orchid.).

- Langlasseana, Cogn. in Gard. Chron. 1901, II. 426.—Am. trop.  
Wolteriana, Kraenzl. in Gard. Chron. 1905, II. 102.—Hybr.

**STANLEYA**, Nutt. (Crucif.).

- arcuata, Rydb. in Bull. Torr. Bot. Club, 1902, 232.—Am. bor.  
canescens, Rydb. l. c.—Am. bor.  
glauca, Rydb. l. c. 1904, 409.—Am. bor.  
runcinata, Rydb. l. c. 1903, 252.—Am. bor.

**STAPELIA**, Linn. (Asclep.).

- atrosanguinea, N. E. Br. in Gard. Chron. 1901, II. 425.—Afr. trop.  
bella, A. Berger, in Gard. Chron. 1902, I. 137.—Hort.  
divergens, N. E. Br. in Gard. Chron. 1905, I. 49.—Afr. austr.?  
Engleriana, Schlechter, in Engl. Jahrb. xxxviii. 49.—Afr. trop.?  
incomparabilis, N. E. Br. in Gard. Chron. 1901, II. 405.—Afr. austr.?  
kwebensis, N. E. Br. in Dyer, Fl. Trop. Afr. iv. 1. 501.—Afr. trop.  
melanantha, Schlechter, in Engl. Jahrb. xxxviii. 50.—Afr. austr.  
nobilis, N. E. Br. ex Hook. f. in Bot. Mag. t. 7771.—Afr. austr.  
Pillansii, N. E. Br. in Gard. Chron. 1904, I. 242.—Afr. austr.  
putida, A. Berger, in Monatsschr. Kakt. 1905, 159.—Afr. austr.?

**STAPHYSAGRIA**, Spach (Ranunc.).

- [DELPHINIUM, Tourn. I. K.]  
hirtella, Ford. in Ford. & Fourr. Ic. Fl. Eur. iii. 39.—Gallia.  
moschata, Ford. l. c.—Corsica.

**STATHMOSTELMA**, K. Schum. (Asclep.).

- macropetalum, Schlechter & K. Schum. in Engl. Jahrb. xxxiii. 325.—Afr. trop.  
Verdickii, Wildem. in Ann. Mus. Congo, Sér. V. i. 188.—Afr. trop.

**STATICE**, Tourn. (Plumbag.).

- algeriensis, Rouy, in Rev. Bot. Syst. Géogr. Bot. i. 157.—Afr. bor.  
bella, Macl. in Rep. Princeton Univ. Exped. Patag. viii. 655 (= *Armeria bella*).—Reg. Magell.  
chilensis, Macl. l. c. = *punicea*.  
cyrenaica, Rouy, in Rev. Bot. Syst. Géogr. Bot. i. 155.—Afr. bor.  
Doriae, Sommier, in Bull. Soc. Bot. Ital. 1902, 211.—Eur.  
Kosmatii, Wagn. & Vierh. in Oesterr. Bot. Zeitschr. 1905, 89.—Socotra.  
laxissima, Rouy, Illustr. Pl. Eur. Rar. t. 296.—Eur.  
macloviana, Macl. in Rep. Princeton Univ. Exped. Patag. viii. 655 (= *Armeria macloviana*).—Am. austr.  
Neumani, Rouy, Illustr. Pl. Eur. t. 497 (= *Limonium Neumani*).—Eur.  
Paulayana, Vierh. in Oesterr. Bot. Zeitschr. 1905, 89.—Socotra.  
punicea, Rendle, in Journ. Bot. 1904, 369 (= *Armeria chilensis*).—Reg. Magell.  
sokotrana, Vierh. in Oesterr. Bot. Zeitschr. 1905, 89.—Socotra.

**STAUDTIA**, Warb. (Myristic.).

- gabonensis, Warb. in Engl. Jahrb. xxxiii. 384.—Afr. trop.  
stipitata, Warb. l. c.—Afr. trop.

**STAUROGYNE**, Wall. (Acanth.).

- [EBERMAIERA, Nees. I. K.]  
siamensis, C. B. Clarke, in Bull. Herb. Boiss. Sér. II. v. 716.—Siam.

**STAWELLIA**, F. Muell. (Liliac.).

- gymnocephala, Diels, in Engl. Jahrb. xxxv. 100.—Austral.

**STEINCHISMA**, Rafin. (Gramin.).

- hians, Nash, in Small, Fl. S. E. U. S. 105 (= *Panicum hians*).—Am. bor.

**STEIRONEMA**, Rafin. (Primul.).

- laevigatum, Howell, Fl. N. W. Amer. i. 436.—Am. bor.

**STEIROSANCHEZIA**, Lindau, in Bull. Herb. Boiss. Sér. II. iv. 316 (1904). ACANTHACEAE.

- scandens, Lindau, l. c. 317.—Peruv.

**STELIS**, Sw. (Orchid.).

- Binoti, Wildem. in Gard. Chron. 1904, II. 381.—Bras.  
guianensis, Rolfe, in Trans. Linn. Soc. Ser. II. vi. 59.—Guiana.  
guttifera, Porsch, in Oesterr. Bot. Zeitschr. 1905, 154.—Bras.  
mucronata, Porsch, l. c. 155.—Bras.

**STELLARIA**, Linn. (Caryophyll.).

- chubutensis, Speg. in Anal. Mus. Buenos Aires, vii. 241.—Patag.  
ciliata, Bub. Fl. Pyren. iii. 29 = *Holostea*.  
ebracteata, Kom. in Act. Hort. Petrop. xviii. 441.—As. or.  
filicaulis, Makino, in Bot. Mag. Tokyo, xv. 113.—Japon.  
intermedia, Merino, Contrib. Fl. Galic. (1897) 30.—Hispan.  
laxa, Merrill, in Philipp. Gov. Lab. Bur. Bull. xxix. 12.—Ins. Philipp.  
Martjanovi, Krylov, in Act. Hort. Petrop. xxi. 3.—As. cent.  
sessiliflora, Yabe, in Bot. Mag. Tokyo, xvii. 194.—Japon.  
uchiyamana, Makino, in Bot. Mag. Tokyo, xv. 164.—Japon.  
xanthospora, Chod. & Wilcz. in Bull. Herb. Boiss. Sér. II. ii. 293.—Reg. Argent.

**STELLARIS**, Dill. = **SCILLA**, Linn. (Liliac.).

- autumnalis, Bub. Fl. Pyren. iv. 79 = *Scilla autumnalis squamosa*, Bub. l. c. 80 = *Scilla lilio-hyacinthus verna*, Bub. l. c. 79 = *Scilla verna*.

**STELLULARIA**, Benth. (Scrophul.).  
inflata, *Wildem. in Ann. Mus. Congo*, Sér. IV. 124.—Afr. trop.

**STEMMATELLA**, Wedd. (Compos.).  
Lehmannii, *Hieron. in Engl. Jahrb.* xxviii. 602.—N. Granat.  
Sodiroid, *Hieron. l. c.* 601.—Am. austr.  
urticifolia, *O. Hoffm. ex Hieron. l. c.* 603 (= *Galinsoga urticifolia*).—N. Granat.

**STEMMODONTIA**, Cass. (Compos.).  
asperima, *Mohr, in U. S. Dept. Agric. Contrib. Nat. Herb.* vi. 800 (= *Bupththalmum asperim*).—Ind. occ.  
biflora, *W. F. Wight, in U. S. Dept. Agric. Contrib. Nat. Herb.* ix. 377 (= *Verbesina biflora*).—Geront. trop.  
canescens, *W. F. Wight, l. c.* (= *Verbesina canescens*).—Guam.  
trilobata, *Small, Fl. S. E. U. S.* 1262 (= *Silphium trilobatum*).—Am. bor.

**STEMODIA**, Linn. (Scrophul.).  
Bodinieri, *Vaniot, in Bull. Acad. Géogr. Bot.* xv. (1905) 87.—China.  
Hassleriana, *Chod. in Bull. Herb. Boiss. Sér. II.* iv. 287.—Parag.

**STEMONA**, Lour. (Roxburgh.).  
Burkillii, *Prain, in Journ. As. Soc. Beng.* lxxiii. 43.—Burma.  
Kurzii, *Prain, l. c.* 42.—Burma.  
moluccana, *Prain, l. c.* 41 (= *Roxburghia moluccana*).—Ins. Molucc.  
philippinensis, *Merrill, in Philipp. Gov. Lab. Bur. Bull.* vi. 16.—Ins. Philipp.

**STEMONOCOLEUS**, Harms, in *Engl. Jahrb.* xxxviii. (1905) 76. **LEGUMINOSAE**.  
micranthus, *Harms, l. c.* 77.—Afr. trop.

**STEMONURUS**, Blume (Icacin.).  
ramensis, *Lauterb. in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 305.—N. Guin.

**STENADENIUM**, Pax, in *Engl. Jahrb.* xxx. 343 (1901). **EUPHORBIACEAE**.  
spinescens, *Pax, l. c.*—Afr. trop.

**STENANDRIUM**, Nees (Acanth.).  
floridanum, *Small, Fl. S. E. U. S.* 1085.—Am. bor.

**STENANTHEMUM**, Reiss. (Rhamnac.).  
gracilipes, *Diels, in Engl. Jahrb.* xxxv. 356.—Austral. pumilum, *Diels, l. c.* (= *Spyridium pumilum*).—Austral.

**STENANTHERA**, Engl. & Diels, in *Monogr. Afr. Pl.* vi. 67. **ANONACEAE**.  
gabonensis, *Engl. & Diels, l. c.* 68 (= *Oxymitra gabonensis*).—Afr. trop.  
hamata, *Engl. & Diels, l. c.* (= *Oxymitra hamata*).—Afr. trop.  
myristicifolia, *Engl. & Diels, l. c.* 67 (= *Oxymitra myristicifolia*).—Afr. trop.  
pluriflora, *Wildem. in Ann. Mus. Congo*, Sér. V. i. 45.—Afr. trop.

**STENHAMMARIA**, Nym. *Consp.* 521 = **STEENHAMMERA**, Reichb. = **Mertensia**, Roth (Borag.).

**STENOCALYX**, Berg (Myrtac.).  
[**EUGENIA**, Linn. I. K.]  
nanus, *Barb. Rodr. Myrt. Parag.* 8.—Parag.  
Rhampiri, *Barb. Rodr. l. c.*—Parag.

**STENOLOBIUM**, D. Don (Bignon.).  
[**TECOMA**, Juss. I. K.]  
alatum, *Sprague, in Dyer, Fl. Cap.* iv. II. 448, adnot. (= *Tecoma alata*).—Peruv.  
fulvum, *Sprague, l. c.* (= *Tecoma fulva*).—Peruv.

**STENOPHYLLUS**, Rafin. (Cyper.).  
[**SCIRPUS**, Tourn. I. K.]  
Carteri, *Britton, ex Small, in Bull. N. York Bot. Gard.* iii. 420.—Am. bor.  
coarctatus, *Britton, in Small, Fl. S. E. U. S.* 189 (= *Scirpus coarctatus*).—Am. bor.

**STENORHYNCHUS**, Rich. (Orchid.).  
[**SPIRANTHES**, Rich. I. K.]  
balanophorostachyus, *Cogn. in Bull. Herb. Boiss. Sér. II.* iii. 931 (= *Spiranthes balanophorostachya*).—Parag.

**STENORHYNCHUS:—**

bonariensis, *Cogn. in Bull. Herb. Boiss. Sér. II.* iii. 931 (= *Spiranthes bonariensis*).—Parag.  
calophyllus, *Porsch, in Oesterr. Bot. Zeitschr.* 1905, 151.—Bras.  
Canerae, *Barb. Rodr. in Contrib. Jard. Bot. Rio de Janeiro*, i. 48.—Urug.  
Esmeraldae, *Cogn. in Bull. Herb. Boiss. Sér. II.* iii. 931 (= *Spiranthes Esmeraldae*).—Parag.  
Loefgrenii, *Porsch, in Oesterr. Bot. Zeitschr.* 1905, 151.—Bras.  
macranthus, *Cogn. in Bull. Herb. Boiss. Sér. II.* iii. 931 (= *Spiranthes macrantha*).—Parag.  
paraguayensis, *Cogn. l. c.* (= *Spiranthes paraguayensis*).—Parag.  
rupestris, *Cogn. l. c.* 932 (= *Spiranthes rupestris*).—Parag.  
saltensis, *Cogn. l. c.* 931 (= *Spiranthes saltensis*).—Parag.  
Sancti-Antonii, *Kraenzl. in Engl. Jahrb.* xxxvi. Beibl. lxxx. 8.—Reg. Argent.  
taquaremboensis, *Barb. Rodr. Contrib. Jard. Bot. Rio de Janeiro*, i. 68.—Urug.  
venustus, *Barb. Rodr. l. c.* 49, 67.—Bras.

**STENOSPERMATUM**, Schott (Arac.).  
Andreanum, *Engl. Jahrb.* xxxvii. 111.—N. Granat.  
angosturensis, *Engl. l. c.* 113.—N. Granat.  
crassifolium, *Engl. l. c.* 114.—Peruv.  
densiovulatum, *Engl. l. c.* 112.—Ecuador.  
flavescens, *Engl. l. c.* 111.—Peruv.  
latifolium, *Engl. l. c.* 112.—Ecuador.  
longifolium, *Engl. l. c.* 111.—Ecuador.  
longipetiolatum, *Engl. l. c.* 112.—Ecuador.  
maximum, *Engl. l. c.* 113.—Ecuador.  
robustum, *Engl. l. c.*—Am. cent.  
sessile, *Engl. l. c.* 111.—Am. cent.  
Sodiroidanum, *Engl. l. c.* 112.—Ecuador.  
Weberbaueri, *Engl. l. c.* 110.—Peruv.

**STENOTOPSIS**, Rydb. (Compos.).  
Macleanii, *A. Nelson, in Coult. Bot. Gaz.* xxxvii. 261 (= *Aplopappus Macleanii*).—Am. bor.

**STENOTUS**, Nutt. (Compos.).  
[**APLOPAPPUS**, Cass. I. K.]  
borealis, *Rydb. in Bull. N. York Bot. Gard.* 184.—Am. bor.  
Brandegei, *Howell, Fl. N. W. Amer.* i. 300 (= *Aplopappus Brandegei*).—Am. bor.  
laceratus, *A. A. Heller, Muhlenbergia*, i. 7 (= *Aplopappus laceratus*).—Am. bor.  
latifolius, *A. Nelson, in Coult. Bot. Gaz.* xxxvii. 266.—Am. bor.  
Lyallii, *Howell, Fl. N. W. Amer.* i. 300 (1900) (= *Aplopappus Lyallii*).—Am. bor.  
Macleanii, *A. A. Heller, Muhlenbergia*, i. 7 (= *Aplopappus Macleanii*).—Am. bor.

**STENOURATEA**, Van Tiegh. in *Bull. Mus. Hist. Nat. Par.* viii. (1902) 543; et in *Ann. Sci. Nat. Sér. VIII.* xvi. 190, 219. **OCHNACEAE**.  
Wrightii, *Van Tiegh. in Ann. Sci. Nat. Sér. VIII.* xvi. 219.—Am. cent.

**STEPHANOMERIA**, Nutt. (Compos.).  
guadalupensis, *T. S. Brandegee, in Zoe*, v. 164 (1903).—Calif.

**STEPHANOSTEMA**, K. Schum. in *Engl. Jahrb.* xxxiv. 325 (1904). **APOCYNACEAE**.  
stenocarpum, *K. Schum. l. c.*—Afr. trop.

**STERCULIA**, Linn. (Stercul.).  
Balansae, *Aug. DC. in Bull. Herb. Boiss. Sér. II.* iii. 369.—Tonkin.  
brevipetiolata, *Merrill, in Philipp. Gov. Lab. Bur. Bull.* xxxv. 40.—Ins. Philipp.  
colombiana, *Sprague, in Trans. Proc. Bot. Soc. Edinb.* xxii. 429.—N. Granat.  
crassirama, *Merrill, in Philipp. Gov. Lab. Bur. Bull.* xxix. 28.—Ins. Philipp.  
Dawei, *Sprague, in Bull. Herb. Boiss. Sér. II.* v. 1167.—Afr. trop.  
goyazensis, *Glaz. in Bull. Soc. Bot. Fr.* lii. Mém. III. 52, nomen.—Bras.  
graciliflora, *Perkins, Frag. Fl. Philipp.* i. 114.—Ins. Philipp.

**STERCULIA:—**

Jagori, *Warb. in Perkins, Frag. Fl. Philipp.* i. 115.—Ins. Philipp.  
katangensis, *Wildem. in Ann. Mus. Congo*, Sér. IV. 211.—Afr. trop.  
Kingii, *Prain, in Journ. As. Soc. Beng.* lxxiii. 192.—Reg. Himal.  
luzonica, *Warb. in Perkins, Frag. Fl. Philipp.* i. 115.—Ins. Philipp.  
Marseillei, *Wildem. in Ann. Mus. Congo*, Sér. V. i. 60.—Afr. trop.  
montana, *Merrill, in Philipp. Gov. Lab. Bur. Bull.* xxxv. 40.—Ins. Philipp.  
obovata, *Merrill, l. c.* xxix. 28.—Ins. Philipp.  
pallens, *Wall. ex Hochr. in Bull. Inst. Buitenz.* xix. 22.—Ind. or.  
philippinensis, *Merrill, in Philipp. Gov. Lab. Bur. Bull.* xvii. 29.—Ins. Philipp.  
rhynchocarpa, *K. Schum. in Engl. Jahrb.* xxxiv. 323.—Afr. trop.  
spatulata, *Warb. in Perkins, Frag. Fl. Philipp.* i. 116.—Ins. Philipp.  
tonkinensis, *Aug. DC. in Bull. Herb. Boiss. Sér. II.* iii. 368.—Tonkin.  
Trebii, *Hochr. in Bull. Inst. Buitenz.* xix. 20; *Pl. Bogor. Exsicc.* 8.—Arch. Mal.  
Wigmanii, *Hochr. l. c.* 34; *l. c.* 10.—Celebes.

**STEREOSPERMUM**, Cham. (Bignon.).  
Arnoldianum, *Wildem. in Ann. Mus. Congo*, Sér. IV. 128.—Afr. trop.  
bracteosum, *K. Schum. in Engl. Jahrb.* xxxiii. 332.—Afr. trop.  
katangense, *Wildem. in Ann. Mus. Congo*, Sér. IV. 130.—Afr. trop.  
Verdickii, *Wildem. l. c.* 129.—Afr. trop.

**STERIGMOSTEMUM**, Bieb. (Crucif.).  
[**STERIGMA**, DC. I. K.]  
acanthocarpum, *Bornm. in Bull. Herb. Boiss. Sér. II.* iv. 1266 (= *Sterigma acanthocarpum*).—Persia.

**STEUDNERA**, C. Koch (Arac.).  
virosa, *Prain, Bengal Pl.* 1113 (= *Calla virosa*).—Ind. or.

**STEVIA**, Cav. (Compos.).  
Benthiana, *Hieron. in Engl. Jahrb.* xxviii. 561.—N. Granat.; Ecuador.  
colloides, *Greenm. in Proc. Amer. Acad.* xxxix. 93.—Mexic.  
foliosa, *Small, Fl. S. E. U. S.* 1163.—Am. bor.  
guarantica, *Chod. in Bull. Herb. Boiss. Sér. II.* iii. 704.—Parag.  
Hassleriana, *Chod. l. c.* ii. 305.—Parag.  
Lehmannii, *Hieron. in Engl. Jahrb.* xxviii. 562.—N. Granat.  
soratensis, *Hieron. l. c.* 560.—Boliv.  
tunguraguensis, *Hieron. l. c.* 563.—Ecuador.  
vernica, *Greenm. in Proc. Amer. Acad.* xl. 33.—Mexic.  
Wagneri, *Hieron. in Engl. Jahrb.* xxviii. 562.—Venez.

**STIBURUS**, Stapf (Gramin.).  
Conrathii, *Hack. in Oesterr. Bot. Zeitschr.* 1902, 375.—Afr. austr.

**STIFFTIA**, Mikan (Compos.).  
Connellii, *N. E. Br. in Trans. Linn. Soc. Ser. II.* vi. 40.—Guiana.

**STIGMATODACTYLUS**, Maxim. ex Makino, Ill. *Fl. Jap.* i. (1891) t. 43; *Bot. Mag. Tokyo*, xix. (1905) 68, descr. **ORCHIDACEAE**.  
javanicus, *Schlechter & F. J. Sm. in F. J. Sm. Orchid. Java*, 50.—Java.  
sikokianus, *Maxim. ex Makino, Ill. Fl. Jap.* i. t. 43; *Bot. Mag. Tokyo*, xix. 69.—Japan.

**STILLINGIA**, Linn. (Euphorb.).  
linearifolia, *Small, Fl. S. E. U. S.* 704.—Am. bor.  
salicifolia, *Small, l. c.*—Am. bor.  
spatulata, *Small, l. c.*—Am. bor.  
tenuis, *Small, in Bull. N. York Bot. Gard.* iii. 429.—Am. bor.

**STILPNOPAPPUS**, Mart. (Compos.).  
cearensis, *Huber, in Bull. Herb. Boiss. Sér. II.* i. 329.—Bras.

**STIPA**, Linn. (Gramin.).

- arcuata, *R. Fries*, in *Nov. Act. Soc. Sci. Upsal.* Ser. IV. i. no. 1, 172.—Reg. Argent.  
 Ameghinii, *Speg. in Anal. Mus. Montevid.* iv. II. 163.—Reg. Argent.  
 arachnopus, *Pilg. in Engl. Jahrb.* xxxv. 70.—Austral.  
 arcaensis, *Speg. in Anal. Mus. Montevid.* iv. II. 131.—Reg. Argent.  
 Arechavaletai, *Speg. l. c.* 85.—Reg. Argent.  
 baviensis, *Speg. l. c.* 122.—Reg. Argent.  
 bromoides, *Beck, in Wiss. Mitth. Bosn. Herzegow.* ix. 425 (= *Agrostis bromoides*).—Reg. Medit.  
 caespitosa, *Speg. in Anal. Mus. Montevid.* iv. II. 117 (= *Nassella caespitosa*).—Reg. Argent.  
 calchaquia, *Speg. l. c.* 107.—Reg. Argent.  
 californica, *Merrill & Davy, in Univ. Calif. Publ. Bot.* i. 61.—Am. bor.  
 capillifolia, *Hack. ex Stuck. in Anal. Mus. Buenos Aires*, xi. 95.—Reg. Argent.  
 chubutensis, *Speg. in Anal. Mus. Montevid.* iv. II. 49.—Reg. Argent.  
 clausa, *Trab. in Batt. & Trab. Fl. Algér. Tunis*, 366.—Afr. bor.  
 cordobensis, *Speg. in Anal. Mus. Montevid.* iv. II. 141.—Reg. Argent.  
 curamalalensis, *Speg. l. c.* 160.—Reg. Argent.  
 eremophila, *Reader, in Vict. Natural.* xvii. 154.—Austral.  
 Henryi, *Rendle, in Journ. Linn. Soc.* xxxvi. 382.—China  
 hystrix, *Speg. in Anal. Mus. Montevid.* iv. II. 115.—Reg. Argent.  
 leptothera, *Speg. l. c.* 133.—Reg. Argent.  
 ligularis, *Speg. l. c.* 91.—Reg. Argent.  
 nobilis, *Pilg. in Engl. Jahrb.* xxxv. 70.—Austral.  
 nubicola, *Speg. in Anal. Mus. Montevid.* iv. II. 129.—Reg. Argent.  
 pampagrandensis, *Speg. l. c.* 158.—Reg. Argent.  
 paramilloensis, *Speg. l. c.* 139.—Reg. Argent.  
 Porteri, *Rydb. in Bull. Torr. Bot. Club*, 1905, 599.—Am. bor.  
 psittacorum, *Speg. in Anal. Mus. Montevid.* iv. 165.—Reg. Argent.  
 sanluisensis, *Speg. l. c.* 156.—Reg. Argent.  
 scorpea, *Speg. l. c.* 137.—Reg. Argent.  
 Sodiroana, *Hack. in Oesterr. Bot. Zeitschr.* 1902, 10.—Ecuador.  
 Spegazzinii, *Arech. in Anal. Mus. Montevid.* iv. I. 68.—Urgu.  
 sublaevis, *Speg. in Anal. Mus. Montevid.* iv. II. 82.—Reg. Argent.  
 tigrensis, *Chiov. in Ann. di Bot. Roma*, ii. 366.—Afr. trop.  
 torquata, *Speg. in Anal. Mus. Montevid.* iv. II. 88.—Reg. Argent.  
 uspallatensis, *Speg. l. c.* 120 (1901).—Reg. Argent.  
 uspallatensis, *Hack. in Oesterr. Bot. Zeitschr.* 1904, 289.—Chili.

**STIXIS**, Lour. (Cappar.).

- [*ROYDSIA*, Roxb. I. K.]  
 Balansae, *Aug. DC. in Bull. Herb. Boiss. Sér. II.* iv. 1072.—Tonkin.  
 longiracemosa, *Aug. DC. l. c.* 1071.—Tonkin.  
 philippinensis, *Merrill, in Philipp. Gov. Lab. Bur. Bull.* xxxv. 72 (= *Roydsia philippinensis*).—Ins. Philipp.

**STOEBE**, Linn. (Compos.).

- rosea, *Dod, in Journ. Bot.* 1901, 399.—Afr. austr.

**STOMATOSTEMMA**, N. E. Br. in Dyer, Fl. Trop.

- Afr. iv. i. 252. *ASCLEPIADACEAE*.  
 Monteiroae, *N. E. Br. l. c.* 253.—Afr. trop.

**STRANVAESIA**, Lindl. (Rosac.).

- Henryi, *Diels, in Engl. Jahrb.* xxxvi. Beibl. lxxxii. 52.—China.

**STREBLACANTHUS**, Kuntze (Acanth.).

- chirripensis, *Lindau, in Bull. Herb. Boiss. Sér. II.* iv. 404.—Am. cent.

**STREPTANTHUS**, Natt. (Crucif.).

- gracilis, *Eastw. in Proc. Calif. Acad. Ser. III.* ii. 285.—Am. bor.

**STREPTOCARPUS**, Lindl. (Gesner.).

- Armitagei, *Baker f. & S. Moore, in Journ. Bot.* 1901, 262.—Afr. austr.  
 Bolusi, *C. B. Clarke, in Dyer, Fl. Cap.* iv. II. 445.—Afr. austr.

**STREPTOCARPUS** :—

- breviflorus, *C. B. Clarke, in Dyer, Fl. Cap.* iv. II. 443.—Afr. trop. et austr.  
 curvipes, *Rydb. in Bull. Torr. Bot. Club*, 1901, 267.—Am. bor.  
 cyaneus, *S. Moore, in Journ. Bot.* 1905, 172.—Afr. austr.  
 Daviesii, *N. E. Br. ex C. B. Clarke, in Dyer, Fl. Cap.* iv. II. 439.—Afr. austr.  
 Davyi, *S. Moore, in Journ. Bot.* 1905, 171.—Afr. austr.  
 Goetzei, *Engl. Jahrb.* xxx. 406.—Afr. trop.  
 grandis, *N. E. Br. in Bot. Mag.* t. 8042.—Afr. austr.  
 Haygarthii, *N. E. Br. ex C. B. Clarke, in Dyer, Fl. Cap.* iv. II. 440.—Afr. austr.  
 hirtinervis, *C. B. Clarke, l. c.* 446.—Afr. trop. et austr.  
 katangensis, *Wildem. & Th. Dur. in Bull. Soc. Bot. Belg.* xi. 25; et in *Ann. Mus. Congo, Sér. IV.* 127.—(descr. emend.).—Afr. trop.  
 micranthus, *C. B. Clarke, in Dyer, Fl. Cap.* iv. II. 440.—Afr. austr.  
 Mahoni, *Hook. f. in Bot. Mag.* t. 7857.—Afr. trop.  
 Muddii, *C. B. Clarke, in Dyer, Fl. Cap.* iv. II. 443.—Afr. austr.  
 Petherianus, *Fritsch, in Ann. Nat. Hofmus. Wien*, xv. 71.—Afr. austr.  
 tubiflorus, *C. B. Clarke, in Dyer, Fl. Cap.* iv. II. 441.—Afr. trop. et austr.  
 Vandeleuri, *Baker f. & S. Moore, in Journ. Bot.* 1901, 262.—Afr. austr.  
 Woodii, *C. B. Clarke, in Dyer, Fl. Cap.* iv. II. 445.—Afr. austr.

**STREPTOLIRION**, Edgew. (Commelin.).

- longifolium, *Gagnep. in Bull. Soc. Bot. Fr.* xvii. 334.—China.

**STREPTOMANES**, K. Schum. in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee (1905) 352. *ASCLEPIADACEAE*.

- Nymanii, *K. Schum. l. c.*—N. Guin.

**STROBILANTHES**, Blume (Acanth.).

- Biroi, *Lindau & K. Schum. in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 387.—N. Guin.  
 dispar, *Hassk. Pl. Fav. Rar.* 505.—Java.  
 Merrillii, *C. B. Clarke, in Philipp. Gov. Lab. Bur. Bull.* xxxv. 92.—Ins. Philipp.  
 parvibracteatus, *C. B. Clarke, in Bot. Tidsskr.* xxiv. 349.—Malaya.  
 pluriformis, *C. B. Clarke, in Philipp. Gov. Lab. Bur. Bull.* xxxv. 93.—Ins. Philipp.  
 siamensis, *C. B. Clarke, in Bull. Herb. Boiss. Sér. II.* v. 716.—Siam.

**STROBUS**, Opiz (Conif.).

- [*PINUS*, Tourn. I. K.]  
 Strobos, *Small, Fl. S. E. U. S.* 29 (= *Pinus Strobos*).—Am. bor.

**STROMANTHE**, Sond. (Scitam.).

- boliviana, *K. Schum. in Engl. Pflanzenreich Marant.* 151.—Boliv.  
 confusa, *K. Schum. l. c.* 150.—Boliv.  
 Rothschildii, *K. Schum. l. c.* 130.—Am. cent.  
 Sellowiana, *K. Schum. l. c.* 147.—Bras.

**STRONGYLODON**, Vog. (Legum.).

- caeruleus, *Merrill, in Philipp. Gov. Lab. Bur. Bull.* xxix. 20.—Ins. Philipp.  
 Campenoni, *Drake, Hist. Pl. Madag.* i. 109.—Madag.  
 Catati, *Drake, l. c.*—Madag.  
 crassifolius, *Perkins, Frag. Fl. Philipp.* i. 85.—Ins. Philipp.  
 Elmeri, *Merrill, in Philipp. Gov. Lab. Bur. Bull.* xxix. 20.—Ins. Philipp.  
 Lantianus, *Drake, Hist. Pl. Madag.* i. 109 (= *Chadsia Lantiana*).—Madag.  
 Warburgii, *Perkins, Frag. Fl. Philipp.* i. 85.—Ins. Philipp.

**STROPHANTHUS**, DC. (Apocyn.).

- erythroleucus, *Gilg, in Engl. Jahrb.* xxxii. 160.—Afr. trop.  
 gardeniiflorus, *Gilg, in Engl. Monog. Afr. Pfl.* vii. 20.—Afr. trop.  
 giganteus, *Pierre, in L. Planch. Prod. Apocyn.* (1894) 297, nomen.—Cochinch.  
 Gilletii, *Wildem. in Ann. Mus. Congo, Sér. IV.* 105.—Afr. trop.  
 grandiflorus, *Gilg, in Engl. Jahrb.* xxxii. 161.—Afr. trop.  
 holosericeus, *K. Schum. & Gilg, in Engl. Jahrb.* xxxii. 157.—Afr. trop.

**STROPHANTHUS** :—

- Klainei, *Wildem. in Ann. Mus. Congo, Sér. IV.* 106.—Afr. trop.  
 macrophyllus, *Pierre, in Bull. Soc. Bot. Fr.* lii. 491.—Tonkin.  
 mirabilis, *Gilg, in Engl. Jahrb.* xxxii. 159.—Afr. trop.  
 Pierceanus, *Wildem. in Ann. Mus. Congo, Sér. IV.* 102.—Afr. trop.  
 Radcliffei, *S. Moore, in Journ. Linn. Soc.* xxxvii. 180.—Afr. trop.  
 Schlechteri, *K. Schum. & Gilg, in Engl. Jahrb.* xxxii. 158.—Afr. trop.  
 singaporianus, *Gilg, in Engl. Monog. Afr. Pfl.* vii. 11 (= *Cercocoma singaporianana*).—Malaya.  
 Thierryanus, *K. Schum. & Gilg, in Engl. Jahrb.* xxxii. 158.—Afr. trop.  
 Verdickii, *Wildem. in Ann. Mus. Congo, Sér. IV.* 103.—Afr. trop.  
 verrucosus, *Stapf, in Dyer, Fl. Trop. Afr.* iv. 181.—Afr. trop.  
 Wildemanianus, *Gilg, in Engl. Jahrb.* xxxii. 159.—Afr. trop.

**STROPHOSTYLES**, Ell. (Legum.).

- [*PHASEOLUS*, Tourn. I. K.]  
 missouriensis, *Small, Fl. S. E. U. S.* 654.—Am. bor.

**STRUTHANTHUS**, Mart. (Loranth.).

- [*LORANTHUS*, Linn. I. K.]  
 Roversii, *Warb. in Tropenpfl.* ix. 635, nomen.—Venez.

**STRUTHIOLA**, Linn. (Thymel.).

- leptantha, *Bolus, in Trans. S. Afr. Phil. Soc.* xvi. 142.—Afr. austr.

**STRYCHNOS**, Linn. (Logan.).

- Albersii, *Gilg & Busse, in Engl. Jahrb.* xxxvi. 99.—Afr. trop.  
 Behrensiana, *Gilg & Busse, l. c.* xxxii. 175.—Afr. trop.  
 camptoneura, *Gilg & Busse, l. c.* xxxvi. 93.—Afr. trop.  
 cardiophylla, *Gilg & Busse, l. c.* 110.—Afr. trop.  
 ciliicalyx, *Gilg & Busse, l. c.* 95.—Afr. trop.  
 cuneifolia, *Gilg & Busse, l. c.* 109.—Afr. trop.  
 Elliottii, *Gilg & Busse, l. c.* 99.—Afr. trop.  
 emarginata, *Baker, in Dyer, Fl. Trop. Afr.* iv. i. 537.—Afr. trop.  
 euryphylla, *Gilg & Busse, in Engl. Jahrb.* xxxii. 179.—Afr. trop.  
 Gilletii, *Wildem. in Ann. Mus. Congo, Sér. V.* i. 176.—Afr. trop.  
 Harmsii, *Gilg & Busse, in Engl. Jahrb.* xxxvi. 109.—Afr. trop.  
 huillensis, *Gilg & Busse, l. c.* 104.—Afr. trop.  
 leiocarpa, *Gilg & Busse, l. c.* 103.—Afr. trop.  
 leiopala, *Gilg & Busse, l. c.* 111.—Afr. trop.  
 malacoclados, *C. H. Wright, in Dyer, Fl. Trop. Afr.* iv. i. 523.—Afr. trop.  
 malifolia, *Baker, in Dyer, l. c.* 525.—Afr. trop.  
 Marquesii, *Baker, in Dyer, l. c.* 530.—Afr. trop.  
 matopensis, *S. Moore, in Journ. Bot.* 1905, 48.—Afr. trop.  
 megalocarpa, *Gilg & Busse, in Engl. Jahrb.* xxxii. 180.—Afr. trop.  
 melonicarpa, *Gilg & Busse, l. c.* xxxvi. 101.—Afr. trop.  
 Mocquersii, *Aug. DC. in Bull. Herb. Boiss. Sér. II.* i. 577.—Madag.  
 myrtoides, *Gilg & Busse, in Engl. Jahrb.* xxxii. 178.—Afr. trop.  
 omphalocarpa, *Gilg & Busse, l. c.* 181.—Afr. trop.  
 pachyphylla, *Gilg & Busse, l. c.* xxxvi. 96.—Afr. trop.  
 paralleloneura, *Gilg & Busse, l. c.* 112.—Afr. trop.  
 penduliflora, *Baker, in Dyer, Fl. Trop. Afr.* iv. i. 531.—Afr. trop.  
 phaeotricha, *Gilg, in Engl. Jahrb.* xxxvi. 105.—Afr. trop.  
 polyphylla, *Gilg & Busse, in Engl. Jahrb.* xxxvi. 104.—Afr. trop.  
 procera, *Gilg & Busse, l. c.* 97.—Afr. trop.  
 radiosperma, *Gilg & Busse, l. c.* 108.—Afr. trop.  
 rhombifolia, *Gilg & Busse, l. c.* 107.—Afr. trop.  
 Schumanniana, *Gilg, in Warb. Kunene-Sambesi Exped.* 330.—Afr. trop.  
 stenoneura, *Gilg & Busse, in Engl. Jahrb.* xxxvi. 103.—Afr. trop.  
 suberifera, *Gilg & Busse, l. c.* 107.—Afr. trop.  
 suberosa, *Wildem. in Ann. Mus. Congo, Sér. V.* i. 177.—Afr. trop.



**STRYCHNOS**:-

- Thomsiana, *Gilg & Busse, in Engl. Jahrb.* xxxvi. 111.—Afr. trop.  
 togoensis, *Gilg & Busse, l. c.* 96.—Afr. trop.  
 variabilis, *Wildem. in Ann. Mus. Congo, Sér. V. i.* 178.—Afr. trop.  
 Zenkeri, *Gilg, ex Baker, in Dyer, Fl. Trop. Afr. iv. i.* 529.—Afr. trop.

**STYASASIA**, S. Moore, in *Journ. Linn. Soc.* xxxvii. (1905) 195. **ACANTHACEAE**.  
 africana, S. Moore, *l. c.* (= *Isochoriste africana*).—Afr. trop.

**STYLIDIUM**, Sw. (Stylid.).

- cygnorum, *Fitzg. in Journ. Muell. Soc. W. Austral. i.* ix. 16.—Austral.  
 Dielsianum, *E. Pritz. in Engl. Jahrb.* xxxv. 596.—Austral.  
 Maitlandianum, *E. Pritz. l. c.* 593.—Austral.  
 stenosepalum, *E. Pritz. l. c.* 590.—Austral.  
 yilgarnense, *E. Pritz. l. c.* 591.—Austral.

**STYLOCHITON**, Lepr. (Arac.).

- Barteri, *N. E. Br. in Dyer, Fl. Trop. Afr. viii.* 194.—Afr. trop.  
 borumensis, *N. E. Br. in Dyer, l. c.* 191; *et in Bull. Herb. Boiss. Sér. II. i.* 777.—Afr. trop.  
 gabonensis, *N. E. Br. in Dyer, l. c.* 190.—Afr. trop.  
 grandis, *N. E. Br. l. c.* 193.—Afr. trop.  
 hostiifolius, *Engl. in Engl. Jahrb.* xxxvi. 238.—Afr. trop.  
 kerensis, *N. E. Br. in Dyer, Fl. Trop. Afr. viii.* 193.—Afr. trop.  
 lobatus, *N. E. Br. l. c.* 190.—Afr. trop.  
 puberulus, *N. E. Br. in Dyer, l. c.* 188; *et in Bull. Herb. Boiss. Sér. II. i.* 777.—Afr. trop.  
 salaamicus, *N. E. Br. in Dyer, l. c.* 189.—Afr. trop.  
 similis, *N. E. Br. l. c.* 194.—Afr. trop.  
 Warneckei, *Engl. in Engl. Jahrb.* xxxvi. 239.—Afr. trop.

**STYLOCORYNA**, Cav. (Rubiace.).

- [**RANDIA**, Hout. I. K.]  
 adpressa, *King, in Journ. As. Soc. Beng. lxxii.* 200.—Penins. Mal.  
 angustifolia, *King, l. c.* 199.—Penins. Mal.  
 Maingayi, *King, l. c.* 200.—Penins. Mal.

**STYLOGYNE**, A. DC. (Myrsin.).

- [**ARDISIA**, Sw. I. K.]  
 amazonica, *Mez, in Engl. Pflanzenreich, Myrsin.* 275.—Bras.  
 ambigua, *Mez, l. c.* 266 (= *Ardisia ambigua*).—Bras.  
 ardisioides, *Mez, l. c.* 276 (= *Myrsine ardisioides*).—Am. austr.  
 atra, *Mez, l. c.* 273.—Bras.  
 balaensis, *Mez, l. c.* 271.—Ecuador.  
 brasiliensis, *Mez, l. c.* 269.—Bras.  
 Braunii, *Mez, in Urb. Symb. Antill. ii.* 417.—Ind. occ.  
 brunescens, *Mez, in Engl. Pflanzenreich, Myrsin.* 267.—Am. trop.  
 canaliculata, *Mez, l. c.* 268 (= *Ardisia canaliculata*).—Ind. occ.  
 cauliflora, *Mez, l. c.* 276 (= *Ardisia cauliflora*).—Reg. Amaz.  
 depauperata, *Mez, l. c.* 277.—Bras.  
 Funckiana, *Mez, l. c.* 271.—Venez.  
 Hayesii, *Mez, l. c.* 272.—Am. cent.  
 indecora, *Mez, l. c.* 277.—Bras.  
 Kappleri, *Mez, l. c.* 275.—Guiana.  
 laevigata, *Mez, l. c.* 266 (= *Icacorea laevigata*).—Bras.  
 laevis, *Mez, l. c.* 268 (= *Ardisia laevis*).—Mexic.  
 lateriflora, *Mez, in Urb. Symb. Antill. ii.* 418 (= *Ardisia lateriflora*).—Ind. occ.  
 laxiflora, *Mez, in Engl. Pflanzenreich, Myrsin.* 273 (= *Badula laxiflora*).—Bras.  
 leptantha, *Mez, l. c.* 267.—Bras.  
 Lhotzkyana, *Mez, l. c.* 269 (= *Ardisia Lhotzkyana*).—Bras.  
 longifolia, *Mez, l. c.* 276 (= *Ardisia longifolia*).—Am. trop.  
 Mathewsii, *Mez, l. c.* 278.—Peruv.  
 micans, *Mez, l. c.* 272.—Guiana.  
 micrantha, *Mez, l. c.* 276 (= *Ardisia micrantha*).—N. Granat.  
 nigricans, *Mez, l. c.* 267.—Bras.

**STYLOGYNE**:-

- orinocensis, *Mez, in Engl. Pflanzenreich, Myrsin.* 270 (= *Ardisia orinocensis*).—Venez.  
 pauciflora, *Mez, l. c.* 278.—Bras.  
 Poeppigii, *Mez, l. c.* 274.—Am. trop.  
 ramiflora, *Mez, l. c.* 272 (= *Ardisia ramiflora*).—Am. cent.  
 reticulata, *Mez, l. c.* 269.—N. Granat.  
 Schomburgkiana, *Mez, l. c.* 270 (= *Ardisia Schomburgkiana*).—Guiana.  
 Sellowiana, *Mez, l. c.* 278.—Bras.  
 Smithiorum, *Mez, in Urb. Symb. Antill. ii.* 418.—Ind. occ.  
 sordida, *Mez, in Engl. Pflanzenreich, Myrsin.* 277.—Bras.  
 Spruceana, *Mez, l. c.* 274.—Am. trop.  
 surinamensis, *Mez, l. c.* 271 (= *Ardisia surinamensis*).—Guiana.  
 turbacensis, *Mez, l. c.* 270 (= *Ardisia turbacensis*).—N. Granat.  
 venezuelana, *Mez, l. c.* 273.—Venez.  
 Warmingii, *Mez, l. c.* 278.—Bras.

**STYLOPHORUM**, Nutt. (Papav.).

- sutchuense, *Fedde, in Engl. Jahrb.* xxxvi. *Beibl.* lxxxii. 45 (= *Hylomecon sutchuense*).—China.

**STYLOPHYLLUM**, Britton & Rose, in *Bull. N. York Bot. Gard.* iii. (1903) 33. **CRASSULACEAE**.

- albidum, *Rose, l. c.* 34.—Calif.  
 attenuatum, *Britton & Rose, l. c.* 36 (= *Cotyledon attenuata*).—Calif.  
 densiflorum, *Rose, l. c.*—Calif.  
 edule, *Britton & Rose, l. c.* (= *Sedum edule*).—Calif.  
 Hassei, *Rose, l. c.* 35.—Calif.  
 insulare, *Rose, l. c.* 34.—Calif.  
 Orcuttii, *Rose, l. c.* 36.—Calif.  
 Parishii, *Britton, l. c.* 37.—Calif.  
 semiteres, *Rose, l. c.* 35.—Calif.  
 Traskae, *Rose, l. c.* 34.—Calif.  
 virens, *Rose, l. c.*—Calif.  
 viscidum, *Britton & Rose, l. c.* 33 (= *Cotyledon viscida*).—Calif.

**STYLOSANTHES**, Sw. (Legum.).

- hispidissima, *Auct. in Proc. Biol. Soc. Washington,* xiii. 207.—Am. bor.

**STYRAX**, Linn. (Styrac.).

- caloneurus, *Perkins, in Engl. Jahrb.* xxxi. 484.—China.  
 dasyanthus, *Perkins, l. c.* 485.—China.  
 davillifolius, *Perkins, l. c.* 482.—N. Granat.  
 formosanus, *Matsum. in Bot. Mag. Tokyo,* xv. 75.—Formosa.  
 hypochryseus, *Perkins, in Engl. Jahrb.* xxxi. 479.—Am. cent.  
 hypoglaucus, *Perkins, l. c.* 486.—China.  
 lasiocalyx, *Perkins, l. c.* 481.—N. Granat.  
 lauraceus, *Perkins, l. c.* 478.—N. Granat.  
 macranthus, *Perkins, l. c.* 487.—China.  
 macrothyrsus, *Perkins, l. c.* 485.—Tonkin.  
 micranthus, *Perkins, l. c.* 480.—Mexic.  
 myristicifolius, *Perkins, l. c.* 481.—Am. trop.  
 pachyphylla, *Pilg. in Engl. Jahrb.* xxx. 182.—Bras.  
 paralleloneurus, *Perkins, in Engl. Jahrb.* xxxi. 484.—Sumatra.  
 polyanthus, *Perkins, l. c.* 479.—Am. cent.  
 polyneurus, *Perkins, in Coult. Bot. Gaz.* xxxv. (1903), 5.—Am. cent.  
 prunifolius, *Perkins, in Engl. Jahrb.* xxxi. 486.—China.  
 Roraimae, *Perkins, l. c.* 478.—Guiana.  
 tarapotensis, *Perkins, l. c.* 479.—Peruv.  
 Warszewiczii, *Perkins, l. c.* 480.—Am. trop.

**SUAEDA**, Forsk. (Chenopod.).

- caespitosa, *Dod, in Journ. Bot.* 1901, 401.—Afr. austr.  
 Lipskii, *Litw. in Sched. Herb. Fl. Ross,* 1901, 35.—As. cent.  
 Olufsenii, *Paulsen, in Kjoeb. Vidensk. Meddel.* 1903, 194.—As. cent.  
 Paulayana, *Vierh. in Oesterr. Bot. Zeitschr.* 1903, 481.—Socotra.  
 vesceritensis, *L. Chevall. in Bull. Herb. Boiss. Sér. II.* iii. 777.—Alger.

**SULLIVANTIA**, Torr. & Gray (Saxifr.).

- halmicola, *A. Nelson, in N. Am. Fl.* xxii. 122.—Am. bor.

**SUTERA**, Roth (Scrophul.).

- accrescens, *Hiern, in Dyer, Fl. Cap. iv. II.* 305.—Afr. austr.  
 altoplana, *Hiern, l. c.* 302.—Afr. austr.  
 amplexicaulis, *Hiern, l. c.* 287 (= *Lyperia amplexicaulis*).—Afr. trop. et austr.  
 annua, *Hiern, l. c.* 264 (= *Chaenostoma annuum*).—Afr. austr.  
 antirrhinoides, *Hiern, l. c.* 274 (= *Manulea antirrhinoides*).—Afr. austr.  
 arcuata, *Hiern, l. c.* 266.—Afr. austr.  
 argentea, *Hiern, l. c.* 301 (= *Manulea argentea*).—Afr. austr.  
 asbestina, *Hiern, l. c.* 285.—Afr. austr.  
 aspalathoides, *Hiern, l. c.* 308 (= *Lyperia aspalathoides*).—Afr. austr.  
 atropurpurea, *Hiern, l. c.* 306 (= *Manulea atropurpurea*).—Afr. austr.  
 batlapina, *Hiern, l. c.* 265.—Afr. austr.  
 Bolusii, *Hiern, l. c.* 300.—Afr. austr.  
 bracteolata, *Hiern, l. c.* 276.—Afr. austr.  
 breviflora, *Hiern, l. c.* 263 (= *Lyperia breviflora*).—Afr. austr.  
 brunnea, *Hiern, l. c.* 305.—Afr. austr.  
 Burchellii, *Hiern, l. c.* 279.—Afr. austr.  
 Burkeana, *Hiern, l. c.* 299 (= *Lyperia Burkeana*).—Afr. trop. et austr.  
 caerulea, *Hiern, l. c.* 255 (= *Manulea caerulea*).—Afr. austr.  
 canescens, *Hiern, l. c.* 303 (= *Lyperia canescens*).—Afr. trop. et austr.  
 compta, *Hiern, l. c.* 268.—Afr. austr.  
 concinna, *Hiern, l. c.* 293.—Afr. austr.  
 Cooperi, *Hiern, l. c.* 282.—Afr. austr.  
 crassicaulis, *Hiern, l. c.* 294 (= *Lyperia crassicaulis*).—Afr. austr.  
 cymulosa, *Hiern, l. c.* 267.—Afr. austr.  
 densifolia, *Hiern, l. c.* 309.—Afr. austr.  
 Dielsiana, *Hiern, l. c.* 284 (= *Lyperia racemosa*).—Afr. austr.  
 divaricata, *Hiern, l. c.* 281 (= *Chaenostoma divaricatum*).—Afr. austr.  
 eliotensis, *Hiern, l. c.* 251.—Afr. austr.  
 filicaulis, *Hiern, l. c.* 298 (= *Lyperia filicaulis*).—Afr. austr.  
 flexuosa, *Hiern, l. c.* 252.—Afr. austr.  
 foliolosa, *Hiern, l. c.* 298 (= *Lyperia foliolosa*).—Afr. austr.  
 fraterna, *Hiern, l. c.* 274.—Afr. austr.  
 fruticosa, *Hiern, l. c.* 288 (= *Lyperia fruticosa*).—Afr. austr.  
 gracilis, *Hiern, l. c.* 283 (= *Chaenostoma gracile*).—Afr. austr.  
 grandiflora, *Hiern, l. c.* 304 (= *Lyperia grandiflora*).—Afr. austr.  
 griquensis, *Hiern, l. c.* 279.—Afr. austr.  
 Henrici, *Hiern, l. c.* 300.—Afr. austr.  
 humifusa, *Hiern, l. c.* 281.—Afr. austr.  
 incisa, *Hiern, l. c.* 303 (= *Erinus incisus*).—Afr. austr.  
 integerrima, *Hiern, l. c.* 284.—Afr. austr.  
 intertexta, *Hiern, l. c.* 255.—Afr. austr.  
 Kraussiana, *Hiern, l. c.* 301 (= *Chaenostoma Kraussianum*).—Afr. austr.  
 latifolia, *Hiern, l. c.* 281.—Afr. austr.  
 levis, *Hiern, in Journ. Bot.* 1903, 364.—Afr. austr.  
 litoralis, *Hiern, in Dyer, Fl. Cap. iv. II.* 291 (= *Lyperia litoralis*).—Afr. austr.  
 luteiflora, *Hiern, l. c.* 294.—Afr. trop. et austr.  
 lychnidea, *Hiern, l. c.* 290 (= *Selago lychnidea*).—Afr. austr.  
 Macleana, *Hiern, l. c.* 276.—Afr. austr.  
 macrosiphon, *Hiern, l. c.* 286 (= *Chaenostoma macrosiphon*).—Afr. austr.  
 maritima, *Hiern, l. c.* 277.—Afr. austr.  
 Maxii, *Hiern, l. c.* 288.—Afr. trop. et austr.  
 micrantha, *Hiern, l. c.* 283.—Afr. austr.  
 microphylla, *Hiern, l. c.* 309 (= *Manulea microphylla*).—Afr. austr.  
 mollis, *Hiern, l. c.* 295 (= *Lyperia mollis*).—Afr. austr.  
 neglecta, *Hiern, l. c.* 260 (= *Chaenostoma neglectum*).—Afr. austr.  
 noodsbergensis, *Hiern, l. c.* 264.—Afr. austr.  
 ochracea, *Hiern, l. c.* 282.—Afr. austr.  
 pallescens, *Hiern, l. c.* 280.—Afr. austr.  
 palustris, *Hiern, l. c.* 256.—Afr. austr.  
 patriotica, *Hiern, l. c.* 250.—Afr. austr.  
 pedunculata, *Hiern, l. c.* 307 (= *Buchnerapedunculata*).—Afr. austr.

**SUTERA:**—

- phlogiflora, *Hiern*, in *Dyer, Fl. Cap.* iv. II. 298 (= *Lyperia phlogiflora*).—Afr. austr.  
 platysepala, *Hiern*, l. c. 249.—Afr. austr.  
 polelensis, *Hiern*, l. c. 252.—Afr. austr.  
 polysepala, *Hiern*, l. c. 254.—Afr. austr.  
 pristisepala, *Hiern*, l. c. 293.—Afr. austr.  
 ramosissima, *Hiern*, l. c. 265.—Afr. austr.  
 roseoflava, *Hiern*, l. c. 251.—Afr. austr.  
 sessilifolia, *Hiern*, l. c. 291 (= *Chaenostoma sessilifolium*).—Afr. austr.  
 stenopetala, *Hiern*, l. c. 305 (= *Chaenostoma stenopetalum*).—Afr. austr.  
 stenophylla, *Hiern*, l. c. 258.—Afr. austr.  
 subnuda, *Hiern*, l. c. (= *Chaenostoma subnudum*).—Afr. austr.  
 tenella, *Hiern*, l. c. 278.—Afr. austr.  
 tenuiflora, *Hiern*, l. c. 291 (= *Lyperia tenuiflora*).—Afr. austr.  
 tomentosa, *Hiern*, l. c. 283 (= *Erinus tomentosus*).—Afr. trop. et austr.  
 tortuosa, *Hiern*, l. c. 309 (= *Lyperia tortuosa*).—Afr. austr.  
 tristis, *Hiern*, l. c. 289 (= *Erinus tristis*).—Afr. austr.  
 Tysoni, *Hiern*, l. c. 296.—Afr. austr.  
 violacea, *Hiern*, l. c. 286 (= *Chaenostoma violaceum*).—Afr. austr.  
 virgulosa, *Hiern*, l. c. 302.—Afr. austr.

**SUTTONIA**, A. Rich. (Myrsin.).

- [MYRSINE, Linn. I. K.]  
 angustifolia, *Mez*, in *Engl. Pflanzenreich, Myrsin.* 337 (= *Myrsine angustifolia*).—Ins. Sandvic.  
 chathamica, *Mez*, l. c. 333 (= *Myrsine chathamica*).—N. Zel.  
 Fernseei, *Mez*, l. c. 336.—Ins. Sandvic.  
 Hillebrandii, *Mez*, l. c. 337.—Ins. Sandvic.  
 kauaiensis, *Mez*, l. c. 335 (= *Myrsine kauaiensis*).—Ins. Sandvic.  
 lanaiensis, *Mez*, l. c. 336 (= *Myrsine lanaiensis*).—Ins. Sandvic.  
 Lessertiana, *Mez*, l. c. (= *Myrsine Lessertiana*).—Ins. Sandvic.  
 novo-zelandensis, *Mez*, l. c. 334 (= *Myrsine novo-zelandensis*).—N. Zel.  
 sandwicensis, *Mez*, l. c. 336 (= *Myrsine sandwicensis*).—Ins. Sandvic.  
 Wawrae, *Mez*, l. c. 335.—Ins. Sandvic.

**SVIDA**, Opiz (Cornac.).

- [CORNUS, Tourn. I. K.]  
 alternifolia, *Small*, *Fl. S. E. U. S.* 853 (= *Cornus alternifolia*).—Am. bor.  
 Amomum, *Small*, l. c. 854 (= *Cornus Amomum*).—Am. bor.  
 asperifolia, *Small*, l. c. (= *Cornus asperifolia*).—Am. bor.  
 candidissima, *Small*, l. c. 853 (= *Cornus candidissima*).—Am. bor.  
 interior, *Rydb.* in *Bull. Torr. Bot. Club*, 1904, 572.—Am. bor.  
 microcarpa, *Small*, *Fl. S. E. U. S.* 853 (= *Cornus microcarpa*).—Am. bor.  
 Priceae, *Small*, l. c. 854 (= *Cornus Priceae*).—Am. bor.  
 stricta, *Small*, l. c. 853 (= *Cornus stricta*).—Am. bor.

**SWAINSONA**, Salisb. (Legum.).

- ecallousa, *Sprague*, in *Gard. Chron.* 1903, I. 274.—Austral.  
 paradoxa, *Fitzg.* in *Journ. W. Austral. Nat. Hist. Soc.* i. 5.—Austral.  
 tenuis, *E. Pritz.* in *Engl. Jahrb.* xxxv. 270.—Austral.

**SWEETIA**, Spreng. (Legum.).

- Glazioviana, *Harms*, in *Engl. Jahrb.* xxxiii. Beibl. lxxii. 26.—Bras.

**SWEETIOPSIS**, Chod. & Hassl. in *Bull. Herb.*

- Boiss. Sér. II. iv. (1904) 833. **LEGUMINOSAE.**  
 Hassleri, *Chod.* l. c.—Parag.

**SWERTIA**, Linn. (Gentian.).

- brevipedicellata, *Gilg*, in *Dyer, Fl. Trop. Afr.* iv. I. 577.—Afr. trop.  
 calycina, *N. E. Br.* in *Dyer*, l. c. 574.—Afr. trop.  
 congesta, *A. Nelson*, in *Bull. Torr. Bot. Club*, 1901, 228.—Am. bor.  
 Covillei, *Greene*, *Leaflets Bot. Obs.* i. 77.—Calif.

**SWERTIA:**—

- curtioides, *Gilg*, in *Engl. Jahrb.* xxx. 379.—Afr. trop.  
 dissimilis, *N. E. Br.* in *Dyer, Fl. Trop. Afr.* iv. I. 579.—Afr. trop.  
 erosula, *N. E. Br.* l. c. 572.—Afr. trop.  
 fwambensis, *N. E. Br.* l. c. 574.—Afr. trop.  
 Johnsoni, *N. E. Br.* l. c. 572.—Afr. trop.  
 Kuroiwai, *Makino*, in *Bot. Mag. Tokyo*, xvii. 53.—Japon.  
 minor, *Cooke*, *Fl. Bombay*, ii. 193 (= *Ophelia minor*).—Ind. or.  
 palustris, *A. Nelson*, in *Bull. Torr. Bot. Club*, 1901, 227.—Am. bor.  
 parallela, *Greene*, *Leaflets Bot. Obs.* i. 92.—Am. bor.  
 Sharpei, *N. E. Br.* in *Dyer, Fl. Trop. Afr.* iv. I. 581.—Afr. trop.  
 subalpina, *N. E. Br.* l. c. 578.—Afr. trop.  
 tosaensis, *Makino*, in *Bot. Mag. Tokyo*, xvii. 54.—Japon.  
 veratroides, *Maxim. ex Komarov*, in *Act. Hort. Petrop.* xxv. (1905) 276.—Manchuria.  
 warackensis, *Frey*, in *Bull. Herb. Boiss. Sér. II.* i. 274.—Orients.  
 Wellbyi, *N. E. Br.* in *Dyer, Fl. Trop. Afr.* iv. I. 577.—Afr. trop.  
 Whytei, *N. E. Br.* l. c. 579.—Afr. trop.  
 wojeratisensis, *N. E. Br.* l. c. 577.—Afr. trop.  
 yezoensis, *Matsum.* *Enum. Sci. Names* (1895) 287 (= *Ophelia yezoensis*).—Japon.

**SYMBEGONIA**, Warb. (Begon.).

- bracteosa, *Warb.* in *K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 323.—N. Guin.  
 sanguinea, *Warb.* l. c.—N. Guin.  
 strigosa, *Warb.* l. c. 324.—N. Guin.

**SYMPETALANDRA**, Stapf, in *Hook. Ic. Pl. t.*

2721. **LEGUMINOSAE.**  
 borneensis, *Stapf*, l. c.—Malaya.

**SYMPHORICARPOS**, Dill. (Caprifol.).

- acutus, *Howell*, *Fl. N. W. Amer.* 281.—Am. bor.  
 Austinae, *Eastw.* in *Bull. Torr. Bot. Club*, 1903, 499.—Calif.  
 glabratus, *Eastw.* l. c.—Am. bor.  
 glaucus, *Eastw.* l. c. 497.—Am. bor.  
 parvifolius, *Eastw.* l. c. 498.—Calif.  
 pauciflorus, *Howell*, *Fl. N. W. Amer.* i. 281.—Am. bor.  
 tetonensis, *A. Nelson*, in *Bull. Torr. Bot. Club*, 1904, 246.—Am. bor.

**SYMPHYANDRA**, A. DC. (Campan.).

- lezgina, *Alex.* in *Act. Hort. Tiflis*, vi. I. 68.—Reg. Caucas.

**SYMPHYOCHLAMYS**, Guerke, in *Engl. Jahrb.*

- xxxiii. (1903) 379. **MALVACEAE.**  
 Erlangeri, *Guerke*, l. c.—Afr. trop.

**SYMPHYOSTEMON**, Miers (Irid.).

- Segethi, *MacL.* in *Rep. Princeton Univ. Exped. Patag.* viii. 319 (= *Susarium Segethi*).—Patag.

**SYMPHYTUM**, Tourn. (Borag.).

- pseudobulbosum, *Aznav.* in *Bull. Herb. Boiss. Sér. II.* iii. 588.—As. Min.

**SYMPLOCOS**, Jacq. (Styrac.).

- acutangula, *Brand*, in *Engl. Pflanzenreich, Symploc.* 65.—China.  
 aegrota, *Brand*, l. c. 71.—Bras.  
 albifrons, *Brand*, l. c. 88.—Borneo.  
 altissima, *Brand*, l. c. 71.—Bras.  
 aluminosa, *Brand*, l. c. 35.—Java.  
 amabilis, *Brand*, l. c. 63.—Ind. or.  
 amplifolia, *Brand*, l. c. 75.—Venez.  
 aneityensis, *Brand*, l. c. 39.—N. Hebrid.  
 angulata, *Brand*, l. c. 73.—Bras.  
 apiculata, *Brand*, l. c. 85.—Ind. occ.  
 arcuata, *Brand*, l. c. 58.—Java.  
 argentea, *Brand*, l. c. 67.—China.  
 ascendens, *Brand*, l. c. 71.—Bras.  
 aspera, *Brand*, l. c. 80.—N. Granat.  
 Baenerleni, *R. T. Baker*, in *Proc. Linn. Soc. N. S. Wales*, xxvii. 594.—Austral.  
 Barbacena, *Brand*, in *Engl. Pflanzenreich, Symploc.* 81.—Bras.  
 barringtoniifolia, *Brand*, in *Ann. Conserv. & Jard. Bot. Genève*, vii–viii. 283.—Ind. or.  
 Beccarii, *Brand*, in *Engl. Pflanzenreich, Symploc.* 49.—Sumatra.

**SYMPLOCOS:**—

- bogotensis, *Brand*, in *Engl. Pflanzenreich, Symploc.* 30.—N. Granat.  
 boliviana, *Brand*, l. c. 89.—Boliv.  
 borneensis, *Brand*, l. c. 56.—Borneo.  
 calycodactylos, *Brand*, l. c. 63.—Ind. or.  
 campestris, *Brand*, l. c. 84.—Bras.  
 candelabrum, *Brand*, l. c. 39.—Austral.  
 candicans, *Brand*, l. c. 49.—Borneo.  
 Candolleana, *Brand*, l. c. 49.—Ind. or.  
 capitellata, *Brand*, l. c. 88.—Sumatra.  
 colorata, *Brand*, l. c. 74.—Boliv.  
 commutata, *Brand*, l. c. 82.—Bras.  
 complanata, *Brand*, l. c. 50.—As.  
 concolor, *Brand*, l. c. 65.—Ind. or.  
 confusa, *Brand*, l. c. 88.—Ind. or.  
 constricta, *Brand*, l. c. 41.—Malaya.  
 corymboclados, *Brand*, l. c. 72.—Bras.  
 cucullata, *Brand*, l. c. 56.—Ind. or.  
 Cumingiana, *Brand*, l. c. 58.—Ins. Philipp.  
 cuspidata, *Brand*, l. c. 41.—N. Caled.  
 densiflora, *Brand*, l. c. 71.—Bras.  
 depauperata, *Merrill*, in *Philipp. Gov. Lab. Bur. Bull.* xxix. 45.—Ins. Philipp.  
 distans, *Brand*, in *Engl. Pflanzenreich, Symploc.* 82.—Bras.  
 diversifolia, *Brand*, l. c. 62.—Ind. or.  
 edulis, *Brand*, l. c. 89.—Ecuador.  
 Elmeri, *Brand*, in *Perkins, Frag. Fl. Philipp.* 36.—Ins. Philipp.  
 Ernae, *Brand*, in *Engl. Pflanzenreich, Symploc.* 58.—Borneo.  
 falcata, *Brand*, l. c. 71.—Bras.  
 fallax, *Brand*, l. c. 86.—Bras.  
 flavescens, *Brand*, l. c. 55.—N. Caled.  
 floridissima, *Brand*, l. c. 35.—Ins. Philipp.  
 Forbesii, *Brand*, l. c. 63.—Sumatra.  
 formosana, *Brand*, l. c. 67.—Formosa.  
 frondosa, *Brand*, l. c. 28.—Bras.  
 fulvipes, *Brand*, l. c. 41.—As. or.  
 furcata, *Brand*, l. c. 57.—Ind. or.  
 glabrescens, *Brand*, l. c. 64.—Ind. or.  
 glabrifolia, *Brand*, l. c. 63.—Ind. or.  
 glandulifera, *Brand*, l. c. 68.—China.  
 Glaziovii, *Brand*, l. c. 73.—Bras.  
 Havilandii, *Brand*, l. c. 41.—Borneo.  
 Henryi, *Brand*, l. c. 67.—China.  
 Henschelii, *Brand*, l. c. 89 = S. Nagelii.  
 hirtella, *Brand*, l. c. 78.—Bras.  
 Huegeliana, *Brand*, l. c. 57.—Ind. or.  
 insignis, *Brand*, l. c. 27.—Bras.  
 khasiana, *Brand*, l. c. 58.—Ind. or.  
 Klotzschii, *Brand*, l. c. 87.—Bras.  
 leucophylla, *Brand*, l. c. 60.—China.  
 liukuensis, *Matsum.* in *Bot. Mag. Tokyo*, xv. 78; l. c. xvi. 19.—Japon.  
 longiflora, *Brand*, in *Engl. Pflanzenreich, Symploc.* 85.—N. Granat.  
 lugubris, *Brand*, l. c. 75.—Peruv.  
 lutescens, *Brand*, l. c. 76.—N. Granat.  
 macrostachya, *Brand*, l. c. 36.—Malaya.  
 maculata, *Brand*, in *K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 348.—N. Guin.  
 major, *Brand*, in *Engl. Pflanzenreich, Symploc.* 56.—Ind. or.  
 mapiriensis, *Brand*, l. c. 74.—Boliv.  
 modesta, *Brand*, l. c. 66.—Formosa.  
 Mosenii, *Brand*, l. c. 29.—Bras.  
 nana, *Brand*, l. c. 76.—Boliv.  
 neglecta, *Brand*, l. c. 28.—Bras.  
 nigrescens, *Brand*, l. c. 29.—Bras.  
 nigricans, *Brand*, l. c. 49.—Borneo.  
 nitidiflora, *Brand*, l. c. 71.—Bras.  
 nivalis, *Linden*, ex *Brand*, l. c. 81.—N. Granat.  
 nivea, *Brand*, l. c. 36.—Ind. or.  
 okinawensis, *Matsum.* in *Bot. Mag. Tokyo*, xv. 78.—Japon.  
 organensis, *Brand*, in *Engl. Pflanzenreich, Symploc.* 72.—Bras.  
 orogenes, *Brand*, l. c. 42.—Cochinch.  
 padus, *Klotzsch*, ex *Brand*, l. c. 87.—Bras.  
 Pavonii, *Brand*, l. c. 75.—Ecuador.  
 peruviana, *Brand*, l. c. 89.—Peruv.  
 pilosiuscula, *Brand*, l. c. 83.—Guiana.  
 polyandra, *Brand*, l. c. 36.—Ins. Philipp.  
 quindiuensis, *Brand*, l. c. 77.—N. Granat.

**SYMPLOCOS**:-

- quitensis, Brand, in *Engl. Pflanzenreich, Symploc.* 76.—Ecuador.  
 rhynchocarpa, K. Schum. in K. Schum. & Lauterb. *Nachtr. Fl. Deutsch. Südsee*, 347.—N. Guin.  
 rigidissima, Brand, in *Engl. Pflanzenreich, Symploc.* 75.—N. Granat.  
 Schlechteri, Brand, in K. Schum. & Lauterb. *Nachtr. Fl. Deutsch. Südsee*, 348.—Ins. Bismarck.  
 Schumanniana, Brand, l. c. 347 (*sphalm. Schumaniana*).—N. Guin.  
 scoparia, Brand, in *Engl. Pflanzenreich, Symploc.* 89.—Bras.  
 Sellowiana, Brand, l. c. 81.—Bras.  
 siamensis, Brand, l. c. 57.—Siam.  
 sogonensis, Brand, l. c. 49.—N. Guin.  
 spectabilis, Brand, l. c. 69.—China.  
 Stocksii, Brand, l. c. 59.—Ind. or.  
 suaveolens, Klotzsch, ex Brand, l. c. 75.—Venez.  
 subglabra, Brand, l. c.—Ind. or.  
 sumatrana, Brand, l. c. 62.—Sumatra.  
 superba, Brand, l. c. 55.—Borneo.  
 syringoides, Brand, l. c. 41.—Malaya.  
 Tanakae, Matsum. in *Bot. Mag. Tokyo*, xv. 79.—Japon.  
 Tashiroi, Matsum. l. c. 77.—Formosa.  
 tenella, Brand, in *Engl. Pflanzenreich, Symploc.* 54.—Ind. or.  
 tenuifolia, Brand, l. c. 71.—Bras.  
 terminalis, Brand, l. c. 36.—China.  
 tonkinensis, Brand, l. c. 66.—Cochinch.  
 trachycarpus, Brand, l. c. 81.—Bras.  
 Trianae, Brand, l. c. 82.—N. Granat.  
 tristis, Brand, l. c. 74.—Peruv.  
 umbellata, Brand, l. c. 75.—N. Granat.  
 uruguensis, Brand, l. c. 87.—Bras.; Urug.  
 verrucosa, Brand, l. c. 27.—Bras.  
 verticillata, Brand, l. c. 38.—N. Caled.  
 villosa, Brand, l. c. 63.—Ind. or.  
 violacea, Brand, l. c. 81.—N. Granat.  
 viridissima, Brand, l. c. 41.—Ind. or.  
 Walkeri, Brand, l. c. 63.—Ind. or.  
 Warburgii, Brand, l. c. 68.—Ind. or.  
 yunnanensis, Brand, l. c. 66.—China.

**SYNADENIUM**, Boiss. (Euphorb.).

- Cameronii, N. E. Br. in *Kew Bull.* 1901, 133.—Afr. trop.  
 glaucescens, Pax, in *Engl. Jahrb.* xxxiii. 289.—Afr. trop.

**SYNCOLOSTEMON**, E. Mey. (Labiata).

- Cooperi, Brig. in *Bull. Herb. Boiss. Sér. II.* iii. 979.—Afr. austr.

**SYNGONANTHUS**, Ruhl. (Eriocaul.).

- aciphyllus, Ruhl. in *Engl. Pflanzenreich, Eriocaul.* 273 (= *Paepalanthus aciphyllus*).—Bras.  
 anomalus, Ruhl. l. c. 267 (= *Paepalanthus anomalus*).—Am. austr.  
 anthemidiflorus, Ruhl. l. c. 258 (= *Paepalanthus anthemidiflorus*).—Bras.  
 appressus, Ruhl. l. c. 269 (= *Paepalanthus appressus*).—Bras.  
 arenarius, Ruhl. l. c. 260 (= *Paepalanthus arenarius*).—Bras.  
 atrovirens, Ruhl. l. c. 261 (= *Paepalanthus atrovirens*).—Bras.  
 bisulcatus, Ruhl. l. c. 273 (= *Paepalanthus bisulcatus*).—Bras.  
 bisumbellatus, Ruhl. l. c. 263 (= *Paepalanthus Steudelianus*).—Bras.  
 bulbifer, Ruhl. l. c. 272 (= *Paepalanthus bulbifer*).—Guiana.  
 caespitosus, Ruhl. l. c. 278 (= *Paepalanthus caespitosus*).—Bras.  
 caulescens, Ruhl. l. c. 267 (= *Paepalanthus caulescens*).—Am. austr.  
 centauroides, Ruhl. l. c. 277 (= *Paepalanthus centauroides*).—Bras.  
 chrysanthus, Ruhl. l. c. 256 (= *Paepalanthus chrysanthus*).—Bras.  
 cipoensis, Ruhl. l. c. 278.—Bras.  
 circinnatus, Ruhl. l. c. 279 (= *Paepalanthus circinnatus*).—Bras.  
 costatus, Ruhl. l. c. 252.—Bras.  
 densiflorus, Ruhl. l. c. 263 (= *Paepalanthus densiflorus*).—Bras.  
 densus, Ruhl. l. c. 253 (= *Paepalanthus densus*).—Bras.

**SYNGONANTHUS**:-

- eburneus, Ruhl. in *Engl. Pflanzenreich, Eriocaul.* 278 (= *Paepalanthus eburneus*).—Bras.  
 elegans, Ruhl. l. c. 275 (= *Paepalanthus elegans*).—Bras.  
 elegantulus, Ruhl. l. c. 273.—Bras.  
 eriophyllus, Ruhl. l. c. 249 (= *Paepalanthus eriophyllus*).—Guiana.  
 euschemus, Ruhl. l. c. 274.—Bras.  
 fertilis, Ruhl. l. c. 263 (= *Paepalanthus fertilis*).—Bras.  
 Fischerianus, Ruhl. l. c. 256 (= *Paepalanthus Fischerianus*).—Bras.  
 flavidulus, Ruhl. l. c. (= *Paepalanthus flavidulus*).—Am. bor.  
 fuscescens, Ruhl. l. c. 249.—Bras.  
 goyazensis, Ruhl. l. c. 255 (= *Paepalanthus goyazensis*).—Bras.  
 gracilis, Ruhl. l. c. 249 (= *Paepalanthus gracilis*).—Am. austr.  
 habrophysus, Ruhl. l. c. 274.—Bras.  
 helminthorrhizus, Ruhl. l. c. 261 (= *Paepalanthus helminthorrhizus*).—Bras.  
 heteropeplus, Ruhl. l. c. 248 (= *Paepalanthus heteropeplus*).—Guiana.  
 hirtellus, Ruhl. l. c. 252.—Bras.  
 Huberi, Ruhl. l. c. 266.—Bras.  
 Humboldtii, Ruhl. l. c. 262 (= *Paepalanthus Humboldtii*).—Venez.  
 hygrotrichus, Ruhl. l. c. 246.—Bras.  
 imbricatus, Ruhl. l. c. 279 (= *Paepalanthus imbricatus*).—Bras.  
 inundatus, Ruhl. l. c. 267 (= *Paepalanthus inundatus*).—Bras.  
 Kegelianus, Ruhl. l. c. 273 (= *Paepalanthus Kegelianus*).—Guiana.  
 laricifolius, Ruhl. l. c. 257 (= *Paepalanthus laricifolius*).—Bras.  
 Leprieurii, Ruhl. l. c. 266 (= *Paepalanthus Leprieurii*).—Guiana.  
 linearis, Ruhl. l. c. 272.—Bras.  
 llanorum, Ruhl. l. c. 265.—N. Granat.  
 macrocaulon, Ruhl. l. c. 269.—Am. austr.  
 nitens, Ruhl. l. c. 254 (= *Paepalanthus nitens*).—Bras.  
 nitidus, Ruhl. l. c. 272 (= *Paepalanthus nitidus*).—Bras.  
 niveus, Ruhl. l. c. 275 (= *Paepalanthus niveus*).—Bras.  
 oblongus, Ruhl. l. c. 260 (= *Paepalanthus oblongus*).—Bras.  
 paraensis, Ruhl. l. c. 264.—Bras.  
 pauper, Ruhl. l. c. 274.—Bras.  
 peruvianus, Ruhl. l. c. 253.—Peruv.  
 philodicoides, Ruhl. l. c. 266 (= *Paepalanthus philodicoides*).—Bras.  
 planus, Ruhl. l. c. 265.—Bras.  
 Poggeanus, Ruhl. l. c. 247.—Afr. trop.  
 pulcher, Ruhl. l. c. 255 (= *Paepalanthus pulcher*).—Bras.  
 pusillus, Ruhl. l. c. 254 (= *Paepalanthus pusillus*).—Bras.  
 reclinator, Ruhl. l. c. 260 (= *Paepalanthus reclinator*).—Bras.  
 rhizonema, Ruhl. l. c. 269.—Bras.  
 Ruprechtianus, Ruhl. l. c. 272 (= *Paepalanthus Ruprechtianus*).—Bras.  
 Schwackel, Ruhl. l. c. 259.—Bras.  
 sclerophyllus, Ruhl. l. c. 255.—Bras.  
 similis, Ruhl. l. c. 259.—Bras.  
 simplex, Ruhl. l. c. 248 (= *Paepalanthus simplex*).—Venez.; Guiana.  
 spadiceus, Ruhl. l. c. 255 (= *Paepalanthus spadiceus*).—Bras.  
 squarrosus, Ruhl. l. c. 278.—Bras.  
 tenuis, Ruhl. l. c. 253 (= *Paepalanthus tenuis*).—Venez.  
 vernonioides, Ruhl. l. c. 277 (= *Paepalanthus vernonioides*).—Bras.  
 verticillatus, Ruhl. l. c. 262 (= *Paepalanthus verticillatus*).—Bras.  
 Wahlbergii, Ruhl. l. c. 247 (= *Paepalanthus Wahlbergii*).—Afr. austr.  
 Welwitschii, Ruhl. l. c. 248 (= *Paepalanthus Welwitschii*).—Afr. trop.  
 Widgrenianus, Ruhl. l. c. 256 (= *Paepalanthus Widgrenianus*).—Bras.  
 xeranthemoides, Ruhl. l. c. 276 (= *Paepalanthus xeranthemoides*).—Am. austr.

**SYNGONIUM**, Schott (Arac.).

- Donnell-Smithii, *Engl. Jahrb.* xxxvii. 141.—Am. cent.  
 hastifolium, *Engl. l. c.*—Bras.  
 reticulatum, *Engl. l. c.* 140.—Ecuador.  
 yurimaguense, *Engl. l. c.* 141.—Peruv.

**SYNNOTIA**, Sweet (Irid.).

- stenophylla, Baker, in *Bull. Herb. Boiss. Sér. II.* i. 865.—Afr. austr.

**SYNSEPALUM**, Baill. (Sapot.).

- stipulatum, *Engl. Monogr. Afr. Pfl.* viii. 33 (= *Stironeurum stipulatum*).—Afr. trop.  
 ulugurensis, *Engl. l. c.* 32 (= *Chrysophyllum ulugurensis*).—Afr. trop.

**SYNTHEPSIS**, A. Gray (Crucif.).

- lepidota, Rose, in *U. S. Dept. Agric. Contrib. Nat. Herb.* viii. 294.—Mexic.

**SYNTHYRIS**, Benth. (Scrophul.).

- Bullii, A. A. Heller, *Muhlenbergia*, i. 4 (= *Gymnandra Bullii*).—Am. bor.  
 cordata, A. A. Heller, l. c. (= *Wulfenia cordata*).—Am. bor.  
 flavesces, A. Nelson, in *Coult. Bot. Gaz.* xxxiv. 33.—Am. bor.  
 gymnocarpa, A. A. Heller, *Muhlenbergia*, i. 5 (= *Wulfenia gymnocarpa*).—Am. bor.  
 major, A. A. Heller, l. c. (= *Wulfenia major*).—Am. bor.  
 schizantha, Piper, in *Bull. Torr. Bot. Club*, 1902, 223.—Am. bor.  
 wyomingensis, A. A. Heller, *Muhlenbergia*, i. 5 (= *Wulfenia wyomingensis*).—Am. bor.

**SYRINGA**, Linn. (Oleac.).

- Dielsiana, Schneider, in *Engl. Jahrb.* xxxvi. Beibl. lxxxii. 88.—China.  
 Giraladiana, Schneider, l. c.—China.  
 velutina, Kom. in *Act. Hort. Petrop.* xviii. 428.—Corea.

**SYZYGIUM**, Gaertn. (Myrtac.).

- [EUGENIA, Mich. I. K.]  
 cleysaeifolium, Makino, in *Bot. Mag. Tokyo*, xvi. 15 (= *Eugenia cleysaeifolia*).—Japon.  
 pallidum, Merrill, in *Philipp. Gov. Lab. Bur. Bull.* xvii. 38.—Ins. Philipp.  
 Rowlandi, Sprague, in *Bull. Herb. Boiss. Sér. II.* v. 1170.—Afr. trop.

**T****TABEBUIA**, Gomez (Bignon.).

- araliacea, Morong & Britton, in *Ann. N. York Acad. Sci.* vii. 190 (= *Tecoma araliacea*).—Am. austr.  
 rufescens, J. R. Johnston, in *Proc. Amer. Acad.* xl. 696.—Venez.

**TABERNAEMONTANA**, Plum. (Apocyn.).

- erythrophthalma, K. Schum. ex Stapf, in *Dyer, Fl. Trop. Afr.* iv. i. 196 = *Alafia grandis*.  
 eusepala, Aug. DC. in *Bull. Herb. Boiss. Sér. II.* i. 579.—Madag.  
 inaequalis, Pierre, ex Stapf, in *Dyer, Fl. Trop. Afr.* iv. i. 132 = *Callichilia inaequalis*.  
 Jollyana, Pierre, ex Stapf, l. c. 144 = *Conopharyngia Jollyana*.  
 Mocquersyi, Aug. DC. in *Bull. Herb. Boiss. Sér. II.* i. 579.—Madag.  
 trialata, Pierre, ex Stapf, in *Dyer, Fl. Trop. Afr.* iv. i. 126 = *Pterotaberna inconspicua*.

**TABERNANTHE**, Baill. (Apocyn.).

- Bocca, Stapf, in *Dyer, Fl. Trop. Afr.* iv. i. 122.—Afr. trop.  
 Mannii, Stapf, l. c. 123.—Afr. trop.  
 subsessilis, Stapf, l. c.—Afr. trop.

**TACAZZEA**, Decne. (Asclep.).

- africana, N. E. Br. in *Dyer, Fl. Trop. Afr.* iv. i. 261 (= *Pleurostelma africanum*).—Afr. trop.  
 floribunda, K. Schum. in *Engl. Jahrb.* xxx. 381.—Afr. trop.

**TACAZZEA** :—

rosmarinifolia, *N. E. Br. in Dyer, Fl. Trop. Afr.* iv. 1. 263 (= *Aechmolepis rosmarinifolia*).—Afr. trop.  
salicina, *Schlechter, in Warb. Kunene-Sambesi Exped.* 339.—Afr. trop.  
volubilis, *N. E. Br. in Dyer, Fl. Trop. Afr.* iv. 1. 262 (= *Raphionacme volubilis*).—Afr. trop.

**TACCA**, Forst. (Taccac.).

Chantieri, *André, in Rev. Hort.* 1901, 541.—Arch. Mal.  
macrantha, *Limpr. Beitr. zur Taccaceen*, 45.—Hort.

**TACCARUM**, Brongn. (Arac.).

Hasslerianum, *Chod. in Bull. Herb. Boiss. Sér. II.* iii. 1114.—Parag.

**TACHIGALIA**, Aubl. (Legum.).

Rusbyi, *Harms, in Engl. Jahrb.* xxxiii. Beibl. lxxii. 20.—Venez.

**TACSONIA**, Juss. (Passifl.).

Andreana, *Sodi, Contrib. Fl. Ecuat. Monogr.* iii. 3.—Ecuador.  
cyanea, *Sodi, l. c.* 21.—Ecuador.  
floribunda, *Sodi, l. c.* 2 (= *Rathea floribunda*).—Ecuador.  
Mariae, *Sodi, l. c.* 18.—Ecuador.  
psilantha, *Sodi, l. c.* 28.—Ecuador.  
rosea, *Sodi, l. c.* 11.—Hybr.  
Tungurahuae, *Sodi, l. c.* 13.—Ecuador.

**TAENIOPHYLLUM**, Blume (Orchid.).

calcaratum, *J. F. Smith, in Bull. Inst. Buitenz.* vii. 4.—Arch. Mal.  
filiforme, *J. F. Smith, l. c.*—Arch. Mal.  
grandiflorum, *Schlechter, in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 221.—N. Guin.  
kompopus, *Schlechter, l. c.* 220.—N. Guin.  
neo-pommeranicum, *Schlechter, l. c.*—Ins. Bismarck.  
palmicola, *Schlechter, l. c.* 221.—Ins. Bismarck.  
platyrrhizum, *Schlechter, l. c.* 222.—N. Guin.  
pulvinatum, *Schlechter, l. c.*—N. Guin.  
torricellense, *Schlechter, l. c.* 223.—N. Guin.

**TAETSIA**, Medic. (Liliac.).

[CORDYLINAE, Royen. I. K.]  
terminalis, *W. F. Wight, in U. S. Dept. Agric. Contrib. Nat. Herb.* ix. 382 (= *Asparagus terminalis*).—As. trop.; Austral.

**TAGETES**, Linn. (Compos.).

Hartwegii, *Greenm. in Proc. Amer. Acad.* xl. 46.—Mexic.  
jaliscensis, *Greenm. l. c.* 47.—Mexic.  
Nelsonii, *Greenm. l. c.* xxxix. 117.—Mexic.

**TALAUMA**, Juss. (Magnol.).

grandiflora, *Merrill, in Philipp. Gov. Lab. Bur. Bull.* xxix. 13.—Ins. Philipp.  
luzonensis, *Warb. in Perkins, Frag. Fl. Philipp.* 171.—Ins. Philipp.  
oblongata, *Merrill, in Philipp. Gov. Lab. Bur. Bull.* xxxv. 8.—Ins. Philipp.

**TAMARIX**, Linn. (Tamaric.).

Androssowi, *Litw. in Sched. Herb. Fl. Ross.* v. 41.—Turkestan.  
askabadensis, *Freyn, in Bull. Herb. Boiss. Sér. II.* iii. 1059.—Turkestan.  
karakalensis, *Freyn, l. c.* 1060.—Turkestan.  
sokotrana, *Vierh. in Oesterr. Bot. Zeitschr.* 1904, 62.—Socotra.

**TAMBOURISSA**, Sonner (Monim.).

Baroni, *Drake, Hist. Pl. Madag.* i. 24.—Madag.  
Lastelliana, *Drake, l. c.* (= *Monimia Lastelliana*).—Madag.  
Perrieri, *Drake, l. c.*—Madag.

**TANACETUM**, Tourn. (Compos.).

Kuschakewicz, *O. Fedtsch. Pl. Pamir*, 40.—As. cent.

**TAONABO**, Aubl. (Ternstroem.).

[TERNSTROEMIA, Mutis. I. K.]  
lineata, *Rose, in U. S. Dept. Agric. Contrib. Nat. Herb.* viii. 322 (= *Ternstroemia lineata*).—Mexic.  
Maltbyi, *Rose, l. c.* (= *Ternstroemia Maltbyi*).—Mexic.  
oocarpa, *Rose, l. c.*—Mexic.  
Pringlei, *Rose, l. c.*—Mexic.  
sphaerocarpa, *Rose, l. c.*—Mexic.

**TAPEINOCHEILOS**, Miq. (Scitam.).

Queenslandiae, *K. Schum. in Engl. Pflanzenreich, Zingib.* 433.—Austral.

**TAPEINOSPERMA**, Hook. f. (Myrsin.).

amplexicaule, *Mez, in Engl. Pflanzenreich, Myrsin.* 165.—N. Caled.  
babucense, *Mez, l. c.* 164.—Ins. Fiji.  
campanula, *Mez, in Bull. Herb. Boiss. Sér. II.* v. 246.—N. Caled.  
capitatum, *Mez, in Engl. Pflanzenreich, Myrsin.* 165 (= *Ardisia capitata*).—Ins. Fiji.  
clavatum, *Mez, l. c.* 164.—Ins. Fiji.  
clethroides, *Mez, l. c.* 168.—N. Caled.  
deflexum, *Mez, l. c.* 167.—N. Caled.  
ellipticum, *Mez, in Bull. Herb. Boiss. Sér. II.* v. 531.—N. Caled.  
Flueckigeri, *Mez, in Engl. Pflanzenreich, Myrsin.* 171 (= *Embelia Flueckigeri*).—Austral.  
gracile, *Mez, l. c.* 166.—N. Caled.  
grande, *Mez, l. c.* 164 (= *Ardisia grandis*).—Ins. Fiji.  
Hornei, *Mez, l. c.*—Ins. Fiji.  
laeve, *Mez, in Bull. Herb. Boiss. Sér. II.* v. 531.—N. Caled.  
laurifolium, *Mez, l. c.* 530.—N. Caled.  
Lecardii, *Mez, in Engl. Pflanzenreich, Myrsin.* 166.—N. Caled.  
megaphyllum, *Mez, l. c.* 165 (= *Ardisia megaphylla*).—Ins. Fiji.  
minutum, *Mez, in Bull. Herb. Boiss. Sér. II.* v. 532.—N. Caled.  
nectandroides, *Mez, in Engl. Pflanzenreich, Myrsin.* 167.—N. Caled.  
nitidum, *Mez, in Bull. Herb. Boiss. Sér. II.* v. 533.—N. Caled.  
oblongifolium, *Mez, in Engl. Pflanzenreich, Myrsin.* 169.—N. Caled.  
Pancheri, *Mez, l. c.* 166.—N. Caled.  
pauciflorum, *Mez, l. c.* 170.—N. Caled.  
psaladense, *Mez, l. c.* 167.—N. Caled.  
pseudojambosa, *Mez, l. c.* 170 (= *Ardisia pseudojambosa*).—Austral.  
pulchellum, *Mez, in Bull. Herb. Boiss. Sér. II.* v. 528.—N. Caled.  
robustum, *Mez, in Engl. Pflanzenreich, Myrsin.* 168.—N. Caled.  
rubidum, *Mez, in Bull. Herb. Boiss. Sér. II.* v. 528.—N. Caled.  
salignum, *Mez, l. c.* 530.—N. Caled.  
Schlechteri, *Mez, l. c.* 527.—N. Caled.  
scrobiculatum, *Mez, in Engl. Pflanzenreich, Myrsin.* 169 (= *Ardisia scrobiculata*).—N. Caled.  
sessilifolium, *Mez, l. c.* 165.—N. Caled.  
squarrosus, *Mez, in Bull. Herb. Boiss. Sér. II.* v. 529.—N. Caled.  
tenue, *Mez, in Engl. Pflanzenreich, Myrsin.* 170.—N. Caled.  
vestitum, *Mez, l. c.* 165.—N. Caled.  
wagapense, *Mez, l. c.* 169.—N. Caled.

**TAPIRIRA**, Aubl. (Anacard.).

edulis, *T. S. Brandegee, in Zoe, v.* 78 (1900).—Calif.  
pilosa, *Sprague, in Trans. Proc. Soc. Edinb.* xxii. 430.—N. Granat.

**TARAKTOGENOS**, Hassk. (Bixac.).

bandogama, *Hassk. ex Aresch. in Svensk. Vet. Akad. Handl.* xxxix. no. 2, 103, nomen.—Arch. Mal.

**TARAXACUM**, Linn. (Compos.).

alaskanum, *Rydb. in Bull. Torr. Bot. Club*, 1901, 512.—Am. bor.  
ammophilum, *A. Nelson, ex Greene, Pittonia*, iv. 233.—Am. bor.  
angustifolium, *Greene, l. c.* 232.—Am. bor.  
arcticum, *Dahlst. in Arkiv Bot. Stockh.* iv. no. 8, 8.—Reg. arct.  
balticum, *Dahlst. in Bot. Notiser*, 1905, 162.—Scandin.  
Caramanicae, *Lojac. Fl. Sic.* ii. 1. 200.—Sicil.  
Chamissonis, *Greene, Pittonia*, iv. 228.—Am. bor.  
decipiens, *Raunk. in Bot. Tidsskr.* xxv. 139.—Dania.  
dumetorum, *Greene, Pittonia*, iv. 230.—Am. bor.  
Gasparini, *Tin. in Lojac. Fl. Sic.* ii. 1. 201.—Sicil.  
Gelertii, *Raunk. in Bot. Tidsskr.* xxv. 139.—Dania.  
hyparcticum, *Dahlst. in Arkiv Bot. Stockh.* iv. no. 8, 17.—Am. arct.

**TARAXACUM** :—

intermedium, *Raunk. in Bot. Tidsskr.* xxv. 139.—Dania.  
lacerum, *Greene, Pittonia*, iv. 230.—Am. bor.  
leiospermum, *Rydb. in Bull. Torr. Bot. Club*, 1905, 137.—Am. bor.  
mutilum, *Greene, Pittonia*, iv. 232.—Am. bor.  
Ostenfeldii, *Raunk. in Bot. Tidsskr.* xxv. 139.—Dania.  
ovinum, *Greene, Pittonia*, iv. 229.—Am. bor.  
paludosum, *Raunk. in Bot. Tidsskr.* xxv. 139.—Dania.  
platylepium, *Dahlst. in Arkiv Bot. Stockh.* iv. no. 8, 34.—Nova Semlia.  
pumilum, *Dahlst. l. c.* 27.—Am. arct.  
rupestre, *Greene, Pittonia*, iv. 229.—Am. bor.  
Schroeterianum, *Hand.-Mazz. in Oesterr. Bot. Zeitschr.* 1905, 461.—Eur.  
sibiricum, *Dahlst. in Arkiv Bot. Stockh.* iv. no. 8, 36.—Sibir.  
speciosum, *Raunk. in Bot. Tidsskr.* xxv. 139.—Dania.  
spectabile, *Dahlst. in Bot. Notiser*, 1905, 159.—Reg. bor.

**TARAXIA**, Raimann (Onagr.).

[OENOTHERA, Linn. I. K.]  
taraxacifolia, *A. A. Heller, Muhlenbergia*, i. 1.—Am. bor.

**TARDAVEL**, Adans. (Rubiace.).

[SPERMACEAE, Dill. I. K.]  
Kaessneri, *S. Moore, in Journ. Bot.* 1905, 250.—Afr. trop.  
marginata, *J. Britten, Bot. Cook Voy.* 48 (= *Spermacoce marginata*).—Austral.

**TARENNA**, Gaertn. (Rubiace.).

affinis, *S. Moore, in Journ. Linn. Soc.* xxxvii. 158 (= *Chomelia affinis*).—Afr. trop.  
Curtisii, *F. N. Williams, in Bull. Herb. Boiss. Sér. II.* v. 952 (= *Webera Curtisii*).—Siam.  
fragrans, *Koord. & Valet. in Meded. 'S Lands. Plantent.* ix. (1902) 77 (= *Stylocoryna fragrans*).—Java.  
laxiflora, *Koord. & Valet. l. c.* 80 (= *Stylocoryna laxiflora*).—Java.

**TARRIETIA**, Blume (Stercul.).

amboinensis, *Hochr. in Bull. Inst. Buitenz.* xix. 22; *Pl. Bogor. Exsicc.* 11.—Amboina.  
sylvatica, *Merrill, in Forest. Bur. Philipp. Bull.* i. 38 (= *Heritiera sylvatica*).—Ins. Philipp.

**TAVARESIA**, Welw. in Bol. Ann. Cons. Ultramar.

Lisb. no. 7 (Aug. 1854) 79. ASCLEPIADACEAE.  
angolensis, *Welw. l. c.*—Afr. trop.  
Barklyi, *N. E. Br. in Dyer, Fl. Trop. Afr.* iv. 1. 494 (= *Decabellone Barklyi*).—Afr. trop.

**TAXODIUM**, Rich. (Conif.).

imbricarium, *Harper, in Bull. Torr. Bot. Club*, 1902, 383.—Am. bor.

**TECLEA**, Delile (Rutac.).

[TODDALIA, Juss. I. K.]  
acuminata, *Engl. in Engl. Jahrb.* xxxvi. 245.—Afr. trop.  
amaniensis, *Engl. l. c.* 244.—Afr. trop.  
angustialata, *Engl. l. c.* 245.—Afr. trop.  
Engleriana, *Wildem. in Ann. Mus. Congo, Sér. IV.* 76.—Afr. trop.  
salicifolia, *Engl. Jahrb.* xxxii. 120; *l. c.* xxxvi. 244.—Afr. trop.  
utilis, *Engl. l. c.* 245.—Afr. trop.  
Zenkeri, *Engl. l. c.* xxxii. 120.—Afr. trop.

**TECOMA**, Juss. emend. Seem. in Journ. Bot. 1863, 19

(species foliis digitatis tantum includens). BIG-  
NONIACEAE.  
acrophylla, *Urb. Symb. Antill.* iii. 374.—Ind. occ.  
bahamensis, *Northr. in Mem. Torr. Bot. Club*, xii. 65.—Ind. occ.  
Buchii, *Urb. Symb. Antill.* iii. 375.—Ind. occ.  
Hassleri, *Sprague, in Bull. Herb. Boiss. Sér. II.* v. 87.—Parag.  
Piutnga, *Pilg. in Engl. Jahrb.* xxx. 196.—Bras.

**TEESDALIA**, R. Br. (Crucif.).

falciformis, *Merino, Contrib. Fl. Galic.* (1897) 29.—Galic.  
verna, *Bub. Fl. Pyren.* iii. 215 = nudicaulis.

**TEIJSMANNIODENDRON**, Koord. in Ann.

Jard. Buitenz. xix. (1904) 19. ARALIACEAE.  
bogoriense, *Koord. l. c.* 20.—Hab. ?



**TELANTHERA**, R. Br. (Amarant.).

- Helleri, Robinson, in *Proc. Amer. Acad.* xxxviii. (1902) 138.—Ins. Galap.  
 rosea, Chod. in *Bull. Herb. Boiss. Sér. II.* i. 433 (= *Mogiphanes rosea*).—Parag.  
 rugulosa, Robinson, in *Proc. Amer. Acad.* xxxviii. 139.—Ins. Galap.  
 Snodgrassii, Robinson, l. c. 140.—Ins. Galap.

**TELESONIX**, Rafin. (Saxifr.).

- [SAXIFRAGA, Tourn. I. K.]  
 heucheriformis, Rydb. in *N. Amer. Fl.* xxii. 126 (= *Therofon heucheriforme*).—Am. bor.

**TELLIMA**, R. Br. (Saxifr.).

- breviflora, Rydb. in *N. Amer. Fl.* xxii. 90.—Am. bor.

**TELOSMA**, Coville, in U. S. Dept. Agric. Contrib.

- Nat. Herb. ix. (1905) 384. *ASCLEPIADACEAE*.  
 [PERGULARIA, Auct., non Linn.]  
 odoratissima, Coville, l. c. (= *Cynanchum odoratissimum*).—As. trop.

**TENARIS**, E. Mey. (Asclep.).

- somalensis, N. E. Br. in *Dyer, Fl. Trop. Afr.* iv. i. 473 (= *Lasiostelma somalense*).—Afr. trop.  
 subaphylla, N. E. Br. l. c. (= *Brachystelma subaphyllum*).—Afr. trop.

**TEPHROSIA**, Pers. (Legum.).

- Butayei, Wildem. & Th. Dur. in *Bull. Herb. Boiss. Sér. II.* i. 747.—Afr. trop.  
 cathartica, Urb. Symb. Antill. iv. 283 (= *Galega cathartica*).—Ind. occ.  
 Clementi, Skan, in *Hook. Ic. Pl.* t. 2729.—Austral.  
 curvata, Wildem. in *Ann. Mus. Congo, Sér. IV.* 190.—Afr. trop.  
 guaranitica, Chod. & Hassl. in *Bull. Herb. Boiss. Sér. II.* iv. 879.—Parag.  
 Hassleri, Chod. l. c.—Parag.  
 Heckmanniana, Harms, in *Engl. Jahrb.* xxx. 326.—Afr. trop.  
 hypargyrea, Harms, in *Warb. Kunene-Sambesi Exped.* 259.—Afr. trop.  
 katangensis, Wildem. in *Ann. Mus. Congo, Sér. IV.* 191.—Afr. trop.  
 Kindu, Wildem. l. c.—Afr. trop.  
 Langlassei, Micheli, in *Mem. Soc. Phys. Hist. Nat. Genève*, xxxiv. 250.—Mexic.  
 Laurentii, Wildem. *Enum. Pl. Laurent*, 111.—Afr. trop.  
 longana, Harms, in *Warb. Kunene-Sambesi Exped.* 259.—Afr. trop.  
 major, Micheli, in *Mem. Soc. Phys. Hist. Nat. Genève*, xxxiv. 251.—Mexic.  
 mossambicensis, Schinz, in *Bull. Herb. Boiss. Sér. II.* ii. 948; et in *Denkschr. Akad. Wien, Math.-Nat.* lxxviii. 419.—Afr. or.  
 nervosa, Chod. & Hassl. in *Bull. Herb. Boiss. Sér. II.* iv. 839.—Parag.  
 nseleensis, Wildem. in *Ann. Mus. Congo, Sér. V.* i. 141.—Afr. trop.  
 oligantha, Drake, *Hist. Pl. Madag.* i. 128 (= *Mundulea pauciflora*).—Madag.  
 paucijuga, Harms, in *Engl. Jahrb.* xxx. 326.—Afr. trop.  
 rhodantha, T. S. Brandegee, in *Zoe*, v. 201 (1905).—Mexic.  
 Stormsii, Wildem. in *Ann. Mus. Congo, Sér. IV.* 189.—Afr. trop.  
 Verdickii, Wildem. l. c. 192.—Afr. trop.  
 Vilersii, Drake, *Hist. Pl. Madag.* i. 128.—Madag.

**TERAMNUS**, P. Br. (Legum.).

- debilis, Prain, *Bengal Pl.* 393 (= *Glycine debilis*).—Ind. or.

**TERMINALIA**, Linn. (Combret.).

- Baumii, Engl. & Gilg, in *Warb. Kunene-Sambesi Exped.* 321.—Afr. trop.  
 burmanica, King, ex Prain, in *Fourn. As. Soc. Beng.* lxxiii. 204.—Burma.  
 ellipsoidea, Merrill, in *Philipp. Gov. Lab. Bur. Bull.* xvii. 33.—Ins. Philipp.  
 Hassleriana, Chod. in *Bull. Herb. Boiss. Sér. II.* iii. 346.—Parag.  
 Magarapali, Vidal, *Synopsis, Atlas*, 26, t. 48.—Ins. Philipp.  
 multiflora, Merrill, in *Philipp. Gov. Lab. Bur. Bull.* xvii. 34.—Ins. Philipp.  
 oocarpa, Merrill, l. c. 32 (*sphalm. ovocarpa*).—Ins. Philipp.

VOL. IV.

**TERMINALIA** :—

- spinosa, Northr. in *Mem. Torr. Bot. Club*, xii. 54.—Ind. occ.  
 Teysmannii, Koord. & Valet. in *Meded. 'S. Lands Plantent.* lxi. 20.—Java.

**TERNSTROEMIA**, Mutis (Ternstroem.).

- chalicophila, Loesen. in *Bull. Herb. Boiss. Sér. II.* iii. 213.—Mexic.  
 Seleriana, Loesen. l. c.—Am. cent.

**TETRACERA**, Linn. (Dillen.).

- Bussei, Gilg, in *Engl. Jahrb.* xxxiii. 197.—Afr. trop.  
 Dinklagei, Gilg, l. c. 201.—Afr. trop.  
 leiocarpa, Stapf, in *Fourn. Linn. Soc.* xxxvii. 81.—Afr. trop.  
 litoralis, Gilg, in *Engl. Jahrb.* xxxiii. 197.—Afr. trop.  
 Marquesii, Gilg, l. c. 199.—Afr. trop.  
 podotricha, Gilg, l. c. 200.—Afr. trop.  
 rosiflora, Gilg, l. c. 199.—Afr. trop.  
 strigillosa, Gilg, l. c. 196.—Afr. trop.

**TETRACHAETE**, Chiov. in *Ann. Ist. Bot. Roma*, viii. 28 (1903). *GRAMINEAE*.

- elionuroides, Chiov. l. c.—Afr. trop.

**TETRADYMIA**, DC. (Compos.).

- axillaris, A. Nelson, in *Coult. Bot. Gaz.* xxxvii. 277.—Am. bor.  
 linearis, Rydb. in *Bull. Torr. Bot. Club*, 1905, 130.—Am. bor.

**TETRAGLOCHIDION**, K. Schum. in K. Schum.

- & Lauterb. Nachtr. *Fl. Deutsch. Südsee* (1905), 291. *EUPHORBIACEAE*.  
 gimli, K. Schum. l. c.—N. Guin.

**TETRAGLOCHIN**, Poepp. (Rosac.).

- acanthocarpus, Speg. in *Anal. Mus. Buenos Aires*, vii. 283 (= *Margyricarpus acanthocarpus*).—Patag.  
 Ameghinoi, Speg. l. c. (= *Margyricarpus Ameghinoi*).—Patag.

**TETRAGONANTHUS**, S. G. Gmel. (Gentian.).

- [HALENIA, Borkh. I. K.]  
 brentonianus, A. A. Heller, *Muhlenbergia*, i. 2 (= *Halenia brentoniana*).—Am. bor.  
 heterantha, A. A. Heller, l. c. (= *Halenia heterantha*).—Am. bor.

**TETRAGONIA**, Linn. (Ficoid.).

- Ameghinoi, Speg. *Nov. Add. Fl. Patag.* i. (1901), repr. 59.—Patag.  
 haplostylis, K. Schum. in *Just, Jahresb.* xxvii. i. 475, sphalm. = macrostylis.

**TETRAGONOTHECA**, Dill. (Compos.).

- repanda, Small, *Fl. S. E. U. S.* 1250 (= *Halea repanda*).—Am. bor.

**TETRAMERIUM**, Nees (Acanth.).

- fruticosum, T. S. Brandegee, in *Zoe*, v. 171 (1903).—Calif.

**TETRANEURIS**, Greene (Compos.).

- angustifolia, Rydb. in *Bull. Torr. Bot. Club*, 1905, 128.—Am. bor.  
 Crandallii, Rydb. l. c. 127.—Am. bor.  
 Dodgei, Auct. in *Proc. Biol. Soc. Washington*, xvii. 185.—Mexic.  
 epunctata, A. Nelson, in *Coult. Bot. Gaz.* xxxvii. 275.—Am. bor.  
 eradiata, A. Nelson, l. c.—Am. bor.  
 intermedia, Greene, *Pl. Baker.* iii. 29.—Am. bor.  
 stenophylla, Rydb. in *Britton, Man. Fl. N. U. S.* 1009.—Am. bor.

**TETRAPERONE**, Urb. Symb. Antill. ii. 462 (1901).

- COMPOSITAE*.  
 bellioides, Urb. l. c. 463 (= *Pinillosia bellioides*).—Cuba.

**TETRAPLASANDRA**, A. Gray (Aral.).

- Koordersii, Harms, in *Ann. Jard. Buitenz.* xix. 12.—Celebes.

**TETRAPOGON**, Desf. (Gramin.).

- bidentatus, Pilg. in *Engl. Jahrb.* xxxiv. 129.—Afr. trop.

**TETRAPTERIS**, Cav. (Malpigh.).

- parvifolia, Glas. in *Bull. Soc. Bot. Fr.* lii. Mém. III. 76, nomen.—Bras.  
 Seleriana, Niedenzu, in *Engl. Jahrb.* xxxvi. Beibl. lxxx. 18.—Am. cent.  
 tolimensis, Sprague, in *Trans. Proc. Bot. Soc. Edinb.* xxii. 429.—N. Granat.

**TETRAPTERYGIIUM**, Fisch. & Mey. (Crucif.).

- nummularium, Bornm. in *Bull. Herb. Boiss. Sér. II.* v. 54 = *Sameraria nummularia*.

**TETRADISIA**, Mez, in Engl. Pflanzenreich, Myrsin.

- (1902) 189. *MYRSINACEAE*.  
 denticulata, Mez, l. c. (= *Ardisia denticulata*).—Java.

**TETRARIA**, Beauv. (Cyper.).

- australiensis, C. B. Clarke, in *Engl. Jahrb.* xxxv. 80.—Austral.

**TETRARIOPSIS**, C. B. Clarke, apud Diels & E. Pritz. in Engl. Jahrb. xxxv. 81, nomen. *CYPERACEAE*.

- octandra, C. B. Clarke, in *Engl. Jahrb.* xxxv. 81 (= *Elynanthus octandrus*).—Austral.

**TETRASIPHON**, Urb. Symb. Antill. v. 83 (1904).

- CELASTRACEAE*.  
 jamaicensis, Urb. l. c. 84.—Ind. occ.

**TETRASTYLIDIUM**, Engl. (Olac.).

- Engleri, Schw. ex Glas. in *Bull. Soc. Bot. Fr.* lii. Mém. III. 99, nomen.—Bras.

**TETRATHALAMUS**, Lauterb. in K. Schum. & Lauterb. Nachtr. *Fl. Deutsch. Südsee* (1905) 319.

- GUTTIFERAE*.  
 montanus, Lauterb. l. c.—N. Guin.

**TETROBUM**, Rose, in N. Amer. Fl. xxii. 59 (1905).

- CRASSULACEAE*.  
 pusillum, Rose, l. c. (= *Sedum pusillum*).—Am. bor.

**TETROURATEA**, Van Tiegh. in Bull. Mus. Hist.

- Nat. Par. viii. (1902) 374; et in *Journ. de Bot.* xvi. 190, 188. *OCHNACEAE*.  
 Selloi, Van Tiegh. l. c. (= *Gomphia Sellowii*).—Bras.

**TEUCRIUM**, Linn. (Labiata.).

- boreale, E. P. Bickn. in *Bull. Torr. Bot. Club*, 1901, 171.—Am. bor.  
 calycinum, Pau, in *Bol. Soc. Arag.* ii. 67.—Hispan.  
 eginense, Freyn, in *Bull. Herb. Boiss. Sér. II.* i. 281.—Oriens.  
 eremacum, Diels, in *Engl. Jahrb.* xxxv. 530.—Austral.  
 Goetzei, Guerke, in *Engl. Jahrb.* xxx. 391.—Afr. trop.  
 helianthemoides, Adam, in *Denkschr. Akad. Wien. Math.-Nat.* lxxiv. 136.—Turcia.  
 Hervieri, J. Brig. & O. Deb. in *Bull. Acad. Géogr. Bot.* xv. (1905) 118.—Eur.  
 hifacense, Pau, in *Bol. Soc. Arag.* i. 30.—Hispan.  
 kabylicum, Batt. in *Batt. & Trab. Fl. Algér. Tunis*, 269.—Afr. bor.  
 littorale, E. P. Bickn. in *Bull. Torr. Bot. Club*, 1901, 169.—Am. bor.  
 Luisieri, Sampaio, in *Ann. Sci. Nat. Porto*, vii. 10.—Lusitan.  
 menthifolium, E. P. Bickn. in *Bull. Torr. Bot. Club*, 1901, 171.—Am. bor.  
 myriocladum, Diels, in *Engl. Jahrb.* xxxv. 530.—Austral.  
 roseum, E. P. Bickn. in *Bull. Torr. Bot. Club*, 1901, 169.—Am. bor.  
 simplex, Vaniot, in *Bull. Acad. Géogr. Bot.* xiv. (1904) 186.—China.  
 wanense, Freyn, in *Bull. Herb. Boiss. Sér. II.* i. 283.—Armen.

**THALIA**, Linn. (Scitam.).

- Andersonii, K. Schum. in *Engl. Pflanzenreich, Marant.* 174.—Ecuador.  
 barbata, Small, *Fl. S. E. U. S.* 308.—Am. bor.  
 dipetala, Gagnep. in *Bull. Soc. Bot. Fr.* li. 181.—Afr. trop.  
 Petersiana, K. Schum. in *Engl. Pflanzenreich, Marant.* 173.—Bras.  
 Schumanniana, Wildem. in *Ann. Mus. Congo, Sér. V.* i. 108.—Afr. trop.  
 trichocalyx, Gagnep. in *Bull. Soc. Bot. Fr.* li. 180.—Mexic.; Am. austr.

**THALICTRUM**, Tourn. (Ranunc.).

- amplissimum, Léveillé & Vaniot, in *Bull. Acad. Géogr. Bot.* xi. (1902) 51.—China.  
 Atriplex, Finet & Gagn. in *Bull. Soc. Bot. Fr.* l. 613.—China.

A a

**THALICTRUM**—

- coreanum, *Léveillé*, in *Bull. Acad. Géogr. Bot.* xi. (1902) 297.—As. bor.  
*Fargesii*, *Franch.* ex *Finet & Gagn.* in *Bull. Soc. Bot. Fr.* l. 608.—China.  
*fissum*, *Greene*, *Pittonia*, iv. 233.—Am. bor.  
*grandisepalum*, *Léveillé*, in *Bull. Acad. Géogr. Bot.* xi. (1902) 297.—As. bor.  
*jalapense*, *Rose*, in *U. S. Dept. Agric. Contrib. Nat. Herb.* viii. 28.—Mexic.  
*obliquum*, *Rose*, l. c. 27.—Mexic.  
*osmundifolium*, *Finet & Gagn.* in *Bull. Soc. Bot. Fr.* l. 615.—China.  
*peninsulare*, *Rose*, in *U. S. Dept. Agric. Contrib. Nat. Herb.* viii. 28.—Mexic.  
*stipitatum*, *Rose*, l. c.—Mexic.  
*subpubescens*, *Rose*, l. c.—Mexic.  
*texanum*, *Small*, *Fl. S. E. U. S.* 446.—Am. bor.

**THAPSIA**, Linn. (Umbell.).

- laciniata*, *Rouy*, *Illustr. Pl. Eur.* t. 431.—Hispan.

**THECOPHYLLUM**, Ed. André (Bromel.).

- angustum*, *Mes & Wercklé*, in *Bull. Herb. Boiss. Sér. II.* iv. 1121.—Am. cent.  
*balanophorum*, *Mes*, l. c. iii. 131 (= *Guzmania balanophora*).—Am. cent.  
*capitatum*, *Mes & Wercklé*, l. c. iv. 873.—Am. cent.  
*comatum*, *Mes & Wercklé*, l. c. 871.—Am. cent.  
*crassiflorum*, *Mes & Wercklé*, l. c. iii. 138.—Am. cent.  
*Dussii*, *Mes*, l. c. 131 (= *Guzmania Dussii*).—Ind. occ.  
*gloriosum*, *Mes*, l. c. (= *Caraguata gloriosa*).—Ecuador.  
*hygrometricum*, *Mes*, l. c. (= *Caraguata hygrometrica*).—N. Granat.  
*insigne*, *Mes*, l. c. (= *Guzmania insignis*).—Am. cent.  
*irazuense*, *Mes & Wercklé*, l. c. 138.—Am. cent.  
*Johnstonei*, *Mes*, l. c. iv. 872.—Venez.  
*Kraenzlinianum*, *Mes*, l. c. iii. 131 (= *Guzmania Kraenzliniana*).—N. Granat.  
*latissimum*, *Mes & Wercklé*, l. c. iv. 1122.—Am. cent.  
*laxum*, *Mes & Wercklé*, l. c. 1123.—Am. cent.  
*lineatum*, *Mes & Wercklé*, l. c. 875.—Am. cent.  
*longipetalum*, *Mes*, l. c. iii. 131 (= *Tillandsia longipetala*).—N. Granat.  
*Mosquerae*, *Mes*, l. c. (= *Caraguata Mosquerae*).—N. Granat.  
*ororiense*, *Mes*, l. c. (= *Guzmania ororiensis*).—Am. cent.  
*palustre*, *Mes*, l. c. (= *Caraguata palustris*).—N. Granat.  
*paniculatum*, *Mes & Wercklé*, l. c. iv. 1123.—Am. cent.  
*pauperum*, *Mes & Sodiro*, l. c. 876.—Ecuador.  
*pedicellatum*, *Mes & Wercklé*, l. c. iii. 136.—Am. cent.  
*pictum*, *Mes & Wercklé*, l. c. iv. 874.—Am. cent.  
*Pittieri*, *Mes*, l. c. iii. 137.—Am. cent.  
*rubrum*, *Mes & Wercklé*, l. c. iv. 878.—Am. cent.  
*sceptrum*, *Mes*, l. c. iii. 139.—N. Granat.  
*singuliflorum*, *Mes & Wercklé*, l. c. iv. 870.—Am. cent.  
*Sintenisii*, *Mes*, l. c. iii. 131 (= *Guzmania Sintenisii*).—Ind. occ.  
*spectabile*, *Mes & Wercklé*, l. c. iv. 873.—Am. cent.  
*squarrosus*, *Mes & Sodiro*, l. c. 877.—Ecuador.  
*stenophyllum*, *Mes & Wercklé*, l. c. 875.—Am. cent.  
*turbatum*, *Mes & Wercklé*, l. c. 1122.—Am. cent.  
*Urbanianum*, *Mes*, l. c. iii. 131 (= *Guzmania Urbaniana*).—Ind. occ.  
*violascens*, *Mes & Wercklé*, l. c. iv. 877.—Am. cent.  
*viride*, *Mes & Wercklé*, l. c. 872.—Am. cent.  
*vittatum*, *Mes & Wercklé*, l. c. 871.—Am. cent.  
*Werckleanum*, *Mes*, l. c. iii. 139.—Am. cent.

**THELASIS**, Blume (Orchid.).

- javanica*, *J. J. Sm.* *Orchid. Java*, 498.—Java.  
*micrantha*, *J. J. Sm.* l. c. 495 = *contracta*.

**THELESERMA**, Less. (Compos.).

- formosum*, *Greene*, *Pittonia*, v. 56.—Am. bor.  
*intermedium*, *Rydb.* in *Britton*, *Man. Fl. N. U. S.* 1004.—Am. bor.

**THELYMITRA**, Forst. (Orchid.).

- psammophila*, *C. R. P. Andrews*, in *Journ. W. Austral. Nat. Hist. Soc.* ii. 57.—Austral.

**THELYPODIUM**, Endl. (Crucif.).

- affine*, *Greene*, *Pittonia*, iv. 314.—Am. bor.  
*australe*, *T. S. Brandegee*, in *Zoe*, v. 180 (1904).—Mexic.

**THELYPODIUM**—

- flavescens*, *Jepson*, *Fl. W. Mid. Calif.* 212 (= *Streptanthus flavescens*).—Calif.  
*Greenii*, *Jepson*, l. c.—Calif.  
*lilacinum*, *Greene*, *Pl. Baker*, iii. 9.—Am. bor.  
*macropetalum*, *Rydb.* in *Bull. Torr. Bot. Club*, 1902, 233.—Am. bor.  
*mexicanum*, *T. S. Brandegee*, in *Zoe*, v. 179 (1904).—Mexic.  
*ovalifolium*, *Rydb.* in *Bull. Torr. Bot. Club*, 1903, 253.—Am. bor.  
*pallidum*, *Rose*, in *U. S. Dept. Agric. Contrib. Nat. Herb.* viii. 294.—Mexic.  
*rhomboideum*, *Greene*, *Pittonia*, iv. 314.—Am. bor.  
*utahense*, *Rydb.* in *Bull. Torr. Bot. Club*, 1902, 233.—Am. bor.

**THEOBROMA**, Linn. (Stercul.).

- sativa*, *Lignier & Bey*, in *Bull. Soc. Linn. Norm. Sér. V.* viii. 263, nomen.—Guiana.

**THEODORA**, Medic. (Legum.).

- [*SCHOTIA*, Jacq. I. K.]  
*capitata*, *Taub.* in *Engl. Pflanzenw. Ost. Afr.* C. 198 (= *Schotia capitata*).—Afr. trop.

**THERMOPSIS**, R. Br. (Legum.).

- angustata*, *Greene*, *Pl. Baker*, iii. 34.—Am. bor.  
*Hugeri*, *Small*, *Fl. S. E. U. S.* 596 (= *Baptisia Hugeri*).—Am. bor.  
*stricta*, *Greene*, *Pl. Baker*, iii. 34.—Am. bor.  
*venosa*, *Eastw.* in *Bull. Torr. Bot. Club*, 1905, 198.—Calif.

**THEROFON**, Rafin. (Saxifr.).

- [*BOYKINIA*, Nutt. I. K.]  
*intermedium*, *A. A. Heller*, *Muhlenbergia*, i. 53.—Am. bor.; *vide etiam seq.*

**THEROPHON**, Rydb. in *N. Amer. Fl.* xxii. 123.

- SAXIFRAGACEAE*.  
 [THEROPHON, Raf.]  
*cinnatum*, *Rosend. & Rydb.* in *N. Amer. Fl.* xxii. 124.—Am. bor.  
*occidentale*, *Rydb.* l. c. (= *Boykinia occidentalis*).—Am. bor.  
*turbatum*, *Rydb.* l. c.—Am. bor.  
*vancouverense*, *Rydb.* l. c. 125.—Am. bor.

**THESIUM**, Linn. (Santal.).

- Goetzeanum*, *Engl. Jahrb.* xxx. 306.—Afr. trop.  
*leucanthum*, *Gilg*, in *Warb. Kunene-Sambesi Exped.* 230.—Afr. trop.  
*lycopodioides*, *Gilg*, l. c. 229.—Afr. trop.  
*rungwense*, *Engl. Jahrb.* xxx. 307.—Afr. trop.  
*unyikense*, *Engl. l. c.* 306.—Afr. trop.  
*ussanguense*, *Engl. l. c.* 305.—Afr. trop.

**THISELTONIA**, Hemsl. in *Hook. Ic. Pl.* t. 2781

- (1905). *COMPOSITAE*.  
*Dyeri*, *Hemsl.* l. c.—Austral.

**THISMIA**, Griff. (Burm.).

- janeirensis*, *Warm.* in *Overs. Danske Vid. Selsk. Forh.* 1901, 183.—Bras.  
*Winkleri*, *Engl. Jahrb.* xxxviii. 89.—Afr. trop.

**THLADIANTHA**, Bunge (Cucurb.).

- Oliveri*, *Cogn. ex Mottet*, in *Rev. Hortic.* 1903, 473.—China.

**THLASPI**, Linn. (Crucif.).

- abulense*, *Pau.* in *Bol. Soc. Arag.* i. 48.—Eur.  
*apterum*, *Vel.* in *Allg. Bot. Zeitschr.* 1904, 33.—Bulgar.  
*coloradense*, *Rydb.* in *Bull. Torr. Bot. Club*, 1901, 280.—Am. bor.  
*lutescens*, *Velen.* in *Sitz. Böhm. Ges. Wiss.* 1903, no. 28, 2.—Bulgar.  
*Nuttallii*, *Rydb.* in *Bull. Torr. Bot. Club*, xxix. 235.—Am. bor.  
*purpurascens*, *Rydb.* l. c. 1901, 281.—Am. bor.  
*vitrologense*, *Stadlm. & Faltis*, in *Oesterr. Bot. Zeitschr.* 1905, 437.—Eur.

**THLASPIDIUM**, Bub. *Fl. Pyren.* iii. 213 = **Thlaspi**,

- Linn. (Crucif.).  
*alpestre*, *Bub.* l. c. 215 = *Thlaspi alpestre*.  
*arvense*, *Bub.* l. c. 214 = *Thlaspi arvense*.  
*cordatum*, *Bub.* l. c. = *Thlaspi perfoliatum*.

**THOMANDERSIA**, Baill. (Acanth.).

- Laurentii*, *Wildem.* *Enum. Pl. Laurent*, 180.—Afr. trop.

**THOMASIA**, J. Gay (Stercul.).

- Dielsii*, *E. Pritz.* in *Engl. Jahrb.* xxxv. 376.—Austral.  
*multiflora*, *E. Pritz.* l. c. 375.—Austral.

**THOMASSETIA**, Hemsl. in *Hook. Ic. Pl.* t. 2736

- (1902). *TERNSTROEMACEAE*.  
*seychellana*, *Hemsl.* l. c.—Ins. Seychell.

**THORACOSPERMA**, Klotzsch (Eric.).

- [*SIMOCHEILUS*, Klotzsch. I. K.]  
*Galpini*, *N. E. Br.* in *Dyer*, *Fl. Cap.* iv. i. 330.—Afr. austr.  
*interruptum*, *N. E. Br.* l. c. 331.—Afr. austr.  
*Marlothii*, *N. E. Br.* l. c. 330.—Afr. austr.  
*nanum*, *N. E. Br.* l. c. 331.—Afr. austr.  
*puberulum*, *N. E. Br.* l. c.—Afr. austr.

**THOUINIA**, Poit. (Sapind.).

- velutina*, *Radlk.* in *Bull. Herb. Boiss. Sér. II.* v. 326.—Am. cent.

**THRELKELDIA**, R. Br. (Chenopod.).

- drupacea*, *Diels*, in *Engl. Jahrb.* xxxv. 186.—Austral.

**THRINAX**, Linn. f. (Palmae).

- bahamensis*, *O. F. Cook*, in *Mem. Torr. Bot. Club*, xii. 20.—Ins. Baham.  
*ponceana*, *O. F. Cook*, in *Bull. Torr. Bot. Club*, 1901, 536.—Ind. occ.  
*praeceps*, *O. F. Cook*, l. c.—Ind. occ.

**THRINCOMA**, O. F. Cook, in *Bull. Torr. Bot. Club*,

- 1901, 539. *PALMAE*.  
*alta*, *O. F. Cook*, l. c. 540.—Ind. occ.

**THRINGIS**, O. F. Cook, in *Bull. Torr. Bot. Club*,

- 1901, 544. *PALMAE*.  
*latifrons*, *O. F. Cook*, l. c. 545.—Ind. occ.  
*laxa*, *O. F. Cook*, l. c.—Ind. occ.

**THRIXSPERMUM**, Lour. (Orchid.).

- [*SARCOCHILUS*, R. Br. I. K.]  
*crassifolium*, *Ridley*, in *Journ. As. Soc. Straits*, xli. 32.—Penins. Mal.  
*denticulatum*, *Schlechter*, in *K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 233.—Ins. Bismarck.  
*neo-hibernicum*, *Schlechter*, l. c. 232.—Ins. Bismarck.  
*Raciborskii*, *J. J. Sm.* in *Ic. Bogor.* t. 124 A.—Java.  
*subteres*, *J. J. Sm.* in *Bull. Inst. Buitenz.* vii. 5.—Arch. Mal.  
*xantholeucum*, *Schlechter*, in *K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 234.—Ins. Bismarck.

**THRYPTOMENE**, Endl. (Myrtac.).

- appressa*, *C. R. P. Andrews*, in *Journ. W. Austral. Nat. Hist. Soc.* i. 41.—Austral.  
*aspera*, *E. Pritz.* in *Engl. Jahrb.* xxxv. 413.—Austral.  
*Dielsiana*, *E. Pritz.* l. c. 412.—Austral.  
*hexamera*, *Maiden*, in *Proc. Linn. Soc. N. S. Wales*, xxvi. 82.—Austral.  
*rosea*, *E. Pritz.* in *Engl. Jahrb.* xxxv. 413.—Austral.  
*stenophylla*, *E. Pritz.* l. c. 412.—Austral.  
*tuberculata*, *E. Pritz.* l. c. 411.—Austral.

**THUNBERGIA**, Retz. (Acanth.).

- amanensis*, *Lindau*, in *Engl. Jahrb.* xxxviii. 67.—Afr. trop.  
*amoena*, *C. B. Clarke*, in *Dyer*, *Fl. Cap.* v. 7.—Afr. austr.  
*argentea*, *Lindau*, in *Engl. Jahrb.* xxx. 407.—Afr. trop.  
*cordibracteolata*, *C. B. Clarke*, in *Dyer*, *Fl. Cap.* v. 7.—Afr. austr.  
*Elliotii*, *S. Moore*, in *Journ. Bot.* 1901, 300.—Afr. trop.  
*exasperata*, *Lindau*, in *Engl. Jahrb.* xxx. 408.—Afr. trop.  
*glaberrima*, *Lindau*, l. c. xxxiii. 185.—Afr. trop.  
*glandulifera*, *Lindau*, l. c. 184.—Afr. trop.  
*graminifolia*, *Wildem.* in *Ann. Mus. Congo*, Sér. IV. 134.—Afr. trop.  
*hirtistyla*, *C. B. Clarke*, in *Dyer*, *Fl. Cap.* v. 7.—Afr. austr.  
*katangensis*, *Wildem.* in *Ann. Mus. Congo*, Sér. IV. 135.—Afr. trop.  
*longepedunculata*, *Wildem.* l. c. 136.—Afr. trop.  
*Michelana*, *Wildem.* l. c.—Afr. trop.

**THUNBERGIA** :—

- nidulans, *Lindau*, in *Engl. Jahrb.* xxxiii. 183.—Afr. trop.  
 nymphaeifolia, *Lindau*, l. c. 184.—Afr. trop.  
 pratensis, *Lindau*, l. c. 183.—Afr. trop.  
 primulina, *Hemsl.* in *Bot. Mag.* t. 7969.—Afr. trop.  
 proxima, *Wildem.* in *Ann. Mus. Congo*, Sér. IV. 137.—Afr. trop.  
 purpurata, *Harv. ex C. B. Clarke*, in *Dyer, Fl. Cap.* v. 5.—Afr. austr.  
 schimbensis, *S. Moore*, in *Journ. Bot.* 1902, 342.—Afr. trop.  
 squamuligera, *Lindau*, in *Engl. Jahrb.* xxx. 406.—Afr. trop.  
 stelligera, *Lindau*, l. c. xxxiii. 185.—Afr. trop.  
 stenophylla, *C. B. Clarke*, in *Dyer, Fl. Cap.* v. 6.—Afr. austr.  
 subnymphaeifolia, *Lindau*, in *Engl. Jahrb.* xxxviii. 67.—Afr. trop.  
 venosa, *C. B. Clarke*, in *Dyer, Fl. Cap.* v. 6.—Afr. austr.  
 Verdickii, *Wildem.* in *Ann. Mus. Congo*, Sér. IV. 138.—Afr. trop.  
 Vossiana, *Wildem.* l. c. 134.—Afr. trop.

**THUNIA**, Reichb. f. (Orchid.).

- venosa, *Rolfe*, in *Orchid Rev.* 1905, 206.—Sikkim.

**THYLACHIUM**, Lour. (Capparid.).

- Thomasi, *Gilg*, in *Engl. Jahrb.* xxxiii. 229.—Afr. trop.

**THYMOPHYLLA**, Lag. (Compos.).

- gnaphaloides, *Small, Fl. S. E. U. S.* 1295 (= *Hymenatherum gnaphaloides*).—Am. bor.  
 pentachaeta, *Small, l. c.* (= *Hymenatherum pentachaetum*).—Am. bor.  
 polychaeta, *Small, l. c.* (= *Hymenatherum polychaetum*).—Am. bor.  
 tagetoides, *Small, l. c.* (= *Hymenatherum tagetoides*).—Am. bor.  
 tenuiloba, *Small, l. c.* (= *Hymenatherum tenuilobum*).—Am. bor.  
 Treculii, *Small, l. c.* (= *Hymenatherum Treculii*).—Am. bor.  
 Wrightii, *Small, l. c.* (= *Hymenatherum Wrightii*).—Am. bor.

**THYMOPSIS**, Benth. (Compos.).

- Brittonii, *Greenm.* in *Bull. N. York Bot. Gard.* iii. 453.—Ind. occ.

**THYMUS**, Tourn. (Labiata).

- Aznavouri, *Velen. in Sitz. Böhm. Ges. Wiss.* 1903, no. 28, 17.—Graecia.  
 candidissimus, *Batt. in Batt. & Trab. Fl. Algér. Tunis*, 258.—Afr. bor.  
 carnosulus, *Velen. in Sitz. Böhm. Ges. Wiss.* 1903, no. 28, 23.—Bulgar.  
 ciliatopubescens, *Halacsy, Consp. Fl. Graec.* ii. 559.—Eur.  
 danubialis, *Simk. in Magyar Bot. Lap.* iii. 84.—Eur.  
 euboicus, *Halacsy, Consp. Fl. Graec.* ii. 560.—Eur.  
 latifrons, *Dom. & Podp. in Verh. Zool.-Bot. Ges. Wien*, lii. 669.—Eur.  
 leucostegius, *Brig. in Ann. Conserv. & Jard. Bot. Genève*, vii-viii. 205.—Alger.  
 leucotrichus, *Halacsy, Consp. Fl. Graec.* ii. 561.—Eur.  
 loevyanus, *Velen. in Sitz. Böhm. Ges. Wiss.* 1903, no. 28, 16.—Eur. austr. or.  
 moesiacus, *Velen. l. c.*—Bulgar.  
 Rohlena, *Velen. ex Rohl. l. c.* no. 17, 52; *Velen. l. c.* no. 28, 22.—Montenegr.  
 rudis, *Kern. ex Mazzetti, in Oesterr. Bot. Zeitschr.* 1903, 417.—Italia.  
 Skorpili, *Velen. in Oesterr. Bot. Zeitschr.* 1902, 53.—Eur.  
 thasius, *Velen. in Sitz. Böhm. Ges. Wiss.* 1903, no. 28, 16.—Graecia.  
 Tosevi, *Velen. l. c.* 15.—Turcia.  
 tymphrestus, *Halacsy, Consp. Fl. Graec.* ii. 560.—Eur.  
 Velenovskyi, *Rohl. in Sitz. Böhm. Ges. Wiss.* 1903, no. 17, 65.—Montenegr.

**THYRSANTHEMA**, Neck. (Compos.).

- [CHAPTALIA, Vent. I. K.]  
 hybridum, *Greene, Leaflets Bot. Obs.* i. 158 (= *Tussilago hybrida*).—Eur.

**THYSANOCARPUS**, Hook. f. (Crucif.).

- affinis, *Greene, Pittonia*, iv. 311.—Am. bor.  
 desertorum, *A. A. Heller, Muhlenbergia*, ii. 47.—Calif.  
 foliosus, *A. A. Heller, l. c.*—Calif.  
 trichocarpus, *Rydb. in Bull. Torr. Bot. Club*, 1903, 253.—Am. bor.

**THYSANOTUS**, R. Br. (Liliac.).

- gagoides, *Diels, in Engl. Jahrb.* xxxv. 99.—Austral.

**THYSSELINUM**, Adans. (Umbell.).

- [PEUCEDANUM, Tourn. I. K.]  
 lancifolium, *Calest. in Martelli Webbia*, 227 (= *Peucedanum lancifolium*).—Eur.

**TIARELLA**, Linn. (Saxifr.).

- californica, *Rydb. in N. Amer. Fl.* xxii. 118.—Calif.  
 macrophylla, *Small, Fl. S. E. U. S.* 502.—Am. bor.

**TIBOUCHINA**, Aubl. (Melast.).

- fraterna, *N. E. Br. in Trans. Linn. Soc. Ser. II.* vi. 28.—Guiana.  
 Hassleri, *Cogn. in Bull. Herb. Boiss. Sér. II.* iv. 1276.—Parag.

**TIEGHEMOPANAX**, Viguier, in *Bull. Soc. Bot.*

- Fr. lii. (1905) 305. *ARALIACEAE*.  
 austrocaledonicus, *Viguier, l. c.* 313 (= *Panax austrocaledonica*).—N. Caled.  
 Balansae, *Viguier, l. c.* 307 (= *Panax Balansae*).—N. Caled.  
 bracteatus, *Viguier, l. c.*—N. Caled.  
 Cissodendron, *Viguier, l. c.* 311 (= *Panax Cissodendron*).—Ins. Dom. Howe.  
 cussonioides, *Viguier, l. c.* 314 (= *Panax cussonioides*).—Madag.  
 decorans, *Viguier, l. c.* 312.—N. Caled.  
 dioicus, *Viguier, l. c.* 313 (= *Cussonia dioica*).—N. Caled.  
 elegans, *Viguier, l. c.* 308 (= *Panax elegans*).—Austral.  
 Harmsii, *Viguier, l. c.* 309.—N. Caled.  
 Macgillivrayi, *Viguier, l. c.* 313 (= *Panax Macgillivrayi*).—Austral.  
 microbotrys, *Viguier, l. c.* 308 (= *Panax microbotrys*).—N. Caled.  
 microcarpus, *Viguier, l. c.* 310.—N. Caled.  
 mollis, *Viguier, l. c.* 312 (= *Panax mollis*).—Austral.  
 Murrayi, *Viguier, l. c.* 310 (= *Panax Murrayi*).—Austral.  
 myriophyllus, *Viguier, l. c.* 311 (= *Panax myriophyllus*).—N. Caled.  
 nigrescens, *Viguier, l. c.* 311.—N. Caled.  
 Pancheri, *Viguier, l. c.* 312 (= *Panax Pancheri*).—N. Caled.  
 pulchellus, *Viguier, l. c.* 311 (= *Panax pulchella*).—N. Caled.  
 reflexus, *Viguier, l. c.* 309.—N. Caled.  
 sambucifolius, *Viguier, l. c.* 310 (= *Panax sambucifolia*).—Austral.  
 sessiliflorus, *Viguier, l. c.* 308 (= *Panax sessiliflora*).—N. Caled.  
 simabaeifolius, *Viguier, l. c.* 312.—N. Caled.  
 stipulatus, *Viguier, l. c.* 313.—Austral.  
 subincisus, *Viguier, l. c.* 307 (= *Panax subincisa*).—N. Caled.  
 suborbicularis, *Viguier, l. c.* 310 (= *Panax suborbicularis*).—N. Caled.  
 Weinmanniae, *Viguier, l. c.* 309 (= *Panax Weinmanniae*).—N. Caled.

**TILIA**, Linn. (Tiliac.).

- australis, *Small, Fl. S. E. U. S.* 761.—Am. bor.  
 dasythrix, *Borb. in Magyar Bot. Lap.* iii. 49.—Eur.  
 eburnea, *Ashe, in Coult. Bot. Gaz.* xxxiii. 231.—Am. bor.  
 floridana, *Small, Fl. S. E. U. S.* 761.—Am. bor.  
 Houghii, *Rose, in U. S. Dept. Agric. Contrib. Nat. Herb.* viii. 318.—Mexic.  
 Kinashii, *Léveillé & Vaniot, in Bull. Soc. Bot. Fr.* li. 422.—Japon.  
 leptophylla, *Small, Fl. S. E. U. S.* 762.—Am. bor.  
 Maximowiczii, *Baker f. in Journ. Bot.* 1898, 319 (= *T. cordata*, Maxim., non Mill.).—As. bor.  
 occidentalis, *Rose, in U. S. Dept. Agric. Contrib. Nat. Herb.* viii. 317.—Mexic.  
 subferruginea, *Borb. in Magyar Bot. Lap.* iii. 49.—Hybr.

**TILLAEASTRUM**, Britton, in *Bull. N. York Bot.*

- Gard. iii. (1903) 1. *CRASSULACEAE*.  
 aquaticum, *Britton, l. c.* (= *Tillaea aquatica*).—Eur.; Afr. trop.  
 Drummondii, *Britton, l. c.* (= *Tillaea Drummondii*).—Am. bor.  
 Pringlei, *Rose, l. c.* 2.—Mexic.  
 Vaillantii, *Britton, l. c.* (= *Tillaea Vaillantii*).—Eur.; Afr. bor.  
 viride, *Britton, l. c.* (= *Tillaea viridis*).—Am. bor.

**TILLANDSIA**, Linn. (Bromel.).

- ampla, *Mez & Sod. in Bull. Herb. Boiss. Sér. II.* iv. 1134.—Ecuador.  
 Augustae-regiae, *Mez, in Engl. Jahrb.* xxx. Beibl. lxvii. 10; et in *Beih. Bot. Centralbl.* xiii. 79.—N. Granat.  
 Baileyi, *Rose, in Small, Fl. S. E. U. S.* 246.—Am. bor.  
 boliviana, *Mez, in Bull. Herb. Boiss. Sér. II.* iv. 1130.—Boliv.  
 Buseri, *Mez, l. c.* 145.—N. Granat.  
 castaneo-bulbosa, *Mez & Wercklé, l. c.* 140.—Am. cent.  
 cauliflora, *Mez & Wercklé, l. c.* v. 100.—Am. cent.  
 contorta, *Mez & Pittier, l. c.* iii. 224.—Am. cent.  
 cornuta, *Mez & Sod. l. c.* v. 106.—Ecuador.  
 costaricana, *Mez & Wercklé, l. c.* iii. 143.—Am. cent.  
 Cowellii, *Mez & Britton, l. c.* 225.—Ind. occ.  
 cygnea, *Mez & Sod. l. c.* iv. 1128.—Ecuador.  
 emergens, *Mez & Sod. l. c.* 1132.—Ecuador.  
 fusco-guttata, *Mez, l. c.* v. 101.—Peruv.  
 goyazensis, *Mez, in Engl. Jahrb.* xxx. Beibl. lxvii. 11.—Bras.  
 Ignesia, *Mez, in Bull. Herb. Boiss. Sér. II.* iii. 143.—Mexic.  
 indigofera, *Mez & Sod. l. c.* iv. 1131.—Ecuador.  
 intermedia, *Mez, l. c.* iii. 141.—Mexic.  
 lanata, *Mez, l. c.* v. 109.—Peruv.  
 Langlasseana, *Mez, l. c.* iii. 142.—Mexic.  
 laxissima, *Mez, l. c.* v. 108.—Boliv.  
 Michellii, *Mez, l. c.* iii. 146.—N. Granat.  
 micrantha, *Baker, in Bull. Torr. Bot. Club*, 1902, 698.—Boliv.  
 minor, *Mez & Sod. in Bull. Herb. Boiss. Sér. II.* iv. 1136.—Ecuador.  
 monticola, *Mez & Sod. l. c.* 1135.—Ecuador.  
 orthorhachis, *Mez & C. F. Baker, in Bull. Torr. Bot. Club*, 1903, 435.—Am. cent.  
 palmana, *Mez, in Engl. Jahrb.* xxx. Beibl. lxvii. 9.—Am. cent.  
 pinnata, *Mez & Sod. in Bull. Herb. Boiss. Sér. II.* iv. 1130.—Ecuador.  
 polyantha, *Mez & Sod. l. c.* 1127.—Ecuador.  
 quadripinnata, *Mez & Sod. l. c.* v. 105.—Ecuador.  
 Rothschildiana, *Mez, in Engl. Jahrb.* xxx. Beibl. lxvii. 8.—Am. cent.  
 scaligera, *Mez & Sod. in Bull. Herb. Boiss. Sér. II.* v. 107.—Ecuador.  
 sceptiformis, *Mez & Sod. l. c.* 101.—Ecuador.  
 scorpiura, *Mez, l. c.* 104.—Peruv.  
 Seleriana, *Mez, in Engl. Jahrb.* xxx. Beibl. lxvii. 8; et in *Bull. Herb. Boiss. Sér. II.* iii. 84.—Mexic.  
 singularis, *Mez & Wercklé, in Bull. Herb. Boiss. Sér. II.* v. 103.—Am. cent.  
 Sodiroi, *Mez, l. c.* iv. 1133.—Ecuador.  
 spathacea, *Mez & Sod. l. c.* 1129.—Ecuador.  
 superba, *Mez & Sod. l. c.* 1132.—Ecuador.  
 Tonduziana, *Mez, in Engl. Jahrb.* xxx. Beibl. lxvii. 9.—Am. cent.  
 Ulei, *Mez, in Bull. Herb. Boiss. Sér. II.* v. 102.—Peruv.  
 venusta, *Mez & Wercklé, l. c.* 108.—Am. cent.  
 Weberbaueri, *Mez, l. c.* 104.—Peruv.  
 Werckleana, *Mez, l. c.* iii. 144.—Am. cent.

**TILMIA**, O. F. Cook, in *Bull. Torr. Bot. Club*, 1901,

565. *PALMAE*.  
 caryotaefolia, *O. F. Cook, l. c.* (= *Martinezia caryotaefolia*).—Am. austr.  
 disticha, *O. F. Cook, l. c.* (= *Martinezia disticha*).—N. Granat.

**TIMONIUS**, Rumph. (Rubiace.).

- albus, *Volk. in Engl. Jahrb.* xxxi. 475.—Ins. Carol.  
 celebicus, *Koord. in Natuurk. Tijdschr. Ned. Ind.* lxiii. 87, descr.—Celebes.  
 compressicaule, *Merrill, in Forest. Bur. Philipp. Bull.* i. 54 (= *Polyphragmon compressicaule*).—Sumatra.

**TIMONIUS** :—

- laxus*, King & Gamble, in *Journ. As. Soc. Beng.* lxxiii. 56.—Penins. Mal.  
*malaccensis*, King & Gamble, l. c.—Penins. Mal.  
*Minabassae*, Koord. in *Natuurk. Tijdschr. Ned. Ind.* lxxiii. 87.—Celebes.  
*philippinensis*, Merrill, in *Forest. Bur. Philipp. Bull.* i. 54.—Ins. Philipp.  
*Schumannii*, Koord. in *Natuurk. Tijdschr. Ned. Ind.* lxxiii. 88.—Celebes.  
*Wrayi*, King & Gamble, in *Journ. As. Soc. Beng.* lxxiii. 54.—Penins. Mal.

**TINA**, Roem. & Schult. (Sapind.).

- [RATONIA, DC. I. K.]  
*isaloensis*, Drake, in *Bull. Mus. Hist. Nat. Par.* 1903, 39.—Madag.

**TINANTIA**, Schiedw. (Commelin.).

- caribaea*, Urb. *Symb. Antill.* iii. 280.—Ind. occ.

**TINIARIA**, Reichb. (Polygon.).

- [POLYGONUM, Tourn. I. K.]  
*cilinodis*, Small, *Fl. S. E. U. S.* 382 (= *Polygonum cilinode*).—Am. bor.  
*cristata*, Small, l. c. (= *Polygonum cristatum*).—Am. bor.  
*scandens*, Small, l. c. (= *Polygonum scandens*).—Am. bor.

**TINNEA**, Kotschy & Peyr. (Labiata).

- benguellensis*, Guerke, in *Warb. Kunene-Sambesi Exped.* 352.—Afr. trop.  
*coerulea*, Guerke, l. c.—Afr. trop.  
*fusco-luteola*, Guerke, l. c.—Afr. trop.  
*Galpini*, Brig. in *Bull. Herb. Boiss. Sér. II.* iii. 1094.—Afr. austr.  
*rhodesiana*, S. Moore, in *Journ. Bot.* 1905, 51.—Afr. trop.

**TINOSPORA**, Miers (Menisp.).

- minutiflora*, K. Schum. in K. Schum. & Lauterb. *Nachr. Fl. Deutsch. Südsee*, 262.—N. Guin.  
*Rumphii*, Boerl. *Cat. Hort. Bogor.* 116.—Arch. Mal.  
*Teysmannii*, Boerl. l. c. 117.—Arch. Mal.

**TIPULARIA**, Nutt. (Orchid.).

- japonica*, Matsum. in *Bot. Mag. Tokyo*, xv. 87.—Japon.

**ISSA**, Adans. (Caryophyll.).

- [SPERGULARIA, J. & C. Presl. I. K.]  
*bracteata*, Small, *Fl. S. E. U. S.* 418.—Am. bor.

**TITHYMALOPSIS**, Klotzsch & Garcke (Euphorb.).

- [EUPHORBIA, Linn. I. K.]  
*apocynifolia*, Small, *Fl. S. E. U. S.* 717 (= *Euphorbia apocynifolia*).—Am. bor.  
*corollata*, Small, l. c. (= *Euphorbia corollata*).—Am. bor.  
*Curtisii*, Small, l. c. 716 (= *Euphorbia Curtisii*).—Am. bor.  
*iscoidalis*, Small, l. c. 717 (= *Euphorbia discoidalis*).—Am. bor.  
*erigonoides*, Small, l. c. 716 (= *Euphorbia erigonoides*).—Am. bor.  
*exserta*, Small, l. c. 717.—Am. bor.  
*gracilis*, Small, l. c. 716 (= *Euphorbia gracilis*).—Am. bor.  
*Ipecacuanhae*, Small, l. c. (= *Euphorbia Ipecacuanhae*).—Am. bor.  
*Joorii*, Small, l. c. 717.—Am. bor.  
*mercurialina*, Small, l. c. 716 (= *Euphorbia mercurialina*).—Am. bor.  
*olivacea*, Small, l. c. 717 (= *Euphorbia olivacea*).—Am. bor.  
*paniculata*, Small, l. c. 718 (= *Euphorbia paniculata*).—Am. bor.  
*polyphylla*, Small, l. c. 716 (= *Euphorbia polyphylla*).—Am. bor.  
*zinniflora*, Small, l. c. 717 (= *Euphorbia zinniflora*).—Am. bor.

**TITHYMALUS**, Tourn. (Euphorb.).

- [EUPHORBIA, Linn. I. K.]  
*alpigenus*, Woerl. in *Ber. Bayer. Bot. Ges.* iii. (1893) 136 (= *Euphorbia alpigena*).—Eur.  
*austrinus*, Small, *Fl. S. E. U. S.* 720.—Am. bor.  
*crenulatus*, A. A. Heller, *Muhlenbergia*, i. 55 (= *Euphorbia crenulata*).—Calif.  
*Darlingtonii*, Small, *Fl. S. E. U. S.* 719 (= *Euphorbia Darlingtonii*).—Am. bor.

**TITHYMALUS** :—

- dictyospermus*, A. A. Heller, *Muhlenbergia*, i. 56 (= *Euphorbia dictyosperma*).—Calif.  
*franciscanus*, A. A. Heller, l. c.—Calif.  
*Helleri*, Small, *Fl. S. E. U. S.* 719 (= *Euphorbia Helleri*).—Am. bor.  
*inundatus*, Small, l. c. (= *Euphorbia inundata*).—Am. bor.  
*leiococcus*, Small, l. c. 721.—Am. bor.  
*longicuris*, Small, l. c. 719 (= *Euphorbia longicuris*).—Am. bor.  
*missouriensis*, Small, l. c. 721.—Am. bor.  
*Peplidion*, Small, l. c. 720 (= *Euphorbia Peplidion*).—Am. bor.  
*Roemerianus*, Small, l. c. (= *Euphorbia Roemeriana*).—Am. bor.  
*sphaerospermus*, Small, l. c. 719 (= *Euphorbia sphaerosperma*).—Am. bor.  
*telephioides*, Small, l. c. (= *Euphorbia telephioides*).—Am. bor.  
*tetraporus*, Small, l. c. 720 (= *Euphorbia tetrapora*).—Am. bor.  
*luteola*, Greene, *Pittonia*, v. 114.—Calif.

**TIUM**, Medic. (Legum.).

- [ASTRAGALUS, Tourn. I. K.]  
*alpinum*, Rydb. in *Bull. Torr. Bot. Club*, 1905, 659 (= *Astragalus alpinus*).—Am. bor.  
*apilosus*, Small, *Fl. S. E. U. S.* 619 (= *Astragalus apilosus*).—Am. bor.  
*desperatum*, Rydb. in *Bull. Torr. Bot. Club*, 1905, 660 (= *Astragalus desperatum*).—Am. bor.  
*Drummondii*, Rydb. l. c. 659 (= *Astragalus Drummondii*).—Am. bor.  
*humistratum*, Rydb. l. c. 660 (= *Astragalus humistratum*).—Am. bor.  
*intonsum*, Rydb. in *Small, Fl. S. E. U. S.* 619 (= *Astragalus intonsus*).—Am. bor.  
*obcordatum*, Rydb. l. c. (= *Astragalus obcordatus*).—Am. bor.  
*racemosum*, Rydb. in *Bull. Torr. Bot. Club*, 1905, 659 (= *Astragalus racemosus*).—Am. bor.  
*scopulorum*, Rydb. l. c. (= *Astragalus scopulorum*).—Am. bor.  
*sparsiflorum*, Rydb. l. c. 660 (= *Astragalus sparsiflorus*).—Am. bor.

**TOCOCA**, Aubl. (Melast.).

- caquetana*, Sprague, in *Trans. Proc. Bot. Soc. Edinb.* xxii. 432.—N. Granat.  
*discolor*, Pilg. in *Verh. Bot. Ver. Brand.* xlvii. (1905) 176.—Reg. Amaz.  
*juruenis*, Pilg. l. c.—Reg. Amaz.  
*setifera*, Pilg. l. c. 177.—Reg. Amaz.  
*Ulei*, Pilg. l. c.—Peruv.

**TOCOYENA**, Aubl. (Rubiace.).

- neglecta*, N. E. Br. in *Trans. Linn. Soc. Ser. II.* vi. 35.—Guiana.

**TODDALIA**, Juss. (Rutac.).

- angolensis*, K. Schum. in *Fest. Jahresh.* xxvii. I. 509 (= *Cranzia angolensis*).—Afr. trop.

**TONELLA**, Nutt. (Scrophul.).

- tenella*, Jepson, *Fl. W. Mid. Calif.* 400 (= *Collinsia tenella*).—Am. bor.

**TONESTUS**, A. Nelson, in Coult. Bot. Gaz. xxxvii. (1904) 262. **COMPOSITAE.**

- laceratus*, A. Nelson, l. c. (= *Aplopappus laceratus*).—Am. bor.  
*Lyallii*, A. Nelson, l. c. (= *Aplopappus Lyallii*).—Am. bor.  
*pygmaeus*, A. Nelson, l. c. (= *Aplopappus pygmaeus*).—Am. bor.

**TORENIA**, Linn. (Scrophul.).

- affinis*, Wildem. in *Ann. Mus. Congo*, Sér. IV. 122.—Afr. trop.  
*radicans*, Vaniot, in *Bull. Acad. Géogr. Bot.* xv. (1905) 88.—China.

**TORILIS**, Adans. (Umbellif.).

- [CAUCALIS, Linn. I. K.]  
*caerulescens*, Calest. in *Martelli, Webbia*, 255 (= *Caucalis caerulescens*).—Hispan.  
*homoeophylla*, Calest. l. c. (= *Caucalis homoeophylla*).—Hispan.

**TORILIS** :—

- litoralis*, Calest. in *Martelli, Webbia*, 255 (= *Daucus bessarabicus*).—Rossia.  
*orientalis*, Calest. l. c. (= *Caucalis orientalis*).—Rossia.  
*torgesiana*, Calest. l. c. (= *Caucalis torgesiana*).—Graecia.

**TORRALBASIA**, Krug & Urb. in Segui, *Fl. Med. Tox. Cuba*, 60 (1900); et in Urb. *Symb. Antill.* v. 49 (1904). **CELASTRACEAE.**

- cuneifolia*, Krug & Urb. l. c.; l. c. 50 (= *Euonymus cuneifolius*).—Ind. occ.

**TORRUBIA**, Vell. (Nyctag.).

- [PISONIA, Plum. I. K.]  
*Bracei*, Britton, in *Bull. Torr. Bot. Club*, 1904, 614.—Ind. occ.  
*Cokeri*, Britton, l. c. 613.—Ind. occ.  
*discolor*, Britton, l. c. (= *Pisonia discolor*).—Ind. occ.  
*floridana*, Britton, l. c. 615 (= *Pisonia floridana*).—Am. bor.  
*inermis*, Britton, l. c. 614 (= *Pisonia inermis*).—Ind. occ.; Am. trop. austr.  
*longifolia*, Britton, l. c.—Ind. occ.  
*obtusata*, Britton, l. c. 612 (= *Pisonia obtusata*).—Ind. occ.  
*rufescens*, Britton, l. c. 613 (= *Pisonia rufescens*).—Ind. occ.  
*suborbiculata*, Britton, l. c. (= *Pisonia suborbiculata*).—Ind. occ.

**TORULINIUM**, Desv. (Cyper.).

- [MARISCUS, Ehrh. I. K.]  
*Poeppigii*, C. B. Clarke, in *Engl. Jahrb. xxx. Beibl.* lxxviii. 17.—Chili.

**TOUCHIROA**, Aubl. (Legum.).

- [CRUDIA, Schreb. I. K.]  
*Havilandi*, Prain, in *Journ. As. Soc. Beng.* lxxiii. 199 (= *Crudia Havilandi*).—Borneo.  
*Mansoni*, Prain, l. c. (= *Crudia Mansoni*).—Burma.

**TOURNEFORTIA**, Linn. (Borag.).

- Mocquersyi*, Aug. DC. in *Bull. Herb. Boiss. Sér. II.* i. 581.—Madag.

**TOUTEREA**, Eaton & Wright, N. Amer. Bot. (1840) 454, 63. **LOASACEAE.**

- Brandegei*, Rydb. in *Bull. Torr. Bot. Club*, 1903, 276 (= *Mentzelia Brandegei*).—Am. bor. occ.  
*chrysantha*, Rydb. l. c. 277 (= *Mentzelia chrysantha*).—Am. bor.  
*decapetala*, Rydb. l. c. 276 (= *Bartonia decapetala*).—Am. bor.  
*densa*, Rydb. l. c. 277 (= *Mentzelia densa*).—Am. bor.  
*humilis*, Rydb. l. c. (= *Mentzelia multiflora*).—N. Mexic.  
*laciniata*, Rydb. l. c. 1904, 565.—Am. bor.  
*laevicaulis*, Rydb. l. c. 1903, 276 (= *Bartonia laevicaulis*).—Am. bor.  
*multicaulis*, Osterh. in *Bull. Torr. Bot. Club*, 1903, 236.—Am. bor.  
*multiflora*, Rydb. in *Bull. Torr. Bot. Club*, 1903, 277 (= *Bartonia multiflora*).—Am. bor.; Mexic.  
*parviflora*, Rydb. l. c. 276 (= *Bartonia parviflora*).—Am. bor.  
*pterosperma*, Rydb. l. c. (= *Mentzelia pterosperma*).—Am. bor.  
*pumila*, Rydb. l. c. 277 (= *Mentzelia pumila*).—Am. bor.  
*Rusbyi*, Rydb. l. c. 276 (= *Mentzelia Rusbyi*).—Am. bor.  
*sinuata*, Rydb. l. c. 1904, 566.—Am. bor.  
*speciosa*, Rydb. l. c. 1903, 276 (= *Mentzelia speciosa*).—Am. bor.  
*stricta*, Rydb. l. c. (= *Hesperaster strictus*).—Am. bor.  
*Wrightii*, Rydb. l. c. (= *Mentzelia Wrightii*).—Am. bor.

**TOVARIA**, Neck. (Liliac.).

- [SMILACINA, Desf. I. K.]  
*tubifera*, C. H. Wright, in *Journ. Linn. Soc.* xxxvi. 111 (= *Smilacina tubifera*).—China.

**TOVOMITA**, Aubl. (Guttif.).

- triflora*, Huber, in *Bol. Mus. Para.* iii. 436.—Bras.

**TOWNSENDIA**, Hook. (Compos.).

- dejecta*, A. Nelson, in *Coult. Bot. Gaz.* xxxvii. 267.—Am. bor.  
*intermedia*, Rydb. in *Britton, Man. Fl. N. U. S.* 944.—Am. bor.  
*Vreelandii*, Rydb. in *Bull. Torr. Bot. Club*, 1901, 22.—Am. bor.



**TOXICODENDRON**, Linn. (Anacard.).

- [RHUS, Tourn. I. K.]  
 aboriginum, *Greene, Leaflets Bot. Obs.* i. 125.—Am. bor.  
 arizonicum, *Greene, l. c.* 123.—Am. bor.  
 biternatum, *Greene, l. c.* 124.—Am. bor.  
 Blodgettii, *Greene, l. c.* 126 (= *Rhus Blodgettii*).—  
 Florida.  
 comarophyllum, *Greene, l. c.* 120.—Calif.  
 compactum, *Greene, l. c.* 126.—Am. bor.  
 coriaceum, *Greene, l. c.* 120.—Am. bor.  
 divaricatum, *Greene, l. c.* 122.—Calif.  
 diversilobum, *Greene, l. c.* 119 (= *Rhus diversiloba*).  
 —Am. bor.  
 dryophilum, *Greene, l. c.* 121.—Calif.  
 eximium, *Greene, l. c.* 123.—Mexic.  
 gonocarpum, *Greene, l. c.* 125.—Am. bor.  
 hesperium, *Greene, l. c.* 118.—Am. bor.  
 isophyllum, *Greene, l. c.* 121.—Calif.  
 laetivirens, *Greene, l. c.* 120.—Am. bor.  
 lobadioides, *Greene, l. c.* 119.—Am. bor.  
 longipes, *Greene, l. c.* 118.—Am. bor.  
 macrocarpum, *Greene, l. c.* 117.—Am. bor.  
 monticola, *Greene, l. c.* 126.—Am. bor.  
 Negundo, *Greene, l. c.* 117.—Am. bor.  
 orientale, *Greene, l. c.* 127.—Japan.  
 oxycarpum, *Greene, l. c.* 121.—Calif.  
 phaseoloides, *Greene, l. c.* 123.—Mexic.  
 pumilum, *Greene, l. c.* 124.—Am. bor.  
 punctatum, *Greene, l. c.* 125.—Am. bor.  
 quercifolium, *Greene, l. c.* 127 (= *Rhus quercifolia*).—  
 Am. bor.  
 rhomboideum, *Greene, l. c.* 125 (= *Rhus rhomboidea*).  
 —Am. bor.  
 Rydbergii, *Greene, l. c.* 117 (= *Rhus Rydbergii*).—  
 Am. bor.  
 vaccarium, *Greene, l. c.* 122.—Calif.  
 verrucosum, *Greene, l. c.* 124 (= *Rhus verrucosa*).—  
 Am. bor.

**TOXICOSCORDION**, Rydb. in Bull. Torr. Bot. Club, 1903, 272. **MELANTHACEAE.**

- acutum, *Rydb. l. c.* (= *Zygadenus acutus*).—Am. bor.  
 falcatum, *Rydb. l. c.* (= *Zygadenus falcatus*).—Am. bor.  
 Fremontii, *Rydb. l. c.* 273 (= *Zygadenus Fremontii*).—  
 Calif.  
 gramineum, *Rydb. l. c.* 272 (= *Zygadenus gramineus*).  
 —Am. bor.  
 intermedius, *Rydb. l. c.* (= *Zygadenus intermedius*).  
 —Am. bor.  
 Nuttallii, *Rydb. l. c.* (= *Amianthium Nuttallii*).—  
 Calif.  
 paniculatum, *Rydb. l. c.* (= *Helonias paniculata*).—  
 Am. bor. occ.  
 texense, *Rydb. in Small, Fl. S. E. U. S.* 252.—Am. bor.  
 venenosum, *Rydb. in Bull. Torr. Bot. Club*, 1903, 272  
 (= *Zygadenus venenosus*).—Am. bor. occ.

**TOXOCARPUS**, Wight & Arn. (Asclep.).

- brevipes, *N. E. Br. in Dyer, Fl. Trop. Afr.* iv. i. 287  
 (= *Rhynchosigma brevipes*).—Afr. trop.  
 Loheri, *Schlecht. in Perkins, Frag. Fl. Philipp.* i. 122.  
 —Ins. Philipp.  
 Lujaei, *Wildem. in Ann. Mus. Congo, Sér. V.* i. 191  
 (= *Rhynchosigma Lujaei*).—Afr. trop.  
 orientalis, *Schlechter, in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 353.—Ins. Bismarck.  
 parviflorus, *N. E. Br. in Dyer, Fl. Trop. Afr.* iv. i. 288  
 (= *Rhynchosigma parviflorum*).—Afr. trop.  
 racemosus, *N. E. Br. l. c.* 287 (= *Rhynchosigma racemosum*).—Afr. trop.

**TOZZETTIA**, Savi (Gramin.).

- [ALOPECURUS, Linn. I. K.]  
 agrestis, *Bub. Fl. Pyren.* iv. 274 (= *Alopecurus agrestis*).—Eur.; Caucas.  
 geniculata, *Bub. l. c.* 275 (= *Alopecurus geniculatus*).  
 —Reg. bor. temp.  
 nodosa, *Bub. l. c.* 276 (= *Alopecurus bulbosus*, Gouan).  
 —Eur.  
 vulgaris, *Bub. l. c.* (= *Alopecurus pratensis*).—Reg. bor. temp.

**TRACAULON**, Rafin. (Polygon.).

- [POLYGONUM, Tourn. I. K.]  
 Beyrichianum, *Small, Fl. S. E. U. S.* 380 (= *Polygonum Beyrichianum*).—Am. bor.

**TRACAULON** :—

- hastato-trilobum, *Greene, Leaflets Bot. Obs.* i. 22 (= *Polygonum hastato-trilobum*).—Japon.  
 hispidulum, *Greene, l. c.* (= *Polygonum hispidulum*).  
 —As. et Austral. trop.  
 Maackianum, *Greene, l. c.* (= *Polygonum Maackianum*).  
 —Japon.  
 Meisnerianum, *Greene, l. c.* (= *Polygonum Meisnerianum*).—Bras.  
 multangulare, *Greene, l. c.* (= *Polygonum multangulare*).—Am. bor.  
 muricatum, *Greene, l. c.* (= *Polygonum muricatum*).—  
 Reg. Himal.  
 pedunculare, *Greene, l. c.* (= *Polygonum pedunculare*).  
 —As. et Austral. trop.  
 perfoliatum, *Greene, l. c.* (= *Polygonum perfoliatum*).  
 —Ind. or.; Malaya.  
 praetermissum, *Greene, l. c.* (= *Polygonum praetermissum*).—Ind. or.  
 rubricaulum, *Greene, l. c.* (= *Polygonum rubricaulum*).—  
 Bras.  
 sagittatum, *Small, Fl. S. E. U. S.* 381 (= *Polygonum sagittatum*).—Am. bor.  
 sibiricum, *Greene, Leaflets Bot. Obs.* i. 22.—As. bor.  
 Sieboldii, *Greene, l. c.*—As. bor.  
 stelligerum, *Greene, l. c.* (= *Polygonum stelligerum*).  
 —Bras.  
 strigosum, *Greene, l. c.* (= *Polygonum strigosum*).—  
 Austral.; N. Zel.  
 tetragonum, *Greene, l. c.* (= *Polygonum tetragonum*).  
 —As. et Austral. trop.  
 Thunbergii, *Greene, l. c.* (= *Polygonum arifolium*).—  
 Japon.

**TRACHELANTHUS**, Kunze (Borag.).

- [SOLENANTHUS, Ledeb. I. K.]  
 hissaricus, *Lipsky, in Act. Hort. Petrop.* xxiii. 202.—  
 As. cent.  
 Korolkowi, *Lipsky, l. c.* 199.—As. cent.

**TRACHYCARPUS**, H. Wendl. (Palmar.).

- Takil, *Becc. in Martelli, Webbia*, 52.—Reg. Himal.

**TRACHYMENE**, DC. (Umbell.).

- [PLATYSACE, Bunge. I. K.]  
 geraniifolia, *F. M. Bailey, Queensl. Fl.* 2015.—Austral.  
 xerophila, *E. Pritz. in Engl. Jahrb.* xxxv. 453.—  
 Austral.

**TRACHYPHYRNIUM**, Benth. (Scitam.).

- Zenkerianum, *K. Schum. in Engl. Pflanzenreich, Marant.* 45.—Afr. trop.

**TRACHYPLEURUM**, Reichb. (Umbell.).

- [BUPLEURUM, Tourn. I. K.]  
 subovatum, *Calest. in Martelli, Webbia*, 163 (= *Bupleurum subovatum*).—Reg. Medit.

**TRACHYPOA**, Bub. Fl. Pyren. iv. 359 = **DACTYLIS**, Linn. (Gramin.).

- vulgaris, *Bub. l. c.* = D. glomerata.

**TRACYANTHUS**, Small, Fl. S. E. U. S. 250 (1903). **MELANTHACEAE.**

- angustifolius, *Small, l. c.* 251 (= *Helonias angustifolia*).  
 —Am. bor.

**TRADESCANTIA**, Small, Fl. S. E. U. S. 237 (1903). **COMMELINACEAE.**

- floridana, *Small, l. c.* 238 (= *Tradescantia floridana*).  
 —Am. bor.  
 incarnata, *Small, l. c.* 1328 (= *Tradescantia incarnata*).  
 —Am. bor.

**TRADESCANTIA**, Rupp. (Commelin.).

- australis, *Bush, in Trans. Acad. Sci. St. Louis*, xiv. 185.—Am. bor.  
 difformis, *Bush, in Rep. Missouri Bot. Gard.* 1905, 101.—Am. bor.  
 diffusa, *Bush, in Trans. Acad. Sci. St. Louis*, xiv. 193.—  
 Am. bor.  
 dracaenoides, *Greenm. in Proc. Amer. Acad.* xxxix. 70  
 (= *Dichorisandra longifolia*).—Mexic.  
 eglandulosa, *Bush, in Trans. Acad. Sci. St. Louis*, xiv. 191.—Am. bor.  
 Harbisoni, *Bush, in Rep. Missouri Bot. Gard.* 1905, 100.—Am. bor.  
 hirsutiflora, *Bush, in Trans. Acad. Sci. St. Louis*, xiv. 184.—Am. bor.  
 incarnata, *Small, Fl. S. E. U. S.* 239.—Am. bor.

**TRADESCANTIA** :—

- intermedia, *Bush, in Trans. Acad. Sci. St. Louis*, xiv. 191.—Am. bor.  
 laramiensis, *Goodd. in Coult. Bot. Gaz.* xxxiii. 68.—  
 Am. bor.  
 occidentalis, *Britton, Man. Fl. N. U. S.* 241.—Am. bor.  
 peninsularis, *T. S. Brandegee, in Zoe*, v. 173 (1903).—  
 Calif.  
 radiata, *C. B. Clarke, in Bull. Herb. Boiss. Sér. II.* iii. 245.—Parag.  
 Reverchoni, *Bush, in Trans. Acad. Sci. St. Louis*, xiv. 190.—Am. bor.  
 saxicola, *Greenm. in Proc. Amer. Acad.* xxxix. 70.—  
 Mexic.  
 subacaulis, *Bush, in Trans. Acad. Sci. St. Louis*, xiv. 185.—Am. bor.  
 texana, *Bush, l. c.* 192.—Am. bor.  
 Urbinana, *Greenm. in Proc. Amer. Acad.* xxxix. 70.—  
 Mexic.  
 vaginata, *Bush, in Trans. Acad. Sci. St. Louis*, xiv. 189.—Am. bor.  
 Wrightii, *Rose & Bush, l. c.* 188.—Am. bor.

**TRAGANTHES**, Wallr. (Compos.).

- [EUPATORIUM, Tourn. I. K.]  
 compositifolia, *Greene, Leaflets Bot. Obs.* i. 13 (= *Eupatorium compositifolium*).—Am. bor.  
 Eugeni, *Greene, l. c.* (= *Eupatorium Eugeni*).—Am. bor.  
 leptophylla, *Greene, l. c.* (= *Eupatorium leptophyllum*).  
 —Am. bor.  
 pectinata, *Greene, l. c.* (= *Eupatorium pectinatum*).—  
 Am. bor.  
 pinnatifida, *Greene, l. c.* (= *Eupatorium pinnatifidum*).  
 —Am. bor.

**TRAGIA**, Plum. (Euphorb.).

- Descampsii, *Wildem. in Ann. Mus. Congo, Sér. IV.* 207.—Afr. trop.  
 Hassleriana, *Chod. in Bull. Herb. Boiss. Sér. II.* v. 606.—Parag.  
 lukafuensis, *Wildem. in Ann. Mus. Congo, Sér. IV.* 206.—Afr. trop.  
 saxicola, *Small, Fl. S. E. U. S.* 702.—Am. bor.

**TRAGOPOGON**, Linn. (Compos.).

- duarius, *Chenev. in Bull. Trav. Soc. Bot. Genève*, ix. 130.—Hybr.  
 Kindingeri, *Adamov. in Oesterr. Bot. Zeitschr.* 1905, 236.—Turcia.  
 praecox, *Focke, in Abh. Nat. Ver. Bremen*, xviii. 188.—  
 Eur. cent.

**TRAGUS**, Hall. (Gramin.).

- paucispina, *Hack. in Oesterr. Bot. Zeitschr.* 1901, 193.—  
 Afr. trop.

**TRATTINICKIA**, Willd. (Burser.).

- Schwackeana, *Glaz. in Bull. Soc. Bot. Fr.* lii. Mém. III. 92, nomen.—Bras.

**TRECHONAETES**, Miers (Solan.).

- leucotricha, *Speg. Nov. Add. Fl. Patag.* ii. (1902), repr. 45.—Patag.

**TRELEASEA**, Rose, in U. S. Dept. Agric. Contrib. Nat. Herb. v. (1899) 207 = **NEOTRELEASEA**, Rose (Comelin.).

- brevifolia, *Rose, l. c.* = N. brevifolia.  
 leiandra, *Rose, l. c.* 208 = N. leiandra.  
 tumida, *Rose, l. c.* = N. tumida.

**TREMA**, Lour. (Urtic.).

- floridana, *Britton, in Small, Fl. S. E. U. S.* 366.—  
 Am. bor.  
 Vieillardii, *Schlechter, in Engl. Jahrb.* xxxvi. 31 (= *Sponia Vieillardii*).—N. Caled.

**TREMACANTHUS**, S. Moore, in Journ. Bot. 1904, 33. **ACANTHACEAE.**

- Roberti, *S. Moore, l. c.*—Bras.

**TRIANTHA**, Baker (Liliac.).

- [TOFIELDIA, Huds. I. K.]  
 racemosa, *Small, Fl. S. E. U. S.* 249 (= *Melanthium racemosum*).—Am. bor.

**TRIASPIS**, Burch. (Malpigh.).

- canescens, *Engl. in Engl. Jahrb.* xxxvi. 249.—Afr. trop.  
 Erlangeri, *Engl. l. c.* 248.—Afr. trop.  
 glaucophylla, *Engl. l. c.*—Afr. austr.  
 Niedenzuana, *Engl. l. c.* 247.—Afr. trop.

**TRIATHERA**, Desv. (Gramin.).

[BOUPELOU, Lag. I. K.]

aristoides, Nash, in *Small, Fl. S. E. U. S.* 137 (= *Dinebra aristoides*).—Am. bor.**TRICALYSIA**, A. Rich. (Rubiace.).aurantiodora, Wildem. in *Ann. Mus. Congo*, Sér. IV. 157.—Afr. trop.Bussei, K. Schum. in *Engl. Jahrb.* xxxiii. 346.—Afr. trop.Crepiniana, Wildem. & Th. Dur. in *Ann. Mus. Congo*, Sér. III. 120.—Afr. trop.

djumaensis, Wildem. l. c. Sér. V. i. 202.—Afr. trop.

katangensis, Wildem. l. c. Sér. IV. 156.—Afr. trop.

longestipulata, Wildem. & Th. Dur. in *Bull. Herb. Boiss.* Sér. II. i. 756.—Afr. trop.mucronulata, K. Schum. in *Engl. Jahrb.* xxx. 413.—Afr. trop.

odoratissima, K. Schum. l. c. xxxiii. 346.—Afr. trop.

pachystigma, K. Schum. l. c. 347.—Afr. trop.

petiolata, Wildem. in *Ann. Mus. Congo*, Sér. V. i. 202.—Afr. trop.roseoides, Wildem. & Th. Dur. in *Bull. Herb. Boiss.* Sér. II. i. 825.—Afr. trop.**TRICHACHNE**, Nees (Gramin.).saccharatum, Nash, in *Small, Fl. S. E. U. S.* 83(= *Panicum saccharatum*).—Am. bor.**TRICHERA**, Schrad. = **Knautia**, Linn. (Dipsac.).

baldensis, Borb. Rev. Knaut. 43 = K. magnifica.

dinarica, Borb. l. c. = K. magnifica.

heliantha, Borb. l. c. 41 = K. heliantha.

**TRICHILIA**, P. Br. (Meliac.).acutanthera, C. DC. in *Bull. Herb. Boiss.* Sér. II. v. 422.—Am. cent.

alba, C. DC. l. c. iii. 411.—Parag.

angustior, Harms, in *Engl. Jahrb.* xxx. Beibl. lxvii. 34.—Bras.anisopleura, C. DC. in *Bull. Herb. Boiss.* Sér. II. v. 424.—Am. cent.

arborea, C. DC. l. c. 426.—Am. cent.

Biolleyi, C. DC. l. c. 423.—Am. cent.

brachythyrus, Harms, in *Engl. Jahrb.* xxx. Beibl. lxvii. 32.—Bras.fragrans, C. DC. in *Bull. Herb. Boiss.* Sér. II. i. 363.—Bras.Gilletii, Wildem. in *Ann. Mus. Congo*, Sér. V. i. 50.—Afr. trop.goyazensis, Glaz. in *Bull. Soc. Bot. Fr.* lii. Mém. III. 95, nomen.—Bras.graciliflora, Harms, in *Engl. Jahrb.* xxx. Beibl. lxvii. 33.—Reg. Argent.gracilis, Loes. ex Glaz. in *Bull. Soc. Bot. Fr.* lii. Mém. III. 95, nomen.—Bras.Hassleri, C. DC. in *Bull. Herb. Boiss.* Sér. II. iii. 410.—Parag.

lobulata, C. DC. l. c. i. 364.—Bras.

longeracemosa, Glaz. in *Bull. Soc. Bot. Fr.* lii. Mém. III. 95, nomen.—Bras.Mocquersyi, C. DC. in *Bull. Herb. Boiss.* Sér. II. i. 563.—Madag.

multijuga, C. DC. l. c. 308.—Bras.

obtusanthera, C. DC. l. c. v. 423.—Am. cent.

orgasana, C. DC. l. c. i. 362.—Bras.

Pittieri, C. DC. l. c. v. 425.—Am. cent.

polyneura, C. DC. l. c. 426.—Am. cent.

Pringlei, Rose, in *U. S. Dept. Agric. Contrib. Nat. Herb.* viii. 50.—Mexic.pyramidata, Harms, in *Engl. Jahrb.* xxx. Beibl. lxvii. 32.—Bras.

Schumanniana, Harms, l. c. 33.—Bras.

Schwackei, C. DC. in *Bull. Herb. Boiss.* Sér. II. i. 363.—Bras.

stellipila, C. DC. l. c. iii. 412.—Parag.

Tonduzii, C. DC. l. c. v. 423.—Am. cent.

triphyllaria, C. DC. l. c. iii. 410.—Parag.

**TRICHINIUM**, R. Br. (Amarant.).Carlsoni, S. Moore, in *Journ. Linn. Soc.* xxxiv. 220 (= *Ptilotus Carlsoni*).—Austral.chortophytum, Diels, in *Engl. Jahrb.* xxxv. 192.—Austral.Clementi, Farman, in *Bull. Herb. Boiss.* Sér. II. v. 1088.—Austral.depressum, Farman, l. c. 1087 (= *Ptilotus depressus*).—Austral.

Elderi, Farman, l. c. 1089.—Austral.

procerum, Diels, in *Engl. Jahrb.* xxxv. 191.—Austral.**TRICHINIUM**—Schwartzii, Farman, in *Bull. Herb. Boiss.* Sér. II. v.1087 (= *Ptilotus Schwartzii*).—Austral.siphonandrum, Diels, in *Engl. Jahrb.* xxxv. 189.—Austral.**TRICHOCAULON**, N. E. Br. (Asclep.).Pillansii, N. E. Br. in *Gard. Chron.* 1904, I. 242.—Afr. austr.**TRICHOCLINE**, Cass. (Compos.).aurea, Reiche, *Fl. Chile*, iv. 362 (= *Bichenia aurea*).—Chili.crenata, Reiche, l. c. 360 (= *Chaetanthera crenata*).—Chili.**TRICHODESMA**, R. Br. (Borag.).arenicola, Guerke, in *Engl. Jahrb.* xxxii. 143.—Afr. trop.atrichum, Vierh. in *Oesterr. Bot. Zeitschr.* 1905, 439.—Socotra.Baumii, Guerke, in *Warb. Kunene-Sambesi Exped.* 349.—Afr. trop.Bentii, Baker & C. H. Wright, in *Dyer, Fl. Trop. Afr.* iv. II. 49.—Afr. trop.Dekindtianum, Guerke, in *Engl. Jahrb.* xxxii. 142.—Afr. trop.

glabrescens, Guerke, l. c. xxx. 389.—Afr. trop.

hispidum, Baker & C. H. Wright, in *Dyer, Fl. Trop. Afr.* iv. II. 45.—Afr. trop.macrantherum, Guerke, in *Engl. Jahrb.* xxxii. 142.—Afr. trop.oleaeifolium, Baker, in *Dyer, Fl. Trop. Afr.* iv. II. 47 (= *Streblanthera oleaeifolia*).—Afr. trop.

Schimperii, Baker, l. c.—Afr. trop.

**TRICHOGLOTTIS**, Blume (Orchid.).bataanensis, Ames, *Orchid.* i. 105.—Ins. Philipp.bipenicillata, J. J. Sm. in *lc. Bogor.* t. 125 A.—Borneo.flexuosa, Rolfe, in *Ames, Orchid.* i. 107.—Ins. Philipp.geminata, J. J. Sm. *Orch. Ambon*, 106 (= *Sarcanthus geminatus*).—Arch. Mal.littoralis, Schlechter, in *K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 230.—Ins. Bismarck.pantherina, J. J. Sm. in *lc. Bogor.* t. 124 B.—Borneo.**TRICHOON**, Roth (Gramin.).

[PHRAGMITES, Trin. I. K.]

Roxburghii, W. F. Wight, in *U. S. Dept. Agric. Contrib. Nat. Herb.* ix. 390 (= *Arundo Roxburghii*).—As. austr. et or.; Polynes.**TRICHOPTERYX**, Nees (Gramin.).brevifolia, Hack. in *Oesterr. Bot. Zeitschr.* 1902, 190.—Madag.crinta, Stapf, in *Journ. de Bot.* 1905, 106.—Afr. trop.glabra, Hack. in *Bull. Herb. Boiss.* Sér. II. i. 770.—Afr. trop.Kerstingii, Pilg. in *Engl. Jahrb.* xxxiv. 128.—Afr. trop.parviflora, Hack. in *Oesterr. Bot. Zeitschr.* 1902, 191.—Afr. trop.reflexa, Pilg. in *Engl. Jahrb.* xxxiii. 52.—Afr. trop.ternata, Stapf, in *Journ. de Bot.* 1905, 106.—Afr. trop.togoensis, Pilg. in *Engl. Jahrb.* xxxiv. 128.—Afr. trop.**TRICHOSANTHES**, Linn. (Cucurb.).Rosthornii, Harms, in *Engl. Jahrb.* xxix. 603.—China.**TRICHOSCYPHA**, Hook. f. (Anacard.).albiflora, Engl. in *Engl. Jahrb.* xxxvi. 223.—Afr. trop.

atropurpurea, Engl. l. c. 222.—Afr. trop.

bipindensis, Engl. l. c. 223.—Afr. trop.

congoensis, Engl. l. c. 222.—Afr. trop.

Dinklagei, Engl. l. c. 224.—Afr. trop.

Laurentii, Wildem. *Enum. Pl. Laurent*, 144.—Afr. trop.Victoriae, Engl. in *Engl. Jahrb.* xxxvi. 224.—Afr. trop.**TRICHOSPORUM**, D. Don (Gesner.).

[AESCHYNANTHUS, Jack. I. K.]

cardinale, Copeland, ex Merrill, in *Philipp. Gov. Lab. Bur. Bull.* xvii. 46.—Ins. Philipp.**TRICHOSTACHYS**, Hook. f. (Rubiace.).interrupta, K. Schum. in *Engl. Jahrb.* xxxiii. 360.—Afr. trop.**TRICHOURETEA**, Van Tiegh. in *Bull. Mus. Hist.*Nat. Par. 1902, 215; et in *Journ. de Bot.* xvi. 184. **OCHNACEAE.**acuminata, Van Tiegh. in *Ann. Sci. Nat. Sér. VIII.* xvi. 232 (= *Gomphia acuminata*).—Bras.Blanchetiana, Van Tiegh. l. c. 234 (= *Gomphia Blanchetiana*).—Bras.brachyandra, Van Tiegh. in *Journ. de Bot.* xvi. 188 (= *Gomphia brachyandra*).—Bras.caulipila, Van Tiegh. in *Ann. Sci. Nat. Sér. VIII.* xvi. 234.—Bras.

cearensis, Van Tiegh. l. c. 235.—Bras.

costata, Van Tiegh. l. c.—Bras.

floribunda, Van Tiegh. l. c. 233 (= *Gomphia floribunda*).—Bras.foliosa, Van Tiegh. in *Bull. Mus. Hist. Nat. Par.* 1903, 157; et in *Ann. Sci. Nat. Sér. VIII.* xviii. 9.—Bras.Gardneri, Van Tiegh. in *Journ. de Bot.* xvi. 188.—Bras.glabrescens, Van Tiegh. in *Ann. Sci. Nat. Sér. VIII.* xvi. 234.—Bras.

gracilis, Van Tiegh. l. c.—Bras.

Guildingi, Van Tiegh. l. c. 235 (= *Gomphia Guildingi*).—Ind. occ.

laevis, Van Tiegh. l. c. 233.—Bras.

nana, Van Tiegh. in *Journ. de Bot.* xvi. 188 (= *Gomphia nana*).—Bras.nervosa, Van Tiegh. l. c. (= *Gomphia nervosa*).—Bras.nitida, Van Tiegh. in *Ann. Sci. Nat. Sér. VIII.* xvi. 235 (= *Gomphia nitida*).—Ind. occ.oleifolia, Van Tiegh. in *Bull. Mus. Hist. Nat. Par.* 1902, 215; et in *Journ. de Bot.* xvi. 188 (= *Gomphia oleaeifolia*).—Bras.parvifolia, Van Tiegh. in *Journ. de Bot.* xvi. 188 (= *Gomphia parvifolia*).—Bras.pubescens, Van Tiegh. l. c. (= *Gomphia pubescens*).—Bras.rufidula, Van Tiegh. in *Ann. Sci. Nat. Sér. VIII.* xvi. 234 (= *Gomphia rufidula*).—Bras.salicifolia, Van Tiegh. l. c. 233 (= *Gomphia salicifolia*).—Bras.subvelutina, Van Tiegh. in *Journ. de Bot.* 188 (= *Gomphia subvelutina*).—Bras.vaccinioides, Van Tiegh. in *Ann. Sci. Nat. Sér. VIII.* xvi. 234 (= *Gomphia vaccinioides*).—Bras.**TRICHOVASELIA**, Van Tiegh. in *Bull. Mus. Hist.*Nat. Par. 1902, 380; *Journ. de Bot.* xvi. 208; *Ann. Sci. Nat. Sér. VIII.* xvi. 411. **OCHNACEAE.**canescens, Van Tiegh. in *Journ. de Bot.* xvi. 208; et in *Ann. Sci. Nat. Sér. VIII.* xvi. 411.—Venez.**TRICUSPIDARIA**, Ruiz & Pav. (Tiliac.).

[CRINODENDRON, Molina. D. T. &amp; H.]

Hookeriana, R. O. Cunningham, *Nat. Hist. Strait Magell.* (1871) pp. 342, 433 = lanceolata.**TRICUSPIS**, Beauv. (Gramin.).

[TRIODIA, R. Br. I. K.]

elongata, Nash, in *Britton, Man. Fl. N. U. S.* 127 (= *Sieglingia elongata*).—Am. bor.pilosa, Nash, l. c. (= *Sieglingia pilosa*).—Am. bor.**TRICYRTIS**, Wall. (Liliac.).affinis, Makino, in *Bot. Mag. Tokyo*, xvii. 70.—Japon.**TRIDENS**, Roem. & Schult. (Gramin.).

[TRIODIA, R. Br. I. K.]

Buckleyanus, Nash, in *Small, Fl. S. E. U. S.* 143 (= *Triodia Buckleyana*).—Am. bor.congestus, Nash, l. c. (= *Sieglingia congesta*).—Am. bor.Drummondii, Nash, l. c. (= *Triodia Drummondii*).—Am. bor.elongatus, Nash, l. c. (= *Uralepis elongata*).—Am. bor.muticus, Nash, l. c. (= *Tricuspis mutica*).—Am. bor.seslerioides, Nash, l. c. 142 (= *Poa seslerioides*).—Am. bor.strictus, Nash, l. c. 143 (= *Windsoria stricta*).—Am. bor.**TRIDESMOSTEMON**, Engl. in *Engl. Jahrb.* xxxviii.(1905) 99. **SAPOTACEAE.**

omphalocarpoides, Engl. l. c.—Afr. trop.

**TRIENTALIS**, Rupp. (Primul.).

*Reichelii*, Oppitz, ex Knuth, in Engl. Pflanzenreich, Primul. 313=eupaeae.

**TRIFOLIUM**, Linn. (Legum.).

*Andrewsii*, A. A. Heller, *Muhlenbergia*, i. 114.—Calif.  
*anodon*, Greene, *Pittonia*, v. 107.—Calif.  
*arcuatum*, Piper, in Bull. Torr. Bot. Club, 1901, 39.—Am. bor.  
*bastetanum*, Gand. in Bull. Soc. Bot. Fr. lii. 448.—Hispan.  
*brachyodon*, Greene, *Pittonia*, v. 107.—Calif.  
*brachypus*, Blank, in Montana Agric. Coll. Sci. Studies, Bot. i. 81.—Am. bor.  
*bracteolatum*, Rydb. in Bull. Torr. Bot. Club, 1901, 500.—Am. bor.  
*decodon*, Greene, *Pittonia*, v. 108.—Calif.  
*lilacinum*, Rydb. in Bull. Torr. Bot. Club, 1901, 37.—Am. bor.  
*lividum*, Rydb. l. c. 1903, 254.—Am. bor.  
*meduanense*, Mercier & Léveillé, in Bull. Acad. Géogr. Bot. xiii. (1904) 287.—Hybr.  
*neurophyllum*, Greene, *Leaflets Bot. Obs.* i. 154.—Am. bor.  
*parvum*, A. A. Heller, *Muhlenbergia*, i. 114.—Calif.  
*pedunculatum*, Rydb. in Bull. Torr. Bot. Club, 1903, 254.—Am. bor.  
*petraeum*, Greene, *Pittonia*, iv. 307.—Am. bor.  
*Pilczii*, Adam, in Denkschr. Akad. Wien, Math.-Nat. lxxiv. 130.—Turcia.  
*scariosum*, A. Nelson, in Bull. Torr. Bot. Club, 1902, 401.—Am. bor.  
*splendens*, A. A. Heller, *Muhlenbergia*, i. 115.—Calif.  
*stenolobum*, Rydb. in Bull. Torr. Bot. Club, 1901, 499.—Am. bor.  
*tenerum*, Eastw. in Bull. Torr. Bot. Club, 1902, 81.—Am. bor.  
*trichocalyx*, A. A. Heller, *Muhlenbergia*, i. 55.—Calif.  
*ulingense*, Harms, in Engl. Jahrb. xxx. 324.—Afr. trop.  
*Wentzelianum*, Harms, l. c.—Afr. trop.

**TRIGLOCHIN**, Riv. (Naiad.).

*elongata*, Buchen. in Engl. Pflanzenreich, Scheuchzer. 10.—Afr. austr.  
*Muelleri*, Buchen. l. c. 12.—Austral.  
*marbonense*, Sennen, in Bull. Soc. Bot. Fr. xlvii. 443 = *maritimum*.

**TRIGONELLA**, Linn. (Legum.).

*eremophila*, Freyn & Pauls. in Bull. Herb. Boiss. Sér. II. iv. 40.—Turkestan.

**TRIGONIA**, Aubl. (Vochys.).

*minutiflora*, Glas. in Bull. Soc. Bot. Fr. lii. Mém. III. 33, nomen.—Bras.  
*ovalifolia*, Glas. l. c. 34, nomen.—Bras.

**TRIGONOSPERMUM**, Less. (Compos.).

*floribundum*, Greenm. in Proc. Amer. Acad. xxxix. 99.—Mexic.

**TRIGONOSTEMON**, Blume (Euphorb.).

*oliganthum*, K. Schum. in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee, 298.—N. Guin.

**TRIGONOTIS**, Stev. (Borag.).

*macrophylla*, Vaniot, in Monde des Plantes, Sér. II. vii. 42.—China.  
*Olgae*, B. Fedtsch. in Ber. Deutsch. Bot. Ges. xxi. 325.—Turkestan.

**TRILLIUM**, Linn. (Liliac.).

*affine*, Rendle, in Journ. Bot. 1901, 334.—Am. bor.  
*chloropetalum*, Howell, Fl. N. W. Amer. i. 661.—Am. bor.  
*decumbens*, Harbison, in Biltm. Bot. Studies, i. 158.—Am. bor.  
*giganteum*, A. A. Heller, in Bull. S. Calif. Acad. ii. 67.—Calif.  
*Hugeri*, Small, Fl. S. E. U. S. 277.—Am. bor.  
*japonicum*, Matsum. Enum. Sci. Names (1895) 298 (= *Trillidium japonicum*).—Japon.  
*Ludovicianum*, Harbison, in Biltm. Bot. Studies, i. 23.—Am. bor.  
*luteum*, Harbison, l. c. 21.—Am. bor.  
*Rugelii*, Rendle, in Journ. Bot. 1901, 331.—Am. bor.  
*stamineum*, Harbison, in Biltm. Bot. Studies, i. 23.—Am. bor.  
*Vaseyi*, Harbison, l. c. 24.—Am. bor.

**TRIMERIA**, Harv. (Bixac.).

*macrophylla*, Baker f. in Journ. Linn. Soc. xxxvii. 154.—Afr. trop.

**TRINIELLA**, Calest. in Martelli, Webbia, 109, 146

(1905). **UMBELLIFERAE**.  
*carniolica*, Calest. l. c. 147.—Ital.  
*frigida*, Calest. l. c. (= *Rumia frigida*).—Graecia.  
*Guicciardii*, Calest. l. c. (= *Rumia Guicciardii*).—Graecia.

**TRIODIA**, R. Br. (Gramin.).

*Chapmani*, Bush, in Trans. Acad. St. Louis, xii. 74 (= *Tricuspsis Chapmani*).—Am. bor.  
*congesta*, Bush, l. c. 67 (= *Sieglingia congesta*).—Am. bor.  
*Drummondii*, Bush, l. c. 72 (= *Tricuspsis Drummondii*).—Am. bor.  
*Elliotii*, Bush, l. c. 73 = *ambigua*.  
*elongata*, Bush, l. c. 76 = *trinerviglumis*.  
*Langloisii*, Bush, l. c. 72 (= *Tricuspsis Langloisii*).—Am. bor.  
*paraguayensis*, Hack. ex Stuck. in Anal. Mus. Buenos Aires, xi. 127 (= *Arundinaria paraguayensis*).—Reg. Argent.  
*pilosa*, Bush, in Trans. Acad. St. Louis, xii. 67 = *acuminata*.

**TRIORCHOS**, Small & Nash, in Small, Fl. S. E. U. S. 329 (1903). **ORCHIDACEAE**.

*ecristatus*, Small, l. c. (= *Cyrtopodium ecristatum*).—Am. bor.

**TRIOSTEUM**, Linn. (Caprifol.).

*aurantiacum*, E. P. Bickn. in Torreya, i. 26; et in Britton, Man. Fl. N. U. S. 873.—Am. bor.  
*intermedium*, Diels & Graebn. in Engl. Jahrb. xxix. 590.—China.  
*Rosthornii*, Diels & Graebn. l. c. 592.—China.

**TRIPHALIA**, Banks & Sol. ex Hook. f. in Bot. Mag. t.

7868 = *Aristotelia*, L'Herit. (Tiliac.).  
*rubicunda*, Banks & Sol. ex Hook. f. l. c. = *A. racemosa*.

**TRIPHORA**, Nutt. (Orchid.).

[**POGONIA**, Juss. I. K.]  
*trianthophora*, Rydb. in Britton, Man. Fl. N. U. S. 298 (= *Pogonia trianthophora*).—Am. bor.

**TRIPLARIS**, Loefl. (Polygon.).

*baturitensis*, Huber, in Bull. Herb. Boiss. Sér. II. i. 300.—Bras.  
*guaranitica*, Chod. in Bull. Herb. Boiss. Sér. II. iii. 393.—Parag.

**TRIPLOCHITON**, K. Schum. (Triplochitonaceae).

*Johnsoni*, C. H. Wright, in Hook. Ic. Pl. t. 2758.—Afr. trop.

**TRIPOSTEGIA**, Wall. (Dipsac.).

*grandiflora*, Gagnep. in Bull. Soc. Bot. Fr. xlvii. 333.—China.

**TRIOGON**, Roth (Gramin.).

*chinensis*, Hack. in Bull. Herb. Boiss. Sér. II. iii. 503.—Corea; China.  
*purpurascens*, Duthie, in Ann. Hort. Bot. Calc. ix. 74.—Ind. or.

**TRIPTERIS**, Less. (Compos.).

*Goetzei*, O. Hoffm. in Engl. Jahrb. xxx. 439.—Afr. trop.

**TRIRAPHIS**, R. Br. (Gramin.).

*rigidissima*, Pilg. in Engl. Jahrb. xxxv. 72.—Austral.

**TRISCYPHUS**, Taub. ex Warm. in Overs. Dansk.

Vid. Selsk. Forh. 1901, 178. **BURMANNIACEAE**.  
*fungiformis*, Taub. ex Warm. l. c.—Bras.

**TRisetum**, Pers. (Gramin.).

*alaskanum*, Nash, in Bull. N. York Bot. Gard. ii. vi. 155.—Am. bor.  
*Buchtienii*, Hack. in Oesterr. Bot. Zeitschr. 1904, 290.—Chili.  
*Cheesemani*, Hack. in Trans. Proc. N. Z. Inst. xxxv. 381.—N. Zel.  
*Congdoni*, Scribn. & Merrill, in Bull. Torr. Bot. Club, 1902, 470.—Am. bor.

**TRisetum**—

*Henryi*, Rendle, in Journ. Linn. Soc. xxxvi. 400.—China.  
*lasianthum*, Lara, in Mem. Soc. Esp. Hist. Nat. ii. 15.—Hispan.  
*macrotrichum*, Hack. in Magyar Bot. Lap. ii. 110.—Transsylv.  
*nutkaense*, Scribn. & Merrill, in Univ. Calif. Publ. Bot. i. 63 (= *Avena nutkaensis*).—Am. bor.  
*pubiflorum*, Hack. in Oesterr. Bot. Zeitschr. 1902, 187.—Ind. or.  
*Rosei*, Scribn. & Merrill, in U. S. Dept. Agric. Contrib. Nat. Herb. viii. 289.—Mexic.  
*rufescens*, Adamov. in Cat. Gr. Jard. Bot. Belgr. 1903; et in Magyar Bot. Lap. iii. 142.—Eur.  
*Shearii*, Scribn. in U. S. Dept. Agric. Circ. Agrost. xxx. 8.—Am. bor.  
*Tarnowskii*, Zapal. in Bull. Acad. Cracow. 1904, 167.—Galic.

**TRISTAGMA**, Poepp. (Liliac.).

*eremophilum*, Speg. in Anal. Mus. Buenos Aires, vii. 171.—Patag.  
*inflatum*, Rendle, in Journ. Bot. 1904, 325.—Patag.  
*pulchellum*, Speg. in Anal. Mus. Buenos Aires, vii. 172.—Patag.

**TRISTANIA**, R. Br. (Myrtac.).

*Brownii*, S. Moore, in Journ. Bot. 1902, 25.—Austral.  
*decorticata*, Merrill, in Philipp. Gov. Lab. Bur. Bull. xxxv. 51.—Ins. Philipp.  
*Hillii*, Aresch. in Svensk. Vet. Akad. Handl. xxxix. no. 2, 42, nomen.—Hab.?  
*subauriculata*, King, in Journ. As. Soc. Beng. lxx. 72.—Penins. Mal.

**TRISTELLATEIA**, Thou. (Malpigh.).

*maroana*, Aug. DC. in Bull. Herb. Boiss. Sér. II. i. 562.—Madag.  
*Mocquersyi*, Aug. DC. l. c. 563.—Madag.

**TRISTEMMA**, Juss. (Melast.).

*Verdickii*, Wildem. in Ann. Mus. Congo, Sér. IV. 219.—Afr. trop.

**TRISTICHA**, Thou. (Podost.).

*ramosissima*, Willis, in Ann. Bot. Gard. Perad. i. 208 (= *Dalzellia ramosissima*).—Ind. or.

**TRISTIRA**, Radlk. (Sapind.).

*pubescens*, Merrill, in Philipp. Gov. Lab. Bur. Bull. vi. 12.—Ins. Philipp.

**TRISTIOPSIS**, Radlk. (Sapind.).

*subangula*, K. Schum. in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee, 310.—N. Guin.

**TRITELEIA**, Dougl. (Liliac.).

[**BRODIAEA**, Sm. I. K.]  
*angustiflora*, A. A. Heller, in Bull. S. Calif. Acad. ii. 66.—Calif.

**TRITHURIA**, Hook. f. (Centrolep.).

*filamentosa*, Rodw. Tasman. Fl. 280.—Austral.

**TRITICUM**, Linn. (Gramin.).

*ponticum*, Podp. in Verh. Zool.-Bot. Ges. Wien, lii. 681.—Eur.  
*silvestre*, Aschers & Graebn. in Syn. Mitteleur. Fl. ii. 718 = *campestre*.  
*silvestre*, Bub. Fl. Pyren. iv. 395 = *Aegilops ovata*.

**TRITONIA**, Ker-Gawl. (Irid.).

*acroloba*, Harms, in Engl. Jahrb. xxx. 278.—Afr. trop.  
*nervosa*, Baker, in Bull. Herb. Boiss. Sér. II. i. 864.—Afr. austr.  
*parviflora*, Baker, l. c. 865.—Afr. austr.  
*petrophila*, Baker, l. c. iv. 1004.—Afr. austr.  
*Schlechteri*, Baker, l. c. 1005.—Afr. austr.

**TRIUMFETTA**, Plum. (Tiliac.).

*Amuletum*, Sprague, in Bull. Herb. Boiss. Sér. II. v. 702.—Afr. trop.  
*Deschampsii*, Wildem. & Th. Dur. in Bull. Soc. Bot. Belg. xxxix. 95.—Afr. trop.  
*dubia*, Wildem. in Ann. Mus. Congo, Sér. V. i. 54.—Afr. trop.  
*Gilletii*, Wildem. l. c. 55.—Afr. trop.

**TRIUMFETTA** :—

- Hensii, Wildem. & Th. Dur. in Bull. Soc. Bot. Belg. xxxix. 93.—Afr. trop.  
 intermedia, Wildem. in Ann. Mus. Congo, Sér. V. i. 56.—Afr. trop.  
 macrocoma, K. Schum. in Engl. Jahrb. xxxii. 133.—Afr. trop.  
 morrumbalana, Wildem. Pl. Nov. Hort. Then. t. 37.—Afr. trop.  
 rhodoneura, K. Schum. in Engl. Jahrb. xxxii. 134.—Afr. trop.

**TRIXIS**, P. Br. (Compos.).

- Hassleri, Chod. in Bull. Herb. Boiss. Sér. II. iii. 782.—Parag.  
 Hieronymi, Arech. in Anal. Mus. Montevidei. Ser. II. i. 16.—Urug.  
 Lorentzii, Arech. l. c. 15.—Urug.  
 megalophylla, Greenm. in Proc. Amer. Acad. xli. 270.—Mexic.  
 Nelsonii, Greenm. l. c.—Mexic.  
 oligantha, Robinson & Greenm. l. c. xl. 9.—Mexic.  
 Pringlei, Robinson & Greenm. l. c. 10.—Mexic.  
 proustioides, Hieron. in Engl. Jahrb. xxviii. 653.—N. Granat.  
 pterocaulis, Robinson & Greenm. in Proc. Amer. Acad. xl. 8.—Mexic.  
 rugulosa, Robinson & Greenm. l. c. 10.—Mexic.  
 silvatica, Robinson & Greenm. l. c. 12.—Mexic.  
 sonchoides, Chod. in Bull. Herb. Boiss. Sér. II. iii. 783.—Parag.  
 Wrightii, Robinson & Greenm. in Proc. Amer. Acad. xl. 14.—Mexic.

**TROCHOMERIA**, Hook. f. (Cucurb.).

- Baumiana, Gilg, in Warb. Kunene-Sambesi Exped. 394.—Afr. trop.  
 Bussei, Gilg, in Engl. Jahrb. xxxiv. 343.—Afr. trop.  
 djurensis, Schweinf. & Gilg, l. c.—Afr. trop.

**TROPAEOLUM**, Linn. (Geran.).

- fulvum, Buchen. & Sod. in Engl. Jahrb. xxxiv. Beibl. lxxviii. 11.—Ecuador.  
 menispermiifolium, Buchen. l. c. 12.—Ecuador.  
 stipulatum, Buchen. & Sod. l. c.—Ecuador.

**TROPHIS**, P. Br. (Urtic.).

- macrostachya, Donn. Sm. in Coult. Bot. Gaz. xl. 10.—Am. cent.  
 racemosa, Urb. Symb. Antill. iv. 195 = americana.

**TROPIDIA**, Lindl. (Orchid.).

- disticha, Schlechter, in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee, 94.—N. Guin.  
 gracilis, Schlechter, l. c. 95.—N. Guin.  
 hongkongensis, Rolfe, in Journ. Linn Soc. xxxvi. 40.—Hongkong.

**TROXIMON**, Fras. (Compos.).

- Poeppigii, Wildem. Rés. Voy. Belgica, Bot. 182 (= *Macrorhynchus Poeppigii*).—Reg. Magell.  
 pumilum, Wildem. l. c. (= *Macrorhynchus pumilus*).—Reg. Magell.

**TRYBLIOCALYX**, Lindau, in Bull. Herb. Boiss.

- Sér. II. iv. (1904) 328. *ACANTHACEAE*.  
 pyramidatus, Lindau, l. c. 401.—Guatem.

**TRYMATOCOCCUS**, Poepp. & Endl. (Urtic.).

- Conrauanus, Engl. Jahrb. xxxiii. 117.—Afr. trop.  
 Gilletii, Wildem. in Ann. Mus. Congo, Sér. V. i. 119.—Afr. trop.  
 usambarensis, Engl. Jahrb. xxxiii. 117.—Afr. trop.

**TRYPHOSTEMMA**, Harv. (Passifl.).

- Baumii, Harms, in Warb. Kunene-Sambesi Exped. 310.—Afr. trop.  
 longifolium, Harms, in Engl. Jahrb. xxxiii. 149.—Afr. trop.

**TUBERARIA**, Spach (Cistac.).

- [*HELIANTHEMUM*, Tourn. I. K.]  
 acuminata, Gross. in Engl. Pflanzenreich, Cistac. 59 (= *Cistus acuminatus*).—Reg. Medit.  
 guttata, Gross. l. c. 56 (= *Cistus guttatus*).—Reg. Medit.  
 melastomatifolia, Gross. l. c. 52 (= *Helianthemum Tuberaria*).—Reg. Medit.  
 praecox, Gross. l. c. 59 (= *Helianthemum praecox*).—Reg. Medit.  
 villosissima, Gross. l. c. (= *Helianthemum villosissimum*).—Reg. Medit.

**TUBIFLORA**, J. F. Gmel. (Acanth.).

- [*ELYFRARIA*, Michx. I. K.]  
 acuminata, Small, Fl. S. E. U. S. 1082.—Am. bor.

**TUERCKHEIMIA**, Dammer, ex Donn. Sm. Enum.

- Pl. Guatem. vii. (1905) 53, nomen. *PALMAE*.  
 ascendens, Dammer, l. c. nomen.—Guatem.

**TULBAGHIA**, Linn. (Liliac.).

- campanulata, N. E. Br. in Kew Bull. 1901, 136.—Afr. austr.  
 monantha, Engl. & Gilg, in Warb. Kunene-Sambesi Exped. 192.—Afr. trop.

**TULIPA**, Linn. (Liliac.).

- Borszczowi*, Baker, in Bot. Mag. t. 6635 = *Kolpakowskiana*.  
 caucasica, Lipsky, in Act. Hort. Tiflis, vi. i. 85.—Reg. Caucas.  
 ingens, Hoog, in Gard. Chron. 1902, II. 14.—As. cent.  
*Kolpakowskiana*, Baker, in Bot. Mag. t. 6710 = *Ostrowskiana*.  
 Micheliana, Hoog, in Gard. Chron. 1902, I. 350.—Oriens.  
 nitida, Hoog, l. c.—Oriens.  
 praestans, Hort. ex Gard. Chron. 1903, I. 324, fig. 126.—Hab. ?  
 saracenica, Perrier, in Bull. Herb. Boiss. Sér. II. v. 507.—Gallia.  
 Tubergeniana, Hort. ex Gard. Chron. 1904, I. 358.—As. cent. ?  
*Watsoniana*, André, in Rev. Hort. 1903, 206, sphalm. = *Wilsoniana*.  
 Wilsoniana, Hoog, in Gard. Chron. 1902, II. 50.—Persia.

**TULIPASTRUM**, Spach (Magnol.).

- [*MAGNOLIA*, Linn. I. K.]  
 acuminatum, Small, Fl. S. E. U. S. 451 (= *Magnolia acuminata*).—Am. bor.  
 cordatum, Small, l. c. (= *Magnolia cordata*).—Am. bor.

**TUNICA**, Hall. (Caryophyll.).

- Nanteuillii, Guerke, in Richter, Pl. Eur. ii. 338 (= *Dianthus Nanteuillii*).—Gallia.

**TUPISTRA**, Ker-Gawl. (Liliac.).

- violacea, Ridley, in Journ. As. Soc. Straits, xli. 35.—Penins. Mal.

**TURNERA**, Plum. (Turner.).

- dasytricha, Pilg. in Engl. Jahrb. xxx. 176.—Bras.  
 Hassleriana, Urb. in Bull. Herb. Boiss. Sér. II. iii. 1119.—Parag.  
 pumileoides, Urb. l. c. 1118.—Parag.  
 Selloi, Arech. in Anal. Mus. Montevidei. v. 119 (= *Piriqueta Selloi*).—Urug.

**TURPINIA**, Vent. (Sapind.).

- parva, Koord. & Valet. in Meded. 'S. Lands Plantent. lxi. 249.—Java.

**TURRAEA**, Linn. (Meliac.).

- Eylesii, Baker f. in Journ. Bot. 1905, 45.—Afr. trop.  
 humilis, Merrill, in Philipp. Gov. Lab. Bur. Bull. xxvii. 30 = *pumila*.  
 Kaessneri, Baker f. in Journ. Bot. 1903, 13.—Afr. trop.  
 Kirkii, Baker f. l. c.—Afr. trop.

**TURRITA**, Wallr. = **ARABIS**, Linn. (Crucif.).

- alpestris*, Bub. Fl. Pyren. iii. 153 = *A. alpina*.  
*arcuata*, Bub. l. c. 157 = *A. arcuata*.  
*auriculata*, Bub. l. c. 154 = *A. auriculata*.  
*brassicaeformis*, Bub. l. c. 153 = *A. brassicaeformis*.  
*collina*, Bub. l. c. 156 = *A. muralis*.  
*hirsuta*, Bub. l. c. 155 = *A. hirsuta*.  
*ochroleuca*, Bub. l. c. 158 = *A. Turrita*.  
*saxatilis*, Bub. l. c. 154 = *A. saxatilis*.  
*serpyllifolia*, Bub. l. c. 157 = *A. serpyllifolia*.  
*stricta*, Bub. l. c. 156 = *A. stricta*.  
*vagans*, Bub. l. c. 155 = *A. Gerardi*.  
*vernalis*, Bub. l. c. 153 = *A. verna*.

**TUSSILAGO**, Linn. (Compos.).

- umbertina, Borb. in Magyar Bot. Lap. iii. 349.—Italia.

**TWEEDIA**, Hook. & Arn. (Asclep.).

- [*OXYPETALUM*, R. Br. I. K.]  
 brevipes, Malme, in Arkiv Bot. Stockh. ii. no. 7, 8 (= *Oxypetalum brevipes*).—Chili.  
 confertiflora, Malme, l. c. 6 (= *Oxypetalum confertiflorum*).—Chili

**TWEEDIA** :—

- Echegarayi, Malme, in Arkiv Bot. Stockh. ii. no. 7, 11 (= *Oxypetalum Echegarayi*).—Reg. Argent.  
 Hookeri, Malme, l. c. 13 (= *Oxypetalum Hookeri*).—Chili.  
 obliquifolia, Malme, l. c. 9 (= *Gonolobus obliquifolius*).—Chili.

**TYLLOMA**, D. Don (Compos.).

- [*CHAETANTHERA*, Ruiz & Pav. I. K.]  
 involucreatum, Reiche, Fl. Chile, iv. 348 (= *Chondrochilus involucreatus*).—Chili.

**TYLOPHORA**, R. Br. (Asclep.).

- anfracta, N. E. Br. in Dyer, Fl. Trop. Afr. iv. i. 408.—Afr. trop.  
 angustifolia, Schlechter, in Perkins, Frag. Fl. Philipp. i. 124.—Ins. Philipp.  
 congoensis, Schlechter, in Engl. Jahrb. xxxviii. 51.—Afr. trop.  
 dahomensis, K. Schum. in Engl. Jahrb. xxxiii. 329.—Afr. trop.  
 exilis, Schlechter, in Perkins, Frag. Fl. Philipp. i. 125.—Ins. Philipp.  
 Gilletii, Wildem. in Ann. Mus. Congo, Sér. V. i. 193.—Afr. trop.  
 glabriflora, Schlechter, in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee, 354 (= *Gongronema glabriflorum*).—Ins. Bismarck.  
 gracilis, Wildem. in Ann. Mus. Congo, Sér. V. i. 194.—Afr. trop.  
 hybostemma, Warb. in Perkins, Frag. Fl. Philipp. i. 125.—Ins. Philipp.  
 inhambanensis, Schlechter, in Engl. Jahrb. xxxviii. 52.—Afr. austr.  
 joloensis, Schlechter, in Perkins, Frag. Fl. Philipp. i. 126.—Ins. Philipp.  
 liberica, N. E. Br. in Journ. Linn. Soc. xxxvii. 109.—Afr. trop.  
 plagiopetala, Schlechter & K. Schum. in Engl. Jahrb. xxxiii. 330.—Afr. trop.  
 polyantha, Volk. in Engl. Jahrb. xxxi. 473.—Ins. Carol.  
 sulphurea, Volk. l. c.—Ins. Carol.  
 Zenkeri, Schlechter, in Engl. Jahrb. xxxviii. 52.—Afr. trop.

**TYPHA**, Linn. (Typhac.).

- Maresii, Batt. in Batt. & Trab. Fl. Algér. Tunis. 318.—Afr. bor.  
 Martini, Léveillé & Vaniot, in Bull. Acad. Géogr. Bot. xi. (1902) 166.—China.  
 palustris, Bub. Fl. Pyren. iv. 25 = *latifolia*.

**TYPHONIUM**, Schott (Arac.).

- filiforme, Ridley, in Journ. As. Soc. Straits, xli. 45.—Penins. Mal.  
 fultum, Ridley, l. c.—Penins. Mal.  
 pedatisectum, Gage, in Rec. Bot. Surv. India, iii. 110.—Burma.

## U

**UAPACA**, Baill. (Euphorb.).

- sansibarica, Pax, in Engl. Jahrb. xxxvi. 370.—Afr. trop.  
 togoensis, Pax, l. c. 371.—Afr. trop.

**UGNI**, Turcz. (Myrtac.).

- [*MYRTUS*, Tourn. I. K.]  
 Myrtus, MacL. in Torreya, 1905, 198; et in Rep. Princeton Univ. Exped. Patag. viii. 602 (= *Myrtus Ugni*).—Am. austr.  
 Ugni, MacL. in Rep. Princeton Univ. Exped. Patag. viii. 602 (= *Myrtus Ugni*).—Am. austr.

**ULEANTHUS**, Harms, in Verh. Pot. Ver. Brand.

- xlvi. (1905) 150. *LEGUMINOSAE*.  
 erythrinoides, Harms, l. c. 151.—Reg. Amaz.

**ULEARUM**, Engl. in Engl. Jahrb. xxxvii. (1905) 95.

- ARACEAE*.  
 sagittatum, Engl. l. c.—Peruv.

**ULMARIA**, Hill (Rosac.).

- [*SPIRAEA*, Linn. I. K.]  
 digitata, Matsum. Enum. Sci. Names (1895) 301 (= *Spiraea palmata*, Pall.).—Japon.  
 kamschatica, Matsum. l. c. 302 (= *Spiraea kamschatica*).—Japon.



**ULMARIA:**—

multijuga, *Matsum. Enum. Sci. Names* (1895) 302 (= *Filipendula multijuga*).—Japon.  
 purpurea, *Matsum. l. c.* (= *Filipendula purpurea*).—Japon.

**UMBILICUS**, DC. (Crassul.).

[COTYLEDON, Tourn. I. K.]  
 Coutinhoi, *Mariz, in Bol. Soc. Broter. xx.* (1905) 188.—Lusit.  
 giganteus, *Batt. in Batt. & Trab. Fl. Algér. Tunis.* 133.—Afr. bor.  
 praecaltus, *Mariz, in Bol. Soc. Broter. xx.* (1905) 185.—Lusit.  
 vulgaris, *Batt. & Trab. Fl. Algér. Tunis.* 133 (= *Cotyledon Umbilicus*).—Afr. bor.

**UNAMIA**, Greene, Leaflets Bot. Obs. i. (1903) 6. **COMPOSITAE.**

fastigiata, *Greene, l. c.*—Am. bor.  
 georgiana, *Greene, l. c.*—Am. bor.  
 ptarmicoides, *Greene, l. c.* (= *Aster ptarmicoides*).—Am. bor.  
 subcinera, *Greene, l. c.* 7.—Am. bor.

**UNCARIA**, Schreb. (Rubiace.).

Kunstleri, *King, in Journ. As. Soc. Beng. lxxii.* 132.—Penins. Mal.  
 Wrayi, *King, l. c.*—Penins. Mal.

**UNCASIA**, Greene, Leaflets Bot. Obs. i. (1903) 13. **COMPOSITAE.**

alba, *Greene, l. c.* (= *Eupatorium album*).—Am. bor.  
 altissima, *Greene, l. c.* (= *Eupatorium altissimum*).—Am. bor.  
 anomala, *Greene, l. c.* (= *Eupatorium anomalum*).—Am. bor.  
 cuneata, *Greene, l. c.* (= *Eupatorium cuneatum*).—Am. bor.  
 cuneifolia, *Greene, l. c.* (= *Eupatorium cuneifolium*).—Am. bor.  
 glomerata, *Greene, l. c.* (= *Eupatorium glomeratum*).—Am. austr.  
 hyssopifolia, *Greene, l. c.* (= *Eupatorium hyssopifolium*).—Am. bor.  
 lecheaeifolia, *Greene, l. c.* (= *Eupatorium lecheaeifolium*).—Am. bor.  
 leucolepis, *Greene, l. c.* (= *Eupatorium leucolepis*).—Am. bor.  
 linearifolia, *Greene, l. c.* (= *Eupatorium linearifolium*).—Am. bor.  
 mikanioides, *Greene, l. c.* (= *Eupatorium mikanioides*).—Am. bor.  
 Mohrii, *Greene, l. c.* (= *Eupatorium Mohrii*).—Am. bor.  
 pallens, *Greene, l. c.* (= *Eupatorium pallens*).—Am. austr.  
 perfoliata, *Greene, l. c.* (= *Eupatorium perfoliatum*).—Am. bor.  
 petaloidea, *Greene, l. c.* (= *Eupatorium petaloideum*).—Am. bor.  
 pubescens, *Greene, l. c.* (= *Eupatorium pubescens*).—Am. bor.  
 resinosa, *Greene, l. c.* (= *Eupatorium resinosum*).—Am. bor.  
 rotundifolia, *Greene, l. c.* (= *Eupatorium rotundifolium*).—Am. bor.  
 Salvia, *Greene, l. c.* (= *Eupatorium Salvia*).—Am. austr.  
 scabrida, *Greene, l. c.* (= *Eupatorium scabridum*).—Am. bor.  
 semiserrata, *Greene, l. c.* (= *Eupatorium semiserratum*).—Am. bor.  
 sessilifolia, *Greene, l. c.* (= *Eupatorium sessilifolium*).—Am. bor.  
 Torreyana, *Greene, l. c.* (= *Eupatorium Torreyanum*).—Am. bor.  
 tortifolia, *Greene, l. c.* (= *Eupatorium tortifolium*).—Am. bor.  
 truncata, *Greene, l. c.* (= *Eupatorium truncatum*).—Am. bor.  
 verbenaeifolia, *Greene, l. c.* (= *Eupatorium verbenaeifolium*).—Am. bor.

**UNCINIA**, Pers. (Cyper.).

fuscovaginata, *Kuek. in Bull. Herb. Boiss. Sér. II.* iv. 50.—N. Zel.

VOL. IV.

**UNEDO**, Hoffm. & Link (Ericac.).

[ARBUTUS, Tourn. I. K.]  
 globosa, *Jord. in Jord. & Fourr. Ic. Fl. Eur.* iii. 42.—Gallia.  
 oviformis, *Jord. l. c.*—Gallia.

**UNIOLA**, Linn. (Gramin.).

Pittieri, *Hack. in Oesterr. Bot. Zeitschr.* 1902, 309.—Am. cent.

**UNONA**, Linn. f. (Anon.).

clusiflora, *Merrill, in Philipp. Gov. Lab. Bur. Bull.* xxxv. 13.—Ins. Philipp.  
 lucens, *Drake, Hist. Pl. Madag.* i. 14 (= *Polyalthia lucens*).—Madag.  
 Millenii, *Engl. & Diels, in Monogr. Afr. Pfl.* vi. 40.—Afr. trop.  
 Wardiana, *F. M. Bailey, Queensl. Fl.* 1996.—Austral.

**UNONOPSIS**, R. Fries (Anon.).

polypheba, *Diels, in Verh. Bot. Ver. Brand.* xlvii. (1905) 131.—Reg. Amaz.  
 spectabilis, *Diels, l. c.*—Reg. Amaz.  
 stipitata, *Diels, l. c.* 130.—Peruv.

**URAGOYA**, Linn. (Rubiace.).

[PSYCHOTRIA, Linn. I. K.]  
 Deplanchei, *Baill. ex Beauvis. Gen. Montrouz.* 55 (= *Douarrea alba*).—N. Caled.  
 noumeensis, *Baill. ex Beauvis, l. c.* 54 = *Psychotria semperflorens*.  
 Straussiae, *Baill. ex Beauvis, l. c.* 53 (= *Douarrea speciosa*).—N. Caled.  
 sulphurea, *Lauterb. in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 398.—N. Guin.

**URARIA**, Desv. (Legum.).

neglecta, *Prain, in Journ. As. Soc. Beng. lxvi.* 382 (1897).—Ind. or.

**URBINELLA**, Greenm. in Proc. Amer. Acad. xxxix.

(1903) 117. **COMPOSITAE.**  
 Palmeri, *Greenm. l. c.*—Mexic.

**URBINIA**, Rose, in Bull. N. York Bot. Gard. iii.

(1903) 11. **CRASSULACEAE.**  
 agavoides, *Rose, l. c.* 12 (= *Echeveria agavoides*).—Mexic.  
 Corderoyi, *Rose, l. c.* (= *Echeveria Corderoyi*).—Mexic.  
 obscura, *Rose, l. c.*—Hab. ?

**URECHITES**, Muell. Arg. (Apocyn.).

Andrewsii, *Small, Fl. S. E. U. S.* 936 (= *Echites Andrewsii*).—Am. bor.  
 nerianandra, *Small, l. c.* 937 (= *Echites nerianandra*).—Am. bor.

**URELYTRUM**, Hack. (Gramin.).

giganteum, *Pilg. in Engl. Jahrb.* xxxiv. 125.—Afr. trop.

**URERA**, Gaudich. (Urtic.).

cordifolia, *Engl. in Engl. Jahrb.* xxxiii. 121.—Afr. trop.  
 Dinklagesi, *Engl. l. c.*—Afr. trop.  
 filiformis, *Rusby, in Bull. Torr. Bot. Club*, 1901, 310.—Boliv.  
 Gravenreuthii, *Engl. in Engl. Jahrb.* xxxiii. 120.—Afr. trop.  
 Henriquesii, *Engl. l. c.* 121.—Afr. trop.  
 Laurentii, *Wildem. Enum. Pl. Laurent*, 72.—Afr. trop.  
 magna, *Britton, in Torreya*, iii. 90.—Ind. occ.  
 rugosa, *Rusby, in Bull. Torr. Bot. Club*, 1901, 310.—Boliv.  
 Rusbyi, *Britton, in Bull. Torr. Bot. Club*, 1901, 310.—Boliv.

**URGINEA**, Steinh. (Liliac.).

amboensis, *Baker, in Bull. Herb. Boiss. Sér. II.* iii. 665.—Afr. trop.  
 berylloides, *Baker, l. c.* i. 785.—Afr. austr.  
 depressa, *Baker, l. c.* iv. 1000.—Afr. austr.  
 dimorphantha, *Baker, l. c.* iii. 663.—Afr. trop.  
 lorata, *Baker, l. c.* 664.—Afr. trop.  
 noctiflora, *Batt. & Trab. Fl. Algér. Tunis.* 334.—Afr. bor.  
 pauciflora, *Baker, in Bull. Herb. Boiss. Sér. II.* i. 786.—Afr. austr.  
 pilosula, *Engl. Jahrb.* xxxii. 93.—Afr. trop.

**URGINEA:**—

pretoriensis, *Baker, in Bull. Herb. Boiss. Sér. II.* i. 786.—Afr. austr.  
 Rautanenii, *Baker, l. c.* iii. 664.—Afr. trop.  
 Schlechteri, *Baker, l. c.* iv. 1000.—Afr. austr.

**URNULARIA**, Stapf, in Hook. Ic. Pl. t. 2711 (1901).

**APOCYNACEAE.**  
 Beccariana, *Stapf, l. c.* (= *Ancylodadus Beccarianus*).—Borneo.  
 flavescens, *Stapf, l. c.* (= *Willughbeia flavescens*).—Penins. Mal.  
 javanica, *Stapf, l. c.* (= *Willughbeia javanica*).—Java.  
 oblongifolia, *Stapf, l. c.*—Borneo.  
 ovatifolia, *Stapf, l. c.*—Borneo.

**UROBOTRYA**, Stapf, in Journ. Linn. Soc. xxxvii.

(1905) 89. **OLACACEAE.**  
 angustifolia, *Stapf, l. c.*—Afr. trop.  
 latifolia, *Stapf, l. c.*—Afr. trop.  
 minutiflora, *Stapf, l. c.* 90.—Afr. trop.

**UROPHYLLUM**, Wall. (Rubiace.).

andamanicum, *King & Gamble, in Journ. As. Soc. Beng.* lxxii. 195.—Ins. Andaman.  
 ferrugineum, *King & Gamble, l. c.* 193.—Penins. Mal.  
 potatorum, *King, l. c.* 195.—Penins. Mal.  
 Schmidtii, *C. B. Clarke, in Bot. Tidsskr.* xxiv. 334.—Malaya.  
 trifurcum, *H. H. W. Pearson, ex King, in Journ. As. Soc. Beng.* lxxii. 194.—Penins. Mal.

**UROSPATHA**, Schott (Arac.).

Edwallii, *Engl. in Engl. Jahrb.* xxxvii. 122.—Bras.  
 Loeftgreniana, *Engl. l. c.* 121.—Bras.  
 Tonduzii, *Engl. l. c.*—Am. cent.  
 Tuerckheimii, *Engl. l. c.*—Am. cent.

**URSINIA**, Gaertn. (Compos.).

alpina, *N. E. Br. in Kew Bull.* 1901, 125.—Afr. austr.  
 brevicaulis, *Wood & Evans, in Natal Colon. Herb. Rep.* 1900 (1901) 11; et in *Journ. Bot.* 1901, 172.—Afr. austr.

**URTICA**, Linn. (Urtic.).

Buchtienii, *Ross, in Oesterr. Bot. Zeitschr.* 1905, 464.—Chili.

**URTICASTRUM**, Fabricius, Enum. Pl. Hort. Helm-

stad. (1759) 204. **URTICACEAE.**

**UTRICULARIA**, Linn. (Lentib.).

acicularis, *Soland. ex Stapf, in Dyer, Fl. Cap.* iv. ii. 430 = Ecklonii.  
 angolensis, *Kamienski, in Engl. Jahrb.* xxxiii. 104; et in *Warb. Kunene-Sambesi Exped.* 373.—Afr. trop.  
 Baumii, *Kamienski, l. c.* 102; et *l. c.* 372.—Afr. trop.  
 concinna, *N. E. Br. in Trans. Linn. Soc. Ser. II.* vi. 55.—Guiana.  
 Connellii, *N. E. Br. l. c.* 53.—Guiana.  
 delicata, *Kamienski, in Engl. Jahrb.* xxxiii. 97.—Afr. austr.  
 Dregei, *Kamienski, l. c.* 94.—Afr. trop.  
 elevata, *Kamienski, l. c.* 99.—Afr. austr.  
 Engleri, *Kamienski, l. c.* 95.—Afr. austr.  
 incerta, *Kamienski, l. c.* 111.—Afr. trop.  
 Kirkii, *Stapf, in Dyer, Fl. Cap.* iv. i. 428.—Afr. trop. et austr.  
 lobata, *Fernald, in Proc. Amer. Acad.* xl. 57.—Mexic.  
 Meyeri, *Pilg. in Engl. Jahrb.* xxx. 194.—Bras.  
 Quelchii, *N. E. Br. in Trans. Linn. Soc. Ser. II.* vi. 53.—Guiana.  
 radiata, *Small, Fl. S. E. U. S.* 1090.—Am. bor.  
 Rehmannii, *Kamienski, in Engl. Jahrb.* xxxiii. 99.—Afr. austr.  
 roraimensis, *N. E. Br. in Trans. Linn. Soc. Ser. II.* vi. 54.—Guiana.  
 Schinzii, *Kamienski, in Engl. Jahrb.* xxxiii. 101.—Afr. austr.  
 Sprengelii, *Kamienski, l. c.* 100.—Afr. austr.  
 strumosa, *Soland. ex Stapf, in Dyer, Fl. Cap.* iv. ii. 429 = capensis.  
 transrugosa, *Stapf, l. c.* 428.—Afr. trop. et austr.

B b

**UVARIA**, Linn. (Anonac.).

- alba, *Merrill, in Philipp. Gov. Lab. Bur. Bull.* xvii. 17.—Ins. Philipp.  
 brevistipitata, *Wildem. in Ann. Mus. Congo, Sér. V. i.* 38.—Afr. trop.  
 Cabrae, *Wildem. in Bull. Soc. Bot. Belg.* xl. 63.—Afr. trop.  
 cardiophylla, *Engl. & Diels, in Monogr. Afr. Pfl.* vi. 13.—Afr. trop.  
 clavata, *Pierre, ex Engl. & Diels, l. c.* 21.—Afr. trop.  
 Cornuana, *Engl. & Diels, l. c.* 15.—Afr. trop.  
 dependens, *Engl. & Diels, l. c.* 28.—Afr. trop.  
 Elliotiana, *Engl. & Diels, l. c.* 17.—Afr. trop.  
 glabrata, *Engl. & Diels, l. c.*—Afr. trop.  
 hispidocostata, *Pierre, ex Engl. & Diels, l. c.* 25.—Afr. trop.  
 Klainei, *Pierre, ex Engl. & Diels, l. c.* 13.—Afr. trop.  
 latifolia, *Engl. & Diels, l. c.* 22 (= *Anona latifolia*).—Afr. trop.  
 muricata, *Pierre, ex Engl. & Diels, l. c.* 23.—Afr. trop.  
 nigrescens, *Engl. & Diels, l. c.* 15.—Afr. trop.  
 nyassensis, *Engl. & Diels, l. c.* 17.—Afr. trop.  
 psorosperma, *Pierre, ex Engl. & Diels, l. c.* 26.—Afr. trop.  
 Schweinfurthii, *Engl. & Diels, l. c.* 18.—Afr. trop.  
 Smithii, *Engl. l. c.* 27.—Afr. trop.  
 stellata, *Merrill, in Philipp. Gov. Lab. Bur. Bull.* xxix. 14.—Ins. Philipp.  
 versicolor, *Pierre, ex Engl. & Diels, in Monogr. Afr. Pfl.* vi. 16.—Afr. trop.  
 Welwitschii, *Engl. & Diels, l. c.* 18.—Afr. trop.

**UVARIASTRUM**, *Engl. & Diels, in Monogr. Afr. Pfl.* vi. (1901) 31. **ANONACEAE**.  
*Pierreanum, Engl. & Diels, l. c.* 32.—Afr. trop.

**V****VACCINIUM**, Linn. (Vaccin.).

- acrobracteatum, *K. Schum. in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 339.—N. Guin.  
 apoanum, *Merrill, in Philipp. Gov. Lab. Bur. Bull.* xxix. 39.—Ins. Philipp.  
 australe, *Small, Fl. S. E. U. S.* 895.—Am. bor.  
 Banksii, *Merrill, in Philipp. Gov. Lab. Bur. Bull.* xxxv. 54.—Ins. Philipp.  
 caudatum, *Warb. in Perkins, Frag. Fl. Philipp.* 173.—Ins. Philipp.  
 Jagori, *Warb. l. c.* 174.—Ins. Philipp.  
 melanocarpum, *Mohr, in U. S. Dept. Agric. Contrib. Nat. Herb.* vi. 658.—Am. bor.  
 microphyllum, *Howell, Fl. N. W. Amer.* i. 411.—Am. bor.  
*Nagurui*, Makino, in *Bot. Mag. Tokyo*, xvii. 56 = *longeracemosum*.  
 philippinense, *Warb. in Perkins, Frag. Fl. Philipp.* 174.—Ins. Philipp.  
 roraimense, *N. E. Br. in Trans. Linn. Soc. Ser. II.* vi. 43.—Guiana.  
 simulatum, *Small, Fl. S. E. U. S.* 896.—Am. bor.  
 Yatabei, Makino, in *Bot. Mag. Tokyo*, xv. 141.—Japan.

**VAGNERA**, Adans. (Liliac.).

- [*SMILACINA*, Desf. I. K.]  
 australis, *Small, Fl. S. E. U. S.* 270.—Am. bor.  
 brachypetala, *Rydb. in Bull. Torr. Bot. Club*, 1901, 268.—Am. bor.  
 leptopetala, *Rydb. l. c.*—Am. bor.

**VAHADENIA**, Stapf, in *Dyer, Fl. Trop. Afr.* iv. i. 29 (1902). **APOCYNACEAE**.

- Laurentii, Stapf, l. c.* 30 (= *Landolphia Laurentii*).—Afr. trop.

**VAHLIA**, Thunb. (Saxifr.).

- Menyharthii, Schinz, in Bull. Herb. Boiss. Sér. II.* ii. 944.—Afr. trop.

**VAILLANTIA**, Tourn. (Rubiace.).

- filiformis, Lojac. Fl. Sic.* ii. i. 10.—Sicil.  
*intricata, Lojac. l. c.* 11.—Sicil.

*VALENTINA*, *Speg. Nov. Add. Fl. Patag.* ii. (1902), repr. 35 = *Valentiniella*, *Speg. (Borag.)*.  
*patagonica, Speg. l. c.* 36 = *Valentiniella patagonica*.

**VALENTINIELLA**, *Speg. in Anal. Mus. Buenos Aires, ix.* (1903) 9. **BORAGINACEAE**.  
*patagonica, Speg. l. c.*—Patag.**VALENZUELIA**, Bert. (Sapind.).

- cristata, Radlk. in Bull. Herb. Boiss. Sér. II.* ii. 995.—Reg. Argent.

**VALERIANA**, Tourn. (Valerian.).

- acutiloba, Rydb. in Bull. Torr. Bot. Club*, 1901, 24.—Am. bor.  
*bracteosa, Britton, in Bull. N. York Bot. Gard.* ii. 183.—Am. bor.  
*calabrica, Huter, in Oesterr. Bot. Zeitschr.* 1905, 400.—Ital.  
*calicicola, Greenm. in Proc. Amer. Acad.* xli. 252.—Mexic.  
*californica, A. A. Heller, Muhlenbergia, i.* 60.—Calif.  
*chubutensis, Speg. in Anal. Mus. Buenos Aires, vii.* 297.—Patag.  
*excelsa, Reiche, Fl. Chile, iii.* 178.—Chili.  
*furfurescens, A. Nelson, in Bull. Torr. Bot. Club*, 1901, 232.—Am. bor.  
*helictes, Graebn. in Engl. Jahrb.* xxix. 600.—China.  
*heterophylla, Reiche, Fl. Chile, iii.* 177 (= *Betckea heterophylla*).—Chili.  
*hiemalis, Graebn. in Engl. Jahrb.* xxix. 600.—China.  
*macropoda, Greenm. in Proc. Amer. Acad.* xli. 252.—Mexic.  
*macrorhiza, MacI. in Rep. Princeton Univ. Exped. Patag.* viii. 748 (= *Phyllactis macrorhiza*).—Chili; Patag.  
*Martjanovi, Krylov, in Act. Hort. Petrop.* xxi. 9.—As. cent.  
*Nelsonii, Greenm. in Proc. Amer. Acad.* xli. 253.—Mexic.  
*ovata, Rydb. in Bull. Torr. Bot. Club*, 1904, 645.—Am. bor.  
*retorsa, Fern. in Proc. Amer. Acad.* xxxvi. 502.—Mexic.  
*Rosthornii, Graebn. in Engl. Jahrb.* xxix. 599.—China.  
*sedifolia, MacI. in Rep. Princeton Univ. Exped. Patag.* viii. 749 (= *Phyllactis sedifolia*).—Reg. Magell.  
*septentrionalis, Rydb. in Britton, Man. Fl. N. U. S.* 879.—Am. bor.  
*trachycarpa, Rydb. in Bull. Torr. Bot. Club*, 1904, 645.—Am. bor.  
*uliginosa, Rydb. in Britton, Man. Fl. N. U. S.* 878.—Am. bor.

**VALERIANELLA**, Tourn. (Valerian.).

- Pomeli, Batt. in Batt. & Trab. Fl. Algér. Tunis*, 164.—Afr. bor.  
*Zoltani, Borb. in Magyar Bot. Lap.* iii. 349.—Hybr.

**VALIDALLIUM**, Small, *Fl. S. E. U. S.* 264 (1903). **LILIACEAE**.

- triccoccum, Small, l. c.* (= *Allium tricoccum*).—Am. bor.

**VANDA**, Jones (Orchid.).

- Watsoni, Rolfe, in Gard. Chron.* 1905, i. 82, 123.—Anam.

**VANDELLIA**, Linn. (Scrophul.).

- Bodinieri, Léveillé, in Bull. Soc. Agric. Sci. Arts Sarthe*, 1904, repr. 9.—China.  
*callitrichifolia, Léveillé, l. c.* 10.—China.  
*Cavaleriei, Léveillé, l. c.* 9.—China.  
*punctata, Prain, in Journ. As. Soc. Beng.* lxxii. 19.—Burma.

**VANDOPSIS**, Pfitz. (Orchid.).

- warocqueana, Schlechter, in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 225 (= *Stauroopsis warocqueana*).—Ins. Bismarck.

**VANGUERIA**, Juss. (Rubiace.).

- adenodonta, K. Schum. in Engl. Jahrb.* xxx. 414.—Afr. trop.  
*bicolor, K. Schum. l. c.* xxxiv. 332.—Afr. trop.  
*binata, K. Schum. l. c.* 333.—Afr. trop.  
*brachytricha, K. Schum. ex Wildem. in Ann. Mus. Congo, Sér. IV.* 227.—Afr. trop.

**VANGUERIA** :—

- glabrata, K. Schum. in Engl. Jahrb.* xxxii. 144.—Afr. trop.  
*katangensis, K. Schum. ex Wildem. in Ann. Mus. Congo, Sér. IV.* 227.—Afr. trop.  
*lasiocladus, K. Schum. in Warb. Kunene-Sambesi Exped.* 337.—Afr. trop.  
*linearispala, K. Schum. in Engl. Jahrb.* xxxiii. 351.—Afr. trop.  
*oligacantha, K. Schum. l. c.* xxxiv. 334.—Afr. trop.  
*Proschii, Briq. in Ann. Conserv. & Jard. Bot. Genève*, vi. 7.—Afr. trop.  
*Randii, S. Moore, in Journ. Bot.* 1902, 252.—Afr. trop.  
*tristis, K. Schum. ex Wildem. in Ann. Mus. Congo, Sér. IV.* 227.—Afr. trop.  
*Verdickii, K. Schum. ex Wildem. l. c.* 228.—Afr. trop.

**VANILLA**, Plum. (Orchid.).

- articulata, Northr. in Mem. Torr. Bot. Club*, xii. 31.—Ins. Baham.  
*Dietschiana, Edwall, in Revista Centr. Sci. Campinas*, ii. 192.—Bras.  
*Laurentiana, Wildem. Notices Pl. Utiles Congo*, 327.—Afr. trop.  
*Phalaenopsis, Gard. World*, 1904, 481 = *Humblotii*.

**VANIOTIA**, Léveillé, in *Bull. Acad. Géogr. Bot.* xii. (1903) 166. **SCROPHULARIACEAE**.

- Martini, Léveillé, l. c.*—China.

**VASELIA**, Van Tiegh. in *Bull. Mus. Hist. Nat. Par.* viii. (1902) 217; *Journ. de Bot.* xvi. 208; *Ann. Sci. Nat. Sér. VIII.* xvi. 409. **OCHNACEAE**.

- quinqueloba, Van Tiegh. in Journ. de Bot. l. c.; et in Ann. Sci. Nat. l. c.* (= *Elvasia quinqueloba*).—Bras.

**VATICA**, Linn. (Dipterocarp.).

- katangensis, Wildem. in Ann. Mus. Congo, Sér. IV.* 92.—Afr. trop.

**VAUSAGESIA**, Baill. (Violac.).

- bellidifolia, Engl. & Gilg, in Warb. Kunene-Sambesi Exped.* 305.—Afr. trop.

**VAVAEA**, Benth. (Meliac.).

- Chalmersi, C. DC. in Bull. Herb. Boiss. Sér. II.* iii. (1903) 177.—N. Guin.  
*pauciflora, Volk. in Engl. Jahrb.* xxxi. 465.—Ins. Carol.

**VELLEIA**, Sm. (Gooden.).

- hispidula, Fitzg. in Journ. W. Austral. Nat. Hist. Soc.* i. 25.—Austral.

**VELLOZIA**, Vand. (Amaryll.).

- equisetoides, W. Watson, in Gard. Chron.* 1903, ii. 425 = *trichophylla*.  
*Kirkii, Hemsl. in Bot. Mag. sub t.* 7962.—Afr. trop.  
*minuta, Baker, in Bull. Herb. Boiss. Sér. II.* iii. 667.—Afr. trop.  
*rosea, Baker, in Vierteljahrsschr. Nat. Ges. Zürich.* xlix. 177.—Afr. trop.  
*Schlechteri, Baker, in Bull. Herb. Boiss. Sér. II.* iv. 1003.—Afr. austr.  
*trichophylla, Hemsl. in Bot. Mag. t.* 7962.—Afr. trop.  
*violacea, Baker, in Bull. Herb. Boiss. Sér. II.* iv. 1003.—Afr. austr.

**VENTILAGO**, Gaertn. (Rhamnace.).

- dichotoma, Merrill, in Philipp. Gov. Lab. Bur. Bull.* xxvii. 32 = *luzonensis*.

**VEPRECELLA**, Naud. (Melast.).

- parvifolia, Aug. DC. in Bull. Herb. Boiss. Sér. II.* i. 574.—Madag.

**VEPRIS**, Comm. (Rutac.).

- [*TODDALIA*, Juss. I. K.]  
*uguenensis, Engl. in Engl. Jahrb.* xxxvi. 243.—Afr. trop.

**VERATRUM**, Linn. (Liliac.).

- Jonesii, A. A. Heller, Muhlenbergia, i.* 124.—Am. bor.  
*tenuipetalum, A. A. Heller, l. c.* 39.—Am. bor.

**VERBASCUM**, Tourn. (Scrophul.).

- adrianopolitanum, Podp. in Verh. Zool.-Bot. Ges. Wien*, lii. 665.—Eur.  
*atlanticum, Batt. in Batt. & Trab. Fl. Algér. Tunis*, 242.—Afr. bor.

**VERBASCUM** :—

- belgradense, Keller, in *Verh. Zool.-Bot. Ges. Wien*, lii. 98.—Eur.  
 corynephorum, Borb. in *Deutsch. Bot. Monatsschr.* 1902, 8.—Eur.  
 Dieckianum, Borb. & Degen, in *Magyar Bot. Lap.* iv. 82.—Turcia.  
 Kindlii, Adamov. in *Oesterr. Bot. Zeitschr.* 1905, 237.—Turcia.  
 Pancicii, Rohlena, *Beitr. Fl. Montenegr.* ii. 6 (*Sitz. Boehm. Ges. Wiss.* 1902, Art. xxxix.)—Eur.

**VERBENA**, Linn. (Verben.).

- ambrosifolia, Rydb. in *Small, Fl. S. E. U. S.* 1011.—Am. bor.  
 approximata, Briq. in *Ann. Conserv. & Jard. Bot. Genève*, vii-viii. 292.—Parag.  
 aretioides, R. Fries, in *Nov. Act. Soc. Sci. Upsal.* Ser. IV. i. No. 1, 109.—Reg. Argent.  
 Balansae, Briq. in *Ann. Conserv. & Jard. Bot. Genève*, vii-viii. 293.—Parag.  
 bonariensis, Rendle, in *Journ. Bot.* 1904, 370 = Prichardi.  
 brevibracteata, Eggert, in *Torreya*, ii. 124.—Am. bor.  
 calliantha, Briq. in *Bull. Herb. Boiss. Sér. II.* iv. 1059.—Parag.  
 chubutensis, Speg. *Nov. Add. Fl. Patag.* ii. (1902), repr. 68.—Patag.  
 Hassleriana, Briq. in *Bull. Herb. Boiss. Sér. II.* iv. 1056.—Parag.  
 inamoena, Briq. l. c. 1058.—Parag.  
 inconspicua, Greene, *Pittonia*, v. 137.—Am. bor.  
 intercedens, Briq. in *Bull. Herb. Boiss. Sér. II.* iv. 1057.—Hybr.  
 laciniata, Briq. in *Ann. Conserv. & Jard. Bot. Genève*, vii-viii. 296 (= *Erinus laciniatus*).—Parag.  
 leucanthemifolia, Greene, *Pittonia*, v. 135.—Am. bor.  
 Lindmanii, Briq. in *Arkiv Bot. Stockh.* ii. no. 10, 12.—Bras.  
 maritima, Small, in *Bull. N. York Bot. Gard.* iii. 436.—Am. bor.  
 mulinoides, Speg. *Nov. Add. Fl. Patag.* ii. (1902), repr. 70.—Patag.  
 neomexicana, Small, *Fl. S. E. U. S.* 1010.—Am. bor.  
 patagonica, Speg. *Nov. Add. Fl. Patag.* ii. (1902), repr. 68.—Patag.  
 plicata, Greene, *Pittonia*, v. 135.—Am. bor.  
 Prichardi, Rendle, in *Journ. Bot.* 1905, 33.—Patag.  
 pubera, Greene, *Pittonia*, v. 136.—Am. bor.  
 pulchella, Greene, l. c.—Am. bor.  
 pumila, Rydb. in *Small, Fl. S. E. U. S.* 1010.—Am. bor.  
 pygmaea, R. Fries, in *Nov. Act. Soc. Sci. Upsal.* Ser. IV. i. No. 1, 108.—Reg. Argent.  
 racemosa, Eggert, in *Torreya*, ii. 123.—Am. bor.  
 serpyllifolia, Speg. *Nov. Add. Fl. Patag.* ii. (1902), repr. 66 (= *Monopyrena serpyllifolia*).—Patag.  
 Silvestrii, Speg. l. c.—Patag.  
 storeoclada, Briq. in *Bull. Herb. Boiss. Sér. II.* iv. 1060.—Parag.  
 tandilensis, Speg. *Contrib. Fl. Tandil*, 41.—Reg. Argent.  
 tenuisecta, Briq. in *Ann. Conserv. & Jard. Bot. Genève*, vii-viii. 294.—Parag.  
 tomophylla, Briq. in *Bull. Herb. Boiss. Sér. II.* iv. 1061.—Parag.

**VERBESINA**, Linn. (Compos.).

- angulata, Urb. *Symb. Antill.* ii. 467.—Ind. occ.  
 aristata, A. A. Heller, *Muhlenbergia*, i. 8 = nudicaulis.  
 callacatensis, Hieron. in *Engl. Jahrb.* xxxvi. 492.—Peruv.  
 Eggersii, Hieron. l. c. xxviii. 611.—Ecuador.  
 gracilipes, Robinson, in *Proc. Bost. Soc. Nat. Hist.* xxxi. 269.—Mexic.  
 guadeloupensis, Urb. *Symb. Antill.* ii. 466.—Ind. occ.  
 guaranítica, Chod. in *Bull. Herb. Boiss. Sér. II.* iii. 722.—Parag.  
 Hassleriana, Chod. l. c.—Parag.  
 hypsela, Robinson, in *Proc. Bost. Soc. Nat. Hist.* xxxi. 270.—Mexic.  
 Jelskii, Hieron. in *Engl. Jahrb.* xxxvi. 493.—Peruv.  
 Lehmannii, Hieron. l. c. xxviii. 612.—N. Granat.  
 madrensis, Greenm. in *Proc. Amer. Acad.* xxxix. 112.—Mexic.  
 myrtifolia, Chod. in *Bull. Herb. Boiss. Sér. II.* ii. 393.—Parag.  
 paraguariensis, Chod. l. c. iii. 722.—Parag.  
 pauciflora, Small, *Fl. S. E. U. S.* 1273 (= *Actinomeris pauciflora*).—Am. bor.

**VERBESINA** :—

- rugosa, Chod. in *Bull. Herb. Boiss. Sér. II.* ii. 393.—Parag.  
 Szyszylowiczii, Hieron. in *Engl. Jahrb.* xxxvi. 492.—Peruv.  
 Tonduzii, Greenm. in *Proc. Amer. Acad.* xl. 42.—Am. cent.

**VERDICKIA**, Wildem. in *Ann. Mus. Congo, Sér. IV.* 7 (1902). **LILIACEAE.**

- katangensis, Wildem. l. c.—Afr. trop.

**VERHUELLIA**, Miq. (Piperac.).

- lunaria, C. DC. in *Urb. Symb. Antill.* iii. 216 (= *Peperomia lunaria*).—Ind. occ.

**VERNONIA**, Schreb. (Compos.).

- abbatobiana, Chod. in *Bull. Herb. Boiss. Sér. II.* i. 410.—Parag.  
 acuta, N. E. Br. in *Trans. Linn. Soc. Ser. II.* vi. 38.—Guiana.  
 ampla, O. Hoffm. in *Engl. Jahrb.* xxx. 423 (1901).—Afr. trop.  
 ampla, Vaniot, in *Bull. Acad. Géogr. Bot.* xii. (1903) 124.—China.  
 Arechavaletae, E. André, in *Rev. Hort.* 1901, 284.—Urug.  
 Baumii, O. Hoffm. in *Warb. Kunene-Sambesi Exped.* 405.—Afr. trop.  
 Bernieri, Drake, *Hist. Pl. Madag. Atlas*, t. 473.—Madag.  
 Blodgettii, Small, *Fl. S. E. U. S.* 1160.—Am. bor.  
 Bockiana, Diels, in *Engl. Jahrb.* xxix. 608.—China.  
 borinquensis, Urb. *Symb. Antill.* iii. 390.—Ind. occ.  
 bracteosa, O. Hoffm. in *Engl. Jahrb.* xxx. 421.—Afr. trop.  
 brideliifolia, O. Hoffm. in *Warb. Kunene-Sambesi Exped.* 400.—Afr. trop.  
 calyculata, S. Moore, in *Journ. Linn. Soc.* xxxv. 316.—Afr. trop.  
 candelabrum, Chod. in *Bull. Herb. Boiss. Sér. II.* ii. 301.—Parag.  
 Caput-Medusae, S. Moore, in *Journ. Linn. Soc.* xxxvii. 166.—Afr. trop.  
 Chapelieri, Drake, *Hist. Pl. Madag. Atlas*, t. 469.—Madag.  
 chiliocephala, O. Hoffm. in *Engl. Jahrb.* xxxii. 148.—Afr. trop.  
 chimborazensis, Hieron. in *Engl. Jahrb.* xxviii. 559.—Ecuador.  
 cichoriiflora, Chod. in *Bull. Herb. Boiss. Sér. II.* ii. 300.—Parag.  
 cirrifera, S. Moore, in *Journ. Linn. Soc.* xxxv. 320.—Afr. trop.  
 cleanthoides, O. Hoffm. in *Engl. Jahrb.* xxxii. 148.—Afr. trop.  
 colorata, Drake, *Hist. Pl. Madag. Atlas*, t. 466.—Madag.  
 conyzoides, Chod. in *Bull. Herb. Boiss. Sér. II.* ii. 303.—Parag.  
 cupularis, Chod. l. c. 299.—Parag.  
 cutervensis, Hieron. in *Engl. Jahrb.* xxxvi. 460.—Peruv.  
 dorsiventralis, Chod. in *Bull. Herb. Boiss. Sér. II.* i. 410.—Parag.  
 Elliottii, S. Moore, in *Journ. Linn. Soc.* xxxv. 315.—Afr. trop.  
 guadalupensis, A. A. Heller, *Muhlenbergia*, i. 28.—Am. bor.  
 Hassleriana, Chod. in *Bull. Herb. Boiss. Sér. II.* ii. 302.—Parag.  
 Henryi, Dunn, in *Journ. Linn. Soc.* xxxv. 500.—China.  
 Hindei, S. Moore, in *Journ. Bot.* 1903, 155.—Afr. trop.  
 homilantha, S. Moore, l. c. 138.—Afr. trop.  
 homilocephala, S. Moore, in *Journ. Linn. Soc.* xxxv. 322.—Afr. trop.  
 Hystrix, Chod. in *Bull. Herb. Boiss. Sér. II.* ii. 298.—Parag.  
 Ilex, Chod. l. c. i. 410.—Parag.  
 imbricata, Chod. l. c. 409.—Parag.  
 itapensis, Chod. l. c. ii. 301.—Parag.  
 Jelskii, Hieron. in *Engl. Jahrb.* xxxvi. 459.—Peruv.  
 Kaessneri, S. Moore, in *Journ. Bot.* 1902, 340.—Afr. trop.  
 katangensis, O. Hoffm. in *Ann. Mus. Congo, Sér. IV.* p. ix.—Afr. trop.  
 kentecephala, Drake, *Hist. Pl. Madag. Atlas*, t. 477.—Madag.

**VERNONIA** :—

- lepidifera, Chod. in *Bull. Herb. Boiss. Sér. II.* ii. 304.—Parag.  
 leucocalyx, O. Hoffm. in *Engl. Jahrb.* xxx. 422.—Afr. trop.  
 leucolepis, Drake, *Hist. Pl. Madag. Atlas*, t. 468.—Madag.  
 limosa, O. Hoffm. in *Warb. Kunene-Sambesi Exped.* 400.—Afr. trop.  
 lingua, Chod. in *Bull. Herb. Boiss. Sér. II.* ii. 298.—Parag.  
 linosyriifolia, Chod. l. c. 300.—Parag.  
 lugarensis, O. Hoffm. in *Engl. Jahrb.* xxx. 425.—Afr. trop.  
 Martini, Vaniot, in *Bull. Acad. Géogr. Bot.* xii. (1903) 124.—China.  
 masaiensis, S. Moore, in *Journ. Linn. Soc.* xxxv. 320.—Afr. trop.  
 mesogramme, O. Hoffm. in *Warb. Kunene-Sambesi Exped.* 403.—Afr. trop.  
 Migeodi, S. Moore, in *Journ. Linn. Soc.* xxxv. 319.—Afr. trop.  
 milaniana, S. Moore, l. c. 318.—Afr. trop.  
 Milleri, J. R. Johnston, in *Proc. Amer. Acad.* xl. 698.—Venez.  
 nandensis, S. Moore, in *Journ. Linn. Soc.* xxxv. 323.—Afr. trop.  
 Nestor, S. Moore, l. c. 317.—Afr. trop.  
 oligantha, Greene, *Pittonia*, v. 56.—Am. bor.  
 oreophila, Speg. *Contrib. Fl. Tandil*, 22.—Reg. Argent.  
 perparva, S. Moore, in *Journ. Linn. Soc.* xxxv. 324.—Afr. trop.  
 platylepis, Drake, *Hist. Pl. Madag. Atlas*, t. 471.—Madag.  
 platyphylla, Chod. in *Bull. Herb. Boiss. Sér. II.* ii. 299.—Parag.  
 polyura, O. Hoffm. in *Engl. Jahrb.* xxx. 422.—Afr. trop.  
 pratensis, Drake, *Hist. Pl. Madag. Atlas*, t. 479.—Madag.  
 primulina, O. Hoffm. in *Warb. Kunene-Sambesi Exped.* 402.—Afr. trop.  
 proluxa, S. Moore, in *Journ. Linn. Soc.* xxxv. 322.—Afr. trop.  
 pubescens, Auct. in *Proc. Biol. Soc. Washington*, xiii. 207.—Am. bor.  
 pygmaea, O. Hoffm. in *Warb. Kunene-Sambesi Exped.* 401.—Afr. trop.  
 rigorata, S. Moore, in *Journ. Bot.* 1903, 155.—Afr. trop.  
 Roberti, S. Moore, l. c. 1904, 35.—Bras.  
 ruwenzoriensis, S. Moore, in *Journ. Linn. Soc.* xxxv. 321.—Afr. trop.  
 salviaefolia, Chod. in *Bull. Herb. Boiss. Sér. II.* i. 410.—Parag.  
 scabrifolia, O. Hoffm. in *Engl. Jahrb.* xxx. 424.—Afr. trop.  
 Sceptum, Chod. in *Bull. Herb. Boiss. Sér. II.* ii. 303.—Parag.  
 Seguii, Vaniot, in *Bull. Acad. Géogr. Bot.* xii. (1903) 241.—China.  
 spelacicola, Vaniot, l. c. 123.—China.  
 sphaerocalyx, O. Hoffm. in *Engl. Jahrb.* xxx. 423.—Afr. trop.  
 subarbores, Vaniot, in *Bull. Acad. Géogr. Bot.* xii. (1903) 126.—China.  
 sublanata, Drake, *Hist. Pl. Madag. Atlas*, t. 463.—Madag.  
 subplumosa, O. Hoffm. in *Warb. Kunene-Sambesi Exped.* 404.—Afr. trop.  
 sylvatica, Dunn, in *Journ. Linn. Soc.* xxxv. 501.—China.  
 texana, Small, *Fl. S. E. U. S.* 1160.—Am. bor.  
 ugandensis, S. Moore, in *Journ. Linn. Soc.* xxxv. 314.—Afr. trop.  
 usafuensis, O. Hoffm. in *Engl. Jahrb.* xxx. 425.—Afr. trop.  
 Valenzuelae, Chod. in *Bull. Herb. Boiss. Sér. II.* iii. 641.—Parag.  
 Verdickii, O. Hoffm. in *Ann. Mus. Congo, Sér. IV.* p. ix.—Afr. trop.  
 viatorum, S. Moore, in *Journ. Linn. Soc.* xxxv. 315.—Afr. trop.  
 Vidalii, Merrill, in *Philipp. Gov. Lab. Bur. Bull.* vi. 6.—Ins. Philipp.  
 villosa, W. F. Wight, in *U. S. Dept. Agric. Contrib. Nat. Herb.* ix. 396 = chinensis.  
 volubilis, Hieron. in *Engl. Jahrb.* xxxvi. 460.—Peruv.  
 voluta, Drake, *Hist. Pl. Madag. Atlas*, t. 474.—Madag.

**VERONICA**, Linn. (Scrophul.).

- afrochamaedrys, *Engl. in Ann. Bot.* xviii. 538.—Afr. trop.  
*chamaedryoides*, *Engl. Pfl. Ost. Afr. C.* 358 = afrochamaedrys.  
*crenatifolia*, *Greene, Pittonia*, v. 114.—Am. bor.  
*demissa*, *Sampaio, in Ann. Sci. Nat. Porto*, vii. 117.—Lusitan.  
*gigantea*, *Cockayne, in Trans. N. Z. Inst.* xxxiv. 319.—Ins. Chatham.  
*Kindlii*, *Adam, in Denkschr. Akad. Wien, Math.-Nat.* lxxiv. 138.—Turcia.  
*macroserma*, *Schuster, in Mitth. Bayr. Bot. Ges. Muench.* 1905, 458.—Hybr.  
*Martini*, *Léveillé, in Bull. Soc. Agric. Sci. Arts Sarthe*, 1904, repr. 10.—China.  
*oxylobula*, *Greene, Pittonia*, v. 113.—Am. bor.  
*rotundifolia*, *Lara, in Mem. Soc. Esp. Hist. Nat.* ii. 52.—Hispan.  
*Ruprechtii*, *Lipsky, in Act. Hort. Tiflis*, vi. 1. 73.—Caucas.  
*sibthorpioides*, *Deb. Degen & Herv. in Bull. Acad. Géogr. Bot.* xv. (1905) 116.—Hispan.  
*urticaeformis*, *Pau, in Bol. Soc. Arag.* ii. 16, nomen.—Hispan.  
*Urumovi*, *Vel. in Oesterr. Bot. Zeitschr.* 1901, 31.—Bulgar.  
*Vollmanni*, *Schuster, in Mitth. Bayr. Bot. Ges. Muench.* 1905, 457.—Hybr.  
*Wiesbauriana*, *Schuster, l. c.* 455.—Hybr.

**VERREAUXIA**, Benth. (Gooden.).

- Dyeri*, *E. Pritz. in Hook. Ic. Pl.* t. 2782.—Austral.  
*villosa*, *E. Pritz. in Engl. Jahrb.* xxxv. 573.—Austral.

**VERTICORDIA**, DC. (Myrtac.).

- adenocalyx*, *Diels, in Engl. Jahrb.* xxxv. 405.—Austral.  
*Muelleriana*, *E. Pritz. in Engl. Jahrb.* xxxv. 407.—Austral.  
*Pritzeli*, *Diels, in Engl. Jahrb.* xxxv. 404.—Austral.  
*stenopetala*, *Diels, l. c.* 402.—Austral.  
*stylotricha*, *Diels, l. c.* 403.—Austral.

**VESSELOWSKYA**, Pampan. in *Ann. di Bot. Roma*, ii. (1905) 93. **SAXIFRAGACEAE.**

- rubifolia*, *Pampan. l. c.* (= *Geissois rubifolia*).—Austral.

**VETIVERIA**, Thou. (Gramin.).

- [**ANDROPOGON**, Linn. I. K.]  
*zizanioides*, *Nash, in Small, Fl. S. E. U. S.* 67 (= *Phalaris zizanioides*).—Am. bor.

**VIBURNUM**, Linn. (Caprifol.).

- arcuatum*, *Kom. in Act. Hort. Petrop.* xviii. 427.—As. or.  
*Beccarii*, *Gamble, in Journ. As. Soc. Beng.* lxxii. 114.—Malaya.  
*bitchiuense*, *Makino, in Bot. Mag. Tokyo*, xvi. 156.—Japan.  
*Bockii*, *Graebn. in Engl. Jahrb.* xxix. 585.—China.  
*bracteatum*, *Rehder, in Sargent, Trees & Shrubs*, 135.—Am. bor.  
*buddleifolium*, *C. H. Wright, in Gard. Chron.* 1903, i. 257.—China.  
*caudatum*, *Greenm. in Proc. Amer. Acad.* xli. 250.—Mexic.  
*chinshanense*, *Graebn. in Engl. Jahrb.* xxix. 585.—China.  
*ciliatum*, *Greenm. in Proc. Amer. Acad.* xli. 251.—Mexic.  
*Dielsii*, *Graebn. in Engl. Jahrb.* xxix. 588.—China.  
*fallax*, *Graebn. l. c.* 586.—China.  
*Giraldii*, *Graebn. l. c.* xxxvi. Beibl. lxxxii. 99.—China.  
*lobophyllum*, *Graebn. l. c.* xxix. 589.—China.  
*Nashii*, *Small, Fl. S. E. U. S.* 1123.—Am. bor.  
*Prattii*, *Graebn. in Engl. Jahrb.* xxix. 584.—China.  
*rectangulatum*, *Graebn. l. c.* 588.—China.  
*Rosthornii*, *Graebn. l. c.* 586.—China.  
*semitomentosum*, *Rehder, in Rhodora*, vi. 59 = scabellum.  
*sinuatum*, *Merrill, in Philipp. Gov. Lab. Bur. Bull.* xxxv. 65.—Ins. Philipp.  
*sympodiale*, *Graebn. in Engl. Jahrb.* xxix. 587.—China.  
*Veitchii*, *C. H. Wright, in Gard. Chron.* 1903, i. 257.—China.  
*venosum*, *Britton, Man. Fl. N. U. S.* 871.—Am. bor.  
*Willeaumei*, *Graebn. in Engl. Jahrb.* xxix. 589.—China.

**VICIA**, Tourn. (Legum.).

- albescens*, *Sag. in Oesterr. Bot. Zeitschr.* 1904, 366.—Eur.  
*baborensis*, *Batt. & Trab. Fl. Algér. Tunis*, 110.—Afr. bor.  
*Copelandii*, *Eastw. in Bull. Torr. Bot. Club*, 1905, 197.—Calif.  
*Durbrowi*, *Eastw. l. c.* 196.—Calif.  
*glabrescens*, *Hayek, in Oesterr. Bot. Zeitschr.* liii. 448.—Eur.  
*Pichleri*, *Huter, in Oesterr. Bot. Zeitschr.* 1905, 82.—Eur.  
*producta*, *Rydb. in Bull. Torr. Bot. Club*, 1901, 500.—Am. bor.  
*pumila*, *A. A. Heller, Muhlenbergia*, ii. 88.—Calif.  
*Semenowi*, *B. Fedtsch. in Act. Hort. Petrop.* xxiv. 245 (= *Orobis Semenowii*).—Turkestan.  
*texana*, *Small, Fl. S. E. U. S.* 656.—Am. bor.

**VIGNA**, Savi (Legum.).

- Antunesii*, *Harms, in Engl. Jahrb.* xxx. 92.—Afr. trop.  
*bukobensis*, *Harms, l. c.*—Afr. trop.  
*capitata*, *Wildem. in Ann. Mus. Congo, Sér. IV.* 67.—Afr. trop.  
*Dekindtiana*, *Harms, in Engl. Jahrb.* xxx. 93.—Afr. trop.  
*fragrans*, *Baker f. in Journ. Linn. Soc.* xxxvii. 146.—Afr. trop.  
*Junodii*, *Harms, l. c.* xxx. 93.—Afr. trop.  
*katangensis*, *Wildem. in Ann. Mus. Congo, Sér. IV.* 67.—Afr. trop.  
*Laurentii*, *Wildem. Enum. Pl. Laurent.* 122.—Afr. trop.  
*macrantha*, *Harms, in Engl. Jahrb.* xxx. 93.—Afr. trop.  
*Neumannii*, *Harms, l. c.* xxxiii. 175.—Afr. trop.  
*nuda*, *N. E. Br. in Kew Bull.* 1901, 121.—Afr. trop.  
*Stuhlmannii*, *Harms, in Engl. Jahrb.* xxx. 94.—Afr. trop.

**VIGNEOPSIS**, Wildem. in *Ann. Mus. Congo, Sér. IV.* 69 (1902). **LEGUMINOSAE.**

- lukafuensis*, *Wildem. l. c.*—Afr. trop.

**VIGUIERA**, H. B. & K. (Compos.).

- brevifolia*, *Greenm. in Proc. Amer. Acad.* xxxix. 103.—Mexic.  
*eriophora*, *Greenm. l. c.* 104.—Mexic.  
*Goldmanii*, *Greenm. l. c.*—Mexic.  
*guaranitica*, *Chod. in Bull. Herb. Boiss. Sér. II.* iii. 724.—Parag.  
*Hassleriana*, *Chod. l. c.*—Parag.  
*hypargyrea*, *Greenm. in Proc. Amer. Acad.* xxxix. 105.—Mexic.  
*Lehmannii*, *Hieron. in Engl. Jahrb.* xxviii. 607.—Ecuador.  
*linearifolia*, *Chod. in Bull. Herb. Boiss. Sér. II.* ii. 392.—Parag.  
*microcephala*, *Greenm. in Proc. Amer. Acad.* xxxix. 105.—Mexic.  
*morelensis*, *Greenm. l. c.* xl. 40.—Mexic.  
*Rosei*, *Greenm. l. c.* xxxix. 105.—Mexic.  
*squalida*, *S. Moore, in Journ. Bot.* 1904, 37.—Bras.  
*Szyszylowiczii*, *Hieron. in Engl. Jahrb.* xxxvi. 489.—Peruv.

**VILLADIA**, Rose, in *Bull. N. York Bot. Gard.* iii. (1903) 3. **CRASSULACEAE.**

- albiflora*, *Rose, in N. Amer. Fl.* xxii. 30 (= *Cotyledon albiflora*).—Mexic.  
*cucullata*, *Rose, in Bull. N. York Bot. Gard.* iii. 4.—Mexic.  
*imbricata*, *Rose, l. c.* 3.—Mexic.  
*minutiflora*, *Rose, l. c.* 4.—Mexic.  
*Nelsoni*, *Rose, l. c.*—Mexic.  
*Painteri*, *Rose, in N. Amer. Fl.* xxii. 30.—Mexic.  
*parviflora*, *Rose, in Bull. N. York Bot. Gard.* iii. 5 (= *Cotyledon parviflora*).—Mexic.  
*Pringlei*, *Rose, l. c.* 4.—Mexic.  
*ramosissima*, *Rose, l. c.* 5.—Mexic.  
*squamulosa*, *Rose, l. c.* (= *Sedum squamulosum*).—Mexic.  
*stricta*, *Rose, in N. Amer. Fl.* xxii. 30.—Mexic.  
*texana*, *Rose, in Bull. N. York Bot. Gard.* iii. 3 (= *Sedum texanum*).—Am. bor.

**VILLARESIA**, Ruiz & Pav. (Olac.).

- costaricensis*, *Donn. Sm. in Coult. Bot. Gaz.* xxxi. 110.—Am. cent.  
*Engleriana*, *Loes. ex Glaz. in Bull. Soc. Bot. Fr.* lii. Mém. III. 100, nomen.—Bras.

**VILLOURATEA**, Van Tiegh. in *Bull. Mus. Hist. Nat. Par.* viii. (1902) 545; et in *Ann. Sci. Nat. Sér. VIII.* xvi. 239. **OCHNACEAE.**

- spiciformis*, *Van Tiegh. in Ann. Sci. Nat. Sér. VIII.* xvi. 240.—Bras.

**VINCETOXICUM**, Rupp. (Asclep.).

- alabamense*, *Vail, in Bull. Torr. Bot. Club*, 1903, 178.—Am. bor.  
*bulligerum*, *Speg. Nov. Add. Fl. Patag.* ii. (1902), repr. 29.—Patag.  
*cynanchoides*, *A. A. Heller, Muhlenbergia*, i. 2 (= *Gonolobus cynanchoides*).—Am. bor.  
*flavidulum*, *A. A. Heller, l. c.* (= *Gonolobus flavidulus*).—Am. bor.  
*hastulatum*, *A. A. Heller, l. c.* (= *Gonolobus hastulatus*).—Am. bor.  
*parviflorum*, *A. A. Heller, l. c.* (= *Gonolobus parviflorus*).—Am. bor.  
*parvifolium*, *A. A. Heller, l. c.* (= *Gonolobus parvifolius*).—Am. bor.  
*pubiflorum*, *A. A. Heller, l. c.* (= *Gonolobus pubiflorus*).—Am. bor.  
*Roberti*, *S. Moore, in Journ. Bot.* 1904, 104.—Bras.  
*sagittifolium*, *A. A. Heller, Muhlenbergia*, i. 3 (= *Gonolobus sagittifolius*).—Am. bor.  
*Woottonii*, *Vail, in Bull. Torr. Bot. Club*, 1901, 485.—Mexic.  
*Wrightii*, *A. A. Heller, Muhlenbergia*, i. 3.—Am. bor.

**VIOLA**, Tourn. (Violac.).

- aberrans*, *Greene, ex Stone, in Proc. Acad. Philad.* lv. 683 = fimbriatula.  
*achlydophylla*, *Greene, Pittonia*, v. 87.—Am. bor.  
*achyrophora*, *Greene, l. c.* 33.—Am. arct.  
*albertina*, *Greene, l. c.* iv. 288.—Am. bor.  
*ampliata*, *Greene, Leaflets Bot. Obs.* i. 3.—Am. bor.  
*Andersonii*, *Greene, Pittonia*, iv. 287.—Am. bor.  
*Angellae*, *Pollard, in Torreya*, ii. 24.—Am. bor.  
*anodonta*, *Greene, Pittonia*, v. 32.—Calif.  
*arizonica*, *Greene, l. c.* 33.—Am. bor.  
*Athois*, *W. Becker, in Bull. Herb. Boiss. Sér. II.* ii. 854.—Eur.  
*Austinae*, *Greene, Pittonia*, v. 30.—Calif.  
*bellidifolia*, *Greene, l. c.* iv. 292.—Am. bor.  
*bitermata*, *Greene, Pl. Baker.* iii. 12.—Am. bor.  
*Boissieuana*, *Makino, in Bot. Mag. Tokyo*, xvi. 127.—Japan.  
*borussica*, *W. Becker, in Ber. Bayer. Bot. Ges.* viii. 269.—Hybr.  
*Brainerdii*, *Greene, Pittonia*, v. 89.—Am. bor.  
*Brittoniana*, *Pollard, in Britton, Man. Fl. N. U. S.* 635.—Am. bor.  
*bulgarica*, *Becker, in Oesterr. Bot. Zeitschr.* 1905, 440.—Hybr.  
*Cafischii*, *Woerl. in Ber. Bayer. Bot. Ges.* iii. (1893) 21.—Bavaria.  
*calcarea*, *Gregory, in Journ. Bot.* 1904, 68.—Anglia.  
*cameleo*, *Boissieu, in Bull. Herb. Boiss. Sér. II.* i. 1074.—China.  
*cardminefolia*, *Greene, Pittonia*, iv. 289.—Am. bor.  
*Cavillieri*, *Becker, in Bull. Herb. Boiss. Sér. II.* iii. 45, t. 2.—Eur.  
*cazorlensis*, *Gand. in Bull. Assoc. Fr. Bot.* v. (1902) 226; *Bull. Acad. Géogr. Bot.* xv. (1905) 57.—Hispan.  
*chaerophylloides*, *Makino, in Bot. Mag. Tokyo*, xix. 17.—Japan.  
*compacta*, *Greene, Pittonia*, iv. 286.—Am. bor.  
*consors*, *Greene, l. c.* v. 100.—Am. bor.  
*crassa*, *Makino, in Bot. Mag. Tokyo*, xix. 87.—Japan.  
*crassula*, *Greene, Pittonia*, v. 95.—Am. bor.  
*crenulata*, *Greene, l. c.* iv. 295.—Am. bor.  
*cyclophylla*, *Greene, l. c.* iv. 7 = eucycla.  
*cyclophylla*, *Gandoger, Fl. Lyon.* 53 (1875).—Eur.  
*demissa*, *Greene, Pl. Baker.* iii. 10.—Am. bor.  
*dentariaefolia*, *Boissieu, in Bull. Herb. Boiss. Sér. II.* i. 1076.—China.  
*denticulosa*, *Pollard, in Bull. Torr. Bot. Club*, xxviii. 475.—Am. bor.  
*desertorum*, *Greene, Pittonia*, iv. 291.—Am. bor.  
*discurrens*, *Greene, l. c.* v. 26.—Am. bor.  
*Duffortii*, *Fouill. in Rev. Bot. Syst. Géogr. Bot.* ii. 152.—Hybr.  
*Durennei*, *Petit. in Monde des Plantes*, Sér. II. vi. 47.—Hybr.  
*eucycla*, *Greene, Pittonia*, v. 88.—Am. bor.



**VIOLA:**—

- Fargesii, Boissieu, in *Bull. Herb. Boiss. Sér. II.* ii. 333.—China.  
 filipes, Greene, *Pittonia*, iv. 289.—Am. bor.  
 Fletcheri, Greene, l. c. 296.—Am. bor.  
 Francheti, Boissieu, in *Bull. Soc. Bot. Fr.* xlvii. 321.—Japan.  
*fruticans*, Bub. Fl. Pyren. iii. 111 = arborescens.  
 fulcrata, Greene, *Pittonia*, iv. 285.—Am. bor.  
 galacifolia, Greene, l. c. v. 30.—Am. bor.  
 geminiflora, Greene, l. c. 29.—Am. bor.  
 genevensis, Chenev. in *Bull. Trav. Soc. Bot. Genève*, ix. 98.—Hybr.  
 gomphopetalata, Greene, Pl. Baker. iii. 11.—Am. bor.  
 granatensis, Huter, in *Oesterr. Bot. Zeitschr.* 1904, 337.—Eur.  
 Henryi, Boissieu, in *Bull. Herb. Boiss. Sér. II.* i. 1075.—China.  
 ibukiana, Makino, in *Bot. Mag. Tokyo*, xix. 106.—Japan.  
 illinoensis, Greene, *Pittonia*, iv. 293.—Am. bor.  
 inamoena, Greene, Pl. Baker. iii. 11.—Am. bor.  
 incognita, Brainerd, in *Rhodora*, 1905, 248.—Am. bor.  
 indivisa, Greene, *Pittonia*, v. 124.—Am. bor.  
 Kelloggii, A. Nelson, in *Proc. Biol. Soc. Washington*, xvii. 100.—Am. bor.  
 kiusiana, Makino, in *Bot. Mag. Tokyo*, xvi. 138.—Japan.  
 Kronenburgii, W. Becker, in *Allg. Bot. Zeitschr.* 1905, 26.—Turkistan.  
 laetecaeulea, Greene, in *Proc. Biol. Soc. Washington*, xiv. 70.—Am. bor.  
 latiuscula, Greene, *Pittonia*, v. 93.—Am. bor.  
 lavandulacea, E. P. Bickn. in *Torreya*, iv. 130.—Am. bor.  
 leptosepala, Greene, *Pittonia*, v. 98.—Am. bor.  
 Leveillei, Boissieu, in *Bull. Acad. Géogr. Bot.* xi. (1902) 91.—China.  
 macrotis, Greene, *Pittonia*, v. 97.—Am. bor.  
 Makinoi, Boissieu, in *Bull. Soc. Bot. Fr.* xlvii. 320.—Japan.  
 Matsumurae, Makino, in *Bot. Mag. Tokyo*, xvi. 134.—Japan.  
 Maximowicziana, Makino, l. c. 128.—Japan.  
 melissaefolia, Greene, *Pittonia*, v. 103.—Am. bor.  
 mesochora, Greene, ex Rosend. in *Minnes. Bot. Studies*, iii. 266.—Am. bor.  
 micrantha, Porta, ex Huter, in *Oesterr. Bot. Zeitschr.* 1904, 337.—Eur.  
 Miyabei, Makino, in *Bot. Mag. Tokyo*, xvi. 124.—Japan.  
 Mudfordae, Pollard, in *Proc. Biol. Soc. Washington*, xv. 203.—Am. bor.  
 multicaulis, Britton, *Man. Fl. N. U. S.* 640.—Am. bor.  
 multifida, Makino, in *Bot. Mag. Tokyo*, xvi. 125.—Japan.  
 muriculata, Greene, *Pittonia*, v. 28.—Am. bor.  
 neo-mexicana, Greene, l. c.—Am. bor.  
 nepetaefolia, Greene, l. c. 92.—Am. bor.  
 nesiotica, Greene, l. c. 102.—Am. bor.  
 nodosa, Greene, l. c. iv. 296.—Am. bor.  
 notabilis, E. P. Bickn. in *Torreya*, iv. 131.—Am. bor.  
 Novae-Angliae, House, in *Rhodora*, vi. 226.—Am. bor.  
 oenipontana, Murr, in *Allg. Bot. Zeitschr.* 1905, 147.—Austria.  
 Okuboi, Makino, in *Bot. Mag. Tokyo*, xvii. 85.—Japan.  
 ophiophila, Greene, *Pittonia*, v. 88.—Am. bor.  
 oreliensis, W. Becker, in *Mitth. Thüring Bot. Ver.* n. s. xviii. 76.—Hybr.  
 oreocallis, Greene, *Pittonia*, iv. 288.—Am. bor.  
 oreophila, Greene, l. c. 307 (= *V. monticola*, Rydb.).—Am. bor.  
 Painteri, Rose & House, in *Proc. U. S. Nat. Mus.* xxix. (1905) 443.—Mexic.  
 pallens, Brainerd, in *Rhodora*, 1905, 247.—Am. bor.  
 parnassifolia, Greene, *Pittonia*, v. 32.—Calif.  
 pectinata, E. P. Bickn. in *Torreya*, iv. 129.—Am. bor.  
 peramoena, Greene, *Pittonia*, v. 94.—Am. bor.  
 petrophila, Greene, l. c. iv. 286.—Am. bor.  
 physalodes, Greene, Pl. Baker. iii. 12.—Am. bor.  
 Priceana, Pollard, in *Proc. Biol. Soc. Washington*, xvi. 127.—Am. bor.  
 Pringlei, Rose & House, in *Proc. U. S. Nat. Mus.* xxix. (1905) 444.—Mexic.  
 prionosepala, Greene, *Pittonia*, v. 99.—Am. bor.  
 pseudosepincola, W. Becker, in *Ber. Bayer. Bot. Ges.* viii. 253.—Hybr.  
 pusilla, Tourl. in *Bull. Soc. Bot. Fr.* i. 306 = canina.  
 retoscabra, Greene, *Pittonia*, iv. 290.—Am. bor.  
 Ritschliana, W. Becker, in *Ber. Bayer. Bot. Ges.* viii. 270.—Hybr.

**VIOLA:**—

- Roland-Bonaparte, Wolf, in *Rev. Bot. Syst. Géogr. Bot.* ii. 34.—Hybr.  
 Rouyana, Wolf, l. c.—Hybr.  
 rugulosa, Greene, *Pittonia*, v. 26.—Am. bor.  
 Rydbergii, Greene, l. c. 27.—Am. bor.  
 Sandbergii, Greene, l. c. 119.—Am. bor.  
 sapporensis, Franch. ex Boissieu, in *Bull. Soc. Bot. Fr.* xlvii. 321 = Francheti.  
 Savatieri, Makino, in *Bot. Mag. Tokyo*, xvi. 125.—Japan.  
 scabruscula, Shafer, in *Ann. Carneg. Mus.* i. 27.—Am. bor.  
 scopulorum, Greene, *Pittonia*, v. 27.—Am. bor.  
 secedens, Greene, l. c. 121.—Am. bor.  
 securigera, Greene, l. c. 29.—Am. bor.  
 senecta, A. Nelson, in *Proc. Biol. Soc. Washington*, xvii. 92.—Am. bor.  
 shikokiana, Makino, in *Bot. Mag. Tokyo*, xvi. 132.—Japan.  
 Sieheana, W. Becker, in *Bull. Herb. Boiss. Sér. II.* ii. 751.—Eur.  
 splendida, W. Becker, l. c. 750.—Eur.  
 stenantha, Greene, Pl. Baker. iii. 10.—Am. bor.  
 Stoneana, House, in *Bull. Torr. Bot. Club*, 1905, 253.—Am. bor.  
 striatella, Boissieu, in *Bull. Herb. Boiss. Sér. II.* i. 1077.—China.  
 subjuncta, Greene, *Pittonia*, v. 31.—Am. bor.  
 subrotunda, Greene, l. c. 118.—Am. bor.  
 subviscosa, Greene, l. c. iv. 293.—Am. bor.  
 Tanakaana, Makino, in *Bot. Mag. Tokyo*, xvii. 86.—Japan.  
 tenuipes, Pollard, in *Proc. Biol. Soc. Washington*, xv. 201.—Am. bor.  
 Thasia, W. Becker, in *Bull. Herb. Boiss. Sér. II.* ii. 855.—Eur.  
 tokubuchiana, Makino, in *Bot. Mag. Tokyo*, xvi. 129.—Japan.  
 Umemurae, Makino, l. c. 131.—Japan.  
 unguiculata, Greene, *Pittonia*, iv. 291.—Am. bor.  
 variabilis, Greene, l. c. v. 90.—Am. bor.  
 viarium, Pollard, in *Britton, Man. Fl. N. U. S.* 635.—Am. bor.  
 villaquensis, Benz, in *Oesterr. Bot. Zeitschr.* 1905, 25.—Hybr.  
 Weinharti, W. Becker, in *Allg. Bot. Zeitschr.* 1899, 75.—Hybr.  
 Wilmatae, A. Nelson, in *Proc. Biol. Soc. Washington*, xv. 178.—Am. bor.  
 Yatabei, Makino, in *Bot. Mag. Tokyo*, xvi. 122.—Japan.  
 Yazawana, Makino, l. c. 158.—Japan.  
 Zahnii, Benz, in *Oesterr. Bot. Zeitschr.* 1903, 376.—Hybr.
- VIORNA**, Reichb. (Ranunc.).  
 [CLEMATIS, Dill. I. K.]  
 Addisonii, Small, Fl. S. E. U. S. 439 (= *Clematis Addisonii*).—Am. bor.  
 arizonica, A. A. Heller, *Muhlenbergia*, i. 40 (= *Clematis arizonica*).—Am. bor.  
 Baldwinii, Small, Fl. S. E. U. S. 439 (= *Clematis Baldwinii*).—Am. bor.  
 coccinea, Small, l. c. 438 (= *Clematis coccinea*).—Am. bor.  
 crispa, Small, l. c. 437 (= *Clematis crispa*).—Am. bor.  
 flaccida, Small, l. c. 438 (= *Clematis flaccida*).—Am. bor.  
 Gattingeri, Small, l. c. (= *Clematis Gattingeri*).—Am. bor.  
 glaucophylla, Small, l. c. 439 (= *Clematis glaucophylla*).—Am. bor.  
 hirsutissima, A. A. Heller, *Muhlenbergia*, i. 40 (= *Clematis hirsutissima*).—Am. bor.  
 obliqua, Small, Fl. S. E. U. S. 438.—Am. bor.  
 ochroleuca, Small, l. c. 439 (= *Clematis ochroleuca*).—Am. bor.  
 ovata, Small, l. c. (= *Clematis ovata*).—Am. bor.  
 reticulata, Small, l. c. 438 (= *Clematis reticulata*).—Am. bor.  
 Simsii, Small, l. c. (= *Clematis Simsii*).—Am. bor.  
 versicolor, Small, l. c. (= *Clematis versicolor*).—Am. bor.  
 Viorna, Small, l. c. 439 (= *Clematis Viorna*).—Am. bor.
- VIRECTA**, Afzel. (Rubiace.).  
 obscura, K. Schum. in *Engl. Jahrb.* xxxiv. 331.—Afr. trop.

**VIOLA**, Aubl. (Myristic.).

- [MYRISTICA, Linn. I. K.]  
 Koschnyi, Warb. in *Fedde, Repert. Nov. Sp.* i. 71.—Am. cent.

**VISCARIA**, Riv. (Caryophyll.).

- [LYCHNIS, Tourn. I. K.]  
 Viscaria, Degen. in *Magyar Bot. Lap.* iv. 122 (= *Lychnis Viscaria*).—Eur.; As. bor.

**VISCUM**, Tourn. (Loranth.).

- Bagshawei, Rendle, in *Journ. Linn. Soc.* xxxvii. 208.—Afr. trop.  
 Galpinianum, Schinz, in *Vierteljahrsschr. Nat. Ges. Zürich*, xlix. 179.—Afr. austr.  
 Goetzei, Engl. in *Engl. Jahrb.* xxx. 304.—Afr. trop.  
 Menyharthii, Engl. & Schinz, in *Denkschr. Akad. Wien, Math.-Nat.* lxxviii. 410.—Afr. trop.  
 nyanzense, Rendle, in *Journ. Linn. Soc.* xxxvii. 208.—Afr. trop.

**VISMIA**, Vand. (Hyperic.).

- cearensis, Huber, in *Bull. Herb. Boiss. Sér. II.* i. 313.—Bras.  
 floribunda, Sprague, in *Trans. Proc. Bot. Soc. Edinb.* xxii. 428.—N. Granat.  
 Glaziovii, Ruhl. in *Engl. Jahrb.* xxx. Beibl. lxvii. 27.—Bras.  
 Guaramirangae, Huber, in *Bull. Herb. Boiss. Sér. II.* i. 313.—Bras.  
 Sprucei, Sprague, in *Trans. Proc. Bot. Soc. Edinb.* xxii. 428.—Bras.

**VITEX**, Tourn. (Verben.).

- Aherniana, Merrill, in *Philipp. Gov. Lab. Bur. Bull.* vi. 18.—Ins. Philipp.  
 bipindensis, Guerke, in *Engl. Jahrb.* xxxiii. 295.—Afr. trop.  
 collina, Beauvis. Gen. Montrouz. 66 (= *Rapinia collina*).—N. Caled.  
 Dekindiana, Guerke, in *Engl. Jahrb.* xxxii. 143.—Afr. trop.  
 Dinklagei, Guerke, l. c. xxxiii. 294.—Afr. trop.  
 geminata, H. H. W. Pearson, in *Dyer, Fl. Cap.* v. 213.—Afr. austr.  
 Gilletii, Guerke, in *Engl. Jahrb.* xxxiii. 298.—Afr. trop.  
 Guerkeana, H. H. W. Pearson, in *Dyer, Fl. Cap.* v. 217.—Afr. austr.  
 Harveyana, H. H. W. Pearson, l. c. 212.—Afr. austr.  
 helogiton, K. Schum. in K. Schum. & Lauterb. *Nachtr. Fl. Deutsch. Südsee*, 369.—N. Guin.  
 Lehmbachii, Guerke, in *Engl. Jahrb.* xxxiii. 297.—Afr. trop.  
 longipetiolata, Guerke, l. c. 295.—Afr. trop.  
 lukafuensis, Wildem. in *Ann. Mus. Congo*, Sér. IV. 121.—Afr. trop.  
 mooiensis, H. H. W. Pearson, in *Dyer, Fl. Cap.* v. 212; et in *Hook. Ic. Pl.* t. 2705.—Afr. austr.  
 philippinensis, Merrill, in *Forest. Bur. Philipp. Bull.* i. 52.—Ins. Philipp.  
 quinata, F. N. Williams, in *Bull. Herb. Boiss. Sér. II.* v. 431 (= *Cornutia quinata*).—As. austr. or.  
 Rapini, Beauvis. Gen. Montrouz. 67.—N. Caled.  
 reflexa, H. H. W. Pearson, in *Dyer, Fl. Cap.* v. 215.—Afr. austr.  
 rivularis, Guerke, in *Engl. Jahrb.* xxxiii. 297.—Afr. trop.  
 sakondriensis, Drake, in *Bull. Mus. Hist. Nat. Par.* 1903, 98.—Madag.  
 Schlechteri, Guerke, in *Engl. Jahrb.* xxxiii. 299.—Afr. austr.  
 siamica, F. N. Williams, in *Bull. Herb. Boiss. Sér. II.* v. 431.—Penins. Mal.  
 Staudtii, Guerke, in *Engl. Jahrb.* xxxiii. 299.—Afr. trop.  
 Turczaninowii, Merrill, in *Philipp. Gov. Lab. Bur. Bull.* xxxv. 77 (= *Premna philippinensis*).—Ins. Philipp.  
 yaundensis, Guerke, in *Engl. Jahrb.* xxxiii. 296.—Afr. trop.  
 Zenkeri, Guerke, l. c. 293.—Afr. trop.

**VITICELLA**, Dill. (Ranunc.).

- [CLEMATIS, Dill. I. K.]  
 Viticella, Small, Fl. S. E. U. S. 437 (= *Clematis Viticella*).—Eur.

**VITIS**, Linn. (Vitac.).

- Aubertiana, Gage, in *Rec. Bot. Surv. India*, iii. 36.—Burma.  
 austrina, Small, *Fl. S. E. U. S.* 755.—Am. bor.  
 biformis, Rose, in *U. S. Dept. Agric. Contrib. Nat. Herb.* viii. 315.—Mexic.  
 Bodinieri, Léveillé & Vaniot, in *Bull. Soc. Agric. Sci. Arts Sarthe*, 1905, 36.—China.  
 Bronneri, Ford, in *Ford. & Fourr. Ic. Fl. Eur.* iii. 40.—German.  
 calliobotrys, Ford, l. c.—German.  
 Cavaleriei, Léveillé & Vaniot, in *Bull. Soc. Agric. Sci. Arts Sarthe*, 1905, 36.—China.  
 cebennensis, Ford, in *Ford. & Fourr. Ic. Fl. Eur.* iii. 41.—Gallia.  
 Chaffanjonii, Léveillé & Vaniot, in *Bull. Soc. Agric. Sci. Arts Sarthe*, 1905, 37.—China.  
 ferax, Ford, in *Ford. & Fourr. Ic. Fl. Eur.* iii. 41.—Gallia.  
 Gentiliana, Léveillé & Vaniot, in *Bull. Soc. Agric. Sci. Arts Sarthe*, 1905, 38.—China.  
 Helleri, Small, *Fl. S. E. U. S.* 754.—Am. bor.  
 Labordei, Léveillé & Vaniot, in *Bull. Soc. Agric. Sci. Arts Sarthe*, 1905, 40.—China.  
 laxa, Ford, in *Ford. & Fourr. Ic. Fl. Eur.* iii. 41.—Gallia.  
 Martini, Léveillé & Vaniot, in *Bull. Soc. Agric. Sci. Arts Sarthe*, 1905, 41.—China.  
 multijugata, Léveillé & Vaniot, l. c.—China.  
 oligocarpa, Léveillé & Vaniot, l. c.—China.  
 Potentilla, Léveillé & Vaniot, l. c. 43.—China.  
 rhenana, Ford, in *Ford. & Fourr. Ic. Fl. Eur.* iii. 40.—German.  
 rigida, Léveillé & Vaniot, in *Bull. Soc. Agric. Sci. Arts Sarthe*, 1905, 44.—China.  
 rubrifolia, Léveillé & Vaniot, l. c.—China.  
 rufotomentosa, Small, *Fl. S. E. U. S.* 756.—Am. bor.  
 Voineriana, Baltet, in *Rev. Hort.* 1902, 56.—Cochinch.  
 Woodrowii, Cooke, *Fl. Bombay*, 248.—Ind. or.

**VITIS-IDAEA**, Tourn. (Vaccin.).

- [**VACCINIUM**, Linn. I. K.]  
 Vitis-Idaea, Britton, *Man. Fl. N. U. S.* 708 (= *Vaccinium Vitis-Idaea*).—Am. bor.

**VOACANGA**, Thou. (Apocyn.).

- caudiflora, Stapf, in *Dyer, Fl. Trop. Afr.* iv. i. 603.—Afr. trop.  
 Chalotiana, Pierre, ex Stapf, l. c. 158.—Afr. trop.  
 Klainii, Pierre, ex Stapf, l. c. 156.—puberula.  
 lutescens, Stapf, l. c. 157.—Afr. trop.  
 psilocalyx, Pierre, ex Stapf, l. c. 159.—Afr. trop.  
 spectabilis, Stapf, l. c. 155.—Afr. trop.  
 Zenkeri, Stapf, l. c. 159.—Afr. trop.

**VOCHYSIA**, Juss. (Vochys.).

- alternifolia, Glas, in *Bull. Soc. Bot. Fr.* lii. Mém. III. 33, nomen.—Bras.  
 brevipedunculata, Malme, in *Arkiv Bot. Stockh.* v. No. 6 (1905) 9.—Bras.  
 chapadensis, Malme, l. c. 11.—Bras.  
 Nettoana, Taub. ex Glas, in *Bull. Soc. Bot. Fr.* lii. Mém. III. 33, nomen.—Bras.  
 Warmingiana, Taub. ex Glas, l. c. nomen.—Bras.

**VOLKENSTEINIA**, Van Tiegh. in *Journ. de Bot.*

- xvi. 192 (1902). **OCHNACEAE**.  
 gigantophylla, Van Tiegh. l. c. 193 (= *Gomphia gigantophylla*).—Bras.  
 Theophrasta, Van Tiegh. l. c. (= *Gomphia Theophrasta*).—Bras.

**VOLVULUS**, Medic. (Convolv.).

- [**CALYSTEGIA**, R. Br. I. K.]  
 silvaticus, Maly, in *Verh. Zool.-Bot. Ges. Wien*, 1904, 237 (= *Convolvulus silvaticus*).—Eur.

**VOUACAPOUA**, Aubl. (Legum.).

- [**ANDIRA**, Lam. I. K.]  
 cuyabensis, Knuth, *Handb. Blütenb.* iii. 404 (= *Andira cuyabensis*).—Bras.  
 inermis, Knuth, l. c. 405 (= *Andira inermis*).—Am. trop.

**VRIESEA**, Lindl. (Bromel.).

- [**TILLANDSIA**, Linn. I. K.]  
 acuminata, Mez & Wercklé, in *Bull. Herb. Boiss. Sér. II.* iv. 868.—Am. cent.  
 Alexandrae, Hort. ex Gard. Chron. 1903, i. 245.—Am. trop.

**VRIESEA** :—

- brachyphylla, Mez & Wercklé, in *Bull. Herb. Boiss. Sér. II.* iv. 869.—Am. cent.  
 Brunei, Mez & Wercklé, l. c. 865.—Am. cent.  
 diminuta, Mez & Wercklé, l. c. 869.—Am. cent.  
 graminifolia, Mez & Wercklé, l. c. 868.—Am. cent.  
 hydrophora, Ule, in *Arch. Mus. Nac. Rio de Janeiro*, x. (1899) 189.—Bras.  
 macrantha, Mez & Wercklé, in *Bull. Herb. Boiss. Sér. II.* iv. 867.—Am. cent.  
 macrochlamys, Mez & Wercklé, l. c. 865.—Am. cent.  
 modesta, Mez, in *Engl. Jahrb. xxx. Beibl.* lxvii. 7.—Bras.  
 Muelleri, Mez, l. c.—Bras.  
 pachyspatha, Mez & Wercklé, in *Bull. Herb. Boiss. Sér. II.* iv. 867.—Am. cent.  
 Pittieri, Mez, l. c. iii. 135.—Am. cent.  
 rugosa, Mez & Wercklé, l. c. iv. 866.—Am. cent.  
 Sanderiana, Hort. ex Gard. Chron. 1903, i. 245.—Sumatra.  
 Werckleana, Mez, in *Bull. Herb. Boiss. Sér. II.* iii. 136.—Am. cent.

**VRYDAGZENIA**, Blume (Orchid.).

- albostrata, Schlechter, in *K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 83.—N. Guin.  
 argyrotaenia, Schlechter, l. c. 84.—N. Guin.  
 pachyceras, Schlechter, l. c.—N. Guin.  
 papuana, Schlechter, l. c. 85.—N. Guin.  
 salomonensis, Schlechter, l. c. 86.—Ins. Salomon.  
 Schumanniana, Kraenzl. in *K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee*, 86.—N. Guin.

**VULPIA**, C. C. Gmel. (Gramin.).

- Danthonii, Volkart, in *Schinz & Keller, Fl. Schweiz*, ed. II. 57 (= *Festuca Danthonii*).—Helvet.  
 dertonensis, Volkart, l. c. (= *Festuca dertonensis*).—Helvet.  
 obtusa, Trab. in *Batt. & Trab. Fl. Algér. Tunis*, 385.—Afr. bor.

**W****WAHLENBERGIA**, Schrad. (Campan.).

- brevipes, Hemsl. in *Hook. Ic. Pl. t.* 2768.—China.  
 cyanea, Engl. & Gilg, in *Warb. Kunene-Sambesi Exped.* 395.—Afr. trop.  
 depressa, Dod, in *Journ. Bot.* 1901, 400.—Afr. austr.  
 leucantha, Engl. & Gilg, in *Warb. Kunene-Sambesi Exped.* 396.—Afr. trop.  
 Tysoni, A. Zahlbr. in *Ann. Nat. Hofmus. Wien*, xviii. 403.—Afr. austr.

**WALAFRIDA**, E. Mey. (Selagin.).

- albanensis, Rolfe, in *Dyer, Fl. Cap. v.* 120 (= *Selago albanensis*).—Afr. austr.  
 apiculata, Rolfe, l. c. 121.—Afr. austr.  
 articulata, Rolfe, l. c. 125 (= *Selago articulata*).—Afr. austr.  
 ciliata, Rolfe, l. c. 119 (= *Selago ciliata*).—Afr. austr.  
 cinerea, Rolfe, l. c. 121 (= *Selago cinerea*).—Afr. austr.  
 congesta, Rolfe, l. c. 123 (= *Selago congesta*).—Afr. austr.  
 crassifolia, Rolfe, l. c.—Afr. austr.  
 decipiens, Rolfe, l. c. 122 (= *Selago decipiens*).—Afr. austr.  
 densiflora, Rolfe, l. c. 127 (= *Selago densiflora*).—Afr. austr.  
 diffusa, Rolfe, l. c. 125 (= *Selago diffusa*).—Afr. austr.  
 distans, Rolfe, l. c. 124 (= *Selago distans*).—Afr. austr.  
 Fleckii, Rolfe, in *Bull. Herb. Boiss. Sér. II.* iv. 1011.—Afr. trop.  
 geniculata, Rolfe, in *Dyer, Fl. Cap. v.* 128 (= *Selago geniculata*).—Afr. austr.  
 gracilis, Rolfe, l. c. 125.—Afr. austr.  
 Macowani, Rolfe, l. c. 122.—Afr. austr.  
 micrantha, Rolfe, l. c. 126 (= *Selago micrantha*).—Afr. austr.  
 minuta, Rolfe, l. c. 129.—Afr. austr.  
 myrtifolia, Rolfe, l. c. 119 (= *Selago myrtifolia*).—Afr. austr.  
 Nachtigali, Rolfe, l. c. 124 (= *Selago Nachtigali*).—Afr. austr.

**WALAFRIDA** :—

- paniculata, Rolfe, in *Dyer, Fl. Cap. v.* 127 (= *Selago paniculata*).—Afr. austr.  
 polycephala, Rolfe, l. c. 123 (= *Selago polycephala*).—Afr. austr.  
 polystachya, Rolfe, l. c. 129.—Afr. austr.  
 pubescens, Rolfe, l. c. 126.—Afr. austr.  
 recurva, Rolfe, l. c. 120 (= *Selago recurva*).—Afr. austr.  
 rotundifolia, Rolfe, l. c. 121 (= *Selago rotundifolia*).—Afr. austr.  
 saxatilis, Rolfe, l. c. 126 (= *Selago saxatilis*).—Afr. austr.  
 Schinzii, Rolfe, in *Bull. Herb. Boiss. Sér. II.* iv. 1011.—Afr. trop.  
 squarrosa, Rolfe, in *Dyer, Fl. Cap. v.* 125.—Afr. austr.  
 tenuifolia, Rolfe, l. c. 124.—Afr. austr.  
 witbergensis, Rolfe, l. c. 122 (= *Selago witbergensis*).—Afr. austr.  
 Zeyheri, Rolfe, l. c. 120 (= *Selago Zeyheri*).—Afr. austr.  
 zuurbergensis, Rolfe, l. c.—Afr. austr.

**WALDSTEINIA**, Willd. (Rosac.).

- idahoensis, Piper, in *Bull. Torr. Bot. Club*, 1903, 180.—Am. bor.

**WALLLENIA**, Sw. (Myrsin.).

- bumelioides, Mez, in *Urb. Symb. Antill.* ii. 415 (= *Ardisia bumelioides*).—Cuba.  
 clusioides, Mez, l. c. 411 (= *Ardisia clusioides*).—Ind. occ.  
 crassifolia, Mez, l. c. 409.—Ind. occ.  
 Fawcettii, Mez, l. c. 408.—Ind. occ.  
 Grisebachii, Mez, l. c. 411.—Ind. occ.  
 jacquinioides, Mez, l. c. 416 (= *Ardisia jacquinioides*).—Ind. occ.  
 Lamarckiana, Mez, l. c. 414 (= *Badula Lamarckiana*).—Ind. occ.  
 pendula, Mez, l. c. 413 (= *Ardisia pendula*).—Ind. occ.  
 Purdieana, Mez, l. c. 408.—Ind. occ.  
 purpurascens, Mez, l. c. 412 (= *Ardisia purpurascens*).—Ind. occ.  
 Urbaniana, Mez, l. c. 415.—Ind. occ.  
 xylostoides, Mez, l. c. 409 (= *Ardisia xylostoides*).—Ind. occ.  
 yunquensis, Mez, l. c. 413 (= *Ardisia yunquensis*).—Ind. occ.

**WALSURA**, Roxb. (Meliac.).

- Aherniana, Perkins, *Frag. Fl. Philipp.* 34.—Ins. Philipp.

**WALTHERIA**, Linn. (Stercul.).

- bahamensis, Britton, in *Torreya*, iii. 105.—Ind. occ.

**WARMINGIA**, Reichb. f. (Orchid.).

- Loefgrenii, Cogn. in *Mart. Fl. Bras.* iii. vi. 119.—Bras.

**WARNECKEA**, Gilg, in *Engl. Jahrb.* xxxiv. (1904) 100. **MELASTOMACEAE**.

- amaniensis, Gilg, l. c. 101.—Afr. trop.

**WARSZEWICZELLA**, Reichb. f. (Orchid.):

- [**ZYGOPETALUM**, Hook. I. K.]  
 flabelliformis, Cogn. in *Urb. Symb. Antill.* iv. 182 (= *Epidendrum flabelliforme*).—Ind. occ.

**WASHINGTONIA**, Rafin. (Umbell.).

- [**OSMORHIZA**, Rafin. I. K. S. II.]  
 mexicana, Rose, in *U. S. Dept. Agric. Contrib. Nat. Herb.* viii. 337 (= *Osmorrhiza mexicana*).—Mexic.

**WATSONIA**, Mill. (Irid.).

- transvaalensis, Baker, in *Bull. Herb. Boiss. Sér. II.* i. 868.—Afr. austr.

**WEBERA**, Schreb. (Rubiace.).

- [**TARENNA**, Gaertn. I. K.]  
 congensis, Stapf, in *Journ. Linn. Soc.* xxxvii. 106.—Afr. trop.  
 Curtisi, King, in *Journ. As. Soc. Beng.* lxxiii. 67.—Penins. Mal.  
 gracilis, Stapf, in *Journ. Linn. Soc.* xxxvii. 106.—Afr. trop.  
 Ridleyi, H. H. W. Pearson, ex King & Gamble, in *Journ. As. Soc. Beng.* lxxiii. 66.—Penins. Mal.  
 Wrayi, King, in *Journ. As. Soc. Beng.* lxxiii. 69.—Penins. Mal.  
 Yappii, King, l. c. 70.—Penins. Mal.

**WEDELIA**, Jacq. (Compos.).  
copiapina, *Reiche, Fl. Chile*, iv. 89 (= *Helianthus copiapinus*).—Chili.  
Eggersii, *Hieron. in Engl. Jahrb.* xxviii. 604.—Ecuador.  
instar, *S. Moore, in Journ. Linn. Soc.* xxxv. 343.—  
Afr. trop.  
Jelskii, *Hieron. in Engl. Jahrb.* xxxvi. 488.—Peruv.  
longipes, *Urb. Symb. Antill.* iii. 411.—Ind. occ.

**WEIGELTIA**, A. DC. (Myrsin.).  
[CYBIANTHUS, Mart. I. K.]  
antillana, *Mez, in Urb. Symb. Antill.* ii. 423.—Ind. occ.  
bogotensis, *Mez, in Engl. Pflanzenreich, Myrsin.* 288.—  
N. Granat.  
densiflora, *Mez, l. c.* 286 (= *Cybianthus densiflora*).—  
Bras.  
Glaziovii, *Mez, l. c.* 289.—Bras.  
Goudotiana, *Mez, l. c.* 290.—N. Granat.  
grandiflora, *Mez, l. c.* 287.—Guiana.  
humilis, *Mez, l. c.* 291.—N. Granat.  
microbotrys, *Mez, l. c.* 285 (= *Cybianthus microbotrys*).—  
Guiana.  
nitida, *Mez, l. c.* 288.—Bras.  
parviflora, *Mez, l. c.*—Guiana.  
Potiaei, *Mez, l. c.* 285.—Guiana.  
Quelchii, *Mez, l. c.* 288 (= *Ardisia Quelchii*).—Guiana.  
Schlimii, *Mez, l. c.* 291 (= *Comomyrsine Schlimii*).—  
N. Granat.  
Schomburgkiana, *Mez, l. c.* 285.—Guiana.  
simplex, *Mez, l. c.* 290 (= *Comomyrsine simplex*).—  
Ecuador.  
Sprucei, *Mez, l. c.* (= *Comomyrsine Sprucei*).—  
Ecuador.  
surinamensis, *Mez, l. c.* 289 = myrianthos.

**WEINMANNIA**, Linn. (Saxifr.).  
Baccariniana, *Pampan. in Ann. di Bot. Roma*, ii. 81.—  
Peruv.  
goyazensis, *K. Schum. in Engl. Jahrb.* xxx. Beibl.  
lxvii. 29.—Bras.  
laxiflora, *Pampan. in Ann. di Bot. Roma*, ii. 77.—Boliv.  
rarotongensis, *Hemsl. ex Cheesem. in Trans. Linn.*  
*Soc. Ser. II. vi.* 278.—Ins. Cook.  
trichocarpa, *Pampan. in Ann. di Bot. Roma*, ii. 67.—  
Peruv.

**WENDLANDIA**, Bartl. (Rubiace.).  
papuana, *Lauterb. in K. Schum. & Lauterb. Nachtr.*  
*Fl. Deutsch. Südsee*, 390.—N. Guin.

**WENDLANDIELLA**, Damm. in *Engl. Jahrb.* xxxvi.  
(1905) Beibl. lxxx. 31. **PALMAE**.  
gracilis, *Damm. l. c.* 32.—Bras.

**WERNERIA**, H. B. & K. (Compos.).  
Lehmannii, *Hieron. in Engl. Jahrb.* xxviii. 647.—  
Ecuador.  
rosea, *Hieron. l. c.* 648.—Ecuador.  
Rosenii, *R. Fries, in Nov. Act. Soc. Sci. Upsal. Ser. IV.*  
*i. no. 1,* 90.—Reg. Argent.

**WIDDRINGTONIA**, Endl. (Conif.).  
[CALLITRIS, Vent. I. K.]  
equisetiformis, *Masters, in Journ. Linn. Soc.* xxxvii.  
271.—Afr. austr.  
Mahoni, *Masters, l. c.*—Afr. trop.  
Schwarzii, *Masters, l. c.* 269 (= *Callitris Schwarzii*).—  
Afr. austr.

**WIKSTROEMIA**, Endl. (Thymel.).  
lanceolata, *Merrill, in Philipp. Gov. Lab. Bur. Bull.*  
xxix. 31.—Ins. Philipp.  
Meyeniana, *Warb. in Perkins, Frag. Fl. Philipp.* 171.—  
Ins. Philipp.

**WILLARDIA**, Rose, in Conzatti, Gén. Veget. Mexic.  
223 (1905). **LEGUMINOSAE**.  
mexicana, *Rose, l. c.*—Mexic.  
parviflora, *Rose, in U. S. Dept. Agric. Contrib. Nat.*  
*Herb.* viii. 313.—Mexic.

**WILLKOMMIA**, Hack. (Gramin.).  
Newtonii, *Hack. in Bull. Herb. Boiss. Sér. I. iv.* 810  
(1896).—Afr. trop.  
texana, *Hitchcock, in Coult. Bot. Gaz.* xxxv. 283.—  
Am. bor.

**WILLUGBAEYA**, Neck. (Compos.).  
[MIKANIA, Willd. I. K.]  
Halei, *Small, Fl. S. E. U. S.* 1170.—Am. bor.  
heterophylla, *Small, l. c.*—Am. bor.

**WINKLERELLA**, Engl. in *Engl. Jahrb.* xxxviii.  
(1905) 97. **PODOSTEMACEAE**.  
dichotoma, *Engl. l. c.*—Afr. trop.

**WISLIZENIA**, Engelm. (Capparid.).  
seabrada, *Eastw. in Bull. Torr. Bot. Club*, 1903, 490.—  
Am. bor.

**WISSADULA**, Medic. (Malvac.).  
elongata, *T. S. Brandegee, in Zoe, v.* 210 (1905).—  
Mexic.  
gracilis, *Hochr. in Ann. Conserv. & Jard. Bot.*  
*Genève*, 1902, 30.—Mexic.  
Hassleriana, *Chod. in Bull. Herb. Boiss. Sér. II. i.* 400.—  
Parag.  
incana, *T. S. Brandegee, in Zoe, v.* 210 (1905).—  
Mexic.  
oligomera, *Chod. in Bull. Herb. Boiss. Sér. II. i.* 400.—  
Parag.  
paraguayensis, *Chod. l. c.*—Parag.  
sordida, *Hochr. in Ann. Conserv. & Jard. Bot. Genève*,  
1902, 29.—Boliv.

**WISTARIA**, Nutt. (Legum.).  
involuta, *Sprague, in Gard. Chron.* 1904, II. 141 =  
Derris involuta.  
pilipes, *Sprague, l. c.* 142 (= *Milletia pilipes*).—  
Austral.

**WITTIA**, K. Schum. in *Monatsschr. Kakt.* 1903, 117.  
**CACTACEAE**.  
amazonica, *K. Schum. l. c.*—Bras.

**WOODBURNIA**, Prain, in *Journ. As. Soc. Beng.*  
lxxiii. (1904) 23. **ARALIACEAE**.  
penduliflora, *Prain, l. c.*—Burma.

**WORMSKIOLDIA**, Thonn. (Turner.).  
rosulata, *Urb. in Notizbl. Bot. Gart. Berlin*, iv. 173.—  
Afr. trop.

**WRIGHTIA**, R. Br. (Apocyn.).  
cambodiensis, *Pierre, in L. Planch. Prod. Apocyn.*  
(1894) 333, nomen.—Cochinch.  
filipendula, *Pierre, l. c.* nomen.—Cochinch.  
Laniti, *Merrill, in Philipp. Gov. Lab. Bur. Bull.* xxvii.  
59 (= *Anasser Laniti*).—Ins. Philipp.

**WULFHORSTIA**, C. DC. (Meliac.).  
ekebergioides, *Harms, in Warb. Kunene-Sambesi*  
*Exped.* 271.—Afr. trop.

**WURMBEA**, Thunb. (Liliac.).  
Goetzei, *Engl. in Engl. Jahrb.* xxx. 272.—Afr. trop.

**WYETHIA**, Nutt. (Compos.).  
lanceolata, *Howell, Fl. N. W. Amer.* i. 341.—Am. bor.

## X

**XANTHISMA**, DC. (Compos.).  
Berlandieri, *Small, Fl. S. E. U. S.* 1184.—Am. bor.

**XANTHIUM**, Linn. (Compos.).  
commune, *Britton, Man. Fl. N. U. S.* 912.—Am. bor.  
glabratum, *Britton, l. c.*—Am. bor.  
inflexum, *Mackenzie & Bush, in Rep. Missouri Bot.*  
*Gard.* 1905, 106.—Am. bor.  
Macounii, *Britton, Man. Fl. N. U. S.* 913.—Am. bor.  
Wootoni, *Auct. in Proc. Biol. Soc. Washington*, xvi.  
387.—Am. bor.

**XANTHOCEPHALUM**, Willd. (Compos.).  
megalocephalum, *Fern. in Proc. Amer. Acad.* xxxvi.  
505.—Mexic.

**XANTHOPHYLLUM**, Roxb. (Polygal.).  
glandulosum, *Merrill, in Philipp. Gov. Lab. Bur. Bull.*  
xxxv. 34.—Ins. Philipp.  
pomiferum, *Boerl. & Vatel. in Ic. Bogor. t.* lxxviii.—  
Hort.

**XANTHOSIA**, Rudge (Umbell.).  
silvatica, *Diels, in Engl. Jahrb.* xxxv. 455.—Austral.

**XANTHOSOMA**, Schott (Arac.).  
brevispathaceum, *Engl. in Engl. Jahrb.* xxxvii. 137.—  
Peruv.  
daguense, *Engl. l. c.*—N. Granat.  
flavomaculatum, *Engl. l. c.* 139.—N. Granat.  
Kerberi, *Engl. l. c.* 138.—Mexic.  
tarapotense, *Engl. l. c.*—Peruv.  
yucatanense, *Engl. l. c.*—Am. cent.

**XANTHOSTEMON**, F. Muell. (Myrtac.).  
aurantiacum, *Schlechter, in Engl. Jahrb.* xxxvi. 26  
(= *Fremya aurantiaca*).—N. Caled.  
Beauvisagei, *Pampan. in Nuov. Giorn. Bot. Ital. n. s.*  
xii. 684.—N. Caled.  
flavum, *Schlechter, l. c.* (= *Fremya flava*).—N. Caled.  
glaucum, *Pampan. in Nuov. Giorn. Bot. Ital. n. s.* xii.  
682.—N. Caled.  
macrophyllum, *Pampan. l. c.* 683.—N. Caled.  
Merrilli, *Pampan. l. c.* 688.—Ins. Philipp.  
Montrouzieri, *Pampan. l. c.* 687.—N. Caled.  
multiflorum, *Beauvis. Gen. Montrouz.* 46 (= *Drapar-*  
*naudia multiflora*).—N. Caled.  
Pancheri, *Schlechter, in Engl. Jahrb.* xxxvi. 24 (= *Fremya Pancheri*).—N. Caled.  
speciosum, *Merrill, in Philipp. Gov. Lab. Bur. Bull.*  
vi. 10.—Ins. Philipp.

**XANTHOXALIS**, Small, Fl. S. E. U. S. 666 (1903).  
**OXALIDACEAE**.  
Brittoniae, *Small, l. c.* 668 (= *Oxalis Brittoniae*).—  
Am. bor.  
Bushii, *Small, l. c.* 667 (= *Oxalis Bushii*).—Am. bor.  
colorea, *Small, l. c.* 668.—Am. bor.  
corniculata, *Small, l. c.* 667 (= *Oxalis corniculata*).—  
Am. bor.  
cymosa, *Small, l. c.* 668 (= *Oxalis cymosa*).—Am. bor.  
filipes, *Small, l. c.* 667 (= *Oxalis filipes*).—Am. bor.  
grandis, *Small, l. c.* 668 (= *Oxalis grandis*).—Am. bor.  
hirsuticaulis, *Small, l. c.* 669 (= *Oxalis hirsuticaulis*).—  
Am. bor.  
interior, *Small, l. c.* 668.—Am. bor.  
Langloisii, *Small, l. c.* 667.—Am. bor.  
macrantha, *Small, l. c.*—Am. bor.  
Priceae, *Small, l. c.* 669 (= *Oxalis Priceae*).—Am. bor.  
recurva, *Small, l. c.* 668 (= *Oxalis recurva*).—Am. bor.  
rufa, *Small, l. c.* (= *Oxalis rufa*).—Am. bor.  
stricta, *Small, l. c.* 667 (= *Oxalis stricta*).—Am. bor.  
texana, *Small, l. c.*—Am. bor.

**XEROTES**, R. Br. (Juncac.).  
Andrewsii, *Fitzger. in Journ. Muell. Soc. W. Austral.*  
i. 36.—Austral.  
Benthiana, *Fitzger. l. c.*—Austral.  
hermaphrodita, *C. Andrews, in Journ. Muell. Soc.*  
*W. Austral.* ix. 20.—Austral.

**XIPHAGROSTIS**, Coville, in U. S. Dept. Agric.  
Contrib. Nat. Herb. ix. 400 (1905). **GRAMINEAE**.  
floridula, *Coville, l. c.* 399 (= *Saccharum floridulum*).—  
As. ; Polynes.  
japonica, *Coville, l. c.* 400 (= *Saccharum japonicum*).—  
As. or. ; Polynes.

**XOLISMA**, Rafin. (Eric.).  
[ANDROMEDA, Linn. I. K.]  
foliosiflora, *Small, Fl. S. E. U. S.* 889.—Am. bor.

**XYLIA**, Benth. (Legum.).  
fraterna, *Drake, Hist. Pl. Madag.* i. 49 (= *Parkia*  
*fraterna*).—Madag.  
Hoffmanni, *Drake, l. c.* (= *Parkia Hoffmanni*).—  
Madag.

**XYLINABARIA**, Pierre (Apocyn.).  
Reynaudi, *Fumelle, in Rev. Cult. Colon.* x. 363 ; *Pl.*  
*Caoutch. Gutta*, 430.—Tonkin.

**XYLOPHACOS**, Rydb. in *Small, Fl. S. E. U. S.* 619  
(1903). **LEGUMINOSAE**.  
amphioxus, *Rydb. in Bull. Torr. Bot. Club*, 1905, 662  
(= *Astragalus amphioxus*).—Am. bor.  
missouriensis, *Rydb. in Small, Fl. S. E. U. S.* 620  
(= *Astragalus missouriensis*).—Am. bor.  
Newberryi, *Rydb. in Bull. Torr. Bot. Club*, 1905, 662  
(= *Astragalus Newberryi*).—Am. bor.  
Parryi, *Rydb. l. c.* (= *Astragalus Parryi*).—Am. bor.  
Purshii, *Rydb. l. c.* (= *Astragalus Purshii*).—Am. bor.  
pygmaeus, *Rydb. l. c.* (= *Phaca pygmaea*).—Am. bor.  
Shortianus, *Rydb. in Small, Fl. S. E. U. S.* 1332 (= *Astragalus Shortianus*).—Am. bor.

**XYLOPHACOS:**—

uintensis, Rydb. in Bull. Torr. Bot. Club, 1905, 662 (= *Astragalus uintensis*).—Am. bor.  
vespertinus, Rydb. l. c. (= *Astragalus vespertinus*).—Am. bor.

**XYLOPHRAGMA**, Sprague, in Hook. Ic. Pl. t. 2770 (1903). *BIGNONIACEAE*.

myrianthum, Sprague, l. c. (= *Tecoma myriantha*).—Bras.  
pratense, Sprague, l. c. (= *Tecoma pratensis*).—Peruv.

**XYLOPHYLLA**, Linn. = *Phyllanthus*, Linn. (Euphorb.).

ensifolia, Bojer, ex Drake, Hist. Pl. Madag. i. 191 = *Phylloxylon ensifolius*.

**XYLOPIA**, Linn. (Anonac.).

arenaria, Engl. in Engl. Jahrb. xxxiv. 159.—Afr. trop.  
Batesii, Pierre, ex Engl. & Diels, in Monogr. Afr. Pfl. vi. 62.—Afr. trop.

Butayi, Wildem. in Ann. Mus. Congo, Sér. IV. 33.—Afr. trop.

congolensis, Wildem. l. c. Sér. V. 41.—Afr. trop.  
dehiscens, Merrill, in Forest. Bur. Philipp. Bull. i. 20 (= *Unona dehiscens*).—Ins. Philipp.

Dekeyzeriana, Wildem. in Ann. Mus. Congo, Sér. V. i. 43.—Afr. trop.

Elliotii, Pierre, ex Engl. & Diels, in Monogr. Afr. Pfl. vi. 65.—Afr. trop.

Gilletii, Wildem. in Ann. Mus. Congo, Sér. V. i. 42.—Afr. trop.

Holtzii, Engl. in Engl. Jahrb. xxxiv. 159.—Afr. trop.  
humilis, Engl. & Diels, in Monogr. Afr. Pfl. vi. 60.—Afr. trop.

Klaireana, Pierre, ex Engl. & Diels, l. c. 59.—Afr. trop.  
parviflora, Pierre, ex Engl. & Diels, l. c. 64 (= *Uvaria parviflora*).—Afr. trop.

Poggeana, Pierre, ex Engl. & Diels, l. c. 65.—Afr. trop.

Quintasii, Pierre, ex Engl. & Diels, l. c. 62.—Afr. trop.  
striata, Engl. in Engl. Jahrb. xxxiv. 160.—Afr. trop.

Ulei, Diels, in Verh. Bot. Ver. Brand. xlvii. (1905) 133.—Reg. Amaz.

**XYLORRHIZA**, Nutt. (Compos.).

[*ASTER*, Tourn. I. K.]  
Brandegei, Rydb. in Bull. Torr. Bot. Club, 1905, 124.—Am. bor.

coloradensis, Rydb. l. c. (= *Aster coloradoensis*).—Am. bor.

scopolorum, A. Nelson, in Coult. Bot. Gaz. xxxvii. 270.—Am. bor.

venusta, A. A. Heller, Muhlenbergia, i. 8 (= *Aster venustus*).—Am. bor.

**XYLOSMA**, Forst. f. (Bixac.).

gracile, Hemsl. ex Cheesem. in Trans. Linn. Soc. Ser. II. vi. 272.—Ins. Cook.

ilicifolia, Northr. in Mem. Torr. Bot. Club, xii. 51.—Ins. Baham.

turrialbanum, Donn. Sm. in Coult. Bot. Gaz. xxxi. 109.—Am. cent.

**XYLOSTEON**, Tourn. (Caprifol.).

[*LONICERA*, Linn. I. K.]  
conjugalilis, Howell, Fl. N. W. Amer. i. 282 (= *Lonicera conjugalilis*).—Am. bor.

Ledebourii, Howell, l. c. (= *Lonicera Ledebourii*).—Am. bor.

utahensis, Howell, l. c. (= *Lonicera utahensis*).—Am. bor.

**XYMALOS**, Baill. (Bixac.).

usambarensis, Engl. in Engl. Jahrb. xxx. 310 (= *Paxiendendron usambarensis*).—Afr. trop.

**XYRIS**, Gronov. (Xyrid.).

angularis, N. E. Br. in Dyer, Fl. Trop. Afr. viii. 22.—Afr. trop.

arenicola, Small, Fl. S. E. U. S. 234.—Am. bor.  
aristata, N. E. Br. in Dyer, Fl. Trop. Afr. viii. 11.—Afr. trop.

bahiana, Malme, in Bih. Svensk. Vet.-Akad. Handl. xxvi. XIX. 8.—Bras.

Barteri, N. E. Br. in Dyer, Fl. Trop. Afr. viii. 22.—Afr. trop.

batokana, N. E. Br. l. c. 23.—Afr. trop.

Baumii, A. Nilsson, in Warb. Kunene-Sambesi Exped. 181.—Afr. trop.

**XYRIS:**—

brunnea, A. Nilsson, in Engl. Jahrb. xxx. 271.—Afr. trop.

concinna, N. E. Br. in Trans. Linn. Soc. Ser. II. vi. 68.—Guiana.

dispar, N. E. Br. in Dyer, Fl. Trop. Afr. viii. 12.—Afr. trop.

Gardneri, Malme, in Bih. Svensk. Vet.-Akad. Handl. xxvi. XIX. 8.—Bras.

humpatensis, N. E. Br. in Dyer, Fl. Trop. Afr. viii. 5.—Afr. trop.

makuensis, N. E. Br. l. c. 17.—Afr. trop.  
multicaulis, N. E. Br. l. c. 20.—Afr. trop.

obscura, N. E. Br. l. c. 6.—Afr. trop.

pallescens, Small, Fl. S. E. U. S. 234.—Am. bor.  
scabrifolia, Harper, in Bull. Torr. Bot. Club, 1903, 325.—Am. bor.

Spruceana, Malme, in Bih. Svensk. Vet.-Akad. Handl. xxvi. XIX. 12.—Venez.

zombana, N. E. Br. in Dyer, Fl. Trop. Afr. viii. 18.—Afr. trop.

**XYSMALOBIMUM**, R. Br. (Asclep.).

barbigerum, N. E. Br. in Dyer, Fl. Trop. Afr. iv. i. 307.—Afr. trop.

Brownianum, S. Moore, in Journ. Bot. 1903, 309.—Afr. austr.

Ceciliae, N. E. Br. in Dyer, Fl. Trop. Afr. iv. i. 310.—Afr. trop.

dispar, N. E. Br. l. c. 307.—Afr. trop.

gramineum, S. Moore, in Journ. Bot. 1902, 254.—Afr. trop.

grande, N. E. Br. in Dyer, Fl. Trop. Afr. iv. i. 311 (= *Glossostelma angolense*).—Afr. trop.

leucotrichum, N. E. Br. l. c. 615 (= *Asclepias leucotricha*).—Afr. trop.

Schumannianum, S. Moore, in Journ. Bot. 1901, 259.—Afr. trop.

spathulatum, N. E. Br. in Dyer, Fl. Trop. Afr. iv. i. 312 (= *Gomphocarpus spathulatus*).—Afr. trop.

trilobatum, N. E. Br. l. c. 306 (= *Woodia trilobata*).—Afr. trop.

**Y****YEATESIA**, Small (Acanth.).

[*GATESIA*, A. Gray. I. K. S. II.]  
viridiflora, Small, Fl. S. E. U. S. 1087 (= *Rhytiglossa viridiflora*).—Am. bor.

**YUCCA**, Dill. (Liliac.).

angustissima, Engelm. ex Trelease, in Rep. Missouri Bot. Gard. 1902, 58.—Am. bor.

arborescens, Trelease, l. c. 1892, 163.—Am. bor.  
Faxoniana, Sarg. Man. Trees N. Amer. 121.—Am. bor.

Harrimaniae, Trelease, in Rep. Missouri Bot. Gard. 1902, 59.—Am. bor.

karlsruhensis, Graebener, in Mitth. Deutsch. Dendrol. Ges. 1903, 7.—Hybr.

louisianensis, Trelease, in Rep. Missouri Bot. Gard. 1902, 64.—Am. bor.

rigida, Trelease, l. c. 65.—Mexic.

rostrata, Engelm. ex Trelease, l. c. 68.—Mexic.  
tenuistyla, Trelease, l. c. 53.—Am. bor.

**Z****ZALUZANIA**, Pers. (Compos.).

Pringlei, Greenm. in Proc. Amer. Acad. xxxix. 101.—Mexic.

**ZALUZIANSKYA**, F. W. Schmidt (Scrophul.).

africana, Hiern, in Dyer, Fl. Cap. iv. II. 342 (= *Erinus africanus*).—Afr. austr.

Bolusii, Hiern, l. c. 352.—Afr. austr.

collina, Hiern, l. c. 346.—Afr. austr.

distans, Hiern, l. c. 340.—Afr. austr.

Flanaganii, Hiern, l. c. 351.—Afr. austr.

Katharinae, Hiern, l. c. 341.—Afr. austr.

montana, Hiern, l. c. 342.—Afr. austr.

ramosa, Schinz, ex Hiern, l. c. 353.—Afr. austr.

**ZAMIA**, Linn. (Cycad.).

Tuerckheimii, Donn. Sm. in Coult. Bot. Gaz. xxxv. 8, t. 1.—Am. cent.

**ZAMIOCULCAS**, Schott (Arac.).

zamiifolia, Engl. Pflanzenreich, Arac.-Poth. 305 (= *Caladium zamiaefolium*).—Afr. trop.

**ZANTEDESCHIA**, Spreng. (Arac.).

[*RICHARDIA*, Kunth. I. K.]  
chloroleuca, Engl. & Gilg, in Warb. Kunene-Sambesi Exped. 180.—Afr. trop.

Stehmannii, Sprenger, in Wien. Ill. Gart. Zeit. 1901, 415 = *Richardia Rehmannii*.

**ZANTHOXYLUM**, Linn. (Rutac.).

Eichleri, Engl. ex Glaz. in Bull. Soc. Bot. Fr. lii. Mém. III. 83, nomen.—Bras.

Glaziovianum, Engl. ex Glaz. l. c. nomen.—Bras.

**ZAUSCHNERIA**, Presl (Onagrac.).

argentea, A. Nelson, in Proc. Biol. Soc. Washington, xviii. 173.—Am. bor.

arizonica, Davids. in Bull. S. Calif. Acad. i. 4.—Am. bor.

**ZELKOVA**, Spach (Urtic.).

serrata, Makino, in Bot. Mag. Tokyo, xvii. 13 = *acuminata*.

**ZENOBIJA**, D. Don (Ericac.).

cerasiflora, Léveillé, in Bull. Acad. Géogr. Bot. xii. (1903) 253.—China.

**ZEPHYRANTHES**, Herb. (Amaryll.).

jujuyensis, Holmb. in Anal. Mus. Buenos Aires, Ser. III. iv. 523.—Reg. Argent.

melanopotamica, Speg. in Anal. Mus. Buenos Aires, vii. 169.—Patag.

mesochloa, Baker, in Bull. Herb. Boiss. Sér. II. iii. 1100 (= *Amaryllis mesochloa*).—Parag.

timida, Holmb. in Anal. Mus. Buenos Aires, Ser. III. ii. 77.—Reg. Argent.

**ZEUGITES**, P. Br. (Gramin.).

Pittieri, Hack. in Oesterr. Bot. Zeitschr. 1902, 373.—Am. cent.

**ZEUXINE**, Lindl. (Orchid.).

Erimac, Schlechter, in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee, 90.—N. Guin.

montana, Schlechter, l. c. 91.—Ins. Bismarck.

rupestris, Ridley, in Journ. As. Soc. Straits, xxxix. 86.—Penins. Mal.

torricellensis, Schlechter, in K. Schum. & Lauterb. Nachtr. Fl. Deutsch. Südsee, 92.—N. Guin.

Vieillardii, Schlechter, in Engl. Jahrb. xxxvi. 19 (= *Rhamphidia Vieillardii*).—N. Caled.

**ZEXMENIA**, La Llave (Compos.).

foliosa, Rusby, ex Jones, in Proc. Amer. Acad. xli. 162.—Boliv.

gracilis, Jones, l. c. 154.—Mexic.

Palmeri, Greenm. ex Jones, l. c. 149.—Mexic.

Pittieri, Greenm. ex Jones, l. c. 156.—Am. cent.

Rosei, Greenm. in Proc. Amer. Acad. xl. 42.—Mexic.

squarrosa, Greenm. ex Jones, in Proc. Amer. Acad. xli. 151.—Mexic.

xylopoda, Jones, l. c. 150.—Mexic.

**ZINGIBER**, Adans. (Scitam.).

acuminatum, Valet. in Bull. Inst. Buitenz. xx. 13.—Java.

alliaceum, K. Schum. in Engl. Pflanzenreich, Zingib. 179 (= *Donacodes alliaceum*).—Malaya.

atrorubens, Gagnep. in Bull. Soc. Bot. Fr. xlix. 252.—China.

borneense, K. Schum. in Engl. Pflanzenreich, Zingib. 178.—Borneo.

Cholmondeleyi, K. Schum. l. c. 172.—Austral.

didymoglossa, K. Schum. l. c. 186.—China.

macrorrhynchus, K. Schum. l. c. 176.—Sumatra.

monophyllum, Gagnep. in Bull. Soc. Bot. Fr. xlix. 250.—Tonkin.

neglectum, Valet. in Bull. Inst. Buitenz. xx. 12.—Java.

oligophyllum, K. Schum. in Engl. Pflanzenreich, Zingib. 185.—Formosa.

pleiostachyum, K. Schum. l. c.—Formosa.

porphyrosphaera, K. Schum. l. c. 175.—Borneo.



**ZINGIBER:—**

- rufopilosum, *Gagnep. in Bull. Soc. Bot. Fr.* xlix. (1903) 249.—Tonkin.  
 stenostachys, *K. Schum. in Engl. Pflanzenreich, Zingib.* 175.—Borneo.  
 tongtak, *K. Schum. l. c.* 177.—Malaya.  
 Wrayii, *Prain, ex Ridley, in Journ. As. Soc. Straits*, xli. 31.—Penins. Mal.

**ZIZIA**, Koch (Umbell.).

- [CARUM, Rupp. I. K.]  
 arenicola, *Rose, in Proc. U. S. Nat. Mus.* xxix. (1905) 442.—Am. bor.

**ZIZYPHUS**, Tourn. (Rhamnac.).

- Allemaovii, *Glaz. in Bull. Soc. Bot. Fr.* lii. Mém. III. 110, nomen.—Bras.  
 arborea, *Merrill, in Philipp. Gov. Lab. Bur. Bull.* vi. 11.—Ins. Philipp.  
 guaranitica, *Malmé, in Bih. Svensk. Vet.-Akad. Handl.* xxvii. no. 11, 20.—Parag.  
 inermis, *Merrill, in Philipp. Gov. Lab. Bur. Bull.* xxxv. 37.—Ins. Philipp.

**ZOLLIKOFERIA**, DC. (Compos.).

- [LAUNAEA, Cass. I. K.]  
 anomala, *Batt. in Batt. & Trab. Fl. Algér. Tunis*, 216.—Afr. bor.  
 arborescens, *Batt. l. c.* 215.—Afr. bor.

**ZORNIA**, J. F. Gmel. (Legum.).

- cearensis, *Huber, in Bull. Herb. Boiss. Sér. II.* i. 307.—Bras.

**ZORNIA:—**

- cryptantha, *Arech. in Anal. Mus. Montevideo*, iii. 358.—Urug.

**ZOZIMIA**, DC. (Umbell.).

- pamirica, *Lipsky, ex Paulsen, in Kjoeb. Vidensk. Meddel.* 1903, 143.—As. cent.

**ZYGADENUS**, Michx. (Liliac.).

- alpinus, *Blank, in Montana Agric. Coll. Sci. Studies, Bot.* i. 44.—Am. bor.  
 dilatatus, *Greene, Pl. Baker.* i. 51.—Am. bor.  
 gracilentus, *Greene, Pittonia*, iv. 241.—Mexic.  
 japonicus, *Makino, in Bot. Mag. Tokyo*, xvii. 162.—Japan.  
 longus, *Greene, Pittonia*, iv. 240.—Am. bor.  
 micranthus, *Eastw. in Bull. Torr. Bot. Club*, 1903, 483.—Calif.  
 mohinorensis, *Greenm. in Proc. Amer. Acad.* xxxix. 71.—Mexic.

**ZYGANTHERA**, N. E. Br. in Dyer, Fl. Trop. Afr. viii. 160 (1901). *ARACEAE*.

- Buttneri, *N. E. Br. l. c.* (= *Pseudohydrosme Buettneri*).—Afr. trop.

**ZYGIA**, P. Br. (Legum.).

- [PITHECOLOBIUM, Mart. I. K.]  
 brevifolia, *Sudw. in U. S. Dept. Agric. Bull. Forest.* xiv. 248 (= *Pithecolobium brevifolium*).—Am. bor.  
 flexicaulis, *Sudw. l. c.* (= *Acacia flexicaulis*).—Am. bor.

**ZYGIA:—**

- Unguis-cati, *Sudw. in U. S. Dept. Agric. Bull. Forest.* xiv. 248 (= *Mimosa Unguis-cati*).—Am. bor.

**ZYGODIA**, Benth. (Apocyn.).

- melanocephala, *Stapf, in Dyer, Fl. Trop. Afr.* iv. I. 219 (= *Oncinotis melanocephala*).—Afr. trop.

**ZYGOGYNUM**, Baill. (Magnol.).

- Bailloni, *Van Tiegh. in Journ. de Bot.* xiv. 340.—N. Caled.  
 Balansae, *Van Tiegh. l. c.* 341.—N. Caled.  
 bicolor, *Van Tiegh. l. c.*—N. Caled.  
 spathulatum, *Van Tiegh. l. c.*—N. Caled.

**ZYGOMENES**, Salisb. (Commelin.).

- [CYANOTIS, D. Don. I. K.]  
 cristata, *W. F. Wight, in U. S. Dept. Agric. Contrib. Nat. Herb.* ix. 404 (= *Commelina cristata*).—Ind. or.; Malaya.

**ZYGOPETALUM**, Hook. (Orchid.).

- Binoti, *Wildem. in Gard. Chron.* 1905, II. 258.—Bras.

**ZYGOPHYLLIDIUM**, Small, Fl. S. E. U. S. 714 (1903). *EUPHORBACEAE*.

- hexagonum, *Small, l. c.* (= *Euphorbia hexagona*).—Am. bor.

**ZYGOPHYLLUM**, Linn. (Zygophyll.).

- depauperatum, *Drake, in Bull. Mus. Hist. Nat. Par.* 1903, 38.—Madag.















